Historical Collection

THE LIBRARIES

COLUMBIA UNIVERSITY

HEALTH SCIENCES
LIBRARY

OCT 1 9 1983

Digitized by the Internet Archive
in 2010 with funding from
Open Knowledge Commons

http://www.archive.org/details/annualreportofre35grea

CONTENTS

	PAGES
Introduction	iii–iv
1. Possibilities and Difficulties of extending Human Life	v–viii
2. Probable Decrease of Mortality	viii–ix
3. Increase of Population in Geometrical Progression and its effects on Health and Mortality	ix
4. Increase and Decrease of Population	ix–xii
5. Relation between Death-rates and Birth-rates	xii–xiv
6. Instances of Effects of Industrial Enterprise on Death and Birth Rates	xiv–xv
7. The Principle of Population	xv–xviii
8. Progress of Mankind in Health	xix–xx
9. Constituent Elements of the Population	xx
10. The Mortality of Males and Females at the several Periods of Life	xxi–xxii
11. Effects of Density of Population on Health	xxiii–xxv
12. Mortality of Persons of different Ages as a Sanitary Test	xxv
13. Districts grouped in the order of Density	xxv
14. Of what Causes People die off at different Ages	xxv–xxvii
15. March of an English Generation through Life	xxviii–xxxiii
16. Future Dangers at several Stages of Life	xxxiii–xxxiv
17. The relative Number of Deaths from different Causes	xxxiv
18. The Rates of Mortality at different Ages by different Causes	xxxiv–xxxv
19. The Law of Mortality and of Attacks of Disease	xxxv–xxxvi
20. Ages at Death by particular Diseases	xxxvi–xxxvii
21. Effect of the Extinction of any single Disease on the Duration of Life	xxxviii–xli
22. Economic Effect of Deaths by different Diseases	xli–xliii
23. Hygienic Topography	xliii
(*a.*) *London*	xliii–xlv
(*b.*) *South Eastern Division*	xlvi
(*c.*) *South Midland Division*	xlvi
(*d.*) *Eastern Division*	xlvi–xlvii
(*e.*) *South Western Division*	xlvii
(*f.*) *West Midland Division*	xlvii–xlix
(*g.*) *North Midland Division*	xlix
(*h.*) *North Western Division*	xlix–l
(*j.*) *York Division*	l–li
(*k.*) *Northern Division*	li
(*l.*) *Welsh Division*	li–lii

34846.

PAGES

24. HEALTH OF MEN ENGAGED IN VARIOUS OCCUPATIONS . . lii–lviii

CONCLUSIONS AND PRACTICAL APPLICATIONS :

Natural Lifetime, physical causes of its termination . . lviii

Hygienic Factors :

Air, Water, Drinks (Temperance), Non-alcoholic Drinks, Food, Heat and Cold, Exercise lviii

Excreta, Cleanliness (Baths), Sewers lxiii

Zymotic Diseases, Vaccination lxv

Enthetic Diseases (" Contagious Diseases ") . . . lxvii

Childbirth, Local Diseases lxx

Cities (Sites, Ground Rents, Municipal Organization) . lxxi

Cremation, Inhumation (Burial in Churchyards, Cemeteries) lxxii

Health Insurance, Medicine (Medical Profession, Hereditary Disease, Improvements of Race) . . . lxxvii

TABLES :—

PRELIMINARY . . . . . lxxxiii–clxxxv

Density of POPULATION and **Annual Mortality** of **Persons** at **All Ages** in the Three Decenniads **1841–50, 1851–60,** and **1861–70,** in the REGISTRATION DIVISIONS, COUNTIES, and DISTRICTS of ENGLAND; **Inmates** and **Deaths** in certain PUBLIC INSTITUTIONS . . . . . clxxxvii–ccxii

Average Annual Rate of **Mortality** of **Males** and **Females** from **All Causes** at **Different Ages,** in the **10** Years **1861–70,** in the REGISTRATION DIVISIONS and DISTRICTS of ENGLAND . . . . . ccxiii–ccxli

Mean Population, 1861–71, and Deaths from **Different Causes** of **Males** and **Females** at **Different Ages** in the **10** Years **1861–70** in ENGLAND and WALES and in the REGISTRATION DIVISIONS and DISTRICTS 1–445

Deaths of **Males** at **Different Ages** from **5** Years and upwards of **Different Occupations** in ENGLAND and in each of the **11** REGISTRATION DIVISIONS, registered in the Year **1871** . 447–504

Deaths of **Males** at **Different Ages** from **5** Years and upwards of **Different Occupations** in EIGHTY TOWN DISTRICTS, registered in the Year **1871** 505–514

INDEX OF DISTRICTS 515–518

INDEX OF CERTAIN TOWNS 519

ALPHABETICAL INDEX 521–539

LETTER

TO

The REGISTRAR-GENERAL on the MORTALITY in the REGISTRATION DISTRICTS of ENGLAND during the YEARS **1861–70**; by WILLIAM FARR, Esq., M.D., F.R.S., D.C.L.

General Register Office, Somerset House,
5th February 1875.

SIR,

How the people of England live is one of the most important questions that can be considered; and how—of what causes, and at what ages—they die is scarcely of less account; for it is the complement of the primary question teaching men how to live a longer, healthier, and happier life. Armed with this golden bough, we may enter the gloomy kingdom of the dead, whither have gone in twenty years nine thousand thousand English children, fathers, mothers, sisters, brothers, daughters, sons:

> Matres atque viri, defunctaque corpora vita
> Magnanimum heroum, pueri innuptæque puellæ
> Impositique rogis juvenes ante ora parentum :*

each having left memories not easily forgotten; and many having biographies full of complicated incidents. Here, fortunately for this inquiry, they appear divested of all colour, form, character, passion, and the infinite individualities of life: by abstraction they are reduced to mere units undergoing changes as purely physical as the setting stars of astronomy or the decomposing atoms of chemistry; and as in those sciences so in this, the analysis of the elementary facts observed in their various relations to time and place will shed new light on the more complicated phenomena of national life.

The vital units to be specially dealt with are persons living and persons dying in the ten years 1861–70, only distinguishing them into units representing males and females of different ages and occupations, losing life year after year by various causes, in about 627 districts extending from the borders of Scotland to the English Channel and from the Irish Sea to the German Ocean. The deaths in the several classes have to be compared with the population enumerated at three decennial censuses, in corresponding groups.

The long series of Tables offers a retrospect extending over the ten years, and is in continuation of a series embracing the previous ten years, with which it is compared.

The primary object is to determine what the death-toll† is at the several ages, and what the causes of the loss of life are, under different circumstances. The importance of this determination will become ap-

---

* Mothers and men, and bodies there with all the life outworn
Of great-souled heroes; many a boy and never-wedded maid,
And youths before their fathers' eyes upon the death-bale läid:
Morris.

† This compound of Saxon words appears to be preferable to "death-rate" or "death-tax;" it is equivalent to "rate of mortality."

parent by enumerating some of the relations the mortality bears to other orders of facts. There is a relation betwixt death and sickness; and to every death from every cause there is an average number of attacks of sickness, and a specific number of persons incapacitated for work. Death is the extinction of pain. There is a relation betwixt death, health, and energy of body and mind. There is a relation betwixt death, birth, and marriage. There is a relation betwixt death and national primacy: numbers turn the tide in the struggle of populations, and the most mortal die out. There is a relation betwixt the forms of death and moral excellence or infamy; men destroy themselves directly or their fellows under the most varied mental conditions; they may die by indulgence in excesses, by idleness, or by improvidence. Death is met especially in primeval races not only in conflicts with each other, but in conflicts with other races of animals—directly with great carnivorous quadrupeds or creeping poisonous serpents, and indirectly with four-footed animals, winged birds, and multitudinous insects, blighting or consuming food. Death is also wrought by low but organised parasites in the body. It is still more frequently the result of elementary molecules (zymads) which, though of no recognised form, evidently thrive, propagate, die in the bodies of men, disintegrating or devitalizing their tissues.

There is finally a relation betwixt death and the mean lifetime of man; if a life passing through a given time is represented by a line, death is the point of termination as birth is the point of origin. And a generation of men born together is represented by an indefinite number of such lines of life. The natural lifetime of man is a century; that age under ordinary conditions is, as the Etruscans remarked, attained by at least *one* in every considerable generation, and they made it their sæculum; as in that time are passed through all the phases of childhood, youth, manhood, maturity, and monumental age.* The mean lifetime in the healthiest districts of England—and in the healthiest ranks—is 49 years; and we have no evidence that under the most favourable conditions it exceeds 50 years. Actually individual life varies in duration from a second to a century. And the relation to be shown here is between the dying by different causes and the living at every stage of the march of a generation through time. The mean lifetime of a generation may be the same, and yet the several lifetimes of the individuals of which it is composed may vary infinitely; under the actual laws of mortality, great numbers die in infancy, few in adolescence, more in manhood, and, after infancy, the greatest number by the English Table at the age of *seventy-three*, the numbers born having fallen in the proportion of ten born alive to two then surviving. It is evident that an entire revolution in the life of the human race would follow if every person born lived the average lifetime of fifty years, or if half the deaths happened in infancy and the other half at the end of 100 years or at any very advanced age. What we observe actually is that in certain conditions the mean lifetime sinks to half its standard length; and that this is the result of the high mortality in the first five years, of the reduced mortality in adolescence, and of the increasing mortality in manhood up to the ultimate term of life; few old people surviving and few dying therefore after four score years, especially in such unfavourable conditions as exist in Liverpool.†

Under the existing state of things, of the constituent lives of every generation a certain number dies at every age of causes to be investigated under two heads:—direct and organical, including diseases and injuries; and remote and indirect, namely, the causes of those diseases and injuries. Before entering upon the investigation two preliminary questions have to be discussed.

---

* See Census Report of 1851, Vol. I., p. xv.

† See Registrar-General's Fifth Report, pp. 35–6.

1. *Possibilities and Difficulties of extending Human Life.*

The laws of life are of the highest possible interest, even if the knowledge of those laws gave men no more power over the course of human existence than the meteorologist wields over the storms of the atmosphere, or the astronomer over the revolutions of the heavens. But all human laws proceed on the belief that the lives of individuals and of communities can, within certain limits, be regulated for good or for evil; and as latterly this has been questioned, it becomes necessary to discuss the problem—can lifetime be prolonged by a knowledge of the causes that cut it short, or by any means within a nation's power?

To live long is a natural aspiration and in the early years of the marvellous science of chemistry the alchemists sought with as much ardour as they sought the philosopher's stone for an *elixir vitæ* to confer on man perpetual prime; they promised him, by its discovery, immortality upon earth. The possibility of this seems to have been an ancient belief, for in one of the oldest legends man had been told that he should not die—that he should live for ever. And it had in it some grounds, or it could never have led the first Bacon, Descartes, Franklin, and Condorcet to intimate that human life might be prolonged indefinitely.*

---

* The views of Roger Bacon are expressed in the Epistola de Secretis operibus Artis et Naturæ, et de Nullitate Magiæ; and it is only fair to that great man to give his views as they are published by the Master of the Rolls among the previously unpublished works.

Title of the chapter: "Cap. VII. De retardatione accidentium senectutis, et de prolongatione vitæ humanæ."

"Et possibilitas prolongationis vitæ probatur per hoc, quod homo est naturaliter immortalis, et potens non mori, atque etiam post peccatum potuit vivere circiter mille annos; et deinceps paulatim abbreviata est vitæ longitudo. Ergo oportet quod hujusmodi abbreviatio sit accidentalis; quare poterit in toto vel in parte reparari. Sed si nos volumus causam accidentalem hujus corruptionis investigare, inveniemus quod non est a cœlo, neque ab alio, quam a defectu regiminis sanitatis. Nam in hoc quod patres corrupti sunt, generant filios corruptæ complexionis et compositionis; et filii ex eadem causa se corrumpunt; et sic devenit corruptio a patribus in filios, donec invalescat continue abbreviatio vitæ, sicut est die ista. Non tamen propter hoc sequitur quod abbreviabitur semper in minus, quia terminus in specie humana positus est, ut in pluribus vivant homines lxxx annis, 'sed amplior est eorum labor et dolor.' Remedium vero esset contra corruptionem propriam cujuslibet, si quilibet exerceat regimen completum sanitatis a juventute; quod consistit in his quæ sunt cibus, potus, somnus, vigilia, motus, quies, evacuatio, constrictio, aër, passio animi. Nam si quis hoc regimen conservaret, a nativitate, viveret quantum natura assumpta a parentibus permitteret, et duceretur ad ultimum terminum istius naturæ lapsæ ab originali justitia; quem tamen præterire non posset; quia hoc regimen non habet remedium contra corruptionem antiquam parentum. Sed impossibile est, quod homo sic regatur in omni mediocritate istorum, sicut exigit regimen sanitatis; et ideo oportet, quod abbreviatio vitæ contingat ex hac causa, non solum ex corruptione parentum. Ars vero medicinæ determinat hoc regimen sufficienter. Sed nec dives, nec pauper, nec sapiens, nec insipiens, nec ipsi medici quantumcunque periti, possunt hoc regimen in se, nec in aliis perficere, ut patet cuilibet. Sed natura non deficit in necessariis, nec ars completa; immo valet insurgere et irrumpere contra accidentales passiones, ut in parte vel in toto deleantur. Et a principio, quum incepit ætas hominum declinare, facile fuisset remedium; sed nunc, a sex millibus annorum et amplius, difficile est remedium apponi. Sapientes tamen moti considerationibus antedictis, nisi sciunt vias excogitare, non solum contra defectum proprii regiminis cujuslibet, sed contra corruptionem parentum; non quia reducatur homo ad vitam Adæ, vel Artephii propter corruptionem tam invalescentem; sed ut in centenarium annorum, vel plures, vita prolongetur ultra communem ætatem hominum nunc viventium; quatenus passiones senectutis retardentur, et cum prohiberi non possint, mitigentur; usquequo ultra æstimationem humanam vita prolongetur utiliter; semper tamen citra ultimum terminum naturæ. Nam ultimus est terminus, qui in primis hominibus positus est post peccatum; et alius terminus est cuilibet ex propria et parentum corruptione. Ultra istos ambos non contingit transire, sed bene terminum propriæ corruptionis; nec tamen usque ad terminum primum, credo quod aliquis, quantumcunque sapiens his temporibus, posset attingere; licet possibilitas sit, et aptitudo naturæ humanæ ad illum terminum secundum quod fuit in primis hominibus.

"Nec mirum quum aptitudo ista se extendit ad immortalitatem, sicut fuit ante peccatum, et erit post resurrectionem. Sed si tu dicas quod nec Aristoteles, nec Plato, nec

The forces, as well as the constituents of the body, are in truth indestructible; but they are fugitive, and are perpetually passing out of the men of existing generations into other forms: the flame of consciousness shines in one life only for a while. But the alchemists were right when they saw virtues in minerals and trees to prolong as well as to shorten life; to check disease and to set the body free; for if mercury, arsenic, antimony, iron, potash, soda, magnesia, phosphorus, chlorine, iodine, sulphur, in their various salts and acids; if strychnia, quinine, opium, chloroform, æther, ipecacuanha, camphor, and alcohol; will kill, they will also cure in the hands of the skilful. Surgery too has its great triumphs. Therapeutics is not a delusion, the Healer is a reality. But no drug can do more than prolong life for a time; the man raised from the grave dies in the end. Life can be lengthened by regimen—by dietetics, which Celsus says engaged in his day the most eminent professors of medicine in Rome, because it is the most potent and philosophical,* dealing in regimen of mind and body, and medicinally controlling aliment, air, sleep, and exercise. The influence of the external world of air, water, soil, and climate on health and length of life was placed beyond doubt by the great treatise of Hippocrates. And Moses had before inculcated the exclusion of the sick by zymotic diseases from the Congregation. In these latter days science has gone further, and shown under what conditions the lifetime is long or short; and the science of life, yet only in its infancy, will make further progress, and solve many problems hitherto held to be insoluble, when hygiene is cultivated in all the medical schools. The genius of agriculture, of engineering, of industry, and of commerce is growing every year, and handling new power in new machines, is supplying new means of existence, and banishing fatal impurities.

Descent is easy, and onward motion over a level road is not difficult; but every step upwards to a higher state encounters obstacles; and so it is in the improvements of the human race. Of this a few examples are instructive:—small-pox is a fatal disease, and after it had been learnt that a milder type could be induced artificially, fatal to few of the inoculated, the practice was introduced in London, and was publicly performed in the years 1746–63 on 3434 persons at the small-pox hospital; only 60 of whom it is said died of the disease.† The mortality varied in different places, but it was nowhere considerable. What appeared so well fitted to justify Lady Mary Wortley Montague's exultation when she learnt in Turkey that "ingrafting" rendered small-pox harmless? "I am patriot enough," she wrote in 1718, "to take pains to bring this useful invention into fashion "in England." But it was found after it was brought that the deaths from small-pox in London, compared with the deaths from all other causes, and also the absolute mortality, increased considerably when inoculation

---

Ypocras, nec Galienus, ad hujus vitæ prolongationem venerunt; respondeo tibi, quod nec ad multas veritates mediocres, quæ postea scitæ sunt per alios studiosos; et ideo hæc maxima potuerunt ignorare, quanquam ad hæc laboraverunt. Sed nimis se in aliis occupaverunt, et citius perducti sunt ad senectutem, consumentes vitam in pejoribus et vulgatis, quamvis vias ad hæc secreta perceperunt. Seimus enim quod Aristoteles dicit in Prædicamentis, quod quadratura circuli scibilis est, et sic fatetur se et omnes ignorasse usque ad tempus suum. Sed nos scimus his diebus quod scitur hæc veritas, et ideo longe magis potuit Aristoteles ulteriora naturæ secreta ignorare. Multa etiam modo ignorant sapientes quæ vulgus studentium sciet in temporibus futuris. Unde hæc objectio vana est per omnem modum.—*Fr. R. Bacon opera quædam hactenus inedita.* Vol. I., p. 540–2.

* "In tres partes medicina deducta est: et una esset, quæ victu; altera, quæ medicamentis; tertia, quæ manu mederetur. Ejus autem, quæ victu morbos curat, longe clarissimi auctores etiam, etiam altius quædam agitare conati, rerum quoque naturæ sibi cognitionem vindicarunt; tanquam sine ea, trunca et debilis medicina esset." (Celsus, *De Medicina*, Lib. I.)

† Duvillard cites Dr. Jurin, who prepared a table showing that out of 447 inoculated with effect 9 died; Dr. Monro inoculated 5554 persons, of whom 72 died; Dr. Gregory set down the mortality at 3 in 1000. By natural small-pox the mortality per 1000 attacked ranges from 150 to 300. See pages 112–114.

became common. Large numbers of children and adults remained unprotected, and inoculation kept the *variolads* alive in an artificial nursery. Inoculation is now made illegal. Again, hospitals were opened to receive people attacked by this dreadful disease, and to afford them the advantages of watchful attendance and skilful advice. This was carried out in London; but the mortality of the patients in the hospital was double the mortality by the disease outside.* Here was another apparent failure. But vaccination was a great advance on inoculation; the danger of the operation was quite inconsiderable, and cowpox, unlike small-pox, never scattered abroad the seeds of disease. In 1771–80 small-pox in London was the cause of 100 in every 1000 deaths, in 1831–5 of 27, in 1861–70 of 11, and in the absolute mortality by this disease there was a large reduction.† In the last two decenniads, 1851–70, the mortality per 100,000 by small-pox remained stationary in London at 28. In all England the mortality per 100,000 by small-pox declined from 22 to 16, or to the extent of 6; but population growing denser the mortality by scarlet fever rose from 88 to 97, thus increasing 9, or one and a half times as much as the mortality by small-pox decreased. The mortality by measles, diphtheria, and whooping-cough also increased. Vaccination diminished the chances of taking small-pox, and though it did not afford absolute security, it reduced the danger of its attacks. But, density of population increasing, other zymotic principles appeared to find in its absence freer scope for their destructive operations. In quenching the flames at one point the good work is begun but it is not ended.‡ Can zymotic diseases of all kinds never be quenched?

Out of pity for poor children Foundling hospitals were erected, but the babies nearly all perished, and a greater number than ever were abandoned. Had these hospitals succeeded the race of child-abandoning men must have been multiplied.

Another example is offered by the drainage of towns. In London the fatal refuse which had been retained in the houses was conveyed by water into the drains and into the Thames; and this was an advance on the previous state of things; but the sewers were charged with impurities; they put houses by their effluvia in communication with each other, and poured zymotic elements into the waters which were distributed by companies to the houses of both the wealthy and the indigent. And even at the present hour the sewage is pumped into the Thames, which it pollutes and obstructs, instead of being distributed over the land to which it belongs. The same difficulty in disposing of sewage is encountered in all English towns.

In the early ages the English population was scattered in slight dwellings over woods, meads, and undrained marshland, where they suffered from agues, rheumatisms, and famine fevers; as the people multiplied they assembled in cities and partook of a few of the advantages of civilization; but the increase of density brought new dangers, and, as the proximity of houses exposed towns to conflagrations, it laid their inhabitants open to devastating maladies, and to destructive pestilences. The people flocked in numbers to London in the reigns of Henry VIII., of Elizabeth, and of James, and the sweating sickness and fevers and the oriental plague decimated the population. The Restoration brought country families to the metropolis, and the plague made its ever-memorable swoop. The manufactures, the mines, and the great works that create subsistence for thousands collect workmen in towns as ill-provided with sanitary appliances as ill-organised camps; and thus Lancashire, Yorkshire, Durham,

* The mortality in the Small-pox Hospital was at the rate of 25 per cent. in 1746–63, for 1634 of 6456 patients died. For later returns see Letter to the Registrar General in Appendix to 34th Report.

† See Article on Vital Statistics, in M'Culloch's Account of the British Empire, Vol. II., pp. 610–13.

‡ See Appendices to Registrar-General's Reports.

South Wales, are still in a high degree insalubrious. Until the Legislature, led by Lord Shaftesbury, intervened, the lives of young children and mothers were barbarously sacrificed in the factories and mines. Here is seen again the success with which evil poisons the healing springs of industry.

The low wages of large numbers of artisans in towns deprived them of the means of healthy life; latterly wages have risen, and they had the command of those means to a larger extent, but unfortunately the consumption of spirits, and other stimulants absorbed their wages to the no small detriment of health. To sweep out the dusty and close workshops they are apt to be made draughty, so difficult is it to improve the health of artisans.

In the last twenty years the towns of England have increased from five hundred and eighty to nine hundred and thirty-eight; their population from nine to fourteen millions; and the health of the whole population of the country has remained stationary.

Breeders reject weakly animals from their stock, and thus achieve success. By the care now taken of the humblest member of the human race the weakly, it is said, survive; they marry and propagate, and thus, as some contend, the proportion of inferior organizations is raised. The imbecile, the drunkard, the lunatic, the criminal, the idle, and all tainted natures were once allowed to perish in fields, asylums, or gaols, if they were not directly put to death, but these classes and their offspring now figure in large numbers in the population.

2. *Probable Decrease of Mortality.*

Such are samples of the many obstacles to the sanitary progress of a nation, and it is evident that at present they can only be overcome in part; but there is no ground for despair. There has been progress. The mean lifetime of sovereigns and peers is prolonged; it was in past ages much shorter than the lifetime of the unhealthy labourers in the cities of to-day.* The mortality of the city of London was at the rate of 80 per 1000 in the latter half of the seventeenth century, 50 in the eighteenth, against 24 in the present day. The mortality in the liberties of the city of London within and without the walls was in the four plague years 1593, 1625, 1636, 1665, at the rate of 24, 31, 13, and 43 per cent. In the city alone 90,472 persons died of plague in the four epidemics, and 55,604 of other diseases. The enumerated population of the city was 130,178 in 1631.† In the cholera epidemic year of 1849 the mortality from all causes in the metropolis was only 3 per cent. And in the last two epidemics there was a further decline. Thus it is as certain that the high mortality can be reduced by hygienic appliances down to a certain limit as it is that human life can be sacrificed.

The analysis of the causes of the mortality renders it still further certain that the actual mortality of the country can be reduced. Many of the destroyers are visible, and can be controlled by individuals, by companies, and by corporate bodies, such as explosions in coal mines, drowning in crazy ships, railway collisions, poisonings, impurities of water, pernicious dirts, floating dusts, zymotic contagions, crowdings in lodgings, mismanagements of children, neglects of the sick, and abandonments of the helpless or of the aged poor.

Furthermore, including the London district of Hampstead, there are fifty-four large tracts of England and Wales which actually experience a mortality at the rate of only seventeen per 1000—less by *five* than the average mortality per 1000 of the whole country, less by *ten* than in nine

---

* See McCulloch's account of the British Empire. Vol. II, pp. 552–3,

† *Ibid*, p. 602 and pp. 612–13.

districts, and less by *twenty-two* than the mortality reigning for ten years in Liverpool. Now the healthy districts have a sulubrious soil, and supply the inhabitants with waters generally free from organic impurities. The people are by no means wealthy; the great mass of them are labourers and workpeople on low wages, whose families get few luxuries, and very rarely taste animal food. Their cottages are clean, but are sometimes crowded, and impurities abound; the sanitary short-comings are palpable.

It will not, therefore, be pitching the standard of health too high to assert that any excess of mortality in English districts over *17 annual deaths* to every 1000 living is an excess not due to the mortality incident to human nature, but to foreign causes to be repelled, and by hygienic expedients conquered.

It is right to state that the real is greater than the apparent mortality of these districts; they are increasing, and contain an undue proportion of population at the younger healthiest ages, so that a correction for this makes the mortality *20* instead of *17*. That is the rate of their stationary mortality if the population were stationary, if births equalled deaths, and there were no migration.*

The mean annual deaths at the rate of 22·4 in the ten years 1861–70 were 479,450 in England; and had the rate of mortality been 17 the annual deaths would not have exceeded 363,617; so the overplus due to the operation of causes existing, but less destructive in the healthier districts was 115,833. The hope of saving any number of these 115,833 lives annually by hygienic measures is enough to fire the ambition of every good man who believes in human progress.

3. *Increase of Population in* Geometrical Progression *and its effects on Health and Mortality.*

But here an objection has been started:—the natural increase of population, instead of proceeding at the actual rate of about 1·3, would, it is said, be in the end 1·8 per cent. annually; it would go on indefinitely, and would double the population every 39 years; at the natural rate actually prevailing, upon this hypothesis the population will double itself in 55 years. This question has, therefore, to be discussed.

4. *Increase and Decrease of Population.*

Mr. Malthus calculated that the unrestrained principle of population would fill not only the earth with men, but people all the planets of all the suns that shine in the visible universe.† And latterly the President of the Health Officers of London, finding that the proportion of children that die under five years of age is more than 40 per cent. of the total deaths in England and Wales, remarks:‡—"If this were not so, the increase "of population would be prodigious; for it is the means whereby the "annual excess of births over deaths is kept down to the reasonable pro-"portion of 12·8 per 1000 of the population. If it reached to 18 per

---

* The mean lifetime was 49, and the annual rate of mortality per 1000 was 20·4.

† Malthus had the following passage in one edition of his Political Economy: "If any person will take the trouble to make the calculation, he will see that, if the necessaries of life could be obtained without limit, and the number of people could be doubled every 25 years, the population which might have been produced from a single pair since the Christian era would have been sufficient, not only to fill the earth quite full of people, so that four should stand upon every square yard, but to fill all the planets of our solar system in the same way, and not only them, but all the planets revolving round the stars which are visible to the naked eye, supposing each of them to be a sun, and to have as many planets belonging to it as our sun has." [Quotation from Malthus' "Principles of Political Economy," p. 227, in Godwin on "Population," p. 484. I do not find the passage in the second edition of the "Principles"].

‡ On the Estimation of Sanitary Condition. By H. Letheby, M.B., pp. 20–21.

" 1000 * * the population would be doubled in rather less than 40 " years. Consider for a moment the consequences of this. * * In 40 " years the population of England and Wales would be over 45,000,000 " * * in 120 years * * it would be near 182,000,000. * * This " sort of thing could never last; for in about 240 years the population " of England and Wales, unless it was exported in huge masses, would " reach to rather more than 1550 millions, and it would be as thickly " placed over the whole country as it is in London at the present moment." At the rate here called " reasonable," the population by the hypothesis would double itself every $54\frac{1}{2}$ years, so that the time in which the dreaded catastrophe would overwhelm this nation could only be deferred 87 years by the continued Herodian sacrifice. On a par with this is Dr. Price's illustration of the power of compound interest: " One penny put out at our " Saviour's birth to five per cent. compound interest would in the year " 1791, have increased to a greater sum than would be contained in three " hundred millions of earths, all solid gold." †

There is evidently something singularly seductive in these applications of the abstract doctrine of series in geometrical progression to actual facts: even Justice Blackstone is led by geometrical progression to make the following statement:—

" The doctrine of lineal consanguinity is sufficiently plain and obvious; but it is *at the* " *first view astonishing to consider the number of lineal ancestors which every man has,* " within no very great number of degrees; and so many different bloods is a man said " to contain in his veins, as he hath lineal ancestors. Of these he hath two in the first " ascending degree, his own parents; he hath four in the second, the parents of his " father and the parents of his mother; he hath eight in the third, the parents of his " two grandfathers and two grandmothers; and by the same rule of progression, he " hath an hundred and twenty-eight in the seventh; a thousand and twenty-four in " the tenth; and at the twentieth degree, or the distance of twenty generations, every " man hath above a *million of ancestors*, as common arithmetic will demonstrate." This is further explained in the note. " This will seem surprising to those who are un- " acquainted with the increasing power of progressive numbers; but is palpably evident " from the following table of a geometrical progression, in which the first term is 2, and " the denominator also 2; or, to speak more intelligibly, it is evident, for that each of " us has two ancestors in the first degree; the number of whom is doubled at every " remove, because each of our ancestors has also two immediate ancestors of his own.

Lineal Degrees.	Number of Ancestors.	Lineal Degrees.	Number of Ancestors.
1	2	11	2,048
2	4	12	4,096
3	8	13	8,192
4	16	14	16,384
5	32	15	32,768
6	64	16	65,536
7	128	17	131,072
8	256	18	262,144
9	512	19	524,288
10	1,024	20	1,048,576

" A shorter method of finding the number of ancestors at any even degree is by " squaring the number of ancestors at half that number of degrees.‡ Thus 16 (the " number of ancestors at four degrees) is the square of 4, the number of ancestors at " two; 256 is the square of 16; 65536 of 256; *and the number of ancestors at 40* " *degrees would be the square of 1,048,576*, or upwards of a *million millions*." [Chitty's Blackstone's Commentaries, 21st Edition, Vol. 2., pp. 203–204.]

Mr. Malthus argues that population, if unrestrained, will double itself every twenty-five years §; but let it be assumed that the doubling period is lower, or equal to $33\frac{1}{3}$ years—that is the mean interval between two generations—according to the common reckoning, then, beginning at one

† Price's Observations on Reversionary Payments, vol. 1. p. 314.

‡ Let $a =$ first term, n the number of terms, and r the rate; then evidently $ar^{\frac{n}{2}} r^{\frac{n}{2}} = ar^{n}$.

§ Which implies an annual rate of increase of 2·81 per cent.

end of the series, a pair in 40 such periods (1333 years) will yield more than a million millions of descendants; and beginning at the other end and proceeding backwards, according to Mr. Justice Blackstone each descendant has more than a million millions of ancestors! Geometrical progression, like Ariosto's Ippogrif, is evidently a difficult horse to ride, and sometimes lands people in strange conclusions:

> Poggia l'augel, nè può Ruggier frenarlo:
> Di sotto rimaner vede ogni cima
> Ed abbassarsi in guisa, che non scorge
> Dove è piano il terren nè dove sorge.*
>
> *Orlando Furioso, Canto* IV., 349.

The fallacy that deceives Blackstone in the latter case is the want of continuity in the law of the series; a man has, it is true, four ancestors in the second degree, because the marriage of brother and sister is prohibited and there is a fusion of four bloods; but as the marriage of first, second, and every order of cousins is permitted under this law, no more than four ancestors are indispensable to the fortieth man in descent; without the prohibition the whole of the human race might evidently be traced up to two ancestors—and two bloods. The mind is led on through the first step, as Blackstone was, to the inference that because a man has a father and a mother, and 2 grandfathers and 2 grandmothers—he must have 8 great grandfathers and great grandmothers, and so on; which is not necessary, and if pursued far enough becomes improbable, absurd, impossible.

The hypothesis of increase of population in geometrical progression had been advanced before,† but Malthus in his practical applications of it brought it home to the public mind, and led to further researches, and to exciting controversies. Godwin—a man of genius—whose work on Political Justice had suggested the controversial essay of Malthus in 1798, answered it in his *Enquiry concerning Population*, and Sadler collected a great many facts in his work.‡ The facts at the disposal of the respective writers were numerous, but they were incomplete, and in England the statistical facts we now possess respecting the conjugal condition of the men and women living at the several ages were then entirely absent, as the information in the early censuses was meagre. All that is further wanted now in the English Birth Schedule to clear up this vital question conclusively is the entry of the ages of the mother and father at the birth of their children, and the order of the births.§ Instead of discussing the principle of population and the hypothesis of increase in geometrical progression—which its authors have reduced to absurdity—I propose to state enough of what is known to prove that a reduction in the rate of mortality can be attended by none but the most salutary effects to the nation.

Population is sustained when the births equal the deaths in the same time; when the deaths exceed the births population declines, and when the births exceed the deaths population increases. Migration is here left out of account. The balance is affected by the changes in each of two variables; thus, if the population of England was stationary the deaths would be at the rate of 2·447 per cent., the births 2·447 also; the difference is *zero:* but the population increases, as we have seen, so the

---

* Thus translated, but not happily, by W. Stewart Rose:

> "The griffin soars, nor can Rogero stay
> The flying courser; while, beneath his ken,
> Each peak and promontory sinks in guise,
> That he discerns not flat from mountain-rise."

† Voltaire, after giving it as his opinion that the population of Europe had tripled since the time of Charlemagne, adds with his incisive common sense: "J'ai dit triplé, "et c'est beaucoup; car on ne propage en progression géométrique. Tous les calculs "qu'on a faits sur cette prétendue multiplication sont des chimères absurdes." *Dict. Philosophique*, Art. *Population.*

‡ Godwin on Population, 1820. Sadler on Law of Population, 2 Vols., 1830.

§ Done in the Registers of our Australian Colonies.

deaths are at the rate of 2·242, and the births not only equal but surpass the deaths in every 100 of population by 1·264, which is therefore the natural increase. The mean lifetime in England is 41 years. Should it become as long as it is in the healthiest districts it will be 49 years; and instead of 1 death and 1 birth to 41 living there will be 1 death and 1 birth to 49 living, the latter implying an annual rate of 2·041. An increase of the years men live involves a decrease of the annual mortality, but not necessarily any increase of population; for the birth-rate may fall to an equivalent extent.

The death-rate of a population is under control, but not to the same extent as the birth-rate, which depends on voluntary marriage and fertility, which have hitherto been marvellously regulated so as to meet generally the demand for men. Thus, England has an increasing industry and a vast colonial empire to people, so the births are numerous. In France the death-rate in the ten years was 2·36, differing a little (0·12 in excess) from that of England; but the birth-rate was only 2·63 in France* instead of 3·51 as it was in England. France had no colonial demand for population, and so the population was not depressed by a high death-rate but by a low birth-rate. The increase of population was only 0·27 per cent. per annum.

Many species of animals have, as the geological records of the world show, perished; and man could never have survived the perils of his early historic, to say nothing of his prehistoric, life had his race not been endowed with a reserve of reproductive force sufficient to repair the recurrent wastes of famines, wars, and plagues. At the present hour in England half of the women of the child-bearing ages are unmarried; and though the annual births maintain an actual excess over the deaths, they are kept down to half their possible number. A flow of prosperity in the country is immediately followed and marked by the launch of a whole fleet of marriages. The ruin of an industry or the depression of a trade implies a stagnation of marriages.† There are thousands of couples always on the look-out, ready to embark as the prospects brighten.

It has been observed that after the ravages of plagues the births increase,‡ so the aching voids are filled up as regards mere numbers. Under ordinary conditions an increased death-rate is attended by an increased birth-rate, so as either to maintain the population stationary or increasing, according to the exigencies of the case. This is only possible within certain limits, for an excessive death-rate is attended with such waste that it cannot be overtaken by the births; the population declines, or is only sustained by immigration. We have the means of establishing this law by English observations.

5. *Relation between Death-rates and Birth-rates.*

Arranging the districts of England in the order of their mortality, it is found that the annual mortality in the various groups ranges from the rate of 15 to 39 per 1000; the birth-rate from 29 to 40 per 1000; and it is seen that, in the next Table, as the death-rate increases, the birth-rate increases, so that in all the districts with a mortality under 25 per 1000 the natural increase of population is very constant. The mortality increases with the density of the population; and thus every additional death is met by an additional birth.

---

* See Registrar General's 35th Report, p. cxxi.

† See Registrar General's 35th Report, p. ix.

‡ The London bills of mortality showed 64,544 christenings in the ten years, 1651–60, before the Great Plague; and in the ten years 1661–70, including the year of the Great Plague, 106,755 births. Collection of yearly Bills of Mortality, Obs. of Corbyn Morris, p. 80. See also Süssmilch's observations quoted by Malthus on Population, Vol. 2, p. 178, 5th edition.

ENGLAND AND WALES. — **Density of Population; Annual Death-rate; Annual Birth-rate; Annual Excess of Births over Deaths;** and the **Annual Increase of Population per 1000 Persons living** in SEVEN GROUPS of DISTRICTS arranged in the ORDER of MORTALITY.

Number of *Districts.*	Range of Mortality: Rates per 1000 Persons.	Persons to a Square Mile.	1861–70. To 1000 PERSONS LIVING. Average Annual Deaths.	Average Annual Births.	Average Annual Excess of Births over Deaths.	Average Annual Increase of Population in middle of period.
ENGLAND & WALES 619	15–39	367	22·4	35·1	12·6	12·4
54	15–17	171	16·7*	30·1*	13·4	15·8
349	18–20	195	19·2	32·2	13·0	8·8
142	21–23	447	22·0	35·6	13·6	16·2
56	24–26	2,185	25·1	38·1	13·0	15·3
16	27–30	6,871	27·8	39·1	11·3	8·9
1	32	12,172	32·5	37·3	4·8	3·2
1	39	65,834	38·6	37·6	−1·0	−12·3

The Table may be read thus:—In 349 districts where the rates of mortality range from 18 to 20 per 1000 there were 195 persons to each square mile of area; the average annual death-rate in these districts was 19·2, the birth-rate 32·2; the average annual excess of births over deaths was 13·0, and the actual average annual increase of enumerated population was 8·8 per 1000 persons living.

* These rates are obtained by dividing the aggregate deaths and births in the districts having an average annual mortality among persons ranging from 15 to 17 by the aggregate population of those districts $\left(\frac{D}{P}\right)$. Each group is treated in the same manner.

In the first stage of the scale, that is in the 54 healthy districts, the death-rate is 16·7, the birth-rate 30·1; in the second stage the death-rate is 19·2, the birth-rate 32·2; in the third stage the death-rate is 22·0, the birth-rate 35.6; in the fourth stage the death-rate is 25·1, the birth-rate is 38·1. The natural increase of population in each of these four stages ranges from 13·0 to 13·6, or is severally 13·4, 13·0, 13·6, 13·0. When the mortality reaches the *fifth stage* the death-rate is 27·8, the birth-rate 39·1; and after that point, while the death-rate increases to 32·5 in Manchester and 38·6 in Liverpool, the birth-rate recedes at last exhausted to 37·3 and 37·6; children enough are no longer forthcoming, and there is a decrease of indigenous population, which if it should go on might end in a decrease of population in geometrical progression.

Should the deaths in the districts where the mortality is 22·0 per 1000 be reduced by sanitary measures to the same level as in the districts where the mortality is 19·2, the births might be reduced in the same or a greater degree, namely from 35·6 to 32·2; and should the death-rate be brought down to 16·7, the birth-rate might be reduced, as in the healthiest districts, to 30·1; the deaths falling 5·3, the births actually fell 5·5 per 1000, as shown in the table. The fall of the birth-rate is observed in the existing circumstances of this country; it maintains an uniform increase in districts under different laws of mortality, but it is not a necessary consequence of a reduced death-rate, and if, in the opinion of the parties concerned, their prospects are good, they marry and procreate children at the same rate as before; in that case the population increases faster; whereas in a depressed condition the births fall off until the population becomes stationary, or declines.

Thus there is no inevitable connection between the gradual reduction of the mortality of the whole kingdom to the rate of 17 per 1000 and the more rapid increase of population; because the birth-rate may of itself fall to the level of that now prevailing in the healthiest districts and leave the increase of population as it was. Statesmen are not then, by alarming cries of increase of population in a faster geometrical progression, to be deterred from the noblest work in which they can engage; for it is certain that population as it improves in England will not increase faster than the requirements of industry in all its forms at home or the new openings of colonial enterprise abroad.

6. *Instances of the effects of Industrial Enterprise on Death and Birth Rates.*

Such is the general law governing the facts hitherto observed in England over a long series of years. It will be interesting now to give a few illustrative cases of the changes in the marriage, birth, and death rates (1.) where a new industrial enterprise has been suddenly developed, and (2.) where a branch of industry is declining. As instances of the former, take the districts of Ulverston, Guisbrough, and Stockton; of the latter St. Austell and Redruth in Cornwall, where the works and the population decline.

Ulverston contains Barrow-on-Furness. It owes the increase to a cause thus referred to in the Quarterly Return of the Registrar-General:—*

"The mortality often augments with the increased prosperity of a district; and this is curiously illustrated by Ulverston, a romantic district extending from Morecambe Bay to Lake Windermere. Ulverston, in the ten years, 1841–50, was one of the healthiest districts of England; the mortality did not exceed 18 in 1000. A change took place, and in the ten years 1851–60 the mortality rose to 20 in 1000. The deaths in the June quarter of 1864 were considerably above the average of previous years, caused, says the registrar of Dalton, 'in part by the increase of the population, and in part by 'the prevalence of scarlatina and measles.' He adds: 'but there is no distress; work 'is plentiful, wages good, and provisions cheap. Labourers are earning 3*s.* 6*d.* a day; 'artisans 4*s.* 3*d.* and upwards.'

"The population of many of the townships and parishes of the Ulverston district, at the feet of its fells, and round the shores of its meres, is stationary, and in some instances has declined; it is an old iron district, which had seen its works decay when coal came into use for smelting, but of late a pure hæmatite ore has been discovered in the carboniferous limestone of Dalton-in-Furness, for which there is a great demand. The population of the parish rose from 4683 to 9152 in the interval of the two last censuses, and, with the parishes in its vicinity, gave the increase which raised the population of Ulverston district from 30,556 in 1851 to 35,738 in 1861.

"The mortality of the district of Ulverston, exlcusive of Dalton, in the two last quarters, was at the rate of 26 and 23 in 1000; while that of Dalton was at the rate of 42 and 31; and it is in this sub-district that the spectacle is presented of 'work plentiful, wages good, provisions cheap,' and 'the prevalence of destructive epidemics.' This coincidence is reproduced over and over again. And it must not be supposed on that account that work, good wages, and cheap provisions are in themselves bad things; for they are as salutary as they are attractive to the masses of mankind. But our industrial armies are cut down by the camp diseases which are generated by the inadequate house accommodation, and by the want of sanitary arrangements, which are never carried out in the neighbourhood of new works. Impure water, impure air, their own exhalations, kill men, women, and children on the spot, and breed the leaven which devastates the towns and valleys in the vicinity. For the sins of a parish are often visited on its neighbours in thousands round. Thus South Wales has been rendered prosperous by the mines, and unhealthy by the negligence of the people. The mining population appears to be even less careful of life than the manufacturing population."

The increase of population went on; for the excess of births exceeded the excess of deaths.

This timely warning was not lost on the energetic authorities of Barrow-on-Furness; and though the mortality in the three decenniads

---

* Quarterly Return No. 62, for second quarter of 1864.

that ended in 1870 increased and was 18, 20, 21, it has gone no further; sanitary measures have been undertaken and are still proceeding. The marriage-rate and the birth-rate, evoked to a higher pitch by the prosperity of the place, rose more rapidly than the death-rate. In cases of this kind of rapid concentration of population the high birth-rate is not the cause of the high death-rate; the first is caused by the prosperity, the second by the defective sanitary provisions. All the rates had been low in the first healthiest decenniad, quite in conformity with the general law.

Guisbrough and Stockton, including Middlesborough, exhibit a similar series of phenomena; the population became thicker and the mortality increased; the marriages and births also increased.

With a declining copper and tin industry in St. Austell and in Redruth, Cornwall, the mortality slightly declined; but to nothing like the same extent as the marriage and the birth-rates.

Increasing Populations, owing to Rapid Development of Industry.

Registration Districts.	Years.	Persons living at the Censuses of 1861 and 1871.	Average Annual Number of			Rates per 1000 living.		
			Deaths.	Persons married.	Births.	Deaths.	Persons married.	Births.
Ulverston (incls Barrow-in-Furness) - - -	1860-1-2	35,738	751	485	1313	21·0	13·6	36·7
	1870-1-2	55,083	1150	958	2259	20·9	17·4	41·0
Guisbrough (incs part of Middlesborough) - -	1860-1-2	22,128	449	294	913	20·3	13·3	41·2
	1870-1-2	39,016	966	687	1764	24·8	17·6	45·2
Stockton (includs part of Middlesborough) - -	1860-1-2	57,099	1331	1056	2488	23·3	18·5	43·6
	1870-1-2	99,705	2565	1994	4501	25·7	20·0	45·1
Decreasing Populations, owing to Decline of Mining Enterprise.								
St. Austell -	1860-1-2	33,797	673	573	1230	19·9	17·0	36·4
	1870-1-2	31,194	605	437	1007	19·4	14·0	32·3
Redruth (includs Camborne) -	1860-1-2	57,173	1301	1041	2059	22·8	18·2	36·0
	1870-1-2	53,503	1196	880	1734	22·3	16·4	32·4

The general law deduced from the preceding Table and these illustrative exceptional instances of sudden increase and decrease of population enable us to understand how much of the "principle of population" so forcibly proclaimed by Malthus is true, and how much of it is erroneous.

7. *The Principle of Population.*

It is true that all plants and animals have the power of multiplication; and man in conformity with that law has the power of doubling his numbers every twenty-five years under favourable conditions, and within definite limits of space and time, the limit being soon attained without the exercise of skill and industry in supplying his wants; but his struggles for the means of living, as a race, were greater at first when his numbers were fewer than they are now in England. The numbers of mankind never actually increase as the numbers in the geometrical series 1, 2, 4, 8, 16, 32, 64, 128, 256, 512.... indefinitely; and subsistence never increases as the numbers in the arithmetical series 1, 2, 3, 4, 5, 6, 7, 8, 9, 10..... indefinitely. But the population of a country may increase in geometrical progression for a certain number of years, and so may its subsistence, understanding by that all that supplies men's wants. Mr. Malthus found when he wrote that the population of the United States had been said

for a century and a half to double itself every 25 years; and now it is known by the Census that the population, after the year 1790, increased very regularly at the rate of 3 per cent. annually for the seventy years ending with 1860; at that rate population doubles itself in 23⅓ years. The increase, however, was not "by procreation only," but partly by excess of births and partly by immigration of blacks from Africa, of whites from Europe. Population increased in geometrical progression at a certain rate, but subsistence also increased in geometrical progression at a faster rate; so that the pressure of population on subsistence grew less and not greater. In the last ten years productive labour slackened and the flow of population ebbed; during the civil war English emigrants returned to England; there was loss of life in the field, and although for lack of a national system of registration it cannot be set forth in figures, the marriage and birth-rates must have declined, for the population increased, not 3 per cent., but 2 per cent. annually between the two Censuses of 1860–70. Yet the produce increased, the wheat from 173 to 288 million bushels; the value of all live stock from 218 to 305 millions of pounds sterling.

The increase of produce from 1850 to 1860 may be inferred from two orders of facts. The number of farms rose from 14 to 20 hundred thousand, while the area of improved land from 113 grew to 163 million acres; and the value of live stock rose from 109 to 218 millions of pounds. Population only increased in those ten years from 23 to 31 millions.*

And in the earlier years, though not recorded, the produce increased undoubtedly as nearly in geometrical progression as the population counted at each census; and if the early censuses prove that population increases, the recent censuses prove that subsistence increases in geometrical progression. Had Malthus had before him the returns of produce as well as population in America, he could scarcely have fallen into the error of laying it down, that while population increases in a geometrical, subsistence increases in an arithmetical progression.

There is a limit to the increase of both people and produce; but the tendency now is as men endowed with skill, weapons, tools, and marvellous machines are diffused over the world, to create subsistence faster than population.

In the first edition of his work† Malthus lays it down that (1) "population "cannot increase without the means of subsistence," that (2) "population "does invariably increase where there are the means of subsistence;" and (3) "that the superior power of population cannot be checked without "producing misery or vice."‡ Shrinking from the explicit expression evidently implied by his argument that "the superior power of population "cannot be checked without producing misery or vice," he left out of account the fact that at the prolific age a large proportion of the women of every civilized population is unmarried and virtuous; this being only partially recognized in the subsequent editions under the phrase "moral restraint." Instead of simply stating that the population is kept down by any causes that diminish the births and increase the deaths, he uses in the last edition the vague phrase, "the checks which repress the superior power of "population, and keep its effects on a level with the means of subsistence, "are all resolvable into moral restraint, vice, and misery."§

The theory is as misleading in practice as it is defective in statement, and, as expressed, erroneous in fact. It assumes that the restraint of

---

* See Journal of Statistical Society, Vol. xxxviii, pp. 74–6, and United States Census.

† There is a copy of the first edition (1798) in the library of the Statistical Society. It was published in 1798, the year after he was made a fellow of Jesus College, Cambridge, and when he was 32 years of age.

‡ p. 37.

§ 6th edition, Vol. I., p. 24.

population is the corner-stone of policy. Had this principle been accepted by the people, the population of the kingdom instead of amounting to thirty-two millions would have remained, as it was at the beginning of the century, sixteen millions. England, in the presence of the great continental states, would have been now a second-rate power; her dependencies must have been lost; her colonies have remained unpeopled; her industry crippled for want of hands; her commerce limited for want of ships. The legal insurance of the people by the land against death by starvation, the efforts to stem the tide of epidemics, the science of healing, hygienic improvement of every kind, must have languished under the cold shadow of this doctrine; and in its name the endeavour to save the lives of children by sanitary measures is even now denounced, as either futile or mischievous. And logically it leads to the policy of depopulation; for if increase causes misery, decrease, by parity of reasoning, causes happiness; this principle of population being the fewer the happier. It is a policy that diminishes the numbers of the wise and the good, but has no effect on the masses. Families under this policy die out. Classes, distinguished for any virtue, that accept the restraint under vows, provide for its extinction. The hermits and saints, that forewent "wedded love," and children, at the same time that they provided for their own eternal bliss provided for the extinction of sanctity on earth; while our universities offered by fellowships, forfeited on marriage, one of which Malthus had just acquired at Jesus College, a premium on protracted celibacy, they discouraged the multiplication of their ablest men.* The economists, the misers, the philosophers, in the same way eliminate prudence, acquisitiveness, and science from the ranks of their race.† They are like flowers all bloom. Low pay makes the officers of the army and navy perforce Malthusians, and discourages the propagation of prowess. Few aristocracies are self-sustaining; and if there is a natural tendency in wealth to accumulate by intermarriage, that may lead to its dispersion.

The state of nations in the present day, and the history of past ages, prove that the maintenance of equilibrium between subsistence and population is a complicated question. It has been left hitherto to the sense of both sexes. Malthus had the merit of contending that it admitted of scientific investigation; that its problems should be sought in the statistics of nations in every stage of civilization; that it entered into the national policy, inasmuch as it was a matter that concerned, in the highest degree, not only particular individuals, but the whole community, the State. Reduce the constituent roll of a nation too low, and it cannot struggle with success against other forms of life in nature; it cannot hold its own in the face of other powers; it can undertake no great concerted operations; solitary minds in remote dwellings are not quickened by

---

* In 1797. See Memoir in Principles of Political Economy, 2nd edition, p. xxxv.

† The following is characteristic. D'Alembert had learnt that Lagrange, the Newton of France, had just married a relation; and thus wrote to Berlin: [1]

"J'apprends, lui écrit-il le 21 Septembre 1767, j'apprends que vous avez fait ce " qu'entre nous philosophes nous appelons le *saut périlleux* . . . Un grand mathé- " maticien doit, avant toutes choses, savoir calculer son bonheur. Je ne doute donc pas " qu'après avoir fait ce calcul, vous n'ayez trouvé pour solution le *mariage*."

Lagrange répond de cette étrange manière: "Je ne sais si j'ai bien ou mal calculé, ou, " plutôt, je crois n'avoir pas calculé du tout; car j'aurais peut-être fait comme *Leibnitz* " qui, à force de réfléchir, ne put jamais se déterminer. Je vous avouerai que je n'ai " jamais eu du goût pour le mariage . . . . mais les circonstances m'ont " décidé . . . à engager une de mes parentes . . . à venir prendre soin de moi " et de tout ce qui me regarde. Si je ne vous en ai pas fait part, c'est qu'il m'a paru " que la chose était si indifférente d'elle-même, qu'elle ne valait pas la peine de vous en " entretenir."

[1] Œuvres de Condorcet, publiées par A. Condorcet O'Connor, et M. F. Arago; vol. I., p. xcvi. The beauty, grace, and wit of Madam Condorcet extorted forgiveness even from the mother of the Duc de la Rochefoucauld, a most implacable foe of the marriage of the learned; on his marriage she went so far as to say to the Secretary of the Academy, *We forgive you: Nous vous pardonnons.*

collision with other minds; the quantity of life is lessened on the earth,* and the chances diminished of the rise of men of genius, to whom the world owes progress in the sciences, discoveries in the useful arts, and triumphs in fine art and literature.

Ill effects of too many people willing to work can for centuries only be felt when they are blindly crowded in particular spots, when their labour is not organized, when their acquisitions are insecure, when their dwellings are dens, and when the supply of subsistence is not rendered continuous, and within due limits equal, by storage, by commerce, by skilful distribution, and by wise laws: then zymotic disease is spread, periodic famines are fatal, and the wretched people are on inadequate diet starved.

The evils of indiscriminate intermarriage of imperfect natures accumulate. Errors on either side of excess or defect are punished as inexorably by the law of population as they are by the law of gravitation. If tribes of men will not breed domestic animals, or cultivate the soil, nothing can sustain them by the side of civilized races. If men and women will not work they may not eat. If classes of men drink alcohol to excess; if they consume impure water; if they herd in rookeries; and if they lead idle, criminal, vagabond lives; they perish. Nature is implacable; the degradation of the human race is made difficult; it is stopped by death. The best races in the end have the best chance of living from generation to generation. And against the severity of the life struggle have to be set the excitements of the battle, the energy it calls forth, and the perpetual selection of finer varieties of the race for survival. England through its centuries of history owes some of its greatness to this principle; it has been led by it step after step up to heights of glory.

The struggle is a consequence, science teaches, of the evolution of the living matter of the earth into higher forms; and that evolution is not yet at an end.

Mr. Darwin applies the doctrine of Malthus "to the whole vegetable "and animal kingdom"; and recognizing "the struggle for existence "amongst all organic beings throughout the world which inevitably "follows from the high geometrical ratio of their increase," he makes it the basis of a vast generalisation.† After discussing the question he thus concludes, "all that we can do is to keep steadily in mind that each "organic being is striving to increase in a geometrical ratio; that each "at some period of its life, during some season of the year, during each "generation or at intervals, has to struggle for life and to suffer great "destruction. When we reflect on this struggle we may console our-"selves with the full belief that the war of nature is not incessant, that "no fear is felt, that death is generally prompt, and that the vigorous, the "healthy, and the happy survive and multiply."

This struggle reigns over the whole animal kingdom; nor is man, as is too well known, an exception; but Mr. Darwin modifies the principle which ascribes the great check of population to "misery." Reason too gives man certain prerogatives; for as we have seen it controls fertility, thus adjusting in time and place the results to the infinite varieties of the openings in life, and further, in his humanity man has a protection against the casualties and misfortunes which overwhelm inferior species. The human family, the clan, the town, the tribe, the nation all acknowledge even now the claims of children, of the sick, of the wounded, and of the infirm, to help in time of trouble. Few men refuse to bind up the wounds of their fellow men.

---

* Sir W. Petty, by a calculation which he describes in one of his Essays on Political Arithmetic, but which it would be difficult to verify, asserts, in opposition to "some sceptics," that "two mountains of Ireland were as weighty as all the bodies that had "ever been from the beginning of the world to the year 1680." Be this as it may, the weight of the human race alive at one time does not exceed 60 million tons; for only a small fraction of the surface of the earth exists in the highest form of life.

† Origin of Species, 3rd edition, Introduction, p. 4, p. 67, and p. 82.

8. *Progress of Mankind in Health.*

Turgot, Price, Priestly, Godwin, had written on the perfectibility of man, but Condorcet put this doctrine forward with new force in the remarkable work he wrote while he was under the ban of proscription in the last bloody days of the French Revolution.* Any Secretary of the French Academy of Sciences is not only distinguished by eminence in one branch of learning, but by a general acquaintance with the whole circle of the sciences; in writing on human perfectibility, Condorcet, therefore, did not write in ignorance. He knew the greatness of the conception; and had sounded all its depths. His argument is an induction drawn from the progress of nations through nine historical epochs in science, art, literature, and civilisation; and from the gradual rise to heights higher and higher, as well as from the intrinsic energy of their animating principle, he predicts in the last chapter not only an indefinite development of the sciences, of the arts, and of institutions, but of man himself in all his faculties. He foresees new discoveries in all the sciences, and in the arts, reacting on each other; improvements in the theory and practice of life; completing the faculties by placing more powerful instruments at their disposal; and by their own development. All classes by education, by free trade, by cheap law, by simpler manners, will be raised to a higher level; the classes dependent on labour, and men having a little capital, by insurance, and by co-operation, will enjoy advantages now only possessed by great capitalists. Progress will be accelerated by new methods in the sciences; by new notations; by the application of calculation to all branches of human affairs; and by simplifications of processes in the arts. Teaching both the sciences and the arts will be facilitated; men and women will alike cultivate the fields of nature. At present not a fiftieth part of the people endowed with talents obtain the education required for their development.

What Condorcet in 1794 sketched of the progress of the arts and sciences has already been fulfilled. The sketch was a prophecy. But he is equally confident that as plants and animals have been developed, so man, already richly endowed, is susceptible of organic perfectibility. The English and French are as much in advance of the Saxons and Franks as the cattle and horses of to-day are ahead of theirs. The senses will grow finer, the forces more vigorous, the intellectual faculties inconceivably superior to what is seen in the present average of the race; man may be indeed a "little "lower than the angels." Who can doubt, he asks, that the progress of *conservative medicine*,† the use of healthy aliment and lodging, a regimen which will develope energy by exercise without wasting it by excesses; the removal of the most potent causes of degradation, abject poverty and superfluous wealth; will prolong the lifetime of men, insure more constant health, and more robust constitutions. It is clear that conservative medicine, rendered more efficacious by reason and social institutions, must in the long run banish transmissible and contagious diseases, as well as maladies due to climate, diet, occupation; nay, the hope of relief may be extended to all other diseases whose remote causes may probably be recognised. Now, is it absurd to assume that this perfectibility of man will go on indefinitely through endless ages? So argued Condorcet. Malthus, to confute his doctrine, advanced the principle of population under which mankind multiplies, he contends, so fast in geometrical, while subsistence increases

---

* Esquisse d'un Tableau Historique des Progrès de l'Esprit Humain. Ouvrage Posthume de Condorcet; 3rd edition, 1797. Condorcet, born 17th September 1743, died on 8th April 1794. In early life he co-operated with Turgot; and was for many years the Perpetual Secretary of the French Academy of Sciences. He wrote in favour of free trade and against the slave trade when prohibition and slavery were recognised institutions.

† *Médicine conservatrice* is the expression of Corvisart; it will bear transplantation into English. He uses also the term *médicine préservatrice*. Either is better than "preventive medicine."

in arithmetical progression, that the numbers are necessarily kept down by "misery." This principle of population—the "wedded love" that Milton hailed—is the inexhaustible source of human wretchedness! The irony is terrible.

Condorcet, one of the eminent band of mathematicians then existing in France, would have smiled at the hypothesis that men increased in geometrical and subsistence in arithmetical progression, when it happens that the plants and animals on which men feed can all increase or decrease in geometrical progression at faster rates than man. The law is the same. He anticipated the objection from an indefinite increase, and suggested how it may be overcome.*

Mr. Darwin, accepting the law of the increase of animals in geometrical progression, instead of viewing it as a reason for an eternal stand-still of misery, traces to the consequent struggle for existence, and the survival of the fittest, the progressive development of creation from its lowest to its highest forms. He contends that living matter in the past was perfectible; and this is an argument for the indefinite perfectibility of men through future ages.

The great source of the misery of mankind is not their numbers, but their imperfections, and the want of control over the conditions in which they live. Without embarrassing ourselves with the difficulties the vast theories of life present, there is a definite task before us—to determine, from observation, the sources of health, and the direct causes of death in the two sexes at different ages and under different conditions. The exact determination of evils is the first step towards their remedies.

9. *Constituent Elements of the Population.*

The deaths in the ten years amounted to 55 hourly on an average, or to nine deaths every ten minutes;† but it is not so much with these deaths in themselves that the inquiry is concerned as with the numbers living at every moment of the decenniad. Upon the state of the twenty-one millions living the mortality depends; out of them the minutely death flows. Now the population increased; and this increase, which is a continuation of the process that has been going on for a century at variable rates, has produced large alterations in the proportions of the 21,389,245 living at different ages. This must be so. There were 7,636,233 births in the ten years 1861–70, of which the children under the age of ten enumerated at the beginning of 1871 were the survivors. But at the same census 507,522 persons of the age of 70–80 existed; and they were the survivors of the children born in the ten years 1791–1800, which, it is pretty certain, did not exceed 2,988,439 in number. Had the children born then been as many as in 1861–70, the living at 70–80 would have been raised in that proportion to 1,296,850. And so of other ages. The nature of the altered proportions will be seen in the Tables 68–71 at a glance. Now similar but not the same alterations in the proportions have taken place in every district of the kingdom. How can this difficulty in instituting just comparisons be obviated? ‡

As the mortality—and the fatal diseases—vary with age it is evident that the population and the deaths must be divided into a certain number of corresponding groups in order to determine the mortality and the fatal diseases of each group; we can then proceed to compare the rates of mortality and of disease in the several districts of the country. This has been done. In the Tables the mortality of males and females is shown in seventeen groups of ages.

---

* Condorcet, Esquisse, pp. 362–4.

† The hourly births were 86; or 14 every ten minutes.

‡ See an instructive paper on "The Value of Death-rates; by Mr. Noel A. Humphreys."—Journal of Statistical Society, vol. xxxvii.

10. *The* Mortality *of* Males *and* Females *at the* several Periods of Life.

The vitality is measured either by the years of life out of which *one* death occurs, or by the death out of a *unit* of lifetime. Thus in England, according to the life table, 1 in 41 living dies annually. The death out of a unit of lifetime is ·02447. As this implies that 2·447 die in a year out of 100 living, the mortality is said to be 2·447 per cent. annually; or, to speak in round numbers, 24 in 1000. Make the numbers living constantly sustained 1000, then if 24 die in a year the mean interval between each death is 15 days; and if a death occur out of the 1000 every 24 days the rate of mortality will be retarded, as it is in inverse proportion to the interval between each death. The faster people die in a city the greater is its mortality. Thus any two of three variables being fixed the vitality is measured by the variation of the third.

For the *rate of mortality*—expressed briefly by *the mortality*—involves three elements—time, numbers living, numbers dying; the time being fixed at a year, and the living through that time at 1—which may be called a year of life—the rate of mortality is a fraction, easily convertible into a whole number by multiplying this fraction into 1000, or any greater number. Here the rate at different ages is expressed as the mortality of the living at those ages. Thus, taking the boys of England (1861–70) under five years of age in one group, it is found that the mortality was at the rate of 7·316 per cent. per annum; then boys of the age of 5 and under 10 die at the lower rate of ·815*; and boys of 10–15 as they enter puberty die at the still lower rate of ·446. In the next five years of age the mortality of youth rises; and at 20–25 the mortality is ·845, nearly the same as that of boys 15 years younger; through manhood the mortality rises slowly up to 3·300 at the age 55–65; and as age advances still more until at 85 and upwards it is at the rate of 31·357. The mortality of females goes through a similar cycle; descending to a minimum at the first great change of formative energy in puberty, and then ascending with age until subsiding life is converted into the other forces of nature. The law implies first an increasing and then a continually decreasing power of sustaining vitality.

But the law varies with the conditions of existence; and though these conditions vary infinitely—some being favourable and others unfavourable to life—there are large masses of the population, whole regions and cities, where the results of all the agencies in operation differ widely.

Take for example the group of 51 districts called Healthy for the sake of distinction, and here it is found that the annual mortality per cent. of boys under five years of age was 4·246, of girls 3·501. Turn to the district of Liverpool†: the mortality of boys was 14·475, of girls 13·429. Here it is evident that some pregnant exceptional causes of death are in operation in this second city of England. What are these causes? Do they admit of removal? If they do admit of removal, is this destruction of life to be allowed to go on indefinitely? It is found that of 10,000 children born alive in Liverpool 5396 live five years; a number that in the healthy districts could be provided by 6544 annual births. This procreation of children to perish so soon—the sufferings of the little victims—the sorrows and expenses of their parents—are as deplorable as they are wasteful. In Liverpool the death of children is so frequent and dreadful that a special

---

* By a mere change of the place of the decimal point to the right this may of course be read as 8·15 per 1000.

† The *Borough* of Liverpool extends over a part of West Derby. The *District* is co-extensive with the *parish*.

system of insurance has been devised to provide them with coffins and burial ceremonies. The mother when she looks at her baby is asked to think of its death, and to provide by insurance not for its clothes but for its shroud and other cerements. There are cases where a wretched parent has insured the life of her baby, and realised money by the transaction; but there is no statistical evidence to show that this is a systematic trade; rather the reverse; all that is certain is that the children are bred in such unfavourable and unnatural conditions that they perish in excessive numbers. The extent to which the several causes contribute to their destruction requires further investigation; but enough is known to justify the belief that such causes may be to a considerable extent removed.

Then the sacrifice of the lives of men at the most productive ages, from 35 to 55, is almost equally great; the deaths out of the same numbers living are as *three* in the Liverpool district to every *one* in the natural state of the working population of extensive districts of the kingdom.

The thousands of families of the Liverpool district are of various grades, and live in very different sanitary conditions; some may be as healthy as groups of families anywhere else, and others may suffer to the extremest extent; but the general result is seen in the Table, which may for the moment represent the unhealthy classes, as the other Table represents the healthy classes, of the nation. Every great city has in it a bit of Liverpool. Between the extremes of mortality, high and low, lies a series of intermediate rates, and the aggregate of the whole mass is expressed in the rates for all England.

Table 50 exhibits the rates of mortality of males and females respectively, at 12 groups of ages, in London contrasted with the rates at the same groups of ages in 51 Healthy districts, in all England, in the district of Manchester, and in the district of Liverpool. Arranged in the order of mortality at all ages, as in the Table, it will be noted that London ranks next to all England, Manchester following, and Liverpool standing last with the high rate of 4·097 deaths per cent. of males and 3·636 of females.

If we take 15 great town districts in different parts of the kingdom—including Manchester—and compare the rates of mortality at different ages with the mortality at the same ages of the 17 great town districts, including, besides the 15 districts preceding, Liverpool and London, the rates will be found to differ but little, and that is through London being included in the 17 towns which contain on the average of the ten years 1861–71 no less than 4,981,258 inhabitants, or nearly a fourth of the population of England and Wales. The rates very fairly represent the death-tax which the great city populations of England now pay.

The causes that make the rates of mortality vary may be considered under two heads—

(1.) Causes inherent in the population itself, such, for example, as *sex* and *age*.

(2.) Causes outside the population, such as air, water, food, clothing, dwellings, or such groups of causes as are involved in residence, and relation of the several parts to each other in time and space.

Mere inspection of the Tables 49, 50, 51, establishes under the first head two things; (*a*) that the mortality of males everywhere exceeds the mortality of females at nearly all ages; (*b*) that the mortality is at a minimum at the age 10–15; and increases in two directions, as we approach birth, and as we recede to lengthening age.

Under the second head it is established by the facts that the mortality in all the great towns is high at nearly all ages; and also that the rates of mortality of the populations in mass under all the local conditions vary generally in the same direction as the mortality at their several periods of life. In fact the causes of insalubrity affect people of all ages; but it will be shown hereafter that their effects differ in degree at different ages.

11. *Effects of Density of Population on Health.*

The term town implies municipal government and industrial organization. But it will be convenient to discard for the moment every other consideration except the density of the population. This is shown by dividing the population by the square miles of area on which they are living. This has been done; and there is found to be a general relation between the mortality and the density of the population. Thus, in the healthy districts, during 1861–70 there were 166 persons to a square mile; in all England 367; in Liverpool 65,823. And this implies that the mean proximity of person to person in the three groups was 147, 99, and 7 yards; the proximity being as the square root of the density.*

The density of population as usually calculated assumes that the numbers are distributed evenly over the area; but this is scarcely ever the case; for the English towns and districts include open spaces unbuilt on, which conduce to the free aeration of the place, but in very different degrees. In some districts the greater part of the population is crowded on a portion, while the rest is thinly scattered over the remainder of their area. Thus the density of the population of London is expressed by 25,671 persons to a square mile; but the density of the Central districts is 107,729; of Westminster 153,976. In one sub-district of Westminster, Berwick Street, the density is 278,587, while in Hampstead it is 7315. The proximity in London is 11·8 yards; and of the densest sub-district of London (Berwick Street) 3·6 yards. The Manchester district besides the dense parts contains much open country. Upon the other hand, Liverpool, Birmingham, and Bristol districts comprise the densest parts of the towns of those names; the towns being more extensive. The local divisions of the kingdom have grown up; they are multiplied unnecessarily; they are so conflicting and the names are so confusing that it is difficult to use them without creating misapprehension. We may hope to see a remedy some day applied to this state of things. In the meantime the readers of the Registrar General's Reports will bear in mind, that *districts* conterminous with unions are referred to unless the contrary is stated.

In the years 1861–70 the population of an average district was 34,555; the annual births 1212; the deaths 775; the excess of births 437.

To investigate more exactly the relation between density of population and the mortality, which we know increases in some proportion to density, the districts have been grouped in the order of the mortality at all ages. The groups are eighteen; commencing with a mortality at 15, and ascending to 39.

The area, population, births, deaths, and mortality of each group have been determined; and are shown in the Tables. The irregularities that are encountered in dealing with single districts are in part effaced; and the general result is that in all the large groups the density and the mortality follow the same order.

In the Appendix to the Fifth Report I endeavoured to show that within certain limits there was a definite relation between density of population and mortality. And it was found that the mortality of districts did not increase as their density, but as the 6th root of their density. Thus the female mortality of St. James, Westminster, district was ·02145; its density was 145,059 persons to a square mile; the density of St. George Hanover-square being 39,018. What was the mortality? By calculation from the density it should have been ·0172, and it was ·0171.† The

---

* p = proximity in yards = $\frac{\sqrt{2}}{\sqrt[4]{3}} \times \frac{1760}{\sqrt{D}}$ if D = population to a square mile.

† See Registrar General's Fifth Report, Appendix, pp. 420–424. The constitution of the above two districts has since been changed.

same relation existed between the mortality and the density of population in other districts of London.

A larger basis is now supplied by the facts of ten years recorded in all the districts of England and Wales. They have been arranged in the Tables; and with this result, that in every group the mortality increases with the density, but happily not in the direct proportion of the density. London has been excluded in the following calculations. Thus in the 345 districts with a mortality of 19·2 the density was 186 persons to a square mile; in the 9 districts with a density of 4499 what was the mortality? In the first place it was not expressed by the proportion 186 : 4499 :: 19·2 : x but by this proportion nearly

$$(186)^{0\cdot12} : (4499)^{0\cdot12} :: 19\cdot2 : x = 28\cdot1$$

Table 48 shows in a comparative view the actual and the calculated mortality.

The districts being grouped in the order of the mortality the density of population is always found to increase with the mortality, but more rapidly. The greater the proximity of man to man the greater is the mortality. To show how far the effect of the causes of mortality varies in dense and open districts at different ages in the two sexes the following Tables have been framed. The 593 districts are arranged in seven groups; under which the mortality of males and females is given at 12 ages. Only the London districts have been excluded, and that on account of the difficulty of distributing the deaths at different ages in hospitals over the districts to which they properly belong.

The mortality per 1000 *under* the age of *five years* is in the seven groups—

No. of group	I.	II.	III.	IV.	V.	VI.	VII.
For females	34	44	58	76	89	106 and	134
„ males	41	51	68	88	101	118 and	145
Excessive mortality of males	7	7	10	12	12	12	11
Mean of males and females	38	48	63	82	95	112	140

It will be noticed that the groups are numbered in the order of their density, No. I. being the least dense and No. VII. the most dense.

After examining the mortality at the various ages in the seven groups of different densities, this general law may be deduced from the facts. As the mortality of males and females increases at all ages with the density of population, so it increases at every group of ages, but in very different proportions; most in early childhood (0–5); least at the two quinquennial ages 15–20 and 20–25, when immigrants enter towns; another maximum being attained at the ages 45–65, immediately after reproduction ceases. At the ages of 65 and upwards the effect of density in increasing the mortality diminishes. The effect is not considerable at any age after 35 in the 345 districts (group II), having a density of 186 persons to a square mile; there the chief effect is produced in childhood.

In the 137 districts, having a density of 379, the effect of density after the age of 15 remains nearly uniform, and increases the mortality by about one-fifth part.

In the 47 districts, having a density of 1718, the mortality is doubled in childhood; and is raised by about a half at the ages 45–65.

London, though with a density of 25,671 persons to a square mile, follows for childhood the same law as the 47 districts; the mortality is doubled; then at the ages 45–65 it is still higher than in the 47 districts, for the mortality being increased by nearly three-fourths approaches the mortality of the 9 districts. But London presents this exceptional fact; the mortality at the ages 15–20 and 20–25 is below the mortality in the healthiest districts. The cause of this will be discussed hereafter.

The Table 52 shows, in a comparative view, how differently the various causes of mortality operate at different ages in the eight groups of districts. This is mainly due to the varying powers of resistance.

The exposure of children, of men and women in the prime of life, and of old people to causes of death, varies in different circumstances; but it is evident, after every allowance has been made, that the power of resisting the noxious influences at work in the thickest peopled districts is greatest at puberty, least in childhood and in manhood.

The Table 53 shows this more clearly; for it shows at each age out of what numbers living there are 100 deaths in the healthy districts; and then in other columns how many die in the seven other groups of districts out of the same numbers living. Thus to 10,050 persons living of the age of 35–45 only 100 die annually in the healthy districts; and 104, 121, 132, 162, 214, and 272 in six other groups of districts. In London the deaths out of the same numbers are 151.

The Table 54 shows that the female children with a lower absolute mortality than males under five years of age suffer relatively in every group more than males in the denser districts. At 5–10 the mortality of males is but slightly in excess and at all other ages the males are the greatest sufferers from the unsanitary conditions. Their occupations come into play.

12. *Mortality of Persons of different Ages as a Sanitary Test.*

In judging of the effect of destructive agents in particular districts it is well to take into account the mortality at the several ages in the two sexes. The occupations of men have a certain influence on their mortality. This is the case for instance with miners, with publicans, and with men in some dusty occupations. The influence is not felt in the case of young children, and the occupations of women vary less than those of men; but young children are differently fed or nursed in different parts of the country, and women in service who work and are well fed interfere with the female mortality, so that it is the safer course not to depend on any one age or sex, but to take the mortality at all the several ages of both sexes into account. Then the displacements of deaths by removal of the sick to hospitals or workhouses can also be taken into account by the local inquirers.

13. *Districts grouped in the Order of Density.*

In a previous paragraph the districts were grouped according to the order of their mortality; it may be interesting now to group them in the order of the density of population. This being done it is found, as has been shown, that on instituting a comparison between the two arrangements, the groups of districts of highest mortality are the densest, but that the least dense districts have not always the lowest rates of mortality. Nor should this be expected. For the maximum of advantages in country districts being once attained further isolation is a disadvantage. The insalubrity of marshes and forests can only be subdued by numbers; and the country parts thinly peopled must have been much less salubrious in ancient than in modern times. The notes following Table 55 will throw light on the peculiarities of some of the least populous districts.

14. *Of what Causes people die off at different Ages.*

The English Life Table shows how many of a million children born are males, and how many are females; how many of each sex will probably survive year by year until after the age of 100 years the last life is extinguished; how many die in each year of age; and the mean after-lifetime at every age.

The English Life Table is constructed on the numbers enumerated at 12 periods of life in the two censuses of 1841 and 1851; and the deaths registered at the corresponding ages in the 17 years 1838–54*; since those dates two more censuses having been taken, and the deaths registered and abstracted at the several ages down to 1872, I thought that it might be desirable to construct a new Life Table on the basis of the more extended experience. But the mortality at the several ages having been calculated for each of the 34 years 1838–71, the mean of the rates was found to agree so closely with the mean rates on which the Life Table was based that a new construction became unnecessary. The law of mortality had fluctuated from year to year, but had as yet remained constant; so that the persistence of the force of death as it affects different ages is beyond doubt.

Annual Mortality PER CENT. of **Males** and **Females** in **England and Wales.**

Ages.	Males.		Females.		Ages.
	1838–54. (17 Years.)	1838–71. (34 Years.)	1838–54. (17 Years.)	1838–71. (34 Years.)	
All Ages	2·33	2·33	2·17	2·15	All Ages.
0–	7·25	7·26	6·23	6·27	0–
5–	·92	·87	·91	·85	5–
10–	·52	·49	·54	·50	10–
15–	·82	·78	·85	·80	15–
25–	1·00	·99	1·06	1·01	25–
35–	1·28	1·30	1·27	1·23	35–
45–	1·85	1·85	1·59	1·56	45–
55–	3·18	3·20	2·82	2·80	55–
65–	6·69	6·71	6·00	5·89	65–
75–	14·76	14·71	13·44	13·43	75–
85–	30·14	30·55	27·92	27·95	85–
95 & upwards	44·03	44·11	43·22	43·04	95 & upwards.

Note.—The Table may be read thus:—Of males of the age 25 and under 35 the rate of mortality *per cent.* was 1·00 in 17 years 1838–54; and ·99 in 34 years 1838–71, and so for other ages. The rates of mortality for 1838–54 are taken from the English Life Table, p. xx; the rates for 1838–71 are the arithmetical means of the several rates for each of the 34 years, as shown in Tables 21–4, pp. lxxx–iii. of the Registrar General's 34th Annual Report.

The Life Table thus gives out of 1,000,000 liveborn children the deaths at each year of age. To determine all the diseases of which they die at each year of age involves an amount of labour beyond our command, if the whole of the distinguishable diseases recorded are taken into account. To reduce the arithmetical labour within an available compass, I have selected certain diseases of which the diagnosis is most certain. The other diseases are thrown into *groups:* the first *group* of all the class of zymotic diseases of the first order not separately dealt with; the second *group* of all except the distinguished maladies. And the several local diseases are grouped according to the affected organs. Suicide and other violent deaths are given in two lines.

The construction of the Tables 7–15 may be thus described. A separate set of Tables was formed for males and females, and the numbers dying at each period of life were taken from the Life Table. The deaths are numerous at first, and the numbers in each of the first five years of age are distinguished; then the numbers dying in the quinquenniads 5 to 10, 10 to 15, 15 to 20, 20 to 25; and finally the numbers dying in the decenniads 25 to 35, 35 to 45, and so on to the end of life.

* See Life Table, pp. xviii–xix; Longman, 1864.

From the returns of deaths in 1861–70 by different causes in the same divisions of age, the proportions of males per 1,000,000 dying of each of the 25 diseases or groups of diseases at each division of life were determined. For the deaths according to age and sex in the preceding 10 years 1851–60 the same process was repeated; and from the mean of the results of the two decenniads the final Table was derived, which served to distribute the deaths of the males of the Life Table proportionally.*

Thus to take an example, in the years 1861–70 the deaths of males at ages 25–35 were 147,734; the deaths of males by small-pox 2037, by fever 10,513; so the proportion to 1,000,000 deaths at those ages was for small-pox 13,788, for fever 71,162. The corresponding proportions in 1851–60 were for small-pox 12,473, for fever 70,266; the mean for the twenty years was for small-pox 13,130, for fever 70,714. Now, by the Life Table the total deaths of males at ages 25–35 are 30,592; so the numbers due to small-pox are 402, to fever 2163; which accordingly find their places in the Table. The other groups of causes were treated in the same way. From the separate Tables of males and females the Tables of persons of both sexes were framed by addition.

Knowing the deaths from each disease at each age period, the sum of all deaths from the same disease at and after each age are obtained by successive additions. Thus Table 12 was constructed from Table 7.

The Table to be complete should give the deaths from each cause in each year of age; but that series is long, and as it can be obtained by interpolation, I reserve it for a subsequent process.

It will be observed by the Table 12 that out of 1,000,000 children 114,417 will die of phthisis. Assume for a moment that at any age the survivors of the 114,417 may be picked out at that age and thrown into a class apart, then a table of the consumptive could be constructed showing their chances of dying at each age, as well as the premium to pay for an insurance on their lives.

Practically it is not possible to select out of a number of persons taken indiscriminately the numbers that will die of consumption; but it is considered possible by taking ancestral descent, temperament, and premonitory symptoms—such as hæmoptysis—into account, to select a class apart, having what is technically called a consumptive tendency, and whose mortality would approximate to that of the persons actually dying of consumption.

And a Life Table of the class dying of consumption can be formed by summing up the deaths by consumption in the Life Table, as in the subjoined example, which might be completed by interpolation.

Numbers to die of Consumption at and after each Age out of 1,000,000 Children born.

Age x.	To die.	Age x.	To die.
0	114,417	35	54,290
5	109,948	45	31,886
10	107,809	55	15,418
15	104,283	65	4,973
20	95,209	75	679
25	81,424	85	52

* See Table 6.

15. *March of an* English Generation *through* Life.

It is possible, by means of Tables so constructed, to follow any large number of people through the whole of their ages, and to point out the casualties under which they will probably succumb.

Age 0–5. The first thing to observe is, that the fatality children encounter is primarily due to the changes in themselves. Thus 1,000,000 children just born are alive, but some of them have been born prematurely; they are feeble; they are unfinished; the molecules and fibres of brain, muscle, bone are loosely strung together; the heart and the blood, on which life depends, have undergone a complete revolution; the lungs are only just called into play. The baby is helpless; for his food and all his wants he depends on others. It is not surprising then that a certain number of infants should die; but in England the actual deaths in the first year of age are 149,493, including premature births, deaths by debility and atrophy; diseases of the nervous system 30,637, and of the respiratory organs 21,995. To convulsions, diarrhœa, pneumonia, bronchitis, chiefly their deaths are ascribed; little is positively known; and this implies little more than that the brain and spinal marrow, nerves, muscles, lungs, and bowels fail to execute their functions with the exact rhythm of life. The first two are said by pathologists to be often rather symptoms of diseases unknown than diseases in themselves. The total dying by miasmatic diseases is 31,266; but it is quite possible that several of the children dying of convulsions die in the early stages of some unrevealed zymotic disease, whose symptoms have not had time for development. Convulsion is a frequent precursor in children of measles, whooping-cough, scarlet fever, fever; indeed Dr. C. B. Radcliffe well remarks "in the fevers of infancy and early childhood, especially in the "exanthematous forms of these disorders, convulsion not unfrequently "takes the place occupied by rigor in the fevers of youth and riper years."* Many of the cases of pneumonia may also in like manner be whooping-coughs and other latent zymotic diseases. In the second year of life pneumonia, bronchitis, and convulsions are still the prevalent, and most fatal diseases; many also die then of measles, whooping-cough, scarlatina, and diarrhœa. Scarlet fever asserts its supremacy in the second, third, fourth, and fifth years of age. Whooping-cough is at its maximum in the first year, measles in the second, scarlatina in the third and fourth years. Thus these diseases take up their attacks on life in succession and follow it onwards.

The deaths from all causes under the age of five years are 263,182. The number ascribed to infanticide is very few; but the deaths by suffocation (overlaying, &c.) are more numerous; and so are the deaths directly referred to the "want of breast-milk." The total deaths by burns, injuries, drowning, and all other kinds of violence are 5175.

By a physiological law 511,745 boys are born in England to 488,255 girls; and by another law 141,387 boys and 121,795 girls die in the first five years of life; so that at the end of five years the original disparity in the numbers of the two sexes is so much reduced that at the age of five years the boys only slightly exceed the girls in number. The greater mortality of boys is due to difference of organisation, for the external conditions are substantially the same in which boys and girls are placed.

Great as is the influence of organisation itself, the difference of external circumstances and sanitary condition exercise a very real influence on life, disease, and death in childhood.

Thus, even in the Healthy districts of the country, out of 1,000,000 born, 175,410 children die in the first five years of life; but in Liverpool

---

* A system of Medicine by Reynolds, vol. 2, p. 593. Article on Diseases of Spinal Cord.

District, which serves to represent the most unfavourable sanitary conditions, out of the same number born, 460,370, nearly half the number born, die in the five years following their birth. This is 284,960 in excess of the deaths in the Healthy Districts.

Out of **1,000,000 Children Born alive** (1) in the **Healthy Districts,** (2) in **All England,** and (3) in the District of **Liverpool,** the **Numbers dying** under **Five Years of Age** by Nineteen Groups of **Causes.**

——	Healthy Districts.	England.	Liverpool District.
Deaths from All Causes - -	175,410	263,182	460,370
Total Zymotic Diseases - -	49,761	87,009	171,009
Small-pox - - - - - - -	602	3,331	5,175
Measles - - - - - - -	5,257	11,507	25,514
Scarlatina - - - - - - -	11,373	17,959	26,818
Diphtheria - - - - - - -	4,184	2,425	3,395
Whooping-cough - - - - -	9,650	14,424	32,551
Typhus (with Enteric and Common Fever) - - - - - - -	2,807	5,401	9,297
Diarrhœa and Dysentery - - -	9,354	20,344	51,911
Cholera - - - - - - - -	399	1,129	4,255
Other Zymotic Diseases - - -	6,135	10,579	12,093
Cancer - - - - - - - -	110	71	62
Scrofula and Tabes - - - -	5,335	8,115	11,694
Phthisis - - - - - - -	2,656	4,469	5,116
Hydrocephalus - - - - -	6,604	9,206	14,972
Diseases of the Brain - - - -	22,692	40,065	49,840
Diseases of the Heart, and Dropsy -	1,304	1,507	2,038
Diseases of the Lungs - - - -	27,884	41,476	79,893
Diseases of the Stomach and Liver -	4,431	4,778	4,874
Violent Deaths - - - - - -	4,232	5,175	17,107
Other Causes - - - - - -	50,401	61,131	103,765

The above Table shows how many children die from the several groups of causes (1) in the healthy districts, (2) in all England, and (3) in the Liverpool District. There is a greater increase in Liverpool from small-pox and measles than from scarlet fever; and diphtheria was more fatal in the healthy districts than in all England. Diarrhœa and cholera were greatly aggravated in the other districts of England; so were whooping-cough, and typhus, under which were registered typhus, typhoid, infantile remittent, and relapsing fever. The diseases of the lungs are more fatal to children in Liverpool than diseases of the brain.

The children of Norway fare better than the children of sunny Italy; to which it may well be still an *officina gentium.* Out of 100 children born alive the deaths in the first five years of life are in Norway 17, Denmark 20, Sweden 20, England 26, Belgium 27, France 29, Prussia 32, Holland 33, Austria 36, Spain 36, Russia 38, Italy 39. Russia is almost as fatal to her children as Italy.

In a paper* read before the Statistical Society the methods of determining the rates of mortality were described, and I collected information as to the treatment and management of children in Scotland, Norway,

* Mortality of Children in the Principal States of Europe, in the Journal of Statistical Society, vol. xxix., pp. 1–35.

Sweden, France, and Austria. The subject was taken up in England by the Obstetrical Society, who published an able report, based on returns, on the birth and treatment of English children.* I have not yet received papers from Russia or Italy.

The mortality of infants evidently depends, to some extent, on the midwifery of a country; on the way the children are fed by the mothers; on the water; and on the cleanliness observed, as well as the other sanitary conditions.

Age 5–10. Our young travellers now enter on their *sixth year* of life. They have left great numbers on the way. And nearly every one of the 736,818 survivors has been attacked by one disease or another; some by several diseases in succession. There is one fact in their favour: the majority of the zymotic diseases rarely recur. Each renders the body insusceptible of injury from diseases of its own kind, though not from other diseases. Medicine † is still without any accurate determination of the numbers attacked to every death, but it is evident from the deaths that some hundreds of thousands of the survivors have had whooping-cough, measles, scarlet fever. Taking advantage of the non-recurrent law, Jenner, by his immortal discovery, substituted small-pox modified and mild for natural small-pox; and it is probable that the greater part of all the children at the age of five are vaccinated, or have had small-pox.

So the total deaths in the five years following are 34,309; 8743 of them from scarlatina, the principal plague of this age, 1364 from diptheria, 4036 from fever: more than half of the deaths in this young age, are from miasmatic disease, in all 19,256. The brain and lung diseases levy also a certain tribute.

Age 10–15. But 702,509 survive and enter on this age, which culminates in puberty; and 684,563 pass through it into the next at the age of 15; for the deaths are fewer than at any other age. They amount to 17,946, of which 1901 are by scarlatina, 2842 by fever, 3526 by phthisis, these last two diseases already standing as the most deadly; in this period the change in girls is greater than the change in boys, and rather more of them die.

Age 15–20. Now the mortality increases especially among women, of whom 5263 die of consumption (phthisis), and 244 of childbirth, for at this age a few young girls marry with some risk to their lives. The tight ligatures that are so often and so unwisely placed round the waist interfere with respiration; and may, with their in-door life, favour the development of phthisis. The deaths of males by consumption are 3811, by fever 1368: the deaths from both diseases being fewer than the deaths of females from the same causes. The violent deaths of 1387 males, against 193 females, go a long way towards redressing the inequality.

Melancholy suicide appears now among the causes of death; indeed 14 such deaths appear before the age of 15, but the numbers in this age amount to 94, of whom 46 are males, 48 are females. Insanity looms on the horizon, and there is an excess of fatal brain affections over affections either of the heart or lungs.

Age 20–25. At this age large numbers marry. The deaths are 28,705, of which nearly half, or no less than 13,785, are by phthisis. Fever is associated with it, as the great prevailing zymotic disease; the reign of the other zymoses of the young is almost over. The brain, heart, and lung begin again to suffer, and of their diseases more die. 1100 women die in childbirth.

---

* Republished in the Appendix to the Registrar General's 34th Report, pp. 225–9.

† It is to be regretted that many of the writers in a recent system of medicine have failed to follow the advice of M. Louis; they have not counted, and the student gains no light from the numerical method.

If it is the age of love it is also the age of war, of dangerous work, and of crime: the violent deaths, exclusive of suicides, are 1677, without reckoning any death in foreign war.

Age 25–35. Of the million, 634,045 attain the age of 25, and 571,993 live to the age of 35. The period extends over double the time hitherto handled. It is the athletic, the poetic age: it is the prime of life: two thirds of the women are married; and now at its close is the mean of the period (33–34) when hubands become fathers, wives become mothers, the new generation is put forth. The deaths are separations; they leave widows and fatherless children behind. Of the 62,052 that die, 30,592 are men, 31,460 women; 2992 of the men, and only 309 of the women die by violence, suicide excepted; but 2901 women die in childbirth.

Consumption is the most fatal disease of the age; it is the cause of 27,134 deaths; women suffering more than men. Fever is fatal to fewer lives than it was earlier; but it is by far the most fatal of the zymotic diseases, and slays its 4197.

The local diseases of lungs, heart, and brain grow intenser in this period.

We may now look back to the fate of a generation exposed to unfavourable conditions; such, for instance, as prevailed in the Liverpool District. There, of a million born, less than half, only 434,497, live to the age of 25; then 74,153 die in the ten years, leaving 360,344 alive at the age of 35. No less than 10,657 die of fever, 333 of suicide, 4850 of other violent deaths. The local diseases are exceedingly fatal; 1938 mothers die in childbirth.

In happier sanitary conditions 727,552 live to the age of 25, and 667,940 survive the age of 35. Only 3116 die of fever, 396 of suicide, and 2819 of other violent deaths.

Age 35–45. The losses are of 69,078 lives; 35,142 men, 33,936 women. The athletic age is now over; but the combined faculties of muscular and nervous energy are at their height. Women have borne more than half of their children, now they bear the rest. It is the age of fathers and mothers; criminality declines. Many of the structures now give way. Phthisis still predominates; fever snatches still its many victims; and the brain, heart, lungs, and bowels become more and more the seats of destructive disease. 564 persons commit suicide; 3280 die violent deaths, 2907 of them men, and 373 women; 2516 mothers die in childbirth.

While the deaths by fever are 3777 out of 571,993 attaining this age in England; 14,322 people die of it in the Liverpool District out of 360,344. The lung diseases in the two sets of conditions are fatal to 7452 and 13,967 lives.

In the healthy districts the deaths by fever are 2702, by diseases of the lungs 5261.

Age 45–55. This age is the middle arch of life: *nel mezzo del cammin di nostra vita,** for the million are reduced to half a million lives, a few months after the age of 45. They have produced the succeeding generation. The age of fertility is now nearly over in women; but a few lingerers bear children, and in the act 160 die. The deaths by all causes are 81,800; by fever 3749; diarrhœa, dysentery, and cholera 1944; by phthisis 16,468; by lung diseases 13,203, heart diseases and dropsy 10,041, brain diseases 9313, bowel and liver diseases 7917. The centres of life are sources of death. At this age, in their wretchedness, and in their weakness, 599 men, 204 women, in all 803, appeal rashly to the "arbitrator of despairs, just death." 2876 men, 478 women, in all 3354 persons, die violent deaths.

Cancer, a formidable and dread disease that began to be fatal before, now destroys 4583 lives, 1140 men, 3443 women.

---

* Dante: Divina Comedia, Inferno, Canto I.

In unfavourable sanitary conditions out of a million lives in Liverpool, only 275,193 attain the age of 45, and 90,969 die in the following ten years; 12,504 of fever, 13,274 of phthisis, 24,417 of pulmonary diseases, 420 of suicide, and 4314 of other violent deaths.

In the Healthy districts of the country 606,019 attain the age of 45, and 71,938 die in the ten years following; 2306 by fever, 13,745 by phthisis, 10,012 by brain diseases, 10,451 by heart diseases and dropsy, 8234 by pulmonary diseases, 1022 by suicide, and 3030 by other violent deaths.

Age 55 and upwards. To the age of 55, near the middle of the possible lifetime of humanity in its present state, 421,115 attain; and from this point of time it is possible to look ahead, and discover the particular rocks, foes, collisions, tempests to be encountered, to be dreaded, or to be weathered by the fleet on its way to the utmost butt of existence, "the very seamark of its journey's end."

One thing to remark is, that the rate, the degree of danger, which has hitherto increased slowly, now increases at so much faster a pace, that although the number of lives grows less, the number of deaths increases in every one of the next 20 years, and is afterwards sustained for 10 years longer, until at last in the distance the living all sink into the elements from which they came.

Few will die of the non-recurrent zymotic diseases; some 29,803 in all will die of fever, diarrhœa, cholera, rheumatism, and other zymotic diseases; cancer will carry off almost as many as phthisis; the greatest mortality, however, will be experienced from diseases of the lungs; then will follow in their wake of destruction brain affections, apoplexies, paralysies; heart and artery diseases, often the remote cause of the other maladies, bowel and liver diseases, kidney diseases; many will still die violent deaths as they are less able to resist injuries than younger lives. Gout and intemperance will reap their later harvest; so will mortification, atrophy, debility, and the infirmities of old age: then comes the end.

Of 100 women living of the age of 55 and upwards, it is worthy of note that 11 are spinsters, 43 widows, and 46 wives; of 100 men 9 are bachelors, 24 widowers, 67 husbands. We now pass to the particular decenniads of life.

Age 55–65. The number of males and females surviving becomes equal at the age of 53, but at and after 55 the women exceed the men in number, as their mortality-rate is lower ever after the age of 39. While 421,115 of both sexes enter this stage of life, 309,029 live on to the next; 112,086 die; only 9795 of fever, diarrhœa, dysentery, cholera, rheumatism, and other zymotic diseases. Cancer kills 5998 persons, 4035 of these women; consumption 10,445: the diseases most to be dreaded, and guarded against, especially by men, are affections of the lungs, and heart, of which 23,659 and 17,081 persons die: diseases of the brain are fatal to 15,678, of the stomach, intestines, and liver are fatal to 11,400. The vigour of life is somewhat subsiding; family cares perhaps accumulate, ambition is disappointed, and the mind sometimes gives way organically: the tendency to suicide is greatest at this age, and the greatest number of lives, 826, come to that melancholy close in this period. But 3155 are killed by violent deaths of various kinds; 2560 men, 595 women.

Age 65–75. 309,029 enter this age, and 161,124 leave it alive: 67 years is near the mean date at which their children give birth to their grand-children; the third generation. The 147,905 dying in this period succumb to the same classes of disease as were fatal in the previous decenniad; and still more succumb to lesions of the brain and heart, and lungs: the kidneys give way, but are never so fatal as affections of the higher organs. 11,256 of the deaths are from fever, diarrhœa, cholera, rheumatism, and other diseases of the miasmatic order; 9789 from five constitutional diseases; 92,391 from diseases of brain, heart, lungs, and other local

organs; 3064 from violence, and there remain 31,405 referable in great part to a new head in the developmental class, *old age.*

The year of age 72 is that in which the greatest number of *men* die; and which may have led the psalmist to say, the days of the years of our life are three score years and ten; but these are "days passed away in thy wrath," in violation of the divine laws, and therefore are not necessarily the limit of healthy existence where the laws of life are observed.

Age 75–85. The numbers that enter this decenniad are 161,124, and the numbers that leave it alive are 38,565. More than half the numbers living have been married and are widowed. The 122,559 that die of recognised diseases at this age die chiefly of lung, brain, heart, and other local diseases; against such dangers they have to guard themselves. The number of such deaths is 51,838; then some 7229 persons die of miasmatic diseases; 131 of suicide, 1691 of violence. The cold weather is their great foe. But there remain 58,905 dying chiefly of atrophy, debility, and *old age.*

Age 85—to the end. The 38,565 aged pilgrims are no longer what they were; their strength is fading away, and they succumb to slight injuries, to cold, heat, want, or attacks which in their early years would have been shaken off: only 2153 live to the age of 95; and 223 to 100; finally by this Table at the age of 108 one solitary life dies.

Of what causes do they all die? Diseases grow again as obscure as they were in infancy; zymotic diseases, constitutional diseases scarcely appear; the diseases of the lungs and brain are the most conspicuous among the local diseases; 509 die of violent deaths, including suicides. These causes account for the end of 10,659, leaving 27,906 that die chiefly of *old age*—of what has been called natural death.

Majendie pointed out to me at Saltpetrière, the hospital for old people in Paris, that the deaths apparently from no cause, were often the result of pneumonia, or consolidation of the lungs, which in the absence of the ordinary symptoms could be detected before death by dulness of the chest on percussion. Hippocrates had noted that the symptoms of diseases grew obscure in advanced age. And this must be so. The symptoms of disease—including pain itself—require strength for their manifestation; without it reaction is scarcely appreciable; and many diseases in the old as well as in the young are so insidious as to escape detection. But upon the other hand many deaths due to debility are ascribed to specific diseases. And beyond doubt thousands do die of old age; thousands of the generation, like the patriarchs of old, fall asleep. As the body with all its parts is undergoing continual renewal, it grows, gets consciousness, develops strength for years, and then all its powers insensibly decline, until the daily alternations from wakefulness to sleep of which life is made up cease; and it is all sleep; the life exhales in the arms of friends, or alone in the night like a light goes out. This last end is the natural death to which, as Bacon says, it is the office of the physician, of the state physician we say, to conduct the nation. "For it is no small felicity which Augustus "Cæsar was wont to wish to himself, that same *Euthanasia*; and which "was specially noted in the death of Antoninus Pius, whose death was "after the fashion and semblance of a kindly and pleasant sleep." *

Such and so various are the settings of Forty million, eight hundred and fifty-eight thousand, one hundred and eighty-four years of English life.†

16. *Future* Dangers *at several* Stages *of* Life.

A series of Tables shows of what causes people die *after* twelve stages of life. And they answer such questions as follow:

---

* Bacon's Advancement of Learning. Book ii. x, 7.

† Soles occidere et redire possint. Philosophy does not accept the poet's sequel, as our substance, as well as its animating force, is as imperishable as the Sun's.

Of what cause is a child just born most likely to die? Of some local disease in the present state of England, for of 1,000,000 born 424,480 will die of specific diseases of parts of the body; the breath organs standing first in the list of fatality. The miasmatic diseases will carry off about 175,619; fever, diarrhœa, scarlatina standing foremost among the destroyers. After them come whooping-cough and measles. Small-pox will be fatal to 6521.

At the age of 15 the zymotic diseases, having already destroyed 112,910 children, have only 62,709 victims left. Of 684,563 living to the age, phthisis will carry off 104,283 lives, and nearly half of them in the next 20 years: it is the single disease most to be apprehended. In these years also 4245 will probably die of childbirth.

At the age 35 lives are most frequently insured: the 571,993 here remaining will die chiefly of lung, brain, heart, bowel, urinary, and other local diseases: of consumption; of cancer; of fever, diarrhœa, cholera; and of violent deaths. Of women 2676 remain to die of childbirth.

The numbers to die after every successive 10 years are given, and the deaths for intermediate years can easily be interpolated. Thus the probability at any age of dying before, at, or after any future age can be conveniently determined from the Table by a few mathematical formulas, with which it is not necessary to embarrass the general reader, as to him it is believed the Tables as they stand will be perfectly intelligible. (See Tables 7–15.).

It is very instructive to compare the facts of the Table for all England with those for the Healthy districts and for Liverpool (Tables 16–30).

For example, by the Table of Healthy districts of 1,000,000 children born, 667,940 live to the age of 35, and 12,233 of them afterwards die of fever: by the Liverpool Table out of the same number born only 360,344 live to the age of 35; of these 39,932 afterwards die of fever (typhus, typhia, and typhinia), and as many as 14,322 die before attaining the age of 45.

17. *The relative number of Deaths from different Causes.*

The degree in which the causes of death operate at different ages is shown by the series of Tables 4–6: showing to 1,000,000 deaths at each age, the proportional numbers by different causes. There are three sets of Tables, two for the males and the females in each of the two decenniads 1851–60 and 1861–70; and one for the 20 years 1851–70. The changes in the two periods can here be studied. It will be noticed that in the third, fourth, and fifth years of childhood, scarlatina is the most dangerous of all diseases; it causes more than a fourth part of all the deaths in the fifth year: next to it stands disease of lungs.

Turning to the age 20–25, nearly half the deaths are by consumption; and the same disease maintains its ascendency with little diminution up to the age 35.

18. *The Rates of Mortality at different Ages by different Causes.*

The rates of mortality have generally in this volume, in continuation of the previous one, been expressed in per-centages with three decimals; and it has been found that the rate per 1000, that is the deaths to 1000 living, through a year is convenient, where the mortality has to be expressed from all causes without decimals. But neither the rate per 100 nor the rate per 1000 is suitable to the expresion of the rate of mortality by causes differing so much in intensity as those to be dealt with; hence to secure clearness and avoid decimals altogether, the important Tables (2–3) show the deaths to a million living at each age-period by the different causes.

In the procession of a generation through life the deaths were given in different periods out of diminishing numbers living; the deaths from all

causes being taken as a basis, it was easy to show in the previous set of Tables the proportional number from the several causes. It remains to show in a Table the rates of mortality by different causes, in the different sections of the population divided by sex and age, in the two decennial periods.

It will be noticed that the mortality of the first three quinquenniads of age declines rapidly; for males from 73,162 at the age 0–5, to 4460 at the age 10–15; and then it increases to 6161 at age 15–20, to 19,165 at age 45–55, and so on to the end. Being in juxta-position the rates of mortality from the diverse causes in both sexes can be readily compared.

Thus at the age 25–35 the rate of mortality from phthisis was in the two decenniads among males 4034 and 4092: among females 4575 and 4378, this sex being the greatest sufferer from consumption at the period of life when in the same decenniads the rates from metria and childbirth were 886 and 921.

19. *The Law of Mortality and of Attacks of Disease.*

The rate of mortality, as it has been said already, declines as age advances from birth to puberty, and then increases according to certain determinable laws. The mortality decreases to the age of puberty; and then increases somewhat slowly to between 50 and 60. From the age 55 to the end the mortality increases at such a rate that it is doubled for females every 8·24 years in the healthy districts, and every 8·95 years in England and Wales. At the ages 20–50 the mortality of females increases one sixth part for every 10 years of age in the healthy districts, and so would not be doubled at that rate in less than 47 years. In England the mortality of females (20–50) increases nearly one fourth part every 10 years of age; the mortality of males (20–40) increases somewhat faster, and from 40 to 50 the increase is intermediate between that of the previous age and the future, which may be called the final age increase rate.

It may now be shown that there is a certain relation between the number of deaths by any disease and the number of attacks by that disease. Some diseases are fatal to nearly every one they attack, and so they can occur but once in a lifetime: such are hydrophobia, glanders, cancer, tetanus, tabes mesenterica, phthisis, hydrocephalus, softening of brain, some heart diseases, aneurism of aorta, angina pectoris, ascites, ileus, perforation of intestine, ischuria, Bright's disease, Addison's disease, diabetes, ovarian dropsy (without operation), cyanosis, fractures of base of skull, wounds of vital parts; extensive burns; poisoning by high doses of prussic acid, strychnia, and other poisons, solid, liquid, and gaseous; submersion under water for a few minutes; suffocation. Every death here represents one case of disease or injury. As medicine affords alleviation but cannot cure, their prevention is the great end to be aimed at.

Apoplexy and paralysis are fatal generally after two or three attacks.

Then there are two other great *classes* of diseases; (a) one is fatal to a certain number of the attacked, and (b) the other causes inconvenience, but is not fatal.

Of the first class, certain diseases, as a general rule, attack a patient only once, and that in early life; such are small-pox, measles, scarlet fever, whooping-cough, enteric fever. The deaths imply a number of attacks varying with age: thus it has been shown that the mortality was such in the London Small-pox Hospital, that there was 1 death to 2·44 cases in children under 5 years of age; 1 in 2·93 at the ages 20–30; and in the two next decenniads 1 in 2·15 and 1 in 1·71.* According to a report of

* M'Culloch's Account of the British Empire, vol. 2. Article, Vital Statistics, p. 594.

the Committee of the Metropolitan Asylum District, 1872, the mortality from small-pox after the age of five was half as high, but increased in the three decenniads of age 20–50; it increased at the same rate, the deaths being 1 in 5·98, 1 in 4·22, and 1 in 3·40 among the vaccinated and unvaccinated taken indiscriminately; the mortality of the unvaccinated being much higher than the mortality of the vaccinated. So the mortality from cases of fever has been shown to increase with age.

When the cases to one death at the respective ages have been determined, the attacks from each disease can be calculated from the deaths by that disease in the expanded Life Table (pp. xciv-v).

The mortality of the cases of cholera in London, 1854, was such, that to one death there were only 2 cases; but the death-rate ranged with age from 1 in 1·36 to 1 in 2·86.* Then the contemporaneous epidemic of diarrhœa was not by a thirtieth part so fatal; there was, taking all ages, one death in 61 cases: in children under 5 *one* death in 17 cases; in adults of 35–45 only *one* death in 199 cases; the mortality in old age increasing rapidly. By applying the proper factors the attacks of cholera or diarrhœa are calculated from the deaths.

There is a peculiar class of the sometimes fatal diseases that are recurrent; such are intermittent fever, remittent fever, neuralgia, rheumatism, gout, epilepsy, asthma; one attack far from precluding, facilitates another apparently, so that one death may represent several attacks by the same disease of the same person.

Among the diseases to which the deaths give little or no clue, because they are rarely or ever fatal, may be reckoned chicken-pox, cow-pox, febricula, mumps, gonorrhœa, primary syphilis, epistaxis, varicose veins, nævus, toothache, tonsillitis, dyspepsia, worms, hæmorrhoids, gastrodynia, hydrocele, orchitis, paramenia, flat feet, obesity, corns, skin diseases of various kinds, slight wounds and injuries.

A vast amount of incapacity in the army arises from these causes; and the necessity of recording the cases of diseases, both fatal and not fatal, is evident. But it is to be borne in mind that a death is a much more evident thing than attacks of disease varying indefinitely in intensity. The death returns are the basis of all sanitary statistics.

20. *Ages at Death by particular Diseases.*

All the deaths referred to premature birth, and the greater part of the deaths from convulsions, teething, atrophy, and debility occur in the first year of life. Upon the other hand many diseases, such as cancer, apoplexy, paralysis, and many organic diseases are fatal chiefly to people of advanced ages. Others, such as phthisis, fever, and childbirth are most fatal in the middle period of life. The proportional number of the deaths from these several diseases is altered in an increasing population such as that of England; where the proportion of deaths from diseases affecting the young as those above named, for example, is overstated. The true proportions are shown in the Life Table. Thus the proportions in 1000 deaths in the 20 years 1851–70 were by whooping-cough 23·145, by measles 19·134, by scarlatina and diphtheria 48·247; whereas by the Life Table the same diseases for the same period are more correctly given as 15·161; 12·865; 34·966.

The mean ages at death by these diseases were 1·8, 2·7, 5·8 years; and the excess over the numbers of the Life Table is due to the excess

---

* Report of General Board of Health, Committee of Medical Council on Cholera Epidemic of 1854.

of children of these ages in the increasing population of England. Here are some instances :—

Mean Age at **Death** of **Persons dying** from **certain Causes, 1848–72**; also the **Deaths** from those **Causes** to **1,000,000 Deaths** from **All Causes, 1851–70.**

Cause of Death.	Mean Age at Death, 1848–72.	Deaths to 1,000,000 Deaths from All Causes at All Ages, deduced from	
		Life Table.	Registered Deaths.
Whooping-cough - - -	1·8	15,161	23,145
Measles - - - - - -	2·7	12,865	19,134
Scarlatina and Diphtheria -	5·8	34,966	48,247
Small-pox - - - - - -	11·9	6,521	8,535
Typhus - - - - - -	26·0	38,107	40,170
Childbirth and Metria - -	31·7	6,921	7,364

Mean Age at **Death** of **Persons dying** from **certain Causes, 1848–72**; and **Annual Deaths**, to **1,000,000 living**, from those **Causes**, by English Life Table, compared with the **Mortality**, as deduced from a comparison of the Population with the Deaths registered, from the same **Causes** in Vicenniad **1851–70.**

Cause of Death.	Mean Age at Death, 1848–72.	Annual Rate of Mortality to 1,000,000 Living of All Ages, deduced from	
		Life Table.	Registered Deaths.
Whooping-cough - - -	1·8	371	521
Measles - - - - - -	2·7	315	437
Scarlatina and Diphtheria -	5·8	856	1046
Small-pox - - - - - -	11·9	160	204
Typhus - - - - - -	26·0	933	918
Childbirth and Metria - -	31·7	169	168

The deaths by causes such as childbirth occurring in the middle of life, are not deranged; but the proportion of people dying of the diseases of old age is understated.

The births in the United Kingdom now exceed a million a year; and our Life Table shows that a constant number of a million births will, without any increase of births, maintain a population of 40,858,184, if there be no emigration. The actual population of the United Kingdom in 1871 was 31,545,741. The defect is in the adult and advanced ages.

The Annual Report of the Registrar General shows the deaths from each disease to 1,000,000 living of all ages; and as there is an excess of children in the actual population, the mortality deduced from the deaths and the population of all ages by small-pox, scarlatina, measles, whooping-cough, and all the fatal diseases of the young are overstated; the mortality by fever and childbirth are undisturbed as they occur at ages near the mean age of the living population. The constitution of the population has to be taken into account in comparing the deaths by small-pox in England with the deaths from the same disease in Sweden, France, or countries where the population is nearly stationary.

21. Effect of the extinction of any single Disease on the Duration of Life.

Whoever has lost a friend, a brother, a son by any disease will feel that its extinction would be a boon to mankind no figures can express. Something, however, can be calculated, and that is the effect of the suppression of any disease on the duration of life. Some diseases are fatal to infants, some to youths, some to men in the flower of life, some to fruit-laden patriarchs ; and while the three kinds of loss differ in degree, and differ in their economic effects, they differ also in their effects on the mean lifetime.

The mean lifetime, it will be borne in mind, is found from a Life Table, which shows how many of a given number born live through each year of age, and what is the sum of the number of years they live ; the sum of these years divided by the lives is their mean lifetime. Thus by the English Life Table 1000 persons live in the aggregate 40,858 years ; and their mean lifetime is 40·858, nearly 41 years. Of their number 503 live to the age of 45 ; and after that age they live 11,771 years, so their mean *after lifetime* at 45 is 23·4 years. This is often called the *expectation of life*. The given age *plus* the mean after lifetime is the mean age at which they die.

And it is evident that in judging of the effects of the suppression of a single disease, three cases have to be considered : (1) The whole of the lives will die of the other diseases in no greater proportion than before ; (2) those other diseases, such as scarlet fever and measles, will grow so much more fatal, as to make up by the loss on this head for the gain on the other, say small-pox ; (3) the gain by the supercession of one disease will exceed the loss by the increment of others ; or the reverse ; so as to result in a partial gain, or a partial loss.

It will be convenient to consider first the cases to be, by hypothesis, of the first class ; where, as for instance, when men are saved from a violent death they live as long as other people, and the rest of the community remain as they were. Then if the diseases suppressed are such as are fatal in the first year of life, for example, such as the debility and atrophy from premature birth or other causes, convulsions, bronchitis, pleurisy, pneumonia, and diarrhœa fatal soon after birth ; then instead of 149,493 dying in the first year, 101,147* of that number will live through the year unless they are carried off by other diseases. Assume for a moment that this will result in an addition to the years lived by the million born, of the years lived by 100,000 average lives saved, then the mean lifetime will become instead of 40·9 years, that number of years augmented by a tenth more or 45·0 years.

Now take any other disease in the end fatal to one tenth of the living at the age of 55, and assume that by some expedient, medical art can prevent any death from it after that age, and what will be the effect on the after lifetime ? It will evidently only add the years that a number of persons of that age and upwards live when they are subject to no attacks of the suppressed malady. No effect is produced in early life, and no addition is made in this case to the years lived in manhood up to the age of 55, so the expectation at birth is extended, but not greatly ; whereas the full effect is felt by the men of the age of 55 and upwards. They have an enemy the less to encounter through the whole of their career to come.

There is a certain number of diseases that medical art hopes, for various reasons, to prevent. Such are small-pox, measles, scarlet fever, diphtheria, whooping-cough : some of these, if not of recent origin, were not recognized by the ancients.

---

* See Tables 10 and 33–34.

Small-pox is apparently referred to by Gregory of Tours (565–8); and it is believed to have entered Europe through Arabia. The great Rhazes, who died in the year 923, was physician to a hospital in Bagdad; and he first described measles and scarlet fever under distinct names, as Sprengel shows, although the fact that he did so had been overlooked. Avicenna places scarlet fever as a distinct disease between small-pox and measles. Whooping-cough first appeared in France in 1414; and Mezerai says it cost the life of every person it attacked. Something very like syphilis had been known before; but true syphilis broke out in the summer of 1493 almost simultaneously in every part of Europe.* Leprosy at the same time declined. Diphtheria is apparently of recent birth. No doubt the origin of these diseases, and of others of the kind, is involved in as much obscurity as the origin of species; for they are also propagated in men by low species of organic life. What is certain is that they do not exist in every community; and that when they are introduced among a virgin population they attack great numbers, as in the instance of the small-pox among the Red Indians, the measles in the Fiji Islands quite recently. The exclusion of the zymotic elements, if it be complete, therefore saves free people from invasion.

But these diseases, as a general rule, attack the same person only once in his life; and the great discovery that small-pox, for some reason or other, when induced by art, assumes a milder form, led to the practice of inoculation in the East, from which it reached England. But this inoculated small-pox was sometimes fatal; and it spread the disease by infection, not in the modified, but in the pristine fatal form. To Jenner and to England belongs the immortal honour of guarding mankind against small-pox by cow-pox, which is neither fatal nor infectious.

No sooner had inoculation been introduced, than Daniel Bernoulli (1760), with very imperfect data, undertook the solution of the problem † now in hand: D'Alembert immediately attacked the hypotheses and the arguments of Bernoulli in favour of inoculation: the controversy showed the mathematical difficulties of the problem to be much greater than was suspected. The whole question was discussed by Duvillard in a work still classical in vital statistics, in which he endeavours to supply the defective data by the resources of the higher analysis. He came to the conclusion that vaccination would add 3·5 years to the existing mean lifetime.‡

As the mortality from all causes collectively, and from different causes, at the several ages, is known in England, I propose to show here how far the mortality is reduced by deducting from the general mortality the mortality from phthisis, from cancer, and from all miasmatic diseases. And then three Tables will show the number of survivors out of a million births, in the absence of the deaths from these three classes of causes. Precisely the same method is applicable to any other class of diseases.

Diseases such as scarlet fever, that are exceedingly infectious, and that attack the same life only once, will have attacked nearly every one attaining the age of 35, and will leave afterwards very few susceptible. Thus very

---

* Sprengel's Histoire de la Médicine, Ed. Littré, vols. 2, 3. See pages in Index. Rhazes on Small-pox and Measles, translated from the original Arabic by W. A. Greenhill, M.D., 1858. This work of Dr. Greenhill well sustains the reputation of English medical learning. Singularly enough Rhazes himself says that the "excellent Galen" refers to "small-pox" four several times in his work; but Dr. Greenhill makes it probable that Rhazes was misled by an erroneous translation of the Greek term, pp. 141–2.

† Analyse et Tableaux de l'Influence de la Petite Vérole, par E. E. Duvillard. Paris, 1806.

‡ Duvillard's Table, derived from what he calls the Law of Mortality (in France) in the natural state, makes the mean lifetime 28·763; whereas it would be 32·256 if no one died of small-pox. See page 143, where he states that the cessation of small-pox would raise the population from 28,763,192 to 32,255,775.

few die at later ages of scarlet fever or measles, and scarcely any of whooping-cough. These diseases have no sensible effect on the expectation of life after young people are of age.

The labour of constructing and graduating Life Tables being considerable, I have, to illustrate this question, employed the short method I introduced in the Appendix to the Registrar-General's Fifth Annual Report. It is sufficiently exact for the purpose in hand.

The male mortality is used as given in the Table 59, for the years 1861–70. The subjoined extract shows the rates of mortality inclusive, and exclusive of the mortality by zymotic diseases, by phthisis, and by cancer.

The result is that if none of the males died of any *zymotic disease*—Order I.—the duration of life would be raised, should they remain subject to the existing rates of mortality from all other diseases.

Of the 510,622 boys born, no less than 411,350 will live to the age of 5; 403,871 to the age of 10; 343,674 to the age of 35; the mean after lifetime at birth would be raised from 39·68 to 46·77.

Applying the same method to the effect of the suppression of *phthisis*, which produces its maximum effect later, the mean after lifetime at birth is raised to 42·96, at 35 to 30·77.

The suppression of *cancer* would raise the mean after lifetime at birth to 39·88; at the age 35 to 29·01; at the age 55 to 16·25.

The same method will show the effect of the suppression of any other disease.

Small-pox is the only disease which can practically be superseded to a great extent by a disease itself not mortal. But the opponents of vaccination contend, that so far from leaving other diseases as they were, it increases their rates of mortality. Of course, as more live more are attacked by other diseases; but this proves nothing, so long as the lives saved from small-pox only die from other diseases in the same proportion as the rest left before small-pox reigned. There can be no doubt that cow-pox is a variety of small-pox, and is induced by transmitting small-pox lymph through the cow. Small-pox, if not fatal, does not exempt any one from measles or scarlet fever. To contend that small-pox in its severe form, if it do not kill the patient, renders him less, while the milder form renders him more, susceptible of other diseases, derives no support from analogy.

Efforts should be made to reduce all the contagious recurrent diseases to a minimum, by placing the whole population in as favourable a sanitary condition as possible, so that these diseases may be taken, as they are then, in the mildest form. The effect of favourable sanitary conditions is seen in the healthy districts, from which neither measles nor scarlet fever are excluded. They are both less fatal.

THE **Life Table Deaths** to **1,000,000 Children born alive** are—

	In Healthy Districts.	In England.	In Liverpool.
By Small-pox - - -	2,359	6,521	8,141
„ Measles - - - -	6,912	12,865	26,973
„ Scarlatina - - -	21,403	30,021	38,302
„ Whooping-cough - -	10,234	15,161	34,021
„ Typhus (including Enteric and Common Fever) -	28,146	38,107	76,563

If every child is attacked by scarlatina at some time of life, then there are 1,000,000 cases, and by the English Life Table 30,021 deaths: so the mortality of the cases is 3 per cent. The mortality of cases is at the rate of 2 per cent. in the healthy districts; 4 per cent. in Liverpool. This is the minimum mortality of cases, for thousands die young of other diseases before they can be attacked by scarlatina. By measles, whooping-cough, and fevers (typhus, typhoid, and typhinia) the variation of mortality is still greater in healthy and unhealthy conditions.

Dr. Watt showed that while the sanitary conditions of Glasgow were deplorably defective, the exclusion of small-pox had not the effect of reducing the general mortality; as in those years the fatality of other diseases increased.* And further observations tend to show that healthy sanitary condition as to food, drink, and cleanliness of person, house, and city, stands first in importance; after it, but subordinately, come quarantine, vaccination, and other preventives, as means of subduing mortality; for the mere exclusion of one out of many diseases appears to be taken advantage of by those other diseases, just as the extirpation of one weed makes way for other kinds of weeds in a foul garden.

The effect on the lifetime of extinguishing each separate disease in England may be determined by the same method, from the two great Tables (33–34), one giving the deaths of males, the other of females, from every cause of death distinguished in the tabular returns for 25 years (1848–1872).

The effect of the subtraction of the early fatal zymotic diseases, and of phthisis, fatal in middle life, is to leave greater numbers alive at the advanced ages,—greater numbers therefore to die of the diseases attendant on advancing age. As fatal consumption is developed later in life than scarlatina,† so cancer sets in after consumption: thus we find that of a million born in the healthy districts, 21,403 die of scarlet fever, 108,481 of consumption, and 27,495 of cancer; whereas out of the same number in Liverpool, 38,302 die of scarlet fever, 96,676 of phthisis, and 9992 of cancer. In Liverpool, and in the unhealthy districts, the children do not live to encounter the diseases of old age. As men die everywhere, the great difference consists in this—that in one set of circumstances a small part, in another a large part, of the secular cycle of life is accomplished.

22. Economic effect of Deaths by different Diseases.

Life has a pecuniary value. In its production and education a certain amount of capital is sunk for a longer or shorter time; and that capital, with its interest, as a general rule, reappears in the wages of the labourer, the pay of the officer, and the income of the professional man. At first it is all expenditure, and a certain necessary expenditure goes on to the end to keep life in being, even when its economic results are negative.

The value of any class of lives is determined by valuing first at birth, or at any age, the cost of future maintenance; and then the value of the future earnings. Thus proceeding, I found the value of a Norfolk agricultural labourer to be 246*l.* at the age of 25: the child is by this method worth only 5*l.* at birth, 56*l.* at the age of 5; 117*l.* at the age of 10; the youth 192*l.* at the age of 15; the young man 234*l.* at the age of 20; the man

* See Registrar-General's 30th Annual Report, Appendix, p. 213, and Treatise on Chin-cough, by Robert Watt, M.D. (1813), pp. 375–9.

† Phthisis and scarlatina are synonyms of consumption and scarlet fever. Scarlatina was used in the Office Tables until the year 1869, when scarlet fever was substituted for it.

246*l.* at the age of 25, and 241*l.* at the age of 30, when the value goes on declining to 138*l.* at the age of 55, and only 1*l.* at the age of 70; the cost of maintenance afterwards exceeding the earnings, the value becomes negative; at 80 the value of the cost of maintenance exceeds the value of the earnings by 41*l.**. These values may be compared with the former cost of slaves in Rome, in the United States, and in the West Indies.

The amount of capital sunk in the education of professional men is not only greater, but it is probably at greater risk, and it has to remain longer under investment before it is returned. The maximum value of such a man is attained later in life, probably 40; and in the highest orders of the church, law, and politics, where experience and great weight of character are requisite, the life still increases in value at higher ages.

This valuation of life differs from that of the mother, to whom her helpless child is inestimably precious, and from that of the son, ready, in his filial piety, to sacrifice his life for his father; but it agrees well with the popular appreciation of value expressed by grief at the national losses of conspicuous characters. This is always greatest in the case of deaths at the ages when life is most precious. The Princess Charlotte and the Prince Consort are instances in our Royal family: Sir Philip Sidney, Wolfe, and Nelson among warriors who died young: Keats, Shelley, and Byron among poets: Pitt and Fox, Canning and Peel, among statesmen before their prime of life had past. The deaths of Alexander, Cæsar, and Napoleon shocked the more because they were struck down in their meridian. The poets true to nature make their heroes men in their prime: Achilles, Hector, and Æneas are only surrounded by Priam and Astyanax, by Anchises and Ascanius. Hamlet, Romeo and Juliet, Othello, Macbeth, and Antigone, in the full bloom of their power, excite the highest tragic interest; because their death is the destruction of the greatest accumulated life; and the sensation of their fall is like that when the lofty oak is struck by lightning. In the great Christian tragedy itself the mother is on Calvary, but the Son is the godlike sacrifice on the Cross.

The causes that destroy the greatest number of lives in their prime—and are therefore first in importance—are fever, consumption, violence; plagues, cholera, and war, where they prevail. Small-pox, too, where there is no vaccination, is fatal to large numbers of grown-up people. Many Englishmen are drowned at sea; and this will be considered hereafter, for it is only one example of the deaths of men resulting from their pursuits, not only in the army and navy, but in civil life.

The greatest occupation of women, as on that the continuance of the human race depends, is at the prime of life,—childbirth, childbreeding; up to that time all their force accumulates; and its loss then is a great calamity, not only to themselves, but to families. According to the Table (9.) of a million children born, 488,255 of them girls, 6921 will die of childbirth. They die at the average age of 32. If this generation exactly reproduces its own numbers, it gives birth to a million children, neither more nor less; but it does more than this, for the births in that case would be 144 to 1 death from childbirth, whereas the facts show that the mortality in childbirth is in the proportion of 1 mother to 211† children born alive. Consequently the 6921 deaths of mothers imply that this generation represented in the Table gave birth to 1,458,190 children to

---

* See paper on Income Tax, by W. Farr, in Journal of Statistical Society, 1853. The return of wages was procured and carefully compiled by Sir John Kay Shuttleworth. It was from the best class of labourers in Norfolk.—Journal, vol. xvi. p. 43. Wages have since risen, and so has the cost of subsistence.

† The exact proportions are 144·488, and 210·691; the latter being deduced from 13,971,746 births, and 66,314 deaths of mothers by childbirth and metria in 20 years, 1851–70.

constitute the generation to follow. The increase of numbers thus deduced is 4·58 per cent. in 32 years, or 1·18 per cent. annually.

If English women only bore children enough to keep the population stationary, the tabular deaths by childbirth would be 4746 instead of 6921; so 2175 devoted mothers die of what some might call overwork; but it is work by which new nations are founded. And happily it is work the dangers of which can be incalculably diminished by medical art.

Enough has been established to prove the supreme importance of making renewed efforts to save the most precious of precious lives from fever, consumption, cholera, violence in all its forms, and childbirth.

23. *Hygienic Topography.*

The variation in the mortality, and in its causes, due to differences in the body itself at different stages of development have been discussed; the extreme limits of variation under different sanitary conditions have been pointed out; and the relation between health and the density of population under ordinary existing sanitary conditions has been determined.

There remain other conditions, the influence of which on the health of a community is unquestionable: such are (1) the physical well-being of the people as to dwellings, food, drink in excess or defect, (2) firing, (3) cleanliness and clothing, (4) sewage and drainage, (5) rivers, geological formation, and elevation of soil. The facts in this volume will assist inquirers in investigating such influences. I propose to notice here briefly the districts under the eleven Divisions, which present any remarkable deviations from the average standard of health and vitality, either in the way of defect or excess.

Division I.: London.—London consisted formerly of 37 districts; the districts are now 28. This city, the greatest, the most populous, the wealthiest in the world, is situated on both sides of the Thames; an embanked river, up which the sea sends its tidal waters in ebb and flow twice daily to Teddington lock. The banks once covered with mud, are clothed with magnificent granite terraces, which match the fine many-arched bridges. The Southwark side, still unembanked, is low, for on an average the houses in the last ten years were on ground only 6 feet above Trinity high-water mark, but it ranged in the sub-districts from three feet below Trinity high-water mark in St. George Camberwell, to 128 above that mark in Norwood, 167 in Eltham, and 188 in Sydenham. Ascending from the central city, and from the Thames on the north side, the streets climb the undulating hills to Hampstead and Highgate; at the west end, from the low Westminster, Chelsea, Fulham, and Hammersmith, the land rises to Paddington, Hanover-square, St. James Westminster, and Marylebone. The east end descends from Shoreditch, Bethnal Green, and Whitechapel to the low parts of St. George-in-the-East, Stepney, Poplar, and Bow which is bounded by the tributary Lee. The mean elevation above Trinity high-water mark; of the South districts is 6 feet, of the East districts 26 feet, of the West districts 28 feet, of the Central districts 49 feet, of the North districts 135 feet. The mean elevation of London is 39 feet. The area is 122 square miles; in 1851, 1861, 1871 the population to a square mile was respectively 19,363, 22,984, and 26,674. The annual rateable value of property in 1871 was nearly 20,000,000*l.*, on an average 48*l.* an inhabited house, 6*l.* 3*s.* a head. Like the population it has been continually increasing since 1851, and probably at a faster rate. The water supply is taken from the Thames, the Lea, and wells; the average supply for domestic purposes by eight companies to each house of 7·8 inhabitants is nearly six metric tons a week.

The most important sanitary work of London is the new system of sewerage which was adopted after repeated inquiries by the ablest engineers, and has been carried out under the rule of the Metropolitan Board of

Works by Sir Joseph Bazalgette,* who in 1865 reported the whole of the main drainage as completed with the exception of the low level sewer on the north side of the Thames. That was only partially completed at the end of 1870.

This eminent engineer says, that London, with all its defects, "even "prior to the introduction of the improved system, was probably the "best drained city of the present age" (p. 4). Up to the year 1815, it was penal to discharge sewage or other offensive matters into the sewers; cesspools were regarded as the proper receptacles for house drainage, and sewers as the legitimate channels for carrying off the surface waters only. Afterwards it became permissive, and in the year 1847 the first Act was obtained making it "compulsory to drain houses into sewers." London derived a large portion of its water from the Thames, into which the sewage was poured. And the great fatality of the subsequent epidemics of cholera in 1848–9 and 1853–4, stimulated the action of the new Metropolitan Board, created in 1856. "Acting on the indications afforded by "the Registrar-General's return, the Commissioners of Sewers endea-"voured to afford an outlet into a good sewer for every infected locality;" but they speedily found a limit put to their operations by the "carelessness "and cupidity of preceding generations," p. 8.

The system thus organized had the effect of carrying the sewage of the metropolitan area low enough down the river to prevent its return beyond London Bridge; so the river will eventually become pure. It is only in times of flood that the waters of the sewers are discharged into the upper river. What is wanted to complete this magnificent work, is the distribution of a large portion of the sewage over well drained land far below London, or on the waste by the sea as was once projected.

The metropolitan police, wisely organized by Sir Robert Peel's Act in 1829, contributes essentially to maintain the safety of life in London.

In the absence of an adequate administrative governing body, as London was supplied by companies with water as the demand arose, so it was supplied also with gas; and still pays an enormous tax on these two commodities, with which it would have been supplied at cost price had it enjoyed the full advantages of an enlightened municipal government.

Some disturbances of the rates of mortality arise in London from migration. There is a continual influx and efflux of population. People born in the country come to London; London children emigrate; some men who have acquired wealth retreat as years come on. Multitudes of natives live and die in London. Patients labouring under mortal diseases are sent from the country to the London hospitals, where they die; and this affects the mortality of males especially, at the ages 15–35 to some extent, but this is counteracted by the excessive immigration at those ages of lives good above the average, and by the return home probably of a certain number of unmarried women labouring under consumption, a disease of one or two years' duration.

Twice as many males as females die in hospitals; one cause of the excess being the great number of violent deaths among males.

The mortality at all ages was at the rate of 25 per 1000 in 1841–50, and 24 in the two subsequent decades. The mortality of children under five years of age is higher than it is in the other divisions except the North-western, including Lancashire and Cheshire; but it is much lower than the mortality experienced by children in many other large towns.

The mortality of women in London at the ages 45 and upwards exceeds the mortality of the women in the other divisions except the North-western; and consequently exceeds the mortality of the women of England generally.

---

* Metropolitan System of Drainage and the Interception of the Sewage from the Thames. By J. W. Bazalgette, M. Inst. C.E. Minutes of proceedings of the Institution of Civil Engineers, vol. xxiv. sess. 1864–5.

But what is especially remarkable in London is the high mortality of men of all the ages after 25. The mortality at the ages 35 to 45 is 1·346 per cent. in all England; in the Eastern counties it is 1·035; in the North Midland counties ·993; but in London it is 1·714. At 45–55 the mortality in all England is 1·916, in London 2·568. It is only in the North-western counties that the mortality of the men of London is approached. The mortality of women in London is increased to nothing like the same extent.

The excessive mortality of London men is due to phthisis and pulmonary disease, as will be seen in the Table 76. Thus at the age 45–55, the mortality per 1000 living, by phthisis is 3·860 in all England, 6·380 in London; by lung diseases 3·500 in all England, 4·843 in London; by phthisis and lung diseases together 7·360 in all England, 11·223 in London.

These numbers are not sensibly deranged by the deaths of strangers in the London hospitals.*

This subject requires full investigation. What is it that is so fatal to the working men of the Metropolis? Is it the smoke they breathe? It is well established that dusty particles in the air interfere with respiration. They shut up and irritate the small bronchial tubes. Women breathe the smoky air as well as men, and yet they do not suffer to the same extent. Is it the dust of the workshops and streets, or the crowding? That has no doubt its influence. But will it account for the whole of the excessive mortality? Not only the roughs, but the intelligent artisans of London do not wash the whole of the body daily, and their skin has its millions of pores blocked up or poisoned by sweat and dirt for a week together. The effete perspiration is noxious: is it not one cause of the premature loss of lives so precious to their families and to their country?

The mortality of men at the same ages in Sheffield has been so great that their disease has acquired the name of "grinder's rot." And it deserves notice that in Sheffield and other manufacturing smoky towns, the excessive mortality of men exceeds that of London at the same ages.

Men are more intemperate than women; but I am not aware that the intemperance of the men of London is greater than the intemperance of men in other places where the mortality is not so high. And pulmonary disease is not that form in which death approaches the intemperate. Women are cleaner than men for various reasons; and the skin of the wife is less exposed to contract impurities than the husband perspiring at hard work amidst impurities.

The violent deaths of men at the working ages is high in London, but not higher than it is in all England.

The mortality of the various districts of London differs; it ranges from 16 in Hampstead, 19 in St. George Hanover-square, 19 in Lewisham, and 19 in Wandsworth, to 27 in Westminster and Bethnal Green; to 28 in Holborn and Stepney, 29 in St. Giles, and 30 in Whitechapel and St. George-in-the-East. All the latter districts contain "rookeries." These numbers are corrected for the disturbing deaths in hospitals. No correction for this derangement has yet been made of the mortality at the several ages in the various districts.

Lewisham affords a striking instance of the effect of increase of density: the mortality was at the rate of 17 per 1000 in 1841–50; it rose to 18 in the next decade; and to 19 in the last; the density increased during the three terms, and in the last was tripled. Thus it is that unless the sanitary improvements of a district keep pace with the increase of its population the mortality inevitably increases.

---

* The part of the mortality of males occurring in the London Hospitals during the years 1851–60, was at the four ages ·245; ·303; ·365; ·384; and while it is known that a certain number of the patients were brought in from the country, the proportions of deaths of strangers could not have exceeded a fifth part; or ·049; ·061; ·073; ·077. The proportions in the next decade underwent little, if any, change. The greater part of the lunatics of London are in Colney Hatch and Hanwell asylums outside its limits

Division II. South-eastern Division: *Surrey and Kent (extra-metropolitan Districts), Sussex, Hampshire, Berkshire.*—This division lies south of the Thames, surrounds the Medway, and stretches down to the sea. It has an outer broken ring of marsh land and clay by the embanked Thames, the Medway, in parts of Sheppey, Thanet, Romney, and Southampton: a wider broken ring of chalk rising into downs; and within the chalk green sand surrounding the Central Weald of Kent and Sussex, where the Andredes forest once spread its gloom, and once supplied the iron workers, the manufacturers, with fuel. It is the healthiest division in the country; but the districts vary in salubrity. The mortality is as low as 16 and 17 in a thousand on the high open chalk downs, the green sand, and the gravel; as high as 23 in thinly-peopled marshy Hoo, 23 in Southampton, and 24 in Canterbury. The mean density is 1·99 acres to a person; less than that of all England; the mortality in the first ten years was 20, in the last 19;* or three degrees below England.

III. South Midland Division: *Middlesex (extra-metropolitan), Hertford, Buckingham, Oxford, Northampton, Huntingdon, Bedford, Cambridge.*—The London clay extends some distance from the Thames, this is followed by the oblique chalk chain of Chiltern hills, and green sand enclosing galt; oolite upper, middle, and lower, notably its Oxford clay and ironstone; then round the west is the fen region, including the Isle of Ely. The chief waters flow into the Thames, and by the Ouse and Nen into the Wash. The Bedford Level and other levels have drained and reclaimed the fen land. The small counties are agricultural. But the straw plait and the lace, both domestic manufactures, of which Bedfordshire is the centre, employ a large number of hands. Northamptonshire is a great seat of shoe manufacture, and iron ore has been recently worked in the county. Marriages of both boys and girls under age are very common. The mean mortality of the division was in the first decade (1841–50) 21, in the last 20, annual deaths to 1000 living. Uxbridge and Barnet contain the two great Middlesex lunatic asylums; excluding Colney Hatch, the mortality of Barnet was 17; Staines was 18, Hendon including Harrow 18, Ware 18, Royston 18, Hatfield 18, Eton 18, Henley 18. In nearly all the other districts the mortality is 20 and upwards; in Aylesbury 21, Bedford 20, Oxford 22, Cambridge 22, Northampton 24. In Ely the mortality was 23 in the first, 20 in the last decade: in North Witchford, Whittlesey, and Wisbech the mortalities fell from 27, 25, and 25 to 20, 21, and 20 in 20 years. The density of this division was much less than that of England. There were 2·69 acres to a person in the first, 2·53 in the second, and 2·34 in the last decade; the mortality was 21 in the first, 20 in the second and third decades; or 2 below England.

IV. Eastern Division: *Essex, Suffolk, and Norfolk.*—Chalk, London clay, and crag are the prevailing features of the geology of these three agricultural and maritime counties, lying north-east of London, to which they send many inhabitants. The flat land with an eastern aspect is swept by the east winds. Agriculture occupies nearly the whole of the inhabitants, except the fishermen on the coast. The education of the men is lower than that of the women. The proportion of children born out of wedlock is low in Essex, high in Norfolk. There are few towns. Norwich, which still retains some of its beautiful manufactures, is the only city of any magnitude. The population, with its Scandinavian infusion, is less dense than any other English division, except the northern. There were 2·98 acres to a person in the first, 2·72 in the third decade.

The mean mortality in the counties was 20 in the first, and 20 in the last decade; 2 degrees below that of England. It was 21 in the second decade. In the last, Billericay in Essex showed the low mortality of 17, Epping,

* Per 1000 per annum is understood, unless the contrary is expressed.

Ongar, Orsett, Lexden 18: Thingoe, Plomesgate, and Mutford (including Lowestoft) in Suffolk 18; and Loddon in Norfolk 18. The mortality was as high as 20 in West Ham in Essex, but actually a suburb of East London; 22 in Colchester, 22 in Ipswich, 22 in King's Lynn, 23 in Bury St. Edmunds, 24 in Yarmouth, 24 in Norwich.

V. South-western Division: *Wilts, Dorset, Devon, Cornwall, Somerset.*—This Division, like a fine long promontory, stretches out from Salisbury Plain between the Bristol and the English Channels to the Scilly Isles, where it encounters the Atlantic waters, which suffuse and fertilize its surface with rains.

The sea, chalk, new red sandstone, old red sandstone, the Devonian formation and granite, interspersed with mineral veins, give a distinct character to its industries. The population is chiefly agricultural in Dorset, —the densest purely agricultural county in England,—and in Wiltshire, where sheep wander over the plains. The vast pastoral leafy Devon round Exmoor and Dartmoor ends in the mining region which culminates in Cornwall, where tin and copper are worked. Somerset is marshy along the coast and round the Parret and up to Ilchester, Glastonbury, and Wells: then limestone, coal measures, and new red sandstone are commingled north of the Mendip Hills as Bristol is approached. The Avon is navigable for large vessels up to Bristol. Cheddar cheese is produced near Axbridge. Exeter, Plymouth, and Bath are the only cities of magnitude in the Division. The population, partly Celtic in the West, is less dense than in any English Division except the Eastern and Northern. It has varied little in the thirty years: for in the first decade there were 2·82 acres, in the last 2·68 to a person. The annual rate of mortality through each of the three periods was 20; 2 degrees below the English standard.

In Wilts the mortality in the 10 years, 1861–70, was 18 in Highworth, Malmesbury, Calne, Warminster, Amesbury, Wilton, and Tisbury. In Melksham and in Alderbury the mortality was 22. Salisbury presents a remarkable example of the good effect of sanitary measures: its mortality was at the rate of 28 in the first, 24 in the second, and 20 in the third decade. In Dorset the mortality is low; 17 in Wareham, and in Weymouth (including Melcombe Regis); 18 in Sturminster, Blandford, and Wimborne; in Poole and in Bridport, districts including small towns, the mortality was 21. In Devonshire the mortality is 17 in Okehampton, 18 in South Molton, in Barnstaple (including Ilfracombe and Lynton) and in Holsworthy. The mortality of Newton Abbot (including Dawlish, Torquay, and East and West Teignmouth) was 18 in the second, 20 in the third decade, the proportion of town population having greatly increased without corresponding sanitary arrangements. So in Totnes (including Dartmouth, Brixham, and Paignton), the mortality rose from 19 to 20. In Plymouth, the great naval station, the mortality in the three decades was 25, 24, and 23; in East Stonehouse (including part of Devonport and the Royal Naval Hospital) 29, 27, 27. The mortality of females as shown in the Age Table, p. ccxxvii, is low in East Stonehouse, hence it is probable that the excess of mortality is due to the importation of sick sailors. The mortality of Exeter appears to remain stationary at the high figure of 25. In Cornwall the mortality is at the rate of 18 in Camelford, Launceston, and Bodmin; it reaches the higher figure of 21 to 23 in St. Germans, Truro, Falmouth, Redruth, and Penzance, including a large mining population. In Somersetshire the mortality was 17 in the district of Dulverton, 18 in Williton and Wellington, and 19 in Axbridge (including Weston-super-Mare), and in nine other districts. The mortality of Bath was at the rate of 24 in the first decade, but has been reduced to 22 in the last 20 years.

VI. West Midland Division: *Gloucester, Hereford, Salop, Stafford, Worcester, Warwick.*—This Division is on the Severn and the counties

watered by the Wye and the Stratford Avon. It lies between Wales and the Eastern counties in the broad middle of the widest part of the island. The Thames and the Trent have in it their sources. The Bristol, Forest of Dean, Staffordshire, and Shropshire coalfields give it, in conjunction with the ironstone, a central manufacturing population, of which Birmingham and the Black country are the centres, surrounded by the agricultural population of the fields and rich pastures of the other counties. The Black mountain divides Herefordshire from Wales; the Cotswold Hills in the south, Malvern and the primeval hills of Shropshire rise from the midst of the old red sandstone of Herefordshire, and the new, far and wide-spread red sandstone of several of the counties. Herefordshire is a purely agricultural county; famous for its stock; apples and hops abound. The great town districts are Bristol and Birmingham, with the several county towns. Few minors marry in Salop or Hereford, while in Stafford their proportions are excessive. In Gloucester education is in advance of the country generally; in the other counties it is much below the standard. Staffordshire is the most benighted county. More than 40 per cent. of the women married—the mothers of the children to be—sign the marriage register with marks. There is a considerable excess of children born out of wedlock in Salop and Hereford; where few minors marry. In the first decade the density of the division was 1·91 acres, in the third 1·50 to a person. The mortality was at the rate of 22 in the three decades; the density having continually increased. The mortality was higher in Staffordshire and Warwickshire; lower in Gloucestershire, Herefordshire, Shropshire, and Worcestershire than the average of all England. The mortality was at the rate of 17 in Thornbury and Wheatenhurst; 18 in Cirencester, Northleach, and Wincheomb; 19 to 21 in the other districts of Gloucestershire. In the Bristol district the mortality is still excessively high; it was 29 in the first and remained 29 in the last decade. In Cheltenham the mortality has declined from 20 to 19, at which it has stood for twenty years.

In Ledbury the mortality was 17, in Weobly 18, in the four other districts of Herefordshire it ranged from 19 in Bromyard to 21 in Hereford.

The mortality was 17 in Atcham district surrounding Shrewsbury, 18 in the thinly-peopled Clun, Church Stretton, Cleobury Mortimer, Bridgnorth, Market Drayton, and Newport. It was 22 in Madeley, and 22 in Wellington, both mining districts, and 25 in Shrewsbury. This county town is not so healthy as it might be made on its beautiful site by sanitary arrangements, but this high mortality has to be corrected for the excess of deaths in the county infirmary. The mortality in the other Salop districts ranges from 19 to 21.

In Staffordshire the mortality (1861–70) is nowhere so low as 17; in Penkridge it is 18. In the pottery districts of Newcastle-under-Lyme, Wolstanton, and Stoke-upon-Trent it is 22, 25, and 26. The mortality of these districts has decreased; it was 26, 26, and 27 in the first decade. The mortality of Wolverhampton was 24, Walsall 24, West Bromwich 22, and 25 in Dudley. Wolverhampton is an example of improving health, declining mortality; it was 27, 28, and 24 in the three decades. Walsall and Dudley exhibit no improvement in the 30 years.

In King's Norton district,—the west end of Birmingham,—the mortality was as low as 17; so was it in Pershore, Martley, and Upton-on-Severn; in Tenbury and Evesham the mortality was at the rate of 18; in Stourbridge, including Halesowen, it was 24, 23, and 22; in Worcester district 24, 23, and 25 in the three decades. The mortality of the other districts of Worcestershire ranged from 19 to 21.

The Birmingham district heads Warwickshire with a high mortality; it was 26 in the first decade, and 27 in the last two decades. The Queen of the metal industry of England is thus evilly beset with destructive forces, which we may hope she will by her own skill and energy vanquish. The

place is not naturally unhealthy. But the people want pure water, air purged of impurities, and a well drained soil. The districts of Nuneaton and of Foleshill experience a mortality of 23. Coventry exhibits a reduced mortality ; the rate has fallen from 27 to 25, and finally to 21. It illustrates the effect of enlightened sanitary administration. Solihull which did lose 18 per 1000 in the first two decades lost only 16 in the last.

The mines interfere with the water-supply and drainage of some parts, and the houses and towns of rising industries are often run up on speculation with no arrangements for cleanliness; so the people suffer as armies did formerly in dirty camps.

VII. North Midland Division : *Leicester, Rutland, Lincoln, Nottingham, Derby.*—From the Peakland and over the watershed of the west this Division descends through the alluvial land interspersed with a network of drains to the shores between the Wash and the Humber. The division sends streams to the Avon, the Mersey, and the Ouse, but its great artery is the fair and fast-flowing Trent, with the Welland and the Witham wandering about Lincoln down to the Wash. Red sandstone, coal measures, lias, oolite, and chalk diversify the land, which is rich in agricultural produce, especially over the drained Fenland. The Leicester breed of sheep is well known, and so are the horses of Lincoln. Derby, Nottingham, and Leicester are large populous old manufacturing towns ; they are seats of hosiery, machine lace, and silk manufactures. The country varies in density, but generally it is one of the less populous areas, and except in Nottingham, Radford, and Basford, which form one agglomeration, and Derby, Belper, Leicester, and Chesterfield, there are few dense districts in the division, which is largely impregnated with the Danish stock of people, and was the centre of the popular hero Robin Hood's exploits. Billesdon is one of the most thinly-peopled districts, and its mortality was low, but in the latter decade it was found that the Registrar had neglected his duty, and he was dismissed. The rate of mortality was about 16 ; in the well-known Melton Mowbray, in Market Bosworth, Market Harborough, and Lutterworth the mortality was 19 ; in Loughborough it was 23 ; in Leicester, where the population is very dense, it was 26. In the other districts of Leicestershire the mortality ranged from 20 to 22. In Sleaford, Horncastle, and Spilsby in Lincolnshire the mortality was at the rate of 18 ; in Lincoln and in Glanford Brigg 20, in Gainsborough 21, in all the other districts 19. In agricultural Rutland the mortality was 18 in Uppingham, 20 in Oakham. Southwell and East Retford in Nottingham had a rate of mortality equal to 19; in Mansfield the mortality rose in the three decades from 20 to 21 and to 22. The mortality declined in the Nottingham district from 26 and 27 to 24. In Derby and Shardlow the mortality declined from 24 and 20 to 23 and 19. In Chesterfield, including the Claycross and Staveley collieries, the mortality rose from 21 to 22. In both Bakewell (including Matlock) and Chapel-en-le-Frith (Buxton), the mortality rose from 20 in the second to 21 in the third decade.

VIII. North-western Division : *Chester, Lancaster.*—The Division stretches from the pennine range that divides it from Yorkshire to the coast round the Dee that descends from the mountains of Wales, the Mersey, the Ribble, the Wye, the Arne, and Morecambe Bay. Millstone grit, red sandstone, coal measures, clays, and peat-mosses are covered with people and pasture land. It is traversed by canals and many railways ; and saw the first railway opened. The great port of Liverpool puts this population with the stored-up force of ages in direct communication with America and the rest of the World. It has wealth, and now it asks for health. The thickly-peopled towns make it, after London, the densest of all the divisions. It is more than three times as dense as the rest of England. The women married are below the average standard of educa-

tion ; and there is some excess of early marriages. In the three decades there were ·88, ·74, and ·63 acres to a person ; and the mortality was at the rate of 27, 26, and 26. So we are cheered but not satisfied with a slight improvement ; enough to stimulate every energetic and enlightened authority to renewed exertions. In Cheshire the mortality is at the rate of 19 in Altrincham, 20 in Nantwich, and 23 in Birkenhead ; and in no district, except Wirral (18), lower. In the districts of Runcorn, Northwich, with its vast saltworks, and Congleton, the mortality is 23, 22, and 22 ; in Stockport and Macclesfield, where the cotton and silk manufactories employ thousands of hands, the mortality is 25 and 23 ; in Macclesfield the decline from 26 to 25 and 23 implies improvement in the three decades. In Lancashire the majority of the districts have a mortality exceeding the mortality of England. In Garstang the mortality is 18, in Clitheroe 20, and in Lancaster 20. Liverpool and West Derby, Manchester, and Salford, are at the head of a mournful cohort of unhealthy districts which call aloud for Healers.

Lancashire has to contend with difficulties in its mines, its manufactures in-doors, the dust, dirt, and smoke of the air, the impure waters, and the middens, and the crowded populations of its towns. The men suffer severely at the working age ; and though the women do not die at the same rate, the mortality of women and of children exceeds that of any other division in the kingdom.

IX. Yorkshire.—This great county is a Registration Division, and its statistical convenience as regards area and population, entitles it to serve as a model. It slopes from the chain of hills that divides it from Lancashire down to the East coast, and the vast vales watered by the Ouse and its tributaries are its fertile centres ; alluvial soils, fertile meadows, chalk wolds, moors, oolite, red sandstone, limestone, and great coal and iron formations, rivers and seas, furnish a field for the older and varied industries of this county. The education of the women in the West Riding is backward ; more than a third of the married sign the register with marks. The men of the West Riding are at the average ; the men and women of the North and East Ridings are above the average standards. In the West Riding there is a great excess of early marriages. The inhabitants are as sagacious as they are industrious ; but hitherto absorbed in their wonderful productions they have neglected their health. The mortality of the West Riding is increasing. It was at the rate of 23 in the first decade, 24 in the second decade, and 25 in the third decade. This deplorable sanitary declension of Yorkshire is one cause why the mortality of England shows no more signs of sanitary improvement. The density, it should be added, of the prospering manufacturing districts of Yorkshire has gone on increasing ; in the first decade there were 2·17 acres, in the last 1·68 to a person in the county. The mortality of men at the working ages is higher than it is in many divisions ; but it does not exceed the mortality of England. The mortality of women at the ages 20–45 is higher than it is in many divisions, but it is little higher than it is in all England.

In Sedbergh the mortality was at the rate of 16, in Settle 18, in Hemsworth 19, but in the other districts of the West Riding the mortality ranged from 20 in Ripon, to 25 in Bradford, 29 in Sheffield, 30 in Leeds. The mortality is stationary in Leeds, or rather it descended from 30 in the first, to 28 in the second decade, and rose again to 30 in the third decade. In Sheffield the density and the mortality of its population have gone on steadily increasing ; the rate of mortality in the three decades was 27, 28, and 29.

In the York District the mortality is at the rate of 23 ; in Hull District 26, Sculcoates, including part of the borough, 23. Hull drank sewage water in the first decade ; and the mortality from cholera, then epidemic, was appalling. The mortality was 31 ; it descended to 25 in the second decade ; and in the last rose again to 26. In the North Riding, Richmond,

Leyburn, and Easingwold, the mortality was at the rate of 18. In Scarborough District, including the town, the mortality rose from 21 to 22, in Whitby from 20 in the second to 23 in the third decade. Guisborough, containing part of Middlesborough, was one of the healthiest districts in the kingdom; its mortality was at the rate of 16; the rate is now 22, no adequate provision having been made for the people attracted by the works carried on with so much activity and intelligence.

X. Northern Division.—*Durham, Northumberland, Cumberland, and Westmorland.** This Division stretches to the Irish Sea from the German Ocean, into which the Tees, the Tyne, and the Tweed, flowing from the dividing mountains, pour their waters. Red sandstone, slaty rocks, coal-field, ironstone, minerals, iron and chemical works, and shipbuilding are now attracting thousands of workmen to the north. The population has recently increased faster there than in any other division. The lofty mountains, the fair lakes fed by abundant rainfalls, distinguish the west as much as the coal and iron industry and their ports distinguish the counties on the eastern coast. The population is dense on the east side, scattered on the north; so that the low average density gives an imperfect representation of the actual effective density. In education the three northern counties excel the average of the country. There is here as in Scotland also an excess of illegitimate births. Durham, like the other mining counties, is distinguished by the inferior education and the early marriages of the women; nearly all the children are born in wedlock. The mortality is at the rate of 23; in the first decade it was 22. In the four counties there is this gradation in the rate of mortality: Durham 23, Northumberland 23, Cumberland 22, Westmorland 18. Descending to districts: Teesdale (including Barnard Castle) is the only one in Durham with a mortality so low as 19; in Stockton (including part of Middlesborough) the mortality is at the rate of 23; Auckland, Houghton-le-Spring, Chester-le-Street, Sunderland, and South Shields 24; Gateshead 25. We enter Northumberland, over the Tyne, with a rising mortality of 28 in flourishing Newcastle, 24 in Tynemouth. The mortality is at the low rate of 17 in Haltwhistle, Glendale 15, Rothbury 16. Bellingham is losing its pre-eminence, and Belford is threatened. In Cumberland, Bootle, Brampton, Longtown, and Penrith are the first in the order of salubrity; but their mortality is higher than it was in previous decades. Carlisle is denser and less healthy than it was ten years ago. The mortality is still low in Westmorland; it is 16 in the East Ward, 18 in the West Ward, and 19 in Kendal.

Welsh Division.—*Monmouthshire, six counties of South Wales, six counties of North Wales.* The population is chiefly of the ancient British stock, and still Cambrian in manners and at heart, has now interfused in the mining districts large numbers of men and women from the bordering sixth division, and from the fifth division from which it is divided by the Bristol Channel. Besides the rapid streams that flow down from its mountains to the western coast and to the south, its waters are collected in the Dee, the Severn, and the Wye. The old red sandstone extends from Monmouthshire to Brecknock; coal formations fill the greater part of Glamorgan, and are found again in Flint and Denbigh. The Silurian and the Cambrian systems predominate in the other counties. Ironworks, copper-smelting, and tin-plating are carried on largely in South Wales. The flannel manufacture has given Welsh flannel a name; the cattle, sheep, and ponies are a conspicuous part of the stock of the small farmers whose industry covers the several counties. The population is condensed in the mining and manufacturing counties; over the hills the cottages are thinly scattered. The want of practice in speaking English is an obstacle to the

* See a description of the Physical Features of this and the other Divisions in the preliminary Report of the Census, 1871.

education of the people; hence two-fifths of the women and more than a fourth of the men sign the marriage register with marks. The marriage of minors is common in Monmouthshire, uncommon in North Wales, and the illegitimate births, as happens elsewhere, are in inverse proportion.

There are on an average 3·79 acres to a person, and the mortality of the principality is at the rate of 21 in 1000. It was 20 in the first decade, and rose to 21 in the second decade.

In Chepstow the mortality is at the rate of 19, in Monmouth 20, in Abergavenny 21, in Newport 21. The mortality in Newport has rapidly declined in the three decades from 24 to 22 and 21. The mortality is 24 in Bedwelty.

In Bridgend the mortality is at the rate of 20, Gower 20, Cardiff 21, Pontypridd 23. In Merthyr Tydfil the rate was 28 and 29 in the first two decades; it is now 25. The improvement is due to sanitary measures which have only to be completed to reduce the loss of life to a still lower figure. The mortality is at the rate of 16 in Tregaron, 17 in Lampeter, 18 in Newcastle-in-Emlyn in Cardiganshire, 18 in Rhayader. In the other districts of South Wales it ranges from 19 to 23 in Crickhowell.

In North Wales the mortality is at the rate of 18 in Bala in Merioneth, and Pwllheli; in the other districts of North Wales the mortality ranges from 19 in Llanrwst and 20 in Conway (including Llandudno) to 24 in Wrexham (including Ruabon). It is to be regretted that Anglesea is getting more fatal to its inhabitants than it was; the mortality in the three decades was 17, 19, and 21. Sanitary arrangements appear to have been in abeyance in Anglesea, although it has in it Holyhead.

24. Health *of* Men *engaged in various Occupations.*

Small principalities and republics have alike contributed their quota to art, science, and literature; and among them Modena under the house of Este deserves mention. There, on the northern slope of the Appenines, Fallopius first saw the light; and Bernard Ramazzini, born in 1633 at Carpi, has made Modena for ever memorable by his *De Morbis Artificum Diatriba.* In the University he was the Professor of the theory of medicine from the year 1678, the date of its foundation by the Duke Francis II., and in Modena during his practice to the end of the century, when he was called away to take a chair in Padua, he collected the observations on the diseases of men engaged in the arts and professions. And that city may be well held in the same regard as the cities that the "starry Galileo" made so famous by his observations, for though the observations were made in workshops and not in celestial space, their immediate result was the relief of the incidental sufferings of the men to whom the world owes much of its progress and many of its enjoyments.

Ramazzini created a new art, the art of preserving the health of the men who are engaged in the arts of life. In his work he refers the abundant and varied crop of diseases from which artisans suffer to two distinct heads: the noxious materials in which they work, and to the violent disorderly movements of the body, as well as its incongruous attitudes, acting on the structure of the vital machine.

He commences with the miner and passes in review all the workers in metals; describes the diseases arising from working in mines, from quicksilver, antimony, lead, copper, tin, arsenic, iron; all those maladies that afflict the *vir metallicus,* to use the characteristic designation of Hippocrates. He then takes the workers in materials of vegetable origin, and devotes a special chapter to the agriculturist. His chapters on wet nurses and midwives are highly curious. He surveys nearly the whole field of human activity in an Italian city.

In his chapter on soldiers (*milites*) he treats of the diseases of armies in the field, not, as he says, from personal experience, but from report. But

he had in some Brunswick physicians excellent informants who had been engaged in the last Hungarian war, and he sets the causes of camp fevers, dysenteries, and other maladies in the clearest light. Sir John Pringle in his classical work developed and established the true doctrines of military hygiene, so that our subsequent losses due to its disregard were quite inexcusable.

The chapters on the health of the learned and the scientific professions are elaborated with great care. And leaving the homes of workmen Ramazzini wrote a special treatise on the health of vestal virgins, a name by which he designates nuns, who, he says, excelled the vestal virgins of old, whose vows were for thirty years. A second treatise *De Principum valetudine tuenda* is full of instruction, and deserves to be read, not only by all princes, but by all persons of wealth and rank. He pleads with them the cause of their own as eloquently as if he were pleading for his own life.

Ramazzini was in possession of all the ancient learning, and he everywhere refers with reverence to Hippocrates as the *Divine* Preceptor. He is equally well versed in the most recent discoveries of that age. No one has expounded more clearly the immense importance in all medical reasoning of Harvey's immortal discovery of the circulation of the blood.

What is most defective is due to the imperfection of the chemistry of his day, and to the absence of exact observations on the mortality of men in the different professions.

Thackrah wrote an excellent work on the effects of various occupations on health. It is the result of conscientious study; and if not marked by the learning and eloquence of Ramazzini is characterised by sound professional sense. French and German writers have contributed much information on this subject; but nearly all of the previous writers employed methods which could render no precise results, except in cases where the influences they dealt with were very powerful. The effects of compensating circumstances in a trade could not be weighed; and they were more impressed by the sickness than the mortality of the workmen in any particular business.

The mean age at death of people in different businesses often furnishes very erroneous indications, as it is affected as much by the ages at which people enter and leave, and by the increase or decrease of employment, as by the salubrity or insalubrity of any particular profession. The only way in which the mortality, and the duration of life, of miners, tailors, farmers, labourers, or any other class of men can be accurately determined is to determine the ratio of deaths at each age to the living during a certain time—in fact to apply the same method to each class as is applied to determine the mortality and the mean life-time of all classes in a town, in a district, or in the whole kingdom.

The materials for such an inquiry extending over all the recognised trades of the men of England were in part supplied ten years ago in the Supplement to the Registrar-General's 25th Annual Report; and it has now been deemed right to publish as a sequel the deaths in 1871 in the same classes at ten different ages in England and Wales, in each of its divisions and in eighty town districts.

This series will serve as a good basis to the inquiry into a subject next to none in importance in an industrial country. The inquiry must embrace at least the various questions of which an outline is given in the Census Report of 1861 (pp. 29–30). It well deserves the attention of the Health Officers. Every help may be expected from the intelligent artisans of the country, who have, in the Reports of the Odd Fellows Society, shown their appreciation of it by giving the rates of sickness and mortality in different trades. The late Mr. Neison and his son have ably discussed the materials derived from the various friendly societies, and with their observations those here published may be usefully compared. They throw light on each other.

As an illustration of the uses to be made of the facts relating to occupations two sets of tables have been calculated, the one of sixteen groups

constituted so as to embrace well-defined occupations or groups of allied and easily confounded occupations. The results are sufficiently remarkable.

The high mortality of those two important classes the publicans and butchers is unfortunately still maintained. It may be well if the many persons of intelligence and influence amongst them would inquire into its causes.

In the Appendix to the Report of the Commission on Mines over which Lord Kinnaird presided I have given life tables for miners, and tables showing the deaths of miners from different causes, which may assist those who are engaged in investigating other occupations, as the same methods are applicable to all.

In Tables 25–26 the results deducible from the returns for the learned and other professions are given; which are instructive, but have to be read with care, as the numbers are not large and are for one year.

By adding these results of 1871 to those for the two years 1860 and 1861,* a large basis of facts is obtained; and sufficient to enable us to determine the relative mortality of men of various ages in all the leading, numerous, and well-defined professions. The clerical work in the reduction of these census and registration tables is very great, and nothing analogous to it has yet been undertaken in any other country. The results fully justify the expenditure in the collection and analysis of the facts, which are now submitted to the hygienic student. They will repay his careful study of the mortality in its relations to the circumstances of every occupation.

The degree of confidence to be attached to the rates depends to some extent on the numbers of deaths which on that account are here given in the same Table.†

I can only call attention here to some of the more remarkable results.

The *publicans* and *butchers* it will be recollected according to the previous returns experienced high rates of mortality. As they still maintain a high position it has been thought expedient to commence the analysis by dividing them into groups; the first group following their occupation in London, the second group the corresponding occupation in the rest of the country.

In the annexed Table the mortality of butchers and publicans is shown in comparison with the mortality of males of all classes.

Annual Mortality per Cent. among **Butchers** and **Publicans** in the Years **1860, 1861,** and **1871** at different Periods of Age in **London** and in **England** exclusive of London; also among **Males of All Classes** at the same periods of Life during the Ten Years **1861–70.**

Ages.	London.			England exclusive of London.		
	All Males, 1861–70.	Butchers, 1860, 61, 71.	Publicans, 1860, 61, 71.	All Males, 1861–70.	Butchers, 1860, 61, 71.	Publicans, 1860, 61, 71.
15—25 - -	·703	·492	·686	·727	·383	1·003
25—35 - -	1·086	1·050	1·642	·972	·996	1·407
35—45 - -	1·714	2·060	2·324	1·281	1·669	1·981
45—55 - -	2·568	2·764	3·766	1·812	2·157	2·797
55—65 - -	4·385	4·582	5·487	3·154	3·624	4·228
65—75 - -	8·283	9·052	10·383	6·489	8·121	7·088
75 and upwards	18·451	24·424	32·692	16·288	19·731	21·034

The mortality of butchers' boys and potboys is lower in London than the mortality at the same ages (15–25) of all classes.

* See the facts as to deaths published in supplement to Registrar General's 25th Report. For the numbers living see pages xl–lvi. Vol. II. of Census Report 1861, and pages xxxv–xliii. Vol. III. of Census Report 1871.

† See pages clxxii–iv.

The mortality of London butchers exceeds that of country butchers, and would no doubt be still lower if their cattle were slaughtered at public abattoirs and not in private slaughter-houses.

Young publicans (15–25) die at a faster rate in the country than in town; at all ages after 25 the mortality of London butchers is excessive; it is beyond not only the mortality of all other classes in London, but beyond the mortality of the butchers of the rest of the country.

Fishmongers experience full as high a mortality as butchers.

The numerous, useful, and as a body respectable men who supply the community with drinks, food, and entertainment in inns, are shown to suffer more from fatal diseases than the members of almost any other known class. They might themselves institute a strict inquiry into its causes. But there can be little doubt that the deaths will be found to be due to delirium tremens and the many diseases induced or aggravated by excessive drinking. It seems to be well established that drinking small doses of alcoholic liquors, not only spirits the most fatal of all the poisons, but wine and beer at frequent intervals without food, is invariably prejudicial. When this is carried on from morning till late hours in the night few stomachs—few brains can stand it. The habit of indulgence is a slow suicide. The many deaths of publicans appear to prove this. Other trades indulge in the publicans' practice to some extent, and to that extent share the same fate. The dangerous trades are made doubly dangerous by excesses.

The clergy of the Established Church, protestant ministers, Catholic priests, and barristers all experience low rates of mortality from ages 25 to 45. The clergy lead a comfortable, temperate, domestic, moral life, in healthy parsonages, and their lives are good in the insurance sense. The young curate compared with the young doctor has less cares.

The mortality of Catholic priests after the age of 55 is high; perhaps the effects of celibacy are then felt.

Solicitors experience the full average mortality after the age of 35; the legal work is hard.

Physicians and surgeons from youth up to the age of 45 experience a mortality much above the average; after that age they do not approach the priesthood in health, but differ little from the average. Many young practitioners have hard struggles to encounter. They are in contact with the sick; are exposed to zymotic disease, and their rest is disturbed. In states of depression deadly poisons are at hand. There is an excess of practitioners in cities. Country practitioners have to visit their patients in all weathers, at all hours. The causes from which the medical men suffer demand careful study.

Chemists and druggists are younger than medical men, because pharmacy is a separate business, and is of more recent growth. Their mortality like that of medical men, is high and above the average, especially in the younger ages. Manufacturers of chemicals, dyes, and colors also experience a mortality above the average.

Commercial clerks experience an exceptionally high rate of mortality. The rooms in which they work are generally close and ill-ventilated. They often stoop at their desks. They require Sir John Lubbock's holidays.

The railway service taken collectively experience a high rate of mortality, somewhat higher than medical men at advanced ages.

Coachmen (not domestic servants) and cabmen experience nearly the same high mortality as the railway service from the age of 20 to 35; after 35 the mortality is in still greater excess; the causes are probably drink, exposure to the weather, and violent deaths. The mortality of horse-keepers and grooms is, without hard exercise, nearly as high at the ages of 25 and upwards as the mortality of coachmen.

Veterinary surgeons and farriers of the age of 25 and upwards experience a very high rate of mortality; higher than physicians and surgeons.

Gamekeepers offer an example of the healthiness of out-door life; their mortality is very low. The exercise of genuine sport is no doubt as salutary to the amateur sportsman as it is to the professional descendant of the hunters of old.

Publishers and booksellers fare well in health and life; they are generally masters in better circumstances than their confederates, bookbinders and printers, including masters and men, who often work in badly ventilated rooms, and die at a rate of mortality exceeding the average.

Tool, file, and sawmakers have among them the grinders who suffer so much from sharp particles of stone and steel inhaled into the lungs; their mortality is still high, and at the ages 45 to 65 excessive. The mortality of needle manufacturers at 35–45 is excessively high.

Coachmakers of all branches working in wood, iron, binding, and paint, up to the age of 45, experience a low rate of mortality; afterwards the mortality exceeds the average. They live in towns.

Wheelwrights working chiefly in wood, and scattered all over the kingdom are healthy; their mortality is low at all ages.

To carpenters, joiners, sawyers, and workers in wood generally the same observation may be extended; their mortality is low; their occupation is healthy.

The mortality of the blacksmiths, also scattered over the country, and working in heat and iron, is higher than that of the wheelwright and carpenter.

The carver and gilder suffers less than he did. But both he and the plumber and glazier require further protection against the metallic poisons. The mortality is high among them from age 35; but at the age of 45–55 it approaches 50 per cent. higher; at 55–65 it is near the ordinary mortality of men.

The wool, silk, cotton manufacturing population no longer experience an exceptionally high mortality. Lord Shaftesbury and his enlightened colleagues must be gratified, if not entirely satisfied, with the success that has crowned their life-long labours. And it is creditable to the millowners to find the men and boys in their employ suffering less than many other people in towns.

The people working in wool are the healthiest; at all the young ages their mortality is the lowest; at 45 and upwards the cotton workers suffer much more than the workers in wool and silk.

The mercers and drapers are not so healthy a class as could be desired; their mortality is above the average, especially is this the case from 25 to 45. Perhaps much of their in-door work is better suited to women than to young men.

The hairdressers, barbers, and wig-makers, the English Figaros, living chiefly in cities, experience, according to these returns, high rates of mortality at all ages; and so do hatters.

Shoemakers at all ages, except 20–25 and at advanced ages, experience a rate of mortality below the average.

Tailors on the contrary die at rates much above the average. For their health and for shoemakers, both classes counting more than 300,000 men, much remains to be done.

Bakers experience a mortality very little above the average, and that is chiefly at advancing ages.

Grocers at all ages after 35 experience a low rate of mortality.

The tobacconists, snuff, and tobacco manufacturers suffer very much at all the younger ages; indicating clearly enough how prejudicial smoking is to young men.

They present a strong contrast at the corresponding ages to tanners and curriers who are healthy up to 45, and then show signs of suffering.

The earthenware manufacture is one of the unhealthiest trades in the country. At the age of joining it is low; but the mortality after the age of 35 approaches double the average; it is excessively high; it exceeds the

mortality of publicans. What can be done to save the men dying so fast in the potteries and engaged in one of our most useful manufactures?

Among the glass manufacturers the mortality is higher at 25–35 than among the earthenware manufacturers; but much lower afterwards.

The men engaged in copper manufactures from 20 and upwards experience a mortality somewhat above the average; at 55–75 their death-rate is heavy—much heavier than it is among the workers in brass and in iron.

The men in the iron manufactures do not die at the average rates under 45; after that age the average is exceeded.

Working in wood on the whole is comparatively cool compared with working in iron; the loss by perspiration is excessive among such men as puddlers, and they require a great deal of drink, which should contain little or no alcohol.

Taken in the aggregate the metal worker—the metallic man in all England does not experience the average rate of mortality under 45, after that age the table turns against him and his losses grow heavier and heavier every year.

Miners in the aggregate experience a heavier rate of mortality, largely from violent death, than metal workers; and the mortality of both classes greatly exceeds that of the agricultural labourer.

Independently of the influence of the material and of the work itself on health, the place in which men work exercises so great an influence that it has to be taken into account in judging of the salubrity of their occupations.

Man is naturally an open air animal; he is made to work, and the sky is his native covering. So after taking everything into account, the hunter, the sportsman, and the husbandman in a cultivated land are at present the healthiest of all workmen. All would no doubt be the better if the higher parts of the brain had their due share of activity; and this though not often the case now, we may hope will come.

The farmers and agricultural labourers are at present among the healthiest classes of the population classified according to occupation. The young farmer for some reason or other suffers a higher mortality than the labourer; but at 35 and upwards the British farmer enjoys comforts which are beyond the reach of the labourer. It is probable that in no country the agricultural population is healthier than in England. Ramazzini thus writes of the agriculturist in Italy:

O fortunatos nimium, sua si bona noruit agricolas.

So it might perhaps have been, he says, with that pristine race of mortals who cultivated the paternal acres with their own oxen, but it is not so in this age with our husbandmen, who struggle on another man's land (alieno fundo) with perpetual toils and extreme poverty. Then he enumerates their diseases,* pleurisies, peripneumonias, ardent fevers, fluxes, and other maladies to which they are particularly liable "at least," he adds, "in Italy," and especially in the region of the Po. Carelessness is one cause of their ill-health; for before the cowhouses, pigsties, and dwellings, which may indeed be called augean stables, they heap up ordure to dung the fields, and keep it there "for a nosegay all summer†;" whence it cannot but be that fetid exhalations arise continually and pollute the air. In no men does the blood undergo greater changes in a short time from exposure to the weather and work. Galen denounces the air of gardens for a similar reason ob stercorationem et arborum parvos hælitus. Ramazzini notes that the country people do not bear bleeding even in pleurisies. The reapers in the Ager Romanus every year fill the hospitals

* De morbis artificum, cap. xxxviii.

† Such is Dr. James's translation of "per totam æstatem pro delitiis." He is not often so happy, when not literal.

and it is uncertain whether the scythe of death or the lancet of the surgeon is the more fatal.

The English farmer is in a very different plight; his blood is not poor and he is not ill fed. The weather it is true troubles his mind, but against its severities he is well sheltered. His capital not being sunk in the purchase of land he has more to expend on stock, implements, labour, and fertilizing materials. His profits are greater. No doubt the dirt which feeds zymotic disease germs, cattle and human alike, still pollutes the farmyards, and the farm ponds; but foot-and-mouth disease, peripneumonias, and cattle-plague will in the end teach the intelligent farmer that in his management of all live stock cleanliness is next to godliness.

The mortality of the English farmer is not now high; but it may by care be reduced to a lower figure. To what is the high mortality of the young farmer of 15–25 due? Farmers' sons appear to be healthy. The labourer experiences a higher rate of mortality than the farmer at all ages after 35.

Conclusions.

(1.) Much of the misery of mankind admitting of removal is due to untimely death and its shadow sickness, another name for suffering, and depressed, disordered vitality.

(2.) By the laws of life no man can be certain that he shall continue in existence a single year, much less any definite number of years; but with an average constitution he may justly expect his days to be long in the land if he keep the divine commandments brought down and proclaimed by science. The complete cycle of physiological life is *a hundred years*; and the *mean lifetime*—the expectation of life at birth—under favourable conditions is at present *fifty years*. So in such a population stationary the mean annual rate of mortality is 20 per 1000; and in an increasing population, with an excess of young lives, may be 17 or 16 or less per 1000. Such rates have been attained, and rates lower still are not unattainable.

(3.) Life and death involve many variables, but they are subject to laws as explicit as the combination and the separation of atoms—the continuance and discontinuance of motion; the one or the other never involving extinction, but conversion of matter and force. Death is a necessary sequence of certain causes.

(4.) Loss of blood, asphyxia, starvation, concussion, crushing, fracture, poisons, lightning, fire, frost kill men instantly or slowly. And the dangers from all these causes can be obviated to a large extent by skilful precautions, sometimes simple, sometimes elaborate, on the part of individuals and communities, their co-operation being often indispensable; by the cultivation of peace, charity, temperance; by mothers nursing children, and by better care so that they may be neither overlaid nor burnt; by industry in acquiring the means of living; by insurance against starvation; by the regulation of rail, water, road traffic; by the ventilation of mines, shops, churches, theatres, and houses; by restricting the use of poisons, by lightning conductors, by fire-proof dresses and dwellings; by water at high pressure in every street.

(5.) Air is well called vital: breath and life are confounded. Always impure in marshes and cities, air is salubrious when it is fresh and moving. Air charged with inorganic impurities, sometimes with gas such as hydrochloric acid, sometimes with solid particles as grit and steel and smoke, irritates the air-tubes and inflames the small cells of the lungs. The gaseous impurities can be condensed, the dusty particles lessened by mechanical contrivances, the steel particles arrested by magnetic shields, the black smoke burnt.

(6.) Flour and vegetable dusts inhaled with air are hurtful but less noxious than mineral dusts: millers suffer much less than steel grinders, and their diseases come on chiefly after the age of fifty-five, when their bronchi are loaded with phlegm. The dusts in flour mills, cotton mills, shops are not easily, but should be, removed by mechanism; they are always noxious, as is evident in itself and is demonstrated by their effects on the work people.

(7.) Some *organic matters undergoing putridity in exhalations* or entering the system by inoculation poison the blood. Hence a probable cause of the high mortality of butchers, poulterers, and fishmongers. Surgeons and veterinary surgeons suffer from dissection wounds. Undertakers in full work are not healthy men. Dead animal matter appears to communicate its cadaveric changes to the living. Animal food taken in excess has its dangers to be avoided, for unquickened by digestion it is as unsafe in as out of the body.

Diseased meat is now sent to market in considerable quantities; the evil can only be obviated by public slaughter-houses, which would take away the impurities from the butcher's dwelling, and be the means of saving thousands of animals from the agonies they now suffer at the hands of the unskilful. The kind-hearted people who are so sensitive to the pain of experiments performed by physiologists on a few animals, to the infinite advantage of mankind, would do well to direct their efforts to the suppression of the cruelties of slaughtermen.

(8.) Water is the first necessary of life; and is probably at its best when quite pure and aerated; but it has not been proved that taken in its ordinary state of hardness or slight mineral impregnation it is pernicious. Soft water is the most suitable for ablution of person, clothes, house; so it is for cooking. When the sewage of infected towns is poured into rivers the waters carry the ova of parasites, and the germs—the zymads—of some zymotic diseases—notably of cholera, and enteric fever. The storage and filtration of such river waters get rid of certain impurities; but better water is obtained from undefiled mountain streams and from deep wells. The hard chalk waters require softening by Clark's process as it is practised at Canterbury and other places, by such ingenious engineering contrivances as have been devised by Mr. Homersham. This process no doubt carries to the bottom, with the chalk, organic matters. The want of pure water is often felt in various parts of the country, and the storage of the flood waters as well as the drainage of marshes is a matter of national concern to which private possession should be no obstacle. The waters of marshes, of shallow wells, and of stagnant ponds, often polluted, if used at all, should be boiled beforehand.

Drinks—*Cider, Ale, Beer, Porter, Wine, Spirits.* The fumes of fermented liquors, if concentrated, intoxicate men; and Ramazzini, nearly two centuries ago, noticed that in Modena, fruitful in vines, the people engaged for months together in the distilleries became lethargic, wrinkled, meagre, melancholy, giddy,—*veternosi, vieti, macilenti, tristes, vertiginosi.* The classes in England who deal in spirituous liquors die off, as we have seen, at accelerated rates. And the connoisseur famous for his cellar it is to be feared sometimes succumbs to the slow seduction of favourite vintages. But intoxication is now, except in dipsomaniacs, rare among the middle and higher classes. Still some workmen in certain trades and in some parts drink to excess and are the victims of intemperance. 20,121 deaths were directly ascribed in 25 years to delirium tremens and intemperance, and this is only a small portion of the deaths due to alcoholism. It is not the criminal classes,—not the wretched alone,—but even some skilful artisans that get drunk every week or oftener on spirits and drinks sometimes pure and sometimes drugged. This crime is committed in public houses, which under the circumstances are directly regu-

lated by law; but the law does not satisfy a zealous school of social reformers, who, for the protection of drunkards, propose to suppress public houses and beershops altogether. This cannot be done, and is not desirable. It must be left to the people themselves to determine whether they will take their ease in inns and clubs with companions, or drink and eat at home with their families and friends. With the progress of sanitary education the best hopes may be entertained of the future; then the artisan will be as sober as the gentleman has become in this age. The drinks of civilised men contain stimulants; and those here referred to contain alcohol. Except distilled spirits these liquors are the products of fermentation arrested at certain stages. They are parts of the fruits of the earth in solution, enter the blood readily, and with other food are a substantial part of diet. Fresh light ale is an excellent English beverage; it suits workmen in this climate as well as the various pure light old wines agree with men whose brains expend more force than their muscles. By the moderate use of such juices as Ramazzini says *mensæ et convivia hilarantur*—wine in glasses not often filled makes "glad the heart of man." All beverages have to be regulated according to climate, weather, and temperament; in the cold of winter and in high latitudes wines are salutary; in the tropics and in summer their very charms in excess are Circean dangers. They fasten like vultures on the liver. The great pending experiment of total abstinence by thousands of all classes seems to show already that men can live in health without alcoholic liquors; but whether their lives are better or worse, or will become better or worse, as age creeps on, than the lives of their fellow mortals the insurance offices will find out. Abstainers deserve to be watched attentively by the physiological student.

The dipsomaniac is a lunatic *sui generis*, and has to be treated with humanity and rational restraint.

As drunkenness is a crime, and the father of crimes, it deserves stamping, in the interests of human life, with the infamy of crime; so its penalties should be made to attach to the drunkard and to the abetting house that supplied him with intoxicating drink. This is in the interest of respectable houses. The majority of the publicans and the greater part certainly of the wine merchants are temperate, and as the mortality of the whole trade is high the mortality of the intemperate among them must be excessive. Death by delirium tremens is a low kind of suicide, and nobody is more interested in the suppression of mad drunkenness than the respectable members of the trade. The remedy is very much in their own hands. Any loss of revenue by a maximum duty on raw spirits, often foul with fusel oil, will be a gain to the health of the nation. Future generations will share in the gain.

Non-alcoholic Drinks and Vapours: *Tea, Coffee, Cocoa, Tobacco, Opium.* No deaths are ascribed in the registers to excesses in any of these articles, and there is reason to believe that the three beverages afford salutary subsidiary diets. In excess tea shakes and saps the nervous system. Drunk by women, largely without food, it is certainly prejudicial. Opium taken habitually, solid or in smoke or in solution, is in the end fatal. The Chinese are now the chief opium smokers, and it is to be regretted that Englishmen have aught to do with the supply of the drug. Tobacco smoked sparingly is beneficial to some, in excess injurious to all. It is poisonous to some of the people who work in it, and boys and young people smoke nought but evil through the pipe.

Food: *Flesh, Milk, Bread, Fruits, and other Animal and Vegetable Products.*—The people of England are probably as well fed as any people in Europe; and when it is considered that, to use a Chinese term, there were more than twenty million mouths to be satisfied several times every day during the ten years with great varieties of food, won with much

labour in the fields here, or imported thousands of miles from abroad, this must appear no easy task. Among them were helpless infants by thousands, sick men, infirm women, imbeciles, vagrants, men out of work, aged patriarchs past work, as well as the robust, industrious, intelligent millions; and it is evident that as the food has to be provided by every family every day it cannot under all circumstances be supplied in the quantities or the proportions required. The lamp of life goes out without oil, and men perish by famine, or, as Ugolino did, by sheer hunger. The absence of the due amount of vegetable and animal matter induces also several diseases which are returned as the proximate causes of death. Infants require their mothers' milk, thousands die for want of it. This may be supplied in many cases, in others substitutes may be found. Fruits, salads, and potatoes contain the several vegetable acids which are an indispensable part of diet; in its absence after the potato failure in 1847 the population in many places became scorbutic. The potato, fruit, and winter vegetables now save the population from the scorbutic degeneration which formerly led to the excessive fatality of zymotic diseases. Deaths from scurvy sometimes still occur at sea in the merchant service. But the deaths from scurvy and purpura together on land do not exceed 360 annually. This acid diet demands attention. Its absence lends fatality to certain diseases. The deaths now ascribed in all England directly to privation are at the rate of three every fortnight, seventy-seven annually, the gentler sex dying of starvation in smaller numbers than men. Without the institution of poor relief—imperfect it may be, but still admirable and English—the deaths from starvation would amidst all the chances of life, badness of seasons, the fluctuations of trade, amount to thousands a year.

On wheat, rye, oats, rice, or potatoes, with vegetables, salt, and a few adjuncts, whole tribes of men live and flourish; but they cannot do a full amount of work without animal food, which should therefore be provided whenever it can be obtained in moderate quantities. By some at feasts and at the tables of the affluent too much is eaten; hence, though their numbers are fewer, the deaths of the wealthy and their servants ascribed to gout greatly exceed the deaths of the poor by starvation. The deaths by gout are nearly six weekly,—two hundred and ninety-nine annually.* All these deaths are not due to actual excesses in food, but to untoward combinations; some are due to wine or ale, and others to hereditary taint. But stomach, liver, kidney diseases are all swollen by—are all latently the result of—excesses of the table. Obesity in excess is a disease. The remedy is in temperance.

Food consists of carbon and nitrogen, the first abounding in vegetables, the second formed in plants but accumulated in animals, in combination with oxygen, hydrogen, sulphur, phosphorus, potassium, sodium, iron, and other bodies. Starch, sugar, and butter are types of the carbonaceous—vermicelli, lean mutton, white of egg, of nitrogenous food. These elements are consumed in the body in proportions varying with the work. Thus Dr. Playfair† estimated the amount of carbon consumed daily by a man in perfect quietude at seven ounces, active and in full health 12 ounces, in hard work at 14 ounces; the nitrogenous food varies still more among the various classes. Chemists agree that there is a very direct relation between the muscular work, the heat, and the carbon consumed. About the relation between work done and the nitrogenous food transformed into urea chemists are not agreed. But experience has shown that at hard work horses and men require oats or meat, that is nitrogenous food, in large quantities. This nitrogen, which with carbon in gun cotton, gunpowder, and nitro-glycerine developes such explosive forces, is also the

* The deaths ascribed to gout were 7,467 in the 25 years 1848–72.

† The Food of Man in relation to Useful Work, by Lyon Playfair, C.B., LL.D., F R.S.

factor in the production of vital force ; but food burns to produce force and heat in variable proportions according to the demands of the organisms in various climates.

Heat and Cold.—In the tempered climate of England a few men in summer die of sunstroke, and a few stray wanderers in winter nights are frozen to death ; but the numbers of such deaths are inconsiderable. Upon the other hand large numbers of both sexes and of all ages die of diseases induced by extreme heat or extreme cold, the heat diseases specially affecting the digestive, the cold diseases the respiratory, organs ; the deaths by diarrhœa and bronchitis, prevalent types here, bearing a constant relation to the higher and lower temperatures of summer and winter. Cold exhausts the sufferers from chronic disease. Clothing and firing are the natural protection against cold, which is most intense and most fatal in the night when the fires go out. Much may be done by economy of fuel now sent into the atmosphere in smoke. In India alcohol cannot be endured, and the soldier's head, instead of being cropped, requires the protection at least of his hair. The back of the neck, over which the hair should hang, is immediately over that key of life the *medulla oblongata* and the top of the spinal marrow. This in winter requires the protection of the hair against cold as much as the throat. The original reasons for cropping the soldier's or sailor's hair short should no longer exist.

Children suffer much from radiant sun heat against which they should be protected : the fatality of cold follows this law—when the temperature falls below the freezing point of water the mortality at all ages rises above the average, and if the degrees be expressed by 1 in 1000 at the age 20, it becomes 2 at the age 29, 4 at 38, 8 at 47, 16 at 56, so doubling every 9 years. This must be taken into account by men and women as they advance in years ; warmer clothing, fires, exercise, and more food are wanted in winter than in summer weather, in old than in young blood.

By Exercise is generally understood muscular effort of some kind ; it may be labour, it may be speaking, it may be sport, it may be of a few, it may be of all, the voluntary muscles ; it is always action, and in the scientific sense always work. The muscles contract under the influence of currents from the nerves, so that exercise implies action of the nervous centres ; but the brain, spinal marrow, and nerves have besides special conscious functions of their own. Exercise of the muscles is one thing, exercise of the brain another, as different as motion and thought. Both kinds of exercise affect health and life. Death is rarely if ever ascribed in the registers to the strain of muscular effort, while it is at times ascribed to mental shocks and disorders ; but the athletic state, the result of training, was held by the ancients best acquainted with athletes to be dangerous. It implies an unusual tension of brain, heart, lungs, and digestive organs as well as muscles, and a main point to which much is sacrificed is the reduction of the bulk of the abdominal organs so as to give the breathing, by which oxygen enters, the freest possible play. On ascending hills the breathing grows quick, as every one finds, to take in more air ; the heart beats faster to circulate that air and the blood through the nerves and muscles. The food of working men as well as animals bears, in the long run, a strict relation to the quantity of work of every kind they perform ; and this work by the ingenuity of mechanical science can be measured, and expressed in weights lifted through space, the scientific unit being a kilogram lifted a metre high ; thus Dr. Playfair estimates the average work of a man at 105,605 * metre-kilograms, which is nearly equivalent

* Food and Useful Work, p. 12.

to the work expended in lifting 106 metric tons one metre high; 340 tons one foot high. Such a full day's work is equivalent to a daily walk of 20 miles. The soldier in war carrying 60 lbs. 14 miles a day does nearly the same amount of work. The London policeman walks 16 to 20 miles in 8½ hours. Twenty miles a day with rest on Sundays is a full day's work for a postman; with more he breaks down. Many men overwork themselves; and many children are overworked with the worst effects on their future life; some women too are overworked in pregnancy and underfed. Domestic servants are healthy because they work and are well fed; they have to subside to lower diet when they marry and have children. Some women of the higher classes do not take exercise enough, even in England, where women have more out-door exercise even up to hunting than women on the continent. Girls at school through want of out-door play are less healthy than boys.

The brain—the organ of the intellect and the feelings—requires exercise as well as the body; and its adequate exercise preserves the play of health. It may be overworked, and it requires a special diet, with adequate supplies of the albuminates, and fats, and phosphates.

Chemical force from reaction between the organism and food and oxygen yields by transformation heat as well as cerebral and motive force. There is thus a strict relation between exercise, heat, and the products of chemical action—between the evolution of carbonic acid, urea, and animal heat.

To avoid waste of food and of digestive force and to maintain health the quantities of the various kinds of food, consisting of nitrogen and carbon, of flesh, fat, sugar, starch, and salts, have to be adjusted to the different kinds of work. This can only be definitively learnt by experience. Hippocrates justly insists on immediate attention to the first symptoms of excess or of defect in food or in work, both excesses incompatible with health.

Food and work are undoubtedly important factors in determining the lifetime of different professions, of various artificers, and of laborers. The Tables here appended will assist the student. In judging of the amount of work, its kind, its continuance, its intermittances have to be taken into account. Thus Rankine reckons that a man can do three times as much work by pulling horizontally as he can by hammering. Haughton, measuring by urea, finds that high mental and mechanical work demands a better quality of food than routine labor.*

It will be instructive to study the food, drink, and work, and health of the clergyman and barrister; of the watchmaker, tailor, weaver, shoemaker, hairdresser; sawyer, carpenter, blacksmith; of the laborer who works out of doors; and of the cabman who drives about in the open air in all weathers.

Diseases are produced by the excessive exercise of particular muscles; thus the fingers of the nailer and of the scribe become paralysed; the clerk's chest is pinched by low desk work; some literary men overwork their brains into dementia; the stooping laborer sinks into crooked vacuity. Nearly all these evils admit of alleviation, or under rational treatment of prevention. Sitting, standing, stooping have all to be varied. Ramazzini reminds his *statarii artifices* that the fatigue of standing is due to the continued tension of the same muscles, whereas nature delights in alternating intermittent action; they might experience some relief, he tells them, by various expedients, such even as by standing by turns on one leg, as they see birds stand, in conformity with the principles of his mathematical friend Borelli.

Excreta.—Meat and drink are converted by the body and brain at work into carbonic acid and organic exhalations which escape by the skin and

---

* Playfair, Food and Work, pp. 4–5.

lungs; into urea, and into fæces; these are all poisons to man, and by an eternal ordination of nature have to re-enter life after purification in the atmosphere and the soil.

In a dense population they do not go away of themselves; as the acquisition of food costs money so does the removal of its refuse. The sweat left on the healthy brow breeds disease; the body must therefore be washed, or its distillations infect the blood. The leprosy of the middle ages was aggravated, if not caused, by the dirt of the mediæval world. Breath charged with carbonic acid, vapor, and exhalations caused the madness and deaths in the Black Hole of Calcutta; and breath pollutes the air in crowded rooms, churches, theatres, cities. Nature herself in the sense of smell expresses her abhorrence of cesspools, privies, and foul sewers. All these excretions in disease become doubly infectious; they contain zymotic matter.

The removal of refuse then demands as much care as the acquisition of food; and however costly it may prove, this removal is a necessary part of the economy of every family—every community.

The *breath* is swept clean away by ventilation, if due space and adequate mechanism are employed.

Soap it has been well said is a civiliser. Ramazzini, who was a real lover of workmen, begs them to make themselves clean. "The public baths of ancient Rome," he says, "were of the utmost use to artisans engaged in dirty work;" who could at the same time wash away sordid impurities and refresh the wearied body. "Admirable as the public baths "were, they are now obsolete; so I recommend ablution of their bodies at "home, that they may appear in public with a clean skin and clean clothes, "at least on Sundays and festival days. It is wonderful to see how much "the animal spirits are cheered by cleanliness and purity."*

This precept is enforced by the grievously high mortality of workmen in cities, which cannot be accounted for without referring to sordid skins as one of its main causes. They have often hitherto been without sufficient water even in London; but that want will soon be supplied, and it will be possible for them to wash at home and be clean from the leprosy of dirt. Colliers in the north wash themselves all over daily on returning from work.† Baths and washhouses should exist in every district. The shower or sponge bath, requiring less water than the ordinary bath, may be used every day. Great employers in factories might by some cleverly contrived mechanism enable great numbers of their heated workmen to wash away the sweat and dirt of the day in shower baths with *warm* water as the most cleansing, and easily administered to great numbers at once.

Sewers now carry away the chief fluid and solid excretions and refuse of houses in towns. The fittings of closets, the detachment of sinks, the ventilation and the outfall of sewers offer the great sanitary problems of the day. The mixed system of sewage irrigation on suitable land under skilful management, with the discharge only of superfluous water into such rivers as the Thames below London, is actually the most practical course. Definite prohibition of the sewage pollution of the Thames and other rivers by towns above the intakes of the water supply is indispensable; the sewage must all pass through the disinfecting land or artificial filters before its flow into the water-supplying streams.

---

* The reason Ramazzini alleges for the disuse of the public baths of Rome, so useful in preventing and curing disease, is curious. "Sed quoniam Christiana Religio animorum "potius, quam corporum sanitati intenta, passa est paulatim obsolescere balneorum "usum; tam salutari præsidio in omnibus penè morbis, nostrorum temporum destituta "est Ars Medica." Such considerations happily do not hinder the English clergy from attaching due regard to their own health, and to the health of their flocks.

† Mr. W. Lisle, Superintendent Registrar of the Durham district, confirms this statement.

Zymotic Diseases.—In small-pox certain matters are produced which, inserted on a point under the skin, multiply themselves, and infect the whole body, which reproduces a crop of the same kind. The infecting matter of small-pox floats in the air, and enters the body with the breath; it multiplies itself, whatever may be the channel of entry, in the same way; and the new matter will produce the same changes in any number of other men. Each infection induces diseases of its kind. All men are not susceptible; the specific germs (zymads) will not live in their bodies; this is notably the case with those who have already undergone infection. In cholera and in enteric fever (typhia) the germs from the intestines, in England, enter the system through the intestinal tract. In hydrophobia and syphilis, the germs only enter the blood by inoculation. Zymotic diseases prevail endemically, epidemically, pandemically; but follow certain laws of increase and decrease in their evolutions. Other diseases, like ague and famine fever, and some dietic diseases are grouped for convenience in the same class.

Leavens it has been long observed are capable of reproducing themselves in a suitable medium; and from this analogy the zymotic class of diseases is named.

The seeds of these diseases enter the body by inoculation, by contact, by ingestion, and by inhalation. Many of the diseases are contagious and infectious.

The inoculation diseases, such as hydrophobia and dissection wounds, are arrested by removing or destroying their germs before they enter the blood and tissues around the wound. The skin infections by contact can often be removed by ablution, even if there be epidermic abrasions.

When the cholera matter has entered the intestinal tract by water, or other means, it induces diarrhœa, which can generally be arrested by sulphuric acid drinks and other remedies. In cholera epidemics the people are so unaccustomed to this peculiar affection that they neglect it; and experience proves that house to house visitation by competent persons is indispensably necessary to secure the treatment of the disease in its first stage, when medical treatment is most efficacious. Perhaps enteric fever and dysentery might also be arrested before the infection fastens on the mucous membrane; but the experiment has not been tried. In both diseases there is a prodrome of a few days; and when there is enteric or dysenteric diarrhœa it may in time be identified, and treated by the skilful physician. There are also other signs premonitory. Whenever the patient has taken impure water prophylactic treatment should undoubtedly be tried.

The air, which Professor Tyndal shows in his elegant experiments carries dust, carries in it also the zymotic particles (zymads) of small-pox, scarlet fever, diphtheria, measles, whooping-cough, typhus, and plague in the atmosphere that surrounds the sick: in other cases it carries the widely diffused elements that induce influenza, marsh fevers, neuralgia, and rheumatism. These zymads are attacked in many ways: (1) by the free admission of fresh air (ozone) into the chambers of the sick; (2) by the various disinfectants—such as camphor, carbolic acid, permanganate of potash (ozone), chlorine, sulphurous acid; (3) by the isolation of the sick during the infectious period in separate rooms or separate dwellings; (4) by the chemical destruction of the excreta; (5) Pasteur showed by many experiments that organic germs which set up fermentations are arrested by their aspiration through cotton wool, and by analogy some persons might be disposed to try the effect of breathing through cotton wool when they enter sick chambers.

Vaccination.—Every child should be vaccinated at the proper moment with pure lymph.

Some of the zymotic diseases occur as a general rule only once in a life. I say as a general rule, because every known disease, when not fatal, does

occur occasionally more than once in the same person; thus of 10,000 persons that have had small-pox, or scarlet fever, or measles, one or more may under given circumstances experience a second attack.* The mild as well as the severe forms possess the protective power; and advantage was taken of this principle in inoculation. Vaccination the world owes to Jenner. This is the position of an ordinary child after vaccination; he is as a general rule protected against an attack of small-pox, while in the possible event of his defence failing, his life is still guarded against the worst types of the foul malady. The danger a child incurs from vaccination is quite inconsiderable, when the operation is skilfully and opportunely performed by a surgeon. What is the position of an unprotected child? He is every year of childhood liable to attack and death by small-pox; should he fortunately escape through youth, he will probably be assailed in manhood when a family depends on his life. Should he desire to insure his life, the insurance office meets him by asking if he has been vaccinated. If he recover from small-pox the face is disfigured, the eyes sometimes blinded, the ears deafened, or some constitutional disease is awakened; and any diminution of these risks of mutilation by small-pox is worth purchasing by vaccination.

It is urged that common vaccination does not yield absolute security against death by small-pox; this is true; and it is equally true that it reduces the risk to a low figure. It is also true that in several instances the diminution of the mortality by small-pox has been accompanied by a contemporaneous increase of the mortality by other zymotic diseases. If children are allowed to be killed by small-pox they will not die of other causes. But vaccination does not induce any other zymotic disease; and had small-pox been allowed to rage to this day it must have increased the general mortality. Take by way of illustration several families of children living in the most favorable conditions, and if you introduce scarlet fever it is probable that one or more of them will die. If left unvaccinated, small-pox will be still more fatal under similar circumstances.

If on the other hand many families are ill fed and scorbutic; if they are dirty, in single rooms; crowded in a rookery of London, or a wynd in Glasgow; exposed to all the zymotic influences; their protection by quarantine, vaccination, or any other measure, against any one malady, might have little or no effect on the mortality. Should these evil influences grow stronger as the population grows denser, the advantages of vaccination will be countervailed.

Vaccination is now enforced by legal penalties, and is administered by public officers.

And singularly enough a small band of well-meaning men, to the great distraction of the untaught, are agitating for the abolition of the compulsory law, and for the abolition of vaccination itself, not because, as was once contended, it is sinful to thwart nature's laws, but because vaccination is fatal, is ineffectual, and is the means of propagating odious diseases. A lady of distinction loses her child by erysipelas after vaccination, and the cruel loss leaves indelible impressions on her mind.

A clever barrister, in addition to the usual arguments, tells us the army standard is obliged to be lowered; millions have been expended on sanitary works, but the mortality among children in St. Pancras workhouse last year reached 215 per 1000; "the good has been more than swamped by "the medical curse:" "a clergyman in Suffolk says he knows three ladies

---

* De la Condamine estimated the recurrent cases of small-pox at 1 in 10,000. Louis XV. of France is said to have died of recurrent small-pox in 1774 at the age of 64, after having undergone that disease casually when he was 14 years of age. After careful inquiry into all the recorded facts, Dr. Gregory was convinced that the king never had had small-pox in early life; the primary attack was varicella. He contends that similar mistakes occur in other cases. See his excellent lectures on Eruptive Fevers, pp. 73–5.

" syphilised, but does not give their names." Mr. G. S. Gibbs, a zealous anti-vaccinationist writes :—" I was vaccinated in 1829, and caught small-" pox in 1850, much to my astonishment ; but what was the result? I " was ill for many weeks, and for many days recovery was despaired of—" *the horrible disease* [*small-pox!*] *had its full course*—so that for myself " I have no feeling of gratitude to Jenner." To these sad experiences many more may be added ; but there are innumerable examples of happy issues, and millions of all nations have reason to call Jenner blessed. We are bound to take all the facts into account where the nation's health is concerned. And the legislature, while sympathising, as everybody must, with cases of accidental hardship, consults in its acts the public good. The Registrar-General never advocated compulsion ; as he believed English parents would in the end, with the progress of education and reason, voluntarily place their offspring under the ægis which the discoveries of medical science have provided against small-pox.

The legislature in its acts, be it remembered, did not compel any parent to be vaccinated himself; it only compels him to afford his helpless child, at the public expense, the best protection available against a dangerous disease. The Roman father had by Roman law the child's life at his disposal ; but such power was never claimed by English fathers, and never conferred by English laws. The child belongs to the nation ; and the parents are bound to provide for its safety.

The Registrar of births is instructed by the Registrar-General to give the father, mother, or custodian of the child notice to have the child vaccinated by the public vaccinator or some other medical practitioner. The penalty is twenty shillings for neglecting to take the child before he is three months old, unless he is in an unfit state, to be vaccinated, or after vaccination to be inspected.*

Exthetic Diseases. *Syphilis* is so injurious to the human race, that to communicate it is to commit a criminal offence ; for the disease infects the blood of one and at times of two generations. Against its spread, the chief reliance must be on the enlightened conscience of individuals, but communities can also by throwing open wards of hospitals to willing patients, withdraw many victims from the field ; and to shut up ascertained sources of infection in medical retreats is just, humane, and necessary. If this be done, as medical history saw the rise of the worst forms of this evil, it may hope to record their decline.

The discovery of the western world established a connexion between two populations that had been living apart for an indefinite time, and it might have been inferred à priori that in conformity with a hygienic law their specific diseases would be interchanged. This happened on one side without doubt, and on the other probably. Europe gave America its variety of small-pox, which proved destructive alike to the populations of Hispaniola (Hayti), Mexico, and North America. In 1492 Columbus discovered the West Indies, visited St. Salvador, Hayti, and Cuba, full of a gentle, fair, poor, naked population. In April 1493 the great navigator returned to Barcelona, and in June 1494 syphilis was raging in that city.†

---

* See forms of certificate supplied by Registrar-General. On the general question see the able and exhaustive report of J. Simon, F.R.S., in Papers on Vaccination, 1857, and the articles on Small-pox and Vaccination by Mr. Marson and Dr. Seaton in System of Medicine by Reynolds. See also Curschman's article on Small-pox in Ziemssen's Cyclopædia of the Practice of Medicine. The Vaccination laws are criticised in a letter to Lord Lyttelton by T. Baker of the Inner Temple. Mr. G. S. Gibbs, in his letter to the Registrar General on this question : Does vaccination mitigate small-pox ? responds in the negative.

† Cyclo. of Medicine. Edited by Ziemssen. Article Syphilis, by Bäumler, Vol. III. pp. 5–19.

The disease prevailed in its most virulent form all over Europe in 1496; and it justly created universal alarm, as it attacked at the source of life all classes of people, sparing neither crowned heads nor cardinals. The army of Charles VIII. carried the disease back with it after the conquest of Naples; and in France it was named the Neapolitan disease; while other countries out of compliment to that gallant nation christened it *Morbus Gallicus*. Fracastorius called it syphilis in his classical poem.* That the epidemic broke out after 1493 admits of no doubt; but the two forms of enthetic disease had long existed, and were contagious in Europe; they both became very prevalent among the profligate after the Crusades. The old disease probably bore the same relation to epidemic syphilis as summer bears to Asiatic cholera. Sprengel† exaggerates the effects of the Crusades on the morality of the male population, as he certainly exaggerates one of its causes, when he says that "*alors on comptait presque généralement sept femmes contre un seul homme.*" His authorities are good for asserting that convents were multiplied; and that the manners of the inmates under the control of the church were by no means unexceptionable. He signalizes the religious order of Fontevraud, the *Filles Dieu*, the secular order of *Femmes ambulantes*, who resorted to cities where fairs, diets, and councils were held, and waited upon the clergy under the name of *belles femmes*. The church or the magistrates had the surveillance also of the numerous houses of ill-fame, which down to the days of Luther were, Sprengel asserts, as numerous as the inns of his day. In Southwark the houses under their lord, anciently eighteen in number, were reduced to twelve in the reign of Henry VII. In Provence women chose their own mistress (abbadesso); in Southwark they had a master who held under the bishop of Winchester. The regulations offer the first recorded traces of an attempt in England to suppress the dread disease, even then, before the Spanish importation, called perilous. W. Beckett, a surgeon, in his paper published in the transactions of the Royal Society,‡ says: "I find that, as early as the year 1162 divers constitutions "relating to the lordship of Winchester, being also confirmed by the "King, were to be kept for ever, according to the old custom that had "been time out of mind." No stewholder to keep, it was enjoined, any diseased woman. The Title of a Book written on vellum about the year 1430, and preserved in the Court of the Bishop of Winchester, "whose "palace was situated on the Bankside near the stews," runs thus:—"The "Ordinances, Rules, and Customs as well for the salvation of Man's Life, "as for to eschew many Mischiefs and Inconveniences that daily be like "there for to fall out * * *." Under the article *De his qui custodiunt mulieres habentes nefandam infirmitatem*, the stewholders had to pay the lord a fine for each offence of 100 shillings. This was the English Institution. The French system existed in Avignon in 1347; in that city *il etait d'usage de faire visiter les filles tous les samedis par un chirurgien.*†

It is difficult now to understand how the church could be mixed up with such an institution; but in the East as religion made the slaughter of

---

* Fracastorius, 1483–1553, was named by Paul III. physician to the Council of Trent He predicted that the plague would speedily attack that city, and to the great satisfaction of the Pontiff, induced the Council to go to Bologna in April 1547. He was one of the first in the school of Latin poets that flourished in the age of Leo X. He describes the reigning disease, and commemorates in a typical case the death of a young man that lived on the Oglio near Lago di Isco. Lib. I. 382–412.

† Histoire de la Médecine, translated by Jourdan, vol. II. pp. 376–378.

‡ Vols. xxx. and xxxi. Transactions of Royal Society. Beckett, by an error which he shared with Sydenham and John Hunter, assumed that the two forms of enthetic disease were identical. He renders it exceedingly probable that many cases of so called leprosy were syphilitic.

animals sacrifice, it made the services of Venus worship;* and the heads of the Roman Catholic Church, as well versed then in all the turns of human passions as physicians are now—despairing of their extinction, took into its own hands in some places their regulation†. It is important even now to note the essential principles of the church regulation: (1) no single woman had to pay more than 14*d.* a week, or to be kept against her will if *she would leave her sin.* That was her protection: (2) The holder was "not to keep open his doors upon holy days," nor "to keep any woman that hath the perilous infirmity," as it was called. That was the protection of the public.

After the Reformation the church ceased to exercise any but moral control over the sinful. The bishops following in the steps of Cranmer married.

Medical statistics showed how largely the efficiency of the army and navy, in peace even, is interfered with by the two forms of enthetic disease. And Parliament established special hospitals and police regulations in garrison and seaport towns under the Contagious Diseases Acts. The Acts of 1866–9 were no sooner in full operation than they were opposed, and in 1870 a Royal Commission was appointed to inquire into their administration and operation. The evidence fills a folio volume, and is full of interest. The evidence before the Lords Committee (1868) is of great value. Dr. Graham Balfour gave in returns to the Commission, showing that the mean strength of the army in the United Kingdom during the ten years 1860–9 was 78,276; that 23,707 men were admitted into hospital annually for enthetic disease; while the constant loss of service was 1531 men, equivalent to two and a half regiments. Of 1000 strong 303 were admitted annually for enthetic disease: 20 were constantly in hospital, the sick in hospital from all causes being 48. The returns of deaths by syphilis in the army are imperfect, as the slow secondary forms will be carried out by invaliding.

It is probable for various reasons that the civil population may not suffer to the same extent as the young unmarried services; but the registered dead from syphilis during 26 years‡ were 31,860; of whom 22,269 were infants under one year of age; 24,253 were under five years of age, only 95 were 5–15. Men and women of all ages after 15 die in increasing numbers. The average annual number down to 1873 of deaths of children under 15 was 936; of adults 289. The registered deaths increased during the whole period; in the year 1873 the deaths by syphilis were 1843; 1499 at ages under 15, 344 at adult ages. Of the adults 166 were men, 178 women. To the men's deaths, 235 deaths in that year by stricture, generally consequent on gonorrhœa, must be added.

The knowledge of secondary syphilitic diseases is more extended than it was; and more cases are distinguished; still in the present day many diseases with syphilitic taint are returned by medical men under local diseases. Sir William Jenner is of opinion that syphilis stands very high among the most fatal diseases that we have in this country; with this Sir James Paget agrees substantially; "it would be very difficult," he says, "to overstate the damage that syphilis does to the population."§

The Royal Commission go explicitly against "periodical examination;" which cannot be sustained over these islands; while they would commit offenders to certified hospitals, and retain them until they had recovered,

---

* See Herodotus, I., 199.

† Gœthe's ballad Der Gott und die Bajadere is based on the Hindoo Faith. The Church perhaps felt like the God.

Der Göttliche lächelt; et sichet mit Freuden.
Durch tiefes Verderben ein menschliches Herz.

‡ 1848–73.

§ Evidence before Lords Committee, 1868, Q. 1085 and 2642.

or at least for three months. Under this *modified* form the measure should be extended to London, and to all the great towns; where adequate hospital accommodation is provided by the local authorities. If this be done the plague may not be staid; but it will be reduced within narrow limits. And morality, it may be hoped, will be inculcated by higher agencies than enthetic diseases.

> Æneadum Genetrix, hominum divumque voluptas,
> Alma Venus *

herself, who sometimes fled to Paphos, could scarcely take offence if her wounded votaries were withdrawn from conflict; nor could Mavors hardly for his sons ask the State to organize a universal armed surveillance over the women of England.

Childbirth.—This is a physiological function for which nature has provided; but nature is sometimes at fault, and here obstetric art steps in with all its modern resources to aid nature. The problems are of the highest, and their solution sometimes involves the sacrifice of the child for the salvation of the mother's life. Such cases are rare. The midwife is an old English institution; but hygienic as well as obstetric art has advanced so far that to do her duty, she has to go through a regular course of instruction, to which any ordinary woman is equal; and for this facilities must be offered all over the country. Miss Nightingale's Notes on Lying-in Institutions should be consulted; her sketch of a school for midwives and midwifery nurses is quite practical.

In some parishes the delivery of a woman is a domestic event, and only a neighbour or relative is called in: deaths and injuries are at times the result of mismanagement. But many even among the poor population of villages are attended by medical men; from 30 to 90 per cent. are attended by midwives, often ignorant, often incompetent, and unable to deal with any difficulty.† In Wales, Lancashire, Yorkshire, and the Northern Counties, the mortality in childbirth exceeds the average.

The introduction of the midwife or skilful accoucheur by a sort of antinomy, is attended with dangers to be particularly guarded against; a fever attacks puerperal women, and that fever of a most contagious kind. It spreads from bed to bed in lying-in hospitals. It is conveyed by the nurse, the midwife, the accoucheur in private houses, to other women, and kills them. It adheres to the clothes, and retains its fatal activity for many days. Of this fever 1138 mothers died annually in the 25 years 1848–72. Recently in South London a practitioner, up to the time quite successful, attended 7 women; 5 died between June 10th and 19th. He took every precaution, as he assured me, and went away to a watering place, where he lived for a month in one of the best hotels. After his return, the fifth woman he attended died. Washing in disinfectants, and change of dress are properly practised. But there appears to be no absolute safety except in abstention for a time from midwifery practice; nor can accoucheurs safely attend patients suffering from erysipelas, or scarlet fever, which communicate puerperal diseases as fatal as the fever.‡

In Wales (1873) to 10,000 births, 21 mothers died of puerperal fever, chiefly from infection; 35 died of the other casualties of childbirth, some of them from bad midwifery; in London the corresponding deaths are 28 and 24, the fever being more, the casualties less prevalent.

Local diseases.—The body is a confederation of organs; some of which may be out of order for an indefinite time without causing death. The brain,

---

* Lucretius.

† Report of Committee of the Obstetrical Society of London, 1870. See Trans., vol. xi.; and Registrar General's 34th Report, pp. 225–229.

‡ Report of a remarkable discussion at the Medico-Chirurgical Society, opened by Mr. Spencer Wells, in Medical Journals, 1875.

senses, heart, lungs, stomach, liver, kidneys, limbs, joints, and skin have all their respective infirmities, which demand special hygienic treatment; their several dangers emerge at different ages, which are designated in the tables.

Some local diseases are more prevalent than others in particular places, and the present series will enable hygienic inquirers to prosecute the studies opened by Mr. Haviland, and illustrated by an interesting series of coloured maps, showing the relative prevalence of heart disease in every District of England and Wales.

Cities.—The sites of cities have an important influence on their salubrity. Experience has shown that the best foundations are above the seas and rivers at flood level. They should not be in the midst of marshes. Cities want pure water daily, and ready means of getting rid of fluid and solid refuse. Still they must, nearly all of them, be situated conveniently for commercial or manufacturing purposes, otherwise they could not command the necessaries and conveniences of life; and in such cases should the sites be unfavourable their disadvantages may be lessened if not obviated by art. The metropolis, naturally the home of the intellect, the wealth, and the aristocracy of the Empire, has its temples, palaces, and grand public buildings; and it has besides, out of regard to its own safety and greatness, houses suitable to the families of workmen. It has hospitals for the sick poor; homes for the infirm; refuges for the casually unfortunate; places of reclusion for the insane. But it requires no harbours for criminals; no rookeries for the wilfully idle, drunken, and degraded. It does not want them; they infest its pure population with vermin, and zymotic diseases; it only accepts as fellow citizens the men who consent to abide by its hygienic laws. The other cities of the Empire have all their distinct functions; and they are all equally bound to provide for their own salubrity.

If they cannot all be such model cities as Dr. Richardson eloquently sketches in his *Hygiea*, they can in many ways approach its essential outlines.

The value of land increases so rapidly in the midst of flourishing cities that families are, by the rise of ground rents, driven out of old haunts. Railways, coaches, and omnibuses enable many of the middle classes to live in the open suburbs, although rents there are high and food is dear; but workmen are put to many straits, and their families are crowded in old dilapidated houses. The evil is great, and it seriously affects the public health, as the Royal College of Physicians has pointed out. The recent Act will enable the municipalities of large cities to deal with this evil.* It gives them power to take possession of unhealthy property, and to provide for the erection on it of healthy dwellings. The Shaftesbury Estate, the Peabody Trust, and some of the excellent building corporations will contribute by their energy, intelligence, and enterprise to the success of the national undertaking to provide industrious workmen with decent dwellings at first cost.

If young municipalities at home or in the colonies acquire, as the City and Companies of London did, possession of part of the municipal land, they can, as ground landlords, regulate the kind of buildings most suitable to the wants of the population, and at the same time from the rise of ground rents relieve the rates. Should they, in addition, from the first undertake the supply of gas and of water at the rates now charged in London, no other rates would be needed of any kind for sewers, streets, police, elementary education, or science and art schools. The rising rents and the two rates would provide ample funds for public purposes.

West and north of the City land is increasing every year in value. Much of the ground of the metropolis is in large estates belonging to landlords on

---

* Artizans Dwellings, 38 & 39 Vict. c. 36.

whose enlightened patriotism the country can with confidence count. They have the power of doing more in the way of providing healthy dwellings for artisans and men of small means than many municipalities.

In laying out new streets, as well as in opening up old blocks of houses, the importance of depresssing density of population within definite limits must be kept constantly in view. The mechanical difficulties of supplying pure air grow insuperable in crowded courts, cellars, and houses. Ornamental parks, planted squares, open playgrounds, and wide streets to catch the sunlight, or to carry the breezes into every quarter, will conduce to the health as well as the beauty of the town. The grand architectural effects of the narrow lofty streets of the Continent are not to be desired; they will be dearly purchased by an unhealthy population.

THE DEAD.—*Embalming, cremation, inhumation; vaults, churchyards, cemeteries, urns.*— Embalming seeks to meet the fond wishes of men who have lost any beloved object; but the attempts to preserve the body perennially after life has fled have hitherto proved failures. Nature forbids it. The mummy of an Egyptian king is a sorry spectacle. Morini's petrified bodies are not pleasant to look at. Cremation has recently been proposed in Italy by Brunetti of Padua, and in England by Sir Henry Thompson, who describes its advantages.* In the case of deaths by plague, small-pox, typhus, scarlet fever, and other zymoses, cremation, no doubt, destroys for ever the germs of disease, and restores the organic elements to the atmosphere. Flame is the last visible state; the ashes are collected in the funeral urn. Burning the body was once common among the Aryan nations. Germans, Tacitus says, burnt their dead,† as the Hindoos do; and the Greek and Roman funerals by fire figure in the poems of Homer and Virgil, who describe them in grand epic pictures. Sylla was burnt, so was Julius Cæsar. Modern science offers methods quite unknown to the ancients for converting the elements of the body, not quite into carbonic acid, water, ammonia (Sir Henry Thompson's, CO_2; HO; NH_3), and white ashes, but into simple elements or inorganic compounds. Sir Henry saw two bodies reduced in a reverberating furnace to pure ashes; one of 47 lbs. weight in twenty-five, another of 140 lbs. weight in fifty minutes. There was no trace of odour. The Siemens' furnace produced a still more rapid reduction. A body of 227 lbs. weight placed in a smooth, almost polished cylinder, heated to upwards of 1100° centigrade, was reduced to invisible gases and 5 lbs. of ashes in fifty-five minutes. Sir Henry had his plan before him, and shows incidentally that cremation, instead of adding to, might diminish by something like a million sterling the annual loss by earth-burial in London alone. It is not necessary to verify his calculations. There is certainly economy in time and land; but the Romans showed how costly cremation might be made. Nero, it was said, spent as much incense on the funeral of Poppæa as Arabia produced in a year.‡ The ultimate result in the cemetery and the crematory is the same: the body is converted into what may be assumed to be the same elements; in the one case by slow decay and filtration through air, earth, and water in 5, 10, or 100 years; in the other in 60 minutes through flame. Religious rites are provided for in the outlines Sir Henry Thompson sketches. But the outlines have to be filled up by the skilful to satisfy the mind. What the plan presumes is, that the body is taken to the Hall of Cremation; that after religious services, either at the house or the church, or the chapel, or the Hall itself, the light car bears it gently away from sight by silent mechanism, in costumes suitable to the child, the woman, the man, and to the taste

---

* Contemporary Review, 1874, for January, February, March.

† Tacitus, Germania, 27. Sir Thomas Brown's Hydrotaphia—Urn Burial—in his works.

‡ Pliny, 12; 41.

of the time and the country. In the Italian manner — the best — the maiden's body in white robes, and strewed with fresh flowers, passes off under a veil, or through a cloud of incense amidst music — not into the grave—not to the vault, "to whose foul mouth no healthsome air breathes in," but through the flames—direct into the Heavens. Two adjuncts to the Hall of Cremation would be of striking advantage. Where it was desired, the body, on its way from the last view of friends, might be passed into a chamber to skilful experts, who could ascertain whether life might by any means be resuscitated; and then, at the wish of the friends, the parts might be inspected without danger to the medical attendant, and with every microscopical and chemical appliance handy. The body could here also, at the instance of a magistrate, be examined by a practised medical jurist. With a preliminary visit to the body, and an official certificate from the appointed medical health officer where no certificate had been given by a medical attendant, secret poisoning would become much more difficult and rarer than it is now with the power of disinterring the dead.

Mr. Holland, Medical Inspector of Burials, who has had great official experience in graveyards, combats Sir Henry Thompson's doctrines in an able article,* and elicits a keen reply. Mr. Holland reminds his readers that cemeteries exist; and contends that the "real danger from a *well-* "*situated* and *well-managed* cemetery, large in proportion to the number "of its burials, is not greater than from a well-managed railway." Burial of the dead has more powerful advocates than Mr. Holland;—Centuries of European usage, Custom, and Fashion. In Greece and Rome, slaves and the mass of the people were buried, the bulk of them in pits. Cremation was reserved for the great even among the Germans.† In India, cremation is not the prevailing practice.‡

The English churchyard in the country seems a natural resting-place for the population of all ranks; and in past ages, when interments were rare and graves were not reopened, could have had no sensibly bad effect on health. Green hillocks covered the remains of the labourer and the artisan, marble monuments the rich; the young, the beautiful, the old lay buried in one common earth. That pilgrims should wend to the tombs of Shakespeare in Stratford-on-Avon, Bacon in St. Albans, Byron in Hucknall, Burns in Dumfries, Wordsworth in Grasmere, is as natural as that they should visit the monuments of kings in Westminster Abbey, and of warriors in St. Paul's. Gray threw a halo of poetry over the English churchyard. But on visiting churchyards now in populous villages their charm is found to be fast vanishing; the graves are thick, are often reopened; the stones are ugly and sinking. Nothing can look more sad and desolate in the rain than these dank plots. In such churchyards no Dissenter could desire to rest.

Mr. Walker, Mr. Chadwick, and a Royal Commission, recently drew terrible pictures of the vaults and churchyards of London. The consecrated earth had lost its sanctity in putrid odours. Burial was forbidden in churchyards as a rule; and some of them are now sweet flower-gardens. Cemeteries surround London. Yet even there they are no longer safe, and are every year assuming alarming proportions; they not only pollute the waters, but exhale noxious vapours from the graves.

---

* Contemporary Review, February 1874.

† Germania, 27. Funerum nulla ambitio: id solum observatur, ut corpora *clarorum virorum* certis lignis crementur. Struem rogi nec vestibus nec odoribus cumulant: sua cuique arma, quorundam igni et equus adjicitur. Sepulcrum cespes erigit.

‡ In the city of Bombay, 11,591 bodies were buried, 4,143 burnt, and 980 were exposed to the birds in the year 1871.—Report on Sanitary Improvements in India, 1873, page 200.

Mr. Seymour Haden, in three able letters to the *Times*,* has enumerated the defects of the present system of inhumation, and has suggested many manifest improvements, some of which, when the question is understood, will probably be adopted. The body is now kept in the house until putrefaction begins, accelerated by the influence of restless ferments and insects in the air; it is then "screwed up" in a coffin, where its corruption goes on for an indefinite time; and the coffin is buried sometimes in wet clay and sometimes over other coffins in graves opened at intervals under the faces of mourners, standing bare-headed both in the chill colds of winter and in the heats of summer. Thus, if the fatal disease is infectious, the source of infection is retained where it can do harm; in the Irish wake this is especially seen; the mourning coaches are mayhap infected indirectly; the gathering round the grave or vault is perilous in one way to the young, in another to the old; and the products of disease, or the decaying substances of the tissues of the body, find their way, in the end, into the wells, the sewers, the air of populous cities. Passing through loose earth the organic molecules are generally oxidised, but not always. It is not certain that the germs of disease are easily destructible by the re-agents of the earth; but in the ordinary course of things the whole of the body is gradually transmuted. Some of the corporal elements remain as mould, some are dissolved in water, and the rest, by a roundabout way, lose themselves in the atmosphere.

Mr. Haden describes what he saw in 1868 in the burial ground of St. Andrew, Holborn, before its contents had been removed to Ilford to make way for the new viaduct. The bodies buried in the plague-pit, without coffins, had disappeared; those in broken coffins were reduced to "a little ordinary earth, corresponding chiefly to the extraneous matters "which had accompanied the interment, and occasionally, not always, a few "bones. Nothing more. The body itself had disappeared."† It is not necessary to pursue his description of the ghastly contents, either of intact coffins, lead or wood, in the earth, or in graves lined with brick. The fact to note is, that in contact with the earth the body disappears, Mr. Haden says, in five or at most six years, the time varying necessarily in clay, chalk, and sand. Not to imprison the human elements in "cold obstruction," he suggests the use of a coffin (which he reminds us is from the Greek κόφινος, properly translated a twig-basket, or pannier) "of some "light permeable material, such as wicker or lattice-work, open at the top, "and filled in with any fragrant herbaceous matters that happened to be "most readily obtainable. A layer of ferns or mosses for a bed, a bundle "of sweet herbs for a pillow, and as much as it would still contain after "the body had been gently laid in it of any aromatic or flowering plant for "a coverlet—such a covering, in short, as, while it protected the body from "the immediate pressure of the earth as effectually as the stoutest oak, "would yet not prevent its resolution." He simplifies the preparations for the funeral so as to occupy, soothe, not harass the family; and conveys the body to the cemetery by railway or river forty hours after death to rest ten years in undisturbed dissolution. The mode of burial is worked out in some detail. The number of bodies to be buried annually in Greater London is 90,000, and the number is increasing; so that looking at the state of the existing cemeteries and their exhalations, new cemeteries will be required. Mr. Haden in the lowlands of Essex and Kent sees good sites; "the broad and silent river" to be "our Appian way." If the

---

* Published separately, by Macmillan, 1875.

† Earth to Earth; a plea for a change of system in our burial of the dead; by F. S. Haden, F.R.C.S. See also the works and papers of Mr. Walker, Dr. Waller Lewis, Mr. Chadwick, and a good summary of the researches of Orfila and other French writers in the Dictionary of Hygiene by Tardieu.

English people believed that the soul could not enter paradise until the body was interred they would wish, with Patroclus, for quick burial :

> " Hasten my funeral rites, that I may pass
> " Through Hades' gates." *

As that is not their belief they have fallen into the habit of retaining the body for various reasons; and this habit is an obstacle at the outset to the new system. It may in time be overcome, as it is already on the continent, in these islands; when friends see that by laying the lifeless corpse in a fresh grave a few hours after death, they often save it from putrefaction; porous earth, *eremacausis*—dry decay—usually converting it slowly into its elements. Against the dread of being buried alive—if buried early—the most timid will be fortified by the assurance of physicians and surgeons so eminent as Burrows, Fergusson, Gull, Jenner, Paget, and Watson, " that the signs of death are as certain after a few hours' suspension of " the vital functions as they can be after many days." It would, they add, be a matter of regret if " groundless fears * * * should hinder, for a " moment, the adoption of an improvement in our social system, the import- " ance of which cannot be overrated."†

Mr. Haden believes that a thousand acres of land will afford decorous burial to a hundred thousand bodies of all ages every year for ever on the plan he has sketched, the bodies being all dissolved in less time than ten years ‡ after interment in single graves on which the earth covered with fragrant herbs and flowering shrubs presses lightly. This involves necessarily the absence of tombstones over the body for any longer term than ten years, and it is not, therefore, in accordance with existing usage. The grave will not be the monument; which may be lodged in the cemetery or elsewhere; in the church, or in the sacred precincts of any parish, county, or metropolitan *Santa Croce*. This question of no small delicacy is discussed in its various bearings by Gœthe, in one of his philosophical romances,§ where a leading character places the grave-stones along the church, levels the hillocks, and sows the ground with fragrant clovers.

It is worthy of remark that when gravestones originated there was no national registration : and that in the present day, while portraits of great artistic merit can be commanded by the rich, and photography preserves the features of the poor as they lived, the name, age, place, and date of the death of every Englishman are recorded in registers, to be preserved in perpetuity.

Dr. Parkes, the author of the best work on Hygiene in any language, points out all the difficulties of burial in populous cities, and dwells on the dangers of overcharged churchyards and urban cemeteries. He admits the advantages of cremation, but suggests that maritime nations might find it at some time preferable to bury man in the ocean ; to let the—

> hammock-shroud
> Drop in his wide and wandering grave.

This form of burial is already in use. The sea is the too frequent grave of our gallant seamen, of sailors in the merchant service, and of hapless emigrants.

Sir Henry Thompson and Mr. Haden contend that their several systems have great advantages on the side of economy as well as safety. Funerals now cost in the United Kingdom seven or eight millions a year, and while

---

* Derby. " gloomy" is omitted before " gates" as it is not in the original :

> Θαπτε με ὅττι τάχιστα, πύλας Ἀΐδαο περήσω.
> *Iliad*, xxiii., 71.

† Earth to Earth, pp. 43–4.

‡ Some of the ancients professed to know a stone that consumed the body (" *exceptis dentibus* ") in forty days,—hence the name, sarcophagus (flesh-eater).—Pliny, Nat Hist., 36; 27. Orfila, an eminent chemist, conducted a series of researches on the decay of bodies in different kinds of earth. He sets down two or three years as an average term.

§ Elective Affinities.—Die Wahlverwandschaften. Part 2., cap. 1.

much may possibly be saved on either plan in ceremonial and in coffins, it is not likely that the expenditure on monumental art will be reduced in the present age by affluent families. It is, however, to be regretted that persons of narrow means are induced by custom to incur great expense even at a moment when the chief source of income is dried up. Gœthe profoundly remarks, that portraits of the dead are their best memorials: and that *they* at times regard us almost reproachfully, as they remind us how much we failed to do for the absent and lost when present and living. Nations as well as families too often dishonour the living and glorify the dead: so anything that detaches from the grave and lifts them above it is laudable. The good men do is their eternal monument: and its survival their highest reward. Service to the living is true devotion to the dead. Diminution of the cost of funerals by new methods can but be a national gain.

To another kind of economy importance is attached by the advocates of cremation. The body, say they, is required; it cannot be spared for an indefinite time. Nature "destines the material elements of my body," an eloquent writer exclaims, "to enter the vegetable world on purpose to "supply another animal organism which takes my place. She wants me, "and I *must* go. * * * Shall her riches be hid in earth to corrupt, "and bear no present fruit; or be utilised without loss of time, value, and "interest, for the benefit of starving survivors?"

Now Nature is not quite in such need. The average weight of the body is set down by Sir Henry Thompson at 72 lbs., and taking the population of the world at 1200 millions, and the annual deaths at 40 millions, the yearly amount to be given up by cremation to the earth is 45,893 tons; to the air 1,239,821 tons; to the earth and air 1,285,714 tons.* But this last sum is but a very small fraction of the atmosphere, whose weight, reckoned at 15 lbs. on the square inch, is on a square mile at the sea level 26,882,743 tons: and the superficies of the earth being 196,862,256 square miles, it follows that the weight of the atmosphere is 5,292,197,434 *millions* of tons: of which 2,116,879 *millions* of tons consist of carbonic acid. The law of the diffusion of gases is such that every gas is diffused as if no other gas existed; the other gases only retarding the diffusion; so that carbonic acid given off pure from a funeral pyre at any point of the earth flies away in every direction; and equilibrium is so strictly preserved that at nearly every point the proportion carbonic acid bears to the oxygen and nitrogen in the atmosphere is the same, although living as well as dead animals and fires are discharging, and vegetables are absorbing it continually. The carbonic acid, ammonia, and aqueous vapor once thrown by cremation into the atmospheric ocean 50 miles deep, covering the 196,862,256 square miles of the earth's surface† has little chance of ever constituting again any integral part of any Englishman living in these islands. Nor would the mass of oxygen, nitrogen, hydrogen, or carbonic acid supplying the animal kingdom be sensibly reduced if the animals and men in the world were all, as in Egypt, embalmed for a thousand years. The economy of gases is of little weight. The scantier phosphates of bone and brain are retained by both the rival methods; but more organic matter is left in the ground by perfect inhumation than can ever be returned to it after perfect cremation. Inhumation saves up soil.

In comparing the two methods, their cost in ceremonial and monuments may be set down as equal; it may be either great or small; but the indispensable outlay in inhumation and cremation will differ to an extent that experience alone can determine. On the side of the Public Health cremation has the best of it: it destroys the germs of zymotic

---

* Sir Henry Thompson makes the mean weight of the ashes 2·57 lbs., of the whole body, 72 lbs. Mr. W. Eassie, C.E., in his "Cremation of the Dead," p. 114, says the quantity of the ashes left from a body of average weight is accurately given by Sir Henry Thompson. The ashes of a lady, aged 26, weighed 3·75 lbs.

† Barlow, as deduced from Laplace.

diseases, of offence, and of corruption at once. It is especially suitable to the dead by epidemical diseases. The present abuses of a barbarous burial system must cease. But there is no reason why a well-devised inhumation and perfected cremation should not go on side by side; the one or the other being adopted so as to meet the exigency of each case, creed, place, and climate. Habits change slowly, and if trials are made experience will decide. Neither of the systems when once in use will excite in common minds more repugnance, than nature, desiring her creatures to love life, has thrown over the contemplation of dissolution. Some will prefer a house of rest in the earth; others a home in the sky. It is easily conceivable that a woman of refined mind might choose cremation to escape what she dreads of worms, mould, *cremacansis*, putrefaction, or any kind of profanation.

The question of interment is as the population increases becoming every day more urgent; it is not a mere question of sectarian grievance: it is a prime question of public health. Churchyards infect cities. Burial must be shorn of its dangers. It is vain to attempt to throw all the blame of existing abuses on undertakers. Their occupation is not attractive; it is unhealthy. They do very fairly what they are required to do by families who are swayed by fashion. Nor is it in England a matter of great reproach against the proprietors of cemeteries that they are "trading companies;" that is, companies which advance capital, and offer to perform certain services on certain terms. What would the state of London be without its fourteen cemeteries,* some of which are now full?

The day will probably soon come when the several municipalities and sanitary authorities may, after due inquiry, and on equitable terms, relieve the cemeteries and yards of their office; and lay down such wise regulations as may secure the decorous, safe inhumation, or cremation of the seven hundred thousand bodies that fall victims to death annually in the United Kingdom.

Health Insurance.—Sickness is not easily defined. It varies very much in degree; but for practical purposes the line is drawn by Friendly Societies, police, army, navy, and by patients in civil life with sufficient accuracy. Such sickness as confines a member to bed, called *bedfast* sickness, or at home from work, a policeman from duty, a soldier or sailor to hospital, figures as sickness in the respective returns. Enthetic disease is not recognised by the Friendly Societies or the police; but it swells the sickness of the army and navy returns. In civil life men work and take physic when their ailments are slight, whereas in the public service they are sent to hospital. Women oftener return themselves sick than men. The sickness of very young and very old people has not been accurately determined.

But it has been found by experience that in England to *one annual death* in a body of men *two* are on an average constantly suffering from sickness of some severity. There are *two years* of severe sickness on an average to *one death*. In the police and in some Friendly Societies the constantly sick to one annual death are 2·8; in the army (1873) at home 4·2; enthetic disease will account for the difference.

As there are now 700,000 annual deaths in the United Kingdom it may be inferred that there are 1,400,000 constant sufferers from severe sickness; and 2,000,000 sufferers from such sickness as requires medical relief, or throws the members of Friendly Societies on their funds. That would give 100 patients each to 14,000 hospitals and 6,000 dispensaries. The sickness is of every shade from the darkest mortal ailments to the lighter pains and muscular weaknesses, and is so related to the mortality that the deaths and sickness within certain limits rise and fall together; thus, if the constantly

* There are also twenty-one grounds under Burial Boards; twelve with eight of the cemeteries are within, nine with six cemeteries are outside Registration London; and in London itself a few churchyards are still in use.

sick in the population could be reduced from 1,400,000 to 1,050,000, the deaths could be reduced from 700,000 to 525,000; or the annual mortality would be reduced to the desired rate of 17 in 1000. The diminution of human suffering keeps pace with the diminution of the death-rate; so do the ineffectives of the working population and the claims on the funds of Friendly Societies.

Sickness occurs irregularly through a man's life in attacks as they are called; still under such a law that there is an *average amount* of sick-time to every death; men are also subject to an average number of attacks during their lifetime under the same sanitary conditions; the liability of adults to attacks of one kind or other being the same at different ages, but the fatality and the duration of the illnesses from those attacks rising with the advance of age according to the same laws.*

It is evident that these Societies are most useful adjuncts in sustaining health; when the head of the family is disabled they supply him with medical attendance and a sum sufficient to meet his most urgent wants. And as there is a law of average sickness while every man's life or health is uncertain, they are indeed *Friendly Societies*, and with good management and proper Tables will confer all the benefits they promise. The ordinary premiums are often inadequate to provide sick-pay—that is really annuities—after the age of 65†; and the societies do not profess to support the members through chronic diseases of more than 12 or 18 months duration. Here the aid of the fortunate steps in to help the artisan and labourer in misfortune. Under the English Poor Law the sick man in need is provided with medical relief and sustenance; every man's life is insured against death by starvation, provided that, if able, he is willing to work. The Societies may properly be strengthened by honorary members.

Unhappily no community can, in our present state, undertake to supply all its members with all they want; and if we express in money the price of drink, food, heat, physic, clothing, lodging, cleansing including sewerage required for the enjoyment of the longest mean lifetime (L) we shall have this equation, putting I for income:

$$\frac{\mathrm{I}}{d + f + h + p + c + l + s} = x\mathrm{L}$$

where x is a fraction approaching *unity* as the full cost of the commodities of life approaches the income. Galen justly remarks that there is one hygiene for those who can command all the necessaries of life, another for those whose means are limited. To decide on the comfort to be sacrificed with least loss by the poor is an important life problem for the hygienic student.

The deaths in England in the year 1871 were 514,879; implying 1,029,758 persons constantly sick from diseases of some severity; that is equal to a number sufficient to fill 10,298 hospitals, each containing 100 beds always occupied. And it may be assumed that the numbers are sustained by an annual influx of 12,357,096 patients, ill a month on an average, of whom 11,842,217 recover, 514,879 die.

46,556 persons died in the year in public institutions—in hospitals 13,706, lunatic asylums 4097, workhouses 28,753; and 468,323 died in their own homes or elsewhere. Whether the patient in hospital or home shall recover or die often depends upon the medical attendant.

Under the new and judicious Friendly Societies Act the sickness and mortality returns will no doubt be so organised as to throw much light on the health of different professions as well as on the finance of sickness insurance.‡

---

* Statistics of British Empire, Vol. II., Article "Vital Statistics," pp. 570–96.

† *See* Appendix to Registrar General's 12th Report.

‡ Friendly Societies Act, 38th & 39th Vict. ch. 60., A.D. 1875.

MEDICINE.—Descartes in his great discourse on the method of scientific discovery refers to medicine in a passage from which this is an extract.

* * * "mais principalement aussi pour la conservation de la santé, laquelle est sans doute le premier bien et le fondement de tous les autres biens de cette vie; car même l'esprit dépend si fort du tempérament et de la disposition des organes du corps, que, s'il est possible de trouver quelque moyen qui rende communément les hommes plus sages et plus habiles qu'ils n'ont été jusques ici, je crois que c'est dans la MEDECINE qu'on doit le chercher. * * * Je m'assure qu'il n'y a personne, même de ceux qui en font profession, qui n'avoue que tout ce qu'on y sait n'est presque rien à comparaison de ce qui reste à y savoir."*

Medicine had great attractions for Bacon, Descartes, Locke, and the great thinkers of the seventeenth century. Its object is to save mankind from the chief evils of life, and to develop the highest faculties of human nature. Nothing stands between it and the truth. It is free to avail itself of the light of every new science; it is not fettered by authority or precedents; it deals with positive facts and laws deducible from facts. Descartes was therefore justified in expecting more good from medicine than from jurisprudence or even theology. And although it is true that medicine has made incalculable progress since Linacre translated Galen's Hygienic Treatise, Harvey discovered the circulation of the blood, Sydenham taught the analysis of disease, and Hunter extended the sphere of physiology over the whole kingdom of nature, it is as true now as when Descartes wrote that what is known in medicine is little in comparison with what remains to be known: and it may be added that what it has done is little in comparison with what it can yet do. In his view medicine comprehends a knowledge of the forces and actions of the bodies that environ us, to be employed as artisans employ their materials, to make men the masters of nature; so that as this knowledge and a knowledge of their causes are acquired medicine might exempt us from an infinity of diseases both of body and mind.

The important influence of medicine on the health of the community is evident from the fact that medical practitioners are consulted in all stages of millions of cases of sickness occurring annually; and that their art is specially devoted to the cure of disease. The public for the greater part consult them and pay them fees in illness, as they consult and pay lawyers in legal difficulties. The clergy are paid on a different plan. So are the physicians and surgeons of the army and navy; who have thus not only attended the sick, but have been consulted on the maintenance of health; and have hence had opportunities of studying professionally hygienic medicine. The salutary effects of such an organisation are seen in the works of Pringle, Jackson, Monro, Blane, Lind, and Parkes. The army and navy medical statistical reports, due to it, are of the first order of importance.

In the years 1829–1830 civil hygiene was at the lowest ebb in England. In the University of Paris, then one of the first medical schools in Europe, the course of hygiene by Andral was attended by more than a thousand students; the lectures in all branches of medicine being open and free to the students of the University, but not compulsory. Villermé, a conscientious and original inquirer, Guerry, and others, founded the Annales d'Hygiène. In England hygiene was not taught at a single school. But students to get diplomas were bound to attend other courses and to "walk the hospitals." Hygienic students received no recognition; and if they had, would never have obtained any remuneration for their services, as the public from time immemorial had been in the habit of only paying fees when they were suffering from disease or menaced by death. Apothecaries were paid for their drugs. No town had a medical

---

* Discours de la Méthode. Sixième Partie.

Health officer. The City of London, generally so well provided with a staff of officers, had to be reminded of its deficiency in 1847 by the Registrar-General* before it appointed Mr. Simon.

The first eruption of Asiatic cholera in the years 1831–2 awoke the country to its hygienic deficiencies; 30,924 deaths by that disease in the principal towns were reported to the Board of Health, and were tabulated by Sir David Barry.† Inquiries by Royal Commissions and by Boards of Health were instituted; a staff of medical officers was appointed under the new Poor Law; the Registration Act passed in 1836, and since July 1st, 1837 the causes of death have been published annually, quarterly, or weekly by the Registrar General. The medical colleges and the medical profession gave invaluable aid in supplying medical certificates. Successive Boards of Health were called into existence. And under the recent Sanitary Acts a staff of medical Health officers is created in 1558 jurisdictions, either urban or rural; a certain number of them more or less under the control of the Local Government Board. The medical officer of the Board, Mr. Simon, and his colleagues have published a series of Reports which will bear comparison with those of any other country.

The Reports of the existing medical officers are of great practical value; and will become more valuable every day. What is wanted is a staff officer in every county or great city, with clerks to enable him to analyse and publish the results of weekly returns of sickness to be procured from every district; distinguishing as the army returns do,‡ the new cases, the recoveries, the deaths, reported weekly, and the remaining in the several hospitals, dispensaries, and workhouses: these compiled on a uniform plan when consolidated in the Metropolis would be of national concern. It has been suggested that the returns of sickness should, to save time, be sent to London and there analysed on a uniform system, as the causes of death are. That with the present postal arrangements is quite practicable.

The thing to aim at ultimately is a Return of the cases of sickness in the civil population as complete as is now procured from the army in England. It will be an invaluable contribution to therapeutics as well as to hygiene; for it will enable the therapeutist to determine the *duration* and the *fatality* of all forms of disease under the several existing systems of treatment in the various sanitary and social conditions of the people. Illusions will be dispelled; quackery as completely as astrology suppressed; a science of therapeutics created; suffering diminished; life shielded from many dangers. The national returns of cases, and of causes of death will be an arsenal which the genius of English Healers cannot fail to turn to account.

Therapeutics relies on the diagnosis of disease surgical or medical. And the returns of the causes of death show that diagnosis, though still imperfect, has within 35 years made remarkable progress not only among the foremost physicians and surgeons of the day, but among the body of medical practitioners all over the kingdom who give certificates. Typhus, enteric and relapsing fevers, as well as the diseases of internal organs are discriminated, and not masked under symptoms. There is still room for improvement; and hope of rapid progress; for discoveries in the art of healing disease, rapidly reach the extremities of the land through the medical journals, lectures and well written treatises.

If the county and municipal authorities pay such salaries as will command the services of the ablest men in the profession, the expenditure will be amply repaid by the results. For when there is a demand, hygiene will be taught as efficiently as surgery in the schools; and state medicine will be a branch of medical examination in the universities and colleges.

---

* See 10th Report, pp. ix–xvii.

† Report on Mortality of Cholera to Registrar General, 1848–9.

‡ See Report on Army Medical Statistics by Lord Herbert, Sir Alexander Tulloch, and Dr. Farr. Parliamentary Paper, No. 366, 1861.

With the divisions now existing, it is natural to expect that state medicine—public hygiene—will be advantageously cultivated by men who devote their whole time to its practice.

But there is a private hygiene, a hygiene peculiar to every profession, and to every individual; a hygiene applicable to families, to children, to old men, to women, to men suffering from heart and other organic diseases; to patients attacked by zymotic or acute local diseases. And this hygiene falls entirely within the province of private practice. It is not the least useful part of medical art, and deserves distinct recognition.

It receives recognition in the case of princes. The "King's physician" is an old English institution; he discharged his duties for a salary, wine, and other emoluments.* The series of court physicians contains the names of some eminent men who successfully cultivated hygiene; among them Sir James Clark in recent times deserves especial mention. Ramazzini discusses the duties of the court physician in his elegant treatise—*De Principum valetudine tuenda.* He notes the importance of the health of princes; lays down the qualification and the duties of the physician; insists on his studying the effects of the meteorological elements; spares no admonition; tells the prince that good living and good health seldom go together; and shows how food and drinks, varying with the seasons, tested by experience, should be adapted to every idiosyncrasy. Successive chapters follow under such heads as: What princes should avoid; exercise, hunting, riding, indispensable to princes; moderation in pleasure enjoined; sleep and wakefulness regulated; the secretions watched; nothing is more pernicious to princes than anxiety, and violent passions in which medicine cannot avail much; literary work not recommended to princes; regimen of health in old age; obesity in a prince not only insalubrious but indecorous; gout, stone, and cœcal colic to be specially guarded against: the regimen of the prince in camp and in campaigns is the subject of the fourteenth and concluding chapter.

This brief summary is sufficient to show how extensive and useful the duties of a judicious and accomplished court physician might be; and how absurd it would have been to make his pay depend upon the prince's illness. But the same regimen that suits a prince suits a nobleman, suits a knight, suits a merchant, a lawyer, a literary man, who would derive much more benefit from a physician specially engaged as adviser of the family for an annual stipend than from a medical attendant merely resorted to in illness. Service would be greater, pay higher—easier. Consulting practice would remain as it is.

It is already the custom of the proprietors of mines and of other great works to engage medical men to attend their workpeople by the year. This practice is laudable and deserves extension. The Friendly Societies contract for medical attendance, the only fault being that the terms are too low to insure the utmost efficiency. In all such cases the medical attendant should be requested to advise his constituents against any bad habits prejudicial to health.

The people in this country probably get a better supply of medical attendance than the people of any other country. But it is still imperfect. Some die in illnesses without medical aid. And in parts of the country even medical certificates of the cause of death are not given in all cases because the deceased has been seen in his last sickness by no qualified medical practitioner. The Poor Law provides medical relief for paupers. But the classes above them trust to quacks; or do not call in aid for fear of medical bills at a time when the head of the family may be earning nothing; this difficulty would be best met by clubs, or by their paying their medical attendant a certain sum quarterly. In the army there is *one* surgeon to

* History of the Medical Profession and its influence on Public Health in England. *Medical Annual*, 1839.

every 202 men; in the general population *one* medical practitioner only to every 1276 men, women, and children living.*

Soldiers require more surgeons than civilians; but the latter have evidently an insufficient medical staff. The addition of Health officers to its numbers is therefore on every ground desirable.

Hygiene as at present taught requires extension, which it can only obtain when its professors are entirely devoted to its practice and study. The new biology will open fresh fields of research and shed on them brighter lights.

The health of an existing generation may no doubt be raised to a high standard by a hygienic regimen, complete as Roger Bacon insists, from infancy.† But a higher hygiene goes further back guided by physiology: it seeks to influence the child unborn in its aquatic life by placing the mother in favourable conditions; and not resting there, it extends its view to the life of both parents, and to the foundation itself of families—Marriage. Hygiene has something to say to that besides proscribing close consanguinity. Civilisation is to man what domestication is to the inferior animals; and history and analogy justify us in believing that the highest race admits of development by some of the means that have been found efficacious in the lowest, and by others that scientific biology can invent. The hygienic problem is how to free the English people from hereditary disease; hereditary consumption, cancer, syphilis, gout; hereditary insanity, hereditary vagrancy, hereditary criminality: and to develop in the mass the athletic, intellectual, æsthetic, moral, and religious qualities which have already distinguished some of the breed. There is a Divine Image in the future to which the nation must aspire. The first step towards it is to improve the health of the present generation; and improvement if as persistently pursued, as it is in the cultivation of inferior species,‡ will be felt by their children, and their children's children. A slight development for the better, in each generation implies progress in a geometrical progression; which yields results in an indefinite time, that if suddenly manifested would appear miraculous.

The vast tabular work that follows, condensed from ten times the number of tables, of five times the size, has been carefully compiled by the Statistical Department. I have to thank Mr. F. J. Williams for his ever ready assistance. I beg to bring under your special notice the valuable work Mr. Lewis did in preparing the Tables, pp. clxxxvii–ccxii, for the press before he was made an inspector. Mr. Mundy has very carefully revised the figures in this letter, and calculated many of the Tables. Mr. G. Rendle, M.R.C.S., by his medical knowledge, and by his great accuracy, has rendered me valuable aid.

I have the honour to be,
Sir,
Your very obedient servant,
WILLIAM FARR.

To
The Registrar General.

---

* The Army List of 1875 contains—exclusive of medical officers on half pay—the names of 1 director general, 11 surgeons general, 33 deputy surgeons general, 447 surgeons major, and 442 surgeons (including 3 apothecaries), in all 934 medical officers; the strength of the army officers and men at home and abroad was 188,379 in 1873.

At the Census of 1871 the physicians and surgeons enumerated were 14,684, assistants and medical students over 20 years of age 3116, making in the aggregate 17,800; the population enumerated was 22,712,266. The proportion of medical men to population has declined since 1851, when it was 9·7 per 10,000 living, to 8·3 in 1861, and to 7·8 in 1871. In the Army the proportion of medical men is 49 to 10,000.

† See note on page v.

‡ For a philosophical review of all that has been done by the domestication of Animals and Plants, see Mr. Darwin's work on that subject—perhaps his greatest.

PRELIMINARY TABLES.

TABLE 1.—**Mean Population, 1861-71,** and **Deaths i**

CAUSES OF DEATH.	ALL AGES.	AGES OF PERSONS.							
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—
Mean Population, 1861-71 - - -	21,389,245	640,306	568,516	575,071	556,306	545,830	2,886,029	2,525,296	2,264,70
TOTAL DEATHS -	4,794,500	1,155,182	405,586	195,972	125,678	88,882	1,971,300	200,820	101,284
1. Small-pox - -	34786	8229	3598	2923	2373	1758	18881	3655	1268
2. Measles - -	94099	17526	35490	18608	9626	5286	86536	6115	655
3. Scarlatina - -	207867	12973	29404	33971	31639	25475	133462	55095	11350
4. Diphtheria - -	39454	3720	5166	4615	4629	4020	22150	9925	3082
5. Whooping-cough -	112800	46454	34520	15709	7909	4084	108676	3842	184
6. Typhus - - -	189285	5252	7619	8449	7716	6986	36022	23323	16063
7. Diarrhœa and Dysentery - -	207256	122026	33071	6647	2304	1244	165292	2195	706
8. Cholera - -	22945	3764	1593	883	619	573	7432	1848	834
9. Other Zymotic Dis.	110310	15340	14689	12077	9550	6424	58080	9145	3304
10. Cancer - - -	82820	37	49	84	120	87	377	190	170
11. Scrofula and Tabes -	93529	34201	19081	7054	3100	1995	65431	6169	4431
12. Phthisis - -	529425	10271	8416	4407	2633	2219	27946	11461	18655
13. Hydrocephalus -	74152	27147	19905	8537	4872	3416	63877	7346	2017
14. Diseases of Brain -	595747	222843	38309	16333	9425	6086	292996	14353	7395
15. Diseases of Heart, and Dropsy -	288447	4699	2201	1496	1231	1164	10791	5591	6095
16. Diseases of Lungs -	719601	175335	86570	32083	15741	9030	318759	13925	4740
17. Diseases of Stomach and Liver	209744	24565	4324	2366	1578	1383	34216	4987	3906
18. Diseases of Kidneys .	63754	556	634	579	571	465	2805	1685	1234
19. Diseases of Generative Organs -	12506	51	38	21	14	7	131	12	42
20. Diseases of Joints -	17658	488	440	353	334	317	1932	1966	1961
21. Diseases of Skin -	12832	3990	760	326	162	137	5375	277	298
22. Childbirth & Metria	35254	—	—	—	—	—	—	—	[illegible]
23. Suicide - -	14009	—	—	—	—	—	—	1	8
24. Other Violent Deaths	149831	15929	6959	6127	4998	3996	38009	11557	1006
25. Other Causes -	876389	399786	52750	12324	4534	2730	472124	6157	274

NOTE.—This Table is formed from the facts relating to Males and Females separately, in the 10 years 1861-70, *see* pages 2 for the 25 years 1848-72 in Tables 33-34, where al

NGLAND and WALES during the **10 Years 1861-70.**

AGES OF PERSONS.									CAUSES OF DEATH.
5—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
56,527	1,917,126	3,148,257	2,464,912	1,867,566	1,255,549	711,564	256,062	35,649	**Mean Population, 1861-71.**
,474	157,054	308,063	313,589	323,135	380,172	444,390	357,988	105,231	TOTAL DEATHS.
1759	2602	3197	1803	920	452	185	56	8	1. Small-pox.
226	164	208	121	45	18	7	3	1	2. Measles.
3142	1787	1913	691	258	110	41	17	1	3. Scarlatina.
1218	733	833	523	404	325	187	66	8	4. Diphtheria.
43	13	13	13	5	6	5	—	—	5. Whooping-cough.
7471	14758	21128	18431	15726	13241	9243	3486	393	6. Typhus.
693	1044	2690	2871	3524	6121	10166	9540	2414	7. Diarrhœa and Dysentery.
551	790	2189	2469	2425	2157	1566	603	81	8. Cholera.
3013	2370	4480	4883	5382	6823	7518	4493	819	9. Other Zymotic Dis.
378	576	3609	11040	19691	22296	16918	6655	914	10. Cancer.
3724	2821	3656	2406	2003	1634	987	247	20	11. Scrofula and Tabes.
4543	75291	133574	99270	62357	33351	11404	1469	104	12. Phthisis.
432	162	147	78	42	28	19	4	—	13. Hydrocephalus.
7832	8114	19612	27807	37790	54323	71662	46595	7268	14. Diseases of Brain.
6717	7063	20367	29861	40727	58696	66441	32485	3613	15. Diseases of Heart, and Dropsy.
6391	8611	22976	34875	54060	84080	100128	60192	10864	16. Diseases of Lungs.
4805	5809	15125	22425	30666	37879	34263	13993	1670	17. Diseases of Stomach and Liver.
1675	2273	6142	7921	8991	11025	12309	6762	932	18. Diseases of Kidneys.
185	483	1688	2616	3034	2320	1494	452	49	19. Diseases of Generative Organs.
1816	1329	1894	1667	1705	1628	1259	455	46	20. Diseases of Joints.
275	346	676	736	973	1288	1518	901	169	21. Diseases of Skin.
1669	6396	15248	11361	577	—	-	—	—	22. Childbirth and Metria.
594	851	1953	2610	3167	2827	1490	393	39	23. Suicide.
9683	9557	16459	15348	13615	11170	7896	5043	1433	24. Other Violent Deaths.
2639	3111	8286	11763	15048	28374	87684	164078	74385	25. Other Causes.

ie number of Deaths of Males and Females respectively from the several Diseases classed under the above 25 heads are given ie Years of Life for that period are shown.

TABLE 2.—**Average Annual Number of Deaths of Males by different Causes at certain Ages,**

CAUSES OF DEATH.	MALES.—PROPORTIONAL NUMBER													
	ALL AGES.		0–5		5–10		10–15		15–20		20–25		25–35	
	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870
All Causes -	23,048	23,609	72,433	73,162	8,510	8,148	4,881	4,460	6,689	6,161	8,829	8,453	9,574	9,89
1. Small-pox - - -	242	182	1047	661	271	150	70	56	105	91	174	181	119	13
2. Measles - - - -	426	459	2847	3067	262	230	32	26	11	9	8	7	5	
3. Scarlatina - - -	909	1011	4311	4745	1985	2218	461	468	146	149	67	80	39	4
4. Diphtheria - - -	106	177	431	757	228	338	85	107	39	58	21	35	11	2
5. Whooping-cough - -	460	487	3246	3394	133	123	6	5	1	1	1	·4	1	
6. Typhus - - - -	907	896	1401	1230	937	881	687	622	858	787	850	823	673	70
7. Diarrhœa and Dysentery -	1135	1032	5625	6100	233	84	111	33	113	33	180	49	241	7
8. Cholera - - - -		113		277		76		41		28		41		6
9. Other Zymotic Diseases -	924	560	3512	2124	463	378	179	142	204	157	207	132	324	16
10. Cancer - - - -	195	244	21	13	10	8	8	8	16	20	27	27	63	6
11. Scrofula and Tabes - -	451	481	2066	2429	312	278	250	218	228	191	212	168	160	12
12. Phthisis - - - -	2579	2467	1329	990	525	431	763	605	2397	2188	4055	3884	4034	40
13. Hydrocephalus - -	464	412	2915	2578	396	326	105	93	31	20	12	8	7	
14. Dis. of Brain - - -	2998	3072	12169	11390	607	597	361	335	397	371	440	442	638	70
15. Dis. of Heart, and Dropsy	1180	1311	426	399	240	233	241	252	322	312	347	345	514	6
16. Dis. of Lungs - - -	3322	3694	11296	12012	585	553	221	199	335	315	545	523	772	8
17. Dis. of Stomach and Liver	1007	998	1470	1374	258	205	219	192	268	238	326	280	464	44
18. Dis. of Kidneys - -	317	420	66	117	47	85	47	65	77	100	105	137	174	22
19. Dis. of Generative Organs	4	6	5	5	1	1	1	1	·3	1	2	2	2	
20. Dis. of Joints - - -	78	95	56	72	71	95	93	102	91	102	80	89	61	7
21. Dis. of Skin - - -	52	64	164	199	12	13	10	15	13	17	14	19	14	1
22. Childbirth and Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23. Suicide - - - -	1101	99	-	-	-	-	769	4	863	28	949	59	999	9
24. Other Violent Deaths -		1076	1451	1476	643	600		753		830		957		96
25. Other Causes - - -	4191	4253	16579	17753	291	245	162	118	174	115	267	165	259	3

TABLE 3.—**Average Annual Number of Deaths of Females by different Causes at certain Ages,**

CAUSES OF DEATH.	FEMALES.—PROPORTIONAL NUMBER													
	ALL AGES.		0–5		5–10		10–15		15–20		20–25		25–35	
	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	186 to 187
All Causes -	21,323	21,282	62,744	63,430	8,418	7,756	5,056	4,484	7,385	6,622	8,530	7,958	9,925	9,68
1. Small-pox - - -	202	145	1021	648	243	140	76	56	81	80	91	95	68	
2. Measles - - - -	398	422	2749	2929	288	254	44	32	15	13	10	10	8	
3. Scarlatina - - -	845	934	4071	4503	1998	2145	528	534	154	157	79	105	48	
4. Diphtheria - - -	112	191	420	778	280	448	124	166	44	61	19	41	15	
5. Whooping-cough - -	545	566	4003	4139	215	182	14	11	2	3	·4	1	1	
6. Typhus - - - -	909	875	1434	1266	1077	966	878	798	1026	911	781	722	627	6
7. Diarrhœa and Dysentery -	1027	909	4899	5353	224	90	101	29	109	34	171	59	271	
8. Cholera - - - -		101		237		71		33		26		41		
9. Other Zymotic Diseases -	745	473	3165	1901	453	316	179	150	170	136	172	116	204	1
10. Cancer - - - -	434	523	23	13	9	7	9	8	18	17	30	33	141	1
11. Scrofula and Tabes - -	366	396	1773	2105	253	211	214	173	189	171	132	129	120	1
12. Phthisis - - - -	2774	2483	1281	947	620	476	1292	1045	3515	3110	4289	3966	4575	43
13. Hydrocephalus - -	334	285	2162	1847	331	256	98	85	30	22	8	8	6	
14. Dis. of Brain - - -	2495	2513	9479	8910	558	540	356	318	408	391	434	406	532	5
15. Dis. of Heart, and Dropsy	1311	1385	356	349	215	209	272	287	352	341	390	390	603	6
16. Dis. of Lungs - - -	2733	3052	9499	10074	607	550	240	220	342	306	413	383	582	6
17. Dis. of Stomach and Liver	1002	964	1121	997	245	190	194	152	307	229	406	324	570	5
18. Dis. of Kidneys - -	116	182	38	78	24	48	30	44	43	63	69	102	109	1
19. Dis. of Generative Organs	104	109	7	4	·3	·3	2	3	15	17	46	46	93	
20. Dis. of Joints - - -	58	70	53	62	53	61	62	71	61	75	39	52	44	
21. Dis. of Skin - - -	47	56	157	174	9	9	8	11	8	9	8	18	12	
22. Childbirth and Metria -	320	321	-	-	-	-	·1	·3	144	161	612	633	886	9
23. Suicide - - - -	383	34	1138	-	427	·1	164	3	156	30	125	31	127	
24. Other Violent Deaths -		344		1157		315		131		117		87		1
25. Other Causes - - -	4063	3949	13885	14959	289	242	171	124	196	142	206	160	278	2

00,000 Males living of those Ages, in **England** in the **Two Decenniads 1851–60** and **1861–70.**

1,000,000 AT EACH AGE.												CAUSES OF DEATH.
35–45		45–55		55–65		65–75		75–85		85 and upwards.		
51 to 60.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	
81	13,464	17,956	19,165	30,855	32,995	65,332	66,689	146,671	146,576	310,083	313,570	– **All Causes.**
9	98	53	68	34	48	27	38	19	29	30	36	1. Small-pox.
3	4	2	2	1	1	1	1	1	1	–	7	2. Measles.
0	23	20	16	15	8	10	5	8	8	–	7	3. Scarlatina.
2	20	9	22	11	30	14	33	20	32	30	29	4. Diphtheria.
·1	1	·3	·4	·4	1	1	1	–	–	–	–	5. Whooping-cough.
9	793	779	904	1013	1159	1563	1469	1740	1509	1471	1374	6. Typhus.
9	105 / 99	492	193 / 144	938	493 / 190	2230	1451 / 240	4927	3836 / 256	7690	7047 / 174	7. Diarrhœa and Dysentery. 8. Cholera.
8	238	714	341	1084	613	1941	1176	3320	1932	4603	2676	9. Other Zymotic Diseases.
5	206	422	539	931	1208	1504	1877	1734	2291	1869	2327	10. Cancer.
5	97	126	107	143	140	185	157	122	93	91	73	11. Scrofula and Tabes.
5	4165	3830	3869	3333	3297	2389	2024	977	698	549	342	12. Phthisis.
7	3	7	2	8	2	8	3	12	2	–	–	13. Hydrocephalus.
0	1342	1990	2214	4097	4665	9831	10948	17088	19612	19785	22253	14. Dis. of Brain.
2	1233	1898	2187	4130	4581	8714	9229	12409	12992	10617	11454	15. Dis. of Heart, and Dropsy.
4	1722	3092	3500	6616	7587	13416	15185	21088	25194	25608	34223	16. Dis. of Lungs.
0	911	1664	1709	3062	3058	4837	4935	5246	5357	4375	4691	17. Dis. of Stomach and Liver.
2	406	471	658	967	1279	2153	2897	4265	5040	4298	5709	18. Dis. of Kidneys.
4	8	7	10	11	16	19	31	27	38	38	58	19. Dis. of Generative Organs.
2	76	79	99	113	150	165	202	142	210	91	153	20. Dis. of Joints.
3	29	43	57	85	111	202	236	407	372	511	589	21. Dis. of Skin.
–	–	–	–	–	–	–	–	–	–	–	–	22. Childbirth and Metria.
2	163 / 1144	1369	262 / 1292	1613	375 / 1512	1810	357 / 1659	2248	256 / 2067	3270	201 / 3665	23. Suicide. 24. Other Violent Deaths.
0	578	889	949	2680	2471	14012	12535	70871	64751	225166	216479	25. Other Causes.

00,000 Females living of those Ages, in **England** in the **Two Decenniads 1851–60** and **1861–70.**

1,000,000 AT EACH AGE.												CAUSES OF DEATH.
35–45		45–55		55–65		65–75		75–85		85 and upwards.		
51 to 60.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	1851 to 1860.	1861 to 1870.	
147	12,034	15,198	15,555	27,007	27,773	58,656	58,797	134,338	134,427	289,558	283,642	– **All Causes.**
37	50	23	32	14	25	10	15	9	16	20	14	1. Small pox.
4	6	2	3	2	1	1	1	2	1	–	–	2. Measles.
31	33	19	12	14	10	11	6	9	6	–	–	3. Scarlatina.
12	22	10	22	9	22	11	21	12	20	15	18	4. Diphtheria.
·4	·3	·4	·1	·4	·3	·3	1	2	–	–	–	5. Whooping-cough.
97	707	647	785	888	959	1279	1152	1435	1241	1273	932	6. Typhus.
72	127 / 101	473	184 / 116	926	483 / 155	2157	1410 / 203	4675	3638 / 219	7394	6599 / 260	7. Diarrhœa and Dysentery. 8. Cholera.
78	161	381	239	683	479	1549	953	2663	1614	3685	2060	9. Other Zymotic Diseases.
92	673	1278	1528	1853	2300	2351	2810	2353	2844	2259	2713	10. Cancer.
06	98	108	108	136	121	116	123	114	99	69	46	11. Scrofula and Tabes.
75	3000	3120	2850	2383	2065	1635	1239	754	475	471	260	12. Phthisis.
4	3	5	2	5	2	7	2	8	1	–	–	13. Hydrocephalus.
72	930	1681	1816	3818	4015	8905	9314	15026	17073	16460	19216	14. Dis. of Brain.
18	1191	2061	2175	4558	4762	8916	9131	11531	12441	9347	9237	15. Dis. of Heart, and Dropsy.
49	1130	2062	2327	5027	5875	11016	13111	17618	22166	21796	28121	16. Dis. of Lungs.
937	969	1608	1580	2967	2679	4692	4712	4958	5550	3714	4681	17. Dis. of Stomach and Liver.
51	243	212	316	317	508	485	723	470	735	365	671	18. Dis. of Kidneys.
208	197	290	305	310	341	315	364	256	287	158	187	19. Dis. of Generative Organs.
56	60	62	84	92	111	121	155	101	152	84	114	20. Dis. of Joints.
22	31	31	47	75	94	191	193	319	336	404	402	21. Dis. of Skin.
904	888	71	60	–	–	–	–	–	–	–	–	22. Childbirth and Metria.
176	52 / 139	274	83 / 200	382	86 / 315	718	83 / 636	1854	72 / 1892	4064	50 / 4242	23. Suicide. 24. Other Violent Deaths.
446	383	777	671	2548	2065	14140	12139	70139	63543	217977	203749	25. Other Causes.

TABLE 4.—**England, 1851–60.—Number of Deaths from different Causes**

CAUSES OF DEATH.	AGES OF MALES.							
	Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–
TOTAL DEATHS	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000
1. Small-pox	9774	16094	24021	28779	31091	14449	31800	14354
2. Measles	13670	80408	88374	74200	59497	39307	30732	6539
3. Scarlatina	11252	68667	156153	223376	247683	59511	233318	94426
4. Diphtheria	1931	7042	12280	19186	24455	5948	26746	17411
5. Whooping-cough	33174	71544	63815	51639	38547	44813	15646	1316
6. Typhus	5761	22247	45029	63282	77093	19337	110104	140647
7. Diarrhœa and Dysentery	87046	75087	36702	22154	16776	72873	13955	10224
8. Cholera	3173	5310	7789	9893	11233	4790	13468	12431
9. Other Zymotic Diseases	39563	44369	72063	88244	83008	48489	54370	36584
10. Cancer	154	256	642	813	870	292	1131	1680
11. Scrofula and Tabes	23373	42164	36495	27436	24579	28524	36684	51283
12. Phthisis	12584	27444	27950	24857	28556	18345	61718	156399
13. Hydrocephalus	27704	67505	56885	47258	48861	40237	46516	21582
14. Diseases of Brain	223389	89683	80184	71797	68693	168010	71370	74039
15. Diseases of Heart, and Dropsy	4151	6130	8900	11289	14464	5875	28174	49460
16. Diseases of Lungs	146561	207823	157688	124302	100355	155947	68758	45209
17. Diseases of Stomach and Liver	23490	13491	15968	16377	20528	20291	30256	44865
18. Diseases of Kidneys	377	883	1776	2880	3703	907	5497	9718
19. Diseases of Generative Organs	79	74	46	18	—	68	63	142
20. Diseases of Joints	316	826	1569	2138	3256	774	8288	19092
21. Diseases of Skin	2821	1686	1294	724	1193	2258	1459	2004
22. Childbirth and Metria	—	—	—	—	—	—	—	—
23. Suicide	—	—	—	—	—	—	—	972
24. Other Violent Deaths	10888	19023	40149	51516	63176	20034	75546	156500
25. Other Causes	318769	132274	64228	37842	32383	228921	34401	33123

CAUSES OF DEATH.	AGES OF FEMALES.							
TOTAL DEATHS	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000
1. Small-pox	11201	17119	24502	30004	31200	16277	28921	14993
2. Measles	14446	81365	90823	77266	60559	43810	34256	8746
3. Scarlatina	11297	68308	150643	214963	240199	64888	237324	104395
4. Diphtheria	1798	6615	12991	21789	28912	6858	33279	24532
5. Whooping-cough	45069	95140	92419	75962	59838	63805	25539	2797
6. Typhus	6015	23009	47511	69316	87756	22859	127997	173667
7. Diarrhœa and Dysentery	90411	79825	36880	19938	16408	73482	13934	10233
8. Cholera	3209	4734	6363	8585	9770	4597	12646	9777
9. Other Zymotic Diseases	43119	42016	69849	80598	81318	50449	53870	35320
10. Cancer	209	282	787	899	820	368	1095	1765
11. Scrofula and Tabes	23866	40122	32692	23710	22772	28264	30080	42262
12. Phthisis	13975	27707	29256	26513	32989	20419	73601	255533
13. Hydrocephalus	24132	51141	45348	42943	42511	34450	39280	19455
14. Diseases of Brain	208702	86266	77080	68981	65134	151070	66247	70502
15. Diseases of Heart, and Dropsy	4481	5519	7334	8709	11635	5681	25528	53843
16. Diseases of Lungs	137218	202307	162465	129641	101976	151398	72055	47537
17. Diseases of Stomach and Liver	19810	13482	15883	17311	19888	17868	29146	38355
18. Diseases of Kidneys	273	665	949	1604	1865	607	2845	6029
19. Diseases of Generative Organs	59	198	185	106	25	104	32	397
20. Diseases of Joints	448	827	1272	1939	2784	845	6237	12296
21. Diseases of Skin	3225	1851	1620	1287	920	2502	1127	1507
22. Childbirth and Metria	—	—	—	—	—	—	—	20
23. Suicide	—	—	—	—	—	—	—	575
24. Other Violent Deaths	12109	15160	28123	38607	46116	18142	50692	31791
25. Other Causes	324928	136042	65025	39329	34605	221257	34269	33673

t Sixteen Ages to **1,000,000 Deaths** at the same Ages from **All Causes.**

AGES OF MALES.									CAUSES OF DEATH.
15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.	
,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	TOTAL DEATHS.
15742	19674	12473	5505	2924	1090	408	128	98	1. Small-pox.
1633	862	493	276	120	31	16	7	—	2. Measles.
21767	7566	4073	2417	1111	483	150	54	—	3. Scarlatina.
5846	2381	1147	925	490	365	220	135	98	4. Diphtheria.
163	82	77	7	14	12	21	—	—	5. Whooping-cough.
128333	96265	70266	51960	43373	33801	23923	11864	4744	6. Typhus.
7789	10466	11449	11561	15177	20963	28582	30716	23694	7. Diarrhœa and Dysentery.
9128	9947	13721	14016	12225	9445	5556	2879	1106	8. Cholera.
30487	23451	33794	41525	39767	35145	29715	22632	14845	9. Other Zymotic Diseases.
2417	3065	6537	13978	23507	30172	23016	11823	5997	10. Cancer.
34014	24011	16731	9205	7009	4626	2834	834	295	11. Scrofula and Tabes.
358432	459228	421391	320869	213310	108018	36569	6659	1770	12. Phthisis.
4605	1382	739	567	387	260	123	81	—	13. Hydrocephalus.
59390	49788	66655	94544	110803	132784	150484	116501	63806	14. Diseases of Brain.
48139	39253	53720	80312	105720	133837	133378	84603	34238	15. Diseases of Heart, and Dropsy.
50148	61677	80599	122128	172207	214414	205346	143777	82584	16. Diseases of Lungs.
39991	36900	48500	71272	92680	98277	74040	35768	14108	17. Diseases of Stomach and Liver.
11545	11917	18186	23369	26221	30370	37546	29075	13862	18. Diseases of Kidneys.
49	246	169	313	408	347	284	182	123	19. Diseases of Generative Organs.
13553	9057	6321	4938	4415	3666	2522	969	295	20. Diseases of Joints.
1911	1601	1478	1805	2383	2768	3097	2778	1647	21. Diseases of Skin.
—	—	—	—	—	—	—	—	—	22. Childbirth and Metria.
4066	6499	8885	11823	13441	11030	4981	1715	516	23. Suicide.
124837	100944	95483	80476	62789	41257	22726	13613	10028	24. Other Violent Deaths.
25915	23738	27113	36209	49510	86839	214463	483207	726146	25. Other Causes.

AGES OF FEMALES.									
1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	TOTAL DEATHS.
10943	10688	6849	3071	1529	524	174	64	68	1. Small-pox.
1967	1172	789	312	158	65	10	17	—	2. Measles.
20851	9249	4820	2570	1220	537	185	64	—	3. Scarlatina.
5930	2178	1503	980	666	334	190	87	51	4. Diphtheria.
321	51	67	36	24	13	5	12	—	5. Whooping-cough.
138904	91507	63132	49128	42600	32865	21814	10685	4395	6. Typhus.
7650	10141	13921	15175	17726	24171	30768	31869	24257	7. Diarrhœa and Dysentery.
7139	9860	13354	15466	13392	10115	6012	2931	1277	8. Cholera.
22993	20115	20568	22923	25040	25290	26411	19820	12726	9. Other Zymotic Diseases.
2462	3465	14164	48737	84107	68597	40085	17519	7802	10. Cancer.
25528	15529	12114	8764	7132	5035	2496	850	238	11. Scrofula and Tabes.
476031	502758	461025	343750	205261	88251	27867	5614	1635	12. Phthisis.
4109	981	640	370	317	203	118	58	—	13. Hydrocephalus.
55267	50894	53614	71775	110637	141359	151818	111852	56844	14. Diseases of Brain.
47720	45760	60719	92019	135828	168784	152003	85835	32280	15. Diseases of Heart, and Dropsy.
46248	48397	58670	86326	135694	186139	187799	131371	75275	16. Diseases of Lungs.
41571	47581	57389	77170	105780	109862	79992	36904	12827	17. Diseases of Stomach and Liver.
5857	8090	10982	12460	13970	11738	8262	3498	1261	18. Diseases of Kidneys.
2025	5401	9849	17158	19105	11470	5377	1902	545	19. Diseases of Generative Organs.
8320	4548	4416	4647	4089	3424	2055	752	290	20. Diseases of Joints.
1107	955	1254	1786	2021	2769	3255	2376	1397	21. Diseases of Skin.
19467	71799	89302	74440	4659	—	—	—	—	22. Childbirth and Metria.
4109	3618	3553	4066	5507	3136	1481	376	187	23. Suicide.
17062	11045	9235	10434	12505	10992	10763	13425	13849	24. Other Violent Deaths.
26419	24218	28071	36437	51033	94327	241060	522119	752796	25. Other Causes.

TABLE 5.—**England, 1861-70.—Number of Deaths from different Causes at**

CAUSES OF DEATH.	Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—
	AGES OF MALES.							
TOTAL DEATHS	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000
1. Small-pox	6708	8335	14633	18690	19909	9031	18390	12642
2. Measles	14822	87870	94011	74327	57664	41925	28232	5839
3. Scarlatina	10993	73407	174867	257220	289622	64861	272230	105006
4. Diphtheria	3301	12614	22282	35210	40244	10350	41478	23966
5. Whooping-cough	34885	73139	66671	50535	36634	46389	15045	1199
6. Typhus	4484	18110	41698	60183	72977	16816	108096	139470
7. Diarrhœa and Dysentery	103218	79621	33866	18626	14685	83379	10318	7412
8. Cholera	3220	3997	4976	5215	6479	3792	9288	9083
9. Other Zymotic Diseases	13058	37695	63184	78043	74816	29028	46428	31889
10. Cancer	28	105	449	941	964	176	992	1789
11. Scrofula and Tabes	29312	47734	37292	25387	23272	33203	34136	48797
12. Phthisis	8548	20547	22404	20189	23586	13527	52925	135695
13. Hydrocephalus	25215	56015	48918	42721	41970	35240	40029	20761
14. Diseases of Brain	199142	97076	84894	75523	71430	155677	73299	75102
15. Diseases of Heart, and Dropsy	3948	5386	8240	10349	14349	5448	28641	56484
16. Diseases of Lungs	156212	215813	163110	122598	98312	164188	67834	44648
17. Diseases of Stomach and Liver	23028	10867	13267	12550	15313	18775	25208	43096
18. Diseases of Kidneys	524	1685	3579	5581	6614	1593	10455	14549
19. Diseases of Generative Organs	59	57	82	112	112	66	58	157
20. Diseases of Joints	415	1130	1978	2934	3610	985	11593	22865
21. Diseases of Skin	3405	1867	1499	1196	1569	2716	1537	3421
22. Childbirth and Metria	—	—	—	—	—	—	—	—
23. Suicide	—	—	—	—	—	—	—	924
24. Other Violent Deaths	12990	18771	36609	47585	55804	20178	73669	168842
25. Other Causes	342485	128159	61491	34285	30065	242657	30119	26364
	AGES OF FEMALES.							
TOTAL DEATHS	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000
1. Small-pox	7646	9441	15198	19073	19648	10211	18091	12396
2. Measles	15611	87114	95895	78848	61293	46182	32777	7100
3. Scarlatina	11529	71531	171823	246296	283588	70992	276575	119179
4. Diphtheria	3119	12868	24819	38447	50250	12262	57758	36950
5. Whooping-cough	46913	97826	93669	75275	55331	65248	23420	2440
6. Typhus	4625	19502	44531	62602	84261	19960	124578	177886
7. Diarrhœa and Dysentery	108671	83575	33970	18041	13302	84394	11572	6525
8. Cholera	3306	3854	4034	4637	6414	3744	9113	7378
9. Other Zymotic Diseases	13557	34647	60066	73941	69717	29966	44604	33360
10. Cancer	37	137	409	969	994	209	898	1686
11. Scrofula and Tabes	29977	46315	34095	23948	21613	33179	27134	38655
12. Phthisis	9323	20966	22572	21709	26356	14929	61422	233102
13. Hydrocephalus	21344	41709	38199	34827	34870	29120	32961	19060
14. Diseases of Brain	185069	91669	81790	74465	65494	140474	69555	70904
15. Diseases of Heart, and Dropsy	4219	5470	7027	9243	11834	5504	27001	63903
16. Diseases of Lungs	146210	210929	164316	127888	104903	158819	70922	48969
17. Diseases of Stomach and Liver	19048	10412	10877	12562	15809	15716	24440	33994
18. Diseases of Kidneys	428	1434	2329	3510	3839	1226	6225	9798
19. Diseases of Generative Organs	26	132	133	111	45	67	61	674
20. Diseases of Joints	432	1037	1624	2382	3523	974	7898	15827
21. Diseases of Skin	3515	1881	1828	1382	1513	2739	1214	2459
22. Childbirth and Metria	—	—	—	—	—	—	—	59
23. Suicide	—	—	—	—	—	—	10	734
24. Other Violent Deaths	14794	15445	25912	31984	34034	18243	40635	29215
25. Other Causes	350601	132076	64284	37860	31369	235842	31226	27747

The Table may be read thus:—Of 1,000,000 deaths of males aged 25 and under 35, on an average of the Ten Years 1861-70, 13,788

xteen Ages to **1,000,000 Deaths** at the same Ages from **All Causes.**

AGES OF MALES.									CAUSES OF DEATH.
15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.	
000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	TOTAL DEATHS.
14828	21386	13788	7295	3555	1449	573	199	116	1. Small-pox.
1526	849	399	301	104	45	9	6	23	2. Measles.
24125	9444	4799	1697	808	231	77	54	23	3. Scarlatina.
9393	4113	2464	1497	1137	916	487	223	93	4. Diphtheria.
175	52	27	56	23	20	14	—	—	5. Whooping-cough.
127779	97335	71162	58887	47140	35113	22032	10292	4383	6. Typhus.
5388	5849	7283	7821	10082	14933	21755	26170	22473	7. Diarrhœa and Dysentery.
4529	4844	6742	7364	7526	5764	3603	1745	557	8. Cholera.
25524	15655	16394	17708	17775	18585	17638	13181	8535	9. Other Zymotic Diseases.
3179	3212	6140	15260	28129	36607	28142	15631	7421	10. Cancer.
31007	19872	12908	7220	5569	4250	2352	638	232	11. Scrofula and Tabes.
355144	459467	413520	309348	201416	99937	30344	4761	1090	12. Phthisis.
3210	1005	521	257	110	70	50	12	—	13. Hydrocephalus.
60234	52343	71087	99639	117110	141377	164170	133800	70966	14. Diseases of Brain.
50619	40788	67168	91592	114092	138832	138389	88634	36527	15. Diseases of Heart, and Dropsy.
51191	61822	86859	127867	182625	229941	227696	171887	109140	16. Diseases of Lungs.
38620	33137	45399	67641	89160	92674	74003	36547	14959	17. Diseases of Stomach and Liver.
16195	16164	24003	30119	34333	38760	43441	34386	18205	18. Diseases of Kidneys.
175	274	339	582	531	473	464	259	185	19. Diseases of Generative Organs.
16608	10471	7101	5654	5159	4552	3030	1433	487	20. Diseases of Joints.
2813	2193	1909	2142	2984	3375	3544	2540	1878	21. Diseases of Skin.
—	—	—	—	—	—	—	—	—	22. Childbirth and Metria.
4450	6972	9348	12129	13666	11377	5345	1745	649	23. Suicide.
134709	113251	100146	84986	67431	45836	24875	14102	11689	24. Other Violent Deaths.
18579	19532	30494	42938	49535	74883	187967	441755	690369	25. Other Causes.

AGES OF FEMALES.									
1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	TOTAL DEATHS.
12049	11981	7235	4146	2028	904	263	120	48	1. Small-pox.
1896	1231	929	474	180	50	22	10	—	2. Measles.
23690	13248	7510	2729	787	353	107	42	—	3. Scarlatina.
9146	5195	2925	1845	1381	788	356	151	64	4. Diphtheria.
467	112	56	26	7	11	9	—	—	5. Whooping-cough.
137572	90762	66208	58658	50433	34518	19593	9257	3284	6. Typhus.
5164	7407	10067	10540	11858	17380	23974	27064	23264	7. Diarrhœa and Dysentery.
3880	5208	7441	8402	7480	5575	3446	1632	918	8. Cholera.
20524	14553	12836	13354	15361	17248	16213	12005	7261	9. Other Zymotic Diseases.
2597	4101	16853	55903	98871	82809	47788	21153	9563	10. Cancer.
25863	16144	10909	8142	6926	4351	2093	735	161	11. Scrofula and Tabes.
469666	498366	452089	324045	183215	74340	21080	3534	918	12. Phthisis.
3355	1056	437	240	153	77	36	10	—	13. Hydrocephalus.
58962	51017	56821	77294	116761	144550	158410	127004	67749	14. Diseases of Brain.
51522	48954	65141	98992	139849	171453	160396	92570	32812	15. Diseases of Heart, and Dropsy.
46242	48171	63270	93930	149578	211540	222986	164894	99144	16. Diseases of Lungs.
34645	40652	52504	75527	101540	107270	80134	41289	16502	17. Diseases of Stomach and Liver.
9569	12863	16192	20215	20299	18301	12290	5468	2367	18. Diseases of Kidneys.
2538	5742	10216	16395	19631	12274	6198	2132	660	19. Diseases of Generative Organs.
11247	6550	5270	4965	5112	3987	2640	1131	403	20. Diseases of Joints.
1430	2212	2457	2560	3043	3402	3291	2497	1417	21. Diseases of Skin.
24346	79490	95104	73825	3850	—	—	—	—	22. Childbirth and Metria.
4580	3940	3568	4373	5332	3115	1403	537	177	23. Suicide.
17607	10974	10379	11541	12885	11342	10811	14074	14957	24. Other Violent Deaths.
21443	20071	23583	31879	43140	74362	206461	472691	718331	25. Other Causes.

were from small-pox, 71,162 from typhus, 413,520 from phthisis, 86,859 from diseases of the lungs, and so on for the other diseases.

TABLE 6.—**ENGLAND, 1851–70.—Mean Number of Deaths from different**

This TABLE is deduced from Tables 4. and 5. by taking the means of

CAUSES OF DEATH.	AGES OF MALES.							
	Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–
TOTAL DEATHS	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000
1. Small-pox	8241	12214	19327	23734	25500	11740	25095	13498
2. Measles	14246	84139	91193	74264	58581	40616	29482	6189
3. Scarlatina	11123	71037	165510	240298	268653	62186	252774	99716
4. Diphtheria	2616	9828	17281	27198	32349	8149	34112	20688
5. Whooping-cough	34029	72342	65243	51087	37591	45601	15345	1257
6. Typhus	5123	20179	43364	61733	75035	18076	109100	140059
7. Diarrhœa and Dysentery	95132	77354	35284	20390	15730	78126	12136	8818
8. Cholera	3196	4653	6382	7554	8856	4291	11378	10757
9. Other Zymotic Diseases	26311	41032	67624	83144	78912	38759	50399	34237
10. Cancer	91	180	545	877	917	234	1061	1734
11. Scrofula and Tabes	26342	44949	36894	26411	23925	30863	35410	50040
12. Phthisis	10566	23981	25177	22523	26071	15936	57322	146047
13. Hydrocephalus	26460	61760	52902	44990	45416	37739	43273	21172
14. Diseases of Brain	211265	93380	82539	73660	70062	161844	72335	74571
15. Diseases of Heart, and Dropsy	4050	5758	8570	10819	14406	5661	28408	52972
16. Diseases of Lungs	151386	211818	160399	123450	99334	160068	68296	44929
17. Diseases of Stomach and Liver	23259	12179	14617	14463	17920	19533	27732	43981
18. Diseases of Kidneys	451	1284	2677	4230	5158	1250	7976	12133
19. Diseases of Generative Organs	69	65	64	65	56	67	60	149
20. Diseases of Joints	365	978	1773	2536	3433	879	9940	20978
21. Diseases of Skin	3113	1776	1396	960	1381	2487	1498	2712
22. Childbirth and Metria	—	—	—	—	—	—	—	—
23. Suicide	—	—	—	—	—	—	—	948
24. Other Violent Deaths	11939	18897	38379	49551	59490	20106	74608	162671
25. Other Causes	330627	130217	62860	36063	31224	235789	32260	29744

CAUSES OF DEATH.	AGES OF FEMALES.							
TOTAL DEATHS	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000
1. Small-pox	9423	13280	19850	24538	25424	13244	23461	13695
2. Measles	15029	84240	93359	78057	60926	44996	33517	7923
3. Scarlatina	11413	69920	161233	230630	261894	67940	256950	111787
4. Diphtheria	2458	9741	18905	30118	39581	9560	45519	30741
5. Whooping-cough	45991	96483	93044	75619	57585	64527	24479	2618
6. Typhus	5320	21255	46021	65959	86009	21410	126288	175777
7. Diarrhœa and Dysentery	99541	81700	35425	18989	14855	78938	12753	8379
8. Cholera	3257	4294	5198	6611	8092	4170	10879	8577
9. Other Zymotic Diseases	28338	38332	64958	77270	75517	40208	49237	34340
10. Cancer	123	209	598	934	907	288	996	1725
11. Scrofula and Tabes	26922	43369	33693	23829	22192	30722	28607	40459
12. Phthisis	11649	24337	25914	24111	29673	17674	67512	244318
13. Hydrocephalus	22738	46425	41774	38885	38691	31785	36121	19258
14. Diseases of Brain	196886	88968	79435	71723	65314	145772	67901	70703
15. Diseases of Heart, and Dropsy	4350	5494	7180	8976	11734	5592	26264	58873
16. Diseases of Lungs	141714	206618	163391	128765	103440	155109	71489	48253
17. Diseases of Stomach and Liver	19429	11962	13380	14936	17848	16792	26793	36175
18. Diseases of Kidneys	350	1049	1639	2557	2852	916	4535	7913
19. Diseases of Generative Organs	42	165	159	108	35	85	46	535
20. Diseases of Joints	440	932	1448	2160	3153	909	7067	14062
21. Diseases of Skin	3370	1866	1724	1334	1216	2620	1170	1983
22. Childbirth and Metria	—	—	—	—	—	—	—	39
23. Suicide	—	—	—	—	—	—	5	654
24. Other Violent Deaths	13452	15302	27017	35296	40075	18193	45664	30503
25. Other Causes	337765	134059	64655	38595	32987	228550	32747	30710

Causes at Sixteen Ages to **1,000,000 Deaths** at the same Ages from **All Causes.**
the several numbers for the Two Decenniads **1851–60** and **1861–70.**

AGES OF MALES.									CAUSES OF DEATH.
15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.	
1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	TOTAL DEATHS.
15285	20530	13130	6400	3239	1269	490	163	107	1. Small-pox.
1579	855	446	288	112	38	12	6	11	2. Measles.
22946	8490	4436	2057	959	357	113	54	11	3. Scarlatina.
7619	3247	1805	1211	818	640	353	179	95	4. Diphtheria.
169	67	52	31	18	16	17	—	—	5. Whooping-cough.
128056	96800	70714	55424	45257	34457	22978	11078	4563	6. Typhus.
6588	8157	9366	9691	12630	17948	25169	28443	23084	7. Diarrhœa and Dysentery.
6828	7395	10231	10690	9876	7604	4579	2312	831	8. Cholera.
28006	19553	25094	29616	28771	26865	23677	17907	11690	9. Other Zymotic Diseases.
2798	3138	6338	14619	25818	33389	25579	13727	6709	10. Cancer.
32511	21942	14820	8212	6289	4438	2593	736	263	11. Scrofula and Tabes.
356788	459348	417456	315109	207363	103978	33457	5710	1430	12. Phthisis.
3907	1193	630	412	248	165	86	46	—	13. Hydrocephalus.
59812	51066	68871	97092	113957	137081	157327	125151	67386	14. Diseases of Brain.
49379	40021	60444	85952	109906	136335	135884	86619	35383	15. Diseases of Heart, and Dropsy.
50670	61750	83729	124998	177416	222178	216521	157832	95862	16. Diseases of Lungs.
39306	35019	46950	69457	90920	95476	74022	36158	14534	17. Diseases of Stomach and Liver.
13870	14040	21095	26744	30277	34565	40194	31731	16034	18. Diseases of Kidneys.
112	260	254	447	469	410	374	220	154	19. Diseases of Generative Organs.
15081	9764	6711	5296	4787	4109	2776	1201	391	20. Diseases of Joints.
2362	1897	1693	1973	2683	3071	3320	2659	1763	21. Diseases of Skin.
—	—	—	—	—	—	—	—	—	22. Childbirth and Metria.
4258	6735	9116	11976	13554	11203	5163	1730	582	23. Suicide.
129823	107098	97815	82731	65110	43547	23801	13857	10859	24. Other Violent Deaths.
22247	21635	28804	39574	49523	80861	201215	462481	708258	25. Other Causes.

AGES OF FEMALES.									
1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	TOTAL DEATHS.
11496	11335	7042	3608	1778	714	218	92	58	1. Small-pox.
1931	1201	859	393	169	57	16	13	—	2. Measles.
22271	11249	6165	2649	1003	445	146	53	—	3. Scarlatina.
7538	3686	2214	1412	1023	561	273	119	57	4. Diphtheria.
394	81	61	31	15	12	7	6	—	5. Whooping-cough.
138238	91135	64670	53893	46517	33692	20703	9971	3839	6. Typhus.
6407	8774	11994	12857	14792	20775	27371	29467	23761	7. Diarrhœa and Dysentery.
5509	7534	10398	11934	10436	7845	4729	2281	1097	8. Cholera.
21759	17334	16702	18139	20201	21269	21312	15913	9994	9. Other Zymotic Diseases.
2529	3783	15509	52320	91489	75703	43637	19336	8683	10. Cancer.
25696	15837	11512	8453	7029	4693	2294	792	199	11. Scrofula and Tabes.
472849	500562	456557	333898	194238	81296	24474	4574	1276	12. Phthisis.
3732	1018	538	305	235	140	77	34	—	13. Hydrocephalus.
57115	50956	55218	74535	113699	142955	155114	119428	62297	14. Diseases of Brain.
49621	47357	62930	95506	137839	170119	156200	89203	32546	15. Diseases of Heart, and Dropsy.
46215	48284	60970	90128	142636	198840	205393	148133	87210	16. Diseases of Lungs.
38108	44117	54947	76349	103660	108566	80063	39097	14665	17. Diseases of Stomach and Liver.
7713	10476	13587	16338	17135	15019	10276	4483	1814	18. Diseases of Kidneys.
2281	5571	10032	16776	19368	11872	5787	2017	602	19. Diseases of Generative Organs.
9783	5549	4843	4806	4750	3705	2347	941	346	20. Diseases of Joints.
1268	1583	1855	2173	2532	3085	3273	2436	1407	21. Diseases of Skin.
21907	75645	92203	74133	4254	—	—	—	—	22. Childbirth and Metria.
4344	3779	3560	4219	5420	3125	1442	456	182	23. Suicide.
17335	11009	9807	10987	12695	11167	10787	13750	14403	24. Other Violent Deaths.
23931	22145	25827	34158	47087	84345	223761	497405	735564	25. Other Causes.

TABLE 7.—**Table of Mortality,** derived from the ENGLISH LIFE TABLE, showing of what
The TABLE shows also, according to the English Life Table, the Annual Births being 1,000,000; the
Population of 40,858,184, enjoying

AGES	ALL AGES.	0— (*See* Table 10.)	5—	10—	15—	20—
DEATHS FROM ALL CAUSES	1,000,000	263,182	34,309	17,946	21,813	28,705
TOTAL ZYMOTIC DISEASES—Order 1.*	175,619	87,099	19,256	6,555	4,717	4,554
ZYMOTIC DISEASES—Order 1.*						
1. Small-pox	6,521	3,331	833	244	291	456
2. Measles	12,865	11,507	1,080	127	39	29
3. Scarlatina	30,021	17,959	8,743	1,901	493	283
4. Diphtheria	4,945	2,425	1,364	464	165	100
5. Whooping-cough	15,161	14,424	682	35	6	2
6. Typhus	38,107	5,401	4,036	2,842	2,907	2,696
7. Diarrhœa and Dysentery	34,366	20,344	427	154	141	244
8. Cholera	6,155	1,129	382	173	134	215
9. Other Zymotic Diseases—Order 1.*	27,478	10,579	1,709	615	541	529
FIVE CONSTITUTIONAL DISEASES.						
10. Cancer	21,311	71	35	31	58	100
11. Scrofula and Tabes	14,106	8,115	1,100	811	633	541
12. Phthisis	114,417	4,469	2,139	3,526	9,074	13,785
13. Hydrocephalus	11,252	9,296	1,363	362	84	32
LOCAL DISEASES.						
14. Diseases of the Brain	121,859	40,065	2,406	1,303	1,275	1,464
15. Diseases of the Heart, and Dropsy	76,660	1,507	938	1,005	1,080	1,255
16. Diseases of the Lungs	149,585	41,476	2,397	837	1,056	1,577
17. Diseases of the Stomach and Liver	52,497	4,778	936	717	844	1,137
18. Diseases of the Kidneys	14,910	301	215	179	234	351
19. Diseases of the Generative Organs	3,062	20	2	6	26	85
20. Diseases of the Joints	3,395	243	292	312	270	219
21. Diseases of the Skin	2,512	663	46	42	39	50
22. CHILDBIRTH AND METRIA	6,921	—	—	—	244	1,100
VIOLENT DEATHS.						
23. Suicide	3,479	—	—	14	94	150
24. Other Violent Deaths	30,052	5,175	2,069	1,703	1,580	1,677
25. OTHER CAUSES	198,363	59,904	1,115	543	505	628

The Table may be read vertically thus:—Under 5 years of age 263,182 may be expected to die; 3,331 of Small-pox, namely, 833 of Small-pox, 1,080 of Measles, 8,743 of Scarlatina, &c. The Table, read horizontally, shows at what Typhus; namely, 5,401 under 5 years of age, 4,036 at ages 5—10, 2,842 aged 10—15, 2,907 aged 15—20, 2,696 aged 20—25,

NOTE.—The term "Other Causes" includes the diseases under Class I., Orders 2, 3, and 4, namely, Syphilis, Stricture Worms; Class II., part of Order 1, namely, Gout, Cancrum Oris, and Mortification; Class IV., Order 1, parts of Old Age, Atrophy and Debility; Sudden Deaths and Deaths from Causes not specified are also included.

The numbering of the above heads of diseases will be found useful for comparison with Tables 33-34, where the

* Exclusive of Metria or Puerperal Fever, which in this Table and

Diseases and at what **Ages** 1,000,000 LIVEBORN CHILDREN **may be expected to die.**

Annual Deaths 1,000,000; the Deaths at the respective Ages and of the respective Causes out of a a Mean Life-time of 40·858 years.

25—	35—	45—	55—	65—	75—	85 and upwards.	- - - AGES.
62,052	69,078	81,800	112,086	147,905	122,559	38,565	DEATHS FROM ALL CAUSES.
7,918	7,616	8,101	9,795	11,256	7,229	1,523	TOTAL ZYMOTIC DIS.—Order 1.
							ZYMOTIC DISEASES—Order 1.
624	347	210	113	53	16	3	1. Small-pox.
41	23	11	5	2	1	—	2. Measles.
330	162	80	45	19	6	—	3. Scarlatina.
125	91	74	68	47	19	3	4. Diphtheria.
4	2	2	2	2	—	—	5. Whooping-cough.
4,197	3,777	3,749	3,822	3,233	1,287	160	6. Typhus.
664	776	1,115	2,162	3,883	3,551	905	7. Diarrhœa and Dysentery.
640	781	829	865	688	281	38	8. Cholera.
1,293	1,657	2,031	2,713	3,329	2,068	414	9. Other Zymotic Diseases—Order 1.
							FIVE CONSTITUTIONAL DISEASES.
682	2,290	4,583	5,998	5,122	2,040	301	10. Cancer.
815	576	542	511	361	93	8	11. Scrofula and Tabes.
27,134	22,404	16,468	10,445	4,294	627	52	12. Phthisis.
36	24	20	18	12	5	—	13. Hydrocephalus.
							LOCAL DISEASES.
3,844	5,941	9,313	15,678	23,108	14,974	2,488	14. Diseases of the Brain.
3,829	6,261	10,041	17,081	21,579	10,781	1,303	15. Diseases of the Heart, & Dropsy.
4,479	7,452	13,203	23,659	31,213	18,726	3,510	16. Diseases of the Lungs.
3,165	5,032	7,917	11,400	11,389	4,619	563	17. Diseases of the Stomach & Liver.
1,072	1,495	1,982	2,832	3,785	2,154	310	18. Diseases of the Kidneys.
324	585	750	657	450	141	16	19. Diseases of the Generat. Organs.
357	349	390	438	379	131	15	20. Diseases of the Joints.
110	143	214	344	488	312	61	21. Diseases of the Skin.
2,901	2,516	160	—	—	—	—	22. CHILDBIRTH AND METRIA.
							VIOLENT DEATHS.
391	564	803	826	492	131	14	23. Suicide.
3,301	3,280	3,354	3,155	2,572	1,691	495	24. Other Violent Deaths.
1,694	2,550	3,959	9,249	31,405	58,905	27,906	25. OTHER CAUSES.

11,507 of Measles, 17,959 of Scarlatina, and so on. At 5 and under 10 years of age, 34,309 may be expected to die; ages respectively the several sets of causes prove fatal to life: thus, 38,107 persons may be expected to die of 4,197 aged 25—35, and so on.

of Urethra, Hydrophobia, Glanders, Privation, Want of Breast-milk, Purpura and Scurvy, Alcoholism, Thrush, and Orders 2, 3, and 4, namely, Premature Birth, Cyanosis, Spina Bifida, other Malformations, Teething, Paramenia,

deaths in the 25 years 1848-72 are shown for Males and Females separately for the individual diseases.

in subsequent Tables is returned in conjunction with Childbirth.

TABLE 8.—**Table of Mortality,** derived from the ENGLISH LIFE TABLE, showing of what

The TABLE shows also, according to the English Life Table, the Annual Births being 511,745; the Male Population

AGES	ALL AGES.	0— (*See* Table 11.)	5—	10—	15—	20—
DEATHS FROM ALL CAUSES	511,745	141,387	17,327	8,741	10,682	14,166
TOTAL ZYMOTIC DISEASES—Order 1.	89,192	44,294	9,354	2,930	2,318	2,339
ZYMOTIC DISEASES—Order 1.						
1. Small-pox	3,592	1,691	435	118	163	291
2. Measles	6,569	5,883	511	54	17	12
3. Scarlatina	15,157	9,258	4,380	872	245	120
4. Diphtheria	2,315	1,204	591	181	81	46
5. Whooping-cough	6,777	6,491	266	11	2	1
6. Typhus	19,115	2,673	1,891	1,224	1,368	1,371
7. Diarrhœa and Dysentery	17,554	10,889	210	77	70	116
8. Cholera	3,150	616	197	94	73	105
9. Other Zymotic Diseases—Order 1.	15,023	5,589	873	299	299	277
FIVE CONSTITUTIONAL DISEASES.						
10. Cancer	6,794	35	18	15	30	45
11. Scrofula and Tabes	7,602	4,370	614	438	347	311
12. Phthisis	56,856	2,284	993	1,277	3,811	6,507
13. Hydrocephalus	6,443	5,386	750	185	42	17
LOCAL DISEASES.						
14. Diseases of the Brain	64,762	22,580	1,253	652	639	723
15. Diseases of the Heart, and Dropsy	36,490	816	492	463	528	567
16. Diseases of the Lungs	80,578	22,587	1,183	393	541	875
17. Diseases of the Stomach and Liver	25,955	2,743	481	384	420	496
18. Diseases of the Kidneys	10,906	185	138	106	148	199
19. Diseases of the Generative Organs	130	10	1	1	1	4
20. Diseases of the Joints	1,912	129	172	183	161	138
21. Diseases of the Skin	1,306	348	26	24	25	27
22. CHILDBIRTH AND METRIA	—	—	—	—	—	—
VIOLENT DEATHS.						
23. Suicide	2,606	—	—	8	46	95
24. Other Violent Deaths	22,659	2,921	1,293	1,422	1,387	1,517
25. OTHER CAUSES	97,554	32,699	559	260	238	306

Diseases and at what **Ages** 511,745 **Boys** BORN ALIVE **may be expected to die.**

Annual Deaths 511,745 ; the Deaths at the respective Ages and of the respective Causes out of a of 20,426,138.

25—	35—	45—	55—	65—	75—	85 and upwards.	- - - AGES.
30,592	35,142	44,169	58,785	74,977	58,900	16,877	DEATHS FROM ALL CAUSES.
4,140	4,056	4,491	5,244	5,802	3,542	682	TOTAL ZYMOTIC DIS.—Order 1.
							ZYMOTIC DISEASES—Order 1.
402	225	143	75	37	10	2	1. Small-pox.
14	10	5	2	1	—	—	2. Measles.
136	72	42	21	8	3	—	3. Scarlatina.
55	43	36	38	27	11	2	4. Diphtheria.
2	1	1	1	1	—	—	5. Whooping-cough.
2,163	1,948	1,999	2,026	1,723	652	77	6. Typhus.
287	340	558	1,055	1,887	1,675	390	7. Diarrhœa and Dysentery.
313	376	436	447	343	136	14	8. Cholera.
768	1,041	1,271	1,579	1,775	1,055	197	9. Other Zymotic Dis.—Order 1.
							FIVE CONSTITUTIONAL DISEASES.
194	514	1,140	1,963	1,918	809	113	10. Cancer.
453	289	278	261	194	43	4	11. Scrofula and Tabes.
12,771	11,073	9,159	6,112	2,509	336	24	12. Phthisis.
19	14	11	10	6	3	—	13. Hydrocephalus.
							LOCAL DISEASES.
2,107	3,412	5,034	8,058	11,796	7,871	1,137	14. Diseases of the Brain.
1,849	3,020	4,854	8,014	10,188	5,102	597	15. Diseases of the Heart, & Dropsy.
2,561	4,393	7,836	13,061	16,234	9,296	1,618	16. Diseases of the Lungs.
1,436	2,441	4,016	5,613	5,550	2,130	245	17. Diseases of the Stomach & Liver.
645	940	1,337	2,032	3,036	1,869	271	18. Diseases of the Kidneys.
8	16	21	24	28	13	3	19. Diseases of the Generat. Organs.
205	186	211	241	208	71	7	20. Diseases of the Joints.
52	69	119	180	249	157	30	21. Diseases of the Skin.
—	—	—	—	—	—	—	22. CHILDBIRTH AND METRIA.
							VIOLENT DEATHS.
279	421	599	659	387	102	10	23. Suicide.
2,992	2,907	2,876	2,560	1,785	816	183	24. Other Violent Deaths.
881	1,391	2,187	4,753	15,087	27,240	11,953	25. OTHER CAUSES.

TABLE 9.—**Table of Mortality,** derived from the ENGLISH LIFE TABLE, showing of what
The TABLE shows also, according to the English Life Table, the Annual Births being 488,255; the
Female Population

AGES	ALL AGES.	0— (See Table 11.)	5—	10—	15—	20—
DEATHS FROM ALL CAUSES	488,255	121,795	16,982	9,205	11,131	14,539
TOTAL ZYMOTIC DISEASES—Order 1.	86,427	42,805	9,902	3,625	2,399	2,215
ZYMOTIC DISEASES—Order 1.						
1. Small-pox	2,929	1,640	398	126	128	165
2. Measles	6,356	5,624	569	73	22	17
3. Scarlatina	14,864	8,701	4,363	1 029	248	163
4. Diphtheria	2,630	1,221	773	283	84	54
5. Whooping-cough	8,384	7,933	416	24	4	1
6. Typhus	18,992	2,728	2,145	1,618	1,539	1,325
7. Diarrhœa and Dysentery	16,812	9,455	217	77	71	128
8. Cholera	3,005	513	185	79	61	110
9. Other Zymotic Diseases—Order 1.	12,455	4,990	836	316	242	252
FIVE CONSTITUTIONAL DISEASES.						
10. Cancer	14,517	36	17	16	28	55
11. Scrofula and Tabes	6,504	3,745	486	373	286	230
12. Phthisis	57,561	2,185	1,146	2,249	5,263	7,278
13. Hydrocephalus	4,809	3,910	613	177	42	15
LOCAL DISEASES.						
14. Diseases of the Brain	57,097	17,485	1,153	651	636	741
15. Diseases of the Heart, and Dropsy	40,170	691	446	542	552	688
16. Diseases of the Lungs	69,007	18,889	1,214	444	515	702
17. Diseases of the Stomach and Liver	26,542	2,035	455	333	424	641
18. Diseases of the Kidneys	4,004	116	77	73	86	152
19. Diseases of the Generative Organs	2,932	10	1	5	25	81
20. Diseases of the Joints	1,483	114	120	129	109	81
21. Diseases of the Skin	1,206	315	20	18	14	23
22. CHILDBIRTH AND METRIA	6,921	—	—	—	244	1,100
VIOLENT DEATHS.						
23. Suicide	873	—	—	6	48	55
24. Other Violent Deaths	7,393	2,254	776	281	193	160
25. OTHER CAUSES	100,809	27,205	556	283	267	322

Diseases and at what **Ages** 488,255 **Girls** BORN ALIVE **may be expected to die.**

Annual Deaths 488,255 ; the Deaths at the respective Ages and of the respective Causes out of a of 20,432,046.

25—	35—	45—	55—	65—	75—	85 and upwards.	- - - AGES.
31,460	33,936	37,631	53,301	72,928	63,659	21,688	DEATHS FROM ALL CAUSES.
3,778	3,560	3,610	4,551	5,454	3,687	841	TOTAL ZYMOTIC DIS.—Order 1.
							ZYMOTIC DISEASES—Order 1.
222	122	67	38	16	6	1	1. Small-pox.
27	13	6	3	1	1	—	2. Measles.
194	90	38	24	11	3	—	3. Scarlatina.
70	48	38	30	20	8	1	4. Diphtheria.
2	1	1	1	1	—	—	5. Whooping-cough.
2,034	1,829	1,750	1,796	1,510	635	83	6. Typhus.
377	436	557	1,107	1,996	1,876	515	7. Diarrhœa and Dysentery.
327	405	393	418	345	145	24	8. Cholera.
525	616	760	1,134	1,554	1,013	217	9. Other Zymotic Dis.—Order 1.
							FIVE CONSTITUTIONAL DISEASES.
488	1,776	3,443	4,035	3,204	1,231	188	10. Cancer.
362	287	264	250	167	59	4	11. Scrofula and Tabes.
14,363	11,331	7,309	4,333	1,785	291	28	12. Phthisis.
17	10	9	8	6	2	—	13. Hydrocephalus.
							LOCAL DISEASES.
1,737	2,529	4,279	7,620	11,312	7,603	1,351	14. Diseases of the Brain.
1,980	3,241	5,187	9,067	11,391	5,679	706	15. Diseases of the Heart, & Dropsy.
1,918	3,059	5,367	10,598	14,979	9,430	1,892	16. Diseases of the Lungs.
1,729	2,591	3,901	5,787	5,839	2,489	318	17. Diseases of the Stomach & Liver.
427	555	645	800	749	285	39	18. Diseases of the Kidneys.
316	569	729	633	422	128	13	19. Diseases of the Generat. Organs.
152	163	179	197	171	60	8	20. Diseases of the Joints.
58	74	95	164	239	155	31	21. Diseases of the Skin.
2,901	2,516	160	—	—	—	—	22. CHILDBIRTH AND METRIA.
							VIOLENT DEATHS.
112	143	204	167	105	29	4	23. Suicide.
309	373	478	595	787	875	312	24. Other Violent Deaths.
813	1,159	1,772	4,496	16,318	31,665	15,953	25. OTHER CAUSES.

TABLE **10.—Table** showing out of 1,000,000 LIVEBORN CHILDREN what **Numbers die** of the different **Diseases** in the **first Five Years of Life.**

(This Table is a development of Column 2. of Table 7. It shows the deaths at *each year* of age under 5.)

CHILDREN OF BOTH SEXES.						
AGES	Total under 5 Years.	0—	1—	2—	3—	4—5
DEATHS FROM ALL CAUSES	263,182	149,193	53,680	28,238	18,456	13,315
TOTAL ZYMOTIC DISEASES—Order 1.	87,099	31,266	21,777	14,811	11,050	8,195
ZYMOTIC DISEASES—Order 1.						
1. Small-pox	3,331	1,310	683	553	446	339
2. Measles	11,507	2,181	1,520	2,605	1,405	796
3. Scarlatina	17,959	1,682	3,784	4,614	4,346	3,533
4. Diphtheria	2,425	381	526	511	529	478
5. Whooping-cough	14,424	5,874	4,515	2,232	1,170	633
6. Typhus	5,401	779	1,111	1,261	1,179	1,071
7. Diarrhœa and Dysentery	20,344	14,511	4,266	999	364	204
8. Cholera	1,129	481	210	164	131	113
9. Other Zymotic Diseases—Order 1.	10,579	4,067	2,132	1,872	1,480	1,028
FIVE CONSTITUTIONAL DISEASES.						
10. Cancer	71	16	10	16	17	12
11. Scrofula and Tabes	8,115	3,976	2,372	997	463	307
12. Phthisis	4,469	1,650	1,297	721	430	371
13. Hydrocephalus	9,296	3,710	2,915	1,338	773	560
LOCAL DISEASES.						
14. Diseases of the Brain	40,065	30,637	4,897	2,287	1,342	902
15. Diseases of the Heart, and Dropsy	1,507	625	302	223	183	174
16. Diseases of the Lungs	41,476	21,995	11,234	4,571	2,327	1,349
17. Diseases of the Stomach and Liver	4,778	3,225	648	396	271	238
18. Diseases of the Kidneys	301	61	62	61	63	54
19. Diseases of the Generative Organs	20	9	6	3	2	—
20. Diseases of the Joints	243	60	51	45	43	44
21. Diseases of the Skin	663	483	98	44	21	17
22. CHILDBIRTH AND METRIA	—	—	—	—	—	—
VIOLENT DEATHS.						
23. Suicide	—	—	—	—	—	—
24. Other Violent Deaths	5,175	1,884	920	925	782	664
25. OTHER CAUSES	59,904	49,896	7,091	1,800	689	428

TABLE **11.—Table** showing out of 511,745 MALE CHILDREN, and of 488,255 FEMALE CHILDREN, BORN ALIVE, the **Numbers** of **Male and Female Children** respectively who **die** of the **different Diseases** in the **first Five Years of Life.**

(This Table is a development of Column 2. of Tables 8 and 9.)

SEX - -	MALES.						FEMALES.					
AGES - - -	Total under 5 years.	0—	1—	2—	3—	4—5	Total under 5 years.	0—	1—	2—	3—	4—5
DEATHS FROM ALL CAUSES - -	141,387	83,719	27,521	14,215	9,213	6,719	121,795	65,774	26,159	14,023	9,243	6,596
TOTAL ZYMOTIC DISEASES—Order 1. -	44,294	16,745	10,810	7,267	5,432	4,010	42,805	14,521	10,967	7,544	5,618	4,155
ZYMOTIC DISEASES—Order 1.												
1. Small-pox - - -	1,691	690	336	275	219	171	1,640	620	347	278	227	168
2. Measles - - -	5,883	1,193	2,316	1,296	684	394	5,634	988	2,204	1,309	721	402
3. Scarlatina - - -	9,258	931	1,955	2,353	2,214	1,805	8,701	751	1,829	2,261	2,132	1,728
4. Diphtheria - - -	1,204	219	271	246	251	217	1,221	162	255	265	278	261
5. Whooping-cough -	6,491	2,849	1,991	927	471	253	7,933	3,025	2,524	1,305	699	380
6. Typhus - - -	2,673	429	555	616	569	504	2,728	350	556	645	610	567
7. Diarrhœa & Dysentery	10,889	7,964	2,129	502	188	106	9,455	6,547	2,137	497	176	98
8. Cholera - - -	616	267	128	91	70	60	513	214	112	73	61	53
9. Other Zymotic Dis.—Order 1. - - -	5,589	2,203	1,129	961	766	530	4,990	1,864	1,003	911	714	498
FIVE CONSTITUTIONAL DISEASES.												
10. Cancer - - - -	35	8	5	8	8	6	36	8	5	8	9	6
11. Scrofula and Tabes -	4,370	2,205	1,237	524	243	161	3,745	1,771	1,135	473	220	146
12. Phthisis - - -	2,284	884	660	358	207	175	2,185	766	637	363	223	196
13. Hydrocephalus - -	5,386	2,215	1,700	752	414	305	3,910	1,495	1,215	586	359	255
LOCAL DISEASES.												
14. Diseases of the Brain -	22,580	17,687	2,570	1,173	679	471	17,485	12,950	2,327	1,114	663	431
15. Dis. of the Heart, and Dropsy - - -	816	339	158	122	100	97	691	286	144	101	83	77
16. Diseases of the Lungs -	22,587	12,674	5,829	2,280	1,137	667	18,889	9,321	5,405	2,291	1,190	682
17. Dis. of Stomach & Liver	2,743	1,947	335	208	133	120	2,035	1,278	313	188	138	118
18. Diseases of the Kidneys	185	38	35	38	39	35	116	23	27	23	24	19
19. Dis. of Generat. Organs	10	6	2	1	1	—	10	3	4	2	1	—
20. Diseases of the Joints	129	31	27	25	23	23	114	29	24	20	20	21
21. Diseases of the Skin -	348	261	49	20	9	9	315	222	49	24	12	8
22. CHILDBTH. & METRIA	—	—	—	—	—	—	—	—	—	—	—	—
VIOLENT DEATHS.												
23. Suicide - - -	—	—	—	—	—	—	—	—	—	—	—	—
24. Other Violent Deaths -	2,921	999	520	516	456	400	2,254	885	400	379	326	264
25. OTHER CAUSES - -	32,699	27,680	3,584	893	332	210	27,205	22,216	3,507	907	357	218

TABLE **12.—Table of Mortality,** derived from the ENGLISH LIFE TABLE, showing, out
AT AND AFTER

The Table shows also, according to the English Life Table, the Annual Births being 1,000,000;
12 Ages of 25 Classes of Causes,

AGE x	0	5	10	15	20	25
DEATHS FROM ALL CAUSES at Age x and upwards	1,000,000	736,818	702,509	684,563	662,750	634,045
TOTAL ZYMOTIC DISEASES—Order 1.	175,619	88,520	69,264	62,709	57,992	53,438
ZYMOTIC DISEASES—Order 1.						
1. Small-pox	6,521	3,190	2,357	2,113	1,822	1,366
2. Measles	12,865	1,358	278	151	112	83
3. Scarlatina	30,021	12,062	3,319	1,418	925	642
4. Diphtheria	4,945	2,520	1,156	692	527	427
5. Whooping-cough	15,161	737	55	20	14	12
6. Typhus	38,107	32,706	28,670	25,828	22,921	20,225
7. Diarrhœa and Dysentery	34,366	14,022	13,595	13,441	13,300	13,056
8. Cholera	6,155	5,026	4,644	4,471	4,337	4,122
9. Other Zymotic Diseases—Order 1.	27,478	16,899	15,190	14,575	14,034	13,505
FIVE CONSTITUTIONAL DISEASES.						
10. Cancer	21,311	21,240	21,205	21,174	21,116	21,016
11. Scrofula and Tabes	14,106	5,991	4,891	4,080	3,447	2,906
12. Phthisis	114,417	109,948	107,809	104,283	95,209	81,424
13. Hydrocephalus	11,252	1,956	593	231	147	115
LOCAL DISEASES.						
14. Diseases of the Brain	121,859	81,794	79,388	78,085	76,810	75,346
15. Diseases of the Heart, and Dropsy	76,660	75,153	74,215	73,210	72,130	70,875
16. Diseases of the Lungs	149,585	108,109	105,712	104,875	103,819	102,242
17. Diseases of the Stomach and Liver	52,497	47,719	46,783	46,066	45,222	44,085
18. Diseases of the Kidneys	14,910	14,609	14,394	14,215	13,981	13,630
19. Diseases of the Generative Organs	3,062	3,042	3,040	3,034	3,008	2,923
20. Diseases of the Joints	3,395	3,152	2,860	2,548	2,278	2,059
21. Diseases of the Skin	2,512	1,849	1,803	1,761	1,722	1,672
22. CHILDBIRTH AND METRIA	6,921	6,921	6,921	6,921	6,677	5,577
VIOLENT DEATHS.						
23. Suicide	3,479	3,479	3,479	3,465	3,371	3,221
24. Other Violent Deaths	30,052	24,877	22,808	21,105	19,525	17,848
25. OTHER CAUSES	198,363	138,459	137,344	136,801	136,296	135,668

The Table may be read vertically thus:—Of 1,000,000 Persons dying annually at all ages, 6,521 die of Small-pox, fever, 32,706 die at the age of 5 and above that age, 28,670

of 1,000,000 BORN ALIVE, the NUMBER OF **Persons** DYING of the **various Diseases** TWELVE AGES.

the Annual Deaths 1,000,000; the Numbers of Persons dying annually **at and after** each of out of a Population of 40,858,184.

35	45	55	65	75	85	- - - - AGE *x*.
571,993	502,915	421,115	309,029	161,124	38,565	DEATHS FROM ALL CAUSES **at Age** *x* **and upwards.**
45,520	37,904	29,803	20,008	8,752	1,523	TOTAL ZYMOTIC DISEASES—Order 1.
						ZYMOTIC DISEASES—Order 1.
742	395	185	72	19	3	1. Small-pox.
42	19	8	3	1	—	2. Measles.
312	150	70	25	6	—	3. Scarlatina.
302	211	137	69	22	3	4. Diphtheria.
8	6	4	2	—	—	5. Whooping-cough.
16,028	12,251	8,502	4,680	1,447	160	6. Typhus.
12,392	11,616	10,501	8,339	4,456	905	7. Diarrhœa and Dysentery.
3,482	2,701	1,872	1,007	319	38	8. Cholera.
12,212	10,555	8,524	5,811	2,482	414	9. Other Zymotic Diseases—Order 1.
						FIVE CONSTITUTIONAL DISEASES.
20,334	18,044	13,461	7,463	2,341	301	10. Cancer.
2,091	1,515	973	462	101	8	11. Scrofula and Tabes.
54,290	31,886	15,418	4,973	679	52	12. Phthisis.
79	55	35	17	5	—	13. Hydrocephalus.
						LOCAL DISEASES.
71,502	65,561	56,248	40,570	17,462	2,488	14. Diseases of the Brain.
67,046	60,785	50,744	33,663	12,084	1,303	15. Diseases of the Heart, and Dropsy.
97,763	90,311	77,108	53,449	22,236	3,510	16. Diseases of the Lungs.
40,920	35,888	27,971	16,571	5,182	563	17. Diseases of the Stomach and Liver.
12,558	11,063	9,081	6,249	2,464	310	18. Diseases of the Kidneys.
2,599	2,014	1,264	607	157	16	19. Diseases of the Generative Organs.
1,702	1,353	963	525	146	15	20. Diseases of the Joints.
1,562	1,419	1,205	861	373	61	21. Diseases of the Skin.
2,676	160	—	—	—	—	22. CHILDBIRTH AND METRIA.
						VIOLENT DEATHS.
2,830	2,266	1,463	637	145	14	23. Suicide.
14,547	11,267	7,913	4,758	2,186	495	24. Other Violent Deaths.
133,974	131,424	127,465	118,216	86,811	27,906	25. OTHER CAUSES.

12,865 of Measles, 30,021 of Scarlatina, &c. The Table, read horizontally, shows that of 38,107 Persons who die of at age 10 and upwards, 25,828 at age 15 and upwards, and so on.

TABLE **13.—Table of Mortality,** derived from the ENGLISH LIFE TABLE, showing,
AT AND AFTER

The TABLE shows also, according to the English Life Table, the Annual Births being 511,745;
12 Ages, of 25 Classes of Causes, out

AGE x	0	5	10	15	20	25
DEATHS FROM ALL CAUSES **at Age x and upwards**	511,745	370,358	353,031	344,290	333,608	319,442
TOTAL ZYMOTIC DISEASES—Order 1.	89,192	44,898	35,514	32,614	30,296	27,957
ZYMOTIC DISEASES—Order 1.						
1. Small-pox	3,592	1,901	1,466	1,348	1,185	894
2. Measles	6,509	626	115	61	44	32
3. Scarlatina	15,157	5,899	1,519	617	402	282
4. Diphtheria	2,315	1,111	520	339	258	212
5. Whooping-cough	6,777	286	20	9	7	6
6. Typhus	19,115	16,442	14,551	13,327	11,959	10,588
7. Diarrhœa and Dysentery	17,554	6,665	6,455	6,378	6,308	6,192
8. Cholera	3,150	2,534	2,337	2,243	2,170	2,065
9. Other Zymotic Diseases—Order 1.	15,023	9,434	8,561	8,262	7,963	7,686
FIVE CONSTITUTIONAL DISEASES.						
10. Cancer	6,794	6,759	6,741	6,726	6,696	6,651
11. Scrofula and Tabes	7,602	3,232	2,618	2,180	1,833	1,522
12. Phthisis	56,856	54,572	53,579	52,302	48,491	41,984
13. Hydrocephalus	6,443	1,057	307	122	80	63
LOCAL DISEASES.						
14. Diseases of the Brain	64,762	42,182	40,929	40,277	39,638	38,915
15. Diseases of the Heart, and Dropsy	36,490	35,674	35,182	34,719	34,191	33,624
16. Diseases of the Lungs	80,578	57,991	56,808	56,415	55,874	54,999
17. Diseases of the Stomach and Liver	25,955	23,212	22,731	22,347	21,927	21,431
18. Diseases of the Kidneys	10,906	10,721	10,583	10,477	10,329	10,130
19. Diseases of the Generative Organs	130	120	119	118	117	113
20. Diseases of the Joints	1,912	1,783	1,611	1,428	1,267	1,129
21. Diseases of the Skin	1,306	958	932	908	883	856
22. CHILDBIRTH AND METRIA	—	—	—	—	—	—
VIOLENT DEATHS.						
23. Suicide	2,606	2,606	2,606	2,598	2,552	2,457
24. Other Violent Deaths	22,659	19,738	18,445	17,023	15,636	14,119
25. OTHER CAUSES	97,554	64,855	64,296	64,036	63,798	63,492

out of 511,745 **Boys** BORN ALIVE, the NUMBERS DYING of the **various Diseases** TWELVE AGES.

the Annual Deaths 511,745; the Numbers of Males dying annually **at and after** each of of a Male Population of 20,426,138.

35	45	55	65	75	85	- - - - AGE *x*.
288,850	253,708	209,539	150,754	75,777	16,877	DEATHS FROM ALL CAUSES **at Age *x* and upwards.**
23,817	19,761	15,270	10,026	4,224	682	TOTAL ZYMOTIC DISEASES—Order 1.
						ZYMOTIC DISEASES—Order 1.
492	267	124	49	12	2	1. Small-pox.
18	8	3	1	—	—	2. Measles.
146	74	32	11	3	—	3. Scarlatina.
157	114	78	40	13	2	4. Diphtheria.
4	3	2	1	—	—	5. Whooping-cough.
8,425	6,477	4,478	2,452	729	77	6. Typhus.
5,905	5,565	5,007	3,952	2,065	390	7. Diarrhœa and Dysentery.
1,752	1,376	940	493	150	14	8. Cholera.
6,918	5,877	4,606	3,027	1,252	197	9. Other Zymotic Diseases—Order 1.
						FIVE CONSTITUTIONAL DISEASES.
6,457	5,943	4,863	2,840	922	113	10. Cancer.
1,069	780	502	241	47	4	11. Scrofula and Tabes.
20,213	18,440	8,981	2,869	360	24	12. Phthisis.
44	30	19	9	3	—	13. Hydrocephalus.
						LOCAL DISEASES.
36,808	33,396	28,362	20,304	8,508	1,137	14. Diseases of the Brain.
31,775	28,755	23,901	15,887	5,699	597	15. Diseases of the Heart, and Dropsy.
52,438	48,045	40,209	27,148	10,914	1,618	16. Diseases of the Lungs.
19,995	17,554	13,538	7,925	2,375	245	17. Diseases of the Stomach and Liver.
9,485	8,545	7,208	5,176	2,140	271	18. Diseases of the Kidneys.
105	89	68	44	16	3	19. Diseases of the Generative Organs.
924	738	527	286	78	7	20. Diseases of the Joints.
804	735	616	436	187	30	21. Diseases of the Skin.
—	—	—	—	—	—	22. CHILDBIRTH AND METRIA.
						VIOLENT DEATHS.
2,178	1,757	1,158	499	112	10	23. Suicide.
11,127	8,220	5,344	2,784	999	183	24. Other Violent Deaths.
62,611	61,220	59,033	54,280	39,193	11,953	25. OTHER CAUSES.

TABLE **14.—Table of Mortality,** derived from the ENGLISH LIFE TABLE, showing
AT AND AFTER

The TABLE shows also, according to the English Life Table, the annual Births being 488,255; 12 Ages, of 25 Classes of Causes, out

AGE x	0	5	10	15	20	25
TOTAL DEATHS **at Age x and upwards**	488,255	366,460	349,478	340,273	329,142	314,603
TOTAL ZYMOTIC DISEASES—Order 1.	86,427	43,622	33,720	30,095	27,696	25,481
ZYMOTIC DISEASES—Order 1.						
1. Small-pox	2,929	1,289	891	765	637	472
2. Measles	6,356	732	163	90	68	51
3. Scarlatina	14,864	6,163	1,800	771	523	360
4. Diphtheria	2,630	1,409	636	353	269	215
5. Whooping-cough	8,384	451	35	11	7	6
6. Typhus	18,992	16,264	14,119	12,501	10,962	9,637
7. Diarrhœa and Dysentery	16,812	7,357	7,149	7,063	6,992	6,864
8. Cholera	3,005	2,492	2,307	2,228	2,167	2,057
9. Other Zymotic Diseases—Order 1.	12,455	7,465	6,629	6,313	6,071	5,819
FIVE CONSTITUTIONAL DISEASES.						
10. Cancer	14,517	14,481	14,464	14,448	14,420	14,365
11. Scrofula and Tabes	6,504	2,759	2,273	1,900	1,614	1,384
12. Phthisis	57,561	55,376	54,230	51,981	46,718	39,440
13. Hydrocephalus	4,809	899	286	109	67	52
LOCAL DISEASES.						
14. Diseases of the Brain	57,097	39,612	38,459	37,808	37,172	36,431
15. Diseases of the Heart, and Dropsy	40,170	39,479	39,033	38,491	37,939	37,251
16. Diseases of the Lungs	69,007	50,118	48,904	48,460	47,945	47,243
17. Diseases of the Stomach and Liver	26,542	24,507	24,052	23,719	23,295	22,654
18. Diseases of the Kidneys	4,004	3,888	3,811	3,738	3,652	3,500
19. Diseases of the Generative Organs	2,932	2,922	2,921	2,916	2,891	2,810
20. Diseases of the Joints	1,483	1,369	1,249	1,120	1,011	930
21. Diseases of the Skin	1,206	891	871	853	839	816
22. CHILDBIRTH AND METRIA	6,921	6,921	6,921	6,921	6,677	5,577
VIOLENT DEATHS.						
23. Suicide	873	873	873	867	819	764
24. Other Violent Deaths	7,393	5,139	4,363	4,082	3,889	3,729
25. OTHER CAUSES	100,809	73,604	73,048	72,765	72,498	72,176

out of 488,255 **Girls** BORN ALIVE, the NUMBERS DYING of the **various Diseases** TWELVE AGES.

the annual Deaths 488,255; the numbers of Females dying annually **at and after** each of of a Female Population of 20,432,046.

35	45	55	65	75	85	- - - AGE *x*.
283,143	249,207	211,576	158,275	85,347	21,688	TOTAL DEATHS **at Age *x* and upwards.**
21,703	18,143	14,533	9,982	4,528	841	TOTAL ZYMOTIC DISEASES—Order 1.
						ZYMOTIC DISEASES—Order 1.
250	128	61	23	7	1	1. Small-pox.
24	11	5	2	1	—	2. Measles.
166	76	38	14	3	—	3. Scarlatina.
145	97	59	29	9	1	4. Diphtheria.
4	3	2	1	—	—	5. Whooping-cough.
7,603	5,774	4,024	2,228	718	83	6. Typhus.
6,487	6,051	5,494	4,387	2,391	515	7. Diarrhœa and Dysentery.
1,730	1,325	932	514	169	24	8. Cholera.
5,294	4,678	3,918	2,784	1,230	217	9. Other Zymotic Diseases—Order 1.
						FIVE CONSTITUTIONAL DISEASES.
13,877	12,101	8,658	4,623	1,419	188	10. Cancer.
1,022	735	471	221	54	4	11. Scrofula and Tabes.
25,077	13,746	6,437	2,104	319	28	12. Phthisis.
35	25	16	8	2	—	13. Hydrocephalus.
						LOCAL DISEASES.
34,694	32,165	27,886	20,266	8,954	1,351	14. Diseases of the Brain.
35,271	32,030	26,843	17,776	6,385	706	15. Diseases of the Heart, and Dropsy.
45,325	42,266	36,899	26,301	11,322	1,892	16. Diseases of the Lungs.
20,925	18,334	14,433	8,646	2,807	318	17. Diseases of the Stomach and Liver.
3,073	2,518	1,873	1,073	324	39	18. Diseases of the Kidneys.
2,494	1,925	1,196	563	141	13	19. Diseases of the Generative Organs.
778	615	436	239	68	8	20. Diseases of the Joints.
758	684	589	425	186	31	21. Diseases of the Skin.
2,676	160	—	—	—	—	22. CHILDBIRTH AND METRIA.
						VIOLENT DEATHS.
652	509	305	138	33	4	23. Suicide.
3,420	3,047	2,569	1,974	1,187	312	24. Other Violent Deaths.
71,363	70,204	68,432	63,936	47,618	15,953	25. OTHER CAUSES.

TABLE **15.—Table** showing out of 1,000,000 CHILDREN BORN ALIVE of BOTH SEXES, of 511,745 **Males and Females** respectively, **dying at and after**

SEX	CHILDREN OF BOTH SEXES.						
AGE x	0	1	2	3	4	0	1
DEATHS FROM ALL CAUSES **at Age** x **and upwards**	1,000,000	850,507	796,827	768,589	750,133	511,745	428,026
TOTAL ZYMOTIC DISEASES—Order 1.	175,619	144,353	122,576	107,765	96,715	89,192	72,447
ZYMOTIC DISEASES—Order 1.							
1. Small-pox	6,521	5,211	4,528	3,975	3,529	3,592	2,902
2. Measles	12,865	10,684	6,164	3,559	2,154	6,509	5,316
3. Scarlatina	30,021	28,339	24,555	19,941	15,595	15,157	14,226
4. Diphtheria	4,945	4,564	4,038	3,527	2,998	2,315	2,096
5. Whooping-cough	15,161	9,287	4,772	2,540	1,370	6,777	3,928
6. Typhus	38,107	37,328	36,217	34,956	33,777	19,115	18,686
7. Diarrhœa and Dysentery	34,366	19,855	15,589	14,590	14,226	17,554	9,590
8. Cholera	6,155	5,674	5,434	5,270	5,139	3,150	2,883
9. Other Zymotic Diseases—Order 1.	27,478	23,411	21,279	19,407	17,927	15,023	12,820
FIVE CONSTITUTIONAL DISEASES.							
10. Cancer	21,311	21,295	21,285	21,269	21,252	6,794	6,786
11. Scrofula and Tabes	14,106	10,130	7,758	6,761	6,298	7,602	5,397
12. Phthisis	114,417	112,767	111,470	110,749	110,319	56,856	55,972
13. Hydrocephalus	11,252	7,542	4,627	3,289	2,516	6,443	4,228
LOCAL DISEASES.							
14. Diseases of the Brain	121,859	91,222	86,325	84,038	82,696	64,762	47,075
15. Diseases of the Heart, and Dropsy	76,660	76,035	75,733	75,510	75,327	36,490	36,151
16. Diseases of the Lungs	149,585	127,590	116,356	111,785	109,458	80,578	67,904
17. Diseases of the Stomach and Liver	52,497	49,272	48,624	48,228	47,957	25,955	24,008
18. Diseases of the Kidneys	14,910	14,849	14,787	14,726	14,663	10,906	10,868
19. Diseases of the Generative Organs	3,062	3,053	3,047	3,044	3,042	130	124
20. Diseases of the Joints	3,395	3,335	3,284	3,239	3,196	1,912	1,881
21. Diseases of the Skin	2,512	2,029	1,931	1,887	1,866	1,306	1,045
22. CHILDBIRTH AND METRIA	6,921	6,921	6,921	6,921	6,921	—	—
VIOLENT DEATHS.							
23. Suicide	3,479	3,479	3,479	3,479	3,479	2,606	2,606
24. Other Violent Deaths	30,052	28,168	27,248	26,323	25,541	22,659	21,660
25. OTHER CAUSES	198,363	148,467	141,376	139,576	138,887	97,554	69,874

MALE CHILDREN, of 488,255 FEMALE CHILDREN SO BORN, the **Numbers of both Sexes,** and of the exact ages 0, 1, 2, 3, and 4 years, of different **Diseases.**

MALES.			FEMALES.					- - - - SEX.
2	3	4	0	1	2	3	4	- - - - AGE *x*.
400,505	386,290	377,077	488,255	422,481	396,322	382,299	373,956	DEATHS FROM ALL CAUSES **at Age *x* and upwards.**
61,637	54,370	48,938	86,427	71,906	60,939	53,395	47,777	TOTAL ZYMOTIC DISEASES—Order 1.
								ZYMOTIC DISEASES—Order 1.
2,566	2,291	2,072	2,929	2,309	1,962	1,684	1,457	1. Small-pox.
3,000	1,704	1,020	6,356	5,368	3,164	1,855	1,134	2. Measles.
12,271	9,918	7,704	14,864	14,113	12,284	10,023	7,891	3. Scarlatina.
1,825	1,579	1,328	2,630	2,468	2,213	1,948	1,670	4. Diphtheria.
1,937	1,010	539	8,384	5,359	2,835	1,530	831	5. Whooping-cough.
18,131	17,515	16,946	18,992	18,642	18,086	17,441	16,831	6. Typhus.
7,461	6,959	6,771	16,812	10,265	8,128	7,681	7,455	7. Diarrhœa and Dysentery.
2,755	2,664	2,594	3,005	2,791	2,679	2,606	2,545	8. Cholera.
11,691	10,730	9,964	12,455	10,591	9,588	8,677	7,963	9. Other Zymotic Diseases—Order 1.
								FIVE CONSTITUTIONAL DISEASES.
6,781	6,773	6,765	14,517	14,509	14,504	14,496	14,487	10. Cancer.
4,160	3,636	3,393	6,504	4,733	3,598	3,125	2,905	11. Scrofula and Tabes.
55,312	54,954	54,747	57,561	56,795	56,158	55,795	55,572	12. Phthisis.
2,528	1,776	1,362	4,809	3,314	2,099	1,513	1,154	13. Hydrocephalus.
								LOCAL DISEASES.
44,505	43,332	42,653	57,097	44,147	41,820	40,706	40,043	14. Diseases of the Brain.
35,993	35,871	35,771	40,170	39,884	39,740	39,639	39,556	15. Diseases of the Heart, and Dropsy.
62,075	59,795	58,658	69,007	59,686	54,281	51,990	50,800	16. Diseases of the Lungs.
23,673	23,465	23,332	26,542	25,264	24,951	24,763	24,625	17. Diseases of the Stomach and Liver.
10,833	10,795	10,756	4,004	3,981	3,954	3,931	3,907	18. Diseases of the Kidneys.
122	121	120	2,932	2,929	2,925	2,923	2,922	19. Diseases of the Generative Organs.
1,854	1,829	1,806	1,483	1,454	1,430	1,410	1,390	20. Diseases of the Joints.
996	976	967	1,206	984	935	911	899	21. Diseases of the Skin.
—	—	—	6,921	6,921	6,921	6,921	6,921	22. CHILDBIRTH AND METRIA.
								VIOLENT DEATHS.
2,606	2,606	2,606	873	873	873	873	873	23. Suicide.
21,140	20,594	20,138	7,393	6,508	6,108	5,729	5,403	24. Other Violent Deaths.
66,290	65,397	65,065	100,809	78,593	75,086	74,179	73,822	25. OTHER CAUSES.

FORMULAS for determining the probability of dying at or after any Age x of any particular Disease specified in Tables 7–15.

[*The symbols must be taken here for that which they are defined to mean; and they must not be confounded with the same symbols having a totally different meaning in other investigations, and most particularly in the Life Table.*]

Let l_x = the numbers to die at and after age x.

s_x = the numbers to die of small-pox according to Tables 7 to 11 in any 1, 5, or 10 years after age x.

S_x = all the numbers to die of small-pox at and after age x. (*See* Tables 12–15.)

m_x = the numbers to die of measles according to the same Tables in any 1, 5, or 10 years after age x.

M_x = all the numbers to die of measles at and after age x.

And in like manner symbols might be used for each of the 25 diseases or groups of diseases.

Some of the uses of the Tables may be thus exemplified by figures taken from the Tables :—

(1.) What is the probability that a liveborn child (A) will die of small-pox in the first five years of life ?

It is $\frac{s_0}{l_0} = \frac{3331}{1000000} = \cdot 003331 = \frac{1}{300}$ nearly. (See Table 7 or 10.)

(2.) What is the probability that A will die at any age of small-pox ?

$\frac{S_0}{l_0} = \frac{6521}{1000000} = \cdot 006521 = \frac{1}{153}$ nearly. (See Table 12.)

(3.) What is the probability that a person aged 20 will die of small-pox ?

$\frac{S_{20}}{l_{20}} = \frac{1822}{662750} = \cdot 00275 = \frac{1}{364}$ nearly. (See Table 12.)

(4.) What is the probability that a person aged 25 will die of phthisis (P) ?

$\frac{P_{25}}{l_{25}} = \frac{81424}{634045} = \cdot 12842 = \frac{1}{8}$ nearly. (See Table 12.) It is, therefore, nearly 1 chance to 7 that the person will die of that disease, and 7 to 1 that he will die of some other cause.

(5.) What is the probability that a woman aged 20 will die of child-birth (c) before she is 25 ? (See Table 9.)

$\frac{c_{20}}{l_{20}} = \frac{1100}{329142} = \cdot 00334 = \frac{1}{299}$ nearly.

(6.) What is the probability that she will eventually die of childbirth after age 20 ? (See Table 14.)

$\frac{C_{20}}{l_{20}} = \frac{6677}{329142} = \cdot 02029 = \frac{1}{49}$ nearly.

The chances are 48 to 1 that she will not die of childbirth.

(7.) What is the probability that a man aged 20 will die a violent death other than by suicide ($= v$) before he is 25? (See Table 8.)

$$\frac{v_{20}}{l_{20}} = \frac{1517}{333608} = \cdot 00455 = \frac{1}{220} \text{ nearly.}$$

(8.) What is the probability that he will eventually die a violent death other than by suicide after age 20? (See Table 13.)

$$\frac{V_{20}}{l_{20}} = \frac{15636}{333608} = \cdot 04687 = \frac{1}{21} \text{ nearly.}$$

(9.) Of what specified disease is a man aged 65 most likely to die?
Disease of lungs. (See Table 13.)

Of the 24 classes specified, the diseases of the lungs (L) are the most fatal; of them 27,148 will die out of 150,754 men living at age 65.

$$\frac{L_{65}}{l_{65}} = \frac{27148}{150754} = \cdot 18008 = \frac{1}{6} \text{ nearly.}$$

The probability of dying of brain disease is

$$\frac{20304}{150754} = \cdot 13468 = \frac{1}{7} \text{ nearly.}$$

The probability of dying of heart disease or dropsy is

$$\frac{15887}{150754} = \cdot 10538 = \frac{1}{9} \text{ nearly.}$$

The probability of dying of old age, debility, and other unclassified diseases is

$$\frac{54280}{150754} = \cdot 36006 = \frac{1}{3} \text{ nearly.}$$

The probabilities that a liveborn child will die of any of the 25 diseases or classes of diseases are as follows:—

Small-pox	·006521	Diseases of Brain	·121859
Measles	·012865	Diseases of Heart & Dropsy	·076660
Scarlatina	·030021	Diseases of Lungs	·149585
Diphtheria	·004945	Dis. of Lungs *and* Phthisis	·264002
Whooping-cough	·015161	Diseases of Stom. & Liver	·052497
Typhus	·038107	Diseases of Kidneys	·014910
Diarrhœa and Dysentery	·034366	Diseases of Gener. Organs	·003062
Cholera	·006155	Diseases of Joints	·003395
Other Zymotic Diseases.—Order I.	·027478	Diseases of Skin	·002512
		Childbirth and Metria	·006921
Cancer	·021311	Suicide	·003479
Scrofula and Tabes	·014106	Other Violent Deaths	·030052
Phthisis	·114417	Other Causes	·198363
Hydrocephalus	·011252		

These probabilities are deduced by simple inspection of Table 12.

The same table shows by inspection what the probability is that a child will die of these causes *after* any specified age; thus, the probability that a liveborn child will die of small-pox after he has attained the age of 20 is $\frac{1822}{1000000} = \cdot 001822 = \frac{1}{549}$ nearly, whereas the chance that a young person now 20 will die of small-pox is, as shown above, $\frac{1822}{662750} = \cdot 00275 = \frac{1}{364}$ nearly.

TABLE **16.—Table of Mortality,** derived from the HEALTHY DISTRICTS LIFE TABLE, showing of

AGES	ALL AGES.	0— (See Table 19.)	5—	10—	15—	20—
DEATHS FROM ALL CAUSES	1,000,000	175,410	29,341	16,677	22,571	28,449
TOTAL ZYMOTIC DISEASES—Order 1.	124,889	49,761	16,351	6,439	4,809	3,952
ZYMOTIC DISEASES—Order 1.						
Small-pox	2,359	602	90	76	121	239
Measles	6,912	5,257	1,065	267	143	30
Scarlatina	21,403	11,373	6,359	1,699	638	398
Diphtheria	10,292	4,184	3,228	1,339	434	208
Whooping-cough	10,234	9,650	534	32	12	6
Typhus	28,146	2,807	2,665	2,299	2,653	2,373
Diarrhœa and Dysentery	21,217	9,354	470	59	154	153
Cholera	2,244	399	182	60	51	98
Other Zymotic Diseases—Order 1.	22,082	6,135	1,758	608	603	447
FIVE CONSTITUTIONAL DISEASES.						
Cancer	27,495	110	74	27	69	61
Scrofula and Tabes	12,655	5,335	977	844	847	642
Phthisis	108,481	2,656	1,573	2,940	8,872	14,499
Hydrocephalus	8,591	6,604	1,353	426	102	36
LOCAL DISEASES.						
Diseases of the Brain	125,473	22,692	1,901	1,333	1,836	1,732
Diseases of the Heart, and Dropsy	105,410	1,304	791	927	1,041	1,167
Diseases of the Lungs	129,618	27,884	2,258	840	1,212	1,372
Diseases of the Stomach and Liver	57,079	4,431	901	589	991	973
Diseases of the Kidneys	21,121	310	260	190	247	379
Diseases of the Generative Organs	3,241	9	6	6	10	49
Diseases of the Joints	3,356	311	169	225	224	191
Diseases of the Skin	2,959	723	62	96	58	42
CHILDBIRTH AND METRIA	7,065	—	—	—	209	1,053
VIOLENT DEATHS.						
Suicide	4,487	—	—	32	114	233
Other Violent Deaths	26,694	4,232	1,619	1,270	1,375	1,462
OTHER CAUSES	231,386	49,048	1,046	499	525	666

NOTE.—The numbers dying at the various Ages from All Causes are derived from the preceding Healthy Districts
the observed deaths from those diseases in 51 of the Healthiest

what **Diseases** and at what **Ages** 1,000,000 Liveborn Children **may be expected to die.**

25—	35—	45—	55—	65—	75—	85 and upwards.	- - - AGES.
59,612	61,921	71,938	109,482	177,391	177,252	69,956	Deaths from All Causes.
5,831	5,161	5,035	7,429	10,309	7,505	2,307	Total Zymotic Dis.—Order 1.
							Zymotic Diseases—Order 1.
346	243	256	264	55	46	27	Small-pox.
42	45	8	30	11	—	14	Measles.
456	251	117	68	44	—	—	Scarlatina.
302	228	141	136	55	23	14	Diphtheria.
—	—	—	—	—	—	—	Whooping-cough.
3,116	2,702	2,306	3,025	2,791	1,268	141	Typhus.
519	471	524	1,104	3,263	3,643	1,503	Diarrhœa and Dysentery.
142	206	233	293	353	173	54	Cholera.
908	1,015	1,156	2,509	3,737	2,352	554	Other Zymotic Dis.—Order 1.
							Five Constitutional Dis.
679	2,218	5,024	7,266	7,808	3,552	607	Cancer.
1,035	736	766	722	551	173	27	Scrofula and Tabes.
27,920	20,625	13,745	10,121	4,754	749	27	Phthisis.
28	22	16	10	—	—	—	Hydrocephalus.
							Local Diseases.
4,160	6,453	10,012	16,701	29,031	24,697	4,925	Diseases of the Brain.
3,813	6,513	10,451	21,018	34,518	21,172	2,725	Diseases of the Heart, & Dropsy.
3,833	5,261	8,234	16,680	30,534	25,389	6,121	Diseases of the Lungs.
2,847	4,003	7,253	12,240	14,553	7,150	1,148	Diseases of the Stomach & Liver.
1,135	1,743	2,319	4,001	5,981	3,730	826	Diseases of the Kidneys.
237	576	778	665	647	174	54	Diseases of the Generat. Organs.
401	353	441	410	431	173	27	Diseases of the Joints.
99	147	191	410	562	484	85	Diseases of the Skin.
2,852	2,692	259	—	—	—	—	Childbirth and Metria.
							Violent Deaths.
396	522	1,022	1,171	763	207	27	Suicide.
2,819	2,593	3,030	2,761	2,796	2,088	649	Other Violent Deaths.
1,527	2,303	3,362	7,877	34,123	80,609	50,401	Other Causes.

Life Table; the numbers dying from each of the 25 classes of causes, at different periods of life, are deduced from Districts of England and Wales during the 10 Years 1861-70.

TABLE **17.—Table of Mortality,** derived from the HEALTHY DISTRICTS LIFE TABLE, **expected**

AGES	ALL AGES.	0— (See Table 20.)	5—	10—	15—	20—
DEATHS FROM ALL CAUSES	511,249	95,040	14,522	7,470	10,341	13,809
TOTAL ZYMOTIC DISEASES—Order 1.	63,607	25,875	7,737	2,620	2,258	1,944
ZYMOTIC DISEASES—Order 1.						
Small-pox	1,514	324	67	30	70	166
Measles	3,514	2,774	484	111	64	18
Scarlatina	10,779	5,817	3,217	835	367	197
Diphtheria	4,478	2,065	1,352	412	169	68
Whooping-cough	4,828	4,584	212	20	6	6
Typhus	14,125	1,411	1,163	885	1,140	1,144
Diarrhœa and Dysentery	11,337	5,312	234	30	81	68
Cholera	1,135	242	67	25	23	25
Other Zymotic Diseases—Order 1.	11,897	3,346	941	272	338	252
FIVE CONSTITUTIONAL DISEASES.						
Cancer	9,350	57	45	15	29	49
Scrofula and Tabes	6,613	2,902	551	427	390	326
Phthisis	52,282	1,224	618	975	3,392	6,631
Hydrocephalus	4,746	3,837	662	171	29	18
LOCAL DISEASES.						
Diseases of the Brain	66,030	12,604	963	568	786	886
Diseases of the Heart, and Dropsy	50,475	656	451	452	471	535
Diseases of the Lungs	70,960	15,212	1,130	342	710	849
Diseases of the Stomach and Liver	28,993	2,600	429	282	460	425
Diseases of the Kidneys	15,382	175	156	80	140	203
Diseases of the Generative Organs	144	5	—	—	6	—
Diseases of the Joints	1,787	168	83	121	134	142
Diseases of the Skin	1,560	421	33	50	35	18
CHILDBIRTH AND METRIA	—	—	—	—	—	—
VIOLENT DEATHS.						
Suicide	3,555	—	—	15	58	172
Other Violent Deaths	20,339	2,362	1,124	1,036	1,245	1,316
OTHER CAUSES	115,426	26,942	540	256	198	295

showing of what **Diseases** and at what **Ages** 511,249 **Boys** BORN ALIVE **may be to die.**

25—	35—	45—	55—	65—	75—	85 and upwards.	- - - AGES.
29,071	30,679	37,919	57,982	92,629	88,991	32,796	DEATHS FROM ALL CAUSES.
2,882	2,570	2,844	4,116	5,481	4,154	1,126	TOTAL ZYMOTIC DIS.—Order 1.
							ZYMOTIC DISEASES—Order 1.
242	169	166	176	44	46	14	Small-pox.
14	15	—	20	—	—	14	Measles.
164	81	50	29	22	—	—	Scarlatina.
149	95	41	68	33	12	14	Diphtheria.
—	—	—	—	—	—	—	Whooping-cough.
1,558	1,278	1,252	1,794	1,628	771	101	Typhus.
185	228	340	527	1,650	2,002	680	Diarrhœa and Dysentery.
93	117	116	156	188	69	14	Cholera.
477	587	879	1,346	1,916	1,254	289	Other Zymotic Dis.—Order 1.
							FIVE CONSTITUTIONAL DIS.
178	448	1,194	2,292	3,178	1,576	289	Cancer.
534	404	323	351	299	92	14	Scrofula and Tabes.
13,272	9,840	7,155	5,968	2,735	472	—	Phthisis.
14	7	8	—	—	—	—	Hydrocephalus.
							LOCAL DISEASES.
2,178	3,583	5,513	8,688	15,206	12,770	2,285	Diseases of the Brain.
1,907	3,253	5,107	9,858	16,247	10,193	1,345	Diseases of the Heart, & Dropsy.
2,192	3,114	5,215	9,605	16,468	13,173	2,950	Diseases of the Lungs.
1,359	2,144	3,465	6,406	7,520	3,325	578	Diseases of the Stomach & Liver.
676	1,013	1,583	2,672	4,829	3,175	680	Diseases of the Kidneys.
21	15	17	10	44	12	14	Diseases of the Generat. Organs.
171	198	182	205	277	92	14	Diseases of the Joints.
43	51	99	224	321	207	58	Diseases of the Skin.
—	—	—	—	—	—	—	CHILDBIRTH AND METRIA.
							VIOLENT DEATHS.
396	485	796	917	631	161	14	Suicide.
2,569	2,298	2,578	2,321	2,171	955	304	Other Violent Deaths.
769	1,256	1,840	4,349	17,222	38,634	23,125	OTHER CAUSES.

TABLE **18.—Table of Mortality,** derived from the HEALTHY DISTRICTS LIFE TABLE, **expected**

AGES	ALL AGES.	0— (*See* Table 20.)	5—	10—	15—	20—
DEATHS FROM ALL CAUSES	488,751	80,370	14,819	9,207	12,230	14,640
TOTAL ZYMOTIC DISEASES—Order 1.	61,282	23,886	8,614	3,819	2,551	2,008
ZYMOTIC DISEASES—Order 1.						
Small-pox	845	278	23	46	51	73
Measles	3,398	2,483	581	156	79	12
Scarlatina	10,624	5,556	3,142	864	271	201
Diphtheria	5,814	2,119	1,876	927	265	140
Whooping-cough	5,406	5,066	322	12	6	—
Typhus	14,021	1,396	1,502	1,414	1,513	1,229
Diarrhœa and Dysentery	9,880	4,042	236	29	73	85
Cholera	1,109	157	115	35	28	73
Other Zymotic Diseases—Order 1.	10,185	2,789	817	336	265	195
FIVE CONSTITUTIONAL DISEASES.						
Cancer	18,145	53	29	12	40	12
Scrofula and Tabes	6,042	2,433	426	417	457	316
Phthisis	56,199	1,432	955	1,965	5,480	7,868
Hydrocephalus	3,845	2,767	691	249	73	18
LOCAL DISEASES.						
Diseases of the Brain	59,443	10,088	938	765	1,050	846
Diseases of the Heart, and Dropsy	54,935	648	340	475	570	572
Diseases of the Lungs	58,658	12,672	1,128	498	502	523
Diseases of the Stomach and Liver	28,086	1,831	472	307	531	548
Diseases of the Kidneys	5,739	135	104	110	107	176
Diseases of the Generative Organs	3,097	4	6	6	34	49
Diseases of the Joints	1,569	143	86	104	90	49
Diseases of the Skin	1,399	302	29	46	23	24
CHILDBIRTH AND METRIA	7,065	—	—	—	209	1,053
VIOLENT DEATHS.						
Suicide	932	—	—	17	56	61
Other Violent Deaths	6,355	1,870	495	174	130	146
OTHER CAUSES	115,960	22,106	506	243	327	371

howing of what **Diseases** and at what **Ages** 488,751 **Girls** BORN ALIVE **may be o die.**

25—	35—	45—	55—	65—	75—	85 and upwards.	- - - AGES.
30,541	31,242	34,019	51,500	84,762	88,261	37,160	DEATHS FROM ALL CAUSES.
2,949	2,591	2,191	3,313	4,828	3,351	1,181	TOTAL ZYMOTIC DIS.—Order 1.
							ZYMOTIC DISEASES—Order 1.
104	74	84	88	11	—	13	Small-pox.
28	30	8	10	11	—	—	Measles.
292	170	67	39	22	—	—	Scarlatina.
153	133	100	68	22	11	—	Diphtheria.
—	—	—	—	—	—	—	Whooping-cough.
1,558	1,424	1,054	1,231	1,163	497	40	Typhus.
334	243	184	577	1,613	1,641	823	Diarrhœa and Dysentery.
49	89	117	137	165	104	40	Cholera.
431	428	577	1,163	1,821	1,098	265	Other Zymotic Dis.—Order 1.
							FIVE CONSTITUTIONAL DIS.
501	1,770	3,830	4,974	4,630	1,976	318	Cancer.
501	332	443	371	252	81	13	Scrofula and Tabes.
14,648	10,785	6,590	4,153	2,019	277	27	Phthisis.
14	15	8	10	—	—	—	Hydrocephalus.
							LOCAL DISEASES.
1,982	2,870	4,499	8,013	13,825	11,927	2,640	Diseases of the Brain.
1,906	3,260	5,344	11,160	18,301	10,979	1,380	Diseases of the Heart, & Dropsy.
1,641	2,147	3,019	7,075	14,066	12,216	3,171	Diseases of the Lungs.
1,488	1,859	3,788	5,834	7,033	3,825	570	Diseases of the Stomach & Liver.
459	730	736	1,329	1,152	555	146	Diseases of the Kidneys.
216	561	761	655	603	162	40	Diseases of the Generat. Organs.
230	155	259	205	154	81	13	Diseases of the Joints.
56	96	92	186	241	277	27	Diseases of the Skin.
2,852	2,692	259	—	—	—	—	CHILDBIRTH AND METRIA.
							VIOLENT DEATHS.
90	37	226	254	132	46	13	Suicide.
250	295	452	440	625	1,133	345	Other Violent Deaths.
758	1,047	1,522	3,528	16,901	41,375	27,276	OTHER CAUSES.

TABLE **19.—Table** showing out of 1,000,000 LIVEBORN CHILDREN what **Numbers die** of the different **Diseases** in the **first Five Years of Life.**

(This Table is a development of Column 2. of Table 16. It shows the deaths at *each year* of age under 5.)

CHILDREN OF BOTH SEXES.						
AGES - - - -	Total under 5 Years.	0 —	1 —	2 —	3 —	4 — 5
DEATHS FROM ALL CAUSES - -	175,410	102,950	30,050	18,850	13,050	10,510
TOTAL ZYMOTIC DISEASES—Order 1.	49,761	16,321	10,924	8,885	7,239	6,392
ZYMOTIC DISEASES—Order 1.						
Small-pox - - - - - - -	602	348	39	57	61	97
Measles - - - - - - -	5,257	988	1,973	1,208	591	497
Scarlatina - - - - - - -	11,373	930	2,160	2,838	2,926	2,519
Diphtheria - - - - - - -	4,184	426	734	890	949	1,185
Whooping-cough - - - -	9,650	4,644	2,703	1,369	562	372
Typhus - - - - - - -	2,807	375	528	620	697	587
Diarrhœa and Dysentery - - -	9,354	6,793	1,513	603	311	134
Cholera - - - - - - -	399	206	75	51	40	27
Other Zymotic Diseases—Order 1. -	6,135	1,611	1,199	1,249	1,102	974
FIVE CONSTITUTIONAL DISEASES.						
Cancer - - - - - - - -	110	8	4	28	31	39
Scrofula and Tabes - - - -	5,335	2,782	1,286	733	305	229
Phthisis - - - - - - -	2,656	856	778	450	325	247
Hydrocephalus - - - - -	6,604	2,501	1,887	988	767	461
LOCAL DISEASES.						
Diseases of the Brain - - -	22,692	16,142	3,251	1,681	949	669
Diseases of the Heart, and Dropsy -	1,304	621	214	163	169	137
Diseases of the Lungs - - -	27,884	16,288	6,244	3,010	1,406	936
Diseases of the Stomach and Liver -	4,431	3,037	469	362	315	248
Diseases of the Kidneys - - -	310	69	61	73	51	56
Diseases of the Generative Organs -	9	—	4	—	5	—
Diseases of the Joints - - -	311	69	70	74	36	62
Diseases of the Skin - - - -	723	534	75	57	41	16
CHILDBIRTH AND METRIA - -	—	—	—	—	—	—
VIOLENT DEATHS.						
Suicide - - - - - - -	—	—	—	—	—	—
Other Violent Deaths - - -	4,232	1,341	813	835	718	525
OTHER CAUSES - - - -	49,048	42,381	3,970	1,511	693	493

ABLE **20.—Table** showing out of 511,249 MALE CHILDREN, and of 488,751 FEMALE CHILDREN, BORN ALIVE, the **Numbers** of **Male and Female Children** respectively who **die** of the **different Diseases** in the **first Five Years of Life.**

(This Table is a development of Column 2. of Tables 17. and 18.)

SEX - -	MALES.						FEMALES.					
AGES - -	Total under 5 years.	0—	1—	2—	3—	4—5	Total under 5 years.	0—	1—	2—	3—	4—5
DEATHS FROM ALL CAUSES - - -	95,040	57,670	15,910	9,530	6,610	5,320	80,370	45,280	14,140	9,320	6,440	5,190
TOTAL ZYMOTIC DISEASES—Order 1. -	25,875	8,841	5,795	4,508	3,557	3,174	23,886	7,480	5,129	4,377	3,682	3,218
ZYMOTIC DISEASES—Order 1.												
Small-pox - - -	324	216	22	29	31	26	278	132	17	28	30	71
Measles - - - -	2,774	535	1,085	640	277	237	2,483	453	888	568	314	260
Scarlatina - - -	5,817	416	1,156	1,485	1,459	1,301	5,556	514	1,004	1,353	1,467	1,218
Diphtheria - - -	2,065	272	388	383	506	516	2,119	154	346	507	443	669
Whooping-cough - -	4,584	2,244	1,292	640	219	189	5,066	2,400	1,411	729	343	183
Typhus - - - -	1,411	204	260	297	329	321	1,396	171	268	323	368	266
Diarrhœa and Dysentery	5,312	3,928	820	291	157	116	4,042	2,865	693	312	154	18
Cholera - - - -	242	127	49	40	5	21	157	79	26	11	35	6
Other Zymotic Diseases, —Order 1. - - -	3,346	899	723	703	574	447	2,789	712	476	546	528	527
FIVE CONSTITUTIONAL DISEASES.												
Cancer - - - -	57	4	—	6	26	21	53	4	4	22	5	18
Scrofula and Tabes - -	2,902	1,587	693	371	146	105	2,433	1,195	593	362	159	124
Phthisis - - - -	1,224	403	393	177	146	105	1,432	453	385	273	179	142
Hydrocephalus - -	3,837	1,481	1,138	537	439	242	2,767	1,020	749	451	328	219
LOCAL DISEASES.												
Diseases of the Brain -	12,604	9,312	1,566	851	496	379	10,088	6,830	1,685	830	453	290
Dis. of the Heart, & Dropsy	656	327	93	74	78	84	648	294	121	89	91	53
Diseases of the Lungs -	15,212	9,269	3,329	1,452	694	468	12,672	7,019	2,915	1,558	712	468
Dis. of Stomach & Liver	2,600	1,811	287	251	151	100	1,831	1,226	182	111	164	148
Diseases of the Kidneys -	175	38	44	51	16	26	135	31	17	22	35	30
Dis. of Generative Organs	5	—	—	—	5	—	4	—	4	—	—	—
Diseases of the Joints -	168	38	31	46	21	32	143	31	39	28	15	30
Diseases of the Skin -	421	301	49	29	26	16	302	233	26	28	15	—
CHILDBIRTH & METRIA	—	—	—	—	—	—	—	—	—	—	—	—
VIOLENT DEATHS.												
Suicide - - - -	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths -	2,362	730	432	451	449	300	1,870	611	381	384	269	225
OTHER CAUSES - -	26,942	23,528	2,060	726	369	268	22,106	18,853	1,910	785	333	225

TABLE **21.—Table of Mortality,** derived from the HEALTHY DISTRICTS LIFE TABLE, TWELVE

The Table shows also, according to the Healthy Districts Life Table, the Annual Births **and after** each of 12 Ages of 25 Classes of

AGE x	0	5	10	15	20	25
DEATHS FROM ALL CAUSES **at Age x and upwards**	1,000,000	824,590	795,249	778,572	756,001	727,552
TOTAL ZYMOTIC DISEASES—Order 1.	124,889	75,128	58,777	52,338	47,529	43,577
ZYMOTIC DISEASES—Order 1.						
Small-pox	2,359	1,757	1,667	1,591	1,470	1,231
Measles	6,912	1,655	590	323	180	150
Scarlatina	21,403	10,030	3,671	1,972	1,334	936
Diphtheria	10,292	6,108	2,880	1,541	1,107	899
Whooping-cough	10,234	584	50	18	6	—
Typhus	28,146	25,339	22,674	20,375	17,722	15,349
Diarrhœa and Dysentery	21,217	11,863	11,393	11,334	11,180	11,027
Cholera	2,244	1,845	1,663	1,603	1,552	1,454
Other Zymotic Diseases—Order 1.	22,082	15,947	14,189	13,581	12,978	12,531
FIVE CONSTITUTIONAL DISEASES.						
Cancer	27,495	27,385	27,311	27,284	27,215	27,154
Scrofula and Tabes	12,655	7,320	6,343	5,499	4,652	4,010
Phthisis	108,481	105,825.	104,252	101,312	92,440	77,941
Hydrocephalus	8,591	1,987	634	214	112	76
LOCAL DISEASES.						
Diseases of the Brain	125,473	102,781	100,880	99,547	97,711	95,979
Diseases of the Heart, and Dropsy	105,410	104,106	103,315	102,388	101,347	100,240
Diseases of the Lungs	129,618	101,734	99,476	98,636	97,424	96,052
Diseases of the Stomach and Liver	57,079	52,648	51,747	51,158	50,167	49,194
Diseases of the Kidneys	21,121	20,811	20,551	20,361	20,114	19,735
Diseases of the Generative Organs	3,241	3,232	3,226	3,220	3,180	3,131
Diseases of the Joints	3,356	3,045	2,876	2,651	2,427	2,236
Diseases of the Skin	2,959	2,236	2,174	2,078	2,020	1,978
CHILDBIRTH AND METRIA	7,065	7,065	7,065	7,065	6,856	5,803
VIOLENT DEATHS.						
Suicide	4,487	4,487	4,487	4,455	4,341	4,108
Other Violent Deaths	26,694	22,462	20,843	19,573	18,198	16,736
OTHER CAUSES	231,386	182,338	181,292	180,793	180,268	179,602

showing out of 1,000,000 BORN ALIVE, the NUMBER of PERSONS DYING **at and after** AGES.

being 1,000,000; the Annual Deaths 1,000,000; the Numbers of Persons dying annually **at** Causes, out of a Population of 48,996,650.

35	45	55	65	75	85	- - - AGE x
667,940	606,019	534,081	424,599	247,208	69,956	DEATHS FROM ALL CAUSES **at Age x and upwards.**
37,746	32,585	27,550	20,121	9,812	2,307	TOTAL ZYMOTIC DISEASES—Order 1.
						ZYMOTIC DISEASES—Order 1.
885	642	392	128	73	27	Small-pox.
108	63	55	25	14	14	Measles.
480	229	112	44	—	—	Scarlatina.
597	369	228	92	37	14	Diphtheria.
—	—	—	—	—	—	Whooping-cough.
12,233	9,531	7,225	4,200	1,409	141	Typhus.
10,508	10,037	9,513	8,409	5,146	1,503	Diarrhœa and Dysentery.
1,312	1,106	873	580	227	54	Cholera.
11,623	10,608	9,152	6,643	2,906	554	Other Zymotic Diseases—Order 1.
						FIVE ZYMOTIC DISEASES.
26,475	24,257	19,233	11,967	4,159	607	Cancer.
2,975	2,239	1,473	751	200	27	Scrofula and Tabes.
50,021	29,396	15,651	5,530	776	27	Phthisis.
48	26	10	—	—	—	Hydrocephalus.
						LOCAL DISEASES.
91,819	85,366	75,354	58,653	20,622	4,925	Diseases of the Brain.
96,427	89,914	79,463	58,445	23,897	2,725	Diseases of the Heart, and Dropsy.
92,219	86,958	78,724	62,044	31,510	6,121	Diseases of the Lungs.
46,347	42,344	35,091	22,851	8,298	1,148	Diseases of the Stomach and Liver.
18,600	16,857	14,538	10,537	4,556	826	Diseases of the Kidneys.
2,894	2,318	1,540	875	228	54	Diseases of the Generative Organs.
1,835	1,482	1,041	631	200	27	Diseases of the Joints.
1,879	1,732	1,541	1,131	569	85	Diseases of the Skin.
2,951	259	—*	—	—	—	CHILDBIRTH AND METRIA.
						VIOLENT DEATHS.
3,712	3,190	2,168	997	234	27	Suicide.
13,917	11,324	8,294	5,533	2,737	649	Other Violent Deaths.
178,075	175,772	172,410	164,533	130,410	50,401	OTHER CAUSES.

TABLE **22.—Table of Mortality,** derived from the HEALTHY DISTRICTS LIFE TABLE, The TABLE shows also, according to the Healthy Districts Life Table, the Annual Births being of 12 Ages, of 25 Classes of Causes, out

AGE x	0	5	10	15	20	25
DEATHS FROM ALL CAUSES at Age x and upwards	511,249	416,209	401,687	394,217	383,876	370,067
TOTAL ZYMOTIC DISEASES—Order 1.	63,607	37,732	29,995	27,375	25,117	23,173
ZYMOTIC DISEASES—Order 1.						
Small-pox	1,514	1,190	1,123	1,093	1,023	857
Measles	3,514	740	256	145	81	63
Scarlatina	10,779	4,962	1,745	910	543	346
Diphtheria	4,478	2,413	1,061	649	480	412
Whooping-cough	4,828	244	32	12	6	—
Typhus	14,125	12,714	11,551	10,666	9,526	8,382
Diarrhœa and Dysentery	11,337	6,025	5,791	5,761	5,689	5,612
Cholera	1,135	893	826	801	778	753
Other Zymotic Diseases—Order 1.	11,897	8,551	7,610	7,338	7,000	6,748
FIVE CONSTITUTIONAL DISEASES.						
Cancer	9,350	9,293	9,248	9,233	9,204	9,155
Scrofula and Tabes	6,613	3,711	3,160	2,733	2,343	2,017
Phthisis	52,282	51,058	50,440	49,465	46,073	39,442
Hydrocephalus	4,746	909	247	76	47	29
LOCAL DISEASES.						
Diseases of the Brain	66,030	53,426	52,463	51,895	51,109	50,223
Diseases of the Heart, and Dropsy	50,475	49,819	49,368	48,916	48,445	47,910
Diseases of the Lungs	70,960	55,748	54,618	54,276	53,566	52,717
Diseases of the Stomach and Liver	28,993	26,393	25,964	25,682	25,222	24,797
Diseases of the Kidneys	15,382	15,207	15,051	14,971	14,831	14,628
Diseases of the Generative Organs	144	139	139	139	133	133
Diseases of the Joints	1,787	1,619	1,536	1,415	1,281	1,139
Diseases of the Skin	1,560	1,139	1,106	1,056	1,021	1,003
CHILDBIRTH AND METRIA	—	—	—	—	—	—
VIOLENT DEATHS.						
Suicide	3,555	3,555	3,555	3,540	3,482	3,310
Other Violent Deaths	20,339	17,977	16,853	15,757	14,512	13,196
OTHER CAUSES	115,426	88,484	87,944	87,688	87,490	87,195

showing, out of 511,249 **Boys** BORN ALIVE, the NUMBERS DYING **at and after** TWELVE AGES. 511,249; the Annual Deaths 511,249; the Numbers of Males dying annually **at and after** each of a Male Population of 24,827,450.

35	45	55	65	75	85	- - - AGE *x*.
340,996	310,317	272,398	214,416	121,787	32,796	DEATHS FROM ALL CAUSES **at Age *x* and upwards.**
20,291	17,721	14,877	10,761	5,280	1,126	TOTAL ZYMOTIC DISEASES—Order 1.
						ZYMOTIC DISEASES—Order 1.
615	446	280	104	60	14	Small-pox.
49	34	34	14	14	14	Measles.
182	101	51	22	—	—	Scarlatina.
263	168	127	59	26	14	Diphtheria.
—	—	—	—	—	—	Whooping-cough.
6,824	5,546	4,294	2,500	872	101	Typhus.
5,427	5,199	4,859	4,332	2,682	680	Diarrhœa and Dysentery.
660	543	427	271	83	14	Cholera.
6,271	5,684	4,805	3,459	1,543	289	Other Zymotic Diseases—Order 1.
						FIVE CONSTITUTIONAL DISEASES.
8,977	8,529	7,335	5,043	1,865	289	Cancer.
1,483	1,079	756	405	106	14	Scrofula and Tabes.
26,170	16,330	9,175	3,207	472	—	Phthisis.
15	8	—	—	—	—	Hydrocephalus.
						LOCAL DISEASES.
48,045	44,462	38,949	30,261	15,055	2,285	Diseases of the Brain.
46,003	42,750	37,643	27,785	11,538	1,345	Diseases of the Heart, and Dropsy.
50,525	47,411	42,196	32,591	16,123	2,950	Diseases of the Lungs.
23,438	21,294	17,829	11,423	3,903	578	Diseases of the Stomach and Liver.
13,952	12,939	11,356	8,684	3,855	680	Diseases of the Kidneys.
112	97	80	70	26	14	Diseases of the Generative Organs.
968	770	588	383	106	14	Diseases of the Joints.
960	909	810	586	265	58	Diseases of the Skin.
—	—	—	—	—	—	CHILDBIRTH AND METRIA.
						VIOLENT DEATHS.
3,004	2,519	1,723	806	175	14	Suicide.
10,627	8,329	5,751	3,430	1,259	304	Other Violent Deaths.
86,426	85,170	83,330	78,981	61,759	23,125	OTHER CAUSES.

TABLE **23.—Table of Mortality,** derived from the HEALTHY DISTRICTS LIFE TABLE, showing,
The TABLE shows also, according to the Healthy Districts Life Table, the annual Births being
each of 12 Ages, of 25 Classes of Causes,

AGE x.	0	5	10	15	20	25
TOTAL DEATHS **at Age x and upwards**	488,751	408,381	393,562	384,355	372,125	357,485
TOTAL ZYMOTIC DISEASES—Order 1.	61,282	37,396	28,782	24,963	22,412	20,404
ZYMOTIC DISEASES—Order 1.						
Small-pox	845	567	544	498	447	374
Measles	3,398	915	334	178	99	87
Scarlatina	10,624	5,068	1,926	1,062	791	590
Diphtheria	5,814	3,695	1,819	892	627	487
Whooping-cough	5,406	340	18	6	—	—
Typhus	14,021	12,625	11,123	9,709	8,196	6,967
Diarrhœa and Dysentery	9,880	5,838	5,602	5,573	5,500	5,415
Cholera	1,109	952	837	802	774	701
Other Zymotic Diseases—Order 1.	10,185	7,396	6,579	6,243	5,978	5,783
FIVE CONSTITUTIONAL DISEASES.						
Cancer	18,145	18,092	18,063	18,051	18,011	17,999
Scrofula and Tabes	6,042	3,609	3,183	2,766	2,309	1,993
Phthisis	56,199	54,767	53,812	51,847	46,367	38,499
Hydrocephalus	3,845	1,078	387	138	65	47
LOCAL DISEASES.						
Diseases of the Brain	59,443	49,355	48,417	47,652	46,602	45,756
Diseases of the Heart, and Dropsy	54,935	54,287	53,947	53,472	52,902	52,330
Diseases of the Lungs	58,658	45,986	44,858	44,360	43,858	43,335
Diseases of the Stomach and Liver	28,086	26,255	25,783	25,476	24,945	24,397
Diseases of the Kidneys	5,739	5,604	5,500	5,390	5,283	5,107
Diseases of the Generative Organs	3,097	3,093	3,087	3,081	3,047	2,998
Diseases of the Joints	1,569	1,426	1,340	1,236	1,146	1,097
Diseases of the Skin	1,399	1,097	1,068	1,022	999	975
CHILDBIRTH AND METRIA	7,065	7,065	7,065	7,065	6,856	5,803
VIOLENT DEATHS.						
Suicide	932	932	932	915	859	798
Other Violent Deaths	6,355	4,485	3,990	3,816	3,686	3,540
OTHER CAUSES	115,960	93,854	93,348	93,105	92,778	92,407

out of 488,751 **Girls** BORN ALIVE, the NUMBERS DYING **at and after** TWELVE AGES. 488,751 ; the annual Deaths 488,751 ; the Numbers of Females dying annually **at and after** out of a Female Population of 24,169,200.

35	45	55	65	75	85	- - - AGE *x*.
326,944	295,702	261,083	210,183	125,421	87,160	TOTAL DEATHS **at Age *x* and upwards.**
17,455	14,864	12,673	9,360	4,532	1,181	TOTAL ZYMOTIC DISEASES—Order 1.
						ZYMOTIC DISEASES—Order 1.
270	196	112	24	13	13	Small-pox.
59	29	21	11	—	—	Measles.
298	128	61	22	—	—	Scarlatina.
334	201	101	33	11	—	Diphtheria.
—	—	—	—	—	—	Whooping-cough.
5,409	3,985	2,931	1,700	537	40	Typhus.
5,081	4,838	4,654	4,077	2,464	823	Diarrhœa and Dysentery.
652	563	446	309	144	40	Cholera.
5,352	4,924	4,347	3,184	1,363	265	Other Zymotic Diseases—Order 1.
						FIVE CONSTITUTIONAL DISEASES.
17,498	15,728	11,898	6,924	2,294	318	Cancer.
1,492	1,160	717	346	94	13	Scrofula and Tabes.
23,851	13,066	6,476	2,323	304	27	Phthisis.
33	18	10	—	—	—	Hydrocephalus.
						LOCAL DISEASES.
43,774	40,904	36,105	28,392	14,567	2,640	Diseases of the Brain.
50,424	47,164	41,820	30,660	12,359	1,380	Diseases of the Heart, and Dropsy.
41,694	39,547	36,528	29,453	15,387	3,171	Diseases of the Lungs.
22,909	21,050	17,202	11,428	4,395	570	Diseases of the Stomach and Liver.
4,648	3,918	3,182	1,853	701	146	Diseases of the Kidneys.
2,782	2,221	1,460	805	202	40	Diseases of the Generative Organs.
867	712	453	248	94	13	Diseases of the Joints.
919	823	731	545	304	27	Diseases of the Skin.
2,951	259	—	—	—	—	CHILDBIRTH AND METRIA.
						VIOLENT DEATHS.
708	671	445	191	59	13	Suicide.
3,290	2,995	2,543	2,103	1,478	345	Other Violent Deaths.
91,649	90,602	89,080	85,552	68,651	27,276	OTHER CAUSES.

TABLE 24.—**Outline LIFE TABLE of the HEALTHY DISTRICTS of ENGLAND AND WALES.**

Age x	l_x			d_x		
	Persons.	Males.	Females.	Persons.	Males.	Females.
0	1,000,000	511,249	488,751	175,410	95,040	80,370
5	824,590	416,209	408,381	29,341	14,522	14,819
10	795,249	401,687	393,562	16,677	7,470	9,207
15	778,572	394,217	384,355	22,571	10,341	12,230
20	756,001	383,876	372,125	28,449	13,809	14,640
25	727,552	370,067	357,485	59,612	29,071	30,541
35	667,940	340,996	326,944	61,921	30,679	31,242
45	606,019	310,317	295,702	71,938	37,919	34,019
55	534,081	272,398	261,683	109,482	57,982	51,500
65	424,599	214,416	210,183	177,391	92,629	84,762
75	247,208	121,787	125,421	177,252	88,991	88,261
85	69,956	32,796	37,160	65,496	30,856	34,640
95	4,460	1,940	2,520	4,440	1,930	2,510
105	20	10	10	20	10	10

Note.—This Life Table is derived from the Healthy Districts Life Table constructed by Dr. Farr and published in 1859 in the "Transactions of the Royal Society," pp. 837–878; the number of children born, and dying at various ages, has been raised to 1,000,000 to render the Table comparable with those of All England, of London, and of Liverpool.

TABLE 25.—**Outline LIFE TABLE for LIVERPOOL DISTRICT.**

AGE x	l_x			d_x		
	PERSONS.	Males.	Females.	PERSONS.	Males.	Females.
0	1,000,000	512,044	487,956	460,370	240,775	219,595
5	539,630	271,269	268,361	41,009	21,444	19,565
10	498,621	249,825	248,796	15,729	8,207	7,522
15	482,892	241,618	241,274	20,124	11,151	8,973
20	462,768	230,467	232,301	28,271	15,817	12,454
25	434,497	214,650	219,847	74,153	38,876	35,277
35	360,344	175,774	184,570	85,151	45,651	39,500
45	275,193	130,123	145,070	90,969	46,090	44,879
55	184,224	84,033	100,191	86,589	42,710	43,879
65	97,635	41,323	56,312	63,480	28,792	34,688
75	34,155	12,531	21,624	28,152	10,757	17,395
85	6,003	1,774	4,229	5,586	1,684	3,902
95	417	90	327	408	89	319
105	9	1	8	9	1	8

The Table may be read thus:—According to the rates of mortality prevailing in the 10 years 1861–70, of a *million* children born alive, 512,044 males, 487,956 females, 462,768 attain the age of 20; 28,271 die in the following 5 years; and 434,497 survive to the age of 25.

TABLE **26.—Table of Mortality,** derived from the preceding LIVERPOOL LIFE TABLE, **expected**

AGES	ALL AGES.	0— (*See* Table 29.)	5—	10—	15—	20—
DEATHS FROM ALL CAUSES	1,000,000	460,370	41,009	15,729	20,124	28,271
TOTAL ZYMOTIC DISEASES—Order 1.*	284,983	171,009	22,032	6,162	5,699	6,821
ZYMOTIC DISEASES—Order 1.*						
Small-pox	8,141	5,175	901	262	287	583
Measles	26,973	25,514	1,272	71	30	34
Scarlatina	38,302	26,818	9,360	1,403	218	184
Diphtheria	4,416	3,395	549	81	100	61
Whooping-cough	34,021	32,551	1,410	50	10	—
Typhus	76,563	9,297	4,907	2,884	4,162	4,724
Diarrhœa and Dysentery	61,446	51,911	960	263	129	273
Cholera	16,489	4,255	1,694	936	436	655
Other Zymotic Diseases—Order 1.*	18,632	12,093	979	212	327	307
FIVE CONSTITUTIONAL DISEASES.						
Cancer	9,992	62	40	10	100	52
Scrofula and Tabes	15,658	11,694	1,537	644	476	350
Phthisis	96,676	5,116	2,428	2,732	7,027	10,914
Hydrocephalus	16,356	14,972	1,126	191	30	—
LOCAL DISEASES.						
Diseases of the Brain	82,251	49,840	2,154	826	823	998
Diseases of the Heart, and Dropsy	41,947	2,038	1,478	1,079	1,050	1,372
Diseases of the Lungs	190,066	79,893	3,790	908	1,139	2,230
Diseases of the Stomach and Liver	27,818	4,874	577	423	565	821
Diseases of the Kidneys	9,744	630	362	182	237	468
Diseases of the Generative Organs	1,502	21	—	—	10	85
Diseases of the Joints	3,552	617	598	463	376	238
Diseases of the Skin	2,325	717	108	50	120	115
CHILDBIRTH AND METRIA	4,127	—	—	—	187	702
VIOLENT DEATHS.						
Suicide	2,009	—	—	20	79	124
Other Violent Deaths	45,184	17,107	2,644	1,434	1,680	2,217
OTHER CAUSES	165,810	101,780	2,135	605	535	764

showing of what **Diseases** and at what **Ages** 1,000,000 LIVEBORN CHILDREN **may be to die.**

25—	35—	45—	55—	65—	75—	85 and upwards.	AGES.
74,153	85,151	90,969	86,589	63,480	28,152	6,003	DEATHS FROM ALL CAUSES.
15,337	19,066	17,064	12,737	6,726	2,041	289	TOTAL ZYMOTIC DIS.—Order 1.
							ZYMOTIC DISEASES—Order 1.
507	319	85	10	12	—	—	Small-pox.
52	—	—	—	—	—	—	Measles.
234	66	19	—	—	—	—	Scarlatina.
70	27	55	12	53	13	—	Diphtheria.
—	—	—	—	—	—	—	Whooping-cough.
10,657	14,322	12,504	8,635	3,681	760	30	Typhus.
882	1,200	1,421	1,903	1,550	766	188	Diarrhœa and Dysentery.
2,178	2,301	1,985	1,186	627	192	44	Cholera.
757	831	995	991	803	310	27	Other Zymotic Dis.—Order 1.
							FIVE CONSTITUTIONAL DIS.
702	1,792	2,876	2,589	1,437	317	15	Cancer.
349	183	197	153	62	13	—	Scrofula and Tabes.
26,046	21,520	13,274	5,617	1,757	230	15	Phthisis.
17	—	—	20	—	—	—	Hydrocephalus.
							LOCAL DISEASES.
3,126	3,703	5,789	6,757	5,873	1,996	366	Diseases of the Brain.
5,016	7,100	8,020	7,855	5,312	1,535	92	Diseases of the Heart, & Dropsy.
8,267	13,967	24,417	29,218	19,037	6,221	988	Diseases of the Lungs.
2,845	4,316	5,531	4,508	2,545	774	39	Diseases of the Stomach & Liver.
1,370	1,641	1,693	1,594	1,167	364	36	Diseases of the Kidneys.
258	430	400	193	78	27	—	Diseases of the Generat. Organs.
436	236	210	291	75	12	—	Diseases of the Joints.
254	165	271	309	149	40	27	Diseases of the Skin.
1,938	1,227	73	—	—	—	—	CHILDBIRTH AND METRIA.
							VIOLENT DEATHS.
333	591	420	278	139	25	—	Suicide.
4,850	4,606	4,314	3,719	1,810	708	95	Other Violent Deaths.
3,009	4,608	6,420	10,751	17,313	13,349	4,041	OTHER CAUSES.

Table **27.—Table of Mortality,** derived from the preceding Liverpool Life Table, **expected**

Ages	All Ages.	0— (See Table 20.)	5—	10—	15—	20—
Deaths from All Causes	512,044	210,775	21,444	8,207	11,151	15,817
Total Zymotic Diseases—Order 1.	143,072	85,468	11,269	2,949	2,927	3,826
Zymotic Diseases—Order 1.						
Small-pox	4,458	2,615	518	120	139	405
Measles	13,754	12,984	713	20	10	9
Scarlatina	20,132	14,184	5,082	610	60	108
Diphtheria	2,315	1,827	235	40	70	36
Whooping-cough	14,710	14,084	596	30	—	—
Typhus	38,493	4,456	2,307	1,369	2,170	2,566
Diarrhœa and Dysentery	31,645	26,821	489	110	90	171
Cholera	7,805	2,195	801	580	219	342
Other Zymotic Diseases—Order 1.	9,760	6,302	528	70	169	189
Five Constitutional Diseases.						
Cancer	2,929	21	20	—	70	18
Scrofula and Tabes	8,407	6,020	938	380	279	198
Phthisis	50,295	2,636	1,280	1,289	3,694	5,753
Hydrocephalus	9,577	8,761	626	140	30	—
Local Diseases.						
Diseases of the Brain	43,602	27,397	1,202	430	438	558
Diseases of the Heart, and Dropsy	20,392	1,072	850	520	537	729
Diseases of the Lungs	95,501	42,356	1,877	410	657	1,350
Diseases of the Stomach and Liver	13,674	2,864	332	240	319	423
Diseases of the Kidneys	6,325	442	244	80	129	189
Diseases of the Generative Organs	77	—	—	—	—	—
Diseases of the Joints	2,099	326	362	290	189	162
Diseases of the Skin	1,238	325	29	20	90	81
Childbirth and Metria	—	—	—	—	—	—
Violent Deaths.						
Suicide	1,564	—	—	10	30	99
Other Violent Deaths	30,413	8,954	1,359	1,119	1,503	1,963
Other Causes	82,879	54,133	1,056	330	259	468

showing of what **Diseases** and at what **Ages** 512,044 **Boys** BORN ALIVE **may be to die.**

25—	35—	45—	55—	65—	75—	85 and upwards.	- - - AGES.
38,876	45,651	46,090	42,710	28,792	10,757	1,774	DEATHS FROM ALL CAUSES.
7,821	9,852	8,557	6,159	3,275	873	96	TOTAL ZYMOTIC DIS.—Order 1.
							ZYMOTIC DISEASES—Order 1.
378	207	54	10	12	—	—	Small-pox.
18	—	—	—	—	—	—	Measles.
79	—	9	—	—	—	—	Scarlatina.
44	18	45	—	—	—	—	Diphtheria.
—	—	—	—	—	—	—	Whooping-cough.
5,525	7,448	6,219	4,173	1,916	344	—	Typhus.
572	648	725	932	720	283	84	Diarrhœa and Dysentery.
792	1,018	988	527	232	111	—	Cholera.
413	513	517	517	395	135	12	Other Zymotic Dis.—Order 1.
							FIVE CONSTITUTIONAL DIS.
185	378	798	901	476	62	—	Cancer.
246	117	145	61	23	—	—	Scrofula and Tabes.
12,915	11,032	7,280	3,352	941	123	—	Phthisis.
—	—	—	20	—	—	—	Hydrocephalus.
							LOCAL DISEASES.
1,636	2,270	2,693	3,312	2,660	922	84	Diseases of the Brain.
2,674	3,963	3,781	3,312	2,230	676	48	Diseases of the Heart, & Dropsy.
4,495	7,178	11,722	14,260	8,304	2,557	335	Diseases of the Lungs.
1,355	2,143	2,674	2,046	1,057	197	24	Diseases of the Stomach & Liver.
836	1,117	1,070	1,074	825	283	36	Diseases of the Kidneys.
—	9	36	20	12	—	—	Diseases of the Generat. Organs.
255	189	127	152	35	12	—	Diseases of the Joints.
194	99	136	182	70	—	12	Diseases of the Skin.
—	—	—	—	—	—	—	CHILDBIRTH AND METRIA.
							VIOLENT DEATHS.
273	432	326	243	139	12	—	Suicide.
4,144	4,053	3,327	2,633	1,138	184	36	Other Violent Deaths.
1,847	2,819	3,418	4,983	7,607	4,856	1,103	OTHER CAUSES.

TABLE **28.—Table of Mortality,** derived from the preceding LIVERPOOL LIFE TABLE, **expected**

AGES	ALL AGES.	0— (*See* Table 20.)	5—	10—	15—	20—
DEATHS FROM ALL CAUSES	487,956	219,595	19,565	7,522	8,973	12,454
TOTAL ZYMOTIC DISEASES—Order 1.	141,911	85,541	10,763	3,213	2,772	2,995
ZYMOTIC DISEASES—Order 1.						
Small-pox	3,683	2,560	383	142	148	178
Measles	13,219	12,530	559	51	20	25
Scarlatina	18,170	12,634	4,278	793	158	76
Diphtheria	2,101	1,568	314	41	30	25
Whooping-cough	19,311	18,467	814	20	10	—
Typhus	38,070	4,841	2,600	1,515	1,992	2,158
Diarrhœa and Dysentery	29,801	25,090	471	153	39	102
Cholera	8,684	2,060	893	356	217	313
Other Zymotic Diseases—Order 1.	8,872	5,791	451	142	158	118
FIVE CONSTITUTIONAL DISEASES.						
Cancer	7,063	41	20	10	30	34
Scrofula and Tabes	7,251	5,674	599	264	197	152
Phthisis	46,381	2,480	1,148	1,443	3,333	5,161
Hydrocephalus	6,779	6,211	500	51	—	—
LOCAL DISEASES.						
Diseases of the Brain	38,649	22,443	952	396	385	440
Diseases of the Heart, and Dropsy	21,555	966	628	559	513	643
Diseases of the Lungs	94,565	37,537	1,913	498	473	880
Diseases of the Stomach and Liver	14,144	2,010	245	183	246	398
Diseases of the Kidneys	3,419	188	118	102	108	279
Diseases of the Generative Organs	1,425	21	—	—	10	85
Diseases of the Joints	1,453	291	236	173	187	76
Diseases of the Skin	1,087	392	79	30	30	34
CHILDBIRTH AND METRIA	4,127	—	—	—	187	702
VIOLENT DEATHS.						
Suicide	445	—	—	10	49	25
Other Violent Deaths	14,771	8,153	1,285	315	177	254
OTHER CAUSES	82,931	47,647	1,079	275	276	296

showing of what **Diseases** and at what **Ages** 487,956 **Girls** BORN ALIVE **may be to die.**

25—	35—	45—	55—	65—	75—	85 and upwards.	- - - AGES.
35,277	39,500	44,879	43,879	34,688	17,395	4,229	DEATHS FROM ALL CAUSES.
7,516	9,214	8,507	6,578	3,451	1,168	193	TOTAL ZYMOTIC DIS.—Order 1.
							ZYMOTIC DISEASES—Order 1.
129	112	31	—	—	—	—	Small-pox.
34	—	—	—	—	—	—	Measles.
155	66	10	—	—	—	—	Scarlatina.
26	9	10	12	53	13	—	Diphtheria.
—	—	—	—	—	—	—	Whooping-cough.
5,132	6,874	6,285	4,462	1,765	416	30	Typhus.
310	552	696	971	830	483	104	Diarrhœa and Dysentery.
1,386	1,283	997	659	395	81	44	Cholera.
344	318	478	474	408	175	15	Other Zymotic Dis.—Order 1.
							FIVE CONSTITUTIONAL DIS.
517	1,414	2,078	1,688	961	255	15	Cancer.
103	66	52	92	39	13	—	Scrofula and Tabes.
13,131	10,488	5,994	2,265	816	107	15	Phthisis.
17	—	—	—	—	—	—	Hydrocephalus.
							LOCAL DISEASES.
1,490	1,433	3,096	3,445	3,213	1,074	282	Diseases of the Brain.
2,342	3,137	4,239	4,543	3,082	859	44	Diseases of the Heart, & Dropsy.
3,772	6,789	12,695	14,958	10,733	3,664	653	Diseases of the Lungs.
1,490	2,173	2,857	2,462	1,488	577	15	Diseases of the Stomach & Liver.
534	524	623	520	342	81	—	Diseases of the Kidneys.
258	421	364	173	66	27	—	Diseases of the Generat. Organs.
181	47	83	139	40	—	—	Diseases of the Joints.
60	66	135	127	79	40	15	Diseases of the Skin.
1,938	1,227	73	—	—	—	—	CHILDBIRTH AND METRIA.
							VIOLENT DEATHS.
60	159	94	35	—	13	—	Suicide.
706	553	987	1,086	672	524	59	Other Violent Deaths.
1,162	1,789	3,002	5,768	9,706	8,993	2,938	OTHER CAUSES.

TABLE **29.—Table** showing out of 1,000,000 LIVEBORN CHILDREN what **Numbers die** of the different **Diseases** in the **first Five Years of Life.**

(This Table is a development of Column 2. of Table 26. It shows the deaths at *each year* of age under 5.)

CHILDREN OF BOTH SEXES.						
AGES	Total under 5 Years.	0—	1—	2—	3—	4—5
DEATHS FROM ALL CAUSES	460,370	233,694	114,655	55,626	33,803	22,592
TOTAL ZYMOTIC DISEASES—Order 1.	171,009	58,717	51,520	28,218	19,563	12,991
ZYMOTIC DISEASES—Order 1.						
Small-pox	5,175	2,028	1,134	875	652	486
Measles	25,514	5,121	10,156	5,553	3,041	1,643
Scarlatina	26,818	2,588	6,202	6,459	6,727	4,842
Diphtheria	3,395	697	1,145	685	568	300
Whooping-cough	32,551	11,163	10,854	5,627	3,101	1,806
Typhus	9,297	1,494	1,998	2,012	1,800	1,993
Diarrhœa and Dysentery	51,911	31,379	15,420	3,351	1,337	424
Cholera	4,255	1,433	875	843	568	536
Other Zymotic Diseases—Order 1.	12,093	2,814	3,736	2,813	1,769	961
FIVE CONSTITUTIONAL DISEASES.						
Cancer	62	—	—	10	32	20
Scrofula and Tabes	11,694	4,343	3,965	1,728	936	722
Phthisis	5,116	1,102	1,623	1,138	705	548
Hydrocephalus	14,972	6,262	4,707	2,244	1,064	695
LOCAL DISEASES.						
Diseases of the Brain	49,840	34,921	7,931	3,625	2,052	1,311
Diseases of the Heart, and Dropsy	2,038	292	521	400	463	362
Diseases of the Lungs	79,893	38,652	23,966	9,947	4,556	2,772
Diseases of the Stomach and Liver	4,874	3,393	718	252	263	248
Diseases of the Kidneys	630	104	104	127	201	94
Diseases of the Generative Organs	21	—	10	11	—	—
Diseases of the Joints	617	125	94	106	147	145
Diseases of the Skin	717	393	198	64	42	20
CHILDBIRTH AND METRIA	—	—	—	—	—	—
VIOLENT DEATHS.						
Suicide	—	—	—	—	—	—
Other Violent Deaths	17,107	11,238	1,749	1,697	1,338	1,085
OTHER CAUSES	101,780	74,152	17,549	6,059	2,441	1,579

TABLE **30.—Table** showing out of 512,044 MALE CHILDREN, and of 487,956 FEMALE CHILDREN, BORN ALIVE, the **Numbers** of **Male and Female Children** respectively who **die** of the **different Diseases** in the **first Five Years of Life.**

(This Table is a development of Column 2. of Tables 27 and 28.)

SEX	MALES.						FEMALES.					
AGES	Total under 5 years.	0—	1—	2—	3—	4—5	Total under 5 years.	0—	1—	2—	3—	4—5
DEATHS FROM ALL CAUSES	240,775	127,542	57,828	27,555	16,564	11,286	219,595	106,152	56,827	28,071	17,239	11,306
TOTAL ZYMOTIC DISEASES—Order 1.	85,468	30,190	25,445	13,772	9,604	6,457	85,541	28,527	26,075	14,446	9,959	6,534
ZYMOTIC DISEASES—Order 1.												
Small-pox	2,615	1,154	523	390	296	252	2,560	874	611	485	356	234
Measles	12,984	2,726	5,210	2,719	1,512	817	12,530	2,395	4,946	2,834	1,529	826
Scarlatina	14,184	1,437	3,243	3,330	3,554	2,620	12,634	1,151	2,959	3,129	3,173	2,222
Diphtheria	1,827	419	607	358	296	147	1,568	278	538	327	272	153
Whooping-cough	14,084	5,149	4,656	2,308	1,195	776	18,467	6,014	6,198	3,319	1,906	1,030
Typhus	4,456	661	1,036	969	857	933	4,841	833	962	1,043	943	1,060
Diarrhœa and Dysentery	26,821	16,463	7,753	1,686	709	210	25,090	14,916	7,667	1,665	628	214
Cholera	2,195	734	471	495	275	220	2,060	699	404	348	293	316
Other Zymotic Diseases—Order 1.	6,302	1,447	1,946	1,517	910	482	5,791	1,367	1,790	1,296	859	479
FIVE CONSTITUTIONAL DISEASES.												
Cancer	21	—	—	—	21	—	41	—	—	10	11	20
Scrofula and Tabes	6,020	2,338	2,092	811	465	314	5,674	2,005	1,873	917	471	408
Phthisis	2,636	650	795	601	317	273	2,480	452	828	537	388	275
Hydrocephalus	8,761	3,754	2,710	1,254	603	440	6,211	2,508	1,997	990	461	255
LOCAL DISEASES.												
Diseases of the Brain	27,397	19,871	4,154	1,844	931	597	22,443	15,050	3,777	1,781	1,121	714
Dis. of the Heart, & Dropsy	1,072	189	262	200	243	178	966	103	259	200	220	184
Diseases of the Lungs	42,356	21,381	12,398	4,984	2,126	1,467	37,537	17,271	11,568	4,963	2,430	1,305
Dis. of Stomach & Liver	2,864	2,108	356	147	127	126	2,010	1,285	362	105	136	122
Diseases of the Kidneys	442	73	63	74	138	94	188	31	41	53	63	—
Dis. of Generative Organs	—	—	—	—	—	—	21	—	10	11	—	—
Diseases of the Joints	326	84	42	53	53	94	291	41	52	53	94	51
Diseases of the Skin	325	157	115	32	11	10	392	236	83	32	31	10
CHILDBIRTH & METRIA	—	—	—	—	—	—	—	—	—	—	—	—
VIOLENT DEATHS.												
Suicide	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Deaths	8,954	5,841	942	875	762	534	8,153	5,397	807	822	576	551
OTHER CAUSES	54,133	40,906	8,454	2,908	1,163	702	47,647	33,246	9,095	3,151	1,278	877

TABLE 31.—**Outline LIFE TABLE for LONDON,** showing out of 1,000,000 LIVEBORN CHILDREN the **Numbers surviving** at the various AGES, and the **Numbers dying** in the INTERVALS of AGE.

AGE x	l_x			d_x		
	PERSONS.	Males.	Females.	PERSONS.	Males.	Females.
0	1,000,000	508,892	491,108	305,518	162,428	143,090
5	694,482	346,464	348,018	30,922	15,858	15,064
10	663,560	330,606	332,954	13,642	6,935	6,707
15	649,918	323,671	326,247	19,368	9,283	10,085
20	630,550	314,388	316,162	24,068	12,675	11,393
25	606,482	301,713	304,769	56,723	31,050	25,673
35	549,759	270,663	279,096	76,266	42,635	33,631
45	473,493	228,028	245,465	93,145	51,645	41,500
55	380,348	176,383	203,965	120,616	62,623	57,993
65	259,732	113,760	145,972	135,561	64,094	71,467
75	124,171	49,666	74,505	97,882	40,541	57,341
85	26,289	9,125	17,164	25,020	8,768	16,252
95	1,269	357	912	1,262	356	906
105	7	1	6	7	1	6

TABLE 32.—**Outline LIFE TABLE for FIFTEEN GREAT TOWNS,** showing out of 1,000,000 LIVEBORN CHILDREN the **Numbers surviving** at the various AGES, and the **Numbers dying** in the INTERVALS of AGE.

[NOTE.—This life table for fifteen great towns is based on facts relating to the following fifteen Registration Districts, viz., Manchester, Salford, Bradford, Birmingham, Sheffield, Leeds, Newcastle-upon-Tyne, Hunslet, Leicester, Gateshead, Bristol, Hull, Exeter, Worcester, and Shrewsbury.]

AGE x	l_x			d_x		
	PERSONS.	Males.	Females.	PERSONS.	Males.	Females.
0	1,000,000	509,337	490,663	345,816	183,774	162,042
5	654,184	325,563	328,621	32,411	16,806	15,605
10	621,773	308,757	313,016	15,894	8,120	7,774
15	605,879	300,637	305,242	21,536	10,905	10,631
20	584,343	289,732	294,611	25,497	13,040	12,457
25	558,846	276,692	282,154	58,697	29,787	28,910
35	500,149	246,905	253,244	73,154	39,059	34,095
45	426,995	207,846	219,149	88,376	47,861	40,515
55	338,619	159,985	178,634	114,244	59,179	55,065
65	224,375	100,806	123,569	125,440	59,830	65,610
75	98,935	40,976	57,959	81,357	34,787	46,570
85	17,578	6,189	11,389	16,849	6,008	10,841
95	729	181	548	724	180	544
105	5	1	4	5	1	4

TABLE 33.—**Years of Life, and Deaths of Males from different**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—
Years of Life -	244,340,279	7,337,777	6,790,164	6,629,157	6,438,281	6,321,932	33,517,311	29,440,764	26,742,273
Total Deaths -	5,729,280	1,487,039	471,403	227,724	147,179	106,195	2,439,540	249,042	126,431
TOTAL ZYMOTIC DISEASES—Order 1. -	1,224,784	282,604	184,820	116,125	86,678	63,799	734,036	134,509	43,292
CLASS I.									
ORDER 1.									
1. Small-pox - - -	73179	14936	6764	5358	4577	3807	35442	9523	2915
2. Measles - - - -	106271	21110	39377	20393	10736	6039	97655	7167	744
3. Scarlatina, including Diphtheria 1848 to 1858	231839	16358	33295	37572	35002	28058	150285	61113	12287
4. Diphtheria, from 1859 -	27645	3091	3795	3147	3261	2784	16078	6577	1991
9. Quinsy - - - -	4513	638	509	362	298	245	2052	520	230
„ Croup - - - -	63754	9673	15205	12939	10490	6997	55304	7941	443
5. Whooping-cough - -	114991	50647	34196	14697	7495	3923	110958	3785	166
6. Typhus - - - -	219569	7409	9202	9682	8903	7808	43004	26358	17449
9. Erysipelas - - -	25249	6781	673	315	186	121	8076	439	435
22. Puerperal Fever (Metria) - - - -	—	—	—	—	—	—	—	—	—
9. Carbuncle - - -	3898	44	7	5	7	2	65	6	12
„ Influenza - - -	16539	3566	994	415	258	142	5375	368	186
7. Dysentery - - -	19683	4721	2003	772	462	293	8251	610	267
„ Diarrhœa - - -	226959	137672	35211	7607	2657	1528	184675	2543	954
8. Cholera - - - -	56344	5087	2817	2121	1745	1530	13300	4824	2488
9. Ague - - - -	2097	60	98	99	75	62	394	199	74
„ Remittent Fever - -	4051	468	515	510	372	248	2113	643	195
„ Rheumatism - -	27405	60	27	52	100	174	413	1821	2433
„ Other *Zymotic* Diseases, from 1860 -	798	283	142	79	54	38	596	72	23
ORDER 2.									
25. Syphilis - - -	15396	11304	685	125	41	12	12167	30	8
„ Stricture of Urethra -	5218	6	—	1	—	3	10	1	7
„ Hydrophobia - -	299	3	4	5	11	12	35	46	43
„ Glanders, from 1858 -	61	—	—	—	—	—	—	—	1
ORDER 3.									
25. Privation - - -	1120	48	21	15	6	4	94	27	22
„ Want of Breast-milk -	13151	12996	151	4	—	—	13151	—	—
„ Purpura and Scurvy -	4909	858	546	268	160	112	1944	340	224
„ Alcoholism - a Del. Trem.	10448	—	—	—	—	—	—	—	—
„ Alcoholism - b Intemp. -	5707	—	—	—	—	—	—	—	3
ORDER 4.									
25. Thrush - - - -	14572	13888	453	82	28	16	14467	16	5
„ Worms, &c., from 1858 -	1134	128	147	212	137	112	736	213	45
CLASS II.									
ORDER 1.									
25. Gout - - - -	6029	—	—	—	—	—	—	1	2
15. Dropsy - - - -	84197	4176	1995	1454	1120	1006	9751	3195	1742
10. Cancer - - - -	53867	146	87	120	130	106	589	265	222
25. Cancrum Oris (Noma) -	1277	211	209	196	182	147	945	187	22
„ Mortification - -	17505	871	172	80	47	39	1209	88	67
ORDER 2.									
11. Scrofula - - -	39440	5769	3335	1569	997	812	12482	3917	3946
„ Tabes Mesenterica -	73479	33506	17961	6735	2892	1737	62831	4823	2210
12. Phthisis - - -	618729	16538	11509	5913	3392	2817	40169	14485	18389
13. Hydrocephalus - -	107002	38951	28949	12155	6737	4889	91681	10958	2755
Multipliers - -	·004	·136	·147	·151	·155	·158	·030	·034	·037

Note.—A supplementary Table of certain causes of death, included under the heads of this Table, will be found in diseases or groups of diseases they are included

Diseases in **England and Wales,** during the Twenty-five Years **1848–72.**

AGES OF MALES.										CAUSES OF DEATH.
15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards.	
24,157,368	21,501,788	35,524,345	27,699,922	21,252,121	14,025,582	7,472,852	2,668,379	325,447	12,127	**Years of Life.**
156,223	189,794	352,623	369,096	395,146	449,267	506,281	391,303	99,315	5,219	**Total Deaths.**
35,477	34,323	50,775	43,497	40,819	40,522	39,685	23,569	4,114	166	TOTAL ZYMOTIC DISEASES—Order 1.
										CLASS I.
										ORDER 1.
3884	6254	7626	4050	2123	885	366	95	14	2	Small-pox.
228	153	157	96	43	18	6	2	2	—	Measles.
3529	1586	1560	782	401	180	77	36	3	—	Scarlatina, including Diphth. 1848 to 1858.
920	471	519	357	280	241	153	52	6	—	Diphtheria from 1859.
232	183	261	244	228	273	205	74	11	—	Quinsy.
23	9	12	8	5	2	4	3	—	—	Croup.
24	12	14	10	8	7	7	—	—	—	Whooping-cough.
19852	18461	24635	20299	17823	15391	11580	4252	455	10	Typhus.
639	672	1580	2156	2766	3208	3112	1841	314	11	Erysipelas.
—	—	—	—	—	—	—	—	—	—	Puerperal Fever (Metria).
57	44	135	337	661	999	970	514	94	4	Carbuncle.
191	215	385	573	909	1666	3157	2873	614	27	Influenza.
293	607	1445	1307	1469	1826	2174	1241	189	4	Dysentery.
837	913	1912	2372	3688	6394	10654	9789	2128	100	Diarrhœa.
1891	2763	6760	6985	6678	5514	3611	1378	146	6	Cholera.
91	120	220	231	231	239	203	84	11	—	Ague.
132	115	186	159	158	137	139	65	8	1	Remittent Fever.
2642	1733	3348	3518	3332	3528	3255	1265	116	1	Rheumatism.
12	12	20	13	16	14	12	5	3	—	Other *Zymotic* Diseases, from 1860.
										ORDER 2.
113	458	1077	758	434	234	92	24	1	—	Syphilis.
19	66	386	737	990	1054	1176	667	100	5	Stricture of Urethra.
29	25	48	33	17	15	6	2	—	—	Hydrophobia.
4	5	9	15	14	10	3	—	—	—	Glanders, from 1858.
										ORDER 3.
21	20	75	168	217	238	180	54	4	—	Privation.
—	—	—	—	—	—	—	—	—	—	Want of Breast-milk.
224	226	383	369	341	361	335	116	16	—	Purpura & Scurvy.
19	284	2429	3787	2477	1084	309	57	2	—	Alcoholism. *a* Del. Trem.
59	172	854	1475	1598	1029	434	81	2	—	Alcoholism. *b* Intemp.
										ORDER 4.
6	2	1	6	5	11	19	20	14	—	Thrush.
10	8	28	34	24	20	13	2	1	—	Worms, &c., from 1858.
										CLASS II.
										ORDER 1.
5	13	84	433	1195	1771	1722	732	68	3	Gout.
1512	1330	3347	5407	8597	13978	20375	13130	1780	53	Dropsy.
418	579	2167	5266	10180	15053	13039	5377	687	25	Cancer.
13	4	8	10	24	22	22	16	4	—	Cancrum Oris (Noma).
103	98	233	466	906	2214	4831	5636	1588	66	Mortification.
										ORDER 2.
3857	3345	4381	2531	2003	1610	1088	253	25	2	Scrofula.
1095	653	602	400	373	313	160	18	1	—	Tabes Mesenterica.
54797	85121	144285	114174	80952	46820	17110	2282	140	5	Phthisis.
684	252	250	179	104	75	45	19	—	—	Hydrocephalus.
·041	·047	·028	·036	·047	·071	·134	·375	3·073	82·461	*Multipliers.*

the Annual Reports of the Registrar General. The Diseases in this Table are numbered so as to show under what in the Life Table series of Tables, Nos. 7 to 15.

TABLE **33.** (*continued.*)—**Years of Life,** and **Deaths of Males** from **different**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—
CLASS III.									
ORDER 1.									
14. Cephalitis	53068	9325	6596	4003	2955	2485	25364	7328	3536
„ Apoplexy	116165	4019	1685	988	758	564	8014	1671	1039
„ Paralysis	116263	105	141	131	141	110	628	372	342
„ Insanity	6677	—	1	2	1	6	10	14	15
„ Chorea	471	7	4	5	5	10	31	85	87
„ Epilepsy	29370	863	449	346	280	270	2208	1128	1477
„ Convulsions	354170	293935	32811	12084	5718	3120	347668	4515	808
„ *Brain Disease, &c.*	63989	4600	2166	1144	899	739	9548	2690	1945
ORDER 2.									
15. Pericarditis	7608	140	75	76	62	90	443	643	617
„ Aneurism	7653	11	2	7	4	1	25	15	20
„ *Heart Disease, &c.*	206966	1607	562	391	373	412	3345	3147	4239
ORDER 3.									
16. Laryngitis	18385	4682	3279	1653	1356	1071	12041	1586	315
„ Bronchitis	380522	87850	36213	12203	5791	3054	145111	4365	1197
„ Pleurisy	13343	534	247	151	153	115	1200	437	334
„ Pneumonia	323823	120293	56368	21036	9841	5663	213201	8914	2907
„ Asthma	58850	162	70	49	25	26	332	90	99
„ *Lung Disease, &c.*	52585	9888	3097	1296	692	475	15448	1270	714
ORDER 4.									
17. Gastritis	8560	1088	298	198	131	136	1851	304	160
„ Enteritis	42246	14049	2898	1363	748	684	19742	2302	1701
„ Peritonitis	15610	1536	325	234	242	261	2598	1357	1371
„ Ascites	6609	135	83	83	84	80	465	303	204
„ Ulceration of Intestines	10571	896	305	140	75	68	1484	258	254
„ Hernia	10724	1033	110	33	18	23	1217	66	64
„ Ileus	14762	2444	179	135	130	121	3009	434	373
„ Intussusception	3632	883	72	54	48	46	1103	149	143
„ Stricture of Intestines	2979	76	11	5	6	7	105	14	28
„ Fistula	1790	12	2	2	3	2	21	6	19
„ *Stomach Disease, &c.**	31034	4432	847	515	336	273	6403	740	371
„ *Pancreas Disease, &c.*	167	3	2	—	2	1	8	3	—
„ Hepatitis	17570	348	109	95	58	45	655	212	204
„ Jaundice	17481	6832	319	309	175	115	7750	230	106
„ *Liver Disease, &c.*	61329	1349	243	190	115	121	2018	500	454
„ *Spleen Disease, &c.*	986	46	91	24	10	12	183	35	28
ORDER 5.									
18. Nephritis	5236	148	166	169	177	150	810	411	172
„ Ischuria	2005	59	16	20	12	11	118	23	21
„ Bright's Dis. (Nephria)	21004	84	176	168	176	160	764	630	467
„ Diabetes	9165	10	18	22	15	18	83	133	253
„ Calculus	4512	13	42	75	87	74	291	188	106
„ Cystitis	6549	48	17	12	18	13	108	60	48
„ *Kidney Disease, &c.*	41967	312	195	172	161	121	961	508	414
ORDER 6.									
19. Ovarian Dropsy	—	—	—	—	—	—	—	—	—
„ *Uterus Disease, &c.*	1131	97	27	12	8	6	150	12	18
ORDER 7.									
20. Synovitis (Arthritis)	1172	23	18	14	20	25	100	107	162
„ *Joint Disease, &c.*	19855	522	436	375	344	332	2009	2317	2450
ORDER 8.									
21. Phlegmon†	12435	2600	631	296	185	171	3883	597	602
„ Ulcer	3989	687	135	47	17	16	902	42	42
„ *Skin Disease, &c.*	4099	2486	424	121	51	34	3110	55	27
Multipliers	·004	·136	·147	·151	·155	·158	·030	·034	·037

* Including deaths from Worms (Class I., Order 4.) 1848-57.

Diseases in England and Wales, during the Twenty-five Years **1848-72.**

AGES OF MALES.										CAUSES OF DEATH.
15—	20—	25—	35—	45—	55—	65—	75—	85—	95 & upwards.	
										CLASS III.
										ORDER 1.
2640	2270	3501	3081	2331	1681	993	319	23	1	Cephalitis.
1459	1841	5557	9732	15896	23302	28128	17076	2386	64	Apoplexy.
530	764	4269	9420	12731	21857	30228	25332	3685	105	Paralysis.
86	181	768	1295	1081	1242	1237	634	112	2	Insanity.
76	26	24	30	29	38	25	17	2	1	Chorea.
2271	2367	4708	4558	3750	2993	2558	1212	135	5	Epilepsy.
188	98	161	175	173	129	154	81	17	3	Convulsions.
1899	1808	4741	7198	8564	10524	10332	4287	434	19	*Brain Disease, &c.*
										ORDER 2.
674	541	965	980	946	894	651	231	22	1	Pericarditis.
56	165	1538	2264	1722	1133	536	165	14	—	Aneurism.
5445	5424	15340	23078	32130	45009	47497	20478	1793	41	*Heart Disease, &c.*
										ORDER 3.
201	253	718	915	943	808	443	143	19	—	Laryngitis.
1462	2271	7797	16393	31755	53276	66622	42616	7403	254	Bronchitis.
560	828	1712	1934	2049	2100	1527	599	63	—	Pleurisy.
4113	5848	12991	16190	18207	18385	15313	6774	940	40	Pneumonia.
208	336	1516	4273	9022	15999	18287	7918	750	20	Asthma.
1127	1754	4036	5272	6695	7345	5898	2678	330	18	*Lung Disease, &c.*
										ORDER 4.
186	212	536	826	1132	1416	1355	530	51	1	Gastritis.
1713	1460	2344	2282	2787	3287	3166	1324	137	1	Enteritis.
1316	1022	1526	1401	1556	1576	1328	515	43	1	Peritonitis.
180	176	546	858	1039	1205	1099	473	60	1	Ascites.
346	454	1004	1279	1668	1859	1490	440	35	—	Ulceration of Intestines.
162	290	608	772	1266	1933	2587	1532	222	5	Hernia.
478	447	859	1064	1476	2224	2644	1546	204	4	Ileus.
179	177	249	286	311	434	418	166	17	—	Intussusception.
30	44	121	216	525	814	795	264	23	—	Stricture of Intestines.
28	54	168	228	343	443	367	106	7	—	Fistula.
397	479	1417	2571	4135	6030	6003	2245	236	7	*Stomach Disease, &c.**
3	5	15	22	42	35	28	6	—	—	*Pancreas Disease, &c.*
275	471	1752	2784	3637	3962	2834	745	39	—	Hepatitis.
168	271	538	902	1356	1934	2466	1524	229	7	Jaundice.
606	993	4424	9685	14085	15240	10461	2672	189	2	*Liver Disease, &c.*
31	44	117	135	158	155	82	14	3	1	*Spleen Disease, &c.*
										ORDER 5.
170	207	485	576	632	717	694	325	37	—	Nephritis.
25	31	98	167	239	313	513	393	62	2	Ischuria.
677	890	2720	3860	4226	3692	2389	644	44	1	Bright's Diseas. (Neph.)
505	543	1422	1462	1589	1652	1205	305	13	—	Diabetes.
83	69	144	183	373	807	1407	784	75	2	Calculus.
68	93	212	322	509	1176	2235	1511	199	8	Cystitis.
599	755	2234	3281	4389	7195	12009	8426	1159	37	*Kidney Disease, &c.*
										ORDER 6.
—	—	—	—	—	—	—	—	—	—	Ovarian Dropsy.
17	43	89	152	175	174	201	83	17	—	*Uterus Disease, &c.*
										ORDER 7.
139	67	166	101	100	119	123	46	2	—	Synovitis (Arthritis).
2191	1720	2174	1811	1745	1724	1243	431	38	2	*Joint Disease, &c.*
										ORDER 8.
652	623	1060	1007	1132	1261	1110	434	71	3	Phlegmon.†
38	61	118	188	362	568	890	658	116	4	Ulcer.
33	45	55	71	112	170	237	158	24	2	*Skin Disease, &c.*
·041	·047	·028	·036	·047	·071	·134	·375	3·073	82·461	*Multipliers.*

† Including deaths from "Abscess" during the 10 years 1848-57.

TABLE **33.** (*continued.*)—**Years of Life,** and **Deaths of Males** from **different**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—
CLASS IV.									
ORDER 1.									
25. Premature Birth - -	166476	166475	1	—	—	—	166476	—	—
„ Cyanosis - - -	5717	4927	198	104	60	62	5351	153	72
„ Spina Bifida - - -	3723	3533	100	30	10	7	3680	30	6
„ Other Malformations -	6185	5847	142	40	21	16	6066	49	24
„ Teething - - -	56027	28988	24569	2367	89	6	56019	8	—
ORDER 2.									
25. Paramenia - - -	—	—	—	—	—	—	—	—	—
22. Childbirth - - -	—	—	—	—	—	—	—	—	—
ORDER 3.									
25. Old Age - - -	294463	—	—	—	—	—	—	—	—
ORDER 4.									
25. Atrophy and Debility -	303400	207858	29065	8396	3084	1799	250202	3831	1243
CLASS V.*									
ORDER 1. (ACCIDENT or NEGLIGENCE.)									
24. Fractures & Contusions	120182	737	1221	1234	1120	1191	5503	5893	10841
„ Gunshot Wounds -	6157	42	28	30	26	30	156	168	450
„ Cut, Stab, from 1858 -	1085	14	22	13	20	17	86	77	109
„ Burns and Scalds -	34851	1293	4894	5072	4459	3488	19206	4433	1341
„ Poison - - - -	4792	1035	232	195	136	100	1698	218	84
„ Drowning - - -	53383	463	1608	1821	1241	1225	6358	6630	5617
„ Suffocation - - -	19547	9099	547	197	122	81	10046	260	518
„ Otherwise - - -	11304	2148	124	136	113	114	2635	512	676
ORDER 3. (HOMICIDE.)									
24. Murder and Manslaughter, from 1858	3542	1268	45	24	21	15	1373	83	104
ORDER 4. (SUICIDE.)									
23. Gunshot Wounds (from 1858)	937	—	—	—	—	—	—	—	—
„ Cut, Stab - - (from 1858)	3189	—	—	—	—	—	—	—	—
„ Poison - - - (from 1858)	1110	—	—	—	—	—	—	—	2
„ Drowning - - (from 1858)	2084	—	—	—	—	—	—	—	11
„ Hanging - - (from 1858)	6821	—	—	—	—	—	—	—	56
„ Otherwise - - (from 1858)	1199	—	—	—	—	—	—	—	7
ORDER 5. (EXECUTION.)†									
24. Hanging, from 1858 -	157	—	—	—	—	—	—	—	—
24. Other Violent Deaths (not classed) - -	7475	1650	75	66	65	57	1913	279	414
25. Sudden Deaths (Cause unascertained) -	48633	10633	1075	483	313	213	12717	704	501
25. Causes not specified or ill-defined - -	79140	38760	4442	2009	1215	814	47240	2347	1397
Multipliers - -	·004	·136	·147	·151	·155	·158	·030	·034	·037

* Previous to 1858, deaths from Violence were not classified under Orders 3, 4, 5, but were all included under the various headings of Order 1, regardless of their being due to Accident, Homicide, Suicide, or Execution.

Diseases in **England and Wales,** during the Twenty-five Years **1848–72.**

AGES OF MALES.										CAUSES OF DEATH.
15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards.	
										CLASS IV.
										ORDER 1.
—	—	—	—	—	—	—	—	—	—	Premature Birth.
66	33	13	8	9	9	2	1	—	—	Cyanosis.
4	1	2	—	—	—	—	—	—	—	Spina Bifida.
19	6	15	3	1	1	1	—	—	—	Other Malformatns.
—	—	—	—	—	—	—	—	—	—	Teething.
										ORDER 2.
—	—	—	—	—	—	—	—	—	—	Paramenia.
—	—	—	—	—	—	—	—	—	—	Childbirth.
										ORDER 3.
—	—	—	—	—	—	56212	167027	67093	4131	Old Age.
										ORDER 4.
701	660	1156	1835	3936	15971	23279	498	87	1	Atrophy and Debility.
										CLASS V.*
										ORDER 1. (ACCIDENT or NEGLIGENCE.)
10200	10724	19245	17719	15644	12363	7683	3537	789	41	Fractures & Contusions.
724	644	1120	1073	897	702	372	133	18	—	Gunshot Wounds.
95	92	150	125	140	119	66	24	2	—	Cut, Stab, from 1858.
1426	1348	2351	1735	1107	785	535	462	117	5	Burns and Scalds.
145	180	470	643	633	447	205	67	2	—	Poison.
5684	5204	7323	6221	4651	3243	1845	558	42	7	Drowning.
675	760	1438	1533	1755	1347	875	298	41	1	Suffocation.
710	642	1230	1252	1277	1185	789	349	46	1	Otherwise.
										ORDER 3. (HOMICIDE.)
157	288	523	423	294	178	78	34	7	—	Murder and Manslaughter, from 1858.
										ORDER 4. (SUICIDE.)
41	121	200	185	176	139	61	11	3	—	Gunshot Wounds (from 1858.)
28	98	483	731	723	651	349	116	10	—	Cut, Stab - - (from 1858.)
32	102	203	249	273	172	69	7	1	—	Poison - - - (from 1858.)
64	149	363	376	445	397	224	49	6	—	Drowning - - (from 1858.)
203	255	601	1128	1612	1800	927	220	19	—	Hanging - - (from 1858.)
34	71	213	242	255	214	126	34	3	—	Otherwise - - (from 1858.)
										ORDER 5. (EXECUTION.)†
12	42	61	31	6	4	1	-	—	—	Hanging, from 1858.
465	487	936	812	819	674	463	178	34	1	Other Violent Deaths (not classed).
669	1003	2863	4445	5628	7415	7863	4271	539	15	Sudden Deaths (Cause unascertained.)
1314	1379	2759	3302	4472	6187	5804	2484	429	26	Causes not specified or ill-defined.
·041	·047	·028	·036	·047	·071	·134	·375	3·073	82·461	*Multipliers.*

† According to the "Judicial Statistics," 101 *persons* were executed during the 10 years 1848–57; these deaths are included with Suffocation.

TABLE **34.—Years of Life,** and **Deaths of Females** from **different**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–
Years of Life -	256,391,069	7,267,507	6,745,133	6,612,348	6,429,157	6,319,529	33,373,674	29,380,701	26,359,782
Total Deaths -	5,491,444	1,179,377	445,901	226,580	148,009	105,160	2,105,027	239,942	127,199
TOTAL ZYMOTIC DISEASES*—Order 1. -	1,242,495	247,424	186,031	121,596	89,862	66,089	711,002	139,846	50,531
CLASS I.									
ORDER 1.									
1. Small-pox - - -	62110	13513	6941	5591	4557	3660	34262	8590	2929
2. Measles - - - -	103269	17595	37287	20867	11376	6264	93389	7826	967
3. Scarlatina, including Diphtheria, 1848 to 1858	225868	13359	30844	36278	33871	27283	141635	60187	13937
4. Diphtheria, from 1859 -	31285	2308	3552	3484	3627	3349	16320	8602	3006
9. Quinsy - - - -	4099	462	436	314	310	258	1780	622	288
„ Croup - - - -	55721	6970	12838	12081	9642	6468	47999	7274	359
5. Whooping-cough - -	141853	54424	43009	20976	11182	5955	135546	5855	313
6. Typhus - - - -	227734	6113	9144	10237	9665	8803	43962	29610	21887
9. Erysipelas - - -	23480	7052	795	441	220	146	8654	404	399
22. Puerperal Fever (Metria) - - - -	28439	—	—	—	—	—	—	—	1
9. Carbuncle - - -	1549	46	17	4	4	2	73	7	2
„ Influenza - - -	18298	2790	856	453	282	194	4575	384	203
7. Dysentery - - -	17338	3274	1687	654	355	279	6249	505	198
„ Diarrhœa - - -	212835	114796	35327	7647	2606	1396	161772	2726	948
8. Cholera - - - -	56001	4082	2497	1808	1546	1446	11379	4533	2145
9. Ague - - - -	1727	39	83	98	81	84	385	236	100
„ Remittent Fever - -	4372	333	551	565	422	323	2194	800	267
„ Rheumatism - - -	25837	30	28	36	68	154	316	1614	2570
„ Other *Zymotic* Diseases, from 1860 -	680	238	139	62	48	25	512	71	12
ORDER 2.									
25. Syphilis - - - -	14621	9589	742	177	55	27	10590	35	19
„ Stricture of Urethra † -	25	—	—	—	—	—	—	1	1
„ Hydrophobia - -	74	1	3	4	3	6	17	18	15
„ Glanders, from 1858 -	1	—	—	—	—	—	—	—	—
ORDER 3.									
25. Privation - - -	801	38	26	12	5	8	89	21	8
„ Want of Breast-milk -	11491	11316	170	5	—	—	11491	—	—
„ Purpura and Scurvy -	4100	687	512	244	138	109	1690	294	189
„ Alcoholism - *a* Del. Trem.	1398	—	—	—	—	—	—	—	—
„ Alcoholism - *b* Intemp. -	2568	—	—	—	—	—	—	—	1
ORDER 4.									
25. Thrush - - - -	13323	12320	602	120	57	24	13123	31	8
„ Worms, &c., from 1858 -	1320	80	201	259	188	112	840	279	52
CLASS II.									
ORDER 1.									
25. Gout - - - -	1438	—	—	—	—	—	—	1	—
15. Dropsy - - - -	117789	3576	1874	1151	887	770	8258	2336	1631
10. Cancer - - - -	123433	167	90	131	135	91	614	230	226
25. Cancrum Oris (Noma) -	2388	268	552	492	329	252	1893	327	30
„ Mortification - -	15038	862	316	158	95	79	1510	90	51
ORDER 2.									
11. Scrofula - - - -	31737	4798	3079	1423	972	746	11018	2779	2701
„ Tabes Mesenterica -	65416	27265	16269	6129	2516	1582	53761	4065	2301
12. Phthisis - - - -	674164	14386	11092	6043	3679	3184	38384	16260	30806
13. Hydrocephalus - -	79781	26406	20719	9567	5866	4150	66708	8893	2595
Multipliers - -	·004	·138	·148	·151	·156	·158	·030	·034	·038

Note—The diseases in this Table are numbered so as to show under what diseases or

* In comparing the total of Order 1. of Zymotic Diseases in this Table with the total of the same Order in the preceding Life Table the deaths from Puerperal Fever (Metria) should be deducted from the total given above.

Diseases in **England and Wales,** during the Twenty-five Years **1848-72.**

AGES OF FEMALES.										CAUSES OF DEATH.
15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards.	
24,633,427	23,068,226	39,242,812	30,203,378	22,257,094	14,825,680	9,142,730	3,375,687	502,704	25,174	**Years of Life.**
172,384	200,505	389,786	366,528	346,603	417,976	523,213	452,166	139,407	10,708	**Total Deaths.**
40,106	39,069	64,287	48,781	36,429	38,275	41,087	27,133	5,654	295	TOTAL ZYMOTIC DISEASES*—Order 1.
										CLASS I.
										ORDER 1.
3355	3780	4850	2375	1127	554	211	66	11	—	Small-pox.
317	218	309	150	57	21	9	5	1	—	Measles.
3770	2208	2418	1016	377	195	95	28	1	1	Scarlatina, including Diphth., 1848 to 1858.
1017	566	696	424	282	205	115	44	7	1	Diphtheria, from 1859.
195	147	227	202	185	189	181	71	9	3	Quinsy.
31	13	19	13	5	5	1	2	—	—	Croup.
67	16	21	11	9	8	3	3	1	—	Whooping-cough.
23569	18040	24829	19636	16221	14126	10825	4453	556	20	Typhus.
558	796	1670	1845	1988	2329	2598	1836	382	21	Erysipelas.
1495	6461	13169	7001	308	4	—	—	—	—	Puerperal Fever (Metria).
18	29	77	129	214	334	355	255	52	4	Carbuncle.
195	220	485	585	857	1930	4140	3793	888	43	Influenza.
269	434	1146	1163	1338	2001	2381	1426	215	13	Dysentery.
913	1389	3600	3660	3925	6761	12058	11793	3115	175	Diarrhœa.
1770	2846	7657	7638	6382	5626	4050	1729	235	11	Cholera.
83	84	161	153	131	140	150	92	12	—	Ague.
187	111	187	147	127	161	151	79	11	—	Remittent Fever.
2342	1701	2752	2630	2881	3678	3747	1446	157	3	Rheumatism.
5	10	14	3	15	8	17	12	1	—	Other *Zymotic* Diseases, from 1860.
										ORDER 2.
286	736	1427	830	437	188	61	10	2	—	Syphilis.
—	—	3	3	2	5	3	7	—	—	Stricture of Urethra.†
3	2	6	3	4	4	1	1	—	—	Hydrophobia.
—	—	1	—	—	—	—	—	—	—	Glanders, from 1858.
										ORDER 3
12	21	80	127	140	136	118	44	5	—	Privation.
—	—	—	—	—	—	—	—	—	—	Want of Breast-milk.
181	187	263	264	296	302	286	123	23	2	Purpura and Scurvy.
3	21	274	485	339	177	73	19	7	—	Alcoholism. *a* Del. Trem.
12	58	367	739	709	454	187	39	2	—	Alcoholism. *b* Intemp.
										ORDER 4.
6	10	20	21	15	16	34	30	8	1	Thrush.
10	10	37	26	28	18	17	2	—	1	Worms, &c., from 1858.
										CLASS II.
										ORDER 1.
—	4	23	103	200	399	456	225	25	2	Gout.
1750	2188	6321	9218	13018	21526	29913	18783	2747	100	Dropsy.
422	747	5929	18968	31408	31653	23109	8836	1241	50	Cancer.
11	11	18	17	21	20	23	12	5	—	Cancrum Oris (Noma).
97	120	294	420	649	1514	3621	4732	1819	121	Mortification.
										ORDER 2.
2763	2184	3180	2329	1852	1575	1020	309	25	2	Scrofula.
1558	875	1129	648	505	374	173	25	1	1	Tabes Mesenterica.
80151	98295	174299	120224	66201	34213	13028	2117	176	10	Phthisis.
732	246	253	139	87	66	47	15	—	—	Hydrocephalus.
·041	·043	·025	·033	·045	·067	·109	·296	1·989	39·724	*Multipliers.*

groups of diseases they are included in the Life Table series of Tables, Nos. 7 to 15.

† All the 25 deaths from Stricture of Urethra were recorded during the seven years 1848-54; such cases have since been included with "Uterus Disease, &c.," Class III., Order 6.

TABLE **34.** (*continued.*)—**Years of Life,** and **Deaths of Females** from **different**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—
CLASS III.									
ORDER 1.									
14. Cephalitis	43327	6609	5480	3611	2820	2096	20616	6308	3308
„ Apoplexy	117211	2917	1292	822	657	522	6210	1348	983
„ Paralysis	119946	116	155	183	123	105	682	386	366
„ Insanity	7799	—	2	4	1	1	8	13	21
„ Chorea	1107	8	6	4	6	15	39	200	306
„ Epilepsy	26741	541	303	296	252	212	1604	976	1324
„ Convulsions	276554	217276	30457	11989	5882	3220	268824	4637	955
„ *Brain Disease, &c.*	48759	3361	1762	1040	784	655	7602	2156	1563
ORDER 2.									
15. Pericarditis	7154	97	54	72	74	69	366	657	799
„ Aneurism	2608	13	5	3	1	2	24	5	24
„ *Heart Disease, &c.*	218734	1327	481	357	340	397	2902	3249	5006
ORDER 3.									
16. Laryngitis	14223	2779	2395	1655	1471	1003	9303	1545	292
„ Bronchitis	368861	66806	34161	12670	5939	3339	122915	4658	1374
„ Pleurisy	9702	416	248	152	123	100	1039	375	308
„ Pneumonia	254978	88091	52197	20978	10654	5893	177813	9063	3052
„ Asthma	43825	113	52	37	22	18	242	65	85
„ *Lung Disease, &c.*	42712	7726	2832	1243	718	443	12962	1217	883
ORDER 4.									
17. Gastritis	10431	899	334	189	168	127	1717	391	219
„ Enteritis	41339	9993	2723	1246	827	688	15477	2316	1447
„ Peritonitis	22294	990	290	225	203	209	1917	1187	1147
„ Ascites	11171	101	78	60	54	48	341	216	162
„ Ulceration of Intestines	11913	683	287	136	90	66	1262	298	243
„ Hernia	10122	234	24	6	5	8	277	23	16
„ Ileus	14199	1305	121	107	100	113	1746	340	257
„ Intussusception	3206	479	52	31	31	33	626	116	88
„ Stricture of Intestines	3742	36	2	1	6	—	45	11	11
„ Fistula	751	2	2	1	3	2	10	1	7
„ *Stomach Disease, &c.**	33413	3368	858	556	397	316	5495	825	465
„ *Pancreas Disease, &c.*	149	1	—	1	1	1	4	—	2
„ Hepatitis	17589	222	109	81	48	61	521	169	159
„ Jaundice	16923	3991	238	304	192	141	4866	225	86
„ *Liver Disease, &c.*	54874	876	212	154	98	97	1437	393	358
„ *Spleen Disease, &c.*	874	34	46	23	8	10	121	17	16
ORDER 5.									
18. Nephritis	3135	90	125	111	89	81	496	220	110
„ Ischuria	755	25	5	8	6	10	54	12	6
„ Bright's Dis. (Nephria)	14529	65	157	111	135	105	573	428	398
„ Diabetes	4629	11	20	9	13	11	64	106	201
„ Calculus	524	2	2	2	3	2	11	22	11
„ Cystitis	1453	16	8	11	7	2	44	23	25
„ *Kidney Disease, &c.*	13373	194	158	122	110	81	665	258	228
ORDER 6.									
19. Ovarian Dropsy	5639	—	—	—	—	—	—	—	8
„ *Uterus Disease, &c.*	21416	44	63	33	16	3	159	10	54
ORDER 7.									
20. Synovitis (Arthritis)	752	29	21	21	14	21	106	66	79
„ *Joint Disease, &c.*	15763	508	412	309	313	316	1858	1621	1678
ORDER 8.									
21. Phlegmon†	9859	2353	683	327	183	144	3690	424	392
„ Ulcer	5075	797	219	92	51	21	1180	42	27
„ *Skin Disease, &c.*	3413	1819	306	112	70	36	2343	51	24
Multipliers	·004	·138	·148	·151	·156	·158	·030	·034	·038

* Including deaths from Worms (Class I., Order 4), 1848-57.

Diseases in England and Wales, during the Twenty-five Years **1848–72.**

AGES OF FEMALES.										CAUSES OF DEATH.
15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards.	
										CLASS III.
										ORDER 1.
2695	2053	2812	2024	1513	1051	675	236	36	—	Cephalitis.
1826	2173	5249	8531	15858	24182	29569	18180	2993	109	Apoplexy.
509	684	3076	6009	11089	22492	39399	29925	5122	207	Paralysis.
99	253	764	1100	1391	1614	1559	833	136	8	Insanity.
261	98	51	27	30	32	36	25	2	—	Chorea.
2280	2682	4801	3988	2895	2635	2251	1132	171	2	Epilepsy.
311	290	484	318	220	184	175	127	29	—	Convulsions.
1712	1766	3820	4891	6224	7430	7454	3613	508	20	*Brain Disease, &c.*
										ORDER 2.
677	494	820	837	795	804	648	233	24	—	Pericarditis.
31	85	330	493	575	541	367	121	12	—	Aneurism.
6036	6565	16683	24945	33000	47190	50641	21359	2011	47	*Heart Disease, &c.*
										ORDER 3.
220	282	681	628	531	344	289	91	15	2	Laryngitis.
1750	2403	7824	14485	27779	52028	73236	49996	9942	471	Bronchitis.
449	561	1100	1180	1057	1354	1498	675	100	6	Pleurisy.
3781	4283	8528	8766	8588	11262	12070	6598	1123	51	Pneumonia.
154	301	1373	3141	6138	11492	13823	6333	650	28	Asthma.
1390	1616	3448	3951	4076	5018	5096	2611	430	14	*Lung Disease, &c.*
										ORDER 4.
285	382	912	1087	1273	1652	1688	717	102	6	Gastritis.
1676	1875	3460	3215	3074	3399	3474	1542	180	4	Enteritis.
1704	2351	4276	3255	2009	1971	1690	716	59	3	Peritonitis.
215	289	884	1386	1939	2369	2228	1020	119	3	Ascites.
642	900	1749	1673	1546	1713	1385	462	39	1	Ulceration of Intestines.
35	61	259	896	1755	2561	2782	1280	168	9	Hernia.
389	420	886	1142	1671	2421	2868	1760	292	7	Ileus.
89	111	241	315	411	460	515	203	31	—	Intussusception.
19	62	275	512	711	883	819	357	36	1	Stricture of Intestines.
9	35	130	150	147	115	107	39	1	—	Fistula.
527	809	2088	2900	4289	6243	6439	2931	392	10	*Stomach Disease, &c.**
6	6	13	22	36	25	29	6	—	—	*Pancreas Disease, &c.*
267	433	1439	2523	3440	4239	3296	1019	83	1	Hepatitis.
160	287	871	1106	1660	2445	2982	1891	331	13	Jaundice.
555	862	3720	7469	11423	15979	10848	3530	290	10	*Liver Disease, &c.*
24	36	125	124	143	125	104	35	4	—	*Spleen Disease, &c.*
										ORDER 5.
98	149	360	361	371	408	400	143	19	—	Nephritis.
10	22	73	105	116	142	147	57	10	1	Ischuria.
521	865	2209	2581	2415	2337	1631	516	54	1	Bright'sDis.(Nephria).
305	311	803	808	745	713	464	99	10	—	Diabetes.
10	11	38	52	64	115	125	58	7	—	Calculus.
31	69	140	176	174	241	303	184	41	2	Cystitis.
343	600	1565	1857	2052	2413	2268	1004	119	1	*Kidney Disease, &c.*
										ORDER 6.
78	214	852	1241	1412	1091	604	129	9	1	Ovarian Dropsy.
322	905	2999	4712	5149	3851	2417	761	75	2	*Uterus Disease, &c.*
										ORDER 7.
44	38	42	68	76	98	88	39	8	—	Synovitis (Arthritis).
1586	1065	1786	1663	1514	1441	1110	397	44	—	*Joint Disease, &c.*
										ORDER 8.
359	480	1011	879	686	774	747	362	53	2	Phlegmon.†
26	67	165	251	461	779	1145	798	131	3	Ulcer.
41	41	89	112	144	186	210	138	32	2	*Skin Disease, &c.*
·041	·043	·025	·033	·045	·067	·109	·296	1·989	39·724	*Multipliers.*

† Including deaths from "Abscess" during the 10 years 1848–57.

TABLE **34.** (*continued.*)—**Years of Life,** and **Deaths of Females** from **different**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—
CLASS IV.									
ORDER 1.									
25. Premature Birth - -	129675	129671	4	—	—	—	129675	—	—
„ Cyanosis - - -	4148	3495	192	95	60	49	3891	96	72
„ Spina Bifida - - -	4629	4396	140	23	13	12	4584	27	6
„ Other Malformations -	4099	3787	138	48	20	14	4007	21	21
„ Teething - - -	47968	22549	22836	2454	105	13	47957	11	—
ORDER 2.									
25. Paramenia - - -	2271	—	—	—	—	—	—	—	89
22. Childbirth - - -	55649	—	—	—	—	—	—	—	3
ORDER 3.									
25. Old Age - - - -	391170	—	—	—	—	—	—	—	—
ORDER 4.									
25. Atrophy and Debility -	285734	172397	28719	8416	3219	1819	214570	3765	1561
CLASS V.*									
ORDER 1. (ACCIDENT or NEGLIGENCE.)									
24. Fractures & Contusions	21861	622	997	909	631	532	3691	1515	875
„ Gunshot Wounds - -	1172	38	17	20	14	9	98	50	62
„ Cut, Stab, from 1858 -	288	10	12	11	8	7	48	26	11
„ Burns and Scalds - -	33934	1264	3891	3744	3672	3077	15648	7627	1958
„ Poison - - - -	3442	802	165	138	93	53	1251	151	51
„ Drowning - - -	11169	464	1073	1034	516	312	3399	1056	675
„ Suffocation - - -	11243	8371	406	151	91	74	9093	145	57
„ Otherwise - - -	3901	1767	120	100	76	66	2129	170	114
ORDER 3. (HOMICIDE.)									
24. Murder and Manslaughter, from 1858	2378	1314	44	28	21	22	1429	57	33
ORDER 4. (SUICIDE.)									
23. Gunshot Wounds (from 1858)	12	—	—	—	—	—	—	—	—
„ Cut, Stab - - (from 1858)	890	—	—	—	—	—	—	—	4
„ Poison - - - (from 1858)	900	—	—	—	—	—	—	—	7
„ Drowning - - (from 1858)	1616	—	—	—	—	—	—	1	32
„ Hanging - - (from 1858)	1665	—	—	—	—	—	—	—	5
„ Otherwise - - (from 1858)	483	—	—	—	—	—	—	—	3
ORDER 5. (EXECUTION.)†									
24. Hanging, from 1858 -	8	—	—	—	—	—	—	—	—
24. Other Violent Deaths (not classed) - -	2696	1298	57	47	41	35	1478	121	57
25. Sudden Deaths (Cause unascertained) - -	34057	9430	921	394	278	189	11212	630	406
25. Causes not specified or ill-defined - - -	73439	31156	4454	1952	1256	805	39623	2298	1359
Multipliers - -	·004	·138	·148	·151	·156	·158	·030	·034	·038

* Previous to 1858, deaths from Violence were not classified under the Orders 3, 4, 5, but were all included under the various headings of Order 1, regardless of their being due to Accident, Homicide, Suicide, or Execution.

Diseases in England and Wales, during the Twenty-five Years **1848–72.**

AGES OF FEMALES.										CAUSES OF DEATH.
15–	20–	25–	35–	45–	55–	65–	75–	85–	95 & upwards.	
										CLASS IV.
										ORDER 1.
—	—	—	—	—	—	—	—	—	—	Premature Birth.
34	20	13	5	6	8	3	—	—	—	Cyanosis.
2	2	3	1	2	1	—	1	—	—	Spina Bifida.
20	10	10	5	3	2	—	—	—	—	Other Malformations.
—	—	—	—	—	—	—	—	—	—	Teething.
										ORDER 2.
685	349	300	338	432	73	5	—	—	—	Paramenia.
2287	8805	23019	20341	1193	1	—	—	—	—	Childbirth.
										ORDER 3.
—	—	—	—	—	—	70868	213037	98394	8871	Old Age.
										ORDER 4.
948	919	2237	3124	5942	21538	30487	529	105	9	Atrophy and Debility.
										CLASS V.*
										ORDER 1. (ACCIDENT OR NEGLIGENCE.)
638	465	1006	1323	1770	2303	3056	3812	1317	90	Fractures & Contusns.
54	89	166	171	199	144	101	29	9	—	Gunshot Wounds.
13	9	28	32	40	22	26	25	6	2	Cut, Stab, from 1858.
1003	579	870	778	860	956	1421	1649	546	39	Burns and Scalds.
243	252	334	367	332	222	158	69	10	2	Poison.
994	763	1092	920	929	688	440	194	18	1	Drowning.
103	119	240	327	424	367	233	113	21	1	Suffocation.
99	64	195	216	232	235	241	160	42	4	Otherwise.
										ORDER 3. (HOMICIDE.)
42	89	232	218	126	71	44	35	2	—	Murder and Manslaughter, from 1858.
										ORDER 4. (SUICIDE.)
2	2	2	2	2	2	—	—	—	—	Gunshot Wounds (from 1858)
12	49	160	172	213	158	88	30	4	—	Cut, Stab - - (from 1858)
109	119	177	194	173	78	37	5	1	—	Poison - - - (from 1858)
252	194	273	232	263	217	113	36	3	—	Drowning - - (from 1858)
52	72	180	290	443	352	209	58	4	—	Hanging - - (from 1858)
30	35	91	102	88	55	54	21	4	—	Otherwise - - (from 1858)
										ORDER 5. (EXECUTION.)†
—	—	4	3	—	—	1	—	—	—	Hanging, from 1858.
66	58	143	145	117	145	159	159	46	2	Other Violent Deaths (not classed).
598	717	1859	2614	3313	4389	4906	2912	485	16	Sudden Deaths (Cause unascertained).
1438	1596	3637	4208	4496	5992	5598	2549	607	38	Causes not specified or ill-defined.
·041	·043	·025	·033	·045	·067	·109	·296	1·989	39·724	*Multipliers.*

† According to the "Judicial Statistics," 101 *persons* were executed during the 10 years 1848-57; these deaths are included with Suffocation.

TABLE **35.—Reciprocals** of **Years of Life** at each AGE multiplied by **1,000,000** and to be called "*Multipliers.*"

AGES.	MALES.	FEMALES.
ALL AGES	·004	·004
0—	·136	·138
1—	·147	·148
2—	·151	·151
3—	·155	·156
4—5	·158	·158
0—5	·030	·030
5—	·034	·034
10—	·037	·038
15—	·041	·041
20—	·047	·043
25—	·028	·025
35—	·036	·033
45—	·047	·045
55—	·071	·067
65—	·134	·109
75—	·375	·296
85—	3·073	1·989
95 & upwards	82·461	39·724

These *Multipliers* are obtained by dividing 1,000,000 by the years of life at each age; and to obtain the approximate rate of mortality per million at any age by any particular disease, it will suffice to employ these multipliers. Thus the males dying from Typhus at ages 25—35 are 24,635, which number multiplied by ·028 found in the Table above against age 25 gives a death-rate from that disease of 690 per million males, nearly equivalent to the rate (693) as obtained by dividing the deaths by the years of life and multiplying by a million. The appropriate *Multipliers* will be found at the foot of every column.

TABLE **36.—Reciprocals** of **Deaths from All Causes** at each of EIGHTEEN GROUPS OF AGES multiplied by **100,000,** and called "*Death Multipliers,*" to obtain the PROPORTION of DEATHS by each DISEASE to **100,000** DEATHS at each GROUP OF AGES from ALL CAUSES.

AGES.	MALES.	FEMALES.
ALL AGES	·017	·018
0—	·067	·085
1—	·212	·224
2—	·439	·441
3—	·679	·676
4—5	·942	·951
0—5	·041	·048
5—	·402	·417
10—	·791	·786
15—	·640	·580
20—	·527	·499
25—	·284	·257
35—	·271	·273
45—	·253	·289
55—	·223	·239
65—	·198	·191
75—	·256	·221
85—	1·007	·717
95 & upwards	19·161	9·339

Thus the males dying from Phthisis at ages 25—35 are 144,285, which number multiplied by ·284 found in the Table above against age 25 gives a proportion of deaths from that disease of 40,977 to 100,000 deaths from All Causes at that age, nearly equivalent to the proportion (40,918) as obtained by dividing the deaths by Phthisis at age 25 by the deaths from All Causes at age 25 and multiplying by 100,000.

TABLE **37.**—The **Districts** of **England and Wales** (including **London**) CLASSIFIED according to **Mortality.**

Mean Annual Death-rates per 1000 Persons, 1861-70.	Number of Districts at each Rate of Mortality in Col. 1.	Area in Acres.	Mean Population, 1861-71.	Births, 1861-70.	Deaths, 1861-70.	Excess of Births over Deaths, 1861-70.	Increase of enumerated Population, 1861-71.
England & Wales	619	37,319,221	21,348,974*	7,500,096	4,767,567*	2,732,529	2,646,042
15	1	147,816	12,699	3,718	1,916	1,802	− 1,023
16	16	1,004,779	227,270	66,987	36,153	30,834	55,719
17	37	2,072,758	622,903	188,638	106,077	82,561	81,494
18	89	5,881,423	1,459,374	459,625	263,596	196,029	122,022
19	145	10,154,367	3,095,263	986,225	588,100	398,125	249,840
20	115	7,969,197	2,766,001	910,048	554,014	356,034	282,358
21	60	4,346,118	2,048,272	704,756	429,768	274,988	330,465
22	50	2,554,037	2,253,034	806,154	503,632	302,522	315,343
23	32	1,504,498	1,566,054	579,008	356,576	222,432	304,105
24	23	818,257	1,621,901	613,214	389,077	224,137	256,614
25	18	431,753	1,862,622	702,224	469,879	232,345	210,700
26	15	268,527	1,699,542	661,589	441,887	219,702	327,674
27	5	10,764	533,233	208,039	142,146	65,893	55,240
28	4	75,924	456,951	175,040	122,077	52,963	22,546
29	4	60,182	367,939	148,029	105,579	42,450	46,748
30	3	3,357	254,708	99,090	78,660	20,430	18,560
32	1	12,994	247,131	92,244	80,300	11,944	7,968
39	1	2,470	254,077	95,468	98,130	− 2,662	− 31,331

* 40,271 of population returned as in 45 Asylums and 5 Military Camps and Hospitals, as well as 26,933 deaths occurring in the same, are excluded.

TABLE **38.**—THE **Districts** of **England and Wales** (including **London**) CLASSIFIED according to **Mortality**; the calculated results deduced from facts in Table 37.

Mean Annual Rates of Mortality per 1000 Persons, 1861-70.	Number of Districts at each Rate of Mortality in Col. 1.	Acres to a Person, 1861-71.	Annual Rates per 1000 living, 1861-70.			Annual Increase of enumerated Population per 1000 living, 1861-71.
			Births. *	Deaths. *	Excess of Births over Deaths.	
England & Wales	619	1·74	35·1	22·4‡	12·6‡	† 12·4
15	1	11·64	29·3	15·1	14·2	− 8·1
16	16	4·42	29·5	15·9	13·6	24·5
17	37	3·33	30·3	17·0	13·3	13·1
18	89	4·03	31·5	18·1	13·4	8·4
19	145	3·28	31·9	19·0	12·9	7·8
20	115	2·88	32·9	20·0	12·9	10·2
21	60	2·12	34·4	21·0	13·4	16·1
22	50	1·13	35·8	22·4	13·4	14·0
23	32	·96	37·0	22·8	14·2	19·4
24	23	·50	37·8	24·0	13·8	15·8
25	18	·23	37·7	25·2	12·5	11·3
26	15	·16	38·9	26·0	12·9	19·3
27	5	·02	39·0	26·7	12·4	10·4
28	4	·17	38·3	26·7	11·6	4·9
29	4	·16	40·2	28·7	11·5	12·7
30	3	·01	38·9	30·9	8·0	7·3
32	1	·05	37·3	32·5	4·8	3·2
39	1	·01	37·6	38·6	−1·0	−12·3
28–39	13	·10	38·6	30·7	7·9	4·1

* The Annual Birth and Death Rates per 1000 living were obtained by dividing the Annual Births and Deaths in the groups of Districts by the Mean Population of those Districts.

† This column shows the proportional Annual Increase of enumerated Population to the *Mean Population* 1861-71.

‡ The Deaths in Institutions and Camps mentioned at the foot of preceding Table are included in the rate for England and Wales.

Note.—The minus sign (−) implies a decrease.

TABLE **39.**—Of the **Districts** of **England and Wales** (including **London**) the NUMBER of DISTRICTS **at** and **above** each **Rate of Mortality.**

[This Table is formed by the addition from the bottom of each column of Table 37.]

MEAN ANNUAL RATES of MORTALITY per 1000 Persons, 1861–70.	No. of Districts having a Mortality *at and above* each Rate of Mortality in Col. 1.	AREA in Acres.	MEAN POPULATION, 1861–71.	BIRTHS, 1861–70.	DEATHS, 1861–70.	EXCESS of BIRTHS over DEATHS, 1861–70.	INCREASE of ENUMERATED POPULATION, 1861–71.
15	619	37,319,221	21,348,974	7,500,096	4,767,567	2,732,529	2,646,042
16	618	37,171,405	21,336,275	7,496,378	4,765,651	2,730,727	2,647,065
17	602	36,166,626	21,109,005	7,429,391	4,729,498	2,699,893	2,591,346
18	565	34,093,868	20,486,102	7,240,753	4,623,421	2,617,332	2,509,852
19	476	28,212,445	19,026,728	6,781,128	4,359,825	2,421,303	2,387,830
20	331	18,058,078	15,931,465	5,794,903	3,771,725	2,023,178	2,146,990
21	216	10,088,881	13,165,464	4,884,855	3,217,711	1,667,144	1,864,632
22	156	5,742,763	11,117,192	4,180,099	2,787,943	1,392,156	1,534,167
23	106	3,188,726	8,864,158	3,373,945	2,284,311	1,089,634	1,218,824
24	74	1,684,228	7,298,104	2,794,937	1,927,735	867,202	914,719
25	51	865,971	5,676,203	2,181,723	1,538,658	643,065	658,105
26	33	434,218	3,813,581	1,479,499	1,068,779	410,720	447,405
27	18	165,691	2,114,039	817,910	626,892	191,018	119,731
28	13	154,927	1,580,806	609,871	484,746	125,125	64,491
29	9	79,003	1,123,855	434,831	362,669	72,162	41,945
30	5	18,821	755,916	286,802	257,090	29,712	− 4,803
32	2	15,464	501,208	187,712	178,430	9,282	− 23,363
39	1	2,470	254,077	95,468	98,130	− 2,662	− 31,331

TABLE **40** (calculated from Table **39.**)—SHOWING the MEAN AREA and POPULATION **1861–71,** also ANNUAL BIRTHS and DEATHS in the Ten Years **1861–70,** and INCREASE of POPULATION **1861–71,** in an **Average District** of several selected GROUPS of DISTRICTS.

MEAN ANNUAL RATES of MORTALITY per 1000 Persons, 1861–70.	Number of Districts having a Mortality *at and above* each Rate of Mortality in Col. 1.	MEAN AREA in square miles.	MEAN POPULATION, 1861–71.	AVERAGE ANNUAL NUMBERS, 1861–70.			ANNUAL INCREASE of ENUMERATED POPULATION, 1861–71.
				BIRTHS.	DEATHS.	EXCESS of BIRTHS over DEATHS.	
15	619	94·20	34,489	1211·6	770·2	441·4	427·5
17	602	93·87	35,065	1234·1	785·6	448·5	430·5
20	331	85·24	48,131	1750·7	1139·5	611·2	648·6
23	106	47·00	83,624	3183·0	2155·0	1028·0	1149·8
26	33	20·56	115,563	4483·3	3238·7	1244·6	1355·8
29	9	13·72	124,873	4831·5	4029·7	801·8	466·1

It will be seen that in an average district of 331 districts, in which the rate of mortality is 20 per 1000 or higher, the area is 85·24 square miles; the population is 48,131; the mean annual number of births is 1751, of deaths 1140, the annual addition to the population by excess of births over deaths is 611 and the annual increase of population 649.

TABLE **41.**—OF the **Districts** of **England and Wales** (including **London**), the NUMBER of DISTRICTS **at** and **above** certain **Rates of Mortality,** with the DENSITY and BIRTH, DEATH, &c. RATES in an AVERAGE DISTRICT of each GROUP.

MEAN ANNUAL RATES of MORTALITY per 1000 Persons, 1861–70.	Number of Districts having a Mortality *at and above* each Rate of Mortality in Col. 1.	PERSONS to a square mile, 1861–71.	ANNUAL RATES, 1861–70, PER 1000 LIVING.			ANNUAL INCREASE of ENUMERATED POPULATION, 1861–71, to 1000 living in the middle of the period.
			BIRTHS.	DEATHS.	EXCESS of BIRTHS over DEATHS.	
15	619	366	35·13	22·33	12·80	12·39
17	602	374	35·20	22·41	12·79	12·28
20	331	565	36·37	23·67	12·70	13·48
23	106	1779	38·06	25·77	12·29	13·75
26	33	5625	38·80	28·03	10·77	11·73
29	9	9137	38·69	32·27	6·42	3·73

TABLE **42.**—THE **Districts** of **England and Wales** (excluding **London**) CLASSIFIED according to **Mortality.**

MEAN ANNUAL DEATH-RATES per 1000 Persons, 1861–70.	Number of Districts at each Rate of Mortality in Col. 1.	AREA in Acres.	MEAN POPULATION, 1861–71.	BIRTHS, 1861–70.	DEATHS, 1861–70.	EXCESS of BIRTHS over DEATHS, 1861–70.	INCREASE of ENUMERATED POPULATION, 1861–71.
15	1	147,816	12,699	3,718	1,916	1,802	− 1,023
16	15	1,002,531	201,577	60,635	32,223	28,412	42,544
17	37	2,072,758	622,903	188,638	106,077	82,561	81,494
18	89	5,881,423	1,459,374	459,625	263,596	196,029	122,022
19	142	10,124,950	2,831,239	902,811	536,364	366,417	160,654
20	114	7,965,262	2,661,877	875,720	532,189	343,531	240,702
21	59	4,338,674	1,813,720	632,398	381,067	251,331	233,262
22	48	2,518,258	1,858,348	664,929	408,728	256,201	234,229
23	30	1,496,107	1,289,465	477,996	296,010	181,986	217,989
24	23	818,257	1,621,901	613,214	389,077	224,137	256,614
25	14	426,327	1,235,659	480,641	310,207	170,434	179,878
26	10	259,528	1,179,629	470,362	306,051	164,311	313,961
27	3	9,185	353,395	138,751	94,533	44,218	12,191
28	2	71,646	234,268	92,221	65,639	26,582	25,553
29	3	59,937	314,123	129,624	90,825	38,799	47,268
30	1	2,736	128,464	53,113	38,293	14,820	21,796
32	1	12,994	247,131	92,244	80,300	11,944	7,968
39	1	2,470	254,077	95,468	98,130	− 2,662	− 34,334

TABLE **43.**—THE **Districts** of **England and Wales** (excluding **London**) grouped according to **Mortality.**

(Obtained from Table 42.)

MEAN ANNUAL DEATH-RATES per 1000 Persons, 1861–70.	Number of Districts at the Rates of Mortality in Col. 1.	AREA in Acres.	AREA in Square Miles.	MEAN POPULATION, 1861–71.	BIRTHS, 1861–70.	DEATHS, 1861–70.	EXCESS of BIRTHS over DEATHS, 1861–70.	INCREASE of ENUMERATED POPULATION, 1861–71.
15 39	593	37,243,859	58,194	18,319,849	6,432,108	4,031,225	2,400,883	2,195,771
15-17	53	3,223,105	5,036	837,179	252,991	140,216	112,775	123,015
18-20	345	23,971,635	37,456	6,952,490	2,238,156	1,332,149	906,007	523,378
21-23	137	8,383,039	13,099	4,961,533	1,775,323	1,085,805	689,518	685,480
24 26	47	1,504,112	2,350	4,037,189	1,564,217	1,005,335	558,882	750,453
27-30	9	146,504	229	1,030,250	413,709	289,290	124,419	136,808
32	1	12,994	20	247,131	92,244	80,300	11,944	7,968
39	1	2,470	3·86	254,077	95,468	98,130	− 2,662	− 31,331

TABLE **44.**—THE **Districts** of **England and Wales** (excluding **London**) grouped according to **Mortality.**

(Calculated from Table 43.)

MEAN ANNUAL RATES of MORTALITY per 1000 Persons, 1861–70.	Number of Districts at the Rates of Mortality in Col. 1.	ACRES to a Person, 1861–71.	PERSONS to a Square Mile, 1861–71.	ANNUAL RATES, 1861–70, PER 1000 LIVING.			ANNUAL INCREASE of POPULATION, 1861–71, per 1000 living in the middle of the period.
				BIRTHS.	DEATHS.	EXCESS of BIRTHS over DEATHS.	
15-39	593	2·03	315	35·11	22·00	13·11	11·99
15-17	53	3·85	166	30·22	16·75	13·47	14·69
18-20	345	3·45	186	32·19	19·16	13·03	7·33
21-23	137	1·69	379	35·78	21·88	13·90	13·82
24-26	47	·37	1,718	38·75	24·90	13·84	18·59
27-30	9	·14	4,499	40·16	28·08	12·08	13·28
32	1	·05	12,357	37·33	32·49	4·83	3·22
39	1	·01	65,823	37·57	38·62	− 1·05	− 12·33

TABLE **45.**—OF the **Districts** of **England and Wales** (excluding **London**), the NUMBER of DISTRICTS **at** and **above** each **Rate of Mortality.** (This Table is formed by the addition, from the bottom, of each Column of Table 42.)

MEAN ANNUAL RATES of MORTALITY per 1000 Persons, 1861–70.	Number of Districts having a Mortality *at and above* each Rate of Mortality in Col. 1.	AREA in Acres.	MEAN POPULATION, 1861–71.	BIRTHS, 1861–70.	DEATHS, 1861–70.	EXCESS of BIRTHS over DEATHS, 1861–70.	INCREASE of ENUMERATED POPULATION, 1861–71.
15	593	37,243,859	18,319,849	6,432,108	4,031,225	2,400,883	2,195,771
16	592	37,096,043	18,307,150	6,428,390	4,029,309	2,399,081	2,196,794
17	577	36,093,512	18,105,573	6,367,755	3,997,086	2,370,669	2,154,250
18	540	34,020,754	17,482,670	6,179,117	3,891,009	2,288,108	2,072,756
19	451	28,139,331	16,023,296	5,719,492	3,627,413	2,092,079	1,950,734
20	309	18,014,381	13,192,057	4,816,681	3,091,049	1,725,632	1,790,080
21	195	10,049,119	10,530,180	3,940,961	2,558,860	1,382,101	1,549,378
22	136	5,710,445	8,716,460	3,308,563	2,177,793	1,130,770	1,316,116
23	88	3,162,187	6,858,112	2,643,634	1,769,065	874,569	1,081,887
24	58	1,666,080	5,568,647	2,165,638	1,473,055	692,583	863,898
25	35	847,823	3,946,746	1,552,424	1,083,978	468,446	607,284
26	21	421,496	2,711,087	1,071,783	773,771	298,012	427,406
27	11	161,968	1,531,458	601,421	467,720	133,701	113,445
28	8	152,783	1,178,063	462,670	373,187	89,483	71,254
29	6	78,137	943,795	370,449	307,548	62,901	45,701
30	3	18,200	629,672	240,825	216,723	24,102	− 1,567
32	2	15,464	501,208	187,712	178,430	9,282	− 23,363
39	1	2,470	254,077	95,468	98,130	− 2,662	− 31,331

TABLE 46.—**Comparative Mortality of England and of its Metropolis, 1861-70.**

—		All Ages.	Under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
ENGLAND (exclusive of LONDON).														
MEAN POPULATION.	PERSONS -	18,360,120	2,493,566	2,200,324	1,977,704	1,773,412	1,617,639	2,633,869	2,079,226	1,598,619	1,093,665	629,446	230,399	32,251
	Males -	9,002,130	1,249,722	1,100,739	998,361	889,736	772,878	1,259,074	1,007,267	779,703	531,414	296,515	104,625	12,696
	Females -	9,357,990	1,243,844	1,099,585	979,343	883,676	844,761	1,374,795	1,071,959	818,916	562,251	332,931	126,374	19,555
DEATHS.	PERSONS -	4,058,158	1,651,017	171,235	89,361	116,084	135,750	257,989	256,364	264,418	318,624	384,018	318,286	95,012
	Males -	2,083,675	887,373	87,730	44,838	55,262	65,628	122,355	129,036	141,820	167,620	192,402	150,383	39,728
	Females -	1,974,483	763,644	83,505	44,523	60,822	70,122	135,634	127,328	123,098	151,004	191,616	167,903	55,284
Annual Rate of Mortality per cent.	PERSONS -	2·210	6·621	·778	·452	·655	·839	·980	1·233	1·654	2·913	6·101	13·815	29·460
	Males -	2·315	7·101	·797	·449	·621	·849	·972	1·281	1·812	3·154	6·489	14·456	31·292
	Females -	2·110	6·139	·759	·455	·688	·830	·987	1·188	1·503	2·686	5·755	13·286	28·271
LONDON.														
MEAN POPULATION.	PERSONS -	3,029,125	392,463	324,972	287,004	283,115	299,487	514,388	385,086	268,947	161,884	82,118	25,663	3,398
	Males -	1,415,466	195,963	161,151	141,969	131,585	133,185	233,714	178,860	124,417	71,145	33,097	9,325	1,055
	Females -	1,613,659	196,500	163,821	145,035	151,530	166,302	280,674	206,826	144,530	90,739	49,021	16,338	2,343
DEATHS.	PERSONS -	736,342	320,283	29,585	11,923	15,390	21,304	50,074	57,225	58,717	61,548	60,372	39,702	10,219
	Males -	375,814	170,317	15,095	6,026	7,659	10,963	25,379	30,661	31,953	31,196	27,413	15,761	3,391
	Females -	360,528	149,966	14,490	5,897	7,731	10,341	24,695	26,564	26,764	30,352	32,959	23,941	6,828
Annual Rate of Mortality per cent.	PERSONS -	2·431	8·161	·910	·415	·544	·711	·973	1·484	2·183	3·802	7·352	15·471	30·074
	Males -	2·655	8·691	·937	·424	·582	·823	1·086	1·714	2·568	4·385	8·283	16·902	32·142
	Females -	2·234	7·632	·885	·407	·510	·622	·880	1·284	1·852	3·345	6·723	14·654	29·142

TABLE **47.—Average Annual Mortality per cent., 1861–70,** at the SEVERAL AGES in the **Districts of England and Wales,** the DISTRICTS of LONDON and the DISTRICT of BILLESDON being excluded.

NOTE.—The mean Rate of Mortality per cent. at *each Age* is got by dividing the sum of the rates in the whole of the Districts of the several Groups by the number of those Districts. The Male and Female rates are separately treated.

Mean Annual Rates of Mortality per 1000 persons.	Number of Districts at each Rate of Mortality.	Persons to a square Mile.	Sexes.	Average Annual Rates of Mortality *per Cent.* at the under-mentioned Ages.												
				All Ages.	Under 5	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & upwards.
* 15	1	55	M.	1·543	3·301	·442	·410	·355	·566	·761	·743	1·205	2·272	6·419	14·432	25·385
			F.	1·478	2·611	·561	·375	·382	·579	·791	·868	1·207	2·121	4·813	14·054	29·444
16	14	131	M.	1·672	3·971	·386	·389	·507	·761	·729	·990	1·261	2·215	5·350	13·037	28·496
			F.	1·569	3·280	·360	·373	·662	·751	·770	·961	1·153	2·140	4·974	12·788	26·070
17	37	192	M.	1·807	4·275	·556	·325	·482	·757	·880	1·046	1·401	2·449	5·501	13·227	28·936
			F.	1·669	3·491	·541	·386	·647	·777	·873	1·021	1·205	2·170	5·134	12·604	27·089
18	89	159	M.	1·855	4·564	·569	·360	·489	·760	·853	·981	1·349	2·377	5·448	13·293	32·038
			F.	1·768	3·942	·563	·409	·647	·807	·866	·987	1·168	2·175	5·070	12·666	29·697
19	142	179	M.	1·963	5·053	·606	·372	·541	·817	·883	1·009	1·413	2·490	5·588	13·531	31·125
			F.	1·851	4·293	·595	·429	·698	·852	·937	1·033	1·231	2·176	5·036	12·432	28·436
20	114	214	M.	2·081	5·677	·651	·389	·538	·836	·897	1·077	1·447	2·655	5·784	13·947	32·318
			F.	1·948	4·809	·649	·447	·713	·865	·973	1·090	1·285	2·309	5·254	12·859	29·481
21	59	268	M.	2·187	6·227	·722	·449	·622	·892	·934	1·149	1·634	2·939	6·383	14·451	32·036
			F.	2·043	5·292	·714	·476	·753	·911	1·027	1·165	1·345	2·510	5·657	13·413	29·236
22	48	467	M.	2·310	7·041	·816	·466	·667	·898	1·002	1·263	1·738	3·109	6·634	14·576	32·415
			F.	2·096	6·015	·760	·460	·682	·842	1·006	1·173	1·436	2·586	5·762	13·561	29·634
23	30	552	M.	2·434	7·575	·882	·522	·711	·948	1·012	1·301	1·866	3·349	7·094	15·351	33·222
			F.	2·195	6·473	·820	·491	·750	·918	1·065	1·207	1·484	2·711	6·056	13·907	30·135
24	23	1,268	M.	2·518	8·427	·946	·551	·712	·855	·930	1·289	1·889	3·545	7·514	16·682	33·820
			F.	2·293	7·300	·907	·479	·711	·882	1·027	1·211	1·552	2·958	6·401	14·627	30·737
25	14	1,855	M.	2·665	8·785	·916	·535	·726	·920	1·032	1·454	2·190	4·045	8·085	17·193	33·870
			F.	2·379	7·634	·859	·482	·697	·876	1·033	1·290	1·703	3·191	6·804	15·180	28·981
26	10	2,909	M.	2·760	9·662	·966	·523	·727	·861	·990	1·439	2·274	4·142	8·247	17·554	35·706
			F.	2·438	8·282	·907	·476	·720	·856	1·036	1·334	1·804	3·414	7·151	15·650	30·259
27	3†	24,627	M.	3·000	9·506	·994	·447	1·094	1·196	1·541	1·939	2·929	4·331	8·744	17·356	35·686
			F.	2·423	8·416	·904	·437	·607	·761	·923	1·333	1·878	3·495	7·422	15·500	29·259
28	2†	2,009	M.	2·984	10·259	1·103	·539	·801	·975	1·217	1·702	2·505	4·337	8·370	18·493	34·080
			F.	2·632	8·998	1·007	·473	·770	·875	1·170	1·539	1·983	3·726	7·145	15·414	29·576
29	3†	3,354	M.	2·996	10·285	1·212	·613	·808	·946	1·176	1·711	2·525	4·330	8·956	17·643	32·670
			F.	2·656	8·997	1·090	·501	·720	·829	1·010	1·345	2·001	3·433	7·209	15·761	31·511
30	Leeds	30,050	M.	3·217	11·292	1·045	·582	·797	1·030	1·302	1·908	2·928	5·132	9·939	22·413	34·348
			F.	2·760	9·645	·944	·539	·716	·955	1·170	1·554	2·208	3·991	8·543	17·863	27·917
32	Manchester.	12,357	M.	3·538	11·790	1·401	·651	·939	1·167	1·469	2·325	3·455	6·017	10·876	20·978	40·714
			F.	3·046	10·590	1·152	·579	·740	·955	1·307	1·926	2·876	5·031	9·426	17·300	27·387
39	Liverpool.	65,823	M.	4·097	11·475	1·647	·668	·945	1·422	1·998	3·007	4·372	7·095	11·918	19·488	29·600
			F.	3·636	13·429	·554	·614	·758	1·102	1·749	2·468	3·701	5·760	9·564	16·281	25·446

* The Mortality in *this* column was deduced for each District by dividing the annual *Deaths* of *Persons* by the average number of *Persons living* in the respective Districts.

† The three Districts with a rate of 27 per 1000 are East Stonehouse, Birmingham, and Salford; the two with a rate of 28 per 1000, Preston and Newcastle-upon-Tyne; and the three with a rate of 29 per 1000, Bristol, Wigan, and Sheffield.

TABLE **48.**—SHOWING in a COMPARATIVE VIEW the **actual Mortality** (Annual Rate per 1000) in **Seven Groups** of **Districts** of **England and Wales** (exclusive of **London**); with the MORTALITY deduced from the DENSITIES (Population to a Square Mile) of those GROUPS.

Number of Group.	Number of Districts in each Group.	RANGE of MORTALITY.	DENSITY—Persons to a Square Mile.	PROXIMITY in Yards.	OBSERVED MORTALITY.	CALCULATED MORTALITY.
Columns -	1.	2.	3.	4.	5.	6.
ENGLAND & WALES (exclusive of LONDON) -	593	15–39	315	107	22·00	20·41
I.	53	15–17	166	147	16·75	18·90
II.	345	18–20	186	139	19·16	19·16
III.	137	21–23	379	97	21·88	20·87
IV.	47	24–26	1,718	46	24·90	25·02
V.	9	27–30	4,499	28	28·08	28·08
VI.	Manchester District	32	12,357	17	32·49	37·70
VII.	Liverpool District	39	65,823	7	38·62	38·74

m being the mortality in any group and m' being the higher mortality at any other group, D and D′ being the density of population in the two groups, then

$$m' = m\left(\frac{D'}{D}\right)^{n} = m\left(\frac{D'}{D}\right)^{0\cdot 11998}$$

The mortality of districts is nearly as the 12th root of their densities.

The starting point being 19·16, the calculated rates (see col. 6.) in the other groups are deduced by the formula from the densities as given in column 3; or taking the above value of n, and p and p' as the mean proximity of person to person, we have $m' = m\left(\frac{p}{p'}\right)^{2n}$. So the mortality of districts is nearly as the 6th root of the proximities.

The Table may be read thus:—In 47 districts having a density of 1718 persons to a square mile, a proximity of 46 yards, the annual mortality (1861–70) ranged from 24 to 26—the exact mortality was 24·90—per 1000. The mortality calculated from that of the 345 districts having a mortality of 19·16, a density of 186 persons to a square mile, was 25·02, thus differing from the actual mortality by only 0·12.

It will be noticed that there is not much difference in the density of groups I. and II., and yet the mortality in group I. is much lower than the mortality in group II. It may therefore be inferred that there are many more small towns in group II. than in group I., and in those small towns the effects of a higher density are felt, whereas in group I. the population is more evenly distributed over the area. Were the population aggregated to the same extent as it is in group II., it is probable that the mortality would approximate to 18·90.

TABLE **49.—Mean Annual Rate of Mortality per Cent., 1861-70,** at the various AGES in **Districts,*** grouped according to the RATE OF MORTALITY of PERSONS LIVING at ALL AGES.

Annual Rates of Mortality per 1000 *Persons* living at all Ages - - -	Range 15–17 Mean - 16	18–20 19	21–23 22	24–26 25	27–30 28·5	32 -	39
Density: Persons to one Square Mile -	166	186	379	1,718	4,499	12,357	65,823
Number of Districts at the above Rates of Mortality - -	53	345	137	47	9	1	1
Annual Birth Rates, per 1000 *Persons* living, in the above groups of Districts	30·2	32·2	35·8	38·7	40·2	37·3	37·6

MEAN RATES of *Mortality per cent.*† at the various AGES in the above groups of DISTRICTS.

——	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
ALL AGES -	1·757	1·631	1·974	1·862	2·284	2·095	2·613	2·349	3·019	2·584	3·538	3·046	4·097	3·636
Under 5 - -	4·148	3·412	5·133	4·373	6·808	5·804	8·796	7·623	10·131	8·876	11·790	10·590	14·475	13·429
5— - - -	·561	·543	·612	·604	·790	·753	·941	·893	1·097	·993	1·401	1·152	1·647	1·514
10— - - -	·342	·382	·374	·429	·471	·474	·540	·479	·538	·478	·651	·579	·668	·614
15— - - -	·480	·641	·526	·690	·657	·727	·719	·709	·900	·693	·939	·740	·945	·758
20— - - -	·750	·763	·808	·845	·906	·888	·876	·874	1·045	·830	1·167	·955	1·422	1·102
25— - - -	·829	·839	·880	·930	·975	1·028	·974	1·031	1·321	1·034	1·469	1·307	1·998	1·749
35— - - -	·997	·992	1·024	1·040	1·222	1·177	1·370	1·261	1·807	1·407	2·325	1·926	3·007	2·408
45— - - -	1·354	1·186	1·408	1·232	1·721	1·407	2·060	1·651	2·700	1·979	3·455	2·876	4·372	3·701
55— - - -	2·375	2·145	2·515	2·220	3·088	2·581	3·821	3·124	4·421	3·581	6·017	5·031	7·095	5·760
65— - - -	5·454	5·063	5·617	5·117	6·627	5·781	7·840	6·681	8·864	7·414	10·876	9·426	11·918	9·564
75— - - -	13·222	12·586	13·607	12·633	14·692	13·573	17·020	15·009	18·266	15·831	20·978	17·300	19·488	16·281
85 and upwards -	28·622	26·811	31·755	29·107	32·429	29·572	34·236	30·112	34·175	29·931	40·714	27·387	29·600	25·446

PERSONS.

(The Rates are the Means of the above Male and Female Rates.)

ALL AGES -	1·694	1·918	2·190	2·481	2·802	3·292	3·867
Under 5 - -	3·780	4·753	6·306	8·210	9·504	11·190	13·952
5— - - -	·552	·608	·772	·917	1·045	1·277	1·581
10— - - -	·362	·402	·473	·510	·508	·615	·641
15— - - -	·561	·608	·692	·714	·797	·840	·852
20— - - -	·757	·827	·897	·875	·938	1·061	1·262
25— - - -	·834	·905	1·002	1·003	1·178	1·388	1·874
35— - - -	·995	1·032	1·200	1·316	1·607	2·126	2·708
45— - - -	1·270	1·320	1·564	1·856	2·340	3·166	4·037
55— - - -	2·260	2·368	2·835	3·473	4·001	5·524	6·428
65— - - -	5·259	5·367	6·204	7·261	8·139	10·151	10·741
75— - - -	12·904	13·120	14·133	16·015	17·049	19·139	17·885
85 and upwards -	27·717	30·431	31·001	32·174	32·053	34·051	27·523

This Table of the *mean Mortality* at all ages of Males and Females shows that in 53 Healthy Districts the Mortality was 16·94 per 1000, and in the group of 345 Districts it was 19·18 per 1000.

The mean rates of Mortality of Persons are equivalent to the rates of Mortality of equal numbers of the two sexes at each age. Thus the Mortality of the 53 Healthiest Districts was 1·757 for Males, 1·631 for Females, and 1·694 for Persons (50 Males and 50 Females); as $\frac{1·757 + 1·631}{2} = \frac{3·388}{2} = 1·694$.

* The London Districts are excluded on account of the difficulty of correcting for displaced deaths in Hospitals. For the mortality of London in the aggregate *see* page clvi.

† By passing the decimal point one figure to the right-hand, thus, instead of 1·757 at "All Ages" in the first Column, read 17·57, the Table shows the rate per 1000.

TABLE **50.—Average Annual Rate of Mortality per Cent., 1861-70,** at different **Ages** in **Fifty-one Healthy Districts** of **England and Wales,** in the **whole** of **England and Wales,** in **London,** and in **Manchester** and **Liverpool Districts** respectively.

Ages.	MALES.					FEMALES.				
	Fifty-one* Healthy Districts.	England and Wales.	London.	Manchester District.	Liverpool District.	Fifty-one* Healthy Districts.	England and Wales.	London.	Manchester District.	Liverpool District.
All Ages -	1·756	2·361	2·655	3·538	4·097	1·623	2·128	2·234	3·046	3·636
0–	4·246	7·316	8·694	11·790	14·475	3·501	6·343	7·632	10·590	13·429
5–	·566	·815	·937	1·401	1·647	·562	·776	·885	1·152	1·514
10–	·346	·446	·424	·651	·668	·390	·448	·407	·579	·614
15–	·483	·616	·582	·939	·945	·628	·662	·510	·740	·758
20–	·738	·845	·823	1·167	1·422	·734	·796	·622	·955	1·102
25–	·824	·990	1·086	1·469	1·998	·807	·968	·880	1·307	1·749
35–	1·007	1·346	1·714	2·325	3·007	·975	1·203	1·284	1·926	2·408
45–	1·346	1·916	2·568	3·455	4·372	1·176	1·555	1·852	2·876	3·701
55–	2·372	3·300	4·385	6·017	7·095	2·114	2·777	3·345	5·031	5·760
65–	5·456	6·669	8·283	10·876	11·918	4·995	5·880	6·723	9·426	9·564
75–	13·128	14·658	16·902	20·978	19·488	12·378	13·443	14·654	17·300	16·281
85 & upwds.	28·492	31·357	32·142	40·714	29·600	26·400	28·364	29·142	27·387	25·446

* In this Table two districts are excluded from the *fifty-three* Healthy Districts shown in other Tables, namely, Barnet and King's Norton, on account of their proximity, the former to London, and the latter to Birmingham.

TABLE **51.—Average Annual Rate of Mortality per Cent., 1861-70,** at different **Ages** in **Fifteen Great Town Districts,** and in the same coupled with **Liverpool District** and **London.**

Ages.	MALES.		FEMALES.	
	Fifteen great town Districts, including Manchester.	Seventeen great town Districts, including previous fifteen districts, with districts of Liverpool and London.	Fifteen great town Districts, including Manchester.	Seventeen great town Districts, including previous fifteen districts, with districts of Liverpool and London.
All Ages - -	2·948	2·833	2·591	2·423
0– - - -	10·177	9·497	8·888	8·357
5– - - -	1·060	1·016	·973	·946
10– - - -	·533	·476	·503	·451
15– - - -	·739	·658	·709	·591
20– - - -	·921	·890	·864	·725
25– - - -	1·139	1·156	1·081	·990
35– - - -	1·722	1·791	1·446	1·396
45– - - -	2·617	2·687	2·044	2·008
55– - - -	4·618	4·602	3·685	3·566
65– - - -	8·996	8·667	7·567	7·091
75– - - -	18·846	17·614	16·235	15·175
85 and upwards -	34·933	32·865	30·109	29·283
Mean Population, 1861–71	821,460	2,361,736	876,596	2,619,522
Deaths, 1861–70 - -	242,157	669,102	227,105	634,632
Area in square miles -	278·08	399·69	278·08	399·69
Persons to 1 square mile -	6,106	12,463	6,106	12,463

The fifteen town Districts are :—Manchester, Salford, Bradford, Birmingham, Sheffield, Leeds, Newcastle-upon-Tyne, Hunslet, Leicester, Gateshead, Bristol, Hull, Exeter, Worcester, and Shrewsbury.

TABLE **52.**—SHOWING **how much** the **Mortality** at each of TWELVE AGES is **raised** in SEVEN GROUPS of DISTRICTS experiencing different RATES OF MORTALITY at ALL AGES.

(The London Districts are in one Group, *see* Table 46.)

Annual Rates of Mortality per 1000 Persons living at all Ages, 1861–70	Range 18–20 / Mean 19	21–23 / 22	24	24–26 / 25	27–30 / 28·5	32	39
Number of Districts at the above Rates of Mortality	345	137	London.	47	9	Manchester District.	Liverpool District.
INCREASE *per cent.* ON THE RATES OF THE FIFTY-THREE HEALTHY DISTRICTS.							
ALL AGES	13·2	29·3	44·3	46·5	65·4	94·3	128·3
Under 5	25·7	66·8	115·9	117·2	151·4	196·0	269·1
5–	10·1	39·9	65·0	66·1	89·3	131·3	186·4
10–	11·0	30·7	14·9	40·9	40·3	69·9	77·1
15–	8·4	23·4	−2·7	27·3	42·1	49·7	51·9
20–	9·2	18·5	−4·5	15·6	23·9	40·2	66·7
25–	8·5	20·1	17·9	20·3	41·2	66·4	124·7
35–	3·7	20·6	50·7	32·3	61·5	113·7	172·2
45–	3·9	23·1	74·0	46·1	84·3	149·3	217·9
55–	4·8	25·4	71·0	53·7	77·0	144·4	184·4
65–	2·1	18·0	42·7	38·1	54·8	93·0	104·2
75–	1·7	9·5	22·3	24·1	32·1	48·3	38·6
85 and upwards	9·8	11·8	10·6	16·1	15·6	22·9	−·7

This Table of the increase of mortality may be read thus:—In *345 Districts* having a mortality at all ages of *18–20 per 1000*, the mortality at the *ages under five years* shows an excess of 25·7 per cent. on the rate at that group of ages in the 53 Healthy Districts; *in 137 Districts* having a mortality at all ages of 21–23 it is 66·8 per cent. in excess; ..... in Liverpool it is 269·1 per cent. in excess, or out of the same numbers of Children living, the deaths are between three and four times as many in Liverpool as they are in the Healthy Districts.

TABLE **53.**—**Relative Mortality, 1861-70,** at each of **Twelve Ages** in EIGHT GROUPS of **Districts** of **England and Wales,** the DEATHS at each AGE in the 53 HEALTHY DISTRICTS being represented by **100.**

Mortality Range		15–17	18–20	21–23	24	24–26	27–30	32	39
Persons to one sq. mile		166	186	379	25,671	1,718	4,499	12,357	65,823
AGES.	Persons living.	DEATHS, OUT OF PERSONS as given in Column 2.							
		In 53 Healthy Districts.	In 345 Districts.	In 137 Districts.	In London.	In 47 Districts.	In 9 Districts.	In Manchester District.	In Liverpool District.
ALL AGES	5,903	100	113	129	144	146	165	194	228
0–	2,646	100	126	167	216	217	251	296	369
5–	18,116	100	110	140	165	166	189	231	286
10–	27,624	100	111	131	115	141	140	170	177
15–	17,825	100	108	123	97	127	142	150	152
20–	13,210	100	109	118	95	116	124	140	167
25–	11,990	100	109	120	118	120	141	166	225
35–	10,050	100	104	121	151	132	162	214	272
45–	7,874	100	104	123	174	146	184	249	318
55–	4,425	100	105	125	171	154	177	244	284
65–	1,902	100	102	118	143	138	155	193	204
75–	775	100	102	110	122	124	132	148	139
85 & upwards	361	100	110	112	111	116	116	123	99

The Table may be read thus:—Out of 2646 Children living under five years of age, 100 die annually in the Healthy Districts; 126 in 345 Districts having rates of mortality of 18 to 20; ..... 296 in Manchester District; and 369 in Liverpool District.

TABLE **54.—Relative Mortality** of **Males** and **Females, 1861-70,** at **Seven Ages** in EIGHT GROUPS of **Districts** of **England and Wales,** the DEATHS at each AGE in the 53 HEALTHY DISTRICTS being represented by **100.**

Mortality Range - - - -			15–17	18–20	21–23	24	24–26	27–30	32	39
Persons to one square mile - -			166	186	379	25,671	1,718	4,499	12,357	65,823
AGES.	Sex.	Numbers living.	DEATHS OF MALES AND FEMALES, out of Numbers given in Column 2.							
			In 53 Healthy Districts.	In 345 Districts.	In 137 Districts.	In London.	In 47 Districts.	In 9 Districts.	In Manchester District.	In Liverpool District.
ALL AGES	Males -	5,692	100	112	130	151	149	172	201	233
	Females	6,131	100	114	128	137	144	158	187	223
0–5	Males -	2,411	100	124	164	210	212	244	284	349
	Females	2,931	100	128	170	224	223	260	310	394
5–10	Males -	17,825	100	109	141	167	168	196	250	294
	Females	18,416	100	111	139	163	164	183	212	279
25–35	Males -	12,063	100	106	118	131	117	159	177	241
	Females	11,919	100	111	123	105	123	123	156	208
35–45	Males -	10,030	100	103	123	172	137	181	233	302
	Females	10,081	100	105	119	129	127	142	194	243
45–55	Males -	7,386	100	104	127	190	152	199	255	323
	Females	8,432	100	104	119	156	139	167	242	312
55–65	Males -	4,211	100	106	130	185	161	186	253	299
	Females	4,662	100	103	120	156	146	167	235	269
65–75	Males -	1,834	100	103	122	152	144	163	199	219
	Females	1,975	100	101	114	133	132	146	186	189

Out of 2411 Male Children living under 5 years of age 100 die annually in the Healthy Districts, ... 284 in the Manchester District, and 349 in the District of Liverpool.

TABLE 55.—**Average Rates of Mortality** in the Thirty Years **1841-70,** in combination with **Density of Population,** in the **619 Districts of England and Wales** grouped in **Registration Divisions.**

Mean Density of Population — Acres to a Person	0 —	1 —	2 —	3 —	5 —	7 —	9 & upwards.
DIVISIONS.	AVERAGE ANNUAL RATES of MORTALITY per 1000 Persons, 1841-70.						
ENGLAND AND WALES	23·9	20·9	20·0	19·3	19·0	18·8	18·2
I. LONDON	23·9	—	—	—	—	—	—
II. SOUTH-EASTERN	21	19	19	18	19	19	—
III. SOUTH MIDLAND	22	20	21	20	—	—	—
IV. EASTERN	22	19	20	20	20	—	—
V. SOUTH-WESTERN	24	20	20	19	19	18	18
VI. WEST MIDLAND	24	22	20	19	19	19	—
VII. NORTH MIDLAND	25	22	20	19	20	17	—
VIII. NORTH-WESTERN	26	22	20	19	20	—	—
IX. YORK	25	22	22	20	19	19	19
X. NORTHERN	25	22	22	20	19	19	17
XI. WELSH	—	24	21	21	19	19	19

The Table may be read thus:—In Division IV. the mean mortality of the districts of which the density of population is greatest, viz., less than one acre to a person, is 22 per 1000; in districts in which the density of population is one acre and less than two, the mean mortality is 19 per 1000; and so on.

The following particulars are interesting as regards the three sets of Districts (viz., those in Divisions IX., X., and XI.) that are least populous, there being 9 acres or upwards to each inhabitant.

DISTRICTS in Division IX.	ACRES to a Person.	ANNUAL MORTALITY per 1000, 1841-70.	DISTRICTS in Division X.	ACRES to a Person.	ANNUAL MORTALITY per 1000, 1841-70.	DISTRICTS in Division XI.	ACRES to a Person.	ANNUAL MORTALITY per 1000, 1841-70.
Sedbergh	11	18	Haltwhistle	14	17	Llandovery	10	19
Settle	11	19	Bellingham	35	17	Tregaron	11	17
Helmsley	9	19	Glendale	10	15	Builth	12	18
Pickering	9	19	Rothbury	23	15	Brecknock	11	21
Aysgarth	14	20	Bootle	14	17	Knighton	10	18
Reeth	11	20	East Ward	12	17	Rhayader	15	18
—	—	—	West Ward	14	18	Machynlleth	9	21
—	—	—	—	—	—	Dolgelly	11	19

Note.—Dulverton, in Division V., is the only other district with more than 9 acres to a person; it has an area of 10 acres, and the annual mortality in the 30 years was 18 per 1000 of population.

The population of the whole of Sedbergh district has slightly increased; that of the township of Sedbergh has decreased in consequence of the *absence* of labourers who were constructing a railway in 1861, while the larger populations in Garsdale and Dent are attributed to the *presence* of labourers forming a railway from Settle to Carlisle.

The population of Settle in 1871 was 15,134 against 12,528 in 1861; an increase in the township of Burton-in-Lonsdale is ascribed to the extension of a cotton factory, and in some other townships to the presence of labourers employed in constructing a railway.

A very slight decrease in the population of Helmsley occurred between 1861 and 1871, the two populations being 11,832 and 11,716. Helmsley township, with a population of 1437 in 1871, has an area of 8812 acres, and Kirkby Moorside a population of 1788 on 4506 acres.

In Pickering district the population rose from 10,549 in 1861 to 12,737 in 1871; in the townships of Rosedale West Side and Rosedale East Side there was a rapid increase owing to the development of ironstone mining, especially in the latter township, where the population at the two censuses was 446 and 2041. The township of Pickering has a population of 3689 on 16,037 acres.

In some few of the townships comprised in Aysgarth district there was a decrease in the population in consequence of the abandonment of lead mines, but the general population of the district was nearly stationary. There is no thickly populated township in Aysgarth district.

In all the townships and parishes forming the district of Reeth the population declined, in Muker and Melbecks through the falling off in the productiveness of the lead mines. Muker township, with a population in 1871 of 913 only, has an area of 30,192 acres. All the townships in this district are sparsely populated.

The increase of population in a few of the parishes and townships in Haltwhistle district is due to the extension of collieries, but in the whole district the increase is not large. The township of Haltwhistle, with an area of 3133 acres, has a population of 1668.

The population of Bellingham district in 1871 was identical with that in 1861. Plashetts and Tynehead township had a population of 766 in 1871 against 494 in 1861, the increase being attributed to the extension of the Plashetts Colliery. The parish of Corsenside, with the largest population in the district, and which more than doubled itself in the 10 years 1861-1871, has an area of 11,504 acres and a population of 1067: the rapid growth of the population is due to the demand for labour at Sir Wm. Armstrong's Ironworks. Bellingham township has a population of 833 on an area of 2352 acres; the population has slightly decreased.

The district of Glendale does not include any large town. The parishes of Wooler and Chatton have populations of 1610 on 4917 acres, and 1538 on 17,335 acres respectively; in both parishes the population has decreased. The parishes of Carham (area 10,712, population 1210), of Ford (area 11,727, population 1841), and of Lowick (area 12,878, population 1770), all show a decrease of population, attributed to emigration and to migration in search of more remunerative employment.

The district of Rothbury is composed of many small townships. Rothbury, possessing the largest population, namely 1074, has an area of 3366 acres. An increase of 276 in the population since 1861 is mainly due to improvements effected by Sir Wm. Armstrong and to the erection of a railway station and gasworks.

In the district of Bootle the township of Millom shows the largest population, namely 4307 (against 1541 in 1861), on 13,531 acres. The large increase is attributed to the opening of iron ore pits.

In East Ward district the parishes of Appleby St. Michael or Bongate, and Appleby St. Lawrence together contained in 1861, 2824 persons; in 1871, 3225 persons; the increase in these parishes, as well as in other parishes and townships of the district, is stated to be due to the temporary presence of labourers constructing the Settle and Carlisle railway.

In West Ward district the population of the parish of Shap rose from 991 in 1861 to 1270 in 1871, the increase being due to the erection of cottages for the accommodation of granite quarry labourers; the area of the parish is 27,177 acres. The development of the Greenside Lead Mines caused a rise in the population of Patterdale-with-Hartsop township; in 1871 the population was 805 on an area of 16,735 acres.

The district of Llandovery contains the parish of Llangadock with a population of 2830 on 15,642 acres; the parish of Llandingat (including Llandovery) with a population of 2379 on 8107 acres; and the parish of Conwil-Cayo with a population of 2002 on 41,785 acres. Llangadock exhibits a slight increase, while Conwil-Cayo shows a decrease, the causes assigned in the case of the latter being migration and emigration.

The only considerable township in Tregaron district is Caron-ys-Clawdd or Tregaron with a population of 1788, which appears to be nearly stationary. There is no workhouse for the Tregaron union.

Builth district is composed of several inconsiderable parishes and hamlets. The parish of Builth is thickly populated, having a population of 1080 on 712 acres; in 1861 the population was 1110. There is no workhouse for the Builth union.

In Brecknock district the chapelry of Lower Division or St. Mary, Brecknock, is the most densely populated; the population being 2711 on 705 acres. In 1861 the population was 2107.

The only considerable parish in Knighton district is Knighton; it has a population of 1946 and an area of 2461 acres.

In Rhayader district the parish of Rhayader with an area of only 188 acres has a population of 802, though the population has slightly decreased; in 1861 it was 846. The increase of population in the parishes of Cefnllys (population 471) and Llanbadarnfawr (population 589) is attributed to the erection of houses and cottages.

The population of Machynlleth township in 1861 was 1640; in 1871 it was 2028; the increase is attributed to the construction and working of a railway, and to the discovery and development of new slab quarries and lead mines. Towyn township also exhibits an increase of population, due to the construction of a railway; in 1871 the population was 3307 on 26,372 acres.

In Dolgelly district the parish of Dolgelly had a population of 3789 in 1871; in 1861 the population was 3457; its area is 25,607 acres. The increase of population in some other parishes is attributed to the great extension of slate quarrying.

TABLE 56.—**Density** and **Mortality** of the **Districts** of **London** in THREE DECENNIADS, the DISTRICTS arranged according to the **Density of Population** in the DECENNIAD **1861–70.**

DISTRICTS.	DENSITY OF POPULATION. ACRES TO A PERSON.			ANNUAL MORTALITY. DEATHS TO 1000 LIVING.			
	1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	Mean of 30 Years 1841–70
Westminster (St. James) *	·004	·005	·005 ?	22	23	23 ?	23 ?
St. Giles	·005	·005	·005	26	28	29	28
Holborn : Holborn	·004	·004	·005	26	26	28	26
„ Clerkenwell	·006	·006		24	23		
„ St. Luke	·004	·004		27	27		
Shoreditch	·007	·005	·005	27	24	26	26
Whitechapel	·005	·005	·005	29	28	30	29
St. George-in-the-East	·005	·005	·005	29	29	30	29
Strand : St. Martin-in-the-Fields	·012	·013	·006	24	23	25	24
„ Strand *	·004	·004		24	24		
London City : East London	·004	·004	·007	27	27	26	26
„ West London	·005	·005		29	25		
„ London City	·008	·009		22	22		
Bethnal Green	·009	·008	·007	25	23	27	25
Stepney	·012	·010	·008	25	27	28	27
Mile End Old Town		·011	·008		24	25	25
Marylebone	·010	·009	·009	24	24	25	24
St. Saviour Southwk : St. Geo. Southwk.	·006	·005	·009	30	27	25	27
„ Newington	·010	·009		26	24		
„ St. Saviour	·008	·008		30	29		
St. Olave Southwark : St. Olave							
„ Bermondsey	·017	·013		28	26		
„ Rotherhithe	·056	·042		28	25		
Chelsea	·018	·014	·012	27	26	26	26
St. George Han. Sq. : Westminster	·015	·014	·012	27	26	27	27
„ St. Geo. Han. Sq.	·017	·014	·013	19	19	19	19
Pancras	·018	·015	·013	23	22	23	23
Islington	·041	·025	·017	19	21	22	21
Lambeth	·031	·027	·021	25	23	23	24
Poplar	·060	·037	·024	22	24	26	24
Kensington	·076	·048	·032	20	19	21	20
Greenwich †	·060	·047	·035	27	24	26	26
Hackney	·078	·055	·038	19	19	20	19
Camberwell	·092	·069	·049	24	23	23	23
Hampstead	·204	·145	·087	18	17	16	17
Wandsworth	·258	·193	·118	19	20	19	19
Lewisham †	·595	·342	·217	17	18	19	18

* In consequence of the change in the District of Westminster (St. James) in 1868, the Density of Population and the Mortality in the 10 Years 1861–70 are not given for that District separately from the Strand District.

† The District of Woolwich having been formed out of the Districts of Greenwich and Lewisham so recently as 1st July 1868 is included in those Districts.

TABLE **57.**—**Density** and **Mortality,** in THREE DECENNIADS, of the **Districts** of **England and Wales** (exclusive of LONDON) in which the **Area** to a **Person** is less than **one acre,** the DISTRICTS arranged according to the **Density of Population** in the DECENNIAD **1861–70.**

DISTRICT.	COUNTY.	DENSITY OF POPULATION. ACRES TO A PERSON.			ANNUAL MORTALITY. DEATHS TO 1000 LIVING.			
		1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	Mean of 30 Years 1841–70
East Stonehouse - -	Devon - - -	·02	·01	·01	29	27	27	28
Bristol - - - -	Gloucester - -	·01	·01	·01	29	28	29	29
Birmingham - - -	Warwick - - -	·02	·01	·01	26	27	27	27
Liverpool - - -	Lancaster - -	·01	·01	·01	39*	33	39	37*
Brighton - - -	Sussex - - -	·03	·02	·02	21	22	22	22
Plymouth - - -	Devon - - -	·04	·03	·02	25	24	23	24
Nottingham - - -	Nottingham - -	·03	·03	·02	26	27	24	26
Leeds - - - -	York, West Riding -	·02	·02	·02	30	28	30	29
Hull - - - -	York, East Riding -	·02	·02	·02	31	25	26	27
Southampton - -	Hants - - -	·04	·03	·03	23	24	23	23
Stoke Damerel - -	Devon - - -	·05	·04	·04	26	23	21	23
Leicester - - -	Leicester - - -	·07	·06	·04	27	25	26	26
Portsea Island - -	Hants - - -	·08	·06	·05	25	23	21	23
Yarmouth (Great) -	Norfolk - - -	·06	·05	·05	23	25	24	24
Salisbury - - -	Wilts - - -	·05	·05	·05	28	24	20	24
Exeter - - - -	Devon - - -	·06	·05	·05	25	24	25	25
Salford - - - -	Lancaster - -	·08	·06	·05	28	26	27	27
Manchester - - -	" - -	·06	·05	·05	33	31	32	32
Gravesend - - -	Kent (*extra-met.*) -	·08	·07	·06	25	23	22	23
Derby - - - -	Derby - - -	·08	·06	·06	24	24	23	24
Chorlton - - -	Lancaster - -	—	·08	·06	—	24	25	24
Newcastle-upon-Tyne -	Northumberland -	·09	·07	·06	27	27	28	27
Sheffield - - -	York, West Riding -	·11	·09	·07	27	28	29	28
Norwich - - -	Norfolk - - -	·11	·10	·10	24	25	24	24
Sunderland - - -	Durham - - -	·19	·15	·11	24	25	24	24
Cambridge - - -	Cambridge - -	·13	·13	·12	23	20	22	22
Coventry - - -	Warwick - - -	·16	·14	·13	27	25	21	24
Oxford - - - -	Oxford - - -	—	·15	·14	—	22	22	22
Dudley - - - -	Stafford - - -	·19	·15	·14	25	26	25	25
West Derby - - -	Lancaster - -	·34	·22	·14	26	23	26	25
Oldham - - - -	" - -	·21	·17	·14	26	25	26	26
Stoke-upon-Trent - -	Stafford - - -	·23	·19	·15	27	26	26	26
Reading - - - -	Berks - - -	·23	·20	·16	24	22	22	23
Alverstoke - - -	Hants - - -	·25	·19	·17	24	20	19	21
Bradford - - -	York, West Riding -	·26	·21	·18	25	26	25	25
Canterbury - - -	Kent (*extra-met.*) -	·21	·20	·19	24	23	24	24
West Bromwich - -	Stafford - - -	·32	·24	·19	23	24	22	23
Bury St. Edmunds -	Suffolk - - -	·22	·22	·21	24	22	23	23
Ipswich - - - -	" - - -	·29	·24	·21	23	22	22	22
Worcester - - -	Worcester - -	·24	·23	·21	24	23	25	24
Radford - - - -	Nottingham - -	·28	·24	·21	22	25	22	23
Richmond - - -	Surrey (*extra-met.*)	·29	·25	·22	20	20	19	20
Medway - - - -	Kent (*extra-met.*) -	·36	·31	·22	25	23	22	23
Wolstanton - - -	Stafford - - -	·37	·28	·22	26	26	25	26
Stourbridge - - -	Worcester - -	·31	·26	·23	24	23	22	23
Dewsbury - - -	York, West Riding -	·37	·30	·23	23	25	26	25
Ecclesall Bierlow - -	" " -	·51	·35	·23	22	23	23	23
West Ham - - -	Essex - - -	·64	·42	·24	18	20	20	19
Aston - - - -	Warwick - - -	·53	·37	·25	21	21	21	21
Clifton - - - -	Gloucester - -	·41	·34	·26	23	20	20	21

* Excluding the Irish famine year (1847) the rate for 1841-50 is 36, and is also for the 30 years 1841-7036.

Density and **Mortality,** in THREE DECENNIADS, of the **Districts** of **England and Wales** (exclusive of LONDON) in which the **Area** to a **Person** is less than **one acre,** the DISTRICTS arranged according to the **Density of Population** in the DECENNIAD **1861–70**—*continued.*

DISTRICT.	COUNTY.	DENSITY OF POPULATION. ACRES TO A PERSON.			ANNUAL MORTALITY. DEATHS TO 1000 LIVING.			
		1841–50	1851–60	1861–70	1841–50	1851–60	1861–70	Mean of 30 Years 1841–70
South Shields	Durham	·48	·38	·26	26	24	24	25
Hunslet, Holbeck, Bramley	York, West Riding	·47	·40	·27	25	24	26	25
Ashton-under-Lyne	Lancaster	·35	·30	·29	26	27	25	26
Stockport	Chester	·35	·33	·32	25	26	25	25
Bolton	Lancaster	·41	·36	·32	27	27	26	27
Bury	"	·40	·35	·32	25	23	24	24
Walsall	Stafford	·56	·42	·33	24	26	24	25
Brentford	Middlesex (*ex.-met.*)	·52	·44	·34	21	22	20	21
Kings Lynn	Norfolk	·30	·30	·34	23	22	22	22
Rochdale	Lancaster	·52	·42	·35	24	24	24	24
Blackburn	"	·53	·41	·35	25	26	26	26
Haslingden	"	·58	·44	·36	22	22	23	22
Gateshead	Durham	·60	·48	·38	25	26	25	25
Halifax	York, West Riding	·49	·46	·40	22	24	24	23
Wolverhampton	Stafford	·58	·47	·42	27	28	24	26
Northampton	Northampton	·67	·56	·44	24	24	24	24
Bath	Somerset	·44	·44	·44	24	22	22	23
Hastings	Sussex	·78	·59	·45	18	18	20	19
Colchester	Essex	·60	·52	·45	24	22	22	23
Tynemouth	Northumberland	·66	·56	·45	24	23	24	24
Wigan	Lancaster	·66	·55	·47	28	27	29	28
Croydon	Surrey (*extra-met.*)	1·10	·84	·50	20	19	19	19
Cheltenham	Gloucester	·59	·53	·50	20	19	19	19
Kings Norton	Worcester	1·08	·73	·50	17	17	17	17
Huddersfield	York, West Riding	·61	·56	·53	22	22	24	23
Kingston	Surrey (*extra-met.*)	·89	·71	·54	18	18	18	18
Barton-upon-Irwell	Lancaster	—	·66	·54	—	22	22	22
Preston	"	·78	·66	·60	25	27	28	27
Leigh	"	·80	·67	·61	26	25	25	25
Warrington	"		·75	·63		24	26	25
Sculcoates	York, East Riding	·95	·80	·64	25	22	28	23
Edmonton	Middlesex (*ex.-met.*)	1·06	·89	·66	19	18	19	19
Prescot	Lancaster	1·14	·88	·67	23	23	23	23
Shrewsbury	Salop	·81	·74	·68	26	24	25	25
Barnsley	York, West Riding	—	·88	·68	—	24	25	24
Houghton-le-Spring	Durham	·91	·78	·68	20	21	24	22
Wakefield	York, West Riding	·85	·79	·69	23	28	23	23
Merthyr Tydfil	South Wales	1·74	1·23	·71	28	29	25	27
Redruth	Cornwall	·79	·73	·73	20	21	23	21
Keighley	York, West Riding	1·12	1·01	·77	21	23	24	23
Burnley	Lancaster	1·08	·91	·78	23	24	24	24
Thanet	Kent (*extra-met.*)	·94	·93	·80	19	21	20	20
Gloucester	Gloucester	1·09	·96	·84	24	21	21	22
South Stoneham	Hants	1·85	1·28	·92	18	17	18	18
Windsor	Berks	1·16	1·10	·95	20	20	20	20
Madeley	Salop	1·09	1·01	·97	23	21	22	22
Newcastle-under-Lyme	Stafford	1·33	1·18	·98	26	23	22	24
Saddleworth	York, West Riding	1·06	1·00	·98	22	24	23	23
Melksham	Wilts	·94	·99	1·00	22	22	22	22

TABLE 58.—**Comparison** of a **Life Table** for **Males**, CONSTRUCTED by a SHORT METHOD, with the **English Life Table.** [The same data served for both Tables, and are given on pages xviii–xx of English Life Table.]

Age x.	l_x			d_x			MEAN AFTER-LIFETIME.		
	By English Life Table.	By Short Method.	Excess by Short Method.	By English Life Table.	By Short Method.	Excess by Short Method.	By English Life Table.	By Short Method.	Excess by Short Method.
0	511,745	511,745	—	141,387	141,387	—	39·91	40·00	·09
5	370,358	370,358	—	17,327	16,651	−676	49·71	49·82	·11
10	353,031	353,707	676	8,741	9,026	285	47·05	47·05	—
15	344,290	344,681	391	24,848	27,201	2,353	43·18	43·21	−·03
25	319,442	317,480	−1,962	30,592	30,183	−409	36·12	36·49	·37
35	288,850	287,297	−1,553	35,142	34,594	−548	29·40	29·80	·40
45	253,708	252,703	−1,005	44,169	42,703	−1,466	22 76	23·19	·43
55	209,539	210,000	461	58,785	57,254	−1,531	16·45	16·89	·44
65	150,754	152,746	1,992	74,977	74,518	−459	10·82	11·35	·53
75	75,777	78,228	2,451	58,900	60,393	1,493	6·49	7·39	·90
85	16,877	17,835	958	16,044	16,979	935	3·73	5·48	1·75
95	833	856	23	829	846	17	2·17	5·00	2·83
105	4	10	6	4	10	6	—	—	—

NOTE.—The above Table furnishes a comparison of the numbers living at the various ages, and the numbers dying in the intervals of those ages, also the mean after-lifetime, as calculated from the same data (1) by interpolation for each age according to the English Life Table, (2) by a short method in which the intervals of age are quinquennial up to age 15 and after that age decennial.

The dying in the first five years of life in both Tables were deduced from the Births registered during the 17 years 1838–54 (corrected for defective registration) and the registered Deaths in subsequent years of children, born during that period, occurring in the 1st, 2nd, 3rd, and 4th years of life. Then by the formula

$$\frac{1-\frac{1}{2}m}{1+\frac{1}{2}m}=\frac{2-m}{2+m}= \text{ the probability of living through one year}$$

this probability raised to the 5th power was applied to the survivors at age 5, and the rates at other ages in the same manner to survivors in each successive group of ages up to 15. After that age $\left(\frac{2-m}{2+m}\right)^{10}$ was the formula employed.

Take as an example age 15–25. The value of m for Males was ·00822 so $\frac{2-\cdot 00822}{2+\cdot 00822}=\frac{1\cdot 99178}{2\cdot 00822}$ and $\left(\frac{1\cdot 99178}{2\cdot 00822}\right)^{10}=\bar{1}\cdot 9643000$, which added to $\lambda\, l_{15}=5\cdot 5374169$ gives $\lambda\, l_{25}\ 5\cdot 5017169$; and 317,480 is the corresponding number of l_{25}.

It will be seen that the Expectation of Life by each Table at the ages up to 15 is nearly the same; at ages 25 to 65 the differences range from ·37 to ·53 of a year, the Short Method giving an excess; and after that age there is a rapid increase in the excess of the mean after-lifetime by the Short Method Table.

TABLE **59.**—ENGLAND AND WALES.—**Average Annual Numbers** of **Males** and **Females Dying** at the **several Ages,** to **1000 living** at those AGES, of **All Causes ;** of **Certain Diseases ;** and of **All Causes excluding** each of those DISEASES ; in the Ten Years **1861–70.**

AGES.	ALL CAUSES. m_x		PHTHISIS. p_x		ALL ZYMOTIC DISEASES, Order 1. z_x		CANCER. c_x		ALL CAUSES excluding Phthisis, $m_x - p_x$		ALL CAUSES excluding Zymotic Dis., $m_x - z_x$		ALL CAUSES excluding Cancer, $m_x - c_x$	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
ALL AGES	23·609	21·282	2·467	2·483	4·917	4·616	·244	·513	21·142	18·799	18·692	16·666	23·365	20·759
0–	73·162	63·430	·990	·947	22·355	21·754	·013	·013	72·172	62·483	50·807	41·676	73·149	63·417
5–	8·148	7·756	·431	·476	4·478	4·642	·008	·007	7·717	7·280	3·670	3·114	8·140	7·749
10–	4·460	4·484	·605	1·045	1·500	1·809	·008	·008	3·855	3·439	2·960	2·675	4·452	4·476
15–	6·161	6·622	2·188	3·110	1·313	1·421	·020	·017	3·973	3·512	4·848	5·201	6·141	6·605
20–	8·453	7·958	3·884	3·966	1·348	1·190	·027	·033	4·569	3·992	7·105	6·768	8·426	7·925
25–	9·897	9·685	4·092	4·378	1·217	1·115	·061	·163	5·805	5·307	8·680	8·570	9·836	9·522
35–	13·464	12·034	4·165	3·900	1·381	1·207	·206	·673	9·299	8·134	12·083	10·827	13·258	11·361
45–	19·165	15·535	3·860	2·850	1·690	1·393	·539	1·538	15·305	12·705	17·475	14·162	18·626	14·017
55–	32·995	27·773	3·297	2·065	2·543	2·134	1·208	2·300	29·698	25·708	30·452	25·639	31·787	25·473
65–	66·689	58·797	2·024	1·239	4·414	3·762	1·877	2·810	64·665	57·558	62·275	55·035	64·812	55·987
75–	146·576	134·427	·698	·475	7·603	6·758	2·291	2·844	145·878	133·952	138·973	127·669	144·285	131·583
85 & upwds.	313·570	283·642	·342	·260	11·350	9·883	2·327	2·713	313·228	283·382	302·220	273·759	311·243	280·929

The Table may be read thus:—At Ages 25–35 the annual number of Males dying to *One thousand* living at those Ages in the 10 Years 1861-70 was 9·897; had there occurred no deaths from Consumption the mortality would have been 5·805 per 1000; had there occurred no deaths from Order 1. of Zymotic Diseases or from Cancer, the numbers of Males dying to *One thousand* would have been 8·680 and 9·836 respectively.

TABLE **60.** ENGLAND AND WALES.—**Four Orders of Life Tables** for **Males** (calculated from the Facts recorded during the Ten Years **1861–70**), showing the EFFECT of the **Exclusion of Deaths** from (1) **Zymotic Diseases,** (2) **Phthisis,** and (3) **Cancer,** on the PROBABILITIES of LIVING from AGE to AGE.

Age x.	LIVING AT EACH AGE. To die of All Diseases. l_x	Order 1. of Zymotic Diseases excluded. ${}_zl_x$	Phthisis excluded. ${}_pl_x$	Cancer excluded. ${}_cl_x$	DYING IN EACH INTERVAL OF AGE. Of All Diseases. d_x	Order 1. of Zymotic Diseases excluded. ${}_zd_x$	Phthisis excluded. ${}_pd_x$	Cancer excluded. ${}_cd_x$
0	510,622	510,622	510,622	510,622	142,805	99,272	140,977	142,787
5	367,817	411,350	369,645	367,835	14,688	7,479	13,997	14,670
10	353,129	403,871	355,648	353,165	7,788	5,934	6,798	7,772
15	345,341	397,937	348,850	345,393	10,474	9,533	6,857	10,442
20	334,867	388,404	341,993	334,951	13,854	13,566	7,725	13,825
25	321,013	374,838	334,268	321,126	30,258	31,164	18,868	30,094
35	290,755	343,674	315,400	291,032	36,617	39,107	28,010	36,142
45	254,138	304,567	287,390	254,890	44,313	48,846	40,798	43,327
55	209,825	255,721	246,592	211,563	58,981	67,133	63,367	57,618
65	150,844	188,588	183,225	153,945	73,435	87,442	87,279	73,444
75	77,409	101,146	95,946	80,501	59,583	76,002	73,695	61,531
85	17,826	25,144	22,251	18,970	17,037	23,948	21,305	18,117
95	789	1,196	946	823	780	1,187	937	814
105	9	9	9	9	9	9	9	9

The Table may be read thus:—Of 510,622 boys born alive, 321,013 attain the age of 25, of whom 30,258 die in the 10 years following. Exempted from attack by Miasmatic diseases 374,838 would survive to age 25, 31,164 dying in the next 10 years.

TABLE **61.**—ENGLAND AND WALES.—**Number** of **Men** at different PERIODS of AGE from 15 and upwards in the under-mentioned **Occupations** enumerated at the Census of **1871**, and the NUMBER at the SAME AGES and in the same OCCUPATIONS who **died** in the Year **1871.**

OCCUPATIONS.		MEN.—AGES.							
		15 Years and upwards.	15–25	25–35	35–45	45–55	55–65	65–75	75 & upwards.
ALL MEN aged 15 Years and upwards - - -	Living in 1871 -	6,950,881	2,036,630	1,589,598	1,230,916	962,735	640,582	355,257	135,163
	Deaths in 1871 -	138,413	15,723	17,655	17,823	19,305	21,786	24,029	22,092
Tailors - - - - - -	Living in 1871 -	109,130	23,593	22,498	21,161	20,314	12,730	5,884	1,950
	Deaths in 1871 -	2,499	189	288	339	460	455	416	352
Shoemakers - - - -	Living in 1871 -	190,873	40,371	41,919	36,932	31,968	23,081	12,494	4,108
	Deaths in 1871 -	4,088	274	416	438	587	724	844	805
Farmers and Graziers - -	Living in 1871 -	225,569	5,679	28,473	43,744	52,521	47,203	32,919	15,030
	Deaths in 1871 -	6,916	65	268	416	667	1,135	1,855	2,540
Carpenters and Joiners -	Living in 1871 -	202,449	59,338	50,920	34,950	26,124	18,415	9,248	3,454
	Deaths in 1871 -	3,510	319	490	433	449	596	613	610
Butchers - - - -	Living in 1871 -	70,326	22,716	16,632	12,171	8,949	5,737	3,130	991
	Deaths in 1871 -	1,493	120	180	264	227	211	268	223
Persons engaged in the Wool, Cotton, Flax, and Silk Manufactures, including Weavers not otherwise described - - - -	Living in 1871 -	328,535	110,546	71,774	55,944	43,800	28,087	14,132	4,252
	Deaths in 1871 -	6,041	710	697	695	813	1,065	1,154	997
Bakers and Confectioners -	Living in 1871 -	59,469	18,708	13,702	10,595	8,085	5,127	2,515	737
	Deaths in 1871 -	1,082	100	137	153	174	202	195	121
Inn and Hotel Keepers; Licensed Victuallers and Publicans; and Beersellers	Living in 1871 -	74,367	3,135	13,965	20,162	18,871	11,808	5,936	1,360
	Deaths in 1871 -	2,538	35	235	463	580	562	384	279
Inn and Hotel Keepers; Licensed Victuallers and Publicans; and Beersellers; *including* Wine and Spirit Merchants - - - -	Living in 1871 -	84,846	5,446	16,732	22,341	20,536	12,752	5,562	1,477
	Deaths in 1871 -	2,775	57	277	511	610	592	417	311
Grocers - - - - -	Living in 1871 -	85,602	27,213	18,199	14,201	11,871	8,259	4,505	1,354
	Deaths in 1871 -	1,323	161	203	145	174	212	246	182
Grocers and Shopkeepers (*including* Chandler's Shopkeeper and Branch undefined) - - - -	Living in 1871 -	107,453	30,203	22,523	19,081	16,256	11,332	6,219	1,836
	Deaths in 1871 -	1,715	180	239	197	231	298	322	248
Miners, viz., Coal, Iron, Copper, Tin, and Lead; and others connected with Mines	Living in 1871 -	335,129	120,859	87,542	60,868	37,908	19,186	7,143	1,623
	Deaths in 1871 -	5,275	942	843	721	788	853	711	417
Persons engaged in the Iron, Copper, Lead, and Tin Manufactures - - -	Living in 1871 -	179,921	62,995	50,739	33,227	19,420	9,245	3,061	634
	Deaths in 1871 -	2,560	439	494	426	399	362	285	155
Labourers, &c., viz., Agricultural Labourers, Farm Servants, Farm Bailiffs, Shepherds, General Labourers, Railway Labourers, Navvies; Stone, Slate, and Limestone Quarriers; Brickmakers, and other Workers in Stone and Clay - -	Living in 1871 -	1,471,417	407,859	295,127	256,609	218,459	159,254	98,084	36,025
	Deaths in 1871 -	29,643	2,410	3,056	3,196	3,734	4,708	6,134	6,405
Labourers, &c. as above, *including* Bricklayers and Masons - - - -	Living in 1871 -	1,664,649	462,465	344,398	292,966	244,664	175,819	106,015	38,492
	Deaths in 1871 -	33,223	2,695	3,568	3,759	4,271	5,360	6,728	6,842
Blacksmiths - - - -	Living in 1871 -	108,939	34,465	25,717	18,627	14,564	9,222	4,685	1,659
	Deaths in 1871 -	1,988	211	275	223	305	311	349	314

TABLE **62.**—ENGLAND AND WALES. **Annual Mortality per Cent.** of **Men** at different Periods of Age from 15 and upwards in the under-mentioned **Occupations,** in the Year 1871.

OCCUPATIONS.	MEN.—AGES.						
	15–	25–	35–	45–	55–	65–	75 & upwards.
	ANNUAL MORTALITY PER CENT.						
ALL MEN aged 15 Years and upwards	·772	1·111	1·448	2·005	3·401	6·764	16·345
Tailors	·801	1·280	1·602	2·264	3·314	7·070	18·051
Shoemakers	·679	·992	1·186	1·836	3·137	6·755	19·596
Farmers and Graziers	1·145	·941	·951	1·270	2·405	5·635	16·900
Carpenters and Joiners	·538	·962	1·239	1·719	3·236	6·628	17·661
Butchers	·528	1·082	2·169	2·537	3·678	8·562	22·503
Persons engaged in the Wool, Cotton, Flax, and Silk Manufactures, including Weavers not otherwise described	·642	·971	1·081	1·856	3·792	8·166	23·448
Bakers and Confectioners	·535	1·000	1·444	2·152	3·940	7·753	16·418
Inn and Hotel Keepers; Licensed Victuallers and Publicans; and Beersellers	1·116	1·683	2·296	3·073	4·759	7·580	20·515
Inn and Hotel Keepers; Licensed Victuallers and Publicans; and Beersellers; *including* Wine and Spirit Merchants	1·047	1·656	2·287	2·970	4·642	7·497	21·056
Grocers	·592	1·115	1·021	1·466	2·567	5·461	13·442
Grocers and Shopkeepers (*including* Chandler's Shopkeeper and Branch undefined)	·596	1·061	1·032	1·421	2·630	5·178	13·508
Miners, viz., Coal, Iron, Copper, Tin, and Lead; and others connected with Mines	·779	·963	1·185	2·079	4·446	9·954	25·693
Persons engaged in the Iron, Copper, Tin, and Lead Manufactures	·697	·974	1·282	2·055	3·916	9·311	24·448
Labourers, &c., viz., Agricultural Labourers, Farm Servants, Farm Bailiffs, Shepherds, General Labourers, Railway Labourers, Navvies; Stone, Slate, and Limestone Quarriers; Brickmakers, and other Workers in Stone and Clay	·591	1·035	1·245	1·709	2·956	6·254	17·779
Labourers, &c. as above, *including* Bricklayers and Masons	·583	1·036	1·283	1·746	3·052	6·344	17·775
Blacksmiths	·612	1·069	1·197	2·094	3·372	7·449	18·927

TABLE **63.**—ENGLAND AND WALES. **Number** of **Men** Aged 15 Years and upwards in 62 selected **Occupations living** at the Census of **1871,** plus twice the **Number living** at the Census of **1861,** the **Deaths** in the Three Years **1860, 1861,** and **1871,** and the **Annual Rate of Mortality per Cent.** at different Periods of LIFE.

Class.	Order.	OCCUPATIONS.		AGES. The influence of Profession is most felt. 15–	20–	25–	35–	45–	55–	65–	75–
		MORTALITY PER CENT.	**Of All Classes**	·632	·859	·985	1·305	1·853	3·215	6·676	16·584
			OF THE 62 SELECTED OCCUPATIONS	·417	·831	·973	1·328	1·965	3·500	7·562	19·216
			OF THE REMAINING CLASSES	·778	·880	·993	1·290	1·786	3·070	6·315	15·768
1.	3	Clergyman	Years of Life	—	1,148	13,339	14,811	12,539	10,086	5,357	1,804
			Deaths	—	5	62	93	166	229	279	271
			Mortality per Cent.	—	·436	·465	·628	1·324	2·270	5·208	15·022
		Protestant Minister	Years of Life	—	1 313	6,002	5,754	5,141	3,902	2,097	732
			Deaths	—	13	35	42	48	96	118	120
			Mortality per Cent.	—	·990	·583	·730	·933	2·460	5·627	16·393
		Roman Catholic Priest	Years of Life	—	121	1,175	1,189	832	490	200	43
			Deaths	—	1	9	11	8	24	19	10
			Mortality per Cent.	—	·826	·766	·925	·962	4·898	9·500	22·222
		Barrister	Years of Life	—	223	2,525	2,602	2,126	1,472	610	164
			Deaths	—	—	12	17	29	36	25	16
			Mortality per Cent.	—	—	·475	·653	1·364	2·446	4·098	9·756
		Solicitor, Attorney	Years of Life	—	1,827	8,315	8,244	7,462	5,917	2,619	702
			Deaths	—	16	74	111	144	181	197	117
			Mortality per Cent.	—	·876	·890	1·346	1·930	3·059	7·522	16·667
		Physician, Surgeon	Years of Life	—	2,148	10,021	10,042	9,918	6,862	3,388	1,135
			Deaths	—	24	129	148	203	209	213	209
			Mortality per Cent.	—	1·117	1·287	1·474	2·047	3·046	6·287	18·414
		Chemist, Druggist	Years of Life	9,365	8,616	12,745	8,801	6,084	3,128	1,170	272
			Deaths	31	97	150	150	112	105	98	39
			Mortality per Cent.	·331	1·126	1·177	1·704	1·841	3·357	8·376	14·338
		Schoolmaster, Teacher, Professor, &c.	Years of Life	18,331	12,009	21,090	14,231	10,318	7,002	3,532	1,095
			Deaths	68	115	188	159	154	254	299	233
			Mortality per Cent.	·371	·958	·891	1·117	1·493	3·628	8·465	21·279
		Civil Engineer	Years of Life	1,181	2,078	2,965	2,612	1,812	812	297	72
			Deaths	2	12	28	40	19	18	16	19
			Mortality per Cent.	·169	·577	·944	1·531	1·049	2·217	5·387	26·389
II.	5	Domestic Servant	Years of Life	92,037	76,199	96,096	59,509	37,687	20,601	9,238	2,699
			Deaths	223	429	866	814	700	656	725	615
			Mortality per Cent.	·242	·563	·901	1·368	1·857	3·184	7·848	22·786
III.	6	Insurance Service and Commercial Clerk	Years of Life	54,219	46,770	49,522	24,769	15,086	8,946	3,884	844
			Deaths	206	377	631	430	378	316	310	151
			Mortality per Cent.	·380	·806	1·274	1·736	2·506	3·532	7·981	17·891
		Commercial Traveller	Years of Life	1,191	4,750	13,339	9,767	6,036	3,034	944	212
			Deaths	2	27	131	153	142	121	65	35
			Mortality per Cent.	·168	·568	·981	1·566	2·353	3·988	6·886	16·509
	7	Railway Engine Driver, Officer, Servant, &c.	Years of Life	22,756	36,057	64,445	37,875	17,849	6,406	1,678	258
			Deaths	162	423	787	567	384	260	119	53
			Mortality per Cent.	·712	1·173	1·221	1·497	2·151	4·059	7·092	20·543
		Coachman, Cabman, &c. (not Domestic)	Years of Life	3,272	9,352	28,007	24,448	15,877	7,620	2,774	792
			Deaths	10	102	341	495	469	360	277	159
			Mortality per Cent.	·306	1·091	1·218	2·025	2·954	4·724	9·986	20·076
		Carman, Carrier, Carter, Drayman	Years of Life	23,147	28,588	53,908	42,089	29,039	16,234	6,080	1,578
			Deaths	113	257	649	708	738	734	619	363
			Mortality per Cent.	·488	·899	1·204	1·682	2·541	4·521	10·181	23·004
		Bargeman, Waterman	Years of Life	11,695	11,812	20,307	17,043	12,824	8,294	4,177	1,488
			Deaths	70	112	233	327	307	343	394	312
			Mortality per Cent.	·599	·948	1·147	1·919	2·394	4·136	9·433	20·968
		Harbour, Dock Service, Labourer	Years of Life	7,058	11,132	25,187	22,426	15,903	7,782	2,559	599
			Deaths	25	95	281	357	397	331	222	109
			Mortality per Cent.	·354	·853	1·116	1·591	2·496	4·253	8·675	18·197
		Messenger, Porter, Errand Boy	Years of Life	49,701	15,718	26,417	22,729	17,497	10,996	4,785	1,001
			Deaths	157	121	293	347	425	425	373	174
			Mortality per Cent.	·317	·770	1·109	1·527	2·429	3·865	7·795	17·383
IV.	9	Horsekeeper, Groom, Jockey	Years of Life	18,055	17,399	27,983	21,293	14,252	8,276	3,298	803
			Deaths	60	156	365	430	412	381	259	171
			Mortality per Cent.	·332	·897	1·304	2·019	2·871	4·604	7·853	21·295
		Farrier, Veterinary Surgeon	Years of Life	1,695	2,519	4,821	4,000	3,210	2,246	1,175	378
			Deaths	6	14	70	65	79	72	74	77
			Mortality per Cent.	·354	·556	1·452	1·625	2·461	3·206	6·298	20·370
		Gamekeeper	Years of Life	1,345	2,545	7,847	8,739	6,226	3,274	1,393	562
			Deaths	5	18	40	62	55	85	116	122
			Mortality per Cent.	·372	·707	·510	·709	·883	2·596	8·327	21·708

TABLE **63.** (*continued.*)—ENGLAND AND WALES. **Number of Men** Aged 15 Years and upwards in 62 selected **Occupations living** at the Census of **1871**, plus twice the **Number living** at the Census of **1861**, the **Deaths** in the Three Years **1860, 1861,** and **1871**, and the **Annual Rate of Mortality per Cent.** at different Periods of LIFE.

Class.	Order.	OCCUPATIONS.		AGES. 15–	20–	25–	35–	45–	55–	65–	75–
						The influence of Profession is most felt.					
		MORTALITY PER CENT.	**Of All Classes**	·632	·859	·985	1·305	1·853	3·215	6·676	16·584
			OF THE 62 SELECTED OCCUPATIONS	·417	·831	·973	1·328	1·965	3·500	7·562	19·216
			OF THE REMAINING CLASSES	·778	·880	·993	1·290	1·786	3·070	6·315	15·768
V.	10	Bookseller, Publisher	Years of Life	2,637	2,727	5,074	4,411	3,272	2,058	962	281
			Deaths	12	22	39	43	59	50	72	38
			Mortality per Cent.	·455	·871	·769	·975	1·803	2·430	7·484	13·523
		Bookbinder	Years of Life	3,923	3,369	4,753	3,396	2,354	1,448	627	145
			Deaths	17	36	48	56	50	70	50	24
			Mortality per Cent.	·433	1·069	1·010	1·649	2·124	4·834	7·974	16·552
		Printer	Years of Life	24,673	17,326	23,216	14,796	8,623	4,310	1,881	365
			Deaths	117	187	248	247	209	171	142	75
			Mortality per Cent.	·474	1·079	1·068	1·669	2·424	3·968	7·549	20·548
		Musical Instrument Maker, Dealer	Years of Life	2,612	2,721	4,515	3,234	2,026	1,201	422	133
			Deaths	11	31	33	42	38	34	30	24
			Mortality per Cent.	·421	1·139	·731	1·299	1·876	2·831	7·109	18·045
		Watchmaker, Clockmaker	Years of Life	8,610	9,333	14,167	11,260	8,109	4,741	2,464	833
			Deaths	39	105	139	135	139	181	173	156
			Mortality per Cent.	·453	1·125	·981	1·199	1·714	3·818	7·021	18·727
		Gunsmith, Gun Manufacture	Years of Life	6,214	5,765	8,332	5,227	3,321	1,813	904	299
			Deaths	15	39	76	68	61	69	71	55
			Mortality per Cent.	·241	·676	·912	1·301	1·837	3·806	7·854	18·395
		Engine and Machine Maker and Millwright	Years of Life	43,032	42,697	72,231	47,572	27,713	12,517	4,156	1,085
			Deaths	192	417	666	605	498	460	347	221
			Mortality per Cent.	·446	·856	·922	1·272	1·797	3·675	8·349	20·369
		Tool, File, and Saw Maker, Dealer	Years of Life	7,737	7,859	11,448	8,760	5,335	2,722	1,109	252
			Deaths	35	64	130	131	143	137	88	52
			Mortality per Cent.	·452	·814	1·130	1·495	2·680	5·033	7·935	20·635
		Needle Manufacture	Years of Life	1,115	855	1,473	1,255	787	428	191	85
			Deaths	11	9	14	24	17	17	13	19
			Mortality per Cent.	·987	1·053	·950	1·912	2·160	3·972	6·806	22·353
		Coachmaker	Years of Life	9,120	9,174	14,398	10,904	8,486	4,533	1,704	357
			Deaths	32	56	135	129	207	178	137	82
			Mortality per Cent.	·351	·610	·938	1·183	2·439	3·927	8·040	22·909
		Wheelwright	Years of Life	14,243	13,560	18,351	15,084	12,347	8,205	4,774	1,938
			Deaths	37	100	130	151	210	225	318	334
			Mortality per Cent.	·260	·737	·708	1·000	1·701	2·742	6·661	17·234
		Shipbuilder, Shipwright	Years of Life	13,881	17,468	25,792	19,438	12,004	6,540	3,867	1,584
			Deaths	77	155	223	260	246	241	312	282
			Mortality per Cent.	·555	·887	·865	1·338	2·049	3·685	8·068	17·803
		Carpenter, Joiner	Years of Life	75,900	86,882	131,362	97,391	75,480	48,383	26,612	9,986
			Deaths	272	620	1,115	1,045	1,210	1,436	1,820	1,757
			Mortality per Cent.	·361	·714	·849	1·073	1·603	2·968	6·839	17·394
		Plumber, Painter, Glazier	Years of Life	35,595	38,989	66,517	49,384	32,151	15,777	5,679	1,177
			Deaths	129	278	628	818	893	768	528	214
			Mortality per Cent.	·362	·713	·944	1·656	2·778	4·868	9·297	18·182
		Carver, Gilder	Years of Life	3,051	2,841	4,483	3,097	1,961	1,119	483	114
			Deaths	17	23	41	49	51	36	41	21
			Mortality per Cent.	·557	·810	·915	1·582	2·601	3·217	8·489	18·421
		Manufacturing Chemist and Dye and Colour Manufacture	Years of Life	3,042	3,991	8,428	6,488	4,439	2,232	663	139
			Deaths	19	51	96	103	92	86	65	34
			Mortality per Cent.	·625	1·277	1·139	1·588	2·073	3·853	9·804	24·460
	11	Wool and Worsted Manufacture	Years of Life	57,339	45,491	74,001	61,502	47,824	32,783	17,064	5,668
			Deaths	290	400	632	635	807	1,068	1,305	1,183
			Mortality per Cent.	·504	·879	·854	1·032	1·687	3·258	7·648	20·872
		Silk Manufacture	Years of Life	13,389	11,120	21,175	20,581	18,509	12,770	6,151	1,746
			Deaths	95	99	186	227	279	349	390	265
			Mortality per Cent.	·710	·890	·878	1·103	1·507	2·733	6·340	15·178
		Cotton and Flax Manufacture	Years of Life	125,491	92,388	131,810	100,327	70,004	39,361	18,148	5,520
			Deaths	687	854	1,278	1,214	1,385	1,606	1,720	1,403
			Mortality per Cent.	·547	·924	·954	1·210	1·978	4·233	9·478	25·417
		Draper, Linendraper, Mercer	Years of Life	33,728	30,735	35,107	20,155	12,215	6,471	2,750	829
			Deaths	162	285	442	297	236	218	183	161
			Mortality per Cent.	·480	·927	1·259	1·474	1·932	3·369	6·655	19·421
		Hairdresser, Wig Maker	Years of Life	4,056	3,942	7,371	6,655	5,507	3,032	1,230	357
			Deaths	21	43	88	121	125	132	107	72
			Mortality per Cent.	·518	1·089	1·194	1·803	2·270	4·354	8·699	20·168

TABLE **63.** (*continued.*)—ENGLAND AND WALES. **Number** of **Men** Aged 15 Years and upwards in 62 selected **Occupations living** at the Census of **1871,** plus twice the **Number living** at the Census of **1861,** the **Deaths** in the Three Years **1860, 1861,** and **1871,** and the **Annual Rate of Mortality per Cent.** at different Periods of LIFE.

Class.	Order.	OCCUPATIONS.		AGES. 15–	20–	25– (The influence of Profession is most felt)	35–	45–	55–	65–	75–
		MORTALITY PER CENT.	**Of All Classes**	·632	·859	·985	1·305	1·853	3·215	6·676	16·584
			OF THE 62 SELECTED OCCUPATIONS	·417	·831	·973	1·328	1·965	3·500	7·562	19·216
			OF THE REMAINING CLASSES	·778	·880	·993	1·290	1·786	3·070	6·315	15·768
V. *cont.*	11 *cont.*	Hatter, Hat Manufacture	Years of Life	3,724	3,777	6,840	6,279	5,903	4,205	2,453	808
			Deaths	17	42	68	100	141	180	193	179
			Mortality per Cent.	·456	1·112	·994	1·593	2·389	4·281	7·868	22·153
		Tailor	Years of Life	34,491	36,052	69,822	69,031	56,870	32,786	15,668	5,344
			Deaths	222	392	838	956	1,141	1,082	1,094	986
			Mortality per Cent.	·644	1·087	1·200	1·385	2·006	3·300	6·982	18·451
		Shoemaker	Years of Life	72,005	69,878	151,790	116,828	94,932	64,415	33,042	11,536
			Deaths	360	618	1,255	1,327	1,580	1,974	2,264	2,168
			Mortality per Cent.	·500	·927	·952	1·136	1·664	3·065	6·852	18·793
		Rope, Cord—Maker	Years of Life	4,223	3,264	5,919	5,077	3,889	2,822	1,577	635
			Deaths	17	20	45	56	79	118	124	112
			Mortality per Cent.	·403	·613	·760	1·103	2·031	4·181	7·863	17·638
	12	Butcher	Years of Life	31,889	29,525	46,354	35,275	25,795	16,851	8,452	2,741
			Deaths	74	174	466	611	579	631	695	551
			Mortality per Cent.	·232	·589	1·005	1·732	2·245	3·745	8·223	20·102
		Poulterer	Years of Life	782	843	1,525	1,371	1,131	801	400	139
			Deaths	3	9	21	34	35	33	33	25
			Mortality per Cent.	·384	1·068	1·377	2·480	3·095	4·120	8·250	17·986
		Fishmonger	Years of Life	2,881	3,334	7,356	7,032	5,157	2,804	1,280	325
			Deaths	10	25	93	122	117	104	109	59
			Mortality per Cent.	·347	·750	1·264	1·735	2·269	3·709	8·516	18·154
		Miller	Years of Life	11,968	12,580	22,178	17,406	12,481	8,158	4,089	1,404
			Deaths	41	89	160	209	230	320	354	276
			Mortality per Cent.	·343	·707	·721	1·201	1·843	3·923	8·657	19·658
		Baker	Years of Life	23,986	20,990	32,866	25,690	18,746	12,075	5,742	1,612
			Deaths	66	135	285	346	371	436	410	307
			Mortality per Cent.	·275	·643	·867	1·347	1·979	3·611	7·140	19·045
		Grocer	Years of Life	37,401	31,246	48,669	41,399	32,263	22,385	11,473	3,412
			Deaths	119	262	459	396	435	502	548	439
			Mortality per Cent.	·318	·839	·943	·957	1·348	2·243	4·776	12·866
		Tobacco, Cigar, Snuff Manufacture, Tobacconist	Years of Life	3,601	3,516	6,874	4,878	2,746	1,314	519	114
			Deaths	10	44	84	71	43	46	30	21
			Mortality per Cent.	·278	1·251	1·222	1·456	1·566	3·423	5·780	18·421
	13	Tanner and Currier	Years of Life	8,165	8,465	15,375	12,267	9,543	6,032	2,798	1,000
			Deaths	23	47	135	171	186	214	227	139
			Mortality per Cent.	·282	·555	·878	1·394	1·949	3·548	8·113	13·900
	14	Sawyer	Years of Life	6,570	9,625	21,497	20,468	15,632	9,472	4,554	1,875
			Deaths	23	55	151	213	241	293	338	404
			Mortality per Cent.	·350	·571	·702	1·041	1·542	3·093	7·422	21·547
		Paper Manufacture	Years of Life	3,897	3,270	5,275	4,021	2,811	1,993	1,031	383
			Deaths	12	33	45	51	43	54	73	77
			Mortality per Cent.	·308	1·009	·853	1·268	1·530	2·709	7·081	20·104
	15	Earthenware Manufacture	Years of Life	13,711	11,505	17,807	13,090	8,019	3,980	1,331	368
			Deaths	55	118	126	263	270	231	171	86
			Mortality per Cent.	·401	1·026	·708	2·009	3·367	5·804	12·847	23·370
		Glass Manufacture	Years of Life	8,052	7,163	10,682	7,204	4,629	2,328	831	173
			Deaths	24	48	126	110	100	104	103	50
			Mortality per Cent.	·298	·670	1·180	1·527	2·160	4·467	12·395	28·902
		Copper Manufacture and Coppersmith	Years of Life	2,441	2,488	4,099	3,023	2,231	1,161	461	115
			Deaths	11	25	45	43	45	6	51	15
			Mortality per Cent.	·451	1·005	1·098	1·422	2·017	5·426	11·063	13·043
		Brass Manufacture and Brazier	Years of Life	11,328	9,578	12,848	8,415	5,447	2,974	1,254	298
			Deaths	43	65	112	117	100	116	87	53
			Mortality per Cent.	·380	·679	·872	1·390	1·836	3·900	6·938	17·785
		Iron and Steel Manufacture	Years of Life	72,827	75,949	116,794	73,600	40,913	19,035	6,134	1,367
			Deaths	302	578	958	864	834	743	549	323
			Mortality per Cent.	·415	·761	·820	1·172	2·038	3·903	8·950	23·628
		Blacksmith	Years of Life	54,046	50,757	73,421	55,583	40,432	25,120	12,805	4,529
			Deaths	198	381	674	625	736	810	914	872
			Mortality per Cent.	·366	·757	·918	1·124	1·869	3·225	7·138	19·254

NOTE.—The Years of Life exposed to risk in the several Occupations during the three years 1860, 1861, and 1871 are calculated by adding twice the numbers living at the various groups of Ages at the Census of 1861 (*see* Vol. II. pp. xl–lvi) to the numbers living at the Census of 1871 (*see* Vol. III. pp. xxxv–xliii). The Deaths for the two years 1860–61 will be found in the Supplement to the Twenty-fifth Annual Report of the Registrar-General.

TABLE 64.—ENGLAND AND WALES. **Number of Men** Aged 15 Years and upwards in the under-mentioned **Occupations living** at the Census of **1871,** plus twice the **Number living** at the Census of **1861;** the **Number** in the same **Occupations who died** in the Three Years **1860, 1861,** and **1871;** and the **Annual Rate of Mortality per Cent.,** at different Periods of LIFE.

[*Some Trades are so closely allied that they are liable to be confounded either in the Census or in the Registration Classifications; to obviate errors from such causes the following occupations have been grouped.*

OCCUPATIONS.		MEN.—AGES.						
		15–	25–	35–	45–	55–	65–	75–
Years of Life among all Males aged 15 Years and upwards		5,672,910	4,381,552	3,513,592	2,653,747	1,769,654	963,189	373,243
Deaths		41,927	43,147	45,844	49,185	56,901	64,305	61,898
Mortality per Cent.		·739	·985	1·305	1·853	3·215	6·676	16·584
Farmers and Graziers (*See also Table 65.*)	Years of Life	16,597	86,519	139,016	156,787	142,089	94,921	43,554
	Deaths	181	765	1,252	1,964	3,324	5,420	7,386
	Mortality per Cent.	1·091	·884	·901	1·253	2·339	5·710	16·958
Persons engaged in the Wool, Cotton, Flax, and Silk Manufactures, including Weaver, not otherwise described	Years of Life	347,550	228,804	183,990	137,996	86,606	42,700	13,830
	Deaths	2,481	2,126	2,145	2,560	3,224	3,641	3,128
	Mortality per Cent.	·714	·929	1·166	1·855	3·723	8·527	22·617
Bakers and Confectioners	Years of Life	51,870	39,032	30,863	22,317	14,285	6,731	1,885
	Deaths	240	338	411	447	519	502	363
	Mortality per Cent.	·463	·866	1·332	2·003	3·633	7·458	19·257
Inn and Hotel Keepers, Licensed Victuallers and Publicans, and Beersellers, and Wine and Spirit Merchants	Years of Life	12,432	43,766	63,197	55,378	34,652	15,138	4,029
	Deaths	119	634	1,292	1,583	1,491	1,130	878
	Mortality per Cent.	·957	1·449	2·044	2·859	4·303	7·465	21·792
Grocers and Shopkeepers (including Chandler's Shopkeeper and Branch undefined)	Years of Life	72,353	54,408	48,175	38,490	27,206	14,307	4,272
	Deaths	406	515	467	532	632	687	572
	Mortality per Cent.	·561	·947	·969	1·382	2·323	4·802	13·390
Miners, viz., Coal, Iron, Copper, Tin, and Lead, and others connected with Mines	Years of Life	335,959	242,114	163,180	99,924	51,256	19,041	4,531
	Deaths	2,715	2,382	2,031	2,045	2,234	1,909	1,124
	Mortality per Cent.	·808	·984	1·245	2·047	4·359	10·026	24·807
Persons engaged in the Iron, Copper, and Tin and Lead Manufactures	Years of Life	154,317	120,289	76,433	43,268	20,371	6,667	1,514
	Deaths	934	1,009	912	890	808	615	364
	Mortality per Cent.	·605	·839	1·193	2·057	3·966	9·225	24·042
Labourers, &c., viz., Agricultural Labourers, Farm Servants, Farm Bailiffs, Shepherds, General Labourers, Railway Labourers, Navvies, Stone, Slate, and Limestone Quarriers, Brickmakers, and other Workers in Stone and Clay	Years of Life	1,205,037	891,969	767,189	621,505	460,334	269,658	101,225
	Deaths	6,185	7,782	8,286	9,368	12,586	16,341	18,480
	Mortality per Cent.	·513	·872	1·080	1·507	2·734	6·060	18·256
Labourers, &c., as above, *including* Bricklayers and Masons	Years of Life	1,342,677	1,022,606	867,500	694,594	505,265	291,163	107,742
	Deaths	6,898	9,017	9,723	10,902	14,207	17,932	19,679
	Mortality per Cent.	·514	·882	1·121	1·570	2·832	6·159	18·265
Royal Navy	Years of Life	124,561	69,701	21,059	5,982	2,032	—	—
	Deaths, 1861-65	1,433	863	857	117	31	—	—
	Mortality per Cent.	1·15	1·24	1·70	1·95	1·52	—	—

* In the *British Army* at home, at ages 15–40, the average annual rate of mortality in the six years 1866–71 was 1·05 per cent. among officers, and among non-commissioned and men 1·12 per cent. Abroad the rates were 1·26 and 1·83 per cent. respectively.
In the *British Navy*, at ages 15–40, the mortality of men was 0·82 per cent. in the year 1872 and 0·83 per cent. in 1873.

TABLE 65.—THE **Number** of "**Farmers**" and "**Farmers' Sons**" **living** at the Censuses of **1861** and **1871,** the **numbers** of those **who died,** and the **Annual Rate of Mortality per Cent.** at certain AGES during the Three Years **1860, 1861,** and **1871.**

—	MEN.—AGES.							
	15 Years and upwards.	15–	25–	35–	45–	55–	65–	75–
Living in 1861:								
Farmers	226,957	5,459	29,023	47,636	52,133	47,443	31,001	14,262
Farmers' Sons, &c.	92,321	57,512	22,811	7,966	2,761	865	309	97
Living in 1871:								
Farmers	225,569	5,679	28,473	43,744	52,521	47,203	32,919	15,030
Farmers' Sons, &c.	74,620	47,686	18,689	5,714	1,823	490	166	52
Dying in 1860-1 and 1871:								
Farmers	20,292	181	765	1,252	1,964	3,324	5,420	7,386
Farmers' Sons, &c.	1,113	686	282	88	40	14	2	1
Annual Rate of Mortality per Cent.:								
Farmers	—	1·091	·884	·901	1·253	2·339	5·710	16·958
Farmers and Farmers' Sons, &c.	—	·484	·694	·834	1·221	2·313	5·665	16·865

NOTE.—With Farmers are included Graziers, and with Farmers' "Sons" are included Farmers' "Grandson," "Brother," "Nephew,"—at Home.

MARRIAGE ACTS, **1753-1837.**

"An Act for the better preventing of Clandestine Marriages" (26 Geo. 2, chap. 33), prepared by Lord Hardwicke, came into force in 1754, and established the necessity of resorting to a public and regular form of marriage in the parish church or chapel of one of the parties, after banns or by licence. By it the marriage of a minor after banns, where *dissent* had not been expressed, was lawful. But in the case of a marriage by licence, where either of the parties (not being a widow or widower) was a minor, without the *consent* of the parent or guardian of the minor the marriage was to be absolutely null and void. This was remedied in 1822 by Dr. Phillimore's Act.

By the Toleration Act of 1st William and Mary dissenters had been formally recognised, and their marriages according to their own forms and usages were, up to the passing of Lord Hardwicke's Act, treated as marriages *de facto*. This Act gave the Church the sole authority to celebrate legal marriages in England, which it continued to enjoy until the year 1837.

A further Act was passed in 1823, by which the penalty of nullity was confined to the case of persons wilfully evading the legal forms of publication or of celebration.

Relief was afforded to dissenters by Lord John Russell's Bill of 1836, which came into force in 1837, by which they were enabled to celebrate their marriages according to their own rites in their own places of worship, on condition that a Registrar of Marriages should be present at the ceremony.

And those, too, who desired to contract marriage without religious ceremony were given the option of the Civil form of marriage at the District Register Office. (See Hammick's Law of Marriages, pp. 12–17.)

TABLE **66.—Annual Increase** of **Marriages per cent.** in **England and Wales** in successive periods of Five Years, **1756–1870.**

QUIN-QUENNIADS.	TOTAL MARRIAGES in 5 Years.	Mean Annual Number of Marriages.	Increase per cent. per annum.
1756–60	263,329	52,666	
			2·60
1761–65	299,414	59,883	(Decrease.)
			— ·28
1766–70	295,216	59,043	
			·57
1771–75	303,703	60,741	
			1·13
1776–80	321,189	64,238	
			·76
1781–85	333,570	*66,714	
			1·36
1786–90	356,816	71,363	
			·23
1791–95	361,025	72,205	
			·76
1796–1800	374,989	74,998	
			2·17
1801–05	417,387	*83,477	(Decrease.)
			— ·13
1806–10	414,764	82,953	
			1·42
1811–15	445,063	89,013	
			·90
1816–20	465,363	93,073	
			2·12
1821–25	516,815	103,363	
			·70
1826–30	535,280	107,056	
			·82
1831–35	557,517	111,503	
			1·34
1836–40	596,009	119,202	
			1·47
1841–45	641,131	128,226	
			2·19
1846–50	714,366	142,873	
			2·02
1851–55	789,348	157,870	
			·58
1856–60	812,383	162,477	
			1·31
1861–65	867,107	173,421	
			·80
1866–70	902,517	180,503	

* In the Census Report of 1831 the medium average for the 5 years 1781–85 is given as 66,722, that for the 5 years 1801–5 as 83,465.

NOTE.—The number of Baptisms increased during the various quinquenniads from 1801 at the following rates per cent. per annum:—From 1801–5 to 1806–10, 1·33; from 1806–10 to 1811–15, 1·28; from 1811–15 to 1816–20, 1·05; from 1816–20 to 1821–25, 2·00; from 1821–25 to 1826–30, 0·70.

TABLE **67.—Annual Increase** of **Marriages per cent.** in **England and Wales** in various Decenniads from **1796** to **1870**; also the **Annual Increase** of **Population per cent., 1801–1871.**

DECENNIADS.	MARRIAGES in 10 Years.	Mean Annual Number of Marriages.	Annual Increase of Marriages per cent.	Annual Increase of Population per cent.
1796—1805	792,376	79,238		
			0·82	1·32 (1801–11)
1806—1815	859,827	85,983		
			1·34	1·67 (1811–21)
1816—1825	982,178	98,218		
			1·07	1·48 (1821–31)
1826—1835	1,092,797	109,280		
			1·25	1·36 (1831–41)
1836—1845	1,237,140	123,714		
			1·97	1·22 (1841–51)
1846—1855	1,503,714	150,371		
			1·11	1·13 (1851–61)
1856—1865 (Quinquenniad.)	1,679,490	167,949		
			1·45	1·25 (1861–71)
1866—1870	902,517	180,503		

TABLE **68.—Estimated Decennial Numbers** of **Births** in **England and Wales** since the Year **1771**; the **Numbers** of **Persons** ENUMERATED in **1871** at DIFFERENT AGES; and the **Numbers** that **died** or **emigrated** out of the said BIRTHS; also the **Proportions** of the TWO SERIES OF NUMBERS.

AGES of POPULATION enumerated in 1871 (Survivors).	YEARS.	ESTIMATED BIRTHS in ENGLAND and WALES.	SURVIVORS (+Immigrants) enumerated in 1871.	DIED or EMIGRATED (−Immigrants) during the Interval.	PROPORTION per 10,000.	
					Survivors + Immigrants $= 10000 \times \frac{S}{b}$ $= s \times 10000$.	Gone away by Death or Emigration $\left(\frac{d+e-i}{b}\right) \times 10000$.
0—10	1861—1870	7,636,233	5,795,746	1,840,487	7589·8	2410·2
10—20	1851—1860	6,664,884	4,637,886	2,026,998	6958·7	3041·3
20—30	1841—1850	5,869,098	3,870,700	1,998,398	6595·1	3404·9
30—40	1831—1840	5,289,298	2,949,061	2,340,237	5575·5	4424·5
40—50	1821—1830	4,798,224	2,299,748	2,498,476	4792·9	5207·1
50—60	1811—1820	4,124,690	1,670,570	2,754,120	3775·6	6224·4
60—70	1801—1810	3,675,247	1,067,537	2,607,710	2904·7	7095·3
70—80	1791—1800	2,988,439	507,522	2,480,917	1698·3	8301·7
80—90	1781—1790	2,641,371	119,789	2,521,582	453·5	9546·5
90—100	1771—1780	2,379,329	7,991	2,371,338	33·6	9966·4

Let $S = b - (d + e - i)$ = survivors + immigrants enumerated in 1871.

Births $= b$

Deaths $= d$

Immigrants $= i$

Emigrants $= e$

$$\frac{S}{b} = s = \frac{b - (d + e - i)}{b} = \text{ratio of survivors to Births.}$$

$$1 - s = \left(\frac{d + e - i}{b}\right)$$

The Births in five cases were estimated by the Life Table from the numbers enumerated under 10 years of age at the censuses of 1821, 1841, 1851, 1861, and 1871. Thus, putting P_{0-10} as the population under 10 and b for the corresponding Births, we have $b = \frac{10\, l_0}{Q_0 - Q_{10}} \times P_{0-10}$

As the ages were not enumerated in 1831, instead of calculating the Births for 1821-30 from the population at ages under 10 they were deduced from the population at the ages 10—20 enumerated in 1841: the step back from 10—20 to 0—10 being deduced from the proportion living at those decenniads in the other enumerations. *See* Census Report, vol. 4, pp. 54-57.

TABLE **69.**—The **English Population** in **1871** at each QUINQUENNIAD; contrasted with what it would have been had the **Births** remained **constant** and there had been no **Emigration** since the Year **1771.**

AGES.	AGES of the POPULATION of ENGLAND in the middle of 1871.	AGES of the POPULATION of ENGLAND if the NUMBER of ANNUAL BIRTHS had been and remained the same (253,320)* in and since the year 1771.	ADDITION to the POPULATION due to EXCESS of BIRTHS since the year 1770.
ALL AGES -	22,782,812	10,350,195	12,432,617
0— - -	3,080,814	1,014,348	2,066,466
5— - -	2,714,932	908,040	1,806,892
10— - -	2,431,768	878,061	1,553,707
15— - -	2,189,629	854,254	1,335,375
20— - -	2,008,543	821,464	1,187,079
25— - -	1,787,611	784,031	1,003,580
30— - -	1,563,339	744,739	818,600
35— - -	1,370,315	703,535	666,780
40— - -	1,208,826	659,862	548,964
45— - -	1,080,645	612,881	467,764
50— - -	923,290	561,407	361,883
55— - -	748,703	501,828	246,875
60— - -	596,315	431,040	165,275
65— - -	453,495	347,428	106,067
70— - -	314,093	252,874	61,219
75— - -	185,686	157,697	27,989
80— - -	86,984	78,882	8,102
85— - -	28,907	28,907	—
90— - -	7,508	7,508	—
95— - -	1,282	1,282	—
100 and upwards	127	127	—

* This is an estimated number of births in that year.

THE YEAR 1871.



18 groups of ages as enumerated

had the Births remained uniformly

umerated in 1871, 3,100,000 were

ls, the number of Children of that

ENGLAND AND WALES.

DIAGRAM OF THE POPULATION AT DIFFERENT AGES AS ENUMERATED IN THE YEAR 1871.

(to illustrate Table 69. page CLXXVIII.)



The Diagram represents by its area enclosed by the blue line the relative numbers of the Population in 18 groups of ages, as enumerated at the Census of 1871. The area enclosed by the red line represents what the Population would have been had the Births remained uniformly 253,320 a year as in 1771, instead of increasing as they did to 797,428 in 1871. Thus in the Population as enumerated in 1871, 3,100,000 were living who were under the age of 5 years, while in the Population with the stationary number of Births, the number of Children of that age would be <u>*One Million only*</u>.

TABLE **70.—Two Populations equal** in **Numbers** but **differing** in **Constitution** as to **Age.**

AGES.	PROPORTIONAL NUMBERS of POPULATION at each Quinquenniad out of a Total of 10 millions living at All Ages.		EXCESS of CENSUS NUMBERS over LIFE TABLE NUMBERS.	EXCESS of LIFE TABLE NUMBERS over CENSUS NUMBERS.	PROPORTION of CENSUS NUMBERS to LIFE TABLE NUMBERS (of a to b).
	Population according to Census (graduated Table).	Population according to Life Table.			
Columns -	a	b	$c = a - b.$	$d = b - a.$	e
ALL AGES -	10,000,000	10,000,000	—		—
0–	1,352,254	980,028	372,226	—	1·380
5–	1,191,658	877,316	314,342	—	1·358
10–	1,067,370	848,352	219,018	—	1·258
15–	961,088	825,351	135,737	—	1·164
20–	881,604	793,670	87,934	—	1·111
25–	784,631	757,503	27,128	—	1·036
30–	686,192	719,541	—	33,349	·954
35–	601,469	679,732	—	78,263	·885
40–	530,587	637,536	—	106,949	·832
45–	474,325	592,145	—	117,820	·801
50–	405,257	542,411	—	137,154	·747
55–	328,626	484,849	—	156,223	·678
60–	261,739	416,456	—	154,717	·628
65–	199,051	335,673	—	136,622	·593
70–	137,864	244,318	—	106,454	·564
75–	81,503	152,361	—	70,858	·535
80–	38,180	76,213	—	38,033	·501
85–	12,688	28,265	—	15,577	·449
90–	3,295	7,097	—	3,802	·464
95–	563	1,088	—	525	·517
100 and upwds.	56	95	—	39	·589

TABLE **71.—Comparison** of the **Deaths** under the same **Rates of Mortality** in **Two Populations** differently constituted as regards **Age.**

Note.—The rates of Mortality are deduced from the English Life Table No. 3. by the formula $\frac{l_{x\ |5}}{Q_{x\ |5}} = m$

AGES.	MORTALITY per cent. at each Quinquenniad.	DEATHS at the corresponding AGES, mortality being taken at the same rate as in the English Life Table.		EXCESS of Deaths in Column *b*.	DEFECT of Deaths in Column *b*.
		Deaths deduced from Column *a* of Table 70.	Deaths deduced from Column *b* of Table 70.		
Columns -	*a*	*b*	*c*	$d = b - c$	$e = c - b$
ALL AGES -	—	223,616	244,756	Defect -	21,140
0—	6·573	88,884	64,417	24,467	—
5—	·957	11,404	8,396	3,008	—
10—	·518	5,529	4,394	1,135	—
15—	·647	6,218	5,340	878	—
20—	·885	7,802	7,024	778	—
25—	·980	7,689	7,424	265	—
30—	1·079	7,404	7,764	—	360
35—	1·203	7,236	8,177	—	941
40—	1·369	7,264	8,728	—	1,464
45—	1·597	7,575	9,457	—	1,882
50—	1·948	7,894	10,566	—	2,672
55—	2·589	8,508	12,553	—	4,045
60—	3·573	9,352	14,880	—	5,528
65—	5·181	10,313	17,391	—	7,078
70—	7·699	10,614	18,810	—	8,196
75—	11·404	9,295	17,375	—	8,080
80—	16·560	6,323	12,621	—	6,298
85—	23·428	2,973	6,622	—	3,649
90—	32·267	1,063	2,290	—	1,227
95—	43·420	244	472	—	228
100 & upwards	57·623	32	55	—	23

TABLE **72.—Enumerated Population** of the **United States of America** at the several DECENNIAL CENSUSES.

Dates of Enumeration.	Population.	Increase in 10 Years.	Decennial Increase per cent.	Decenniads.
1790	3,929,214			
		1,379,269	35·10	1790–1800
1800	5,308,483			
		1,931,398	36·38	1800–1810
1810	7,239,881			
		2,393,941	33·07	1810–1820
1820	9,633,822			
		3,232,198	33·55	1820–1830
1830	12,866,020			
		4,204,220	32·68	1830–1840
1840	17,070,240			
		6,121,636	35·86	1840–1850
1850	23,191,876			
		8,251,445	35·58	1850–1860
1860	31,443,321			
		7,115,050	22·63	1860–1870
1870	38,558,371			

NOTE.—The increase of Population in the 70 Years 1790 to 1860 was at the rate of 3·02 per cent. per annum, so $r = 1·0302$; and at this rate the Population doubles itself in 23·30 years.

The Population increased 8-fold in the 70 years 1790–1860; and carrying the rate backwards it makes the Population of 1720 about 491,000; of 1650 no more than 61,356; of 1580 about 7,667.

TABLE **73.—Attacks** of, and **Deaths** by, **Fever** and **Small-pox.**

AGES.	FEVER.		SMALL-POX.		ATTACKS to One Death.	
	Attacks.	Deaths.	Attacks.	Deaths.	Fever.	Small-pox.
Under 5 - -	33	3	256	105	11·00	2·44
5— - -	401	29	264	64	13·83	4·13
10— - -	809	51	617	118	15·86	5·23
15— - -	2,481	240	4,171	1,198	10·34	3·48
25— - -	1,207	186	2,099	744	6·49	2·82
35— - -	816	201	303	150	4·06	2·02
45— - -	445	170			2·62	
55— - -	231	110	140	96	2·10	1·46
65— - -	77	46			1·67	
75 & upwards	10	7			1·43	

NOTE.—The facts concerning Fever were supplied by Dr. Murchison, and published in the Registrar General's 25th Annual Report, p. 176; those for Small-pox were obtained from M'Culloch's "Account of the British Empire," p. 594.

TABLE **74.—Deaths** by **Fever** and by **Small-pox** according to the LIFE TABLE, and the PROPORTIONAL NUMBER of ATTACKS, deduced from Table **73.**

AGE x.	FEVER.			SMALL-POX.		
	Deaths according to Table 7.	Attacks calculated from above Table and Table 7.	Attacks at Age x and upwards.	Deaths according to Table 7.	Attacks calculated from above Table and Table 7.	Attacks at Age x and upwards.
Under 5 - -	5,401	59,411	286,128	3,331	8,128	18,482
5— - -	4,036	55,818	226,717	833	3,410	10,354
10— - -	2,842	45,074	170,899	244	1,276	6,914
15— - -	5,603	57,935	125,825	747	2,600	5,638
25— - -	4,197	27,239	67,890	624	1,760	3,038
35— - -	3,777	15,335	40,651	347	701	1,278
45— - -	3,749	9,822	25,316			
55— - -	3,822	8,026	15,494	395	577	577
65— - -	3,233	5,399	7,468			
75 & upwards	1,447	2,069	2,069			

The Table may be read thus:—5,401 children die of fever under 5 years of age, according to the Table 7. deduced from the Life Table; out of 59,411 cases calculated from Table 73. 1,000,000 persons born experience in their Lifetime 286,128 attacks of fever.

TABLE **75.**—LONDON, **1861–70. Annual Mortality,** from 25 SETS of CAUSES, per MILLION LIVING at 4 GROUPS of AGES, distinguishing MALES and FEMALES.

CAUSES OF DEATH.	25–35		35–45		45–55		55–65	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
TOTAL DEATHS -	10,859	8,798	17,142	12,844	25,682	18,518	43,848	33,450
Small-pox - - - - -	222	106	160	84	87	44	48	33
Measles - - - - -	4	7	3	3	2	1	1	2
Scarlatina - - - -	57	88	35	44	23	14	14	10
Diphtheria - - - -	21	26	30	21	26	23	37	25
Whooping-cough - -	—	1	2	—	2	—	1	—
Typhus - - - - -	652	553	926	766	1,173	999	1,677	1,324
Diarrhœa and Dysentery -	72	64	102	87	186	166	526	457
Cholera - - - - -	148	144	201	228	281	255	417	367
Other Zymotic Diseases -	215	161	327	204	468	279	891	541
Cancer - - - - -	79	219	291	909	817	2,080	1,652	2,985
Scrofula and Tabes - -	75	62	72	66	84	71	105	92
Phthisis - - - - -	*4,793*	*3,698*	*6,183*	*4,097*	*6,380*	*3,203*	*5,314*	*2,299*
Hydrocephalus - - -	13	4	4	3	3	3	3	1
Dis. of Brain - - -	733	483	1,551	1,011	2,897	2,107	6,525	4,840
Dis. of Heart, and Dropsy -	775	585	1,541	1,181	2,729	2,339	5,424	4,860
Dis. of Lungs - - -	*996*	*578*	*2,180*	*1,277*	*4,843*	*3,294*	*11,342*	*8,987*
Dis. of Stomach and Liver	431	477	992	960	1,898	1,741	3,335	3,106
Dis. of Kidneys - - -	310	182	620	291	1,067	459	1,999	766
Dis. of Generative Organs -	4	133	13	263	17	416	27	489
Dis. of Joints - - -	77	45	88	58	107	72	170	98
Dis. of Skin - - - -	28	34	45	40	80	52	164	93
Childbirth and Metria -	—	828	—	710	—	32	—	—
Suicide - - - - - -	140	51	239	88	357	104	474	90
Other Violent Deaths -	739	120	991	188	1,276	284	1,566	429
Other Causes - - -	275	149	546	265	879	475	2,136	1,556

TABLE **76.**—**Comparison** of the **Mortality** of **Males** and **Females** from **Phthisis** and **Diseases of the Lungs** at 4 GROUPS of AGES in **England** and its **Metropolis, 1861–70.**

—	MALES.				FEMALES.			
	25–35	35–45	45–55	55–65	25–35	35–45	45–55	55–65
DEATHS to 1,000,000 living at the above Groups of Ages from *Phthisis*.								
ENGLAND - -	4092	4165	3860	3297	4378	3900	2850	2065
LONDON - - -	4793	6183	6380	5314	3698	4097	3208	2299
DEATHS to 1,000,000 living at the above Ages from *Lung Diseases*.								
ENGLAND - -	860	1722	3500	7587	613	1130	2327	5875
LONDON - - -	996	2180	4843	11342	578	1277	3294	8987
DEATHS to 1,000,000 living at the above Ages from *Phthisis* and *Lung Diseases*.								
ENGLAND - -	4952	5887	7360	10884	4991	5030	5177	7940
LONDON - - -	5789	8363	11223	16656	4276	5374	6502	11286

TABLE **77.—Mean Proportion living** at DIFFERENT AGES to **100,000** at ALL AGES at the Two Censuses, **1861, 1871.**

AGES.	ENGLAND AND WALES.		LONDON.		MANCHESTER DISTRICT.		LIVERPOOL DISTRICT.	
MALES.								
ALL AGES	10,417,596	100,000	1,415,466	100,000	118,020	100,000	124,810	100,000
0—	3,847,905	36,937	499,083	35,259	42,215	35,769	41,470	33,226
15—	3,420,172	32,831	498,484	35,217	41,963	35,556	46,334	37,124
35—	2,090,247	20,064	303,277	21,426	25,002	21,185	28,483	22,821
55—	932,171	8,948	104,242	7,365	8,246	6,987	8,024	6,429
75 & upwds.	127,101	1,220	10,380	733	594	503	499	400
FEMALES.								
ALL AGES	10,971,649	100,000	1,613,659	100,000	129,952	100,000	129,267	100,000
0—	3,828,128	34,891	505,356	31,317	42,516	32,717	41,040	31,748
15—	3,701,738	33,739	598,506	37,090	48,299	37,167	48,786	37,741
35—	2,242,231	20,437	351,356	21,774	28,305	21,781	29,189	22,581
55—	1,034,942	9,433	139,760	8,661	9,869	7,594	9,344	7,228
75 & upwds.	164,610	1,500	18,681	1,158	963	741	908	702

TABLE **78.—Annual Rate** of **Mortality** PER CENT. in **England** during the 20 Years **1851–70,** and the **Rate** during the 25 Years **1848–72.**

AGES.	MEAN of TWO DECENNIAL RATES, 1851-70.		ANNUAL RATE over 25 Years, 1848-72.	
	Males.	Females.	Males.	Females.
ALL AGES -	2·333	2·130	2·345	2·142
0—	7·280	6·309	7·278	6·307
5—	·833	·809	·846	·817
10—	·467	·477	·473	·483
15—	·643	·700	·647	·700
20—	·864	·825	·883	·869
25—	·974	·981	·993	·993
35—	1·297	1·209	1·332	1·214
45—	1·857	1·538	1·859	1·557
55—	3·193	2·739	3·203	2·819
65—	6·601	5·873	6·775	5·723
75—	14·663	13·439	14·664	13·395
85 & upwards.	31·183	28·660	30·966	28·437

TABLE **79.—Mean Age at Death** of **Males** and **Females who died** from certain Diseases in the 25 Years **1848–72.**

(Diseases arranged according to Mean Age at Death.)

CAUSES OF DEATH.	MEAN AGE AT DEATH.		
	Males.	Females.	Mean.
Whooping-cough - -	1·7	1·8	1·8
Measles - - - - -	2·5	2·8	2·7
Croup - - - - - -	3·1	3·2	3·2
Scarlatina* - - - - -	5·2	5·6	5·4
Diphtheria* - - - -	7·7	8·1	7·9
Other Zymotic Diseases -	8·1	8·5	8·3
Small-pox - - - - -	13·2	10·6	11·9
Diarrhœa - - - - -	11·8	14·9	13·4
Remittent Fever - -	15·0	14·9	15·0
Quinsy - - - - -	19·0	18·0	18·5
Typhus - - - - -	26·6	25·4	26·0
Cholera - - - - -	30·4	32·4	31·4
Dysentery - - - - -	29·7	34·5	32·1
Ague - - - - - -	34·0	30·3	32·2
Erysipelas - - - - -	35·7	32·8	34·3
Rheumatism - - - -	39·8	41·4	40·6
Influenza - - - - -	42·8	48·8	45·8
Carbuncle - - - - -	59·2	57·9	58·6
Metria - - - - - -	—	30·3	—
All Causes - - - - -	28·2	30·8	29·5

* For the Years 1859–72 only.

DENSITY OF POPULATION AND ANNUAL MORTALITY

IN THE

THREE DECENNIADS 1841–50, 1851–60, AND 1861–70,

IN THE

REGISTRATION DIVISIONS, COUNTIES, AND DISTRICTS

OF

ENGLAND.

Density of Population and Annual **Mortality** in the Three Decenniads **1841-50, 1851-60,** and **1861-70** in the Registration Divisions, Counties, and Districts of England.

	Divisions and Registration Counties.	Density of Population. Acres to a Person.			Annual Mortality. Deaths to 1000 Living.			
		1841-50	1851-60	1861-70	1841-50	1851-60	1861-70	Mean of 30 Years 1841–70
	ENGLAND - - -	2·21	1·96	1·74	22	22	22	22
No.	DIVISIONS.							
I.	LONDON - - - -	·04	·03	·02	25	24	24	24
II.	SOUTH EASTERN COUNTIES -	2·62	2·34	1·99	20	20	19	20
III.	SOUTH MIDLAND COUNTIES -	2·69	2·53	2·34	21	20	20	20
IV.	EASTERN COUNTIES - - -	2·98	2·85	2·72	20	21	20	20
V.	SOUTH WESTERN COUNTIES -	2·82	2·74	2·68	20	20	20	20
VI.	WEST MIDLAND COUNTIES -	1·91	1·69	1·50	22	22	22	22
VII.	NORTH MIDLAND COUNTIES -	3·04	2·83	2·62	21	21	21	21
VIII.	NORTH WESTERN COUNTIES -	·88	·74	·63	27	26	26	26
IX.	YORKSHIRE - - - -	2·17	1·92	1·68	23	23	24	23
X.	NORTHERN COUNTIES - -	3·89	3·29	2·77	22	22	23	22
XI.	MONMOUTHSHIRE AND WALES -	4·63	4·18	3·79	20	21	21	21
	I.—LONDON.							
	MIDDLESEX (*part of*) - - -	·02	·02	·01	24	23	25	24
	SURREY (*part of*) - - - - -	·05	·04	·03	26	25	23	25
	KENT (*part of*) - - - - -	·19	·14	·10	25	22	22	23
	II.—SOUTH EASTERN COUNTIES.							
1	**SURREY** (*extra-metropolitan*) - -	2·44	2·00	1·47	18	18	18	18
2	**KENT** (*extra-metropolitan*) - - -	2·18	1·97	1·67	21	20	20	20
3	**SUSSEX** - - - - - - - -	2·96	2·69	2·41	18	19	19	19
4	**HAMPSHIRE** - - - - - -	2·81	2·47	2·11	20	20	19	20
5	**BERKSHIRE** - - - - - -	2·90	2·79	2·61	20	20	20	20
	III.—SOUTH MIDLAND COUNTIES.							
6	**MIDDLESEX** (*extra-metropolitan*) -	1·21	1·04	·79	19	20	20	20
7	**HERTFORDSHIRE** - - - -	2·55	2·44	2·30	20	19	19	19
8	**BUCKINGHAMSHIRE** - - -	2·86	2·77	2·67	21	21	20	21
9	**OXFORDSHIRE** - - - - - -	2·87	2·81	2·72	21	21	20	21
10	**NORTHAMPTONSHIRE** - -	3·06	2·84	2·64	22	21	21	21
11	**HUNTINGDONSHIRE** - - -	3·54	3·44	3·49	22	20	20	21
12	**BEDFORDSHIRE** - - - -	2·52	2·26	2·09	22	21	21	21
13	**CAMBRIDGESHIRE** - - -	3·16	3·07	3·07	23	21	20	21
	IV.—EASTERN COUNTIES.							
14	**ESSEX** - - - - - - - -	2·96	2·72	2·38	20	20	19	20
15	**SUFFOLK** - - - - - - -	2·86	2·77	2·72	20	20	20	20
16	**NORFOLK** - - - - - - -	3·10	3·02	3·05	21	21	21	21

Note.—The population used in obtaining the results given in this Table is the arithmetical mean of the numbers enumerated at the Censuses of 1841, 1851, 1861, and 1871. The deaths to 1000 living are given in round numbers: thus any rate of mortality ranging from 21·5 to 22·49 is entered as 22. For example, the mean mortality of males and females in all England was in the three decenniads 22·35, 22·35, 22·35; these averages are here entered as 22, 22, 22.

Density of Population and Annual **Mortality** in the Three Decennials **1841-50, 1851-60,** and **1861-70** in the Registration Divisions, Counties, and Districts of England—*continued.*

No.	Registration Counties.	Density of Population. Acres to a Person. 1841-50	1851-60	1861-70	Annual Mortality. Deaths to 1000 Living. 1841-50	1851-60	1861-70	Mean of 30 Years 1841-70
	V.—SOUTH WESTERN COUNTIES.							
17	**WILTSHIRE**	3·22	3·26	3·23	21	21	19	20
18	**DORSETSHIRE**	3·57	3·43	3·29	20	19	19	19
19	**DEVONSHIRE**	3·08	2·81	2·75	20	20	20	20
20	**CORNWALL**	2·52	2·48	2·45	19	20	21	20
21	**SOMERSETSHIRE**	2·23	2·34	2·25	20	20	20	20
	VI.—WEST MIDLAND COUNTIES.							
22	**GLOUCESTERSHIRE**	1·76	1·66	1·54	22	21	21	21
23	**HEREFORDSHIRE**	4·35	4·13	3·94	21	20	20	20
24	**SHROPSHIRE**	3·72	3·63	3·50	21	20	20	20
25	**STAFFORDSHIRE**	1·30	1·08	·91	24	25	23	24
26	**WORCESTERSHIRE**	1·77	1·57	1·38	21	20	20	20
27	**WARWICKSHIRE**	1·38	1·17	1·02	23	23	23	23
	VII.—NORTH MIDLAND COUNTIES.							
28	**LEICESTERSHIRE**	2·34	2·23	2·06	22	22	22	22
29	**RUTLANDSHIRE**	4·54	4·51	4·58	19	18	19	19
30	**LINCOLNSHIRE**	4·60	4·32	4·16	20	19	19	19
31	**NOTTINGHAMSHIRE**	2·12	1·94	1·77	21	22	22	22
32	**DERBYSHIRE**	2·23	2·01	1·82	21	22	22	22
	VIII.—NORTH WESTERN COUNTIES.							
33	**CHESHIRE**	1·75	1·53	1·35	23	22	22	22
34	**LANCASHIRE**	·70	·58	·49	28	26	27	27
	IX.—YORKSHIRE.							
35	**WEST RIDING**	1·34	1·19	1·05	23	24	25	24
36	**EAST RIDING** (with York)	3·07	2·73	2·40	24	22	23	23
37	**NORTH RIDING**	6·49	6·09	5·54	19	19	20	19
	X.—NORTHERN COUNTIES.							
38	**DURHAM**	2·04	1·58	1·22	22	23	23	23
39	**NORTHUMBERLAND**	4·53	3·99	3·54	22	22	23	22
40	**CUMBERLAND**	5·19	4·84	4·56	21	21	22	21
41	**WESTMORLAND**	8·75	8·43	7·98	19	18	18	18
	XI.—MONMOUTHSHIRE AND WALES.							
42	**MONMOUTHSHIRE**	2·64	2·31	2·08	23	23	22	23
43	**SOUTH WALES**	4·96	4·31	3·81	20	22	21	21
44	**NORTH WALES**	4·99	4·81	4·60	20	20	21	20

Density of Population and Annual **Mortality** in the Three Decenniads **1841–50, 1851–60,** and **1861–70** in the Districts of England.

I.—LONDON.

No.	Districts.	Density of Population. Acres to a Person. 1841-50	1851-60	1861-70	Annual Mortality. Deaths to 1000 Living. 1841-50	1851-60	1861-70	Mean of 30 Years 1841-70
	MIDDLESEX (*part of*).							
1	(*a*) Kensington	·076	·048	·032	20	19	21	20
2	(*b*) Chelsea	·018	·014	·012	27	26	26	26
3	(*c*) St. George Han. Sq.: St. George Han. Sq.*	·017	·014	·013	19	19	19	19
	Westminster *	·015	·014	·012	27	26	27	27
6	(*d*) Westminster (St. James) †	·004	·005	†	22	23	†	—
7	(*e*) Marylebone	·010	·009	·009	24	24	25	24
8	(*f*) Hampstead	·204	·145	·087	18	17	16	17
9	Pancras	·018	·015	·013	23	22	23	23
10	(*g*) Islington	·041	·025	·017	19	21	22	21
11	Hackney	·078	·055	·038	19	19	20	19
12	(*h*) St. Giles	·065	·065	·065	26	28	29	28
13	Strand: St. Martin-in-the-Fields †	·012	·013	·006	24	23	25 †	24
	Strand †	·004	·004		24	24		
14	(*i*) Holborn: Holborn ‡	·004	·004	·005	26	26	28 ‡	26
	Clerkenwell ‡	·006	·006		24	23		
	St. Luke ‡	·004	·004		27	27		
19	(*j*) London City: East London §	·004	·004	·007	27	27	26§	26
	West London §	·005	·005		29	25		
	London City §	·008	·009		22	22		
20	(*k*) Shoreditch	·007	·005	·005	27	24	26	26
21	(*l*) Bethnal Green	·009	·008	·007	25	23	27	25
22	Whitechapel	·005	·005	·005	29	28	30	29

Note.—The Mortality in the several Metropolitan Districts, as given in the above Table for each of the three decades 1841–70, is corrected for the disturbing element of the presence of certain Public Institutions located in particular Districts, but whose occupants are drawn more or less indiscriminately from the whole Metropolitan area. This correction has been made by subtracting the mean population and the average annual deaths in each Institution from the corresponding population and deaths of the District in which it is situated, and then the whole of the Institution population and deaths were distributed proportionally over all the London districts. In the case of certain Workhouses situated in Districts to which they do not belong, the average inmates and the deaths in such Workhouses have been transferred to their proper Districts prior to calculating the mortality. For all the Institutions which have been thus dealt with, the annual deaths registered during 1861–70 and the number of inmates, according to the Census Returns of 1861 and 1871, are given in a Table which will be found on page cex of this Report.

Besides the Institutions just referred to, there are others in London for which it has not been deemed necessary to make corrections in the mortality; such Institutions will be found specified in foot-notes, the deaths registered in 1869 and 1870 and the inmates at the Census of 1871 being given for each Institution.

With regard to Districts *not within the Metropolitan limits*, no correction has been made for Public Institutions, *except* in the case of County and certain other large Lunatic Asylums, of a few special Institutions, of Military Camps, and of Workhouses not located in their proper Districts. Particulars of such corrections as have been made will be found noted under the several Districts concerned. Institutions of any importance for which no corrections have been made are given in foot-notes to the Districts wherein they are situated, together with the deaths registered in such Institutions in 1869 and 1870 and the inmates at the Census of 1871.

* On 1st July 1870 the District of Westminster was merged in the District of St. George Hanover Square.

† On 1st July 1868 the Sub-district of St. Anne Soho, was taken from the Strand District and added to Westminster St. James, and at the same time the District of St. Martin-in-the-Fields was merged in the Strand District; in consequence of these changes the Density of Population and Mortality in the 10 Years 1861–70 for the District of Westminster (St. James) is not given separately from that of the Strand District.

‡ On 2nd August 1869 the districts of Clerkenwell and St. Luke were merged in the Holborn District.

§ On 1st January 1870 the Districts of East London and West London were merged in the London City District.

Districts containing Institutions for which the Mortality is *not* corrected.

District.	Name of Institution.	Deaths. 1869	1870	Special Inmates at Census 1871.
(*a*) Kensington	Lock Hospital	5	9	124
"	West London Hospital	30	14	22
(*b*) Chelsea	Victoria Hospital	19	11	25
"	Consump. Hos. (Chelsea Home)	2	2	13
"	Cancer Hospital	36	43	62
(*c*) St. Geo. Han. Sq.	Belgrave Hospital	5	1	10
"	Children's Hos. (Carlisle Place)	54	64	78
(*d*) Westminster	Hospital for Women	8	21	44
"	French Hospital	—	14	9
(*e*) Marylebone	St. Peter's Hospital	5	2	6
"	Samaritan Free Hospital	11	15	16
"	Qn. Charlotte's Lying-in Hosp.	4	19	65
(*f*) Hampstead	North London Consump. Hosp.	18	15	27
(*g*) Islington	Great Northern Hospital	20	22	24
(*h*) St. Giles	British Lying-in Hospital	5	17	14
(*i*) Holborn	London Homœopathic Hospital	17	21	36
"	St. John and Elizabeth Hospital	13	19	37
"	City of London Lying-in Hosp.	22	25	43
"	Royal Hosp. for Chest Diseases	12	12	9
"	St. Luke's Lunatic Hospital	*See* p. cexii.		
(*j*) London City	City Police Hospital	6	2	9
"	Metropolitan Free Hospital	14	15	13
(*k*) Shoreditch	Children's Hospital	2	7	9
"	Hoxton House Lunatic Asylum	*See* p. cexii.		
(*l*) Bethnal Green	London City Chest Hospital	68	59	96
"	Bethnal House Lunatic Asylum	*See* p. cexii.		

Density of Population and Annual **Mortality** in the Three Decenniads **1841–50, 1851–60,** and **1861–70** in the Districts of England—*continued.*

I.—LONDON—*continued.*

No.	Districts.	Density of Population. Acres to a Person. 1841-50	1851-60	1861-70	Annual Mortality. Deaths to 1000 Living. 1841-50	1851-60	1861-70	Mean of 30 Years 1841-70
	MIDDLESEX (*part of*)—*cont.*							
23	St. George-in-the-East	·005	·005	·005	29	29	30	29
24*a*	(*a*) Stepney	·012	·010	·008	25	27	28	27
24*b*	(*b*) Mile End Old Town		·011	·008		24	25	25
25	(*c*) Poplar	·060	·037	·024	22	24	26	24
	SURREY (*part of*).							
26	(*d*) St. Saviour Southwark: St. Geo., Southwk.*	·006	·005		30	27		
	Newington*	·010	·009		26	24		
27	St. Saviour*	·008	·008	·009	30†	29†	25†	27
	St. Olave Southwark: St. Olave*	·017	·013		28	26		
	Bermondsey*	·056	·042		28	25		
	Rotherhithe*							
31	(*e*) Lambeth	·031	·027	·021	25	23	23	24
32	(*f*) Wandsworth (inc. County Lunatic Asylum)	·258	·193	·118	22	22	21	22
	Wandsworth (exclud. County Lunatic Asy.) ‡	—	—	—	19	20	19	19
33	(*g*) Camberwell	·092	·069	·049	24	23	23	23
	KENT (*part of*).							
35	Greenwich	·060	·047	·035	27	24	26	26
36*a*	(*h*) Lewisham	·595	·342	·217	17	18	19	18
36*b*	(*h*) Woolwich §	—	—	—	—	—	—	—

II.—SOUTH EASTERN COUNTIES.

	1.—SURREY (*Extra-metropolitan*).							
37	Epsom	2·27	1·99	1·59	18	16	17	17
38	(*i*) Chertsey	2·80	2·50	2·02	18	18	17	18
39	(*j*) Guildford (inc. Godalming, and County Lunatic Asylum)	2·72	2·41	2·12	19	19	20	19
	Guildford (exclud. County Lunatic Asylum) ‡	—	—	—	—	—	19	—
40	Farnham ‖ (inc. Military in Aldershott Camp)	3·79	2·19	1·38	18	16	17	17
	Farnham (exclud. Aldershott Camp)	—	—	—	—	19	19	—

* On 1st January 1870 the Districts of St. George Southwark and Newington were merged in the District of St. Saviour Southwark, and the Districts of Bermondsey and Rotherhithe were merged in the District of St. Olave Southwark.

† Parts of both St. Thomas's and Guy's Hospitals being situate in the Districts of St. Saviour and St. Olave, it has been found impracticable to give the corrected mortality of the two Districts separately.

‡ The average number of inmates and the deaths in each year 1861–70 in these Asylums are given in Table *b.*, p. cex.

§ On 1st July 1868 the new District of Woolwich was formed out of parts of the Districts of Greenwich and Lewisham; the Density and Mortality of the new District are included in this Table with the Two Districts of which it until so recently formed part.

‖ The District of Farnham was divided in 1846 into the two Districts of Farnham (40) and Farnborough (41); on 1st July 1869 the district of Farnborough was abolished, and the parishes and places of which it had been composed were transferred to the Districts of Farnham (40), Guildford (39), Hartley Wintney (115), Alton (114), and Petersfield (112). The details of the first of these changes are given in the Thirteenth Annual Report, p. 226, and of the second in the Thirty-third Report, p. 372. For comparative purposes the rates of Density and Mortality in the above Table have been corrected so as to represent as nearly as possible the original district of Farnham, including the Camp at Aldershott. During the 10 years 1861–70 the average annual number of Military in the Camp was 10,729, and the deaths occurring among them averaged 72 per annum; upon these numbers the correction in the mortality of the District has been made.

Districts containing Institutions for which the Mortality is *not* corrected.

District.	Name of Institution.	Deaths. 1869	1870	Special Inmates at Census 1871.
(*a*) Stepney	Children's Hospital	45	42	32
(*b*) Mile End Old Tn.	Portuguese Jews' Hospital	7	8	20
(*c*) Poplar	Poplar Hospital	21	20	25
"	Grove Hall Lunatic Asylum	*See* p. cexii.		
(*d*) St. Saviour Southwark	Evelina Hospital	9	13	31
	Bethlehem Lunatic Hospital	*See* p. cexii.		
(*e*) Lambeth	Royal Infirmary, Women and Children	14	14	18
"	General Lying-in Hospital	6	12	37
(*f*) Wandsworth	British Home for Incurables	6	6	56
(*f*) Wandsworth	Royal Hospital for Incurables	12	15	124
(*g*) Camberwell	Camberwell House Lunatic Asyl.	*See* p. cexii.		
"	Peckham House Lunatic Asyl.			
(*h*) Lewisham	Herbert Hospital	44	64	281
(*h*) Woolwich	Garrison Female Hospital	10	18	22
(*h*) Woolwich	Metropolitn. Convalescent Asyl.	4	4	156
(*i*) Chertsey	Invalid Convict Prison	39	35	707
(*j*) Guildford	Royal Surrey County Hospital	15	14	38

Density of Population and Annual **Mortality** in the Three Decenniads **1841–50, 1851–60,** and **1861–70** in the Districts of England—*continued.*

II.—SOUTH EASTERN COUNTIES—*continued.*

No.	Districts.	Density of Population. Acres to a Person. 1841-50	1851-60	1861-70	Annual Mortality. Deaths to 1000 Living. 1841-50	1851-60	1861-70	Mean of 30 Years 1841-70
	1. SURREY (*Extra-metropolitan*)—*cont.*							
42	Hambledon	4·58	4·40	4·17	16	17	17	17
43	Dorking	3·58	3·36	3·02	17	17	17	17
44	Reigate (inc. Earlswood Asylum for Idiots)	3·58	2·98	2·16	16	17	17	17
	Reigate, (exclud. Idiot Asylum) *	—	—	—	—	—	16	—
45	Godstone	4·94	4·74	3·79	17	17	16	17
46	(*a*) Croydon	1·10	·84	·50	20	19	19	19
47	(*b*) Kingston (inc. Teddington and Hampton)	·89	·71	·54	18	18	18	18
48	(*c*) Richmond	·29	·25	·22	20	20	19	20
	2.—KENT (*Extra-metropolitan*).							
49	Bromley	2·37	2·10	1·54	17	16	16	16
50	Dartford (inc. City of London Lunatic Asy.)	2·02	1·78	1·40	19	18	19	19
	Dartford (exclud. City of London Lun. Asy.) *	—	—	—	—	—	19	—
51	(*d*) Gravesend	·08	·07	·06	25	23	22	23
52	North Aylesford (inc. Northfleet & Strood)	2·40	2·10	1·84	22	20	20	21
53	Hoo	7·04	6·96	6·62	24	25	23	24
54	(*e*) Medway (inc. Rochester and Chatham)	·36	·31	·22	25	23	22	23
55	Malling	2·53	2·31	2·12	21	19	20	20
56	Sevenoaks	3·05	3·06	2·91	18	18	18	18
57	(*f*) Tunbridge (inc. pt. of Tunbridge Wells)	1·76	1·47	1·18	20	20	18	19
58	(*g*) Maidstone (inc. County Lunatic Asylum)	1·11	1·02	·96	23	23	23	23
	Maidstone (exclud. County Lunatic Asylum) *	—	—	—	—	21	21	—
59	Hollingbourn	4·14	4·17	4·17	20	19	19	19
60	Cranbrook	3·07	3·04	3·02	19	17	17	18
61	Tenterden	4·21	4·22	4·34	20	19	17	19
62	West Ashford	3·40	2·95	2·67	18	20	19	19
63	East Ashford	4·64	4·50	4·31	17	18	17	17
64	Bridge	3·74	3·68	3·69	18	18	18	18
65	(*h*) Canterbury	·21	·20	·19	24	23	24	24
66	Blean (inc. Whitstable, Herne Bay, and pt. of Canterbury City)	2·27	2·09	1·87	17	18	20	18
67	Faversham	2·85	2·61	2·12	19	20	19	19
68	Milton (inc. Sittingbourne)	2·71	2·38	1·88	21	21	20	21
69	Sheppey (inc. Sheerness)	1·85	1·41	1·21	24	19	19	21
70	(*i*) Thanet (inc. Ramsgate and Margate)	·94	·93	·80	19	21	20	20
71	(*j*) Eastry (inc. Deal, Walmer, and Sandwich)	2·07	1·99	1·90	19	19	19	19
72	(*k*) Dover	1·13	1·00	·87	21	20	20	20
73	Elham (inc. Folkestone, Hythe, and Shorncliffe Camp)	2·58	1·89	1·52	19	18	17	18
	Elham (exclud. Military in Shorncliffe Camp) †	—	—	—	—	19	18	—
74	Romney Marsh (inc. New Romney)	8·44	8·05	7·61	19	21	18	19
	3.—SUSSEX.							
75	Rye (inc. Winchelsea)	3·26	3·24	3·24	18	20	19	19
76	(*l*) Hastings	·78	·59	·45	18	18	20	19
77	Battle	4·11	4·01	4·08	16	17	17	17
78	(*m*) Eastbourne	4·67	3·99	2·88	15	17	17	16

* The average number of inmates and the deaths in each year 1861–70 in these Asylums are given in Table *b*., p. cex.
† During the 10 years 1861–70 the average annual strength of the Military in Shorncliffe Camp was 2793, and the deaths occurring among them averaged 20·1 per annum; upon these numbers the above correction in the District mortality has been made.

Districts containing Institutions for which the Mortality is *not* corrected.

District.	Name of Institution.	Deaths. 1869	1870	Special Inmates at Census 1871.	District.	Name of Institution.	Deaths. 1869	1870	Special Inmates at Census 1871.
(*a*) Croydon	Croydon General Hospital	10	14	11	(*i*) Thanet	Royal Sea Bathing Infirmary	9	7	123
(*b*) Kingston	Atkinson Morley Convales. Hos.	–	7	56	"	Metrop. Infirmy. (Dane Hill)	9	16	195
(*c*) Richmond	Infirmary	9	12	11	"	Seaman's Infirmary	3	–	13
(*d*) Gravesend	Infirmary and Dispensary	6	5	1	(*j*) Eastry	Infirmary and Dispensary	2	2	1
(*e*) Medway	St. Bartholomew's Hospital	45	37	46	(*k*) Dover	Hospital and Dispensary	4	6	6
"	General Hospital (Fort Pitt)	40	–	194	(*l*) Hastings	East Sussex Infirmary	7	9	29
"	Melville Hosp. (R. M. Infirmy.)	17	22	113	(*m*) Eastbourne	Seaside Convales. Hos. (Seaford)	3	–	37
(*f*) Tunbridge	Infirmary and Dispensary	–	11	21	"	All Saints Convalescent Hosp. (Eastbourne)	–	9	64
(*g*) Maidstone	West Kent General Hospital	21	14	32					
(*h*) Canterbury	Kent and Canterbury Hospital	35	20	38					

Density of Population and Annual **Mortality** in the Three Decenniads **1841–50, 1851–60,** and **1861–70** in the Districts of England—*continued.*

II.—SOUTH EASTERN COUNTIES—*continued.*

No.	Districts.	Density of Population. Acres to a Person. 1841-50	1851-60	1861-70	Annual Mortality. Deaths to 1000 Living. 1841-50	1851-60	1861-70	Mean of 30 Years 1841-70
	3.—SUSSEX—*cont.*							
79	Hailsham	4·23	4·19	4·23	17	17	17	17
80	Ticehurst (inc. pt. of Tunbridge Wells)	3·48	3·43	3·31	19	19	17	18
81	Uckfield	4·36	4·25	4·06	17	19	17	18
82	East Grinstead	4·75	4·49	4·05	17	17	16	17
83	Cuckfield	3·96	3·77	3·31	16	18	16	17
84	(*a*) Lewes (inc. County Lunatic Asylum)	3·37	3·23	2·99	19	19	20	19
	*Lewes (exclud. County Lunatic Asylum)**	—	—	—	—	19	18	—
85	(*b*) Brighton	·03	·02	·02	21	22	22	22
86	Steyning (inc. New Shoreham)	2·84	2·17	1·62	16	16	16	16
87	Horsham	4·16	3·89	3·56	18	18	18	18
88	Petworth	4·07	4·13	4·13	17	19	19	18
89	Thakeham	4·68	4·75	4·77	18	18	16	17
90	(*c*) East Preston (formerly Worthing), inc. Littlehampton and Arundel	2·34	2·25	1·96	17	18	18	18
91	Westhampnett (inc. Bognor)	5·03	4·98	4·94	19	18	17	18
92	(*d*) Chichester	1·59	1·44	1·43	21	21	19	20
93	Midhurst	4·88	5·02	5·13	17	18	18	18
94	Westbourne	4·83	4·73	4·64	18	17	19	18
	4.—HAMPSHIRE.							
95	Havant	2·05	1·97	1·85	18	19	19	19
96	(*e*) Portsea Island (inc. Portsmouth)	·08	·06	·05	25	23	21	23
97	Alverstoke (inc. Gosport, & Haslar Hospital)	·25	·19	·17	29	26	23	26
	Alverstoke (exclud. Haslar Hospital)†	—	—	—	24	20	19	21
98	Fareham (inc. County Lunatic Asylum)	2·64	2·62	2·38	19	21	23	21
	*Fareham (exclud. County Lunatic Asylum)**	—	—	—	—	18	19	—
99	(*f*) Isle of Wight (inc. Ryde, Newport, Cowes, Shanklin, and Ventnor)	2·15	1·89	1·54	17	17	17	17
100	Lymington	3·57	3·48	3·26	17	18	17	17
101	(*g*) Christchurch (inc. Bournemouth)	4·51	3·89	2·39	16	18	17	17
102	Ringwood	6·07	6·04	6·50	17	18	17	17
103	Fordingbridge	5·19	5·32	5·18	20	20	19	20
104	New Forest	5·18	5·13	5·14	17	17	17	17
105	(*h*) Southampton	·04	·03	·03	23	24	23	23
106	South Stoneham (inc. Netley Hospital)	1·85	1·28	·92	18	17	19	18
	South Stoneham (exclud. Netley Hospital)‡	—	—	—	—	—	18	—
107	Romsey	2·58	2·61	2·89	21	19	20	20
108	Stockbridge	6·22	6·14	6·23	20	19	18	19
109	(*i*) Winchester	3·23	3·01	2·79	21	20	19	20
110	Droxford	4·60	4·52	4·36	18	18	17	18
111	Catherington	5·42	5·27	4·99	17	19	16	17
112	Petersfield	5·25	5·12	4·89	18	19	17	18
113	Alresford	5·48	5·45	5·90	17	16	17	17
114	Alton	4·57	4·43	4·24	19	18	19	19
115	Hartley Wintney	3·83	3·70	3·79	18	19	18	18

* The average number of inmates and the deaths in each year 1861-70 in these Asylums are given in Table *b.*, p. cex.

† During the 10 years 1861-70 the average annual number of inmates of Haslar Hospital was 458, and of deaths occurring among those inmates 90·1; upon these numbers the above correction in the District mortality has been made.

‡ Netley Hospital was opened in April 1863; the number of patients averaged 403 per annum, and the deaths of patients 50·5 per annum, in the eight years 1863-70; upon these numbers the above correction in the District mortality has been made.

Districts containing Institutions for which the Mortality is *not* corrected.

District.	Name of Institution.	Deaths. 1869	1870	Special Inmates at Census 1871.
(*a*) Lewes	Lewes Infirmary	1	-	-
(*b*) Brighton	County Hospital	72	83	141
"	St. Mary's Hospital	-	6	116
"	Hospital for Sick Children	-	1	10
(*c*) East Preston (Worthing)	Worthing Infirmary	-	1	-
(*d*) Chichester	General Infirmary & Dispensary	17	11	38
(*e*) Portsea Isld.	Royal Portsmouth, Portsea, & Gosport Hospital	28	23	137
(*e*) Portsea Isld.	Female Hospital (Mill-Dam)	5	9	146
"	Garrison Hospital	39	45	
(*f*) Isle of Wight	Royal Isle of Wight Infirmary	17	12	28
"	National Cottage Hospital for Consumption	-	3	21
(*g*) Christchurch	National Sanatorium, Bournth.	1	4	34
(*h*) Southampton	Royal South Hants Infirmary	53	45	94
(*i*) Winchester	Royal Hants County Hospital	24	43	90

Density of Population and Annual **Mortality** in the Three Decenniads **1841–50, 1851–60,** and **1861–70** in the Districts of England—*continued.*

II.—SOUTH EASTERN COUNTIES—*continued.*

No.	Districts.	Density of Population. Acres to a Person. 1841–50	1851–60	1861–70	Annual Mortality. Deaths to 1000 Living. 1841–50	1851–60	1861–70	Mean of 30 Years 1841–70
	4.—HAMPSHIRE—*cont.*							
116	Basingstoke	4·33	4·23	4·16	20	19	19	19
117	Whitchurch	5·31	5·30	5·30	19	22	19	20
118	Andover	4·88	4·86	4·89	19	18	18	18
119	Kingsclere	5·39	5·37	5·47	19	19	20	19
	5.—BERKSHIRE.							
120	Newbury	2·11	2·10	2·11	21	21	20	21
121	Hungerford	4·88	4·88	5·01	20	20	19	20
122	Faringdon	4·10	4·09	4·10	20	21	21	21
123	Abingdon (inc. Lunatic Asylum for Oxon and Berks)	2·84	2·70	2·66	23	23	22	23
	*Abingdon (exclud. Lunatic Asylum)**	—	—	—	—	22	20	—
124	Wantage	4·42	4·36	4·37	19	20	19	19
125	Wallingford	2·91	2·90	2·85	20	20	18	19
126	Bradfield	3·89	3·87	3·93	19	19	18	19
127	(*a*) Reading	·23	·20	·16	24	22	22	23
128	Wokingham	3·19	3·00	2·75	17	18	18	18
129	Cookham (inc. Maidenhead)	2·59	2·39	2·11	19	18	18	18
130	Easthampstead (inc. Broadmoor Criminal Lunatic Asylum)	4·10	3·65	2·79	16	16	16	16
	*Easthampstead (exclud. Lunatic Asylum)**	—	—	—	—	—	16	—
131	(*b*) Windsor	1·16	1·10	·95	20	20	20	20

III.—SOUTH MIDLAND COUNTIES.

No.	Districts.	Density of Population. 1841–50	1851–60	1861–70	Annual Mortality. 1841–50	1851–60	1861–70	Mean of 30 Years 1841–70
	6.—MIDDLESEX (*Extra-metropolitan*)							
132	Staines	1·83	1·66	1·35	19	19	18	19
133	Uxbridge (inc. Hanwell Lunatic Asylum)	1·35	1·22	1·10	23	22	25	23
	*Uxbridge (exclud. Hanwell Lunatic Asylum)**	—	—	—	20	19	20	20
134	(*c*) Brentford (inc. Hounslow and Twickenham)	·52	·44	·34	21	22	20	21
135	Hendon (inc. Harrow)	2·11	1·88	1·19	17	18	18	18
136	Barnet (inc. Colney Hatch Lunatic Asylum)	1·81	1·52	1·15	18	25	24	22
	*Barnet (exclud. Colney Hatch Lunatic Asy.)**	—	—	—	—	18	17	—
137	(*d*) Edmonton (inc. Waltham Abbey and Enfield)	1·06	·89	·66	19	18	19	19
	7.—HERTFORDSHIRE.							
138	Ware	2·24	2·17	2·10	19	18	18	18
139	Bishop Stortford	2·70	2·65	2·57	21	18	19	19
140	Royston	3·46	3·46	3·47	21	19	18	19
141	(*e*) Hitchin	2·76	2·58	2·44	21	19	20	20
142	(*f*) Hertford	2·35	2·26	2·20	20	17	19	19
143	Hatfield	3·57	3·49	3·46	18	18	18	18
144	St. Albans	1·98	1·87	1·73	20	19	19	19
145	Watford	1·98	1·87	1·54	20	20	19	20
146	(*g*) Hemel Hempstead	2·07	1·88	1·78	20	21	20	20
147	Berkhampstead	2·04	1·91	1·80	22	21	20	21

* The average number of inmates and the deaths in each year 1861–70 in these Asylums are given in Table *b.*, p. cex.

Districts containing Institutions for which the Mortality is *not* corrected.

District.	Name of Institution.	Deaths. 1869	1870	Special Inmates at Census 1871.	District.	Name of Institution.	Deaths. 1869	1870	Special Inmates at Census 1871.
(*a*) Reading	Royal Berkshire Hospital	37	40	92	(*c*) Brentford	Convalescent Home	–	2	12
(*b*) Windsor	Saint Andrew Convalescent Hos.	10	7	49	(*d*) Edmonton	Training Hospital	13	22	33
"	Royal Infirmary and Dispensary	11	6	14	(*e*) Hitchin	Nrth. Herts & Sth. Beds Infirm.	4	5	14
					(*f*) Hertford	Herts General Infirmary	1	–	16
(*c*) Brentford	Royal India Asyl. for Lunatics	–	4	124	(*g*) Hemel Hempstd.	West Herts Infirmary	6	1	27

Density of Population and Annual **Mortality** in the Three Decenniads **1841–50, 1851–60,** and **1861–70** in the Districts of England—*continued.*

III.—SOUTH MIDLAND COUNTIES—*continued.*

No.	Districts.	Density of Population. Acres to a Person. 1841-50	1851-60	1861-70	Annual Mortality. Deaths to 1000 Living. 1841-50	1851-60	1861-70	Mean of 30 Years 1841-70
	8.—BUCKINGHAMSHIRE.							
48	Amersham	2·71	2·70	2·71	22	22	21	22
49	Eton (inc. Slough)	1·99	1·90	1·80	18	18	18	18
50	Wycombe (inc. Great Marlow)	2·83*	2·37	2·22	21*	21	20	21
51	(*a*) Aylesbury (inc. County Lunatic Asylum)	3·25	3·14	3·04	21	22	22	22
	Aylesbury (exclud. County Lunatic Asylum)†	—	—	—	—	21	21	—
52	Winslow	3·77	3·59	3·64	21	22	20	21
53	Newport Pagnell	2·98	2·86	2·77	22	21	20	21
54	Buckingham	3·66	3·72	3·85	23	22	20	22
	9.—OXFORDSHIRE.							
55	Henley	*	3·42	3·32	*	19	18	19
56	Thame	3·52	3·55	3·63	22	21	19	21
57	(*b*) Headington ‡ (inc. pt. of Oxford City)	·82	1·56	1·30	23	22	21	22
58	Oxford ‡		·15	·14		22	22	22
59	Bicester	4·17	4·12	4·12	21	21	20	21
60	Woodstock	3·44	3·34	3·31	21	20	20	20
61	Witney	3·02	3·00	3·02	22	20	20	21
62	Chipping Norton	4·55	4·40	4·24	19	19	19	19
63	Banbury	2·58	2·51	2·45	22	21	20	21
	10.—NORTHAMPTONSHIRE.							
64	Brackley	4·33	4·32	4·36	22	21	20	21
65	Towcester	3·33	3·27	3·25	22	23	20	22
66	Potterspury	2·19	2·01	1·92	22	20	19	20
67	Hardingstone	3·64	3·40	3·15	21	20	20	20
68	(*c*) Northampton (inc. General Lunatic Hosptl.)	·67	·56	·44	24	25	25	25
	Northampton (exclud. Lunatic Hospital) †	—	—	—	—	24	24	—
69	Daventry	2·92	2·98	3·16	20	20	20	20
70	Brixworth	3·27	3·98	4·13	22	20	19	20
71	Wellingborough		2·43	2·09		22	21	22
72	Kettering	3·04	2·98	2·83	20	20	21	20
73	Thrapston	4·11	3·80	3·60	19	20	20	20
74	Oundle	4·56	4·49	4·64	21	19	19	20
75	(*d*) Peterborough	3·69	3·24	2·86	21	20	20	20
	11.—HUNTINGDONSHIRE.							
76	(*e*) Huntingdon (inc. Godmanchester)	3·92	3·73	3·71	22	20	20	21
77	St. Ives	3·17	3·13	3·27	22	20	21	21
78	St. Neots	3·54	3·45	3·48	21	19	19	20
	12.—BEDFORDSHIRE.							
79	(*f*) Bedford } Inc. Lunatic Asylum for Beds, Herts, and Hunts	2·89	2·64	2·44	23	20	20	21
80	Biggleswade	2·63	2·38	2·18	21	21	22	21
	Bedford } (*exclud. Lunatic Asylum*) †	—	—	—	—	19	—	—
	Biggleswade	—	—	—	—	—	20	—
81	Ampthill	2·58	2·48	2·41	22	21	21	21
82	Woburn	2·53	2·49	2·55	20	22	20	21
83	Leighton Buzzard	2·10	2·19	2·09	21	22	20	21
84	Luton (inc. Dunstable)		1·46	1·26		20	21	21

* For the 10 years 1841–50 the Districts of Wycombe and Henley are combined.

† The average number of inmates, and the deaths in each year 1861–1870 in these Asylums are given in Table *b*, p. cex. The unatic Asylum for the Counties of Beds, Herts, and Hunts, was transferred from the District of Bedford to the District of ggleswade in 1860.

‡ In this District is situated the Workhouse belonging to the Oxford Union, for which a correction has been made in the mortality both Districts; this Workhouse contained 217 special inmates in 1871, and the estimated average annual deaths in the 10 years 61–70 were 40.

Districts containing Institutions for which the Mortality is *not* corrected.

District.	Name of Institution.	Deaths. 1869	1870	Special Inmates at Census 1871.	District.	Name of Institution.	Deaths. 1869	1870	Special Inmates at Census 1871.
(*a*) Aylesbury	County Infirmary	12	5	43	(*d*) Peterborough	Infirmy., Dispensy., & Fever Hos.	5	10	10
(*b*) Headington	Radcliffe Infirmary	54	57	128	(*e*) Huntingdon	County Hospital	6	7	36
(*c*) Northampton	General Infirmary	52	51	120	(*f*) Bedford	General Infirmary & Fever Hos.	30	33	63

Density of Population and Annual **Mortality** in the Three Decennials **1841–50, 1851–60,** and **1861–70** in the Districts of England—*continued.*

III.—SOUTH MIDLAND COUNTIES—*continued.*

No.	Districts.	Density of Population. Acres to a Person. 1841-50	1851-60	1681-70	Annual Mortality. Deaths to 1000 Living. 1841-50	1851-60	1861-70	Mean of 30 Years 1841-70
	13.—CAMBRIDGESHIRE.							
185	Caxton	4·72	4·53	4·41	19	19	19	19
186	Chesterton (inc. County Lunatic Asylum)	3·28	3·05	2·89	21	20	20	20
	*Chesterton (exclud. Lunatic Asylum)**	—	—	—	—	20	19	—
187	(*a*) Cambridge	·13	·13	·12	23	20	22	22
188	Linton	3·53	3·46	3·54	20	19	19	19
189	Newmarket	3·36	3·28	3·35	20	20	20	20
190	Ely	3·72	3·57	3·67	23	21	20	21
191	North Witchford	3·86	3·86	3·94	27	21	20	23
192	Whittlesey	3·45	3·43	3·60	25	23	21	23
193	Wisbech	3·89	3·78	3·90	25	22	20	22

IV.—EASTERN COUNTIES.

No.	Districts.	1841-50	1851-60	1681-70	1841-50	1851-60	1861-70	Mean of 30 Years 1841-70
	14.—ESSEX.							
194	West Ham (inc. Stratford and Walthamstow)	·64	·42	·24	18	20	20	19
195	Epping	2·97	2·89	2·53	18	18	18	18
196	Ongar	4·01	4·10	4·16	17	18	18	18
197	Romford (inc. Barking)	2·06	1·87	1·64	20	20	20	20
198	Orsett	3·96	3·70	3·32	24	21	18	21
199	Billericay (inc. Brentwood, and County Lunatic Asylum)	5·37†	3·53	3·11	21†	21	19	20
	*Billericay (exclud. Lunatic Asylum)**	—	—	—	—	19	17	—
200	Chelmsford	2·67	2·58	2·52	20	19	19	19
201	Rochford (inc. Southend)	†	6·32	5·51	†	21	19	20
202	Maldon	4·99	4·79	4·61	21	21	19	20
203	Tendring (inc. Harwich)	3·33	3·28	3·15	20	20	19	20
204	(*b*) Colchester (inc. Military in Colchester Camp)	·60	·52	·45	24	22	21	22
	Colchester (exclud. Military in Camp)‡	—	—	—	—	22	22	—
205	Lexden	3·47	3·31	3·14	19	19	18	19
206	Witham (inc. Great Coggeshall)	2·47	2·40	2·42	20	21	21	21
207	Halstead	2·10	2·06	2·11	20	22	20	21
208	Braintree	2·30	2·23	2·25	21	21	21	21
209	Dunmow	3·60	3·61	3·68	21	20	19	20
210	(*c*) Saffron Walden	3·17	3·10	3·19	21	19	19	20
	15.—SUFFOLK.							
211	Risbridge	3·02	3·02	2·98	22	20	20	21
212	(*d*) Sudbury	2·57	2·52	2·48	20	20	20	20
213	Cosford (inc. Hadleigh)	2·90	2·97	3·06	21	20	19	20
214	Thingoe§	4·45	4·43	4·60	18	20	18	19
215	(*e*) Bury St. Edmunds §	·22	·22	·21	24	22	23	23
216	Mildenhall	6·27	6·14	6·51	20	20	19	20
217	Stow (inc. Stowmarket)	2·71	2·63	2·64	18	19	19	19
218	Hartismere (inc. Eye)	2·89	2·95	3·15	21	20	20	20

* The average number of inmates, and the deaths in each year 1861–70 in these Asylums, are given in Table *b*, p. ccxi.
† For the 10 years 1841–50 the Districts of Billericay and Rochford are combined.
‡ The average annual strength of the military force in Colchester Camp during the 10 years 1861–70 was 2,017, and the average annual deaths occurring in the force for the same period were 24·3.
§ The Workhouse belonging to the Thingoe District is situated in Bury St. Edmunds, and a correction has been made on that account in the mortality of both Districts; this Workhouse contained 104 special inmates in 1871, and the estimated average annual deaths in the 10 years 1861–70 were 12.

Districts containing Institutions for which the Mortality is *not* corrected.

District.	Name of Institution.	Deaths. 1869	1870	Special Inmates at Census 1871.	District.	Name of Institution.	Deaths. 1869	1870	Special Inmates at Census 1871.
(*a*) Cambridge	Addenbrooke's Hospital	38	41	83	(*c*) Saffron Waldn.	Hospital	7	7	19
(*b*) Colchester	Essex and Colchester Hospital	10	8	62	(*d*) Sudbury	St. Leonard's Hospital	2	2	19
"	Essex Hall Idiot Asylum	11	9	97	(*e*) Bury St. Edmds.	Suffolk General Hospital	22	17	61

Density of Population and Annual **Mortality** in the Three Decenniads **1841–50, 1851–60,** and **1861–70** in the Districts of England—*continued.*

IV.—EASTERN COUNTIES—*continued.*

No.	Districts.	Density of Population. Acres to a Person. 1841–50	1851–60	1861–70	Annual Mortality. Deaths to 1000 Living. 1841–50	1851–60	1861–70	Mean of 30 Years 1841–70
	15.—SUFFOLK—*cont.*							
19	Hoxne	3·35	3·47	3·63	21	20	19	20
20	Bosmere	3·43	3·47	3·63	18	19	19	19
21	Samford	4·13	3·98	4·00	18	20	19	19
22	(*a*) Ipswich	·29	·24	·21	23	22	22	22
23	Woodbridge (inc. County Lunatic Asylum)	3·51	3·53	3·64	21	20	21	21
	*Woodbridge (exclud. Lunatic Asylum)**	—	—	—	—	19	19	—
24	Plomesgate	3·53	3·56	3·62	19	20	18	19
25	Blything (inc. Southwold and Halesworth)	3·34	3·37	3·46	18	20	19	19
26	Wangford (inc. Bungay)	2·52	2·54	2·54	19	21	19	20
27	(*b*) Mutford (inc. Lowestoft and Gorleston)	1·94	1·61	1·28	17	20	18	18
	16.—NORFOLK.							
28	(*c*) Yarmouth (Great)	·06	·05	·05	23	25	24	24
29	Flegg	3·60	3·40	3·23	20	20	18	19
30	Smallburgh (formerly Tunstead)	4·03	4·16	4·33	20	21	19	20
31	Erpingham (inc. North Walsham)	3·43	3·40	3·56	20	21	20	20
32	Aylsham	3·40	3·49	3·67	21	21	19	20
33	St. Faith's	4·12	4·09	4·35	20	18	19	19
34	(*d*) Norwich	·11	·10	·10	24	25	24	24
35	Forehoe	2·79	2·87	3·01	21	20	20	20
36	Henstead	3·78	3·80	3·94	17	19	19	18
37	Blofield (inc. County Lunatic Asylum)	3·99	3·83	3·87	20	20	21	20
	*Blofield (exclud. County Lunatic Asylum)**	—	—	—	—	18	18	—
38	Loddon	4·02	4·05	4·26	18	19	18	18
39	Depwade	2·80	2·81	2·94	20	20	20	20
40	Guiltcross	3·61	3·70	3·91	21	22	20	21
41	Wayland	4·38	4·31	4·51	19	20	20	20
42	Mitford (inc. East Dereham)	3·64	3·67	3·79	20	20	19	20
43	Walsingham (inc. Wells-next-the-Sea)	4·08	4·06	4·24	21	20	22	21
44	Docking	5·77	5·66	5·80	20	21	21	21
45	Freebridge Lynn	6·03	5·83	5·85	18	18	20	19
46	(*e*) King's Lynn	·30	·30	·34	23	22	22	22
47	Downham (inc. Downham Market)	4·16	4·06	4·10	22	21	20	21
48	Swaffham	5·93	5·79	5·94	19	19	19	19
49	Thetford (inc. Brandon)	6·44	6·24	6·56	21	20	21	21

V.—SOUTH WESTERN COUNTIES.

	17.—WILTSHIRE.							
250	Highworth (inc. Swindon)	3·02	2·72	2·23	21	21	18	20
251	Cricklade (inc. Wootton Bassett)	3·65	3·63	3·52	20	20	19	20
252	Malmesbury	3·75	3·90	3·93	19	19	18	19
253	Chippenham	2·80	2·76	2·66	19	21	19	20
254	Calne	3·09	3·17	3·21	20	20	18	19
255	Marlborough	4·32	4·20	4·17	20	19	19	19

* The average number of inmates, and the deaths in each year 1861–70 in these Asylums, are given in Table *b.*, p. cexi.

Districts containing Institutions for which the Mortality is *not* corrected.

District.	Name of Institution.	Deaths. 1869	1870	Special Inmates at Census 1871.	District.	Name of Institution.	Deaths. 1869	1870	Special Inmates at Census 1871.
(*a*) Ipswich	East Suffolk and Ipswich Hosp.	5	17	71	(*d*) Norwich	Norfolk and Norwich Hospital	50	54	136
(*b*) Mutford	Mutford & Lothingland Infirmy.	4	3	11	"	Bethel Hospital (Lunatic)	See p. cexii.		
(*c*) Yarmouth	Yarmouth Hospital	4	5	18	"	Jenny Lind Infy. for Sick Chldn.	1	4	18
"	Royal Naval Hosp. (Lunatic)	See p. cexii.			(*e*) King's Lynn	West Norfolk and Lynn Hosp.	18	13	33
(*d*) Norwich	City Lunatic Asylum	See p. cexii.							

Density of Population and Annual **Mortality** in the Three Decenniads **1841–50, 1851–60,** and **1861–70** in the Districts of England—*continued.*

V.—SOUTH WESTERN COUNTIES—*continued.*

No.	Districts.	Density of Population. Acres to a Person. 1841–50	1851–60	1861–70	Annual Mortality. Deaths to 1000 Living. 1841–50	1851–60	1861–70	Mean of 30 Years 1841–70
	17.—WILTSHIRE—*cont.*							
256	Devizes (inc. County Lunatic Asylum)	2·86	2·89	2·96	22	21	21	21
	*Devizes (exclud. County Lunatic Asylum)**	—	—	—	—	20	19	—
257	Melksham (inc. Trowbridge)	·94	·99	1·00	22	22	22	22
258	Bradford-on-Avon	1·50	1·70	1·78	20	22	19	20
259	Westbury	2·39	2·55	2·67	22	22	21	22
260	Warminster	3·30	3·41	3·61	21	20	18	20
261	Pewsey	5·30	5·26	5·39	20	19	20	20
262	Amesbury	7·82	7·62	7·76	18	20	18	19
263	(*a*) Alderbury†, Alderbury (inc. Downton)	3·68	3·55	3·43	22	23	22	22
	Salisbury	·05	·05	·05	28	24	20	24
265	Wilton	5·25	5·16	5·13	21	21	18	20
266	Tisbury	3·99	4·04	4·10	20	19	18	19
267	Mere	3·92	4·03	4·07	19	21	19	20
	18.—DORSETSHIRE.							
268	Shaftesbury	2·79	2·81	2·79	20	20	19	20
269	Sturminster	3·64	3·62	3·58	19	20	18	19
270	Blandford	4·02	3·89	3·89	19	17	18	18
271	Wimborne	4·88	4·69	4·69	19	18	18	18
272	Poole	1·97	1·84	1·72	20	20	21	20
273	Wareham	5·67	5·58	5·62	18	19	17	18
274	(*b*) Weymouth (inc. Melcombe Regis)	1·83	1·51	1·17	19	18	17	18
275	(*c*) Dorchester (inc. County Lunatic Asylum)	4·77	4·63	4·55	20	21	19	20
	*Dorchester (exclud. County Lunatic Asylum)**	—	—	—	—	21	19	—
276	(*d*) Sherborne	3·16	3·02	2·92	20	20	19	20
277	Beaminster	3·66	3·86	4·03	21	20	19	20
278	Bridport	1·98	1·97	1·98	22	21	21	21
	19.—DEVONSHIRE.							
279	Axminster (inc. Lyme Regis)	3·02	3·08	3·07	19	20	19	19
280	Honiton (inc. Ottery St. Mary & Sidmouth)	3·39	3·47	3·59	18	19	19	19
281	St. Thomas (inc. Exmouth, Topsham, and Suburbs of Exeter, and the County Lunatic Asylum)	2·71	2·68	2·66	18	19	20	19
	*St. Thomas (exclud. County Lunatic Asylum)**	—	—	—	—	19	19	—
282	(*e*) Exeter	·06	·05	·05	25	24	25	25
283	(*f*) Newton Abbot (inc. Dawlish, Torquay, and East and West Teignmouth)	2·43	2·11	1·85	19	18	20	19
284	Totnes (inc. Dartmouth, Brixham, and Paignton)	2·89	2·94	2·86	19	19	20	19
285	Kingsbridge	3·40	3·58	3·76	17	18	19	18
286	Plympton St. Mary	3·82	3·76	3·49	18	19	19	19
287	(*g*) Plymouth	·04	·03	·02	25	24	23	24
288	(*h*) East Stonehouse (inc. pt. of Devonport)	·02	·01	·01	29	27	27	28

* The average number of inmates, and the deaths in each year 1861–70 in these Asylums, are given in Table *b*, p. ccxi.

† On 21st May 1869 the district of Salisbury was merged in Alderbury district.

Districts containing Institutions for which the Mortality is *not* corrected.

District.	Name of Institution.	Deaths. 1869	1870	Special Inmates at Census 1871.
(*a*) Alderbury	Salisbury General Infirmary	37	39	77
"	Fisherton House Lunatic Asyl.	See p. ccxii.		
(*b*) Weymouth	Royal Infirmary	1	–	5
"	Sanatorium	3	4	7
(*c*) Dorchester	County Hospital	12	17	57
(*d*) Sherborne	Yeatman Hospital	1	3	18
(*e*) Exeter	Devon and Exeter Hospital	54	63	189
(*f*) Newton Abbot	Teignmouth, Newton, & Dawlish Infirmary	5	3	5
"	Torbay with Tormoham Infirmary and Dispensary	6	5	23
"	Western Hos. (Incip. Consump.	2	2	28
(*g*) Plymouth	Sth. Devon & E. Cornwall Hos.	15	21	71
(*h*) East Stonehse.	Royal Naval Hospital	71	78	307

Density of Population and Annual **Mortality** in the Three Decenniads **1841–50, 1851–60,** and **1861–70** in the Districts of England—*continued.*

V.—SOUTH WESTERN COUNTIES—*continued.*

No.	Districts.	Density of Population. Acres to a Person. 1841-50	1851-60	1861-70	Annual Mortality. Deaths to 1000 Living. 1841-50	1851-60	1861-70	Mean of 30 Years 1841-70
	19.—DEVONSHIRE—*cont.*							
89	(*a*) Stoke Damerel (inc. pt. of Devonport)	·05	·04	·04	26	23	21	23
90	Tavistock	5·88	4·69	4·79	19	20	19	19
91	Okehampton	5·98	6·51	6·70	16	18	17	17
92	Crediton	4·20	4·37	4·63	17	18	19	18
93	Tiverton	4·64*	3·29	3·40	20*	21	20	20
94	South Molton	5·93	6·20	7·48	18	18	18	18
95	(*b*) Barnstaple (inc. Ilfracombe and Lynton)	3·97	4·02	4·06	17	18	18	18
96	Torrington	4·57	4·74	4·91	17	17	19	18
97	Bideford (inc. Northam)	3·75	3·52	3·42	17	19	19	18
98	Holsworthy	7·32	7·94	8·55	16	18	18	17
	20.—CORNWALL.							
99	Stratton	6·04	6·55	6·86	17	20	19	19
100	Camelford	6·28	6·39	6·40	17	19	18	18
101	Launceston	5·25	5·76	5·91	17	19	18	18
102	St. Germans	2·89	2·76	2·49	21	21	20	21
103	Liskeard	3·76	3·41	3·17	18	20	19	19
104	(*c*) Bodmin (inc. County Lunatic Asylum)	4·31	4·43	4·52	18	20	20	19
	Bodmin (exclud. County Lunatic Asylum)†	—	—	—	—	19	18	—
105	St. Columb (inc. Padstow)	4·69	4·61	4·69	17	18	19	18
106	St. Austell	1·81	1·74	1·77	19	20	20	20
107	(*d*) Truro	2·16	2·16	2·17	20	20	22	21
108	Falmouth (inc. Penryn)	1·28	1·23	1·15	21	20	22	21
109	Helston	2·38	2·48	2·48	18	20	21	20
110	Redruth (inc. Camborne and Gwennap)	·79	·73	·73	20	21	23	21
111	Penzance (inc. St. Ives and Marazion)	1·26	1·20	1·19	20	21	22	21
112	Scilly Islands	1·37	1·41	1·58	19	18	20	19
	21.—SOMERSETSHIRE.							
13*a*	Williton	5·56	5·49	5·50	17	18	18	18
13*b*	Dulverton	*	12·21	9·69	*	16	17	18
14	Wellington (inc. Wiveliscombe)	2·75	2·84	2·93	19	18	18	18
15	(*e*) Taunton	2·06	1·99	1·98	20	20	19	20
16	(*f*) Bridgwater	2·84	2·73	2·63	20	19	19	19
17	Langport	3·24	3·24	3·32	18	19	19	19
18	Chard (inc. Ilminster and Crewkerne)	2·29	2·34	2·32	19	20	19	19
19	Yeovil	1·85	1·84	1·83	21	21	19	20
20	Wincanton	3·10	3·09	3·11	20	20	19	20
21	Frome	2·35	2·09	2·13	22	22	20	21
22	Shepton Mallet		2·96	3·04		20	19	20
23	Wells (inc. Glastonbury and County Lunatic Asylum)	3·09	3·00	2·93	20	21	22	21
	Wells (exclud. County Lunatic Asylum)†	—	—	—	—	19	19	—
24	(*g*) Axbridge (inc. Weston-super-Mare)	3·24	3·06	2·81	18	17	19	18
25	Clutton (inc. Midsomer Norton)	1·87	1·92	1·98	19	19	19	19
26	(*h*) Bath	·44	·44	·44	24	22	22	23
27	Keynsham	1·54	1·54	1·49	19	19	20	19
28	(*i*) Bedminster (inc. Clevedon, and pt. of Bristol City)	1·53	1·44	1·20	20	20	20	20

* In the 10 Years 1841-50 Dulverton formed part of the District of Tiverton (293).
† The average number of inmates and the deaths in each year 1861-70 in these Asylums are given in Table *b.*, page cxi.

Districts containing Institutions for which the Mortality is *not* corrected.

District.	Name of Institution.	Deaths. 1869	1870	Special Inmates at Census 1871.
(*a*) Stoke Damerel	Royal Albert Hosp. & Eye Infir.	23	26	130
"	Military Hospital	16	21	174
(*b*) Barnstaple	North Devon Infirmary	11	11	62
(*c*) Bodmin	East Cornwall Hospital	1	1	8
(*d*) Truro	Royal Cornwall Infirmary	12	14	51
(*e*) Taunton	Taunton and Somerset Hosp.	14	23	2
(*f*) Bridgwater	Infirmary	–	2	20
(*g*) Axbridge	Weston-super-Mare Hospital	13	6	4
(*h*) Bath	Mineral Water Hospital	4	6	122
"	Royal Bath United Hospital	70	82	77
(*i*) Bedminster	Bristol General Hos. (part of)	40	22	45

Density of Population and Annual **Mortality** in the Three Decennials **1841–50, 1851–60,** and **1861–70** in the Districts of England—*continued.*

VI.—WEST MIDLAND COUNTIES.

No.	Districts.	Density of Population. Acres to a Person. 1841–50	1851–60	1861–70	Annual Mortality. Deaths to 1000 Living. 1841–50	1851–60	1861–70	Mean of 30 Years 1841–70
	22.—GLOUCESTERSHIRE.							
329	(*a*) Bristol *	·01	·01	·01	29	28	29	29
330	(*b*) Clifton * (inc. pt. of Bristol City)	·41	·34	·26	23	20	20	21
331	Chipping Sodbury	3·30	3·34	3·33	20	19	20	20
332	Thornbury	4·00	4·00	3·89	18	17	17	17
333	Dursley (inc. Wotton-under-Edge)	1·69	1·89	2·01	21	21	20	21
334	Westbury-on-Severn	2·55	2·26	2·02	19	18	19	19
335	Newent	3·73	3·62	3·71	19	19	19	19
336	(*c*) Gloucester (inc. County Lunatic Asylum)	1·09	·96	·84	24	22	22	23
	Gloucester (exclud. County Lunatic Asylum)†	—	—	—	—	21	21	—
337	Wheatenhurst	3·07	3·10	3·25	20	19	17	19
338	(*d*) Stroud (inc. Bisley)	1·15	1·18	1·12	21	22	21	21
339	Tetbury	4·22	4·15	4·19	18	18	19	18
340	Cirencester	4·06	4·04	4·02	20	20	18	19
341	Northleach	6·25	6·18	6·30	18	19	18	18
342	Stow-on-the-Wold	4·23	4·19	4·26	18	18	20	19
343	Winchcomb	5·71	5·69	5·63	17	18	18	18
344	(*e*) Cheltenham	·59	·53	·50	20	19	19	19
345	Tewkesbury	2·59	2·59	2·69	21	21	20	21
	23.—HEREFORDSHIRE.							
346	Ledbury	3·75	3·48	3·49	19	18	17	18
347	Ross	3·67	3·49	3·38	20	20	20	20
348	(*f*) Hereford	4·17	3·90	3·54	22	21	21	21
349	Weobly	5·69	5·52	5·43	20	20	18	19
350	Bromyard	5·32	5·25	5·19	20	20	19	20
351	Leominster	4·48	4·32	4·17	22	21	20	21
	24.—SHROPSHIRE.							
352	Ludlow	4·82	4·79	4·65	20	19	20	20
353	Clun (inc. Bishops Castle)	8·23	8·00	7·75	20	18	18	19
354	Church Stretton	7·55	7·42	7·36	19	18	18	18
355	Cleobury Mortimer	6·30	6·45	6·58	19	18	18	18
356	(*g*) Bridgnorth	4·44	4·43	4·47	21	19	18	19
357	Shifnal	4·09	3·92	3·72	21	18	19	19
358	Madeley (inc. Ironbridge and Much Wenlock)	1·09	1·01	·97	23	21	22	22
359	Atcham	5·48	5·39	5·52	18	18	17	18
360	(*h*) Shrewsbury (inc. Lunatic Asylum for Counties of Salop and Montgomery)	·81	·74	·68	26	25	26	26
	Shrewsbury (exclud. Lunatic Asylum)†	—	—	—	—	24	25	—
361	Oswestry	3·36	3·31	3·04	19	19	21	20
362	Ellesmere	4·60	4·76	4·89	20	19	19	19
363*a*	Wem	3·86	4·81	4·90	20	20	19	20
363*b*	Whitchurch		3·45	3·44		20‡	21	20
364	Market Drayton	4·83	4·78	4·70	20	20	18	19
365	Wellington	1·65	1·50	1·37	21	22	22	22
366	Newport	3·13	3·06	3·03	20	20	18	19

* The Workhouse belonging to Bristol is situated in Clifton District, and a correction has been made on that account in the mortality of the two Districts; this Workhouse contained 1081 special inmates in 1871, and the estimated average annual deaths in the 10 years 1861–70 were 161.

† The average number of inmates and the deaths in each year 1861–70 in these Asylums are given in Table *b.*, page ccxi.

‡ The District of Whitchurch was formed in April 1853; the mortality given above is therefore the average annual rate during $7\frac{3}{4}$ years.

Districts containing Institutions for which the Mortality is *not* corrected.

District.	Name of Institution.	Deaths. 1869	1870	Special Inmates at Census 1871.	District.	Name of Institution.	Deaths. 1869	1870	Special Inmates at Census 1871.
(*a*) Bristol	General Hospital (pt. of)	61	59	65	(*d*) Stroud	General Hospital	3	5	9
"	Royal Infirmary	135	158	209	(*e*) Cheltenham	General Hosp. and Dispensary	15	16	75
"	Hospital for Sick Children	11	22	36	(*f*) Hereford	General Infirmary	27	23	62
(*b*) Clifton	Bristol Lunatic Asylum	*See* p. ccxii.			(*g*) Bridgnorth	South Salop & Bridgnorth Infiry.	3	–	2
(*c*) Gloucester	St. Luey's Hosp. for Children	7	3	20	(*h*) Shrewsbury	Infirmary	48	53	106
"	General Infirmary	32	55	121					

Density of Population and Annual **Mortality** in the Three Decenniads **1841–50, 1851–60,** and **1861–70** in the Districts of England—*continued.*

VI.—WEST MIDLAND COUNTIES—*continued.*

Districts.	Density of Population. Acres to a Person. 1841-50	1851-60	1861-70	Annual Mortality. Deaths to 1000 Living. 1841-50	1851-60	1861-70	Mean of 30 Years 1841-70
25.—STAFFORDSHIRE.							
(*a*) Stafford (inc. County Lunatic Asylum)	2·42	2·20	2·04	22	22	23	22
*Stafford (exclud. Lunatic Asylum)**	—	—	—	—	20	20	—
(*b*) Stone	3·59	3·32	2·94	21	20	20	20
Newcastle-under-Lyme	1·33	1·18	·98	26	23	22	24
Wolstanton (inc. Burslem and Tunstall)	·37	·28	·22	26	26	25	26
(*c*) Stoke-upon-Trent (inc. Hanley and Longton)	·23	·19	·15	27	26	26	26
Leek	3·29	3·05	2·66	21	24	21	22
Cheadle	3·06	2·82	2·61	21	21	21	21
Uttoxeter	4·18	4·20	4·32	18	20	20	19
Burton-upon-Trent (inc. Lunatic Asylum for the County of Derby)	2·99	2·49	1·87	20	21	21	21
*Burton-upon-Trent (exclud. Lunatic Asylum)**	—	—	—	—	20	21	—
Tamworth	3·48	3·17	2·81	19	20	20	20
Lichfield (inc. County Lunatic Asylum)	2·90	2·71	2·44	19	20	20	20
*Lichfield (exclud. Lunatic Asylum)**	—	—	—	—	—	20	—
Penkridge	4·30	3·99	3·38	19	20	18	19
(*d*) Wolverhampton	·58	·47	·42	27	28	24	26
Walsall (inc. Darlaston)	·56	·42	·33	24	26	24	25
West Bromwich (inc. Oldbury and Wednesbury)	·32	·24	·19	23	24	22	23
Dudley (inc. Tipton, Rowley, and Sedgley)	·19	·15	·14	25	26	25	25
26.—WORCESTERSHIRE.							
Stourbridge (inc. Halesowen)	·31	·26	·23	24	23	22	23
(*e*) Kidderminster (inc. Bewdley)	1·20	1·18	1·14	22	21	21	21
Tenbury	5·09	4·99	4·73	19	17	18	18
Martley	3·99	3·72	3·42	19	18	17	18
(*f*) Worcester	·24	·23	·21	24	23	25	24
Upton-on-Severn (inc. Great Malvern, and the County Lunatic Asylum)	3·03	2·71	2·39	18	20	20	19
*Upton-on-Severn (exclud. Lunatic Asylum)**	—	—	—	—	19	17	—
Evesham	3·29	3·19	3·08	20	19	18	19
Pershore	3·88	3·81	3·73	19	17	17	18
Droitwich	3·17	3·02	2·65	19	18	19	19
Bromsgrove (inc. Redditch)	2·01	1·86	1·76	22	20	21	21
Kings Norton (inc. pt. of Birmingham Borough)	1·08	·73	·50	17	17	17	17
27.—WARWICKSHIRE.							
(*g*) Birmingham	·02	·01	·01	26	27	27	27
Aston (inc. pt. of Birmingham Borough)	·53	·37	·25	21	21	21	21
Meriden	4·32	4·31	4·36	20	18	18	19
Atherstone	2·50	2·37	2·32	21	20	20	20
Nuneaton	1·58	1·54	1·60	27	23	23	24
Foleshill (inc. Bedworth)	1·26	1·01	1·04	25	25	23	24

* The average number of inmates and the deaths in each year 1861-70 in these Asylums are given in Table *b.*, p. ccxi.

Districts containing Institutions for which the Mortality is *not* corrected.

District.	Name of Institution.	Deaths. 1869	1870	Special Inmates at Census 1871.
Stafford	General Infirmary	31	27	52
"	Coton Hill Lunatic Asylum	See p. ccxii.		
Stone	Convent Hospital	3	2	126
Stoke-up. Trnt.	North Staffordshire Infirmary	63	78	144
Wolverhamptn.	South Staffordshire Hospital	95	48	97
Kidderminster	Infirmary	3	4	7
(*f*) Worcester	Infirmary	46	53	87
(*g*) Birmingham	Children's Hospital	27	55	53
"	Queen's Hospital	110	136	129
"	Homœopathic Hospital	5	3	12
"	General Hospital	189	198	223
"	Borough Lunatic Asylum	See p. ccxii.		

Density of Population and Annual **Mortality** in the Three Decennials **1841–50, 1851–60,** and **1861–70** in the Districts of England—*continued.*

VI.—WEST MIDLAND COUNTIES—*continued.*

No.	Districts.	Density of Population. Acres to a Person. 1841–50	1851–60	1861–70	Annual Mortality. Deaths to 1000 Living. 1841–50	1851–60	1861–70	Mean of 30 Years 1841–70
	27.—WARWICKSHIRE—*cont.*							
400	(*a*) Coventry	·16	·14	·13	27	25	21	24
401	Rugby	3·67	3·37	3·26	19	19	18	19
402	Solihull	3·86	3·66	3·25	18	18	16	17
403	(*b*) Warwick (inc. Leamington, and the County Lunatic Asylum)	1·68	1·55	1·44	20	21	21	21
	*Warwick (exclud. County Lunatic Asylum)**	—	—	—	—	20	20	—
404	Stratford-on-Avon	3·86	3·76	3·60	20	19	18	19
405	Alcester	3·06	3·05	2·99	21	21	19	20
406	Shipston-on-Stour	3·91	3·90	3·99	20	20	18	19
407	Southam	4·94	4·82	4·82	21	19	18	19

VII.—NORTH MIDLAND COUNTIES.

	28.—LEICESTERSHIRE.							
408	Lutterworth	3·66	3·72	3·97	18	19	19	19
409	Market Harborough	4·05	4·02	3·99	20	20	19	20
410	(*c*) Billesdon	7·34	7·10	6·84	18	16	16†	17
411	Blaby	2·45	2·41	2·36	20	21	20	20
412	Hinckley	1·56	1·70	1·73	22	23	22	22
413	Market Bosworth	3·93	3·96	3·91	19	19	19	19
414	Ashby-de-la-Zouch (inc. Whitwick)	2·00	1·85	1·73	20	21	20	20
415	(*d*) Loughborough	1·82	1·84	1·81	22	23	23	23
416	Barrow-on-Soar	2·41	2·40	2·32	21	22	21	21
417	(*e*) Leicester (inc. Lunatic Asylum for the Counties of Leicester and Rutland)	·07	·06	·04	27	25	26	26
	*Leicester (exclud. Lunatic Asylum)**	—	—	—	—	25	26	—
418	Melton Mowbray	4·92	4·82	4·89	17	19	19	18
	29.—RUTLANDSHIRE.							
419	Oakham	4·84	4·86	4·95	20	19	20	20
420	Uppingham	4·27	4·19	4·25	19	18	18	18
	30.—LINCOLNSHIRE.							
421	(*f*) Stamford	2·87	2·78	2·93	19	20	19	19
422	Bourn	5·00	4·90	4·52	18	19	19	19
423	Spalding	3·40	3·32	3·82	22	20	19	20
424	Holbeach	5·94	5·72	5·68	21	21	19	20
425	Boston	3·43	3·29	3·31	21	19	19	20
426	Sleaford	5·52	5·33	5·19	19	19	18	19
427	Grantham	3·75	3·54	3·50	18	19	19	19
428	(*g*) Lincoln (inc. County Lunatic Asylum)	4·07	3·57	3·20	21	20	21	21
	*Lincoln (exclud. County Lunatic Asylum)**	—	—	—	—	20	20	—
429	Horncastle	4·70	4·56	4·69	19	19	18	19
430	Spilsby	5·04	4·86	4·83	18	19	18	18
431	Louth	5·43	5·01	4·91	21	20	19	20
432	Caistor (inc. Grimsby and Market Rasen)	5·68	4·85	4·03	18	19	19	19
433	Glanford Brigg (inc. Barton-upon-Humber)	5·20	4·83	4·66	19	19	20	19
434	Gainsborough	4·09	4·08	4·08	22	20	21	21

* The average number of inmates and the deaths in each year 1861–70 in these Asylums are given in Table *b.*, p. ccxi.
† Billesdon.—The rate of mortality in the 10 years 1861–70 has been corrected for defective registration.

Districts containing Institutions for which the Mortality is *not* corrected.

District.	Name of Institution.	Deaths. 1869	1870	Special Inmates at Census 1871.	District.	Name of Institution.	Deaths. 1869	1870	Special Inmates at Census 1871.
(*a*) Coventry	Coventry & Warwicksh. Hosp.	14	12	25	(*e*) Leicester	Infirmary and Fever House	87	88	109
(*b*) Warwick	Warneford Hospital	22	13	55	(*f*) Stamford	Gen. Infirmy. (Stamfrd. & Rutld.	11	7	21
(*c*) Billesdon	Leicester Borough Lunatic Asyl.	*See* p. ccxii.			(*g*) Lincoln	County Hospital	26	16	87
(*d*) Loughborough	Infirmary and Dispensary	3	4	10					

Density of Population and Annual **Mortality** in the Three Decenniads **1841–50, 1851–60,** and **1861–70** in the Districts of England—*continued.*

VII.—NORTH MIDLAND COUNTIES—*continued.*

Districts.	Density of Population. Acres to a Person. 1841–50	1851–60	1861–70	Annual Mortality. Deaths to 1000 Living. 1841–50	1851–60	1861–70	Mean of 30 Years 1841–70
31.—NOTTINGHAMSHIRE.							
East Retford	4·15	4·03	4·01	19	19	19	19
Worksop	4·35	4·06	3·40	18	20	20	19
Mansfield	1·94	1·84	1·68	20	21	22	21
Basford (inc. Ilkeston)	1·41	1·27	1·11	21	23	22	22
Radford (inc. pt. of Suburbs of Nottingham, and the County Lunatic Asylum)	·28	·24	·21	22	25	23	23
*Radford (exclud. Lunatic Asylum)**	—	—	—	—	25	22	—
(a) Nottingham	·03	·03	·02	26	27	24	26
Southwell	4·64	4·70	4·97	17	19	19	18
(b) Newark	3·25	3·10	3·16	20	20	20	20
Bingham	4·20	4·27	4·48	18	19	19	19
32.—DERBYSHIRE.							
Shardlow (inc. Melbourne)	2·26	2·31	2·30	20	20	19	20
(c) Derby	·08	·06	·06	24	24	23	24
Belper (inc. Alfreton and Ripley)	1·43	1·35	1·26	21	21	22	21
Ashborne	4·35†	4·86	5·03	20†	20	20	20
(d) Chesterfield (inc. Clayeross and Staveley)	2·23	1·76	1·36	21	22	22	22
Bakewell (inc. Matlock)	†	3·36	3·38	†	20	21	20
(e) Chapel-en-le-Frith (inc. Buxton)	†	5·30	4·54	†	20	21	20
Hayfield	1·82	1·58	1·51	22	23	22	22

VIII.—NORTH WESTERN COUNTIES.

Districts.	Density of Population. 1841–50	1851–60	1861–70	Annual Mortality. 1841–50	1851–60	1861–70	Mean of 30 Years 1841–70
33.—CHESHIRE.							
(f) Stockport (inc. Hyde)	·35	·33	·32	25	26	25	25
Macclesfield	1·37	1·31	1·36	26	25	23	25
Altrincham (inc. Sale)	2·26	1·98	1·63	21	20	19	20
Runcorn	1·79	1·74	1·60	22	21	23	22
Northwich	2·17	2·03	1·78	21	22	22	22
Congleton (inc. Sandbach)	1·78	1·63	1·55	22	23	22	22
Nantwich (inc. Crewe)	3·37	2·89	2·35	21	20	20	20
(g) Chester (formerly Great Boughton) (inc. County Lunatic Asylum)	2·14	1·93	1·71	23	22	23	23
*Chester (exclud. County Lunatic Asylum)**	—	—	—	—	22	22	—
(a) Wirral	2·52	1·64	4·21	20	19	18	20
(b) Birkenhead (inc. Tranmere)			·33			23	

* The average number of inmates and the deaths in each year 1861–70 in these Asylums are given in Table *b.*, page ccxi.
† Ashborne includes Bakewell and Chapel-en-le-Frith for the 10 years 1841–50.

Districts containing Institutions for which the Mortality is *not* corrected.

District.	Name of Institution.	Deaths. 1869	1870	Special Inmates at Census 1871.
(a) Nottingham	General Hospital	58	55	95
"	Sick Child's Hospital		1	9
(b) Newark	Hospital and Dispensary	8	4	12
(d) Derby	Derbyshire and General Infry.	63	72	84
(d) Chesterfield	Chesterfield and North Derbyshire Hospital	1	-	12
(e) Chpl.-en-le-Fr.	Devonshire Hospital	3	3	73
(f) Stockport	Infirmary	27	31	24
"	Convalescent Hospital	3	2	37
"	Manchester Royal Lunatic Asyl.	See p. ccxii.		
(g) Chester	General Infirmary	38	34	66
(h) Birkenhead	Borough Hospital	12	11	28
"	Lying-in Hospital	-	-	2
"	Children's Hospital	-	1	4

Density of Population and Annual **Mortality** in the Three Decenniads **1841–50, 1851–60,** and **1861–70** in the Districts of England—*continued.*

VIII.—NORTH WESTERN COUNTIES—*continued.*

No.	Districts.	Density of Population. Acres to a Person. 1841-50	1851-60	1861-70	Annual Mortality. Deaths to 1000 Living. 1841-50	1851-60	1861-70	Mean of 30 Years 1841-70
	34.—LANCASHIRE.							
461	(*a*) Liverpool	·01	·01	·01	36*	33	39	36
462	(*b*) West Derby (inc. pt. of Liverpool Borough)	·34	·22	·14	26	23	26	25
463	Prescot (inc. Widnes, and County Lunatic Asylum)	1·14	·88	·67	23	24	24	24
	Prescot (exclud. Lunatic Asylum)†	—	—	—	—	23	23	—
464	(*c*) Ormskirk (inc. Southport)	2·47	2·14	1·72	20	19	22	20
465	Wigan (inc. Hindley)	·66	·55	·47	28	27	29	28
466	(*d*) Warrington	·80	·75	·63	26	24	26	25
467	Leigh (inc. Tyldesley)		·67	·61		25	25	25
468	(*e*) Bolton (inc. Farnworth)	·41	·36	·32	27	27	26	27
469	Bury (inc. Heywood)	·40	·35	·32	25	23	24	24
470	Barton-upon-Irwell (inc. Stretford)	·27	·66	·54	25	22	22	23
471	(*f*) Chorlton (inc. pt. of Manchester City)		·08	·06		24	25	25
472	(*g*) Salford	·08	·06	·05	28	26	27	27
473	(*h*) Manchester (inc. County Lunatic Asylum)	·06	·05	·05	33	31	33	32
	Manchester (exclud. Lunatic Asylum)†	—	—	—	—	31	32	—
474	(*i*) Ashton-under-Lyne (inc. Stalybridge)	·35	·30	·29	26	27	25	26
475	Oldham	·21	·17	·14	26	25	26	26
476	Rochdale (inc. pt. of Bacup)	·52	·42	·35	24	24	24	24
477	Haslingden (inc. pt. of Bacup)	·58	·44	·36	22	22	23	22
478	Burnley	1·08	·91	·78	23	24	24	24
479	Clitheroe	5·25	5·57	5·74	19	21	20	20
480	(*j*) Blackburn (inc. Oswaldtwisle and Over Darwen)	·53	·41	·35	25	26	26	26
481	Chorley	1·36	1·32	1·29	22	22	23	22
482	(*k*) Preston	·78	·66	·60	25	27	28	27
483	Fylde (inc. Fleetwood-on-Wyre & Blackpool)	2·75	2·48	2·10	18	19	21	19
484	Garstang	4·76	4·87	4·97	16	18	18	17
485*a*	(*l*) Lancaster (inc. County Lunatic Asylum)	4·01	3·97	3·69	23	23	22	23
485*b*	Lunesdale‡							
	Lancaster (exclud. County Lunatic Asylum)†	—	—	—	—	21	20	—
486	(*m*) Ulverston (inc. Barrow-in-Furness)	5·30	4·58	3·34	18	20	21	20

IX.—YORKSHIRE.

	35.—WEST RIDING.							
487	Sedbergh	11·24	11·80	11·23	18	19	16	18
488	Settle	10·91	11·56	10·99	20	20	18	19
489	Skipton	5·22	5·22	4·99	20	21	21	21

* In calculating the mortality of Liverpool, for the 10 years 1841–50, the year 1847 (the year of the Irish famine and immigration) has been omitted; including that year the mortality was 39 annually to every 1000 living.

† The average number of inmates and the deaths in each year 1861–70 in these Asylums are given in Table *b.*, page ccxi.

‡ The District of Lunesdale was formed out of the Lancaster District on 1st July 1869; the density and mortality of the new district are included with that of the Lancaster district.

Districts containing Institutions for which the Mortality is *not* corrected.

District.	Name of Institution.	Deaths. 1869	1870	Special Inmates at Census 1871.	District.	Name of Institution.	Deaths. 1869	1870	Special Inmates at Census 1871.
(*a*) Liverpool	Northern Hospital	111	137	110	(*f*) Chorlton	Manchester Southern Hospital	–	1	115
"	Southern and Toxteth Hospital	98	109	79	(*g*) Salford	Royal Hospital and Dispensary	18	26	28
"	Royal Infirmary	196	192	228	(*h*) Manchester	Lock Hospital	–	5	25
"	Children's Infirmary	25	32	55	"	St. Mary's Hospital	14	17	25
"	Lock Hospital	–	4	37	"	Gen. Hosp. & Dispy. for Children	16	14	21
"	Lunatic Hospital	5	5	42	"	Royal Infirmary & Dispensary	321	311	265
"	Lying-in Hospital	8	13	–	"	Clinical Hospital	13	9	21
(*b*) West Derby	Fever Hospital	–	166	143	(*i*) Ashtn.-un.-Lne.	Infirmary	31	31	41
"	Bootle Borough Hospital	–	36	–	(*j*) Blackburn	Blackburn & E. Lancash. Infiry.	13	24	45
(*c*) Ormskirk	Convalescent Hospital	4	4	69	(*k*) Preston	Royal Infirmary	–	6	31
"	Hydropathic Hospital	3	–	40	(*l*) Lancaster	Infirmary and Dispensary	5	11	6
(*d*) Warrington	Haydock Lodge Lunatic Asyl.	See p. ccxii.			(*m*) Ulverston	North Lonsdale Hospital	–	5	14
(*e*) Bolton	Infirmary and Dispensary	15	13	17					

ensity of Population and Annual **Mortality** in the Three Decennials **1841–50, 1851–60,** and **1861–70** in the Districts of England—*continued.*

IX.—YORKSHIRE—*continued.*

Districts.	Density of Population. Acres to a Person. 1841-50	1851-60	1861-70	Annual Mortality. Deaths to 1000 Living. 1841-50	1851-60	1861-70	Mean of 30 Years 1841-70
35.—WEST RIDING—*cont.*							
Pateley Bridge	8·71	7·87	8·24	19	21	21	20
Ripon	4·49	4·44	4·62	18	20	20	19
Great Ouseburn *	3·15	4·37	3·45	20	18	21	20
(a) Knaresborough (inc. Harrogate)		2·45	2·27		21	21	
Wetherby *		4·36	*		18	*	
(b) Wharfedale * (inc. Otley and Guiseley)	2·78	2·60	*	20	22	*	21
Keighley (inc. Bingley)	1·12	1·01	·77	21	23	24	23
Todmorden	1·16	1·18	1·13	21	20	22	21
Saddleworth	1·06	1·00	·98	22	24	23	23
(c) Huddersfield (inc. Golcar)	·61	·56	·53	22	22	24	23
(d) Halifax (inc. Northowram)	·49	·46	·40	22	24	24	23
(e) Bradford	·26	·21	·18	25	26	25	25
Hunslet †	·47	·40	·27	25	24	26	25
Holbeck †							
Bramley †							
(f) Leeds	·02	·02	·02	30	28	30	29
Dewsbury (inc. Batley)	·37	·30	·23	23	25	26	25
(g) Wakefield (inc. West Riding Lunatic Asylum)	·85	·79	·69	23	24	26	24
Wakefield (exclud. Lunatic Asylum) ‡	—	—	—	—	23	22	—
Pontefract (inc. Castleford)	2·69	2·04	1·69	21	22	23	22
Hemsworth		4·25	4·38		16	19	19
(h) Barnsley	1·90	·88	·68	23	24	25	24
Wortley		2·65	2·24		21	21	22
Ecclesall Bierlow (inc. pt. of Sheffield Borough)	·51	·35	·23	22	23	23	23
(i) Sheffield	·11	·09	·07	27	28	29	28
Rotherham (inc. Kimberworth)	1·64	1·31	1·04	20	22	24	22
(j) Doncaster	3·25	2·94	2·68	21	22	22	22
Thorne	4·61	4·51	4·31	21	21	22	21
Goole	3·12	2·84	2·68	22	21	23	22
Selby	3·52	3·54	3·52	21	21	21	21
Tadcaster *	3·97	3·84	*	19	19	*	19
36.—EAST RIDING (with York).							
(k) York (inc. North and East Ridings Lunatic Asylum)	1·84	1·46	1·32	24	24	24	24
York (exclud. Lunatic Asylum) ‡	—	—	—	—	23	23	—
Pocklington	7·02	6·74	6·77	19	19	18	19
Howden	5·28	5·15	5·18	19	23	23	22

For the 10 years 1861-70 the density of population and mortality in the districts of Wetherby (492 c), Wharfedale (493), l Tadcaster (514) cannot be given separately from that of Great Ouseburn (492 *a*) in consequence of numerous and intricate erations having been made since 1861 in the constitution of these four districts.

The districts of Holbeck and Bramley have been formed since 1861, chiefly out of parts of the old district of Hunslet; the nges involved have been so numerous as to render it necessary to give in this Table the density of population and mor- ity of the three districts combined.

The average number of inmates and the deaths in each year 1861-70 in these Asylums are given in Table *b.*, page ccxi.

Districts containing Institutions for which the Mortality is *not* corrected.

District.	Name of Institution.	Deaths. 1869	1870	Special Inmates at Census 1871.	District.	Name of Institution.	Deaths. 1869	1870	Special Inmates at Census 1871.
Knaresborough	Bath Hospital	5	1	61	(a) Wakefield	Clayton Hos. & Wakefld. Gen. Dis.	10	5	3
Wharfedale	Cockridge Convalescent Hosp.	–	3	73	(h) Barnsley	Beckett's Hosp. and Dispensary	2	–	3
"	Ilkley Hospital	–	1	18	(i) Sheffield	Hospital for Women	4	3	7
Huddersfield	New North Road Infirmary	34	33	9	"	Public Hospital and Dispensary	40	18	68
Halifax	Infirmary	30	32	46	"	General Infirmary	136	137	145
Bradford	Infirmary	87	85	83	(j) Doncaster	Infirmary and Dispensary	2	9	19
"	Saltaire Infirmary	2	1	–	(k) York	York Lunatic Hospital	See p. ccxii.		
Leeds	House of Recovery or Fev. Hos.	79	82	17	"	County Hospital	25	28	84
"	General Infirmary	131	168	202	"	York Retreat Asylum	See p. ccxii.		
"	Hospital for Women & Childn.	1	2	5					

Density of Population and Annual **Mortality** in the Three Decenniads **1841–50, 1851–60,** and **1861–70** in the Districts of England—*continued.*

IX.—YORKSHIRE—*continued.*

	Districts.	Density of Population. Acres to a Person. 1841-50	1851-60	1861-70	Annual Mortality. Deaths to 1000 Living. 1841-50	1851-60	1861-70	Mean 30 Yea 1841-
	36.—EAST RIDING—*cont.*							
518	Beverley	4·02	3·82	3·78	20	19	20	20
519	Sculcoates (inc. pt. of Hull Borough)	·95	·80	·64	25	22	23	23
520	(*a*) Hull	·02	·02	·02	31	25	26	27
521	Patrington	6·87	6·51	6·61	18	20	19	19
522	Skirlaugh	7·33	7·08	6·94	20	19	19	19
523	Driffield	6·34	5·94	5·78	19	20	21	20
524	Bridlington	4·97	4·74	4·47	21	20	20	20
	37.—NORTH RIDING.							
525	Scarborough (inc. Filey)	3·84	3·20	2·63	21	21	22	21
526	Malton	5·18	4·98	5·01	20	19	20	20
527	Easingwold	6·04	6·25	6·45	17	18	18	18
528	Thirsk	5·05	4·98	5·30	19	18	20	19
529	Helmsley	10·61	9·66	9·66	19	19	19	19
530	Pickering		9·65	8·51		19	20	19
531	Whitby	3·94	3·64	3·33	21	20	23	21
532	(*b*) Guisborough (inc. pt. of Middlesborough)	8·52	5·64	2·95	16	20	22	19
533	Stokesley	6·97	7·68	7·18	18	20	19	19
534	Northallerton	9·46	5·55	5·63	18	19	19	19
535	Bedale	4·96	5·17	5·97	18	18	19	18
536	Leyburn	8·49	8·42	8·91	18	17	18	18
537	Aysgarth (formerly Askrigg)	14·26	14·36	14·57	19	20	20	20
538	Reeth	10·97	11·44	12·88	20	20	21	20
539	Richmond	5·94	5·94	6·00	18	19	18	18

X.—NORTHERN COUNTIES.

	38.—DURHAM.							
540	(*c*) Darlington	2·92	2·64	1·96	20	20	21	20
541*a*	(*d*) Stockton (inc. pt. of Middlesborough, and the County Lunatic Asylum)	2·75	1·84	1·30	21	22	24	22
541*b*	(*c*) Hartlepool			·62			22	
	*Stockton (exclud. County Lunatic Asylum)**	—	—	—	—	22	23	—
542	Auckland	1·51	1·47	1·08	21	23	24	23
543	Teesdale (inc. Barnard Castle)	8·84	8·56	8·64	20	19	19	19
544	Weardale	7·95	6·35	5·53	20	21	21	21
545	(*f*) Durham	2·35	1·77	1·37	23	23	21	22
546	(*g*) Easington (inc. Seaham Harbour)	2·05	1·57	1·25	20	20	22	21
547	Houghton-le-Spring	·91	·78	·68	20	21	24	22
548	Chester-le-Street	1·68	1·36	1·14	20	21	24	22
549	(*h*) Sunderland (inc. Bishopwearmouth and Monkwearmouth)	·19	·15	·11	24	25	24	24
550	South Shields	·48	·38	·26	26	24	24	25
551	(*i*) Gateshead	·60	·48	·38	25	26	25	25

* The average number of inmates and the deaths in each year 1861-70 in this Asylum are given in Table *b.*, page ccxi.

Districts containing Institutions for which the Mortality is *not* corrected.

District.	Name of Institution.	Deaths. 1869	1870	Special Inmates at Census 1871.	District.	Name of Institution.	Deaths. 1869	1870	Special Inmates at
(*a*) Hull	General Infirmary	109	96	111	(*e*) Hartlepool	Hospital and Dispensary	9	8	1
"	Borough Lunatic Asylum	*See* p. ccxii.			(*f*) Durham	County Hospital	12	10	2
(*b*) Guisborough	North Ormesby Cottage Hosp.	–	6	28	(*g*) Easington	Seaham Harbour Infirmary	2	5	–
(*c*) Darlington	Hospital and Dispensary	4	9	10	(*h*) Sunderland	General Infirmary & Dispensy.	43	39	6
(*d*) Stockton	North Riding Infirmary	7	12	34	(*i*) Gateshead	Fever and Small-pox Hospital	13	7	–

Density of Population and Annual **Mortality** in the Three Decennials **1841–50, 1851–60,** and **1861–70** in the Districts of England—*continued.*

X.—NORTHERN COUNTIES—*continued.*

Districts.	Density of Population. Acres to a Person. 1841–50	1851–60	1861–70	Annual Mortality. Deaths to 1000 Living. 1841–50	1851–60	1861–70	Mean of 30 Years 1841–70
39.—NORTHUMBERLAND.							
(*a*) Newcastle-upon-Tyne	·09	·07	·06	27	27	28	27
(*b*) Tynemouth (inc. North Shields and Blyth)	·66	·56	·45	24	23	24	24
(*c*) Castle Ward	6·42	6·33	5·73	18	19	19	19
Hexham	7·06	6·62	6·40	18	19	20	19
Haltwhistle	14·56	13·78	14·08	16	17	17	17
Bellingham	35·15	36·14	34·80	17	14	19	17
Morpeth (inc. County Lunatic Asylum)	5·76	4·53	3·54	18	19	23	20
*Morpeth (exclud. Lunatic Asylum)**	—	—	—	—	19	22	—
(*d*) Alnwick	4·96	4·69	4·84	19	19	20	19
Belford	5·91	5·99	6·50	17	16	18	17
Berwick	2·36	2·31	2·46	21	19	20	20
Glendale	10·35	10·73	11·64	15	15	15	15
Rothbury	22·80	23·04	23·60	15	15	16	15
40.—CUMBERLAND.							
Alston	5·74	5·59	6·12	20	20	21	20
Penrith	8·69	8·44	8·17	18	19	19	19
Brampton	8·94	8·81	9·10	17	17	19	18
Longtown	8·95	8·62	9·42	17	17	19	18
(*e*) Carlisle (inc. Cumberland and Westmorland Lunatic Asylum)	1·82	1·64	1·51	24	23	24	24
*Carlisle (exclud. Lunatic Asylum)**	—	—	—	—	—	24	—
Wigton	5·85	5·87	5·99	19	19	20	19
Cockermouth (inc. Keswick, Maryport, and Workington)	4·59	4·26	3·87	21	22	23	22
(*f*) Whitehaven (inc. Cleator Moor)	2·77	2·40	2·07	25	23	25	24
Bootle	15·85	15·36	12·68	16	16	18	17
41.—WESTMORLAND.							
East Ward (inc. Appleby)	13·46	12·72	11·43	17	18	16	17
West Ward	14·95	14·85	14·94	18	18	18	18
Kendal	5·50	5·30	5·07	20	19	19	19

XI.—MONMOUTHSHIRE AND WALES.

42.—MONMOUTHSHIRE.							
Chepstow	4·54	4·39	4·48	19	20	19	19
(*g*) Monmouth	3·86	3·53	3·29	19	19	20	19
Abergavenny (inc. Lunatic Asylum belonging to the Counties of Monmouth, Brecon, Hereford, and Radnor)	1·60	1·40	2·84 / ·56	25	25	23 / 24	25
Bedwelty (inc. Tredegar)							
*Abergavenny (exclud. Lunatic Asylum)**	—	—	—	—	25	21	—
Pontypool	1·94	1·76	1·60	23	23	22	23
(*h*) Newport	2·88	2·32	1·96	24	22	21	22

* The average number of inmates and the deaths in each year 1861–70 in these Asylums, are given in Table *b*, p. ccxi.

Districts containing Institutions for which the Mortality is *not* corrected.

District.	Name of Institution.	Deaths. 1869	1870	Special Inmates at Census 1871.
Newcastle-on-Tyne	Infirmary	143	127	164
"	Children's Hospital	4	3	20
"	Fever Hospital	15	37	16
"	Lying-in Hospital	1	6	4
Tynemouth	Walker Hospital & Infirmary	–	9	8
Castle Ward	Newcastle Borough Lunatic Asylum (Coxlodge)	See p. ccxii.		
(*d*) Alnwick	Infirmary	–	6	3
(*e*) Carlisle	Cumberland Infirmary	20	15	39
"	Fever Hospital	1	1	6
(*f*) Whitehaven	Whitehaven and West Cumberland Infirmary	38	56	18
(*g*) Monmouth	General Hospital and Infirmary	3	–	7
(*h*) Newport	Infirmary and Dispensary	5	1	8

Density of Population and Annual **Mortality** in the Three Decenniads **1841–50, 1851–60,** an **1861–70** in the Districts of England—*continued.*

XI.—MONMOUTHSHIRE AND WALES—*continued.*

	Districts.	Density of Population. Acres to a Person. 1841–50	1851–60	1861–70	Annual Mortality. Deaths to 1000 Living. 1841–50	1851–60	1861–70	Mean 30 Ye 1841-
	43.—SOUTH WALES.							
	GLAMORGANSHIRE.							
581*a*	(*a*) Cardiff	2·98	1·95	1·21	22	23	21	27
581*b*	Pontypridd			1·91			23	
582	(*b*) Merthyr Tydfil (inc. Aberdare)	1·74	1·23	·71	28	29	25	27
583	Bridgend (inc. County Lunatic Asylum)	4·89	4·39	3·77	19	20	20	20
	*Bridgend (exclud. Lunatic Asylum)**	—	—	—	—	—	20	—
584	Neath (inc. Aberavon)	4·12	3·10	2·64	22	22	22	22
585*a*	(*c*) Swansea	2·43	1·95	·74	19	20	22	20
585*b*	Gower			6·77			20	
	CARMARTHENSHIRE.							
586	(*d*) Llanelly	3·36	2·85	2·34	18	20	21	20
587	Llandovery	10·38	10·36	10·73	20	18	19	19
588	Llandilofawr	5·54	5·52	5·69	19	19	19	19
589	(*e*) Carmarthen (inc. Lunatic Asylum for Carmarthen, Cardigan, Pembroke, and Haverfordwest)	4·56	4·61	4·77	20	21	21	21
	*Carmarthen (exclud. Lunatic Asylum)**	—	—	—	—	—	20	—
	PEMBROKESHIRE.							
590	Narberth	5·69	5·75	5·97	18	19	19	19
591	Pembroke (inc. Tenby)	3·00	2·46	2·20	18	19	19	19
592	(*f*) Haverfordwest (inc. Milford)	4·47	4·45	4·73	17	21	21	20
	CARDIGANSHIRE.							
593	Cardigan	4·26	4·41	4·73	19	19	19	19
594	Newcastle-in-Emlyn	5·52	5·78	5·98	18	18	18	18
595	Lampeter	7·67	7·62	7·58	18	18	17	18
596	Aberayron	5·04	4·91	4·88	18	20	19	19
597	Aberystwith	5·77	5·39	5·01	18	19	20	19
598	Tregaron	11·82	11·55	11·40	18	18	16	17
	BRECKNOCKSHIRE.							
599	Builth	12·07	12·37	12·43	16	18	19	18
600	(*g*) Brecknock	10·97	11·10	11·24	21	21	20	21
601	Crickhowell	2·73	2·43	2·52	27	25	23	25
602	Hay	8·05	8·24	8·30	20	22	20	21
	RADNORSHIRE.							
603*a*	Kington† (inc. Radnor)	7·08	7·10	6·92	19	19	20	19
603*b*	Presteigne							
604	Knighton	10·76	10·18	9·77	18	16	19	18
605	Rhayader	15·61	15·51	15·47	18	18	18	18

* The average number of inmates and the deaths in each year 1861–70 in these Asylums are given in Table *b.*, page ccxi.
† The new district of Kington (603 *a*) was formed out of the district of Presteigne (603 *b*) on 1st April 1870; the density a mortality of the new district are included with that of the district of Presteigne.

Districts containing Institutions for which the Mortality is *not* corrected.

District.	Name of Institution.	Deaths. 1869	1870	Special Inmates at Census 1871.	District.	Name of Institution.	Deaths. 1869	1870	Special In-
(*a*) Cardiff	Infirmary and Dispensary	24	31	27	(*d*) Llanelly	Hospital	3	3	
"	Hospital Ship	10	16	38	(*e*) Carmarthen	General Infirmary	6	7	
(*b*) Merthyr Tydfil	Tydfils Well Hospital	–	7	8	(*f*) Haverfordwest	Infirmary	3	–	
(*c*) Swansea	Fever Hospital	3	3	9	(*g*) Brecknock	General Infirmary	8	3	
"	New Hospital	–	9	27					

Density of Population and Annual **Mortality** in the Three Decenniads **1841–50, 1851–60,** and **1861–70** in the Districts of England—*continued.*

XI.—MONMOUTHSHIRE AND WALES—*continued.*

	Districts.	Density of Population. Acres to a Person. 1841–50	1851–60	1861–70	Annual Mortality. Deaths to 1000 Living. 1841–50	1851–60	1861–70	Mean of 30 Years 1841–70
	44.—NORTH WALES.							
	MONTGOMERYSHIRE.							
06	Machynlleth	9·55	9·52	9·07	19	21	22	21
07	Newtown (inc. Llanidloes)	7·42	7·76	7·83	21	21	21	21
08	Forden (formerly Montgomery) (inc. pt. of Welshpool)	4·30	4·74	4·63	20	19	20	20
09	Llanfyllin (inc. pt. of Welshpool)	8·65	8·61	8·66	19	19	20	19
	FLINTSHIRE.							
10	Holywell (inc. Flint and Mold)	1·97	1·99	1·93	21	21	23	22
	DENBIGHSHIRE.							
11	(*a*) Wrexham (inc. Ruabon)	2·12	1·79	1·54	23	22	24	23
12	Ruthin	5·55	5·64	5·90	19	19	20	19
13	(*b*) St. Asaph (inc. Rhyl, and North Wales Lunatic Asylum)	3·85	3·56	3·39	19	21	23	21
	*St. Asaph (exclud. Lunatic Asylum)**	—	—	—	—	20	22	—
14	Llanrwst	8·12	7·97	7·79	19	19	19	19
	MERIONETHSHIRE.							
15	Corwen (inc. Llangollen)	8·12	7·85	7·61	17	18	20	18
16	Bala	8·52	8·91	9·00	18	18	18	18
17	Dolgelly	11·09	11·41	10·84	18	18	21	19
18	(*c*) Festiniog	8·77	8·05	6·54	18	19	22	20
	CARNARNONSHIRE.							
19	Pwllheli	4·30	4·37	4·42	17	18	18	18
20	Carnarvon	3·31	3·11	2·73	20	22	23	22
21	(*d*) Bangor	3·26	3·07	2·97	21	21	22	21
22	Conway (inc. Llandudno)	5·12	4·48	4·00	19	18	20	19
	ANGLESEY.							
23	Anglesey (inc. Holyhead)	3·41	3·16	3·36	17	19	21	19

* The average number of inmates and the deaths in each year 1861–70 in this Asylum, are given in Table *b.*, page ccxi.

Districts containing Institutions for which the Mortality is *not* corrected.

District.	Name of Institution.	Deaths. 1869	1870	Special Inmates at Census 1871.	District.	Name of Institution.	Deaths. 1869	1870	Special Inmates at Census 1871.
(*a*) Wrexham	Infirmary and Dispensary	5	1	3	(*d*) Bangor	Carnarvonsh. & Anglesey Infiry.	5	1	8
(*b*) St. Asaph	Denbighshire Infirmary	12	9	32	"	Penrhyn Hospital	5	5	8
(*c*) Festiniog	Quarry Hospital	8	4	8					

TABLE (*a*).—**Institutions** for which CORRECTIONS have been made in the **Mortality** of **London Districts, 1861–70.**

District in which Institution is situate.		Name of Institution.	Deaths registered. 1861	1862	1863	1864	1865	1866	1867	1868	1869	1870	Annual Average.	Spec Inma 1861
1	KENSINGTON -	St. Mary's Hospital - - -	171	168	189	200	178	191	151	215	174	183	182·0	147
"	" -	Consumption Hospital - - -	127	121	142	161	150	127	135	138	144	142	138·7	187
2	CHELSEA - -	Workh. belong. to ST. GEO., HAN. SQ.	29	24	30	38	26	41	41	34	39	37	34·2	320
3	ST. GEO., HAN. SQ.	St. George's Hospital - - -	297	318	311	318	340	343	338	370	353	335	332·5	312
"	" -	Westminster Hospital - - -	143	186	147	183	182	174	164	182	166	205	173·2	144
7	MARYLEBONE -	Middlesex Hospital - - -	235	268	247	300	236	292	254	260	283	261	263·6	259
9	PANCRAS - -	Workh. belong. to STRAND - -	119	141	107	146	99	111	113	91	79	114	112·3	564
"	" - -	University College Hospital - -	161	155	169	216	208	211	211	235	225	211	200·2	119
"	" - -	Royal Free Hospital - - -	63	95	77	109	108	129	76	88	80	112	93·7	92
10	ISLINGTON - -	London Fever Hospital - - -	118	466	335	639	631	668	455	555	518	454	483·9	24
"	" - -	Small-pox Hospital - - -	31	56	290	103	162	260	229	119	52	200	150·5	17
"	" - -	Workh. belong. to LONDON CITY -	—	—	—	—	26	101	98	92	88	67	78·7	—
11	HACKNEY - -	Workh. belong. to LONDON CITY -	99	136	86	131	158	121	129	115	124	112	121·1	587
"	" - -	German Hospital - - - -	52	65	56	75	64	90	93	73	88	95	75·1	49
13	STRAND - - -	Charing Cross Hospital - - -	70	81	78	101	89	74	64	133	121	123	93·4	86
"	" - -	King's College Hospital - - -	147	159	180	215	207	234	183	235	182	167	190·9	116
14	HOLBORN - -	Hospital for Sick Children - -	99	73	77	84	82	71	75	83	67	87	79·8	46
19	LONDON CITY -	St. Bartholomew's Hospital - -	611	633	577	628	584	565	565	595	574	530	586·2	555
20	SHOREDITCH -	Workh. belong. to HOLBORN - -	174	234	240	255	218	205	227	237	250	116	215·6	684
22	WHITECHAPEL -	London Hospital - - - -	366	324	418	452	396	733	444	546	479	600	475·8	310
24*b*	MILE END OLD TN.	Workh. belong. to LONDON CITY	34	40	24	37	19	19	5	13	6	12	20·9	367
25	POPLAR - - -	Workh. belong. to LONDON CITY	144	163	123	156	151	172	141	134	132	140	145·6	509
"	" - - -	Workh. belong. to STEPNEY - -	—	—	32	200	138	146	125	155	146	162	138·0	—
26	ST. SAVR., STHWK.	Guy's Hospital - - - -	448	458	494	487	505	511	510	488	495	497	492·3	484
27	ST. OLAVE, STHWK.	St. Thomas's Hospital - - -	378	221	190	251	201	197	191	205	183	202	219·9	429
32	WANDSWORTH -	Surrey County Lunatic Asylum -	See Table *b.*, below.											
35	GREENWICH - -	Seamen's Hospital - - - -	115	128	116	111	98	108	97	96	106	108	108·3	172

TABLE (*b.*)—**Lunatic Asylums** for which CORRECTIONS have been made in the **Mortality** of **Districts, 1861–70.**

[The average number of Inmates and the Deaths in each year are taken from the Lunacy Commissioners' Reports.]

District in which Asylum is situate.		Description of Asylum.	—	Years. 1861	1862	1863	1864	1865	1866	1867	1868	1869	1870	Average
32	WANDSWORTH -	Surrey County Asylum - -	Average Inmates	924	906	915	913	913	907	910	912	910	911	
			Deaths -	57	48	58	74	65	65	47	58	66	74	
39	GUILDFORD -	Surrey County Asyl. (Brookwood).	Average Inmates	-	-	Opened June 1867				-	442	546	640	
			Deaths -								51	56	83	
44	REIGATE - -	Earlswood Idiot Asylum - -	Average Inmates	318	332	344	370	412	424	438	467	482	493	
			Deaths -	23	33	47	19	13	31	21	29	31	22	
50	DARTFORD - -	London City Asylum - -	Average Inmates	-	-	Opened April 1866				-	253	271	271	265
			Deaths -								22	16	23	19
58	MAIDSTONE -	Kent County Asylum - -	Average Inmates	614	628	688	686	732	755	755	845	879	1102	
			Deaths -	84	53	90	96	73	56	73	99	114	136	
84	LEWES - -	Sussex County Asylum - -	Average Inmates	420	481	490	473	508	535	555	616	653	676	
			Deaths -	46	40	43	57	65	70	72	52	64	57	
98	FAREHAM - -	Hants County Asylum - -	Average Inmates	543	570	582	566	567	604	613	620	623	622	
			Deaths -	55	57	66	90	93	70	60	78	61	75	
123	ABINGDON - -	Oxford Berks * Joint Counties Asyl.	Average Inmates	484	490	488	478	466	483	507	491	494	507	
			Deaths -	69	65	57	70	42	53	62	47	74	60	
130	EASTHAMPSTEAD	Broadmoor State Criminal Lunatic Asylum - - -	Average Inmates	Opened June 1863			209	395	426	433	441	462	452	
			Deaths -				7	13	18	10	7	14	13	
133	UXBRIDGE - -	Middlesex County Asylum (Hanwell) - - - -	Average Inmates	1391	1473	1559	1609	1643	1708	1727	1710	1716	1776	1
			Deaths -	141	165	147	203	203	168	177	165	175	182	
136	BARNET - -	Middlesex County Asylum (Colney Hatch) - - -	Average Inmates	1837	1860	1886	1945	2012	2028	2036	2050	2038	2048	1
			Deaths -	202	167	173	201	198	189	174	190	202	187	
151	AYLESBURY -	Bucks County Asylum - -	Average Inmates	254	270	283	286	284	310	322	342	398	419	
			Deaths -	18	30	20	33	29	25	33	32	39	51	
163	NORTHAMPTON -	Northampton County Lunatic Hospital - - - -	Average Inmates	353	372	396	418	430	419	433	447	447	433	
			Deaths -	34	34	37	41	38	46	45	48	57	44	
180	BIGGLESWADE -	Beds, Herts, and Hunts Joint Counties Asylum - - -	Average Inmates	443	476	506	500	517	520	517	525	507	522	
			Deaths -	47	56	43	64	59	74	58	54	70	80	

* A new Asylum for the county of Berks situate in the Wallingford district (123) was opened in September 1870.

Lunatic Asylums for which CORRECTIONS have been made in the **Mortality** of **Districts, 1861–70**—*continued.*

District in which Asylum is situate.	Description of Asylum.	—	Years. 1861	1862	1863	1864	1865	1866	1867	1868	1869	1870	Average Annual Numbers, 1861–70.
Chesterton -	Cambridge & I. of Ely Asylum	Average Inmates	229	255	278	288	288	306	272	284	291	277	276·8
		Deaths -	28	27	31	25	29	33	31	25	48	22	29·9
Billericay -	Essex County Asylum - -	Average Inmates	460	483	508	531	548	563	582	594	593	615	547·7
		Deaths -	42	39	52	65	57	57	77	48	60	55	55·2
Woodbridge -	Suffolk County Asylum - -	Average Inmates	328	322	338	346	364	362	370	377	404	400	361·1
		Deaths -	53	33	50	41	36	56	54	41	61	42	46·7
Blofield - -	Norfolk County Asylum - -	Average Inmates	368	367	373	380	388	389	382	412	424	456	393·9
		Deaths -	45	34	41	44	51	45	43	36	55	40	43·4
Devizes - -	Wilts County Asylum - -	Average Inmates	351	372	384	386	402	415	421	435	444	447	405·7
		Deaths -	48	29	53	47	43	49	62	46	46	63	48·6
Dorchester -	Dorset County Asylum - -	Average Inmates	185	190	200	278	342	434	461	472	482	490	353·4
		Deaths -	12	11	9	27	20	25	37	26	37	39	24·3
St. Thomas -	Devon County Asylum - -	Average Inmates	595	651	662	674	690	674	658	696	692	703	669·5
		Deaths -	52	56	77	82	73	104	60	66	84	68	72·2
Bodmin - -	Cornwall County Asylum -	Average Inmates	328	339	358	375	394	404	413	439	455	460	396·5
		Deaths -	36	34	31	36	40	41	53	45	38	58	41·2
Wells - -	Somerset County Asylum -	Average Inmates	447	471	488	515	505	491	493	534	589	649	518·2
		Deaths -	43	41	41	59	60	61	48	72	92	71	58·8
Gloucester -	Gloucester County Asylum -	Average Inmates	518	546	573	600	600	596	587	588	595	604	580·7
		Deaths -	64	51	57	63	70	57	62	70	71	66	63·1
Shrewsbury -	Salop and Montgomery Joint Counties Asylum - - -	Average Inmates	363	380	396	405	390	428	467	480	485	505	429·9
		Deaths -	29	43	37	40	63	52	40	55	48	42	44·9
Stafford - -	Stafford County Asylum - -	Average Inmates	509	492	483	513	481	484	519	500	509	512	500·2
		Deaths -	64	62	87	76	78	80	84	88	88	98	80·5
Burton-upon-Trent - -	Derby County Asylum - -	Average Inmates	299	318	324	324	333	329	339	367	367	379	337·9
		Deaths -	37	42	48	39	27	39	46	43	50	40	41·1
Lichfield - -	Stafford County Asy. (Burntwood) - - - - -	Average Inmates	Opened December 1864				141	207	220	308	494	530	320·0
		Deaths -					5	8	19	19	50	41	23·7
Upton - on - Severn - -	Worcester County Asylum -	Average Inmates	389	416	435	499	512	558	587	603	627	641	526·7
		Deaths -	41	45	54	70	47	53	64	71	67	79	59·1
Warwick - -	Warwick County Asylum -	Average Inmates	341	352	370	391	389	413	435	436	453	459	403·9
		Deaths -	32	40	38	38	28	34	47	42	43	33	37·5
Leicester - -	Leicester and Rutland Joint Counties Asylum - - -	Average Inmates	392	388	391	384	397	397	402	458	484	411	410·4
		Deaths -	46	46	21	47	36	30	28	38	53	39	38·4
Lincoln - -	Lincoln County Asylum - -	Average Inmates	405	432	438	444	456	514	529	562	572	578	493·0
		Deaths -	40	38	48	43	43	57	62	76	65	61	53·3
Radford - -	Nottingham County Asylum -	Average Inmates	293	305	320	326	335	347	337	343	339	353	329·8
		Deaths -	39	37	38	40	41	42	43	42	39	48	40·9
Chester - -	Chester County Asylum -	Average Inmates	341	422	435	461	464	466	497	529	535	535	468·5
		Deaths -	35	46	58	64	39	56	59	81	77	87	58·2
Prescot - -	Lancaster County Asylum (Rainhill) - - - -	Average Inmates	641	665	666	664	661	657	665	670	670	671	663·0
		Deaths -	91	82	66	59	77	62	85	58	45	57	68·2
Manchester -	Lancaster County Asylum (Prestwich) - - - -	Average Inmates	505	506	569	911	972	984	985	986	993	1001	841·2
		Deaths -	68	53	54	138	123	109	120	119	121	137	104·2
Lancaster -	Lancaster County Asylum (Lancaster Moor) - -	Average Inmates	733	740	745	736	799	865	945	991	1023	1026	860·3
		Deaths -	63	56	76	62	55	77	86	116	101	78	77·0
Wakefield -	York: West Riding Asylum -	Average Inmates	996	1027	1044	1075	1126	1118	1179	1241	1398	1455	1165·9
		Deaths -	167	170	154	166	188	195	151	125	175	161	165·2
York - - -	York: North Riding Asylum -	Average Inmates	485	492	495	501	500	497	487	513	534	551	505·5
		Deaths -	42	35	43	49	65	58	47	44	55	54	49·2
Stockton - -	Durham County Asylum -	Average Inmates	326	378	387	410	403	398	446	480	505	530	426·3
		Deaths -	26	42	37	41	50	36	49	58	81	69	48·9
Morpeth - -	Northumberland County Asy.	Average Inmates	185	210	222	243	266	284	290	311	333	383	272·7
		Deaths -	11	14	17	17	29	28	25	34	38	42	25·5
Carlisle - -	Cumberland and Westmorland Joint Counties Asylum -	Avrge. Inmates	Opnd Jan. 1862	175	209	225	237	244	302	330	362	403	276·3
		Deaths -		10	11	27	15	10	31	25	28	23	20·0
Abergavenny	Monmouth, Hereford, Brecon, & Radnor Joint Counties Asy.	Average Inmates	414	426	459	476	458	461	473	497	509	518	467·1
		Deaths -	49	39	50	45	34	47	41	45	41	71	46·2
Bridgend - -	Glamorgan County Asylum -	Average Inmates	Opened Nov. 1864				136	255	300	344	361	386	297·0
		Deaths -					6	13	20	35	38	33	24·2
Carmarthen -	Carmarthen, Cardigan, Pembroke, and Haverfordwest Joint Asylum - - -	Average Inmates	Opened September 1865					149	183	199	231	239	200·2
		Deaths -						24	21	15	18	25	20·6
St. Asaph - -	Denbigh, Anglesey, Carnarvon, Flint, and Merioneth Joint Counties Asylum - - -	Average Inmates	232	232	262	271	306	362	379	392	382	388	320·6
		Deaths -	21	22	33	33	33	56	59	55	51	63	42·6

TABLE (*c*).—**Lunatic Asylums** for which CORRECTIONS have *not* been made in the **Mortality** of **Districts, 1861–70.**

District in which Asylum is situate.		Description of Asylum.	—	Years. 1861	1862	1863	1864	1865	1866	1867	1868	1869	1870	Average Annual
14	HOLBORN - -	St. Luke's Hospital - -	Average Inmates	152	158	158	163	145	131	133	147	132	140	[illegible]
			Deaths -	11	12	6	8	15	10	9	11	11	5	
20	SHOREDITCH -	Hoxton House Asylum - -	Average Inmates	178	203	222	238	245	244	280	298	319	321	[illegible]
			Deaths -	16	25	25	29	37	46	37	39	47	52	
21	BETHNAL GREEN	Bethnal House Asylum* -	Average Inmates	233	270	310	304	327	348	353	368	385	379	[illegible]
			Deaths -	18	41	33	47	37	69	46	38	28	33	
25	POPLAR - -	Grove Hall Asylum - -	Average Inmates	308	331	314	367	383	390	402	425	442	443	[illegible]
			Deaths -	37	49	28	50	63	65	55	50	47	37	
26	ST. SAV. STHWK.	Bethlehem Hospital - -	Average Inmates	341	327	333	263	254	253	242	244	252	266	[illegible]
			Deaths -	23	19	21	19	27	21	30	26	30	32	
33	CAMBERWELL -	Camberwell House Asylum -	Average Inmates	283	328	328	328	330	333	388	400	399	391	[illegible]
			Deaths -	42	37	30	37	36	57	60	41	44	37	
"	" -	Peckham House Asylum -	Average Inmates	257	312	313	313	311	307	316	319	326	323	[illegible]
			Deaths -	39	49	37	33	44	45	53	37	43	37	
228	YARMOUTH -	Royal Naval Lunatic Hospital	Average Inmates	151	134	141	156	160	163	173	179	182	182	[illegible]
			Deaths -	20	15	19	19	20	13	19	16	22	20	
234	NORWICH - -	Norwich Asylum - - -	Average Inmates	Opened March 1864			90	89	96	98	99	100	101	
			Deaths -				5	7	14	12	12	15	10	
"	" - -	Bethel Hospital - - -	Average Inmates	77	77	76	76	77	77	78	79	74	72	
			Deaths. -	2	4	7	2	6	4	2	1	9	8	
263	ALDERBURY -	Fisherton House Asylum -	Average Inmates	399	420	447	434	361	382	485	523	568	582	[illegible]
			Deaths -	26	30	26	25	25	23	37	78	83	85	
330	CLIFTON - -	Bristol City Asylum - -	Average Inmates	142	168	195	202	204	217	218	228	220	235	[illegible]
			Deaths -	26	30	24	33	27	23	23	30	32	26	
367	STAFFORD - -	Coton Hill Institution for the Insane - - - - -	Average Inmates	122	122	121	123	129	135	135	137	131	133	[illegible]
			Deaths -	4	5	7	6	8	5	12	5	15	10	
394	BIRMINGHAM -	Birmingham Boro' Asylum -	Average Inmates	360	400	485	534	567	590	604	604	614	602	[illegible]
			Deaths -	30	50	50	65	69	79	78	70	76	68	
410	BILLESDON -	Leicester Boro' Asylum - -	Average Inmates	- - - Opened September 1869 - -									236	[illegible]
			Deaths -										21	
452	STOCKPORT -	Manchester Lunatic Hospital	Average Inmates	79	82	90	95	106	120	116	120	125	130	[illegible]
			Deaths -	5	7	4	5	16	13	19	10	19	12	
466	WARRINGTON -	Haydock Lodge Asylum -	Average Inmates	130	218	240	121	126	208	198	228	226	239	
			Deaths -	16	20	39	9	27	58	46	40	43	27	
515	YORK - - -	York Lunatic Hospital - -	Average Inmates	146	163	173	176	175	174	174	179	185	182	
			Deaths -	14	10	9	11	16	12	13	9	12	13	
"	" - - -	York Retreat Asylum - -	Average Inmates	122	124	122	124	129	133	134	137	139	134	
			Deaths -	6	5	8	5	3	6	11	6	12	8	
520	HULL - - -	Hull Boro' Asylum - -	Average Inmates	95	102	112	116	121	123	131	144	158	158	
			Deaths -	16	11	8	10	19	14	18	11	17	29	
554	CASTLE WARD -	Newcastle-on-Tyne Boro'Asy.	Average Inmates	Opened June 1865					122	130	142	155	221	
			Deaths -						11	10	17	16	32	

* A small part of this Asylum extends into the Mile End Old Town district (24 *b*.)

NOTE.—Two Metropolitan District Asylums, one situate at Caterham in the Godstone district (45) and the other at Leavesden in the Watf[illegible] district (145) were opened in October 1870.

ENGLAND.

AVERAGE ANNUAL RATE

OF

MORTALITY

FROM

ALL CAUSES AT DIFFERENT AGES

TO

100 Living during the 10 Years

1861–70.

NOTE.

In several Districts changes have been made between 1861 and 1871, and in such cases the Enumerated Population *at the different Ages* in 1861 will not refer *to the same limits* of District as the Enumerated Population in 1871.

Case I.—Suppose a Parish is *removed from* District A. and *added to* District B. in 1868, then the Deaths in that Parish will be returned with District A. for eight years, and with District B. for two years (of the ten years 1861–70). And the Population of the Parish will be *included* in District A. in 1861, but *not* in 1871; consequently the Enumerated Population of District B. will *include* the Parish in 1871, but *not* in 1861.

To estimate the Population.

District A.—As the Parish formed part of the District (A.) in 1861, and for eight years subsequently, *add* the Population of the Parish in 1871 to the Population of the District in 1871; the correct *years of life* are obtained in the way explained below.

District B.—As the Parish did not form part of the District (B.) until 1868, *subtract* the Population of the Parish in 1871 from the Population of the District in 1871.

Note.—The Population *at each age* in the Parish is obtained by assuming that the Males and Females are distributed in the same proportion at each age as the Males and Females in the Sub-district in 1871, of which the Parish formed part for eight years out of the ten years.

To estimate the Years of Life.

(The Years of Life = the Mean Population 1861–71 × 10.)

District A. contains the Deaths in the Parish for eight years only (out of the ten years); and as the Years of Life of the Parish are included for the whole of the ten years, *subtract* the Years of Life for two years from the Mean Population of the District × 10.

District B.—*Add* the Years of Life extending over two years of the Parish to the Mean Population of the District × 10.

Case II.—If the change in the constitution of a District took place, say in 1863 or 1864, the above rules are applicable to the Population in 1861.

In cases where changes in the limits of Districts have taken place during the ten years, the nature of the changes, and the dates when they were made, are recorded in a Table, pp. 370–299, *in the Registrar-General's Thirty-third Annual Report.*

PUBLIC INSTITUTIONS.

In many Districts the mortality is increased by the circumstance of large Public Institutions being situated in them. A tabular statement of the Institutions likely to disturb the rate of mortality is given at the foot of pp. xliv–lxiii, showing the number of Special Inmates enumerated on the 3rd April 1871, and the Deaths registered during the years 1869 and 1870. The presence of such Institutions in any District is indicated in the following Table by *H* for Hospitals and Infirmaries, *L* for Lunatic Asylums, and *w* for Workhouse belonging to another District; repetitions of these letters show the number of such Institutions in any District.

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1861–70.

	DIVISIONS.	Sex.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	ENGLAND	M.	2·361	7·316	·815	·446	·616	·845	·990	1·346	1·916	3·300	6·669	14·658	31·357
		F.	2·128	6·343	·776	·448	·662	·796	·968	1·203	1·555	2·777	5·880	13·443	28·364
	DIVISIONS.														
No. I.	LONDON	M.	2·655	8·691	·937	·424	·582	·823	1·086	1·714	2·568	4·385	8·283	16·902	32·142
		F.	2·234	7·632	·885	·407	·510	·622	·880	1·284	1·852	3·345	6·723	14·654	29·142
II.	SOUTH EASTERN COUNTIES	M.	2·013	5·541	·663	·367	·508	·769	·984	1·295	1·683	2·796	5·852	13·728	30·957
		F.	1·813	4·683	·645	·405	·623	·739	·875	1·089	1·342	2·355	5·383	12·684	28·239
III.	SOUTH MIDLAND COUNTIES	M.	2·110	6·187	·638	·357	·478	·738	·873	1·149	1·570	2·752	6·021	14·430	32·532
		F.	1·928	5·219	·628	·406	·659	·771	·891	1·066	1·314	2·404	5·484	13·420	29·312
IV.	EASTERN COUNTIES	M.	2·081	5·851	·691	·391	·564	·831	·883	1·035	1·386	2·448	5·489	13·175	29·458
		F.	1·938	4·991	·675	·470	·720	·863	·937	1·049	1·264	2·145	4·743	11·999	27·376
V.	SOUTH WESTERN COUNTIES	M.	2·098	5·615	·629	·383	·538	·830	·967	1·168	1·583	2·724	5·874	13·710	31·166
		F.	1·899	4·825	·611	·413	·626	·768	·871	·996	1·226	2·236	5·182	12·952	28·058
VI.	WEST MIDLAND COUNTIES	M.	2·306	7·269	·743	·414	·533	·715	·879	1·223	1·824	3·259	6·746	14·827	32·261
		F.	2·075	6·314	·704	·408	·582	·707	·872	1·102	1·417	2·652	5·878	13·524	29·092
VII.	NORTH MIDLAND COUNTIES	M.	2·146	6·655	·668	·408	·572	·790	·818	·993	1·432	2·662	5·895	13·798	30·621
		F.	2·024	5·609	·640	·454	·761	·893	1·018	1·086	1·335	2·470	5·488	13·269	29·586
VIII.	NORTH WESTERN COUNTIES	M.	2·797	9·286	1·052	·526	·746	·932	1·129	1·659	2·485	4·332	8·351	16·935	34·970
		F.	2·479	8·183	·968	·487	·719	·873	1·119	1·493	2·092	3·745	7·359	15·140	28·785
IX.	YORKSHIRE	M.	2·513	8·269	·893	·523	·709	·888	·962	1·298	1·911	3·540	7·263	16·024	32·417
		F.	2·289	7·022	·843	·523	·807	·926	1·068	1·247	1·585	2·954	6·443	14·670	29·140
X.	NORTHERN COUNTIES	M.	2·318	7·376	·912	·525	·697	·826	·913	1·192	1·778	3·228	6·858	15·147	30·901
		F.	2·227	6·534	·900	·468	·680	·852	1·040	1·215	1·517	2·767	5·953	13·947	28·761
XI.	MONMOUTHSHIRE AND WALES	M.	2·219	6·012	·866	·556	·791	1·159	1·118	1·275	1·686	2·874	6·102	13·291	28·752
		F.	2·059	5·310	·822	·512	·733	·968	1·093	1·219	1·397	2·370	5·012	11·494	25·818

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1861–70—*continued.*

No.	Districts.	Sex.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	I.—LONDON.														
	MIDDLESEX (*part of*).														
1	Kensington *HHHHH* - - -	M.	2·479	7·992	·833	·412	·612	·852	1·022	1·559	2·094	3·744	7·562	14·309	32·597
		F.	1·791	6·749	·818	·389	·483	·507	·697	·992	1·456	2·661	5·900	13·758	29·048
2	Chelsea *wHHHH* - - - -	M.	2·751	8·843	·947	·345	·375	·634	·915	1·624	2·491	4·149	8·204	18·511	31·923
		F.	2·320	7·868	·797	·398	·410	·623	·845	1·226	1·798	3·398	6·723	15·631	28·202
3	St. George Hanover-sq. *HH* -	M.	2·688	8·473	1·050	·553	·712	·800	1·345	2·012	3·165	4·795	8·742	17·873	26·000
		F.	1·761	7·001	·909	·541	·501	·436	·705	1·047	1·764	3·066	6·278	13·007	26·167
	Westminster *HH** - - -	M.	3·011	10·940	1·046	·423	·664	·859	1·297	2·171	3·063	5·213	9·014	16·932	38·750
		F.	2·555	9·421	1·048	·433	·609	·727	1·040	1·385	2·087	3·839	7·801	13·075	24·691
6	Westminster St. James † *HH* -	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
7	Marylebone *HHHHH* - - -	M.	2·803	9·913	·989	·435	·568	·700	1·015	1·571	2·511	4·658	8·767	15·832	33·770
		F.	2·283	8·487	·916	·393	·482	·530	·833	1·295	1·958	3·571	7·127	14·745	30·323
8	Hampstead *H* - - - -	M.	1·980	5·592	·534	·372	·504	·767	·825	1·155	1·745	3·631	7·036	16·364	50·000
		F.	1·247	4·706	·529	·388	·300	·306	·503	·769	1·140	2·487	5·012	12·619	25·714
9	Pancras *wHH* - - - -	M.	2·596	8·653	·919	·404	·492	·726	·944	1·596	2·517	4·322	8·429	17·991	40·984
		F.	2·209	7·279	·845	·394	·463	·571	·825	1·247	1·866	3·345	7·039	16·223	30·311
10	Islington *wHHH* - - -	M.	2·645	7·874	·973	·518	·833	1·202	1·192	1·733	2·649	4·399	8·087	15·753	32·157
		F.	2·240	7·045	·893	·610	·689	·767	1·034	1·437	2·053	3·292	6·425	14·630	31·667
11	Hackney *wH* - - - -	M.	2·569	6·835	·712	·431	·535	·865	1·104	1·493	2·196	3·721	8·079	15·985	30·238
		F.	1·885	5·899	·707	·352	·367	·524	·788	1·095	1·525	2·833	6·167	14·180	28·034
12	St. Giles *H* - - - - -	M.	2·927	11·740	1·047	·358	·488	·642	·917	1·577	2·791	4·619	9·157	20·070	36·250
		F.	2·575	10·642	1·039	·425	·411	·524	·900	1·579	2·200	4·059	7·518	14·828	27·059
13	Strand *HH*† - - - -	M.	2·739	10·073	1·108	·500	·536	·705	1·180	2·000	2·939	5·015	8·509	17·045	30·769
		F.	2·294	8·926	1·040	·500	·475	·617	·920	1·393	2·118	3·931	7·107	15·362	27·358
14	Holborn *HHHHHL*‡ - -	M.	2·643	10·162	1·138	·328	·438	·649	·874	1·475	2·410	4·098	8·052	17·211	28·333
		F.	2·470	9·220	1·064	·356	·415	·571	·881	1·322	1·813	3·489	7·344	15·770	25·327
19	East London *HH* § - - -	M.	2·405	9·493	1·002	·330	·374	·481	·817	1·390	2·224	3·673	7·401	15·056	24·167
		F.	2·266	9·135	1·052	·330	·394	·439	·819	1·145	1·853	3·012	6·116	12·353	22·333
	West London *H* § - - -	M.	5·773	13·434	2·563	1·087	2·181	2·770	4·329	6·083	8·033	9·776	13·607	24·167	27·778
		F.	4·290	10·230	2·328	1·276	2·155	2·491	2·379	3·790	4·871	7·052	8·300	17·302	52·000
	London City § - - - -	M.	1·931	8·567	·940	·386	·316	·384	·806	1·509	2·279	3·833	7·287	14·951	29·000
		F.	1·608	6·929	·949	·386	·283	·402	·529	·948	1·371	2·530	5.148	10·979	21·071
20	Shoreditch *wHL* - - -	M.	2·682	9·022	·913	·298	·512	·641	·898	1·533	2·452	4·807	9·218	20·544	32·105
		F.	2·491	8·154	·818	·314	·512	·653	·895	1·356	2·084	3·782	7·550	16·358	31·649
21	Bethnal Green *HL* - - -	M.	2·631	9·317	·934	·297	·469	·792	·944	1·476	2·343	4·035	7·710	16·172	30·323
		F.	2·462	8·327	·933	·305	·548	·798	·914	1·213	1·840	3·469	6·745	14·906	26·986
22	Whitechapel *H* - - - -	M.	3·686	11·460	1·366	·616	·859	1·352	1·766	3·139	4·325	7·178	10·687	18·768	25·556
		F.	3·115	10·269	1·262	·503	·727	1·054	1·417	2·190	2·967	4·736	8·056	16·803	27·925
23	St. George-in-the-East - -	M.	2·914	10·480	1·05	·307	·495	·791	·890	1·699	2·464	4·458	9·597	20·979	36·429
		F.	2·817	9·069	1·013	·268	·551	·948	1·294	1·540	2·277	4·258	8·718	15·625	30·000
24a	Stepney *H* - - - - -	M.	2·575	9·261	1·113	·576	·624	·664	·999	1·513	2·062	3·880	6·964	13·893	38·000
		F.	2·378	8·235	·936	·385	·525	·718	·987	1·360	1·842	3·157	6·624	12·539	19·318

NOTE.—Owing to the difficulty of getting satisfactory data and the great labour involved no correction for Public Institutions has been made in the Mortality at the different ages throughout this Table. In the preceding Table, p. clxxxviii, showing the comparative death-rate of the several districts during the three last decennials *without distinction of age or sex*, all the London district death-rates and some country ones also *have been corrected for Institutions.*

The letter *H* indicates the presence of a Hospital and *L* of a Lunatic Asylum in a District; *w* indicates a Workhouse belonging to another District.

* On 1st July 1870 the District of Westminster was merged in the District of St George Hanover Square; the mortality of the two old districts however is separately given in this Table.

† On 1st July 1868 the Sub-district of St. Anne, Soho, was taken from the Strand District and added to Westminster, St. James, and at the same time the District of St. Martin-in-the-Fields was merged in the Strand District: in consequence of these changes the Mortality in the 10 years 1861-70 for the District of Westminster (St. James) is not given separately from that of the Strand District.

‡ On 2nd August 1869 the Districts of Clerkenwell and St. Luke were merged in the Holborn District.

§ On 1st January 1870 the Districts of East London and West London were merged in the London City District; but the Mortality in each of the old Districts is separately given in this Table.

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1861–70—*continued.*

No.	DISTRICTS.	Sex.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	I.—LONDON—*cont.*														
	MIDDLESEX (*part of*) —*cont.*														
24*b*	MILE END OLD TOWN *wHL* -	M.	2·459	7·946	·916	·365	·568	·652	·834	1·440	2·179	3·755	7·947	18·509	38·333
		F.	2·234	7·003	·882	·354	·511	·639	·870	1·205	1·649	3·054	6·750	13·878	28·026
25	POPLAR *wwHL* - - - - -	M.	2·834	8·422	·936	·563	·761	1·015	1·289	1·811	2·622	4·933	10·159	19·117	39·032
		F.	2·571	7·417	·843	·426	·695	·809	1·069	1·519	2·123	4·055	9·110	18·927	38·689
	SURREY (*part of*).														
26	ST. SAVIOUR SOUTHWRK.* *HHHL*	M.	2·642	8·905	·932	·356	·498	·672	1·008	1·600	2·581	4·362	8·785	18·775	27·547
		F.	2·443	8·050	·880	·374	·531	·706	·973	1·370	1·984	3·696	7·088	15·348	31·261
27	ST. OLAVE SOUTHWARK * *HH* -	M.	3·044	8·628	·898	·585	·823	1·347	1·587	2·466	3·357	5·594	9·752	17·873	30·000
		F.	2·548	7·521	·868	·384	·777	1·025	1·176	1·556	2·222	3·788	7·415	14·957	30·882
31	LAMBETH *HH* - - - - -	M.	2·371	8·134	·804	·331	·446	·645	·750	1·320	2·162	3·754	7·549	16·628	29·839
		F.	2·078	7·148	·774	·409	·390	·520	·758	1·127	1·548	2·928	6·143	14·589	35·625
32	WANDSWORTH *HHL* - - -	M.	2·145	7·042	·655	·324	·565	·609	·823	1·251	1·872	3·240	6·573	15·762	25·854
		F.	1·779	5·808	·701	·327	·403	·471	·656	·932	1·367	2·857	5·462	13·849	28·295
33	CAMBERWELL *LL* - - -	M.	2·541	6·822	·815	·417	·441	·781	·937	1·572	2·082	3·854	7·375	13·665	28·810
		F.	1·979	6·140	·757	·356	·381	·489	·821	1·115	1·600	2·772	6·2[illegible]3	12·818	31·512
	KENT (*part of*).														
35	GREENWICH *HH*† - - -	M.	2·733	8·203	·926	·485	·702	1·050	1·382	1·850	2·662	4·234	7·761	16·715	36·701
		F.	2·292	7·488	·847	·431	·555	·629	·919	1·293	1·640	3·160	6·073	13·223	26·829
36*a*	LEWISHAM † *H* - - - -	M.	1·922	6·234	·723	·348	·353	·585	·918	1·159	1·593	2·854	5·836	14·256	28·056
		F.	1·600	5·477	·710	·316	·377	·364	·610	·955	1·293	2·266	5·096	12·984	23·175
36*b*	WOOLWICH † *HH* - - -	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	II.—SOUTH EASTERN COUNTIES.														
	1.—SURREY (*extra-met.*)														
37	EPSOM - - - - - - -	M.	1·784	4·584	·746	·257	·418	·553	·877	1·144	1·607	3·212	5·741	14·236	27·273
		F.	1·548	3·903	·803	·334	·509	·516	·624	·942	1·330	2·136	4·661	12·553	25·152
38	CHERTSEY *H* - - - - -	M.	1·844	4·330	·592	·332	·348	·667	·840	1·193	1·648	2·932	5·297	14·889	32·353
		F.	1·626	3·520	·605	·433	·640	·539	·623	1·083	1·195	2·597	5·995	11·742	31·500
39	GUILDFORD *HHL* - - - -	M.	2·161	5·095	·712	·331	·509	1·190	1·310	1·453	2·066	2·851	6·417	14·957	42·105
		F.	1·745	4·022	·691	·422	·756	·755	·804	1·077	1·200	2·530	5·842	11·547	29·091
40	FARNHAM ‡ - - - - - -	M.	1·502	6·605	·792	·374	·289	·362	·752	1·253	1·740	2·819	5·302	14·458	19·259
		F.	1·904	5·369	·757	·418	·734	·862	·955	1·054	1·322	2·621	5·225	11·211	28·571
42	HAMBLEDON - - - - - -	M.	1·679	3·836	·635	·271	·492	·510	·827	·875	1·127	1·963	5·389	14·884	27·333
		F.	1·665	3·188	·539	·477	·682	·805	·933	·883	1·141	2·778	5·018	14·020	29·375
43	DORKING - - - - - -	M.	1·815	4·189	·628	·322	·335	·833	·994	1·083	1·362	2·500	6·448	14·316	30·000
		F.	1·518	3·151	·536	·342	·668	·600	·719	·884	1·085	2·035	5·560	13·882	32·143
44	REIGATE *L* - - - - - -	M.	1·782	4·559	·793	·712	·781	1·022	·609	·897	1·418	2·365	5·847	12·464	34·000
		F.	1·555	3·661	·651	·683	·719	·670	·726	1·070	1·160	2·202	4·869	14·034	25·333
45	GODSTONE *L* - - - - -	M.	1·665	4·125	·491	·237	·472	·833	·881	·778	1·259	2·416	5·020	12·593	23·636
		F.	1·444	3·414	·435	·425	·755	·671	·603	·741	1·052	1·647	4·153	11·269	15·789
46	CROYDON *H* - - - - - -	M.	2·123	6·259	·700	·391	·477	·629	·846	1·367	1·881	3·563	6·393	14·020	26·279
		F.	1·678	5·420	·631	·375	·456	·478	·722	·945	1·337	2·514	5·097	11·760	33·774
47	KINGSTON *H* - - - - -	M.	2·057	5·312	·748	·353	·477	·751	·882	1·415	2·052	3·372	5·744	14·714	29·583
		F.	1·596	4·444	·547	·347	·510	·486	·634	·923	1·273	2·365	5·360	12·779	30·851
48	RICHMOND *H* - - - - -	M	2·239	6·024	·795	·492	·627	·759	·934	1·639	2·201	3·908	6·037	18·370	27·857
		F.	1·655	5·336	·666	·361	·353	·365	·594	·942	1·191	2·354	6·076	12·971	27·037

* On 1st January 1870 the Districts of St. George Southwark and Newington were merged in the District of St. Saviour Southwark; and at the same time the Districts of Bermondsey and Rotherhithe were merged in the District of St. Olave Southwark.

† On 1st July 1868 the new District of Woolwich was formed out of parts of the Districts of Greenwich and Lewisham. The mortality of the new District is not separately given in this Table.

‡ A correction has been made for a change in the constitution of this District during the 10 years.

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1861–70—*continued.*

No.	Districts.	Sex.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	II.—SOUTH EASTERN COUNTIES—*cont.*														
	2.—KENT (*extra-metrop.*)														
49	Bromley	M.	1·805	4·676	·690	·363	·443	·589	·633	1·117	1·400	2·431	6·114	13·916	26·500
		F.	1·494	3·877	·610	·323	·457	·502	·558	·900	1·158	2·153	5·233	12·970	25·357
50	Dartford *L*	M.	2·072	5·913	·570	·314	·573	·864	·888	1·259	1·879	2·922	6·016	13·456	28·710
		F.	1·751	5·146	·707	·306	·550	·591	·674	1·015	1·209	2·366	5·592	11·818	22·821
51	Gravesend *H*	M.	2·431	6·616	·854	·360	·645	1·034	1·225	1·793	2·272	3·664	7·443	14·862	29·167
		F.	1·980	5·847	·763	·347	·445	·697	·780	1·189	1·594	2·861	5·863	12·653	27·241
52	North Aylesford	M.	2·136	6·442	·625	·391	·790	·933	·836	1·199	1·565	2·577	5·912	12·830	44·286
		F.	1·884	5·318	·757	·436	·748	·785	·806	1·075	1·151	2·196	4·634	12·821	33·750
53	Hoo	M.	2·513	8·020	·622	·759	·377	1·286	1·298	1·579	2·069	3·010	8·800	15·000	25·000
		F.	2·112	5·629	·980	·605	·690	1·284	·900	1·014	1·475	2·195	6·279	16·923	40·000
54	Medway *IIIII*	M.	2·214	7·676	·767	·358	·579	·861	1·179	1·530	2·076	3·233	6·273	13·221	32·571
		F.	2·204	6·955	·759	·440	·551	·825	1·070	1·272	1·631	2·843	5·716	12·748	28·148
55	Malling	M.	2·051	5·593	·593	·392	·596	·842	1·026	1·002	1·377	2·953	6·276	12·774	30·000
		F.	1·871	5·118	·582	·420	·797	·840	·956	·950	1·235	2·115	4·861	14·104	31·205
56	Sevenoaks	M.	1·863	4·777	·710	·391	·435	·705	·810	1·059	1·477	2·266	5·617	12·784	26·809
		F.	1·757	3·741	·653	·358	·611	·840	·991	1·200	1·182	2·270	5·241	12·241	29·200
57	Tunbridge *II*	M.	2·004	5·653	·612	·293	·486	·755	·818	1·240	1·635	2·946	5·530	12·696	33·200
		F.	1·692	4·554	·550	·396	·589	·650	·776	1·072	1·313	2·282	5·470	15·417	25·484
58	Maidstone *IIL*	M.	2·413	6·432	·742	·443	·676	·856	1·258	1·771	2·090	3·506	7·248	14·922	29·697
		F.	2·192	5·838	·774	·430	·636	·963	1·094	1·418	1·805	2·961	6·079	13·016	25·192
59	Hollingbourn	M.	1·940	5·098	·639	·404	·607	·875	·638	1·000	1·277	1·878	5·194	13·876	37·500
		F.	1·764	4·075	·551	·429	·856	·626	1·009	·982	1·378	1·912	5·000	10·796	31·667
60	Cranbrook	M.	1·671	4·070	·541	·290	·428	·730	·693	·702	·935	2·432	6·475	13·333	24·667
		F.	1·698	3·427	·541	·375	·935	·799	·909	1·055	1·225	2·160	5·876	12·323	39·091
61	Tenterden	M.	1·633	4·188	·593	·338	·346	·501	·631	·812	1·034	2·266	4·855	12·727	24·545
		F.	1·749	3·850	·565	·461	·681	·851	1·074	1·101	1·150	1·854	5·158	11·170	27·059
62	West Ashford	M.	1·898	5·640	·634	·453	·482	·790	·756	·966	1·216	2·169	4·716	14·688	27·333
		F.	1·838	4·357	·638	·395	·768	1·289	·924	·431	1·209	2·098	5·548	14·495	27·778
63	East Ashford	M.	1·754	4·681	·529	·498	·644	·593	·659	·858	1·030	1·708	5·035	12·589	30·000
		F.	1·720	3·485	·656	·466	·676	1·037	1·090	1·176	1·126	1·948	4·370	10·755	28·421
64	Bridge	M.	1·844	4·747	·662	·359	·473	·587	·635	1·031	1·159	2·042	4·784	10·672	27·000
		F.	1·670	3·646	·493	·524	·588	·825	·730	1·039	1·130	1·696	4·412	11·416	25·294
65	Canterbury *II*	M.	2·485	7·770	·926	·527	·549	·844	1·308	2·013	2·224	3·222	7·254	16·404	27·143
		F.	2·354	6·945	·854	·615	·720	1·042	1·000	1·592	1·361	2·611	5·155	13·354	23·611
66	Blean	M.	2·119	6·257	·711	·283	·464	·991	·971	1·158	1·380	2·560	4·850	12·951	29·333
		F.	1·833	4·874	·723	·416	·750	·926	·878	·836	1·245	2·055	4·917	11·791	22·500
67	Faversham	M.	1·971	5·670	·565	·314	·487	·605	·967	1·014	1·412	1·990	5·617	12·134	28·333
		F.	1·844	5·100	·558	·356	·708	·647	·800	·890	1·116	2·297	4·934	11·337	26·207
68	Milton	M.	2·155	7·146	·610	·382	·597	·804	·751	1·152	1·303	2·103	5·172	13·646	24·000
		F.	1·883	5·796	·546	·352	·450	·608	1·023	1·120	·905	1·969	5·299	10·526	21·579
69	Sheppey	M.	1·876	7·861	·895	·347	·423	·435	·767	·917	1·222	2·993	5·596	14·844	19·091
		F.	1·989	6·401	·658	·417	·508	·702	·745	·902	1·622	2·176	6·340	13·134	30·000
70	Thanet *IIIII*	M.	2·312	5·955	·780	·482	·853	·993	1·199	1·560	2·107	3·330	6·167	13·992	29·189
		F.	1·830	5·043	·662	·561	·623	·594	·942	·950	1·452	2·202	4·709	11·501	26·885
71	Eastry *II*	M.	2·016	5·033	·719	·408	·527	·701	1·110	1·089	1·466	2·455	5·074	13·358	37·419
		F.	1·825	4·035	·661	·389	·576	·884	·981	·939	1·119	2·178	4·779	10·590	21·290
72	Dover *II*	M.	2·086	6·709	·781	·326	·405	·667	1·023	1·500	1·992	2·906	6·187	13·788	33·750
		F.	1·901	5·509	·699	·407	·733	·664	·897	1·010	1·431	2·184	5·178	11·429	23·659
73	Elham	M.	1·657	5·482	·672	·314	·328	·386	·889	1·235	1·557	2·406	5·341	14·545	35·263
		F.	1·756	4·777	·714	·382	·462	·663	·853	·783	1·218	2·716	5·358	12·692	32·143
74	Romney Marsh	M.	1·788	4·439	·647	·410	·702	·667	·621	1·067	1·498	2·743	6·667	11·220	46·667
		F.	1·792	4·369	·577	·411	·515	·963	1·081	1·125	1·152	2·256	5·000	11·136	28·333

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1861–70—*continued.*

No.	Districts.	Sex.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	II.—SOUTH EASTERN COUNTIES—*cont.*														
	3.—SUSSEX.														
75	Rye	M.	1·885	4·793	·499	·287	·427	·942	·855	·980	1·137	2·330	5·576	14·222	38·000
		F.	1·828	3·639	·648	·462	·693	·778	·946	1·418	1·504	2·249	5·243	14·526	24·615
76	Hastings *II*	M.	2·319	6·183	·571	·260	·608	1·071	1·396	1·854	2·184	3·168	5·956	12·658	34·375
		F.	1·715	5·531	·703	·430	·593	·547	·826	1·164	1·540	2·364	4·908	11·814	33·333
77	Battle	M.	1·635	3·819	·470	·258	·365	·792	·742	·762	1·153	1·861	5·267	14·261	24·667
		F.	1·727	3·155	·804	·438	·911	·816	·955	·904	1·273	2·095	5·534	16·667	24·000
78	Eastbourne *III*	M.	1·826	4·732	·674	·449	·655	·856	·880	1·053	1·389	2·392	5·305	13·000	16·000
		F.	1·586	3·928	·578	·484	·457	·640	·955	·986	1·173	1·931	4·851	12·614	18·235
79	Hailsham	M.	1·645	3·488	·603	·368	·510	·646	·645	·957	1·022	2·222	4·232	13·554	32·941
		F.	1·749	3·153	·472	·443	1·030	1·078	·973	1·150	1·190	2·348	6·563	12·381	25·385
80	Ticehurst	M.	1·774	4·392	·681	·265	·615	·832	·775	·971	1·225	2·349	5·252	10·880	22·941
		F.	1·605	3·310	·549	·428	·743	·822	·823	1·136	1·201	1·963	5·318	11·759	30·000
81	Uckfield	M.	1·756	4·415	·450	·333	·409	·874	·729	·919	1·329	2·149	5·578	13·526	22·174
		F.	1·692	3·122	·552	·390	1·142	1·000	1·018	1·205	1·173	2·624	5·311	13·119	25·000
82	East Grinstead	M.	1·607	3·730	·426	·333	·451	·604	·601	·940	1·144	2·116	4·776	14·553	32·857
		F.	1·662	3·526	·585	·366	·789	·951	·941	1·042	1·080	2·102	5·891	11·193	21·667
83	Cuckfield	M.	1·614	4·183	·446	·276	·290	·800	·787	·888	1·261	2·173	5·618	13·043	28·421
		F.	1·525	3·203	·517	·372	·897	·711	·856	1·102	1·143	1·731	5·000	12·952	25·789
84	Lewes *III*	M.	2·068	4·585	·554	·381	·683	1·118	1·285	1·533	1·900	2·699	6·192	12·793	35·909
		F.	1·939	4·222	·500	·390	·798	·960	1·250	1·402	1·431	2·408	5·575	14·976	30·741
85	Brighton *IIIII*	M.	2·561	8·208	·727	·375	·527	·946	1·072	1·732	2·265	3·936	7·205	14·482	27·895
		F.	1·930	6·824	·745	·390	·446	·565	·811	1·153	1·522	2·715	5·953	13·547	27·160
86	Steyning*	M.	1·751	5·277	·554	·388	·532	·661	·655	·934	1·478	2·376	6·280	12·418	32·500
		F.	1·495	4·786	·632	·360	·397	·529	·631	·902	1·264	2·269	4·088	12·090	24·286
87	Horsham*	M.	1·835	4·407	·730	·362	·522	·526	·721	1·003	1·304	2·620	6·135	15·680	35·714
		F.	1·694	3·446	·693	·427	·637	1·003	·944	1·009	1·223	2·236	5·603	13·596	31·667
88	Petworth*	M.	1·900	4·505	·784	·559	·398	1·030	1·011	·819	1·300	2·028	5·149	15·357	33·333
		F.	1·970	3·642	·825	·618	1·094	1·043	1·066	1·103	1·554	2·366	5·707	13·500	37·000
89	Thakeham*	M.	1·647	3·797	·615	·360	·368	·946	·873	·920	1·000	1·870	4·593	13·562	28·571
		F.	1·652	2·878	·665	·271	·986	·849	·802	·980	1·652	2·417	4·465	11·324	25·556
90	East Preston (Worthing)* *II*	M.	1·944	4·572	·677	·297	·586	1·008	1·078	1·108	1·752	2·604	5·875	12·500	32·353
		F.	1·711	3·589	·641	·460	·700	·716	·906	1·104	1·521	1·952	4·622	11·058	30·000
91	Westhampnett*	M.	1·788	3·643	·603	·384	·571	·846	·911	·955	1·398	2·085	5·148	11·400	31·304
		F.	1·665	2·932	·442	·435	·819	1·033	·956	1·014	1·149	2·063	4·448	12·057	22·000
92	Chichester* *II*	M.	2·090	4·233	·501	·386	·553	·913	1·121	1·596	2·036	3·846	5·380	15·983	31·765
		F.	1·797	3·521	·486	·387	·850	·828	1·192	1·301	1·340	2·246	5·429	12·409	26·957
93	Midhurst*	M.	1·766	3·654	·880	·313	·466	·917	·720	·972	·989	2·311	5·890	11·311	32·105
		F.	1·755	3·415	·392	·415	·927	1·019	·764	·967	1·195	2·495	5·053	12·500	39·231
94	Westbourne	M.	2·039	4·637	·566	·610	·542	·938	1·121	1·272	1·577	2·036	5·059	12·319	34·167
		F.	1·673	3·294	·601	·406	·478	·677	·758	·816	1·325	2·532	4·873	9·429	30·833
	4.—HAMPSHIRE.														
95	Havant	M.	2·046	4·374	·611	·516	·619	1·008	·835	1·355	1·566	2·577	6·296	12·535	23·846
		F.	1·805	3·988	·565	·366	·838	1·166	·860	1·247	1·114	1·978	5·389	11·333	28·000
96	Portsea Island *IIIII*	M.	2·122	7·183	·802	·344	·435	·558	·912	1·417	1·991	3·398	6·802	15·289	33·898
		F.	2·118	6·398	·817	·370	·785	·797	1·016	1·292	1·618	2·615	5·827	13·875	28·438
97	Alverstoke *II*	M.	2·485	6·569	·688	·348	1·030	1·423	1·901	2·328	2·778	3·645	5·744	13·981	36·923
		F.	1·983	5·633	·701	·411	·663	·642	·924	1·400	1·314	2·216	5·919	12·155	26·957
98	Fareham *I*	M.	2·304	4·932	·575	·359	·559	·950	1·335	1·982	2·667	2·957	6·935	14·211	29·048
		F.	2·225	4·372	·531	·370	·612	·957	1·380	1·775	1·917	3·063	5·836	13·611	22·414
99	Isle of Wight *III*	M.	1·830	1·505	·601	·402	·549	·885	1·067	1·258	1·416	2·548	4·977	12·596	31·509
		F.	1·613	4·006	·606	·436	·577	·794	·788	·946	1·172	2·032	4·862	11·927	27·465

* Corrections have been made for changes in the constitution of these Districts during the 10 years.

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1861–70—*continued.*

No.	Districts.	Sex.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	II.—SOUTH EASTERN COUNTIES—*cont.*														
	4.—HAMPSHIRE—*cont.*														
100	Lymington	M.	1·719	3·639	·430	·402	·315	·659	·853	1·010	1·442	2·295	4·754	12·477	24·444
		F.	1·652	2·978	·469	·329	·787	·926	·942	·967	1·207	1·866	5·690	14·947	32·000
101	Christchurch *H*	M.	1·932	4·494	·610	·494	·560	1·285	1·509	1·043	1·488	2·639	5·761	10·879	35·556
		F.	1·486	3·527	·512	·322	·522	·705	·898	·958	1·075	2·112	4·618	15·476	25·556
102	Ringwood	M.	1·704	3·769	·566	·152	·460	·918	·863	·745	1·145	2·439	3·944	15·849	25·000
		F.	1·748	3·415	·400	·252	·482	·766	1·078	1·049	1·349	2·554	5·703	12·800	27·500
103	Fordingbridge	M.	1·931	4·473	·700	·290	·459	·639	·710	·892	1·470	2·169	5·620	13·968	53·333
		F.	1·901	3·764	·792	·510	·989	·741	1·117	·962	1·406	2·413	5·352	11·071	62·000
104	New Forest	M.	1·735	3·869	·562	·240	·483	·652	1·024	·905	1·097	2·144	5·677	12·661	33·529
		F.	1·633	3·294	·460	·422	·497	1·096	·839	·946	·910	1·744	5·467	13·421	34·375
105	Southampton *H*	M.	2·509	7·247	·826	·465	·499	·965	1·435	1·958	2·604	3·896	7·065	13·832	25·652
		F.	2·042	5·949	·763	·438	·511	·765	1·050	1·402	1·853	2·795	5·699	13·180	37·273
106	South Stoneham *H*	M.	2·245	5·178	·544	·337	·524	1·475	2·177	1·617	1·731	2·790	6·324	13·846	41·250
		F.	1·569	4·017	·516	·316	·625	·516	·826	·955	1·409	2·179	5·318	12·795	23·013
107	Romsey	M.	1·977	4·867	·895	·558	·605	·798	·938	·866	1·434	2·412	5·172	14·659	25·000
		F.	1·982	4·341	·882	·466	·753	1·015	·915	1·130	1·586	2·241	5·617	13·830	33·846
108	Stockbridge	M.	1·758	3·808	·343	·419	·401	·600	·897	·751	1·400	2·724	5·323	13·521	42·000
		F.	1·744	3·299	·535	·532	·947	1·200	·725	1·111	1·228	2·397	5·975	12·400	37·500
109	Winchester *H*	M.	1·913	4·946	·727	·297	·328	·695	1·075	1·481	1·715	3·101	6·091	14·590	32·308
		F.	1·812	4·499	·678	·384	·714	·784	·927	1·039	1·239	2·239	5·498	13·362	26·129
110	Droxford	M.	1·791	4·755	·506	·316	·315	·508	·963	·967	1·135	2·293	4·531	10·769	28·750
		F.	1·672	3·497	·696	·386	·698	·987	·854	·915	·871	2·316	3·913	11·239	24·286
111	Catherington	M.	1·731	4·211	·655	·516	·317	·108	·699	·811	1·391	1·856	4·615	11·923	30·000
		F.	1·457	2·584	·355	·226	·439	·753	·805	·855	·866	2·472	5·179	16·250	26·667
112	Petersfield *	M.	1·778	4·460	·635	·279	·707	·897	·785	·878	1·035	1·895	5·650	11·184	37·500
		F.	1·569	3·085	·618	·188	·545	·826	·827	1·002	1·050	1·908	4·171	13·038	24·545
113	Alresford	M.	1·742	3·799	·455	·296	·458	·641	·979	1·128	1·042	1·978	4·944	14·028	31·000
		F.	1·678	3·319	·354	·331	·606	·922	·959	1·213	1·429	2·179	5·260	10·714	23·000
114	Alton *	M.	1·959	4·788	·555	·440	·656	·692	·750	1·030	1·459	2·933	5·415	13·000	32·667
		F.	1·877	4·316	·644	·482	·870	1·029	1·010	1·106	1·171	2·341	5·644	12·979	20·667
115	Hartley Wintney *	M.	1·805	4·191	·642	·297	·307	·702	·851	·984	1·434	2·187	5·324	11·780	32·857
		F.	1·831	3·885	·639	·569	·487	·800	1·053	·783	1·284	1·924	6·534	11·880	24·737
116	Basingstoke	M.	1·949	4·667	·654	·292	·486	·545	·975	1·116	1·484	2·614	5·203	15·263	43·571
		F.	1·873	4·435	·491	·438	·705	·953	·861	·979	1·542	2·261	5·919	11·096	29·200
117	Whitchurch	M.	1·901	5·376	·389	·248	·361	·707	·841	1·040	1·589	1·925	5·703	11·923	25·556
		F.	1·814	3·179	·554	·358	·573	·973	1·048	1·131	1·290	2·589	4·963	12·593	27·778
118	Andover	M.	1·816	3·948	·417	·384	·473	·669	·783	·910	1·333	2·831	5·946	13·563	37·143
		F.	1·733	3·455	·375	·279	·559	·925	·724	1·235	1·200	2·357	5·607	12·727	31·667
119	Kingsclere	M.	1·999	5·035	·748	·489	·480	·994	·753	·953	1·089	2·201	4·682	15·698	33·333
		F.	1·945	4·017	·911	·431	·815	·774	1·325	1·078	1·198	2·595	4·427	15·217	27·273
	5.—BERKSHIRE.														
120	Newbury	M.	2·160	5·410	·564	·378	·525	1·003	·993	1·163	1·556	2·738	6·342	14·419	25·652
		F.	1·920	4·389	·604	·300	·806	·903	·979	1·138	1·417	2·210	5·206	12·262	32·963
121	Hungerford	M.	1·927	5·216	·451	·355	·367	·660	·976	·866	1·374	2·408	5·681	14·506	34·118
		F.	1·830	3·758	·573	·401	·644	·965	1·017	·994	1·131	2·398	5·800	11·398	32·500
122	Faringdon	M.	2·184	5·822	·841	·406	·723	·878	·881	1·071	1·580	2·539	5·441	14·921	48·462
		F.	2·086	5·413	·617	·522	·851	·724	1·001	1·215	1·143	2·447	5·741	12·908	41·250
123	Abingdon *L*	M.	2·302	5·845	·565	·406	·497	·968	1·140	1·498	1·860	3·443	5·848	16·111	49·375
		F.	2·165	4·510	·620	·357	·695	·981	1·231	1·502	1·704	3·298	6·674	16·221	33·704
124	Wantage	M.	1·957	5·094	·524	·376	·450	·904	·857	·932	1·327	2·271	6·298	14·000	31·538
		F.	1·925	4·108	·635	·330	·753	·915	1·067	1·226	1·229	2·070	6·022	14·101	33·043

* Corrections have been made for changes in the constitution of these Districts during the 10 years.

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1861–70—*continued.*

No.	Districts.	Sex.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	II.—SOUTH EASTERN COUNTIES—*cont.*														
	5.—BERKSHIRE—*cont.*														
125	Wallingford *L*	M.	1·911	4·684	·441	·409	·459	·765	·714	1·419	1·351	2·331	5·335	14·545	35·000
		F.	1·760	3·432	·393	·458	·541	·965	·910	·996	1·137	2·340	5·088	14·462	34·375
126	Bradfield	M.	1·772	4·320	·487	·319	·331	·809	·863	·927	1·328	1·970	4·924	12·338	30·000
		F.	1·751	3·447	·482	·346	·701	·906	·966	1·242	1·184	1·947	4·846	13·383	32·727
127	Reading *H*	M.	2·402	7·055	·898	·420	·625	·885	1·072	1·439	2·108	3·471	7·555	16·370	40·000
		F.	2·043	5·999	·780	·415	·508	·790	·844	1·116	1·579	2·708	6·125	13·925	33·929
128	Wokingham	M.	1·873	4·312	·662	·326	·518	·767	·807	·992	1·593	2·524	5·640	11·854	32·667
		F.	1·697	4·046	·738	·428	·614	·639	·691	·862	1·137	1·869	4·809	12·992	45·714
129	Cookham	M.	1·845	4·862	·632	·305	·441	·739	·720	1·184	1·669	2·571	5·201	14·205	28·182
		F.	1·722	4·004	·422	·511	·640	·667	·557	1·091	1·036	2·350	6·400	13·592	40·714
130	Easthampstead *L*	M.	1·710	3·764	·828	·305	·441	·693	·820	1·300	1·477	2·583	6·145	15·283	26·667
		F.	1·537	3·471	·626	·330	·570	·493	·572	·853	1·211	2·466	6·350	9·846	32·727
131	Windsor *HH*	M.	2·055	5·313	·581	·292	·493	·579	·990	1·742	1·998	3·896	7·036	14·167	32·353
		F.	1·870	5·114	·780	·365	·567	·806	·737	·997	1·355	2·491	6·289	13·208	31·111
	III.—SOUTH MIDLAND COUNTIES.														
	6.—MIDDLSX.—(*ex.-met.*)														
132	Staines	M.	1·803	5·453	·600	·295	·542	·672	·738	1·056	1·353	2·891	5·016	13·017	27·222
		F.	1·712	4·481	·548	·239	·571	·668	·821	·820	1·299	2·050	5·210	12·835	28·095
133	Uxbridge *L*	M.	2·657	6·021	·670	·338	·652	·971	1·705	2·759	2·909	4·585	7·457	14·026	31·500
		F.	2·431	5·119	·727	·412	·881	·738	1·489	1·932	2·384	3·552	7·165	15·238	29·032
134	Brentford *HL*	M.	2·192	6·402	·612	·381	·392	·764	·898	1·480	2·164	3·514	7·012	14·713	42·759
		F.	1·849	5·682	·713	·415	·534	·534	·691	1·016	1·353	2·688	5·491	13·159	25·278
135	Hendon	M.	2·048	6·329	·568	·391	·478	·648	·919	1·221	1·682	3·576	6·305	15·603	24·706
		F.	1·652	5·485	·542	·385	·302	·449	·640	·840	1·191	2·340	5·222	13·602	26·400
136	Barnet *L*	M.	2·699	4·668	·705	·384	·543	1·410	2·105	3·144	3·611	5·024	7·527	14·511	26·429
		F.	2·064	4·252	·470	·380	·460	·693	1·233	1·755	2·120	3·455	6·489	14·011	29·200
137	Edmonton *H*	M.	2·003	5·741	·636	·330	·403	·623	·851	1·148	1·809	3·355	6·167	14·259	30·952
		F.	1·716	5·118	·666	·315	·364	·587	·686	·863	1·255	2·426	5·126	11·915	29·873
	7.—HERTFORDSHIRE.														
138	Ware	M.	1·840	4·195	·616	·404	·431	·817	·931	1·212	1·658	2·747	6·656	15·045	28·462
		F.	1·765	4·127	·683	·330	·586	·598	·844	·917	1·043	2·256	4·972	13·056	31·538
139	Bishop Stortford	M.	2·023	4·868	·696	·373	·569	·854	·787	1·135	1·647	2·805	6·109	13·522	51·538
		F.	1·771	4·109	·625	·461	·604	·737	·747	1·084	·987	2·177	5·169	14·048	27·667
140	Royston	M.	1·830	5·076	·508	·270	·410	·614	·681	·890	1·419	2·243	5·271	14·643	29·545
		F.	1·836	4·436	·505	·408	·670	·922	·888	·865	1·272	2·347	4·955	12·237	32·581
141	Hitchin *H*	M.	2·054	6·074	·595	·385	·441	·612	·710	·993	1·487	2·696	6·390	15·263	42·857
		F.	1·860	5·164	·627	·519	·607	·889	·888	·901	1·068	2·279	5·824	12·551	29·286
142	Hertford *H*	M.	1·871	5·015	·581	·318	·399	·744	·863	1·265	1·509	2·739	5·411	16·346	30·000
		F.	1·859	4·722	·586	·325	·581	·487	·826	1·035	1·375	2·468	5·424	13·485	37·857
143	Hatfield	M.	1·856	4·168	·435	·369	·339	·813	·886	1·132	1·881	1·809	7·176	15·818	36·250
		F.	1·759	4·086	·455	·280	·631	·762	·749	1·324	1·065	2·115	5·683	14·571	26·000
144	St. Albans	M.	2·076	5·878	·330	·201	·569	·729	·921	1·238	1·648	2·895	6·275	16·803	40·909
		F.	1·837	5·118	·457	·311	·732	·743	·758	1·182	1·374	2·428	5·459	11·897	27·917
145	Watford *L*	M.	2·005	5·844	·575	·410	·399	·472	·752	1·329	1·667	2·668	6·728	13·493	28·333
		F.	1·731	5·238	·517	·407	·515	·528	·739	·799	1·194	2·298	5·050	10·659	28·214
146	Hemel Hempstead *H*	M.	2·178	6·428	·752	·306	·453	·765	1·070	1·267	1·766	2·910	5·504	15·926	35·556
		F.	1·815	5·262	·493	·292	·592	·950	·808	1·199	1·484	2·160	5·896	12·222	20·000
147	Berkhampstead	M.	2·131	7·010	·581	·375	·315	·435	·748	1·101	1·413	2·678	6·102	16·620	37·143
		F.	1·956	5·753	·619	·376	·485	·882	·880	1·019	1·149	3·023	6·418	14·405	35·000

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1861–70—*continued.*

No.	DISTRICTS.	SEX.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	III.—SOUTH MIDLAND COUNTIES—*cont.*														
	8.—BUCKINGHAMSH.														
148	AMERSHAM	M.	2·163	6·593	·548	·293	·366	·695	·780	·988	1·302	2·579	5·957	16·119	42·143
		F.	2·051	5·471	·617	·415	·489	·839	·931	1·143	1·181	2·584	6·069	14·071	34·375
149	ETON	M.	1·977	5·180	·598	·316	·441	·852	·845	1·185	1·778	3·166	6·372	15·362	31·667
		F.	1·725	4·415	·618	·201	·583	·609	·759	·856	1·200	2·402	6·228	13·547	31·250
150	WYCOMBE	M.	2·080	6·527	·600	·333	·467	·639	·695	·847	1·458	2·432	5·819	15·212	39·615
		F.	1·952	5·170	·532	·303	·628	·687	·804	1·041	1·338	2·552	6·277	14·718	36·897
151	AYLESBURY *HL*	M.	2·282	6·226	·679	·398	·521	1·058	·973	1·283	1·356	2·898	5·903	13·934	33·810
		F.	2·214	5·218	·793	·568	·878	·867	1·148	1·121	1·514	2·704	6·525	15·750	31·786
152	WINSLOW	M.	1·992	5·920	·657	·399	·468	1·054	·567	·728	1·017	2·461	5·707	11·765	38·000
		F.	1·948	4·623	·582	·581	·839	1·055	1·036	1·000	1·671	2·339	4·750	12·500	36·000
153	NEWPORT PAGNELL	M.	2·015	5·893	·548	·293	·516	·673	·737	·869	1·145	2·355	6·326	16·154	52·727
		F.	1·963	5·127	·505	·398	·836	·817	·870	·918	1·130	2·085	5·814	13·493	30·000
154	BUCKINGHAM	M.	1·957	5·924	·527	·338	·458	·510	·673	·870	1·026	1·972	5·344	12·031	33·333
		F.	2·008	4·989	·578	·411	·979	·935	1·018	1·179	1·341	2·452	4·970	12·581	39·167
	9.—OXFORDSHIRE.														
155	HENLEY	M.	1·940	4·780	·577	·327	·387	·730	·784	1·041	1·366	2·504	6·752	13·114	39·474
		F.	1·744	3·551	·586	·437	·751	·699	·845	1·119	1·291	1·941	5·286	12·378	32·308
156	THAME	M.	1·922	5·156	·525	·336	·457	·654	·849	·648	1·173	2·606	5·125	15·615	28·125
		F.	1·929	4·459	·435	·279	·716	1·129	·930	1·030	1·455	2·348	5·818	14·419	31·111
157	HEADINGTON *wH*	M.	2·497	5·924	·684	·439	·722	·925	1·310	1·920	2·372	3·463	7·238	17·642	26·316
		F.	2·086	5·514	·699	·527	·539	·829	·969	1·377	1·289	2·997	6·390	13·533	27·931
158	OXFORD	M.	2·036	6·346	·817	·363	·371	·718	1·009	1·322	2·044	2·740	6·886	13·704	22·500
		F.	1·936	6·656	·665	·379	·387	·521	·838	1·255	1·335	2·547	6·401	13·740	33·125
159	BICESTER	M.	2·072	5·604	·545	·309	·485	·789	·825	·883	1·316	2·286	5·922	15·373	44·615
		F.	1·997	5·159	·580	·432	·620	·942	·832	1·073	1·173	2·125	5·989	13·566	23·500
160	WOODSTOCK	M.	2·081	5·665	·446	·281	·329	·730	·855	·924	1·349	2·799	6·482	15·243	36·923
		F.	1·876	4·309	·463	·386	·653	·826	·822	·978	1·359	2·566	5·974	14·286	21·176
161	WITNEY	M.	1·942	5·151	·510	·269	·427	·661	·716	·888	1·207	2·453	5·317	14·439	33·846
		F.	1·960	4·351	·624	·411	·661	·995	·863	1·112	1·456	2·331	4·611	15·258	32·258
162	CHIPPING NORTON	M.	1·933	5·395	·612	·337	·393	·641	·691	1·044	1·171	2·185	5·365	13·642	28·421
		F.	1·826	4·137	·644	·467	·757	·955	1·073	·881	1·083	2·017	4·947	14·769	27·391
163	BANBURY	M.	2·010	5·630	·627	·305	·396	·521	·784	·943	1·364	2·613	6·003	14·000	36·667
		F.	1·933	4·904	·547	·359	·700	·664	·936	1·003	1·225	2·450	5·745	14·400	28·065
	10.—NORTHMPTNSH.														
164	BRACKLEY	M.	1·996	5·502	·514	·515	·349	·728	·766	·805	1·100	2·257	5·559	14·622	30·000
		F.	1·920	4·473	·469	·480	·768	·870	·968	1·229	1·003	2·447	5·188	15·755	31·818
165	TOWCESTER	M.	2·107	7·157	·553	·333	·446	·806	·676	·728	·972	2·205	5·392	14·804	33·077
		F.	1·981	5·297	·438	·416	·764	·695	·917	1·173	1·306	2·412	5·714	13·300	29·231
166	POTTERSPURY	M.	1·822	6·428	·552	·248	·419	·554	·522	·841	1·369	2·147	5·160	13·433	28·889
		F.	1·946	5·556	·427	·356	·552	·806	·819	1·085	1·308	2·753	6·037	14·638	31·818
167	HARDINGSTONE	M.	1·968	6·681	·614	·237	·611	·652	·597	·664	1·269	2·281	4·717	13·382	34·286
		F.	2·065	5·027	·640	·523	·987	·977	1·197	1·162	1·388	2·290	6·262	17·719	17·000
168	NORTHAMPTON *HL*	M.	2·692	9·505	1·012	·480	·534	·890	1·061	1·286	1·915	3·928	7·845	17·225	29·048
		F.	2·349	8·166	·958	·414	·694	·794	1·025	1·230	1·496	3·026	6·252	14·595	27·419
169	DAVENTRY	M.	1·968	5·807	·625	·341	·409	·611	·734	·974	1·153	2·576	5·385	14·912	26·667
		F.	1·934	4·342	·564	·393	·849	1·096	1·080	1·079	1·258	2·236	5·341	13·837	32·105
170	BRIXWORTH	M.	1·949	5·838	·493	·291	·426	·631	·629	·822	1·047	2·459	5·045	14·711	40·000
		F.	1·888	4·551	·723	·429	·745	·851	·699	1·057	1·133	2·164	5·604	14·836	40·000
171	WELLINGBOROUGH	M.	2·173	7·532	·704	·362	·476	·689	·712	·802	1·367	2·737	5·769	13·185	32·000
		F.	2·049	6·107	·610	·533	·838	·985	1·023	·864	1·319	2·301	5·498	16·013	26·842

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1861–70—*continued.*

No.	Districts.	Sex.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	III.—SOUTH MIDLAND COUNTIES—*cont.*														
	10.—NORTHMPTNSH.—*cont.*														
172	Kettering	M.	2·105	7·124	·575	·400	·525	·563	·584	·886	·980	2·384	6·588	12·910	35·000
		F.	2·062	5·722	·683	·330	·872	·708	·903	1·066	1·217	2·219	5·894	15·105	36·471
173	Thrapston	M.	2·057	6·982	·556	·521	·357	·778	·620	·815	1·047	2·873	5·254	14·945	27·778
		F.	1·918	4·957	·570	·337	·878	·843	·884	1·048	1·026	2·326	5·480	14·831	36·667
174	Oundle	M.	1·923	5·455	·782	·349	·499	·521	·768	·848	1·259	2·295	5·152	13·226	29·231
		F.	1·815	4·205	·536	·471	·658	·808	·984	1·039	1·135	1·961	4·617	13·382	31·667
175	Peterborough *II*	M.	2·131	6·557	·814	·453	·573	·607	·743	1·029	1·557	2·693	6·104	13·661	27·391
		F.	1·896	5·414	·785	·440	·664	·799	·831	·874	1·257	1·973	4·602	12·885	27·143
	11.—HUNTINGDNSH.														
176	Huntingdon *II*	M.	2·105	5·899	·618	·337	·657	·936	·934	1·213	1·786	2·450	5·631	12·950	27·895
		F.	1·928	4·885	·730	·378	·685	·978	·906	1·014	1·282	1·904	5·516	13·704	36·000
177	St. Ives	M.	2·195	6·124	·867	·465	·545	·978	·902	1·085	1·684	2·182	6·235	13·413	21·818
		F.	2·014	5·410	·733	·511	·810	·984	1·045	·926	1·311	2·170	4·564	11·117	28·750
178	St. Neots	M.	1·981	5·754	·595	·435	·498	·763	·627	·932	1·221	2·680	5·872	12·000	41·818
		F.	1·847	4·459	·534	·513	·664	1·085	·753	·937	1·225	2·159	4·944	12·308	23·077
	12.—BEDFORDSHIRE.														
179	Bedford *II*	M.	1·986	5·886	·573	·320	·531	·905	·839	1·142	1·371	2·381	5·970	14·748	40·526
		F.	1·938	5·279	·536	·446	·857	·957	·981	1·004	1·276	2·423	5·258	13·691	31·316
180	Biggleswade *L*	M.	2·309	6·775	·586	·275	·415	·887	1·007	1·449	1·814	3·024	6·131	15·962	30·526
		F.	2·089	5·631	·758	·357	·631	·833	·956	1·222	1·574	2·793	6·538	14·821	28·400
181	Ampthill	M.	2·119	7·050	·546	·297	·418	·746	·715	·831	1·130	2·491	5·392	13·415	27·857
		F.	2·119	5·930	·601	·529	·717	·930	1·023	1·060	1·187	2·842	6·217	15·043	34·667
182	Woburn	M.	2·071	6·263	·669	·382	·720	·657	·908	·714	1·052	2·321	5·263	13·763	43·333
		F.	1·914	4·993	·598	·447	·861	·829	·897	1·135	1·316	2·393	5·233	13·960	25·833
183	Leighton Buzzard	M.	2·104	6·388	·678	·443	·579	·713	·771	·851	1·381	2·562	4·896	16·814	29·231
		F.	1·958	5·414	·709	·418	·667	·798	1·032	1·174	1·354	2·333	6·677	14·554	40·769
184	Luton	M.	2·369	8·461	·705	·352	·428	·584	·840	1·186	1·437	3·052	7·007	15·357	31·818
		F.	1·939	7·195	·685	·351	·632	·676	·862	1·122	1·459	2·734	6·066	15·616	23·000
	13.—CAMBRIDGESH.														
185	Caxton	M.	1·890	5·278	·525	·357	·524	·489	·779	·655	·875	2·293	5·768	14·719	31·667
		F.	1·809	4·428	·375	·472	·725	·735	·815	·981	·945	2·133	5·000	14·940	28·750
186	Chesterton *L*	M.	2·093	5·867	·622	·372	·372	·674	·933	1·231	1·662	2·374	5·962	13·318	29·615
		F.	1·973	5·038	·776	·432	·941	·883	·880	1·127	1·268	1·920	4·461	11·174	24·651
187	Cambridge *II*	M.	2·388	6·917	·702	·365	·544	·824	1·234	1·648	2·482	3·649	6·657	19·083	40·000
		F.	1·952	5·640	·572	·387	·463	·602	·961	1·246	1·720	2·479	5·844	13·077	27·568
188	Linton	M.	1·980	5·238	·639	·334	·586	·763	·737	·953	1·316	2·166	5·323	13·145	35·385
		F.	1·781	3·452	·565	·425	·986	·849	·827	1·187	1·305	1·935	4·506	11·905	33·810
189	Newmarket	M.	2·073	5·934	·627	·431	·435	·868	·885	·957	1·375	2·094	5·970	13·777	28·378
		F.	1·901	4·840	·697	·464	·878	·839	·947	1·097	1·200	1·975	4·551	11·137	27·333
190	Ely	M.	2·127	6·820	·724	·370	·726	·801	·835	·877	1·227	2·163	4·670	13·827	32·105
		F.	1·952	5·557	·615	·435	·587	·798	·967	·935	1·304	2·162	4·785	12·183	22·703
191	North Witchford	M.	2·086	6·500	·814	·352	·437	·718	·785	·842	1·144	2·667	5·604	11·736	24·000
		F.	2·004	5·776	·602	·408	·840	·893	·927	1·309	·950	2·186	4·713	13·193	23·889
192	Whittlesey	M.	2·260	6·443	·592	·552	·820	1·067	1·126	1·057	1·518	1·951	6·039	12·364	18·750
		F.	1·992	4·734	·711	·605	·940	·929	1·114	1·166	·938	1·929	4·693	11·486	34·444
193	Wisbech	M.	2·131	6·577	·727	·413	·550	·710	·862	·948	1·435	2·095	5·710	13·205	30·000
		F.	1·876	5·633	·676	·404	·609	·765	·844	·757	1·048	2·129	4·295	11·757	31·628

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1861–70—*continued.*

No.	Districts.	Sex.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	IV.—EASTERN COUNTIES.														
	14.—ESSEX.														
194	West Ham	M.	2·172	6·914	·945	·401	·484	·755	·905	1·275	1·834	3·225	6·542	16·570	32·222
		F.	1·922	6·216	·742	·459	·500	·589	·766	1·080	1·520	2·508	5·458	12·551	26·066
195	Epping	M.	1·852	4·687	·627	·325	·545	·857	·734	·967	1·536	2·195	6·176	11·688	36·667
		F.	1·668	3·633	·520	·450	·563	·709	·770	·803	1·264	1·926	5·000	13·288	32·222
196	Ongar	M.	1·801	4·408	·598	·366	·618	·577	·931	·938	1·193	2·083	5·000	14·712	25·385
		F.	1·845	4·194	·382	·452	1·060	·946	·773	·697	1·201	2·027	5·058	12·432	31·875
197	Romford	M.	2·122	5·942	·608	·306	·463	·761	·917	1·067	1·663	3·031	6·352	14·410	27·586
		F.	1·868	5·342	·611	·365	·630	·690	·713	·889	1·227	2·444	4·753	12·227	27·500
198	Orsett	M.	1·741	5·391	·702	·289	·517	·699	·686	1·094	1·557	2·494	5·541	11·358	27·000
		F.	1·883	5·024	·761	·427	·519	·839	·750	1·185	1·289	2·119	4·541	12·933	60·000
199	Billericay *L*	M.	2·016	5·141	·606	·244	·470	·794	1·275	1·771	1·782	3·321	6·018	13·525	27·059
		F.	1·875	3·895	·577	·414	·718	·776	·912	1·288	1·778	2·704	6·307	15·138	36·429
200	Chelmsford	M.	1·912	4·955	·708	·372	·446	·719	·828	1·051	1·504	2·423	5·696	13·053	22·250
		F.	1·900	4·201	·666	·432	·768	·935	·865	1·002	1·269	2·489	5·358	12·578	29·245
201	Rochford	M.	1·885	5·873	·630	·423	·571	·452	·770	1·032	1·529	2·393	6·333	16·731	27·500
		F.	1·836	5·125	·636	·396	·528	·681	·699	1·167	1·364	2·102	5·229	12·712	25·263
202	Maldon	M.	1·896	5·018	·525	·399	·561	·624	·789	·984	1·412	2·363	5·816	12·882	32·353
		F.	1·819	4·334	·425	·409	·733	1·033	·872	·917	1·538	2·413	5·558	13·224	31·429
203	Tendring	M.	1·917	5·160	·547	·260	·586	·907	·908	·892	1·221	2·211	5·205	13·185	27·778
		F.	1·848	4·467	·600	·427	·713	1·104	·976	1·100	1·165	1·942	4·725	12·255	28·750
204	Colchester *HL*	M.	2·171	7·379	·799	·440	·601	·594	·999	1·496	1·817	3·344	6·327	16·160	27·778
		F.	2·032	5·631	·918	·485	·683	·713	·901	1·192	1·632	2·771	5·553	13·977	27·778
205	Lexden	M.	1·935	4·927	·573	·441	·568	·776	·841	·798	1·192	1·980	5·486	15·211	22·963
		F.	1·706	3·702	·585	·548	·712	·981	·860	·844	·976	2·276	4·949	13·232	20·667
206	Witham	M.	2·178	5·608	·755	·500	·690	·878	·877	1·187	1·314	2·965	6·184	14·234	35·333
		F.	1·969	4·491	·695	·537	·769	·933	·935	1·302	1·226	2·053	5·421	14·638	25·200
207	Halstead	M.	2·058	5·922	·674	·488	·513	·985	·923	·814	·883	2·151	5·500	14·676	50·909
		F.	1·892	4·547	·722	·470	·953	1·047	1·011	1·089	1·148	2·248	5·325	12·750	20·741
208	Braintree	M.	2·197	6·276	·735	·442	·423	·935	·820	·883	1·461	2·706	6·236	14·014	43·636
		F.	2·011	5·134	·563	·495	·923	·810	1·111	1·113	1·293	2·037	5·330	14·250	29·200
209	Dunmow	M.	1·930	4·752	·737	·372	·409	·864	·951	·857	1·207	2·421	5·652	14·682	31·053
		F.	1·866	4·014	·725	·379	·984	1·366	·979	·996	1·203	1·884	4·527	12·181	29·167
210	Saffron Walden *H*	M.	1·972	4·899	·615	·425	·426	·785	·857	·884	1·227	2·736	5·523	12·951	28·750
		F.	1·873	4·344	·561	·461	·919	·928	·976	1·087	1·028	2·006	4·507	11·658	34·286
	15.—SUFFOLK.														
211	Risbridge	M.	1·979	4·962	·650	·356	·583	·682	·852	1·060	1·208	2·249	5·643	14·430	26·471
		F.	1·931	4·474	·653	·485	·876	1·122	1·066	·881	1·478	2·048	4·704	11·011	29·583
212	Sudbury *H*	M.	2·072	5·340	·766	·505	·581	·880	·848	·951	1·284	2·296	5·770	14·046	35·357
		F.	1·956	4·566	·754	·568	·781	·983	1·058	1·186	1·226	2·041	5·198	11·250	28·393
213	Cosford	M.	1·897	4·674	·797	·453	·455	·698	·654	·828	1·087	2·409	5·459	11·337	33·125
		F.	1·975	4·140	·615	·586	·876	·897	1·145	1·022	1·350	2·181	4·509	12·063	37·692
214	Thingoe	M.	1·730	4·646	·488	·326	·474	·801	·949	·751	1·058	1·799	4·615	11·420	30·909
		F.	1·750	3·655	·504	·469	1·070	1·152	·952	·889	·910	1·883	4·929	10·914	29·615
215	Bury St. Edmunds *wH*	M.	2·712	7·146	·847	·357	·814	1·197	1·532	1·693	2·356	4·203	7·500	17·473	33·077
		F.	2·045	6·000	·805	·311	·517	·721	·710	1·278	1·499	2·601	5·506	14·929	32·222
216	Mildenhall	M.	1·961	5·308	·783	·357	·684	·801	·822	·805	1·275	1·815	5·093	12·955	25·833
		F.	1·925	4·357	·618	·468	·881	·994	1·096	1·159	1·316	1·786	5·122	13·647	27·333
217	Stow	M.	1·931	5·074	·629	·315	·520	1·089	·863	·963	1·161	2·242	4·665	11·854	29·259
		F.	1·886	4·179	·568	·396	·818	·910	1·221	1·013	1·262	2·173	4·283	12·947	28·235
218	Hartismere	M.	2·082	5·768	·606	·467	·501	·839	·792	·886	1·296	2·127	5·049	12·655	35·200
		F.	1·970	4·334	·695	·488	·754	1·231	·962	1·039	·988	2·007	4·177	11·190	25·952
219	Hoxne	M.	1·845	4·844	·475	·194	·510	·870	·736	·777	·885	1·758	4·745	12·229	22·593
		F.	1·877	4·183	·800	·428	·772	·935	1·016	1·079	·975	1·750	4·391	9·600	29·286

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1861–70—*continued.*

No.	Districts.	Sex.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	IV.—EASTERN COUNTIES —*cont.*														
	15.—SUFFOLK—*cont.*														
220	Bosmere	M.	1·902	5·083	·484	·345	·547	·912	1·038	·704	1·310	2·061	4·610	13·557	27·778
		F.	1·906	4·013	·582	·494	·962	1·069	1·071	1·231	1·154	1·956	4·787	11·801	23·871
221	Samford	M.	1·877	4·774	·536	·464	·729	·757	·823	·619	1·238	2·119	5·705	13·645	24·667
		F.	1·938	4·287	·515	·652	·998	·959	·943	1·008	1·315	2·369	4·409	14·587	29·444
222	Ipswich *H*	M.	2·358	7·060	·786	·413	·641	·883	·974	1·329	1·919	3·267	5·984	14·686	30·333
		F.	2·078	6·323	·741	·542	·609	·809	·900	1·243	1·568	2·576	5·134	13·106	26·558
223	Woodbridge *L*	M.	2·075	4·878	·530	·428	·649	1·096	·804	1·066	1·563	2·636	5·044	12·857	25·610
		F.	2·056	3·913	·478	·485	·929	·894	1·178	1·342	1·786	2·494	5·250	11·849	27·826
224	Plomesgate	M.	1·865	4·613	·517	·326	·429	·629	1·030	·862	1·288	2·143	4·275	11·416	29·189
		F.	1·788	3·580	·595	·401	·692	1·049	1·154	·846	1·153	2·079	4·517	10·410	24·118
225	Blything	M.	1·873	4·464	·579	·391	·525	·989	·742	·865	1·165	2·148	4·695	12·022	31·111
		F.	1·851	4·604	·608	·492	·818	·992	1·035	·978	1·027	1·656	4·230	12·568	23·485
226	Wangford	M.	1·966	4·639	·584	·401	·756	1·062	·906	·892	1·302	1·916	4·849	13·407	24·348
		F.	1·802	4·262	·407	·419	·879	·836	·854	1·051	1·255	1·825	4·298	10·932	25·667
227	Mutford *H*	M.	1·905	5·680	·708	·359	·507	·852	·850	1·015	1·211	2·365	4·485	10·056	33·750
		F.	1·667	4·936	·540	·363	·420	·595	·758	·880	1·134	1·899	4·692	10·185	29·250
	16.—NORFOLK.														
228	Yarmouth *HL*	M.	2·723	9·140	·634	·326	·551	·805	1·097	1·725	2·162	3·159	6·499	16·339	34·848
		F.	2·124	7·658	·739	·368	·413	·635	·828	1·128	1·390	2·561	4·861	12·678	27·657
229	Flego	M.	1·828	5·231	·624	·300	·628	·676	·534	·596	·911	1·775	4·300	12·561	23·333
		F.	1·692	4·816	·640	·366	·654	·815	·836	·845	1·036	1·549	3·731	7·426	23·333
230	Smallburgh (formerly Tunstead)	M.	1·921	4·985	·725	·417	·690	1·000	·745	·656	1·002	1·564	4·688	12·876	33·889
		F.	1·875	4·375	·514	·401	·947	1·159	·989	·882	1·201	1·807	3·730	11·506	21·667
231	Erpingham	M.	2·120	6·118	·655	·462	·655	·873	·841	·771	1·130	1·939	4·739	12·524	35·625
		F.	1·926	5·088	·743	·546	·830	·839	1·073	1·009	1·089	1·628	3·750	10·040	28·293
232	Aylsham	M.	1·951	5·030	·678	·452	·699	·969	·845	·944	·959	1·688	4·877	12·011	33·478
		F.	1·915	4·319	·797	·507	·678	1·004	·959	·862	·939	1·853	4·442	10·708	24·630
233	St. Faiths *	M.	1·975	5·575	·583	·285	·424	1·045	·708	1·063	·873	1·825	6·029	11·635	26·667
		F.	1·918	4·871	·701	·441	·830	·890	1·030	·995	1·099	1·683	4·085	11·721	33·158
234	Norwich * *HHLL*	M.	2·676	8·570	·879	·407	·608	·865	·872	1·279	1·865	3·320	7·149	16·583	30·741
		F.	2·222	7·367	·748	·408	·571	·661	·952	1·107	1·413	2·543	5·227	12·464	27·851
235	Forehoe	M.	2·044	5·810	·549	·390	·539	·925	·791	·943	1·279	2·130	4·704	13·243	30·526
		F.	1·983	4·897	·720	·413	·714	1·054	1·120	1·105	·974	1·845	3·842	11·761	29·615
236	Henstead	M.	1·877	4·769	·581	·428	·725	·842	·654	·725	1·067	1·847	5·000	11·780	29·474
		F.	1·860	4·602	·492	·375	·661	1·004	1·017	·914	1·179	1·991	3·828	12·000	28·182
237	Blofield *L*	M.	2·194	4·721	·647	·399	·800	·873	1·098	1·741	1·908	2·196	5·466	12·203	30·556
		F.	2·082	4·451	·592	·397	·968	1·161	1·061	1·518	1·204	2·847	5·347	12·353	26·000
238	Loddon	M.	1·856	4·495	·514	·407	·641	·780	·898	·676	1·012	1·704	4·430	12·188	30·417
		F.	1·738	3·685	·490	·441	·762	1·171	·960	·877	1·016	2·068	4·454	10·750	19·730
239	Depwade	M.	2·055	5·406	·744	·398	·621	·933	·905	·774	1·045	2·202	4·967	12·074	28·222
		F.	2·000	4·597	·949	·629	·960	·832	1·021	1·061	1·074	1·833	4·304	10·845	27·077
240	Guiltcross	M.	1·998	5·199	·536	·502	·418	1·147	·778	·896	·916	1·909	5·233	10·000	27·778
		F.	1·964	4·498	·654	·559	·927	1·169	1·170	·780	1·028	1·578	3·954	11·338	33·333
241	Wayland	M.	2·040	5·745	·512	·277	·598	·902	·665	·792	1·232	1·883	5·985	11·570	25·714
		F.	1·919	4·549	·771	·500	·785	·881	1·099	·978	·886	2·137	4·429	11·298	20·333
242	Mitford	M.	1·949	5·363	·694	·317	·528	·723	·936	·662	1·025	2·265	4·658	11·966	30·952
		F.	1·812	4·026	·719	·597	·747	·844	1·050	·912	1·047	1·781	3·668	10·967	25·556
243	Walsingham	M.	2·252	6·292	1·047	·508	·950	1·049	·968	·968	1·135	2·208	4·654	11·748	21·176
		F.	2·066	5·461	·924	·572	·846	·927	·918	·953	1·118	1·898	4·250	10·820	30·638
244	Docking	M.	2·141	6·470	·707	·578	·683	1·002	·957	·747	·874	2·294	5·398	11·634	38·500
		F.	2·079	5·694	1·040	·635	·820	·887	·975	·875	1·272	1·767	4·382	11·398	27·500

* Corrections have been made for changes in the constitution of these Districts during the 10 years.

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1861–70—*continued.*

No.	Districts.	Sex.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	IV.—EASTERN COUNTIES —*cont.*														
	16.—NORFOLK—*cont.*														
245	Freebridge Lynn	M.	1·910	6·018	·667	·445	·462	·522	·848	·716	1·201	1·815	5·495	11·624	26·429
		F.	1·965	5·616	·729	·467	·577	·851	·772	1·020	1·256	1·660	4·465	10·441	31·304
246	Kings Lynn *H*	M.	2·466	7·513	·743	·429	·723	·923	·932	1·416	1·731	3·895	5·989	12·778	25·882
		F.	2·058	6·207	·667	·447	·529	·702	·869	1·203	1·383	2·522	4·978	14·294	25·758
247	Downham	M.	1·981	6·132	·718	·369	·486	·750	·733	·853	1·025	2·440	4·474	9·781	27·308
		F.	1·981	5·408	·781	·582	·822	·928	·871	·818	1·317	1·817	4·802	11·117	22·439
248	Swaffham	M.	1·975	5·689	·577	·369	·504	·787	·800	·900	1·149	2·122	5·656	12·344	32·353
		F.	1·906	4·790	·687	·417	·756	·883	1·000	1·145	1·042	1·703	4·132	11·623	25·481
249	Thetford	M.	2·124	5·751	·815	·489	·641	1·157	·827	·946	1·190	2·410	5·444	14·277	26·667
		F.	2·058	4·878	·817	·571	·735	·905	1·067	1·177	1·299	2·292	4·594	12·595	33·333
	V.—SOUTH WESTERN COUNTIES.														
	17.—WILTSHIRE.														
250	Highworth	M.	1·788	5·594	·493	·368	·429	·622	·690	·800	1·495	2·684	5·316	12·222	25·417
		F.	1·788	4·682	·464	·409	·670	·912	·848	1·036	1·250	2·162	5·294	11·583	33·000
251	Cricklade	M.	1·982	5·000	·635	·381	·563	·811	·864	·901	1·126	2·630	5·059	9·752	37·500
		F.	1·821	4·216	·565	·326	·604	·868	·916	·859	1·197	2·000	5·310	12·368	33·529
252	Malmesbury	M.	1·862	4·758	·530	·432	·431	·583	·664	·926	·987	2·366	4·986	12·431	40·769
		F.	1·633	3·624	·523	·295	·731	·757	·787	·946	1·158	2·050	4·650	13·481	24·583
253	Chippenham	M.	1·917	4·508	·618	·362	·495	·764	·854	1·102	1·448	2·716	5·568	13·000	28·966
		F.	1·843	3·710	·507	·395	·732	·834	1·062	1·083	1·224	2·211	5·415	13·239	32·121
254	Calne	M.	1·843	4·262	·756	·372	·520	·769	·791	1·128	1·266	2·182	4·676	10·918	30·000
		F.	1·806	3·772	·349	·447	·607	1·099	·802	1·042	1·078	2·492	4·181	13·398	35·000
255	Marlborough	M.	1·881	5·495	·722	·325	·443	·739	·822	·945	1·473	2·698	6·552	14·384	41·429
		F.	1·903	4·742	·574	·498	·572	·911	·791	1·068	1·538	2·162	6·990	11·795	23·462
256	Devizes *L*	M.	2·136	4·480	·587	·291	·630	·897	1·305	1·668	1·699	2·916	6·898	14·293	33·158
		F.	2·082	3·547	·654	·352	·677	·944	1·147	1·388	1·550	3·106	6·509	15·044	32·121
257	Melksham	M.	2·356	6·399	·844	·278	·593	·767	1·060	1·366	1·490	2·696	6·453	14·416	34·118
		F.	2·032	5·101	·657	·379	·554	·630	·896	1·149	1·229	2·684	6·608	14·514	44·000
258	Bradford-on-Avon	M.	1·941	4·192	·399	·351	·374	·888	·901	·903	1·575	2·460	6·211	12·885	43·333
		F.	1·943	4·028	·377	·347	·812	·829	·952	1·127	1·179	2·343	5·023	15·378	27·647
259	Westbury	M.	2·112	5·501	·642	·438	·643	·777	·715	1·141	1·259	2·077	5·939	13·388	35·000
		F.	2·011	4·321	·681	·371	·765	1·061	·661	1·154	1·443	2·414	6·370	14·018	30·000
260	Warminster	M.	1·854	4·492	·384	·268	·418	·864	·906	1·025	1·282	2·161	5·843	14·468	26·111
		F.	1·786	3·476	·439	·358	·518	·815	·852	1·143	1·248	2·413	5·399	11·863	25·417
261	Pewsey	M.	1·968	4·953	·706	·409	·456	·837	·787	·900	1·308	2·185	5·640	14·234	36·000
		F.	1·944	3·985	·633	·524	·807	·783	1·180	1·265	1·212	2·397	4·983	12·613	28·421
262	Amesbury	M.	1·752	3·943	·527	·172	·408	·683	·809	·871	1·333	2·284	5·824	14·783	52·000
		F.	1·762	3·543	·561	·395	·575	·586	1·083	1·208	1·623	2·388	6·727	13·788	27·143
263	Alderbury* *HL*	M.	2·416	4·268	·553	·407	·650	1·092	1·796	2·358	2·439	3·846	8·032	14·414	36·667
		F.	1·946	3·630	·470	·385	·628	·968	1·141	1·176	1·824	2·942	6·866	15·433	26·471
	Salisbury*	M.	2·138	5·972	·607	·232	·323	·749	·875	1·245	2·141	3·178	7·153	14·107	47·500
		F.	1·872	5·139	·662	·382	·414	·467	·657	1·237	1·312	2·848	5·294	14·675	33·000
265	Wilton	M.	1·820	4·540	·524	·254	·337	·767	·729	·848	1·294	2·456	5·432	11·818	30·909
		F.	1·802	3·575	·469	·305	·577	1·020	·798	1·031	1·103	2·725	5·153	16·395	42·000
266	Tisbury	M.	1·780	3·933	·584	·429	·441	·767	·747	·896	1·295	2·194	5·708	12·308	38·000
		F.	1·785	3·564	·494	·393	·549	·707	·805	·925	1·226	2·784	6·203	14·444	34·444
267	Mere	M.	1·913	4·641	·449	·476	·582	1·048	·603	·829	1·019	2·408	5·556	12·963	27·778
		F.	1·880	4·008	·403	·515	·699	·945	1·025	1·114	1·083	2·184	6·154	12·658	24·167

* The District of Salisbury was merged in the Alderbury District on 21st May 1869, but the Mortality of the two parts now combined is here separately given.

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1861–70—*continued.*

No.	Districts.	Sex.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	V.—SOUTH WESTERN COUNTIES—*cont.*														
	18.—DORSETSHIRE.														
268	Shaftesbury	M.	1·831	4·595	·526	·409	·541	·711	·608	·926	1·164	2·195	5·086	13·214	24·762
		F.	1·905	4·110	·644	·367	·685	·957	1·068	1·105	1·270	2·144	5·168	12·609	36·667
269	Sturminster	M.	1·771	4·074	·609	·281	·394	·712	·879	·684	1·398	2·000	4·816	12·991	46·250
		F.	1·839	3·825	·679	·339	1·041	·695	1·030	·974	1·041	2·213	5·141	12·710	34·615
270	Blandford	M.	1·880	5·068	·579	·372	·307	·959	·899	·945	1·190	2·123	5·638	13·689	39·231
		F.	1·724	3·923	·654	·364	·501	·649	·680	·798	1·188	2·460	5·549	14·628	28·695
271	Wimborne	M.	1·770	4·300	·451	·355	·527	·968	·732	·879	1·248	2·079	5·079	13·158	32·000
		F.	1·777	3·696	·416	·320	·591	1·136	·778	1·157	1·232	2·521	4·909	14·671	30·000
272	Poole	M.	2·134	5·551	·856	·498	·586	·838	·921	·988	1·607	2·804	6·809	13·980	30·000
		F.	1·987	4·711	·774	·408	·788	·802	1·051	1·018	1·350	2·530	5·415	12·197	46·923
273	Wareham	M.	1·779	4·305	·476	·283	·435	·742	·975	·892	1·038	2·133	5·474	14·203	46·154
		F.	1·645	3·439	·454	·338	·537	·816	·901	·959	1·080	2·019	4·608	12·697	22·333
274	Weymouth *III*	M.	1·741	5·585	·579	·357	·383	·660	·786	1·206	1·468	2·625	5·735	11·916	26·000
		F.	1·697	4·341	·497	·324	·469	·518	·743	·890	1·342	2·314	5·453	14·333	34·242
275	Dorchester *III*	M.	1·990	5·121	·640	·358	·444	·851	·969	1·236	1·559	2·961	5·487	13·316	39·048
		F.	1·902	4.441	·664	·411	·698	·908	·987	1·066	1·453	2·615	5·376	13·762	28·387
276	Sherborne *II*	M.	1·956	5·011	·508	·317	·507	·805	·692	·843	1·416	2·721	6·113	12·952	30·000
		F.	1·880	4·735	·566	·385	·541	·668	·786	·981	1·424	2·803	5·683	12·269	29·444
277	Beaminster	M.	2·001	5·394	·574	·345	·311	·508	·727	·878	1·603	2·555	4·783	13·864	27·895
		F.	1·871	4·695	·594	·325	·668	·754	·778	·749	1·080	1·904	5·481	13·289	25·833
278	Bridport	M.	2·179	6·106	·514	·375	·561	·545	·932	1·306	1·334	2·477	6·258	14·766	30·769
		F.	1·974	5·091	·615	·386	·588	·783	·967	1·117	1·392	2·000	5·175	12·414	29·032
	19.—DEVONSHIRE.														
279	Axminster	M.	1·969	4·548	·612	·335	·761	·777	·850	·790	1·404	2·235	5·223	14·474	32·609
		F.	1·892	4·163	·596	·486	·776	·669	·916	·975	1·130	2·288	5·103	12·883	26·098
280	Honiton	M.	1·921	4·682	·517	·299	·553	·759	1·087	1·013	1·236	2·174	4·954	11·636	38·333
		F.	1·788	3·691	·431	·351	·735	·791	·859	1·020	1·246	1·959	5·436	12·429	30·256
281	St. Thomas *I*	M.	2·200	4·956	·670	·414	·557	·776	1·191	1·530	1·721	3·027	5·926	13·812	31·569
		F.	1·913	4·411	·588	·388	·617	·665	·884	1·060	1·352	2·177	5·398	13·202	27·789
282	Exeter *II*	M.	2·816	8·817	·715	·529	·636	1·001	1·272	1·860	2·357	4·074	7·376	16·649	30·952
		F.	2·394	7·394	·713	·616	·519	·707	·922	1·501	1·618	2·785	5·588	14·474	27·719
283	Newton Abbot *IIIII*	M.	2·195	5·732	·622	·392	·588	·994	1·199	1·260	1·505	2·550	6·012	15·369	30·769
		F.	1·766	4·869	·620	·385	·598	·743	·850	·855	1·179	2·127	4·706	13·029	21·510
284	Totnes	M.	2·125	5·098	·652	·418	·586	·946	1·101	1·117	1·628	2·266	5·772	13·389	35·294
		F.	1·900	4·261	·676	·465	·761	·658	·811	·887	·989	2·229	5·527	12·901	26·418
285	Kingsbridge	M.	2·046	4·659	·533	·354	·516	1·040	1·175	1·099	1·333	2·155	5·245	13·900	32·381
		F.	1·820	4·339	·696	·377	·594	·910	1·028	·831	1·097	1·873	4·185	11·870	36·071
286	Plympton St. Mary	M.	2·039	4·945	·509	·412	·591	·940	1·058	1·094	1·589	2·532	5·260	13·516	29·565
		F.	1·721	4·270	·623	·395	·560	·676	·842	·911	1·032	1·907	4·914	11·827	24·667
287	Plymouth *II*	M.	2·484	8·633	·807	·477	·518	·740	·997	1·403	2·027	3·323	6·692	14·518	29·111
		F.	2·161	7·509	·715	·490	·587	·697	1·021	1·068	1·489	2·363	5·478	14·325	26·410
288	East Stonehouse *II*	M.	3·283	8·806	·871	·389	2·053	2·048	2·482	2·354	3·320	3·323	7·313	13·729	26·667
		F.	2·256	7·510	·767	·420	·619	·763	·903	1·282	1·402	2·632	6·386	14·194	23·125
289	Stoke Damerel *IIII*	M.	2·020	7·906	·710	·418	·302	·451	·821	1·193	1·798	3·325	6·361	16·680	23·529
		F.	2·133	6·652	·742	·441	·514	·693	·913	1·067	1·499	2·613	5·557	15·000	27·018
290	Tavistock	M.	1·968	5·001	·908	·526	·676	·816	·788	·992	1·451	3·020	6·625	13·619	30·417
		F.	1·794	4·411	·875	·497	·608	·882	·865	·843	1·039	2·065	5·338	12·688	31·000
291	Okehampton	M.	1·687	3·685	·577	·249	·344	·595	·698	·675	1·026	2·023	5·826	12·184	30·741
		F.	1·650	2·974	·528	·428	·563	·802	·700	·855	·925	2·102	1·563	11·368	23·265
292	Crediton	M.	1·868	4·076	·594	·284	·395	·831	·911	·715	1·259	2·553	6·024	13·316	32·727
		F.	1·870	3·544	·481	·428	·639	·819	·808	·929	1·152	2·157	5·165	12·038	28·182
293	Tiverton *	M.	2·116	5·183	·644	·433	·484	·997	·880	1·161	1·409	2·665	5·169	14·000	28·750
		F.	1·976	4·479	·610	·516	·688	·918	·903	1·012	1·056	2·194	5·487	14·018	24·590

* A correction has been made for a change in the constitution of this District during the 10 years.

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1861–70—*continued.*

No.	Districts.	Sex.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	V.—SOUTH WESTERN COUNTIES—*cont.*														
	19. DEVONSHIRE—*cont.*														
294	South Molton *	M.	1·854	4·208	·511	·344	·457	·728	·874	·878	1·429	2·235	5·872	13·687	37·333
		F.	1·769	3·333	·433	·513	·677	·777	·851	1·024	1·062	2·027	5·041	13·036	28·710
295	Barnstaple *H*	M.	1·938	4·294	·537	·256	·603	·801	1·065	1·112	1·459	2·281	5·763	11·590	27·255
		F.	1·732	3·700	·524	·384	·570	·685	·852	·844	·924	2·081	4·570	11·393	29·432
296	Torrington	M.	1·850	4·083	·563	·317	·460	·759	·785	1·073	·981	2·450	5·116	14·074	33·000
		F.	1·852	3·569	·608	·334	·800	1·011	·973	1·138	1·195	2·332	4·802	13·196	25·938
297	Bideford	M.	1·959	4·551	·508	·308	·580	1·012	·821	1·154	1·161	2·120	5·307	12·353	30·667
		F.	1·776	3·895	·559	·321	·685	·660	·867	·862	1·222	2·040	4·738	10·542	28·605
298	Holsworthy	M.	1·762	3·936	·379	·371	·462	·633	·723	·806	·975	2·295	5·021	14·845	37·500
		F.	1·798	3·517	·377	·456	·598	·511	1·043	·876	1·244	2·344	5·351	12·800	24·762
	20.—CORNWALL.														
299	Stratton	M.	1·950	4·438	·455	·483	·521	·794	1·054	1·028	1·302	2·081	5·291	13·333	29·091
		F.	1·758	3·051	·451	·486	·525	·952	·825	1·138	·942	1·910	4·527	14·624	34·000
300	Camelford	M.	1·818	4·496	·544	·416	·452	·858	·735	1·071	1·495	1·957	4·556	12·468	26·667
		F.	1·816	4·651	·552	·232	·496	·874	·769	·901	1·161	1·877	5·767	10·370	33·000
301	Launceston	M.	1·868	4·956	·467	·380	·522	·662	·843	·787	1·248	1·946	5·570	14·779	31·579
		F.	1·720	3·733	·654	·343	·679	·751	·754	·774	·851	2·428	4·647	13·452	31·429
302	St. Germans	M.	2·143	5·192	·661	·347	·520	·864	1·100	1·083	1·347	2·969	5·929	15·000	35·000
		F.	1·863	4·212	·783	·441	·620	·667	·919	1·091	1·140	2·065	5·124	12·449	25·926
303	Liskeard	M.	2·038	5·781	·674	·381	·594	·828	·815	1·062	1·472	2·574	6·095	12·894	25·172
		F.	1·795	4·926	·673	·405	·551	·714	·763	·910	·924	1·915	4·985	13·022	28·049
304	Bodmin *HL*	M.	2·150	5·190	·406	·412	·532	1·042	1·283	1·395	1·488	2·523	5·127	13·116	34·762
		F.	1·879	4·529	·620	·428	·583	1·005	·838	·936	1·218	2·185	4·430	12·350	29·091
305	St. Columb	M.	1·919	4·978	·645	·269	·550	·616	·693	·860	1·079	2·178	5·462	13·741	33·158
		F.	1·808	4·342	·596	·515	·593	·730	·836	·988	1·248	1·593	4·809	12·432	26·452
306	St. Austell	M.	2·084	5·965	·724	·374	·603	·804	·732	·876	1·478	2·610	6·706	13·657	26·429
		F.	1·912	5·480	·655	·535	·739	·882	·914	·826	·963	1·884	5·088	12·970	30·000
307	Truro *H*	M.	2·327	6·960	·658	·540	·659	1·066	1·000	1·273	1·558	3·126	6·308	13·783	34·118
		F.	2·080	6·291	·733	·476	·737	·873	·887	·875	1·107	2·116	4·981	13·643	31·286
308	Falmouth	M.	2·352	7·753	·738	·468	·890	1·088	1·181	1·164	1·649	2·837	4·762	13·648	28·500
		F.	2·154	6·867	·622	·347	·620	·884	·933	1·070	1·341	2·301	5·041	13·320	24·878
309	Helston	M.	2·301	6·707	·782	·424	·610	1·009	1·023	1·159	1·870	2·770	5·879	13·198	24·483
		F.	1·922	5·986	·583	·398	·641	·902	·788	·900	·990	1·815	4·583	11·900	33·571
310	Redruth	M.	2·563	8·248	·930	·471	·680	·889	1·052	1·220	2·439	4·451	8·542	15·514	41·579
		F.	2·063	7·405	·832	·401	·620	·814	·753	·891	1·167	2·145	5·462	13·947	30·833
311	Penzance	M.	2·426	7·911	·731	·387	·633	·966	·969	1·226	1·877	3·124	6·396	13·618	41·923
		F.	2·083	7·414	·735	·436	·589	·897	·763	·863	1·130	1·883	5·147	13·100	28·378
312	Scilly Islands	M.	2·156	4·074	·431	·345	·435	1·212	1·495	1·028	·991	2·264	3·934	15·333	31·667
		F.	1·839	3·250	·246	·370	·741	1·319	1·152	·902	1·000	1·066	5·205	15·000	32·000
	21.—SOMERSETSH.														
313*a*	Williton	M.	1·854	4·182	·446	·368	·556	·722	·804	·928	1·367	2·798	4·892	12·100	30·370
		F.	1·647	3·151	·578	·313	·545	·878	·608	·890	1·028	2·089	4·909	10·917	29·167
313*b*	Dulverton *	M.	1·821	3·966	·397	·306	·537	·681	·701	·980	1·434	1·712	6·600	15·536	23·333
		F.	1·577	3·119	·663	·316	·465	·448	·625	·698	·985	1·897	5·672	11·356	23·000
314	Wellington	M.	1·805	3·870	·546	·456	·463	·577	·952	·994	1·306	2·236	4·989	12·379	27·241
		F.	1·723	3·725	·547	·465	·560	·720	·803	·926	1·016	1·809	4·333	11·753	25·581
315	Taunton *H*	M.	2·022	4·612	·538	·345	·538	1·084	1·134	1·246	1·462	2·877	6·067	13·699	38·205
		F.	1·792	4·079	·496	·458	·683	·786	·818	·928	1·333	2·002	4·531	12·252	26·941
316	Bridgwater *H*	M.	1·951	4·594	·570	·331	·522	·816	·959	·959	1·701	2·852	5·521	13·728	21·225
		F.	1·769	4·096	·459	·382	·755	·671	·866	1·026	·975	2·083	4·493	12·486	27·258
317	Langport	M.	1·946	4·415	·567	·344	·466	·895	·945	1·071	1·671	2·164	5·718	15·750	22·500
		F.	1·841	3·986	·511	·463	·739	1·036	1·000	·803	1·091	2·054	4·774	13·545	25·581
318	Chard	M.	1·966	5·194	·547	·357	·495	·772	·837	·997	1·395	2·450	5·709	14·343	27·820
		F.	1·815	4·471	·534	·329	·701	·885	·881	·954	1·090	2·143	4·801	13·294	27·000

* Corrections have been made for changes in the constitution of these Districts during the 10 years.

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1861–70—*continued.*

No.	Districts.	Sex.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	V.—SOUTH WESTERN COUNTIES—*cont.*														
	21.—SOMERSETSH.—*cont*														
319	Yeovil	M.	2·053	5·653	·592	·299	·427	·658	·890	1·148	1·436	2·786	5·423	15·628	26·490
		F.	1·811	4·502	·550	·330	·609	·675	·865	·930	1·306	2·157	5·787	12·962	31·389
320	Wincanton	M.	1·974	5·129	·437	·280	·486	·615	·848	1·024	1·337	3·036	5·471	13·927	30·476
		F.	1·803	4·148	·372	·446	·511	·545	·807	1·003	1·212	2·441	5·487	12·895	22·292
321	Frome	M.	2·096	4·961	·468	·374	·490	1·013	·848	1·159	1·596	2·983	5·938	12·929	33·704
		F.	1·904	4·234	·451	·357	·618	·708	·886	1·144	1·308	2·360	5·075	11·987	27·872
322	Shepton Mallet	M.	1·882	4·257	·490	·343	·361	·796	·866	·947	1·702	2·892	5·041	13·013	21·786
		F.	1·885	4·091	·464	·541	·485	·906	·815	·901	1·169	2·178	5·093	12·029	26·250
323	Wells *L*	M.	2·272	4·787	·719	·386	·415	·901	1·276	1·640	2·246	2·891	6·981	15·282	36·364
		F.	2·052	4·444	·625	·426	·589	·766	1·152	1·400	1·727	2·548	5·816	11·581	24·783
324	Axbridge *H*	M.	2·041	5·137	·618	·440	·461	·831	·763	1·245	1·645	2·730	5·577	13·050	29·592
		F.	1·726	4·378	·613	·343	·590	·715	·844	·876	1·143	1·959	4·749	10·871	23·294
325	Clutton	M.	1·994	5·224	·681	·359	·670	·763	·770	·839	1·231	2·391	5·743	14·306	33·333
		F.	1·835	3·797	·673	·440	·945	·990	·896	1·026	1·055	1·920	5·232	10·040	24·667
326	Bath *HH*	M.	2·503	6·974	·742	·337	·468	·863	1·225	1·759	2·223	3·524	6·613	15·011	30·526
		F.	2·001	5·766	·713	·380	·460	·502	·765	1·146	1·570	2·819	5·315	13·968	28·828
327	Keynsham	M.	2·026	5·419	·680	·532	·540	·929	·709	1·006	1·533	2·293	5·297	12·722	28·519
		F.	2·015	4·891	·729	·490	·891	·940	·990	1·101	1·057	2·065	5·463	11·743	30·000
328	Bedminster *H*	M.	2·116	6·374	·667	·377	·488	·711	·833	1·215	1·660	2·678	5·883	14·276	31·176
		F.	1·882	5·405	·621	·412	·651	·643	·816	·970	1·350	2·302	4·851	12·676	26·721
	VI.—WEST MIDLAND COUNTIES.														
	22.—GLOUCESTERSH.														
329	Bristol *HHH*	M.	2·955	9·747	1·189	·610	·816	1·028	1·433	1·932	2·734	3·981	8·508	16·397	30·968
		F.	2·462	8·311	·963	·522	·617	·780	·943	1·345	2·046	3·221	6·231	14·333	29·167
330	Clifton *wL*	M.	2·377	7·273	·844	·425	·504	·622	·911	1·342	1·910	3·758	7·215	16·180	31·639
		F.	1·960	6·508	·753	·493	·541	·604	·684	1·078	1·422	2·634	6·034	13·457	28·696
331	Chipping Sodbury	M.	1·955	5·328	·591	·375	·389	·815	·794	·993	1·205	2·279	5·128	11·451	28·462
		F.	1·988	4·883	·731	·568	·636	·960	·774	·968	1·143	2·083	4·890	12·587	26·452
332	Thornbury	M.	1·781	3·841	·612	·405	·458	·561	·782	·951	1·491	2·484	5·118	13·947	27·619
		F.	1·637	3·130	·607	·342	·614	·696	·697	·862	1·133	1·973	5·564	10·838	29·333
333	Dursley	M.	2·019	4·082	·423	·258	·519	·627	·848	·828	1·412	2·649	6·104	12·229	36·190
		F.	2·047	3·570	·485	·441	·619	·832	·902	1·094	1·294	2·297	5·597	13·161	32·759
334	Westbury-on-Severn	M.	1·938	5·266	·629	·401	·405	·854	·778	·921	1·601	3·042	5·625	14·577	54·167
		F.	1·815	4·431	·526	·362	·876	·922	·853	·993	1·099	2·239	4·462	13·514	30·000
335	Newent	M.	1·996	4·688	·492	·314	·562	·553	·817	·785	1·675	2·478	6·088	11·641	33·500
		F.	1·718	3·866	·403	·483	·685	·710	·761	·912	1·144	1·852	4·879	10·593	25·000
336	Gloucester *HHL*	M.	2·414	6·755	·673	·485	·711	·889	1·007	1·705	2·343	3·879	7·578	15·427	36·364
		F.	2·091	5·923	·609	·448	·701	·727	1·045	1·117	1·573	2·777	6·119	13·723	27·755
337	Wheatenhurst	M.	1·845	3·750	·521	·308	·408	·954	·735	1·062	1·573	2·324	4·839	12·821	46·250
		F.	1·503	3·314	·240	·283	·635	·590	·806	·652	1·010	1·597	4·167	11·648	25·333
338	Stroud *H*	M.	2·206	5·658	·716	·476	·477	·764	·959	1·078	1·279	2·864	6·005	13·587	36·410
		F.	1·979	4·827	·651	·460	·629	·743	·868	1·018	1·218	2·660	5·891	14·197	31·552
339	Tetbury	M.	1·873	4·420	·821	·477	·495	·673	1·069	·784	1·170	1·951	7·069	12·941	25·000
		F.	1·926	4·356	·430	·456	·390	·943	·687	1·046	1·309	3·232	5·672	18·125	22·308
340	Cirencester	M.	1·829	4·626	·568	·343	·409	·487	·752	1·058	1·153	2·385	5·603	13·391	31·667
		F.	1·806	4·244	·490	·421	·580	·835	·865	1·053	1·196	2·483	5·686	12·287	24·667
341	Northleach	M.	1·738	4·446	·487	·271	·472	·502	·785	·657	1·159	2·338	5·240	11·887	32·727
		F.	1·771	3·740	·580	·345	·622	·741	·885	·950	1·338	2·204	5·044	13·708	33·077
342	Stow-on the-Wold	M.	1·982	5·016	·578	·386	·601	·688	·729	1·096	1·236	2·399	5·021	15·862	37·778
		F.	1·993	4·756	·412	·596	·798	·876	·969	1·077	·955	2·684	5·652	16·923	27·692

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1861–70—*continued.*

No.	DISTRICTS.	SEX.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	VI.—WEST MIDLAND COUNTIES—*cont.*														
	22.—GLOUCESTERSH.—*cont.*														
343	Winchcomb	M.	1·763	4·362	·478	·292	·419	·516	·633	·820	1·125	1·983	5·758	12·990	22·857
		F.	1·852	4·260	·707	·376	·789	·641	·741	1·096	1·175	2·368	4·242	11·636	37·333
344	Cheltenham *II*	M.	2·227	6·631	·590	·269	·458	·797	·995	1·329	1·881	3·078	6·484	13·867	32·143
		F.	1·717	5·251	·568	·365	·452	·466	·650	·991	1·264	2·428	5·247	13·853	26·800
345	Tewkesbury	M.	2·051	5·128	·552	·375	·435	·946	·856	·867	1·325	2·583	5·839	16·696	34·737
		F.	1·905	4·490	·520	·408	·868	·777	·747	1·128	1·122	2·183	4·915	11·353	32·121
	23.—HEREFORDSH.														
346	Ledbury	M.	1·783	4·553	·387	·289	·355	·474	·798	·850	1·659	2·951	6·644	12·261	25·714
		F.	1·699	3·957	·602	·299	·671	·688	·785	·935	1·083	2·042	5·016	10·507	22·258
347	Ross	M.	2·018	5·005	·483	·341	·479	·801	·770	1·153	1·414	2·990	6·305	15·512	43·846
		F.	1·962	4·812	·554	·384	·514	·776	·873	1·054	1·234	2·395	5·627	12·330	33·793
348	Hereford *II*	M.	2·189	5·193	·712	·376	·467	·886	·984	1·461	2·035	3·205	6·301	15·354	29·362
		F.	1·989	4·571	·552	·363	·574	·663	·990	1·238	1·578	2·734	5·659	12·092	23·263
349	Weobly	M.	1·919	4·058	·435	·217	·471	1·101	·610	·992	1·470	3·252	6·175	16·410	32·000
		F.	1·648	3·739	·515	·344	·669	·663	·833	·744	1·111	1·647	4·258	10·825	22·857
350	Bromyard	M	1·907	4·606	·532	·299	·496	·548	·717	·992	1·402	2·416	6·813	13·529	23·000
		F.	1·889	4·246	·491	·444	·675	·679	·886	·726	·998	2·323	5·438	12·174	26·667
351	Leominster	M.	2·060	4·757	·681	·377	·442	·727	·958	1·182	1·765	3·345	6·447	13·793	29·474
		F.	2·019	4·274	·486	·394	·872	·838	1·038	1·063	1·255	2·606	6·210	13·161	34·469
	24.—SHROPSHIRE.														
352	Ludlow	M.	2·144	5·726	·743	·516	·372	·762	·825	1·000	1·627	2·963	6·446	14·286	42·000
		F.	1·944	4·705	·609	·349	·603	·767	·839	1·324	1·184	2·283	4·498	11·349	29·444
353	Clun	M.	1·775	4·085	·522	·392	·572	·508	·834	·959	1·056	2·335	5·304	14·667	20·588
		F.	1·812	4·058	·582	·328	·840	·808	·835	·947	·923	2·344	5·091	12·455	27·647
354	Church Stretton	M.	1·733	3·765	·594	·355	·503	1·068	·857	·886	1·074	2·417	5·484	12·667	37·143
		F.	1·759	3·090	·402	·420	·596	·769	·974	1·265	·949	2·689	4·789	12·059	28·000
355	Cleobury Mortimer	M.	1·852	3·665	·559	·471	·609	·640	·673	1·132	1·510	2·326	4·682	13·333	32·500
		F.	1·748	3·221	·772	·451	·716	·600	·904	·920	1·055	1·961	4·115	12·500	23·684
356	Bridgnorth *II*	M.	1·816	4·537	·530	·246	·394	·761	·635	·930	1·098	2·597	6·081	13·259	42·500
		F.	1·841	4·130	·582	·522	·750	·632	·792	·951	1·160	2·579	5·413	12·517	28·846
357	Shiffnal	M.	2·079	5·827	·642	·331	·557	·736	·881	·962	1·503	3·159	6·164	13·765	34·444
		F.	1·748	4·367	·689	·461	·503	·580	·811	·833	1·113	1·958	5·369	10·917	31·875
358	Madeley	M.	2·249	7·079	·624	·553	·581	·725	·818	·963	1·763	3·163	6·911	15·139	38·947
		F.	2·085	5·557	·612	·440	·631	1·026	·929	1·110	1·276	2·389	6·025	13·816	40·000
359	Atcham	M.	1·695	3·818	·477	·365	·603	·644	·813	·883	1·206	2·218	5·764	13·397	22·143
		F.	1·763	3·384	·546	·336	·725	1·054	·973	·758	1·003	2·110	4·437	12·956	26·250
360	Shrewsbury *HL*	M.	2·884	7·461	·770	·525	·855	1·242	1·417	2·000	3·028	4·631	7·881	18·039	32·381
		F.	2·362	6·444	·783	·419	·742	·978	1·200	1·385	1·847	3·121	6·644	16·073	32·222
361	Oswestry	M.	2·145	5·379	·579	·467	·661	·822	1·045	1·154	1·598	3·288	6·474	15·200	24·375
		F.	2·026	4·733	·648	·439	·762	1·068	1·058	1·251	1·211	2·242	5·054	12·470	30·244
362	Ellesmere	M.	2·049	4·467	·617	·414	·520	·866	1·197	·984	1·389	2·675	5·718	15·612	44·286
		F.	1·847	4·058	·681	·366	·543	·713	1·065	1·023	1·208	1·960	4·905	12·579	32·083
363*a*	Wem	M.	1·927	4·521	·598	·383	·497	·670	·817	·747	1·231	2·663	6·245	14·466	45·556
		F.	1·878	3·893	·535	·446	·491	·815	·973	·954	·921	2·255	4·784	14·167	32·273
363*b*	Whitchurch	M.	2·130	5·980	·614	·358	·541	·838	·855	·908	1·404	2·699	5·525	16·739	38·750
		F.	1·986	4·526	·745	·413	·428	·818	·986	1·369	1·299	2·222	5·418	12·913	26·590
364	Market Drayton	M.	1·828	4·877	·487	·350	·348	·705	·647	·997	1·276	2·306	5·090	12·823	37·500
		F.	1·753	4·190	·504	·363	·442	·696	·948	·927	1·164	2·156	5·415	13·672	21·481
365	Wellington	M.	2·211	6·806	·640	·455	·571	·684	·633	1·004	1·464	3·351	6·320	14·444	49·167
		F.	2·104	6·108	·653	·419	·769	·652	·890	1·250	1·130	2·509	5·488	12·460	33·750
366	Newport	M.	1·840	4·323	·472	·323	·461	·862	·855	1·055	1·159	2·811	5·788	15·042	26·190
		F.	1·808	4·225	·525	·343	·625	·774	·813	1·032	1·275	2·100	4·883	13·151	25·938

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1861–70—*continued.*

No.	DISTRICTS.	SEX.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	VI.—WEST MIDLAND COUNTIES—*cont.*														
	25.—STAFFORDSH.														
367	STAFFORD *HLL*	M.	2·459	6·148	·619	·460	·746	1·151	1·411	2·058	2·553	3·787	6·568	13·353	28·571
		F.	2·160	5·148	·761	·370	·741	·926	1·134	1·659	1·949	3·109	6·115	13·461	27·333
368	STONE *H*	M.	2·008	5·512	·599	·330	·514	·819	·683	1·114	1·600	3·061	6·334	12·739	24·231
		F.	1·938	4·914	·561	·335	·691	·954	1·015	1·158	1·395	2·380	5·778	12·747	37·500
369	NEWCASTLE-UNDER-LYME	M.	2·288	6·994	·695	·560	·734	·851	1·019	1·304	1·638	3·088	7·563	15·242	38·182
		F.	2·061	5·928	·762	·411	·544	·751	1·062	1·243	1·153	2·927	6·451	13·188	31·250
370	WOLSTANTON	M.	2·649	9·636	·792	·488	·585	·667	·846	1·430	2·519	4·498	8·605	17·445	26·316
		F.	2·442	8·248	·794	·439	·639	·795	·961	1·187	1·602	3·411	7·948	15·085	23·913
371	STOKE-UPON-TRENT *H*	M.	2·799	9·560	·820	·476	·658	·763	1·025	1·756	2·720	4·945	9·255	20·053	35·556
		F.	2·452	8·312	·853	·418	·653	·885	1·131	1·271	1·733	3·317	7·113	15·820	35·625
372	LEEK	M.	2·179	6·013	·732	·406	·730	·809	·941	1·062	1·662	2·883	6·835	13·713	25·652
		F.	2·080	5·000	·619	·499	·861	·894	1·153	1·310	1·650	2·682	6·805	16·011	24·333
373	CHEADLE	M.	2·177	5·930	·744	·414	·739	·857	1·036	1·021	1·389	2·876	6·760	14·113	29·000
		F.	2·020	4·869	·570	·527	·886	·892	1·021	1·314	1·375	2·317	5·725	14·408	27·826
374	UTTOXETER	M.	1·999	4·697	·575	·379	·465	·582	·840	·953	1·380	2·567	6·218	14·815	35·263
		F.	1·948	4·160	·542	·407	·462	·913	1·268	1·248	1·119	2·334	5·522	13·208	30·455
375	BURTON-UPON-TRENT *L*	M.	2·196	6·484	·615	·364	·497	·723	·931	1·455	1·865	3·309	6·544	15·039	34·483
		F.	2·064	5·475	·609	·462	·710	·760	1·051	1·246	1·525	2·612	6·110	12·096	33·889
376	TAMWORTH	M.	2·077	5·701	·691	·516	·541	·761	·776	1·100	1·360	2·577	6·107	16·759	26·000
		F.	1·988	4·785	·599	·391	·645	·857	·906	1·119	1·269	2·357	6·491	14·148	30·455
377	LICHFIELD *L*	M.	2·062	5·476	·725	·432	·586	·708	·854	1·077	1·559	2·595	5·909	15·093	29·118
		F.	1·945	4·689	·569	·461	·669	·741	·908	1·097	1·402	2·223	5·642	12·731	27·727
378	PENKRIDGE	M.	1·854	5·430	·555	·345	·505	·570	·764	·877	1·278	2·532	5·275	13·935	26·842
		F.	1·808	4·467	·656	·338	·653	·671	·855	·818	1·041	2·496	5·912	13·250	23·214
379	WOLVERHAMPTON *H*	M.	2·564	9·063	·923	·445	·531	·664	·840	1·275	1·938	3·680	8·078	15·751	27·736
		F.	2·299	8·065	·812	·343	·497	·676	·875	1·112	1·498	3·018	6·063	14·135	28·272
380	WALSALL	M.	2·526	9·097	·968	·444	·510	·726	·820	1·128	1·779	3·476	7·893	15·166	27·391
		F.	2·257	7·469	·890	·418	·566	·614	·841	1·089	1·464	3·037	6·864	14·779	42·727
381	WEST BROMWICH	M.	2·339	8·314	·783	·443	·477	·627	·716	·991	1·920	3·406	7·289	15·315	36·667
		F.	2·108	7·143	·723	·389	·501	·595	·790	1·057	1·368	2·648	6·735	13·873	28·571
382	DUDLEY	M.	2·648	9·590	·840	·527	·571	·670	·792	1·118	1·701	3·601	7·783	15·764	30·800
		F.	2·382	8·594	·736	·414	·464	·623	·764	1·077	1·330	2·824	6·192	13·957	28·824
	26.—WORCESTRSH.														
383	STOURBRIDGE	M.	2·351	8·391	·763	·411	·483	·637	·749	1·008	1·497	2·952	7·669	14·318	30·345
		F.	2·099	6·880	·740	·818	·517	·659	·780	1·032	1·328	2·383	6·372	13·617	27·843
384	KIDDERMINSTER *H*	M.	2·219	6·886	·799	·326	·576	·532	·820	·867	1·530	3·030	6·491	13·164	40·909
		F.	1·929	5·303	·902	·437	·619	·679	·755	·936	1·193	2·394	5·497	12·750	25·882
385	TENBURY	M.	1·854	4·314	·533	·346	·222	·610	·646	·795	1·515	3·050	6·790	15·455	33·750
		F.	1·790	3·863	·511	·327	·714	·775	·611	·888	1·171	1·910	4·451	12·083	28·333
386	MARTLEY	M.	1·734	3·818	·672	·291	·343	·525	·741	·771	1·427	2·253	5·027	12·953	29·000
		F.	1·705	3·780	·407	·414	·492	·742	·779	·914	1·080	2·014	4·755	10·930	25·455
387	WORCESTER *H*	M.	2·689	8·217	·848	·338	·641	·825	1·242	1·607	2·384	4·617	7·407	18·516	37·143
		F.	2·282	7·349	·664	·433	·438	·817	·961	1·281	1·681	3·006	6·009	15·081	30·930
388	UPTON-ON-SEVERN *L*	M.	2·209	5·016	·501	·314	·665	·935	·950	1·765	2·454	3·295	6·921	15·195	28·571
		F.	1·747	3·992	·516	·405	·572	·648	·909	1·139	1·525	2·044	5·056	12·100	26·842
389	EVESHAM	M.	1·859	4·535	·567	·365	·379	·470	·731	·890	1·609	2·605	6·201	13·750	39·091
		F.	1·719	4·109	·560	·237	·573	·706	·799	1·080	1·082	2·143	4·311	13·082	33·529
390	PERSHORE	M.	1·837	4·873	·610	·365	·455	·510	·633	·863	1·286	2·365	5·714	12·689	32·500
		F.	1·633	3·420	·487	·373	·757	·621	·875	·797	1·184	2·105	4·548	11·667	29·167
391	DROITWICH	M.	1·988	5·363	·559	·374	·383	·523	·742	·755	1·563	2·879	6·206	15·390	30·000
		F.	1·752	4·698	·537	·331	·670	·639	·791	·846	1·237	2·064	4·720	11·111	27·143
392	BROMSGROVE	M.	2·225	7·129	·794	·416	·420	·748	·771	·881	1·476	2·726	6·438	16·875	27·083
		F.	2·014	5·712	·696	·416	·597	·758	·854	·987	1·120	2·764	6·292	14·973	35·385
393	KINGS NORTON	M.	1·845	5·652	·589	·317	·351	·626	·630	·928	1·691	3·065	6·621	15·389	28·333
		F.	1·562	5·132	·511	·376	·362	·396	·574	1·008	1·304	2·266	5·740	13·000	26·098

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1861–70—*continued.*

No.	Districts.	Sex.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	VI.—WEST MIDLAND COUNTIES—*cont.*														
	27.—WARWICKSHIR.														
394	Birmingham *HHHHHL*	M.	2·838	9·917	1·013	·424	·555	·755	1·085	1·770	2·741	4·657	9·211	18·430	35·098
		F.	2·495	8·897	·996	·424	·514	·702	·910	1·308	1·982	3·848	7·726	17·172	30·294
395	Aston	M.	2·146	7·823	·738	·341	·404	·507	·638	·972	1·770	3·396	6·629	14·043	34·074
		F.	2·016	6·921	·683	·349	·463	·564	·737	1·019	1·565	2·800	5·787	14·197	30·169
396	Meriden	M.	1·893	4·704	·482	·417	·657	·693	·699	·947	1·217	1·991	5·805	13·981	37·778
		F.	1·788	3·576	·563	·557	·805	·564	·834	·954	1·283	1·744	5·036	13·171	29·412
397	Atherstone	M.	2·068	6·034	·598	·345	·376	·575	·664	·987	1·095	2·608	6·346	13·714	32·727
		F.	1·944	4·535	·546	·325	·688	·827	·840	1·176	1·299	2·518	5·641	11·887	33·333
398	Nuneaton	M.	2·416	7·338	·922	·317	·772	·807	·800	·829	1·577	2·913	6·836	13·846	33·846
		F.	2·241	6·763	·715	·519	·654	·982	1·110	1·088	1·229	2·455	6·812	13·627	32·000
399	Foleshill	M.	2·359	7·988	·555	·529	·696	·790	·718	·863	1·066	2·340	5·702	14·297	45·000
		F.	2·172	6·397	·662	·508	·768	·838	1·238	·907	·991	2·376	5·985	11·214	29·048
400	Coventry *H*	M.	2·251	7·362	·831	·416	·570	·780	·746	1·076	1·451	3·073	6·687	16·368	36·000
		F.	2·004	6·235	·744	·340	·583	·767	·847	·989	1·389	2·583	6·299	16·486	33·438
401	Rugby	M.	1·854	5·593	·514	·413	·307	·509	·768	1·116	1·100	2·386	5·434	15·529	31·091
		F.	1·782	4·535	·612	·363	·622	·608	·856	·994	1·017	2·252	5·684	12·900	38·696
402	Solihull	M.	1·689	4·186	·585	·310	·368	·563	·667	·772	1·256	2·280	4·726	12·571	36·429
		F.	1·566	3·276	·533	·250	·422	·496	·766	·931	1·091	1·893	5·331	12·336	31·053
403	Warwick *HL*	M.	2·253	6·032	·652	·453	·562	·876	1·068	1·273	1·913	3·050	6·484	16·149	30·000
		F.	1·902	5·332	·734	·508	·574	·691	·847	·893	1·402	2·613	5·565	13·341	31·273
404	Stratford-on-Avon	M.	1·838	4·393	·536	·274	·452	·636	·813	·810	1·306	2·710	5·798	12·713	44·706
		F.	1·827	4·250	·537	·390	·787	·741	·832	·921	1·122	2·212	5·526	14·706	26·786
405	Alcester	M.	1·919	5·193	·611	·273	·648	·626	·562	·690	1·523	2·446	5·990	13·904	39·231
		F.	1·909	4·704	·695	·374	·728	·796	·959	·917	1·147	2·663	5·039	13·097	27·391
406	Shipston-on-Stour	M.	1·888	5·172	·512	·342	·440	·471	·725	·797	1·106	2·324	5·000	13·842	35·882
		F.	1·764	3·645	·491	·462	·745	·760	·903	·805	1·121	2·151	5·426	13·444	30·000
407	Southam	M.	1·855	4·993	·642	·532	·554	·735	·578	·826	1·222	2·233	5·732	13·810	25·714
		F.	1·830	4·261	·499	·389	·803	1·063	·910	·864	·951	1·554	6·140	14·578	33·000
	VII.—NORTH MIDLAND COUNTIES.														
	28.—LEICESTERSHIR.														
408	Lutterworth	M.	1·846	4·764	·534	·310	·469	·735	·704	·616	·904	2·317	5·419	14·161	35·000
		F.	2·009	4·641	·444	·429	·680	·833	1·148	·975	1·526	2·527	5·556	12·453	39·375
409	Market Harborough	M.	1·885	5·781	·424	·259	·349	·587	·793	·800	1·137	2·414	5·096	13·782	42·000
		F.	1·843	4·904	·412	·310	·715	·720	·772	·975	1·245	1·890	4·935	13·529	32·500
410	Billesdon *L*	M.	1·347*	2·756	·508	·243	·166	·498	·308	·818	1·054	2·015	4·211	14·426	22·000
		F.	1·226	3·118	·362	·372	·398	·578	·559	·495	·939	1·279	3·920	7·606	24·286
411	Blaby	M.	2·084	7·526	·373	·242	·348	·713	·877	·671	1·037	2·035	4·787	11·024	29·286
		F.	1·971	5·776	·461	·384	·693	·611	·644	·957	1·205	2·367	6·221	14·513	30·000
412	Hinckley	M.	2·253	7·697	·582	·267	·482	·832	·740	·865	·987	1·937	6·179	14·000	26·111
		F.	2·145	6·170	·509	·391	1·050	·991	1·003	1·112	1·303	2·366	5·347	13·485	46·000
413	Market Bosworth	M.	1·948	5·698	·488	·314	·342	·854	·611	·604	1·248	2·159	6·101	13·932	26·000
		F.	1·896	4·917	·570	·263	·987	·894	·974	·873	·975	2·070	5·117	12·719	23·333
414	Ashby-de-la-Zouch	M.	2·038	6·493	·421	·352	·643	·848	·669	·907	1·306	2·547	5·453	12·902	30·741
		F.	1·953	5·050	·440	·348	·599	·815	·993	1·054	1·314	2·546	5·878	13·761	25·882
415	Loughborough *H*	M.	2·353	7·412	·553	·399	·548	·873	·775	·955	1·510	2·546	5·907	14·531	32·727
		F.	2·235	6·406	·643	·443	·812	1·003	1·086	1·124	1·245	2·749	5·832	13·397	26·129
416	Barrow-upon-Soar	M.	2·117	6·412	·588	·465	·513	·825	·665	·742	·988	2·806	5·796	12·312	25·217
		F.	2·036	5·991	·498	·239	·785	·787	1·127	1·116	·890	2·388	5·560	12·428	34·762
417	Leicester *HL*	M.	2·855	10·774	·629	·369	·636	·724	·941	1·352	1·962	3·623	7·741	16·399	29·024
		F.	2·414	9·213	·601	·473	·631	·774	·925	1·207	1·608	2·936	6·689	15·035	34·200
418	Melton Mowbray	M.	1·894	5·087	·537	·230	·586	·787	·916	·978	1·111	2·427	5·393	12·286	34·000
		F.	1·815	4·271	·481	·449	·670	·870	·858	·999	1·459	1·898	5·652	12·733	28·750

* Billesdon.—See note as to defective registration, p. lvi.

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1861–70—*continued.*

No.	DISTRICTS.	SEX.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	VII.—NORTH MIDLAND COUNTIES—*cont.*														
	29.—RUTLANDSHIRE.														
419	OAKHAM	M.	2·029	5·250	·546	·397	·575	·907	·862	·958	1·412	2·324	5·591	15·934	30·000
		F.	1·878	4·250	·579	·315	·552	1·121	·836	1·092	1·670	2·042	4·444	13·364	44·000
420	UPPINGHAM	M.	1·823	4·734	·680	·415	·387	·714	·820	·848	1·270	2·272	4·516	13·679	33·636
		F.	1·868	4·524	·492	·525	·583	·826	·926	1·116	1·113	1·881	5·149	14·554	27·143
	30.—LINCOLNSHIRE.														
421	STAMFORD *H*	M.	2·048	5·351	·656	·414	·401	·710	·797	·995	1·826	2·613	6·050	15·000	24·000
		F.	1·763	4·549	·635	·412	·588	·566	·856	·998	·979	2·261	4·977	11·576	38·421
422	BOURN*	M.	1·940	5·185	·667	·378	·493	·684	·741	·875	1·098	2·381	5·711	13·804	28·000
		F.	1·761	4·396	·578	·388	·510	·930	·792	·919	·950	2·023	3·991	12·565	27·742
423	SPALDING*	M.	2·041	6·200	·656	·447	·496	·797	·746	·943	1·431	2·475	5·071	12·778	28·824
		F.	1·685	4·393	·722	·380	·567	·907	·875	·856	1·059	2·066	4·027	10·995	24·400
424	HOLBEACH	M.	1·906	6·103	·513	·457	·456	·640	·743	·755	1·312	2·363	4·698	11·724	28·667
		F.	1·803	4·815	·536	·467	·621	·829	1·027	·926	1·343	2·204	4·278	12·324	24·000
425	BOSTON	M.	1·953	5·439	·640	·390	·540	·789	·851	1·021	1·400	2·348	5·234	11·842	30·732
		F.	1·795	4·308	·737	·469	·596	·676	·942	·949	1·249	2·043	4·463	12·765	27·541
426	SLEAFORD	M.	1·839	5·169	·609	·310	·441	·624	·822	·881	1·122	2·036	5·460	12·338	29·643
		F.	1·714	4·472	·542	·492	·427	·737	·760	·853	1·083	2·025	4·641	10·575	30·938
427	GRANTHAM	M.	1·976	5·396	·548	·353	·603	·871	·865	·845	1·286	2·549	6·137	13·644	81·304
		F.	1·920	4·928	·673	·382	·671	·763	·954	1·099	1·378	1·892	5·545	11·903	42·000
428	LINCOLN *HL*	M.	2·232	6·809	·672	·416	·508	·880	1·002	1·307	1·721	3·150	5·828	13·934	29·231
		F.	2·014	5·438	·653	·444	·728	·857	1·195	1·150	1·305	2·354	5·347	12·975	29·815
429	HORNCASTLE	M.	1·791	4·625	·600	·535	·446	·830	·656	·873	1·195	2·179	5·116	11·667	30·000
		F.	1·822	4·109	·758	·548	·877	·929	·947	1·100	1·093	1·890	4·242	11·203	23·265
430	SPILSBY	M.	1·842	4·987	·655	·281	·521	·901	·986	·824	1·220	1·965	4·844	11·914	27·273
		F.	1·738	3·885	·739	·548	·766	·862	1·095	·884	1·134	1·815	4·067	12·107	22·128
431	LOUTH	M.	1·871	5·002	·580	·323	·633	·646	·717	·793	1·261	2·347	5·668	14·653	23·143
		F.	1·843	4·655	·481	·424	·871	·982	1·078	1·008	1·033	2·088	4·543	10·521	27·222
432	CAISTOR	M.	1·910	6·340	·747	·468	·489	·697	·751	·916	1·148	2·204	5·169	12·720	25·806
		F.	1·824	5·019	·669	·474	·685	·895	·974	·919	1·162	2·066	4·640	12·566	28·605
433	GLANFORD BRIGG	M.	1·994	5·378	·888	·508	·583	·897	·821	·818	1·288	2·228	5·322	12·132	28·718
		F.	1·920	4·761	·749	·571	·832	·927	1·026	1·131	1·138	2·014	4·460	13·238	26·818
434	GAINSBOROUGH	M.	2·171	6·162	·877	·457	·618	·850	·830	·890	1·346	2·531	5·591	12·689	30·000
		F.	1·979	5·026	·804	·418	·787	1·122	·984	·980	1·107	2·187	4·313	11·696	24·250
	31.—NOTTINGHAMS.														
435	EAST RETFORD	M.	1·983	5·453	·642	·333	·452	·570	·796	·909	1·166	2·202	4·834	13·717	30·741
		F.	1·824	4·234	·493	·381	·689	·822	·928	·962	1·277	1·786	4·774	11·833	35·152
436	WORKSOP	M.	1·996	6·052	·771	·329	·412	·636	·685	1·118	1·471	2·553	5·966	15·355	33·571
		F.	1·906	4·832	·702	·441	·709	·634	·936	1·030	1·340	2·411	4·941	14·342	36·500
437	MANSFIELD	M.	2·169	6·923	·726	·398	·709	·724	·705	·884	1·232	2·502	6·374	14·811	35·263
		F.	2·168	5·915	·593	·502	·813	1·139	1·006	1·255	1·199	2·520	6·411	16·316	31·200
438	BASFORD*	M.	2·156	7·465	·679	·403	·589	·778	·648	·838	1·179	2·526	5·268	12·537	37·400
		F.	2·151	6·295	·635	·482	·874	·980	1·027	1·032	1·299	2·714	5·841	14·564	28·235
439	RADFORD *L*	M.	2·376	8·419	·858	·448	·681	·761	·868	1·053	1·544	2·789	6·971	14·956	42·500
		F.	2·255	7·474	·761	·469	·938	·966	1·026	1·104	1·641	3·145	6·536	14·834	37·500
440	NOTTINGHAM* *HH*	M.	2·628	9·232	·773	·408	·680	·912	·917	1·383	1·888	3·491	7·355	16·760	41·515
		F.	2·248	8·112	·705	·479	·719	·896	1·075	1·167	1·713	3·202	7·003	14·964	30·000
441	SOUTHWELL	M.	1·941	4·649	·472	·383	·609	·961	·800	·767	1·409	2·061	5·327	12·438	27·297
		F.	1·868	4·195	·535	·365	·749	·928	1·056	·889	1·110	1·991	4·874	12·560	29·487
442	NEWARK *H*	M.	2·079	5·725	·731	·395	·514	·968	·858	1·026	1·123	2·462	5·191	12·714	25·641
		F.	2·017	5·128	·702	·486	·779	·830	1·050	1·181	1·347	2·238	4·835	11·626	25·745
443	BINGHAM	M.	1·888	4·595	·509	·388	·707	·891	·746	·861	1·243	2·241	4·450	12·600	21·444
		F.	1·817	4·470	·489	·458	·992	1·048	·950	1·003	1·059	1·888	5·252	11·046	23·333

* Corrections have been made for changes in the constitution of these Districts during the 10 years.

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1861–70—*continued.*

No.	Districts.	Sex.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	VII.—NORTH MIDLAND COUNTIES—*cont.*														
	32.—DERBYSHIRE.														
414	Shardlow	M.	1·937	4·919	·596	·496	·441	·736	·771	1·061	1·205	2·502	5·845	13·063	34·138
		F.	1·947	4·241	·500	·479	·865	1·034	1·065	1·058	1·142	2·406	5·712	14·580	32·647
415	Derby *H*	M.	2·421	7·958	·885	·452	·703	·776	·977	1·117	1·996	3·626	7·669	17·460	33·750
		F.	2·237	6·634	·832	·449	·812	1·009	1·145	1·417	1·600	3·218	6·510	14·757	33·714
416	Belper	M.	2·148	6·572	·727	·510	·573	·771	·847	·966	1·512	2·780	6·499	14·706	30·000
		F.	2·178	5·215	·784	·472	·887	·995	1·273	1·197	1·541	3·005	6·423	14·475	42·286
417	Ashborne	M.	1·954	4·541	·507	·455	·499	·619	·743	1·011	1·325	2·627	6·018	14·674	28·462
		F.	2·005	4·112	·595	·474	·895	1·035	1·179	1·093	1·457	2·331	5·785	13·561	28·335
418	Chesterfield *H*	M.	2·219	7·509	·780	·477	·660	·858	·739	1·001	1·625	2·868	6·813	15·763	37·931
		F.	2·178	6·223	·777	·453	·801	·899	1·022	1·099	1·351	2·555	6·193	16·131	30·811
419	Bakewell	M.	2·196	5·365	·551	·391	·735	·991	1·134	1·177	1·676	2·950	6·407	16·364	41·176
		F.	1·995	4·217	·616	·440	·977	1·046	1·111	1·358	1·290	3·055	6·385	15·505	25·652
420	Chapel-en-le-Frith *H*	M.	2·102	5·534	·619	·559	·633	·651	·862	1·231	2·167	3·659	6·418	13·483	48·323
		F.	2·065	4·918	·605	·646	1·031	·935	1·183	1·145	1·631	3·213	7·395	14·941	31·250
421	Hayfield	M.	2·297	7·482	·871	·768	·809	·901	·832	·919	1·617	3·661	7·995	16·723	27·857
		F.	2·025	5·784	·595	·577	·919	·798	1·033	1·096	1·736	3·590	7·574	16·015	24·615
	VIII.—NORTH WSTRN. COUNTIES.														
	33.—CHESHIRE.														
452	Stockport *HHL*	M.	2·746	9·363	1·014	·520	·683	1·062	·974	1·405	2·191	4·401	8·537	16·804	42·083
		F.	2·331	7·928	·972	·473	·646	·821	·975	1·370	1·965	3·974	7·725	15·635	25·294
453	Macclesfield	M.	2·405	7·103	·788	·443	·887	1·066	·968	1·165	1·791	3·294	7·880	16·358	34·688
		F.	2·264	6·328	·741	·544	·855	·957	1·271	1·363	1·816	3·420	7·786	16·625	31·500
454	Altrincham	M.	2·041	5·491	·712	·364	·527	·658	·951	1·226	1·749	2·833	7·082	15·066	36·667
		F.	1·772	4·587	·759	·420	·492	·661	·833	1·128	1·428	2·761	6·144	15·233	32·333
455	Runcorn	M.	2·361	7·201	·915	·499	·736	·805	1·060	1·446	1·750	3·700	7·190	15·625	32·308
		F.	2·233	6·169	·706	·440	·723	·941	1·051	1·204	1·697	3·284	6·515	11·696	27·826
456	Northwich	M.	2·292	7·082	·831	·541	·536	·716	·817	1·162	1·582	2·821	6·789	13·602	41·000
		F.	2·140	5·781	·719	·404	·591	·917	1·031	1·236	1·287	2·560	6·555	13·421	27·576
457	Congleton	M.	2·219	6·769	·726	·420	·671	·893	·872	1·020	1·639	3·016	6·896	13·846	28·214
		F.	2·100	5·400	·551	·502	·852	1·138	1·279	1·390	1·590	2·970	6·496	16·335	31·759
458	Nantwich	M.	2·064	6·338	·813	·527	·474	·735	·768	·876	1·469	2·671	6·158	14·066	37·667
		F.	1·941	5·369	·655	·379	·534	·795	·822	1·135	1·351	2·450	5·359	13·174	29·600
459	Chester (Great Boughton) *HL*	M.	2·466	6·691	·744	·474	·577	1·045	1·324	1·835	2·418	3·644	6·893	15·898	37·381
		F.	2·163	5·919	·733	·387	·695	·867	1·109	1·359	1·807	2·872	5·995	12·263	26·049
460*a*	Wirral *	M.	1·912	5·028	·787	·437	·661	·772	1·035	1·081	1·691	2·709	6·573	14·312	28·667
		F.	1·711	4·316	·796	·473	·652	·612	·770	·877	1·336	2·788	5·757	12·443	30·000
460*b*	Birkenhead * *HHH*	M.	2·471	8·229	1·059	·598	·629	·782	·997	1·601	2·470	3·949	8·195	17·295	30·000
		F.	2·111	7·414	·974	·451	·512	·575	·921	1·214	1·784	3·052	6·554	13·881	25·667
	34.—LANCASHIRE.														
461	Liverpool *HHHHHHHL*	M.	4·695	14·475	1·647	·668	·945	1·422	1·938	3·007	4·572	7·095	11·918	19·488	29·660
		F.	3·636	13·429	1·514	·614	·758	1·102	1·749	2·408	3·701	5·769	9·564	16·281	25·446
462	West Derby *HHH*	M.	2·798	9·334	1·123	·496	·662	·854	1·156	1·809	2·726	4·127	8·165	16·735	35·200
		F.	2·483	8·438	1·056	·512	·614	·747	1·080	1·576	2·563	3·831	7·664	14·359	25·469
463	Prescot *L*	M.	2·438	7·775	1·027	·495	·607	·839	1·005	1·457	2·356	3·736	7·411	16·284	29·167
		F.	2·238	7·035	·829	·423	·507	·763	·941	1·340	1·876	3·287	6·488	13·792	23·333
464	Ormskirk *HH*	M.	2·348	6·461	·848	·538	·586	·930	1·175	1·670	2·061	3·286	6·035	13·992	33·667
		F.	2·012	5·701	·857	·485	·605	·711	1·068	1·327	1·570	2·698	5·483	12·695	26·939
465	Wigan	M.	2·994	10·592	1·209	·642	·829	·932	·981	1·387	2·079	3·856	8·374	16·500	35·405
		F.	2·735	9·368	1·139	·491	·763	·857	1·019	1·285	1·867	3·251	7·291	15·251	27·692
466	Warrington *L*	M.	2·689	8·709	1·106	·557	·773	·940	1·089	1·606	2·461	4·217	7·472	14·524	32·500
		F.	2·568	7·954	·924	·423	·634	·861	1·021	1·411	2·128	3·849	8·000	15·922	32·308

* On 2nd July 1861 the new District of Birkenhead was formed out of the District of Wirral. The mortality of the new District is here given for the whole period, a correction having been made for the part of the year 1861 prior to the date of change.

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1861–70—*continued.*

No.	Districts.	Sex.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	VIII.—NORTH WSTRN. COUNTIES—*cont.*														
	34.-LANCASHIRE-*cont.*														
467	Leigh	M.	2·612	8·642	·856	·479	·711	·950	·857	1·288	1·861	3·327	7·461	15·699	30·526
		F.	2·463	7·820	·807	·421	·894	1·069	1·161	1·367	1·811	3·041	7·200	15·157	32·273
468	Bolton *II*	M.	2·811	9·487	·981	·567	·820	·891	·990	1·397	2·349	4·459	8·459	17·411	35·814
		F.	2·373	7·978	·944	·497	·759	·838	·957	1·337	1·741	3·559	7·032	15·700	29·063
469	Bury	M.	2·530	8·278	·908	·548	·778	·846	·924	1·352	2·141	4·293	8·424	19·029	36·774
		F.	2·234	7·147	·927	·449	·765	·897	1·007	1·333	1·798	3·362	7·134	15·488	38·293
470	Barton-upon-Irwell	M.	2·355	7·199	·995	·570	·649	·880	·947	1·295	1·831	3·673	7·607	18·696	38·333
		F.	2·002	6·011	·729	·552	·663	·749	·981	1·146	1·596	3·526	6·241	15·352	40·000
471	Chorlton *II*	M.	2·653	9·166	1·019	·443	·697	·776	·967	1·574	2·491	4·718	9·591	18·017	32·188
		F.	2·373	8·247	·952	·458	·659	·745	·988	1·355	2·063	3·926	7·910	16·732	24·328
472	Salford *II*	M.	2·879	9·795	1·098	·527	·674	·785	1·056	1·692	2·726	5·012	9·709	19·910	45·294
		F.	2·519	8·840	·950	·466	·687	·818	·956	1·460	2·250	4·006	8·154	15·135	34·359
473	Manchester *IIIIIIIIL*	M.	3·538	11·790	1·401	·651	·939	1·167	1·469	2·325	3·455	6·017	10·876	20·978	40·714
		F.	3·046	10·590	1·152	·579	·740	·955	1·307	1·926	2·876	5·031	9·426	17·300	27·387
474	Ashton-under-Lyne *II*	M.	2·704	9·359	·938	·519	·827	·934	·973	1·310	2·224	4·377	8·734	18·445	50·000
		F.	2·352	7·994	·889	·514	·774	·896	1·117	1·333	1·851	3·697	7·580	17·071	37·027
475	Oldham	M.	2·725	9·695	1·116	·574	·685	·819	·878	1·337	2·214	4·459	8·820	19·878	37·600
		F.	2·396	8·085	1·022	·445	·756	·856	1·019	1·294	1·810	3·548	7·744	16·415	28·557
476	Rochdale	M.	2·550	8·490	·998	·500	·729	·805	·957	1·398	2·354	4·322	8·546	18·822	42·500
		F.	2·236	7·421	·985	·530	·745	·900	1·006	1·279	1·674	3·505	7·564	16·188	32·059
477	Haslingden	M.	2·378	8·223	1·019	·544	·650	·754	·797	1·210	1·859	3·786	8·750	18·488	43·529
		F.	2·147	6·976	·896	·446	·768	·859	1·050	1·167	1·720	3·509	7·703	16·441	37·241
478	Burnley	M.	2·522	8·966	·934	·497	·814	·817	·795	1·149	1·743	3·729	8·221	18·212	33·704
		F.	2·279	7·323	·914	·468	·830	·951	1·023	1·351	1·671	3·407	7·420	15·563	31·290
479	Clitheroe	M.	2·043	5·719	·584	·426	·632	·638	·658	1·041	1·216	2·822	7·157	15·325	27·500
		F.	2·024	4·605	·740	·440	·819	1·020	1·205	1·321	1·142	2·504	6·163	14·351	36·875
480	Blackburn *II*	M.	2·760	10·003	·892	·453	·806	·848	·930	1·313	2·136	3·855	7·879	16·524	33·250
		F.	2·407	8·507	·896	·441	·794	·940	1·033	1·341	1·777	3·563	6·835	14·588	30·612
481	Chorley	M.	2·361	7·186	·970	·495	·773	·823	·763	1·202	1·537	3·109	6·809	14·170	33·235
		F.	2·151	6·259	·795	·459	·931	1·007	1·024	1·228	1·418	3·045	6·278	13·699	28·750
482	Preston *II*	M.	2·986	10·563	1·024	·537	·747	·939	1·163	1·570	2·262	3·787	7·027	16·209	35·650
		F.	2·606	9·184	·882	·480	·858	·935	1·202	1·554	1·947	3·779	7·048	15·069	28·254
483	Fylde	M.	2·271	6·450	·668	·317	·699	1·149	1·188	1·408	1·578	2·828	6·495	13·889	31·667
		F.	2·001	5·540	·828	·453	·618	·841	1·005	1·195	1·463	2·967	5·881	13·030	32·593
484	Garstang	M.	1·816	4·482	·818	·394	·736	·514	·997	·888	1·050	2·432	4·271	12·000	29·286
		F.	1·877	3·928	·811	·518	·700	·918	1·047	1·062	1·203	2·133	5·178	15·435	28·000
485*a*	Lancaster * *IIL*	M.	2·362	5·624	·580	·405	·612	1·030	1·370	1·824	2·216	3·376	6·464	15·841	25·938
485*b*	Lunesdale	F.	2·096	4·832	·618	·424	·681	·802	1·145	1·462	1·892	2·947	6·323	13·488	29·000
486	Ulverston *II*	M.	2·100	5·888	·731	·485	·732	·866	·945	1·215	1·723	3·074	6·518	15·174	38·182
		F.	2·027	5·058	·743	·544	·894	·951	1·071	1·079	1·543	2·407	5·179	13·661	26·739
	IX.—YORKSHIRE.														
	35.—WEST RIDING.														
487	Sedbergh	M.	1·527	3·464	·517	·353	·870	·979	·746	·519	·896	1·944	5·238	9·756	26·667
		F.	1·775	2·567	·409	·556	1·156	1·538	·941	1·172	1·262	2·550	4·894	16·389	28·333
488	Settle	M.	1·783	4·367	·552	·388	·476	·528	·714	·567	1·360	2·602	5·320	13·680	32·778
		F.	1·839	3·977	·634	·349	·836	·923	1·124	·892	1·494	2·292	4·676	13·212	32·143
489	Skipton †	M.	2·147	6·103	·879	·495	·766	·732	·954	1·032	1·454	2·882	6·299	14·930	40·526
		F.	2·138	4·897	·799	·602	1·112	1·030	1·186	1·236	1·510	2·902	7·644	15·000	36·000
490	Pateley Bridge	M.	2·187	5·381	·615	·435	·685	1·640	·928	·830	1·318	2·988	6·359	13·889	29·167
		F.	2·079	4·381	·607	·370	1·002	1·463	1·022	1·443	1·339	2·662	5·699	15·556	27·692

* On 1st July 1869 the new District of Lunesdale was formed out of the District of Lancaster. The mortality of the new District is not separately given in this Table.

† A correction has been made for a change in the constitution of this District during the 10 years.

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1861–70—*continued.*

No.	Districts.	Sex.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	IX.—YORKSHIRE—*cont.*														
	35.—WEST RIDING —*cont.*														
491	Ripon	M.	2·071	5·266	·637	·300	·555	·761	·933	1·017	1·510	2·849	5·888	12·756	29·524
		F.	1·928	4·287	·647	·377	·511	·824	·975	·928	1·483	2·243	4·862	14·146	34·828
492*a*	Great Ouseburn *	M.	2·152	6·090	·722	·460	·596	·907	·849	1·058	1·485	2·844	6·263	16·402	31·311
		F.	2·085	5·217	·763	·537	·932	1·051	1·138	1·131	1·428	2·465	5·852	13·975	28·933
492*b*	Knaresborough *II*	M.	2·223	5·655	·783	·378	·644	·752	·882	1·398	1·765	3·556	6·965	13·516	34·118
		F.	2·042	5·335	·696	·516	·826	·747	·999	1·222	1·615	2·511	5·457	14·129	31·500
492*c*	Wetherby *	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
493	Wharfedale * *III*	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
494	Keighley ‡	M.	2·540	8·644	1·037	·648	·859	·925	·925	1·137	1·775	3·861	7·391	17·113	35·263
		F.	2·283	6·946	·979	·697	1·045	1·183	1·099	1·286	1·401	3·360	7·397	17·656	30·000
495	Todmorden	M.	2·302	7·161	·740	·507	·825	·690	·877	1·086	1·911	3·696	8·271	18·239	51·429
		F.	2·048	5·707	·939	·483	·783	·817	1·009	1·186	1·623	3·221	7·480	16·284	31·250
496	Saddleworth	M.	2·443	7·576	·813	·672	·852	·889	1·005	·934	1·742	3·837	7·643	22·603	45·000
		F.	2·176	6·174	·725	·655	·946	·946	1·056	1·223	1·608	3·191	7·418	18·795	45·714
497	Huddersfield *II*	M.	2·544	7·910	·947	·555	·805	·955	·963	1·271	1·953	3·917	7·888	17·632	39·744
		F.	2·198	6·505	·898	·537	·875	·945	1·120	1·223	1·561	3·133	7·051	15·421	29·385
498	Halifax *II*	M.	2·578	8·497	·945	·572	·879	·932	·948	1·354	2·051	4·049	8·599	17·006	37·632
		F.	2·287	7·395	·840	·646	1·046	1·002	1·030	1·197	1·656	3·258	7·148	16·559	29·180
499	Bradford *III*	M.	2·666	9·807	·907	·518	·707	·891	·911	1·294	2·001	3·823	8·176	17·857	33·684
		F.	2·381	8·315	·837	·549	·905	1·012	1·139	1·251	1·667	3·263	7·533	16·551	31·229
500*b*	Hunslet †	M.	2·661	9·744	·824	·540	·702	·781	·834	1·223	2·003	3·719	8·310	18·031	43·810
500*c*	Holbeck †	F.	2·445	8·057	·879	·518	·828	·876	·973	1·318	1·590	3·212	7·276	17·506	28·333
500*d*	Bramley †														
501	Leeds ‡ *IIIII*	M.	3·217	11·292	1·045	·582	·797	1·030	1·302	1·908	2·928	5·132	9·939	22·413	34·348
		F.	2·760	9·645	·944	·539	·716	·955	1·170	1·554	2·208	3·991	8·543	17·863	27·917
502	Dewsbury	M.	2·777	10·276	1·076	·583	·756	·901	·914	1·097	1·864	3·522	8·487	17·041	41·923
		F.	2·449	8·454	·937	·568	·874	·877	·997	1·248	1·491	3·377	7·271	16·639	31·707
503	Wakefield ‡ *IIL*	M.	2·686	7·421	·878	·576	·747	1·003	1·205	1·996	2·669	4·505	9·039	16·853	34·800
		F.	2·448	6·510	·765	·492	·820	·924	1·260	1·614	2·140	3·629	7·114	15·698	35·714
504*a*	Pontefract ‡	M.	2·390	7·932	·787	·463	·620	·697	·819	1·168	1·652	3·179	6·467	15·350	29·200
		F.	2·246	6·590	·835	·511	·739	·847	·916	1·111	1·291	2·646	5·856	14·304	31·429
504*b*	Hemsworth	M.	1·903	4·604	·704	·406	·547	·859	1·012	·867	1·731	2·384	5·912	14·091	31·429
		F.	1·803	3·327	·362	·569	1·000	·993	1·130	·835	1·672	1·877	5·598	16·029	20·000
505	Barnsley *II*	M.	2·593	8·376	·853	·709	·896	1·093	1·133	1·312	1·860	3·341	7·358	15·309	31·250
		F.	2·345	7·373	·723	·485	·880	·922	·977	1·232	1·483	2·638	6·200	15·105	28·000
506	Wortley	M.	2·131	6·586	·789	·512	·528	·703	·800	1·229	1·717	2·903	6·993	16·117	35·556
		F.	2·135	5·653	·781	·589	·678	·998	1·011	1·203	1·294	2·806	6·560	17·784	31·765
507	Ecclesall Bierlow	M.	2·382	7·863	·985	·520	·652	·766	·865	1·207	1·872	3·872	8·021	19·543	39·412
		F.	2·137	6·935	·928	·496	·550	·712	·892	1·195	1·630	3·042	7·079	18·265	33·333
508	Sheffield *IIIIII*	M.	3·040	10·515	1·239	·588	·748	·877	1·115	1·813	2·761	5·152	9·985	20·033	31·667
		F.	2·770	9·313	1·167	·487	·781	·849	1·069	1·403	2·089	3·726	8·104	17·699	37·674
509	Rotherham	M.	2·436	8·040	·836	·664	·674	·828	·824	1·277	1·913	3·469	7·384	20·121	53·000
		F.	2·299	6·728	·830	·434	·766	1·010	1·107	1·182	1·503	2·881	6·494	14·398	38·750
510	Doncaster *II*	M.	2·321	7·233	·786	·341	·617	·756	1·043	1·275	1·674	2·878	6·336	15·870	33·333
		F.	2·170	6·055	·839	·497	·732	·732	1·093	1·228	1·319	2·245	5·653	13·559	35·349
511	Thorne	M.	2·268	6·990	·717	·419	·729	·909	·745	·868	1·173	2 262	5·197	15·108	31·176
		F.	2·056	5·478	·568	·406	·582	1·095	1·306	·977	1·044	1·728	5·394	11·369	24·375
512	Goole	M.	2·399	7·784	·914	·541	·515	1·160	1·008	1·111	1·378	2·738	6·042	10·096	26·000
		F.	2·202	6·981	·808	·617	·830	·880	1·218	1·015	1·163	2·104	5·220	9·365	32·667
513	Selby	M.	2·193	6·539	·725	·498	·563	·863	·740	1·018	1·338	2·594	5·635	13·158	24·500
		F.	2·007	5·582	·675	·433	·592	·754	·826	·994	1·050	2·130	5·431	11·722	29·200
514	Tadcaster *	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—

* The mortality for the Districts of Wetherby (492*c*), Wharfedale (493), and Tadcaster (514) is included with that of Great Ouseburn District (492*a*), the numerous and intricate changes made in the constitution of these four Districts during the 10 years 1861–70 having rendered it impracticable to give anything like a correct death-rate for the Districts separately.

† The Districts of Holbeck and Bramley were formed in 1862 and 1863, chiefly out of parts of the old District of Hunslet; the changes thereby involved were so numerous as to make it necessary to give the mortality for the three Districts combined.

‡ Corrections have been made for changes in the constitution of these Districts during the 10 years.

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1861–70—*continued.*

No.	Districts.	Sex.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	IX.—YORKSHIRE—*cont.*														
	36.—EAST RIDING (*with York*).														
515	York *HLLL* - - - - -	M.	2·517	7·747	·748	·454	·597	1·006	1·054	1·613	1·951	3·768	7·115	17·750	31·778
		F.	2·210	6·341	·706	·513	·622	·701	1·033	1·412	1·690	3·054	5·937	14·132	24·607
516	Pocklington - - - - -	M.	1·802	5·074	·680	·388	·395	·479	·737	·685	1·203	2·181	5·423	13·333	40·000
		F.	1·847	4·432	·590	·408	·413	·961	·944	1·122	1·181	1·904	5·059	12·400	29·565
517	Howden - - - - - -	M.	2·357	6·996	1·027	·515	1·197	1·337	·985	1·039	1·355	2·028	5·266	15·000	23·636
		F.	2·183	5·700	·992	·441	1·435	1·376	1·150	·964	·855	1·670	5·160	11·457	26·818
518	Beverley - - - - - -	M.	2·038	6·346	·628	·381	·495	·723	·739	·939	1·212	2·554	5·800	13·608	33·478
		F.	1·896	5·101	·662	·428	·649	·957	·897	·982	1·212	2·030	4·440	10·561	28·056
519	Sculcoates - - - - - -	M.	2·425	8·589	·947	·447	·710	·791	·834	1·076	1·472	2·797	6·568	14·055	28·710
		F.	2·177	7·122	·813	·483	·591	·794	·966	1·092	1·422	2·741	5·460	13·661	22·712
520	Hull *HL* - - - - - -	M.	2·728	9·234	1·092	·614	·768	1·089	1·145	1·501	2·367	4·191	7·878	18·939	32·381
		F.	2·395	7·824	·959	·520	·661	·901	1·220	1·337	1·737	2·943	6·489	14·519	26·739
521	Patrington - - - - - -	M.	1·753	5·024	·693	·333	·573	·605	·547	·645	1·186	2·476	4·715	12·838	25·455
		F.	1·957	4·969	·732	·492	·757	1·309	·993	·798	1·196	2·093	4·523	11·647	33·846
522	Skirlaugh - - - - - -	M.	1·940	6·230	·621	·455	·472	·688	·624	·989	1·259	2·484	3·934	13·409	23·636
		F.	1·959	5·164	·653	·597	·614	·960	1·319	·929	·968	2·050	4·233	12·143	21·176
523	Driffield - - - - - -	M.	2·093	6·880	·782	·527	·488	·621	·727	·793	1·292	2·435	5·576	13·972	35·625
		F.	2·100	5·511*	·970	·612	·766	1·005	1·142	1·009	1·253	1·823	4·786	12·484	28·519
524	Bridlington - - - - -	M.	2·045	6·441	·704	·294	·513	·679	·829	·946	1·122	2·702	5·344	14·211	34·286
		F.	1·944	5·722	·646	·429	·598	·776	·976	1·061	1·064	1·962	4·265	11·655	24·000
	37.—NORTH RIDING.														
525	Scarborough - - - - -	M.	2·398	7·493	·830	·510	·585	·770	1·053	1·084	1·722	3·160	6·523	14·141	23·333
		F.	2·080	6·327	·866	·454	·694	·732	·955	1·138	1·502	2·402	5·237	12·655	26·000
526	Malton - - - - - -	M.	1·982	5·118	·770	·479	·423	·849	·842	1·018	1·264	2·634	5·377	12·857	29·310
		F.	1·952	4·707	·701	·614	·738	·927	1·071	·882	1·330	2·239	4·855	11·556	29·394
527	Easingwold - - - - -	M.	1·759	4·608	·403	·289	·422	·864	·796	·703	·890	2·036	4·981	13·097	22·857
		F.	1·779	3·679	·596	·572	·485	·640	1·052	1·107	1·142	2·558	3·815	11·748	30·714
528	Thirsk - - - - - -	M.	2·012	4·962	·553	·520	·612	·815	·935	·924	1·361	2·273	5·627	13·393	25·789
		F.	2·039	4·395	·626	·429	·597	·994	1·050	1·172	1·263	2·561	4·916	13·696	32·500
529	Helmsley - - - - - -	M.	1·882	4·994	·451	·264	·586	·596	·767	·624	1·421	2·364	5·512	15·340	31·250
		F.	1·916	4·157	·550	·237	·750	·970	1·022	1·278	1·362	2·400	4·484	12·407	33·681
530	Pickering - - - - - -	M.	2·051	5·876	·644	·387	·582	·848	·871	1·022	1·511	2·804	5·190	12·400	29·091
		F.	2·019	4·529	·671	·245	·758	·895	1·173	1·184	1·475	3·006	5·602	13·505	22·667
531	Whitby - - - - - -	M.	2·452	6·548	·941	·514	·803	·888	·935	1·380	1·779	3·004	6·341	13·825	38·095
		F.	2·126	5·608	·719	·576	·700	·855	1·131	1·106	1·260	2·334	4·904	12·702	24·314
532	Guisbrough *H* - - - -	M.	2·197	7·222	·939	·566	·792	1·075	·905	1·195	1·584	2·685	5·442	12·707	18·750
		F.	2·147	6·102	·787	·536	·868	·902	·950	1·181	1·185	2·171	4·768	14·140	27·037
533	Stokesley - - - - - -	M.	1·906	4·764	·520	·357	·671	·682	·847	·711	1·193	2·253	5·063	12·609	32·667
		F.	1·966	4·048	·761	·385	·703	·780	·988	1·125	1·452	2·229	5·181	10·692	34·000
534	Northallerton - - - - -	M.	1·961	4·354	·609	·382	·529	1·045	·922	·960	1·308	2·290	5·513	12·422	27·000
		F.	1·928	3·558	·661	·304	·625	1·106	·969	1·131	1·325	2·273	5·556	12·113	24·138
535	Bedale * - - - - - -	M.	1·941	4·086	·513	·484	·522	·862	·786	·923	1·277	2·467	5·535	13·902	34·441
		F.	1·849	3·504	·447	·320	·649	·897	·929	1·116	1·105	2·246	5·022	11·078	28·182
536	Leyburn * - - - - - -	M.	1·818	4·078	·512	·330	·401	1·022	·775	·615	1·220	2·220	5·647	14·600	25·333
		F.	1·748	3·624	·501	·279	·583	1·034	·871	·967	1·194	1·977	4·629	11·981	25·000
537	Aysgarth (formerly Askrigg) -	M.	1·948	4·860	·528	·493	·524	1·212	·758	1·234	·887	1·650	5·385	13·509	44·000
		F.	2·066	4·067	·466	·447	·965	1·168	1·183	1·293	1·556	2·888	6·393	10·484	40·000
538	Reeth - - - - - -	M.	2·136	4·948	·596	·387	·813	1·073	1·000	1·456	2·795	4·270	8·873	19·524	16·667
		F.	2·010	3·549	·377	·762	1·007	1·647	1·090	1·575	1·116	2·813	6·087	19·211	22·000
539	Richmond - - - - - -	M.	1·783	3·945	·655	·283	·526	·968	1·048	1·008	·990	2·093	4·799	11·831	31·053
		F.	1·871	3·653	·590	·349	·449	·990	1·074	1·391	1·153	2·304	5·059	12·025	24·839

* Corrections have been made for changes in the constitution of these Districts during the 10 years.

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1861–70—*continued.*

No.	Districts.	Sex.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	X.—NORTHERN COUNTIES.														
	38.—DURHAM.														
540	Darlington *H*	M.	2·117	6·497	·881	·416	·652	·843	·762	1·126	1·494	2·843	6·082	13·670	30·000
		F.	2·053	5·766	·884	·508	·651	·855	·972	1·084	1·137	2·577	5·704	12·556	23·409
541*a*	Stockton *HL*	M.	2·353	8·341	·988	·588	·631	·804	·839	1·188	1·862	3·403	6·406	15·714	29·167
		F.	2·366	7·179	·887	·428	·699	·857	1·110	1·340	1·590	3·108	6·204	12·645	30·625
541*b*	Hartlepool *H*	M.	2·200	7·724	1·031	·477	·591	·674	·882	1·103	1·520	3·214	7·872	13·837	25·000
		F.	2·159	6·259	·956	·396	·551	·725	·896	1·332	1·423	2·645	6·036	13·396	33·158
542	Auckland	M.	2·393	8·577	·935	·568	·786	·955	·785	1·006	1·370	2·794	6·633	15·325	27·500
		F.	2·400	7·510	·988	·500	·792	·976	1·132	1·250	1·402	2·529	5·399	13·206	29·697
543	Teesdale	M.	1·877	4·323	·580	·353	·690	·981	·976	·998	1·479	2·477	6·203	12·848	26·818
		F.	1·877	3·906	·500	·553	·665	1·081	1·020	1·158	1·527	2·608	5·011	13·352	21·944
544	Weardale	M.	2·043	5·556	·540	·431	·723	·962	·949	1·195	2·187	4·036	8·617	15·397	22·000
		F.	2·068	4·764	·698	·498	·800	1·534	1·505	1·453	1·405	3·411	6·593	11·232	30·625
545	Durham *H*	M.	2·097	7·092	·910	·591	·693	·683	·740	·931	1·579	2·830	6·488	13·475	40·357
		F.	2·119	6·403	·971	·483	·634	·788	·993	1·126	1·330	2·350	5·525	13·101	28·667
546	Easington *H*	M.	2·252	7·643	1·036	·694	·719	·752	·635	·986	1·519	3·079	6·161	12·347	35·000
		F.	2·178	7·113	·940	·464	·664	·619	·955	·981	1·492	2·571	5·210	12·294	24·762
547	Houghton-le-Spring	M.	2·412	8·208	1·016	·618	·822	·685	·771	·912	1·267	2·763	6·550	14·463	25·000
		F.	2·295	7·078	1·057	·390	·571	·794	·951	1·012	1·324	2·694	6·420	13·944	21·905
548	Chester-le-Street	M.	2·409	8·147	1·067	·822	·844	·987	·796	1·098	1·614	2·958	5·618	15·505	22·500
		F.	2·372	7·347	1·029	·496	·733	·969	1·203	1·110	1·370	2·332	5·868	14·286	32·800
549	Sunderland *H*	M.	2·475	8·196	·928	·504	·610	·791	·850	1·304	2·037	3·692	8·204	16·808	36·571
		F.	2·239	7·228	·866	·391	·543	·699	·966	1·235	1·755	3·144	6·842	15·732	29·589
550	South Shields	M.	2·407	8·480	1·120	·513	·687	·622	·821	1·122	1·834	3·461	7·755	18·025	32·778
		F.	2·365	7·627	·998	·464	·656	·676	·945	1·079	1·567	3·066	6·340	15·313	30·588
551	Gateshead *H*	M.	2·510	8·625	1·044	·455	·626	·756	·767	1·171	1·869	3·478	8·128	17·524	42·500
		F.	2·411	7·430	1·054	·427	·739	·750	·948	1·270	1·560	2·845	6·545	15·937	27·963
	39.—NORTHMBRLND.														
552	Newcastle-upon-Tyne *HHHHH*	M.	2·981	9·955	1·182	·540	·854	1·010	1·271	1·833	2·748	4·889	9·112	20·776	32·500
		F.	2·657	8·812	1·132	·466	·682	·814	1·137	1·525	2·018	3·673	7·241	15·759	30·857
553	Tynemouth *H*	M.	2·464	8·230	·938	·701	·806	·841	·954	1·173	1·802	3·499	7·219	16·258	45·172
		F.	2·376	7·273	1·050	·470	·655	·957	·998	1·171	1·538	2·954	6·141	15·561	31·746
554	Castle Ward *L*	M.	1·997	5·009	·564	·461	·748	·813	·933	·903	1·297	2·617	5·854	13·496	33·571
		F.	1·840	4·922	·639	·545	·660	·763	·977	·839	1·129	2·080	4·810	11·908	32·105
555	Hexham	M.	2·013	5·181	·716	·382	·533	·828	·859	1·112	1·671	3·023	5·993	13·983	29·714
		F.	1·909	4·406	·686	·511	·705	·998	1·119	1·205	1·311	2·418	5·811	11·367	40·000
556	Haltwhistle	M.	1·733	4·096	·401	·408	·816	·786	·796	·765	1·212	2·387	5·000	12·034	23·000
		F.	1·743	3·011	·518	·569	·729	·957	1·082	1·468	1·597	2·300	4·470	14·792	20·000
557	Bellingham	M.	1·879	4·427	·562	·384	·968	·855	·944	·935	1·569	2·262	6·224	10·833	22·667
		F.	1·836	4·005	·688	·590	·614	·875	1·296	1·298	1·092	2·083	3·800	11·571	24·167
558	Morpeth *L*	M.	2·289	7·305	·966	·522	·732	·855	·897	1·223	1·443	2·515	6·507	15·594	32·222
		F.	2·289	6·220	1·037	·435	·811	·874	1·255	1·209	1·641	2·506	5·797	14·971	20·541
559	Alnwick *H*	M.	1·993	4·389	·800	·452	·893	·841	·980	1·013	1·278	2·759	6·962	14·295	41·875
		F.	1·919	3·994	·659	·490	·686	1·002	1·143	1·045	1·208	2·416	5·711	13·333	35·333
560	Belford	M.	1·881	4·041	·672	·554	·433	·809	1·258	·825	1·274	2·284	5·504	17·111	30·000
		F.	1·666	3·719	·633	·482	·517	·478	·728	·769	1·115	2·018	5·000	12·769	33·636
561	Berwick	M.	2·101	5·298	·879	·383	·752	·911	1·098	1·069	1·642	2·576	6·299	14·800	37·143
		F.	1·946	4·738	·797	·439	·494	·647	·902	·971	1·054	2·503	5·630	13·807	40·741
562	Glendale	M.	1·543	3·301	·442	·410	·355	·561	·761	·743	1·205	2·272	6·419	14·432	25·385
		F.	1·478	2·611	·561	·375	·382	·579	·791	·868	1·297	2·121	4·813	14·054	29·444
563	Rothbury	M.	1·496	2·860	·595	·459	·313	·515	·525	·914	1·097	2·075	4·733	11·549	19·333
		F.	1·610	2·941	·749	·400	·410	·579	·990	1·013	·978	2·082	5·524	14·286	35·000

Average Annual Rate of Mortality from All Causes at different Ages to 100 Living during the 10 Years 1861–70—*continued.*

No.	Districts.	Sex.	All Ages.	Ages. Under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	X.—NORTHERN COUNTIES—*cont.*														
	40.—CUMBERLAND.														
564	Alston	M.	2·173	5·498	·686	·449	·538	·940	1·217	1·058	3·388	5·347	10·000	20·833	—
		F.	2·055	5·024	·627	·478	1·019	1·174	1·387	1·104	1·055	3·107	6·091	10·444	21·667
565	Penrith	M.	1·949	4·846	·555	·222	·494	·588	·823	1·013	1·613	2·924	6·459	13·137	29·333
		F.	1·828	3·929	·614	·447	·642	·843	·902	1·043	1·282	2·161	5·289	13·070	26·765
566	Brampton	M.	1·947	4·528	·550	·335	·546	·894	1·139	1·241	1·446	2·584	4·861	14·639	30·000
		F.	1·850	3·816	·622	·496	·647	·989	1·111	1·182	1·218	2·265	4·959	12·920	25·294
567	Longtown	M.	1·846	4·908	·661	·556	·579	·646	·762	·912	1·082	1·900	5·522	12·828	26·429
		F.	1·906	3·956	·491	·474	·624	·944	1·057	1·158	1·114	2·476	5·610	10·583	27·398
568	Carlisle *HHL*	M.	2·492	7·135	·929	·519	·604	·984	1·129	1·517	1·922	3·768	7·139	14·569	27·105
		F.	2·296	6·784	·795	·516	·729	·862	1·162	1·231	1·807	2·896	6·181	14·840	29·020
569	Wigton	M.	2·052	5·242	·747	·487	·579	·930	1·117	1·060	1·398	2·354	5·247	14·322	30·357
		F.	2·010	4·540	·696	·687	·783	1·142	1·025	·933	1·407	2·713	4·709	12·946	27·632
570	Cockermouth	M.	2·386	6·808	·879	·635	·764	·898	1·063	1·242	1·732	3·146	7·141	15·060	28·421
		F.	2·263	5·976	·934	·475	·933	·986	1·044	1·223	1·532	2·539	5·637	14·582	32·000
571	Whitehaven *H*	M.	2·542	7·435	1·029	·549	·774	·919	1·174	1·456	2·156	3·862	7·848	17·071	29·600
		F.	2·454	6·776	1·063	·641	·799	1·104	1·170	1·242	1·634	3·153	6·540	13·671	26·444
572	Bootle	M.	1·854	3·976	·567	·379	·729	1·005	·955	1·045	1·190	2·379	5·793	19·038	31·429
		F.	1·745	3·430	·605	·349	·925	·997	1·092	1·314	1·285	1·689	4·924	13·929	20·000
	41.—WESTMORLAND.														
573	East Ward	M.	1·547	3·487	·521	·344	·571	·586	·638	·729	1·132	1·980	5·382	13·913	26·087
		F.	1·709	3·234	·478	·352	·726	·861	·827	1·110	1·090	2·180	5·231	13·356	19·643
574	West Ward	M.	1·830	3·881	·411	·474	·411	·720	·744	·901	1·578	2·704	5·050	13·544	33·000
		F.	1·829	3·738	·321	·208	·550	1·358	·945	1·347	1·061	2·222	5·480	13·684	41·111
575	Kendal	M.	1·884	4·545	·577	·357	·579	·896	·896	1·049	1·564	2·780	5·793	14·113	33·636
		F.	1·824	3·962	·599	·470	·671	·758	·890	1·356	1·440	2·596	5·548	13·703	26·793
	XI.—MONMOUTHSHIRE AND WALES.														
	42.—MONMOUTHSH.														
576	Chepstow	M.	1·959	4·968	·783	·357	·530	·895	·831	·998	1·348	2·554	5·170	13·841	24·583
		F.	1·809	4·052	·674	·400	·602	·866	·906	·976	1·086	2·003	5·115	14·647	28·276
577	Monmouth *H*	M.	1·973	5·182	·766	·424	·464	·737	·699	1·125	1·422	2·667	5·724	13·123	30·000
		F.	1·983	4·959	·810	·431	·715	·700	·978	1·095	1·253	2·434	4·861	12·100	22·329
578*a*	Abergavenny * *L*	M.	2·398	6·922	·678	·531	·585	·792	1·001	1·714	2·080	3·138	6·950	13·750	33·043
		F.	2·215	5·834	·829	·430	·576	·799	1·084	1·382	1·768	2·907	5·833	12·638	26·176
578*b*	Bedwelty *	M.	2·417	8·082	1·151	·886	·895	·978	·950	1·188	1·795	3·451	7·953	15·190	30·500
		F.	2·376	7·405	1·019	·480	·704	·957	1·191	1·212	1·759	3·008	6·795	12·471	34·000
579	Pontypool	M.	2·353	7·425	·869	·629	·676	1·096	·972	1·222	1·641	3·135	6·915	13·657	30·000
		F.	2·089	6·026	·989	·501	·651	·795	·991	1·024	1·286	2·651	5·579	12·703	21·500
580	Newport *H*	M.	2·204	6·446	·782	·474	·699	1·068	1·021	1·397	1·975	3·262	6·471	12·743	24·808
		F.	1·976	5·408	·780	·455	·509	·898	1·019	1·344	1·569	2·869	5·563	12·917	29·298
	43.—SOUTH WALES.														
	GLAMORGANSHIRE.														
581*a*	Cardiff † *HH*	M.	2·227	7·374	·833	·527	·771	1·103	1·119	1·421	1·812	2·991	5·771	12·222	26·585
		F.	2·033	6·384	·810	·389	·547	·917	1·050	1·272	1·703	2·856	5·511	11·612	26·170
581*b*	Pontypridd †	M.	2·375	7·638	·947	·802	1·112	1·197	1·092	1·549	1·881	2·809	5·540	12·020	39·375
		F.	2·235	6·668	·919	·541	·807	1·108	1·186	1·260	1·363	2·195	4·825	10·298	30·357
582	Merthyr Tydfil † *H*	M.	2·596	8·497	1·293	·869	·956	1·151	1·128	1·443	2·016	3·875	8·309	17·565	24·762
		F.	2·418	7·657	·982	·459	·653	1·018	1·108	1·415	1·728	2·984	5·645	11·995	29·377
583	Bridgend *L*	M.	2·104	5·903	·833	·465	·736	·851	1·040	1·182	1·453	2·871	5·149	11·698	24·762
		F.	1·962	5·240	·697	·448	·680	·817	1·059	1·119	1·456	2·007	4·306	10·489	27·551
584	Neath	M.	2·266	6·869	1·016	·710	·936	1·211	1·147	1·388	1·979	3·525	7·017	12·437	30·000
		F.	2·076	5·835	·989	·385	·826	·947	1·135	1·362	1·409	2·191	4·676	10·358	24·194

* On 1st July 1861 the new District of Bedwelty was formed out of the District of Abergavenny. The mortality of the new District is here given for the whole period, a correction having been made for the part of the year 1861 prior to the date of change.

On 18th July 1863 the new District of Pontypridd was formed out of parts of the Districts of Cardiff and Merthyr Tydfil. The mortality of the new District is here given for the whole period 1861-70, a correction having been made for the time previous to the date of change.

MEAN POPULATION, 1861-71,

AND

DEATHS FROM DIFFERENT CAUSES

OF

MALES AND FEMALES AT DIFFERENT AGES,

IN THE TEN YEARS

1861-70.

. Mean Population, 1861–71, and **Deaths** in **ENGLAND**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–
Mean Popul^n, 1861-71 -	10,417,596	321,315	284,789	287,474	278,145	273,962	1,445,685	1,261,890	1,140,330
TOTAL DEATHS -	2,459,489	643,426	208,889	98,063	62,709	44,603	1,057,690	102,825	50,864
Small-pox - - -	18927	4316	1741	1435	1172	888	9552	1891	643
Measles - - - -	47843	9537	18355	9219	4661	2572	44344	2903	297
Scarlatina - - -	105368	7073	15334	17148	16130	12918	68603	27992	5341
Diphtheria - - -	18467	2124	2635	2185	2208	1795	10947	4265	1219
Whooping-cough - -	50712	22446	15278	6538	3169	1634	49065	1547	61
Typhus - - - -	93298	2885	3783	4089	3774	3255	17786	11115	7094
Diarrhœa and Dysentery	107554	66413	16632	3321	1168	655	88189	1061	377
Cholera - - - -	11812	2072	835	488	327	289	4011	955	462
Other Zymotic Diseases -	58364	8402	7874	6196	4894	3337	30703	4774	1622
Cancer - - - -	25424	18	22	44	59	43	186	102	91
Scrofula and Tabes - -	50086	18860	9971	3657	1592	1038	35118	3510	2482
Phthisis - - - -	256958	5500	4292	2197	1266	1052	14307	5442	6902
Hydrocephalus - -	42888	16224	11701	4797	2679	1872	37273	4116	1056
Diseases of Brain - -	320005	128133	20278	8325	4736	3186	164658	7537	3820
Diseases of Heart & Dropsy	136531	2540	1125	808	649	640	5762	2945	2873
Diseases of Lungs - -	384789	100511	45081	15995	7688	4385	173660	6975	2271
Diseases of Stom. & Liver	103977	14817	2270	1301	787	683	19858	2592	2192
Diseases of Kidneys -	43815	337	352	351	350	295	1685	1075	740
Diseases of Gener. Organs	598	38	12	8	7	5	70	6	8
Diseases of Joints - -	9920	267	236	194	184	161	1042	1192	1163
Diseases of Skin - -	6644	2191	390	147	75	70	2873	158	174
Childbirth and Metria -	–	–	–	–	–	–	–	–	–
Suicide - - - -	10302	–	–	–	–	–	–	–	[illegible]
Other Violent Deaths -	112134	8358	3921	3590	2984	2489	21342	7575	8[illegible]
Other Causes - - -	443073	220364	26771	6030	2150	1341	256656	3097	1341

CAUSES OF DEATH.	AGES OF FEMALES.							
Mean Popul^n, 1861-71 -	10,971,649	318,991	283,727	287,597	278,161	271,868	1,440,344	1,263,406	1,124,378
TOTAL DEATHS -	2,335,011	511,756	196,697	97,909	62,969	44,279	913,610	97,995	50,420
Small-pox - - - -	15859	3913	1857	1488	1201	870	9329	1764	625
Measles - - - -	46256	7989	17135	9389	4965	2714	42192	3212	358
Scarlatina - - -	102499	5900	14070	16823	15509	12557	64859	27103	6009
Diphtheria - - -	20987	1596	2531	2430	2421	2225	11203	5660	1863
Whooping-cough - -	62088	24008	19242	9171	4740	2450	59611	2295	123
Typhus - - - -	95987	2367	3836	4360	3942	3731	18236	12208	8969
Diarrhœa and Dysentery	99702	55613	16439	3326	1136	589	77103	1134	329
Cholera - - - -	11133	1692	758	395	292	284	3421	893	372
Other Zymotic Diseases -	51946	6938	6815	5881	4656	3087	27377	4371	1682
Cancer - - - -	57396	19	27	40	61	44	191	88	85
Scrofula and Tabes -	43443	15341	9110	3397	1508	957	30313	2659	1949
Phthisis - - - -	272467	4771	4124	2210	1367	1167	13639	6019	11753
Hydrocephalus - -	31264	10923	8204	3740	2193	1544	26604	3230	961
Diseases of Brain - -	275742	94710	18031	8008	4689	2900	128338	6816	3575
Diseases of Heart & Dropsy	151916	2159	1076	688	582	524	5029	2646	3222
Diseases of Lungs - -	334812	74824	41489	16088	8053	4645	145099	6950	2469
Diseases of Stom. & Liver	105767	9748	2054	1065	791	700	14358	2395	1714
Diseases of Kidneys -	19939	219	282	228	221	170	1120	610	494
Diseases of Gener. Organs	11908	13	26	13	7	2	61	6	34
Diseases of Joints - -	7738	221	204	159	150	156	890	774	798
Diseases of Skin - -	6188	1799	370	179	87	67	2502	119	124
Childbirth and Metria -	35254	–	–	–	–	–	–	–	3
Suicide - - - -	3707	–	–	–	–	–	–	1	37
Other Violent Deaths -	37697	7571	3038	2537	2014	1507	16667	3982	1473
Other Causes - - -	433316	179422	25979	6294	2384	1389	215468	3060	1399

and WALES during the **10 Years 1861-70.**

AGES OF MALES.									CAUSES OF DEATH.
15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.	
1,021,321	906,063	1,492,788	1,186,127	904,120	602,559	329,612	113,350	13,751	**Mean Popul^n, 1861-71.**
62,921	76,591	147,734	159,697	173,273	198,816	219,815	166,144	43,119	TOTAL DEATHS.
933	1638	2037	1165	616	288	126	33	5	Small-pox.
96	65	59	48	18	9	2	1	1	Measles.
1518	721	709	271	140	46	17	9	1	Scarlatina.
591	315	364	239	197	182	107	37	4	Diphtheria.
11	4	4	9	4	4	3	–	–	Whooping-cough.
8040	7455	10513	9404	8168	6981	4843	1710	189	Typhus.
339	448	1076	1249	1747	2969	4782	4348	969	Diarrhœa and Dysentery.
285	371	993	1176	1304	1146	792	290	24	Cholera.
1606	1199	2422	2828	3080	3695	3877	2190	368	Other Zymotic Diseases.
200	246	907	2437	4874	7278	6186	2597	320	Cancer.
1951	1522	1907	1153	965	845	517	106	10	Scrofula and Tabes.
22346	35191	61091	49402	34900	19869	6670	791	47	Phthisis.
202	77	77	41	19	14	11	2	–	Hydrocephalus.
3790	4009	10502	15912	20292	28108	36087	22230	3060	Diseases of Brain.
3185	3124	9923	14627	19769	27602	30420	14726	1575	Diseases of Heart & Dropsy.
3221	4735	12832	20420	31644	45716	50051	28558	4706	Diseases of Lungs.
2430	2538	6707	10802	15449	18425	16267	6072	645	Diseases of Stom. & Liver.
1019	1238	3546	4810	5949	7706	9549	5713	785	Diseases of Kidneys.
11	21	50	93	92	94	102	43	8	Diseases of Gener. Organs.
1045	802	1049	903	894	905	666	238	21	Diseases of Joints.
177	168	282	342	517	671	779	422	81	Diseases of Skin.
–	–	–	–	–	–	–	–	–	Childbirth and Metria.
280	534	1381	1937	2368	2262	1175	290	28	Suicide.
8476	8674	14795	13572	11684	9113	5468	2343	504	Other Violent Deaths.
1169	1496	4505	6857	8583	14888	41318	73395	29768	Other Causes.

AGES OF FEMALES.									
1,035,206	1,011,063	1,655,469	1,278,785	963,446	652,990	381,952	142,712	21,898	**Mean Popul^n, 1861-71.**
68,553	80,463	160,329	153,892	149,862	181,356	224,575	191,844	62,112	TOTAL DEATHS.
826	964	1160	638	304	164	59	23	3	Small-pox.
130	99	149	73	27	9	5	2	–	Measles.
1624	1066	1204	420	118	64	24	8	–	Scarlatina.
627	418	469	284	207	143	80	29	4	Diphtheria.
32	9	9	4	1	2	2	–	–	Whooping-cough.
9431	7303	10615	9027	7558	6260	4400	1776	204	Typhus.
354	596	1614	1622	1777	3152	5384	5192	1445	Diarrhœa and Dysentery.
266	419	1193	1293	1121	1011	774	313	57	Cholera.
1407	1171	2058	2055	2302	3128	3641	2303	451	Other Zymotic Diseases.
178	330	2702	8603	14817	15018	10732	4058	594	Cancer.
1773	1299	1749	1253	1038	789	470	141	10	Scrofula and Tabes.
32197	40100	72483	49868	27457	13482	4734	678	57	Phthisis.
230	85	70	37	23	14	8	2	–	Hydrocephalus.
4042	4105	9110	11895	17498	26215	35575	24365	4208	Diseases of Brain.
3532	3939	10444	15234	20958	31094	36021	17759	2038	Diseases of Heart & Dropsy.
3170	3876	10144	14455	22416	38364	50077	31634	6158	Diseases of Lungs.
2375	3271	8418	11623	15217	19454	17996	7921	1025	Diseases of Stom. & Liver.
656	1035	2596	3111	3042	3319	2760	1049	147	Diseases of Kidneys.
174	462	1638	2523	2942	2226	1392	409	41	Diseases of Gener. Organs.
771	527	845	764	811	725	593	217	25	Diseases of Joints.
98	178	394	394	456	617	739	479	88	Diseases of Skin.
1669	6396	15248	11361	577	–	–	–	–	Childbirth and Metria.
314	317	572	673	799	565	315	103	11	Suicide.
1207	883	1664	1776	1931	2057	2428	2700	929	Other Violent Deaths.
1470	1615	3781	4906	6465	13486	46366	90683	44617	Other Causes.

Mean Population, 1861–71, and **Deaths** in **Divisions** during the **10 Years 1861–70.**

I.—LONDON.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
Mean Popul^n, 1861–71	1,415,466	45,610	38,583	38,343	37,401	36,026	195,963	161,151	141,969	131,585	133,185	233,714	178,860	124,417	71,145	33,097	9,325	1,055
TOTAL DEATHS	375,814	95,550	37,682	18,604	11,136	7,345	170,317	15,095	6,626	7,659	10,963	25,379	30,661	31,953	31,196	27,413	15,761	3,391
Small-pox	4547	976	460	367	298	231	2332	481	144	220	400	518	287	108	34	22	1	-
Measles	8852	1715	3451	1890	903	436	8393	398	24	7	7	9	5	2	1	1	-	-
Scarlatina	17470	1168	2637	3109	2788	2132	11834	4299	736	228	136	131	62	28	10	-	2	1
Diphtheria	2519	398	464	374	327	233	1796	402	61	37	35	49	53	32	26	20	8	-
Whooping-cough	12067	4521	3975	1861	890	451	11698	316	11	3	1	1	4	2	1	-	-	-
Typhus	13219	339	457	591	562	489	2438	1459	809	863	865	1524	1656	1460	1193	705	223	24
Diarrhœa & Dysentery	16348	11229	2343	428	155	86	14241	132	42	43	75	169	182	231	374	423	354	82
Cholera	3665	666	310	187	121	111	1395	349	157	87	106	345	359	350	297	162	53	5
Other Zymotic Dis.	9384	1530	1295	991	709	458	4987	617	249	236	218	501	586	582	631	512	221	41
Cancer	4033	2	6	8	18	7	41	19	17	33	49	185	520	1016	1175	730	224	24
Scrofula and Tabes	8293	3603	1787	765	313	193	6661	522	253	183	149	175	128	105	75	37	5	-
Phthisis	47423	1080	855	503	268	213	2922	919	702	2609	5077	11202	11059	7938	3781	1059	146	9
Hydrocephalus	8879	3450	2521	1103	590	365	8032	642	114	28	17	30	7	4	2	2	1	-
Dis. of Brain	41891	13290	3028	1312	800	474	18904	1001	433	463	530	1713	2775	3605	4642	4996	2329	390
Dis. of Heart & Dropsy	19011	374	138	124	95	89	820	483	478	510	520	1811	2756	3393	3859	2996	1234	148
Dis. of Lungs	66698	17285	9085	3358	1482	753	31963	1051	303	430	827	2328	3900	6025	8069	7695	3499	608
Dis. of Stom. and Liver	13611	1990	217	169	102	97	2575	345	259	302	326	1006	1774	2361	2373	1662	553	75
Dis. of Kidneys	7560	41	49	76	66	59	291	184	112	176	227	724	1109	1328	1422	1281	651	55
Dis. of Gener. Organs	124	9	1	1	2	1	14	1	2	3	3	10	24	21	19	18	9	-
Dis. of Joints	1558	48	31	30	34	34	177	216	184	150	117	181	158	133	121	67	20	4
Dis. of Skin	1140	369	62	25	15	8	479	18	22	25	44	66	81	100	117	127	53	8
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	1909	-	-	-	-	-	-	-	9	59	115	328	427	444	337	156	31	3
Other Violent Deaths	15154	2718	568	427	350	272	4335	964	820	874	947	1727	1773	1588	1114	672	284	53
Other Causes	50159	28749	3941	896	245	153	33984	217	85	99	172	643	976	1094	1520	4070	5960	1948

Mean Population, 1861-71, and **Deaths** in **Divisions** during the **10 Years 1861-70.**

I.—LONDON.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
Mean Popul^{n}, 1861-71	1,613,659	45,472	38,512	38,814	37,580	36,122	196,500	163,821	145,035	151,530	166,302	280,674	206,826	144,530	90,739	49,021	16,338	2,343
TOTAL DEATHS	360,528	77,904	35,061	18,472	11,069	7,460	149,966	14,490	5,897	7,731	10,341	24,695	26,564	26,761	30,352	32,959	23,941	6,828
Small-pox	3800	871	461	373	284	225	2214	458	119	183	252	298	174	63	30	8	1	-
Measles	8486	1456	3249	1850	945	488	7988	397	41	15	13	21	6	2	2	1	-	-
Scarlatina	16921	934	2531	3015	2591	2109	10980	4272	801	272	222	248	91	21	9	3	2	-
Diphtheria	2804	290	459	444	357	283	1833	559	123	61	42	73	43	33	23	9	5	-
Whooping-cough	14483	4719	4688	2552	1315	646	13920	526	23	8	2	3	-	-	-	1	-	-
Typhus	13631	301	473	622	549	569	2514	1547	914	954	877	1552	1584	1444	1201	736	264	44
Diarrhœa & Dysentery	15230	9720	2931	416	146	67	12680	155	35	31	54	179	180	240	415	595	513	153
Cholera	3738	562	270	133	96	90	1151	316	115	98	147	405	472	368	333	228	82	23
Other Zymotic Dis.	8405	1235	1124	957	707	431	4454	583	284	249	233	453	422	463	491	495	278	60
Cancer	10717	5	2	8	10	5	30	18	14	45	55	615	1879	3006	2708	1735	543	69
Scrofula and Tabes	7095	2904	1089	628	270	172	5663	405	229	151	88	173	137	102	83	48	15	1
Phthisis	38674	928	796	491	284	252	2751	984	1165	2973	4437	10380	8473	4636	2086	664	113	12
Hydrocephalus	6557	2434	1812	835	485	298	5864	507	112	33	17	12	6	4	1	1	-	-
Dis. of Brain	37653	9939	2559	1253	712	467	14930	917	416	517	518	1356	2092	3045	4392	5363	3473	634
Dis. of Heart & Dropsy	21450	351	147	105	72	68	743	484	524	553	647	1641	2443	3380	4410	4353	2027	245
Dis. of Lungs	62568	13129	8138	3427	1542	827	27063	1072	328	410	570	1621	2642	4761	8155	9544	5346	1026
Dis. of Stom. and Liver	15463	1302	218	120	84	88	1812	333	210	304	441	1338	1986	2517	2818	2480	1055	169
Dis. of Kidneys	3872	30	37	38	37	26	168	99	73	119	206	512	602	664	695	523	191	20
Dis. of Gener. Organs	2425	4	7	5	1	1	18	-	8	35	100	374	543	602	444	228	61	12
Dis. of Joints	1127	33	29	23	32	33	150	161	105	98	82	127	119	104	89	64	25	3
Dis. of Skin	1054	226	56	36	14	9	441	15	16	15	85	94	83	75	84	110	74	12
Childbirth and Metria	4949	-	-	-	-	-	-	-	1	213	898	2323	1468	46	-	-	-	-
Suicide	760	-	-	-	-	-	-	1	-	60	82	143	181	151	82	53	7	-
Other Violent Deaths	7146	2556	457	329	265	171	3778	450	163	178	162	337	389	410	389	426	362	102
Other Causes	51520	23875	3728	812	271	135	28821	231	178	126	161	417	549	687	1412	5291	9504	4243

Mean Population, 1861–71, and **Deaths** in **Divisions** during the **10 Years 1861–70.**

II.—SOUTH EASTERN COUNTIES.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
Mean Popul^n, 1861-71	991,908	28,396	25,806	26,443	25,525	25,310	131,480	118,251	108,371	96,780	88,898	142,535	111,123	84,605	59,452	35,614	13,158	1,641
TOTAL DEATHS	199,692	45,212	13,507	6,438	4,465	3,234	72,856	7,837	3,980	4,919	6,833	14,032	14,391	14,239	16,621	20,841	18,063	5,080
Small-pox	1262	231	67	69	50	44	461	110	46	62	122	166	124	81	44	25	16	2
Measles	2998	590	1051	531	307	175	2654	258	46	16	10	6	6	–	1	–	–	1
Scarlatina	7101	402	930	961	1036	822	4151	2015	519	176	96	88	23	23	4	3	3	–
Diptheria	1819	123	187	188	249	213	960	509	158	64	27	36	19	19	16	7	3	1
Whooping-cough	3559	1744	1067	399	191	89	3460	92	3	1	1	–	–	–	1	1	–	–
Typhus	6484	202	258	289	260	220	1220	779	511	592	519	645	533	474	516	460	212	23
Diarrhœa & Dysentery	7691	4438	956	229	97	68	5788	118	28	35	56	152	130	143	238	407	443	156
Cholera	849	172	67	41	22	18	320	71	29	20	24	66	73	92	67	56	26	5
Other Zymotic Dis.	5000	591	498	436	398	273	2199	429	148	177	125	266	272	290	368	407	261	55
Cancer	2578	3	5	3	8	3	22	6	9	17	21	85	211	448	696	693	331	39
Scrofula and Tabes	4030	1436	660	309	122	89	2607	336	229	157	155	179	125	90	91	47	12	2
Phthisis	24228	461	335	467	99	69	1131	385	460	1582	3117	6103	4771	3161	1779	637	99	3
Hydrocephalus	5629	1326	925	434	276	175	3136	357	97	20	5	5	4	–	1	3	1	–
Dis. of Brain	25376	7104	1577	584	350	258	9673	593	334	332	428	1051	1594	1873	2622	3735	2719	422
Dis. of Heart & Dropsy	14324	218	65	45	38	41	407	184	235	265	307	1154	1538	1764	2713	3574	1973	210
Dis. of Lungs	28321	7430	2897	1022	495	323	12167	503	166	292	477	1165	1537	1949	2870	3948	2964	588
Dis. of Stom. and Liver	9555	1272	156	112	64	59	1663	235	181	201	242	683	991	1292	1633	1631	729	74
Dis. of Kidneys	4842	35	26	28	30	25	144	90	63	97	131	377	513	619	809	1147	736	116
Dis. of Gener. Organs	73	3	4	1	1	–	9	–	1	1	3	8	13	13	9	11	4	1
Dis. of Joints	886	21	21	17	20	10	89	89	102	74	75	92	89	92	85	78	19	2
Dis. of Skin	674	228	37	14	13	8	300	11	23	16	17	23	36	55	58	73	50	12
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	1281	–	–	–	–	–	–	–	5	44	79	175	244	261	281	145	46	4
Other Violent Deaths	7855	563	276	239	213	161	1452	463	491	595	659	1084	959	834	639	394	213	71
Other Causes	35936	16616	1642	338	126	91	18843	204	96	82	137	423	586	663	1080	3359	7200	3293

Mean Population, 1861–71, and **Deaths** in **Divisions** during the **10 Years 1861–70.**

II.—SOUTH EASTERN COUNTIES.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
Mean Popul^{n}, 1861-71	1,015,785	27,978	25,685	26,464	25,523	25,162	130,812	118,169	105,570	91,807	91,483	151,222	118,249	90,386	63,023	38,140	14,704	2,220
TOTAL DEATHS	184,179	35,250	12,254	6,351	4,290	3,112	61,257	7,618	4,280	5,724	6,760	13,238	12,883	12,126	14,841	20,532	18,651	6,269
Small-pox	905	214	83	70	51	50	468	76	43	61	75	77	48	23	21	5	7	1
Measles	2921	466	1013	555	320	175	2529	279	56	20	8	12	10	4	2	–	1	–
Scarlatina	6902	363	796	1011	957	808	3935	1914	545	144	132	149	50	23	7	1	2	–
Diphtheria	2197	113	194	193	238	247	985	688	264	92	43	44	36	18	11	12	4	–
Whooping-cough	4168	1792	1235	585	232	145	3989	164	10	3	1	1	–	–	–	–	–	–
Typhus	6710	159	252	276	284	245	1216	895	686	734	519	671	560	442	403	382	174	28
Diarrhœa & Dysentery	6707	3584	950	197	79	46	4856	114	20	37	62	142	115	136	195	406	436	188
Cholera	735	132	49	28	29	11	249	69	27	13	31	58	82	73	51	51	28	3
Other Zymotic Dis.	4173	477	374	365	355	235	1806	391	152	134	113	190	198	199	313	359	256	62
Cancer	5743	2	1	8	4	3	18	12	9	18	27	250	794	1377	1535	1184	446	73
Scrofula and Tabes	3628	1166	614	244	114	90	2228	275	206	201	129	200	121	110	84	60	13	1
Phthisis	22764	422	300	170	109	88	1089	425	853	2544	3428	6063	4436	2343	1114	414	53	2
Hydrocephalus	2657	897	637	304	209	136	2183	325	106	18	8	5	6	1	4	–	1	–
Dis. of Brain	22238	4946	1228	615	366	216	7371	501	368	423	392	910	1155	1618	2460	3645	2859	536
Dis. of Heart & Dropsy	14463	200	67	56	47	34	404	178	246	291	298	819	1274	1698	2857	4014	2142	242
Dis of Lungs	23552	5313	2525	957	506	302	9603	518	188	245	277	684	962	1259	2320	3837	2982	677
Dis. of Stom. and Liver	9601	800	131	90	84	66	1171	239	151	226	258	695	934	1316	1737	1842	915	117
Dis. of Kidneys	2118	20	20	18	18	17	93	51	51	60	96	255	349	314	359	322	141	27
Dis. of Gener. Organs	1220	–	1	–	1	–	2	2	4	18	34	138	213	324	208	220	58	4
Dis. of Joints	690	14	18	13	10	12	67	58	84	69	43	75	63	80	69	58	21	3
Dis. of Skin	640	198	30	18	7	3	256	11	20	12	24	33	36	39	53	87	57	12
Childbirth and Metria	2816	–	–	–	–	–	–	–	–	141	491	1226	896	62	–	–	–	–
Suicide	378	–	–	–	–	–	–	–	5	34	31	62	42	95	63	35	10	1
Other Violent Deaths	2624	485	215	194	109	104	1107	233	102	71	81	122	135	125	138	192	246	72
Other Causes	33629	13487	1521	384	161	79	15632	200	84	120	159	357	368	447	837	3406	7799	4220

Mean Population, 1861–71, and **Deaths** in **Divisions** during the **10 Years 1861–70.**

III.—SOUTH MIDLAND COUNTIES.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
Mean Popul^n, 1861–71	667,980	19,828	18,125	18,380	17,769	17,895	91,997	83,746	78,755	64,813	52,464	85,689	72,496	58,935	43,025	25,984	9,069	1,007
TOTAL DEATHS -	140,952	36,923	10,066	4,801	3,023	2,101	56,914	5,346	2,813	3,100	3,872	7,477	8,329	9,255	11,839	15,644	13,087	3,276
Small-pox - - -	898	188	50	50	54	25	367	59	32	59	66	115	67	68	41	17	6	1
Measles - - -	2381	468	902	441	233	125	2169	180	22	2	1	5	1	1	-	-	-	-
Scarlatina - - -	4952	344	714	759	726	515	3058	1344	328	95	33	46	29	10	4	4	1	-
Diphtheria - - -	1099	112	111	130	138	118	609	280	71	46	14	19	16	10	14	14	5	1
Whooping-cough -	2441	1250	655	273	127	61	2366	69	3	-	-	1	-	1	1	-	-	-
Typhus - - -	4726	153	170	209	171	164	867	635	435	433	368	473	366	331	357	316	128	17
Diarrhœa & Dysentery	6158	3696	906	169	60	29	4860	41	17	19	18	41	59	79	178	384	377	85
Cholera - - -	353	121	26	14	6	7	174	5	9	6	5	12	20	25	39	36	18	4
Other Zymotic Dis. -	3376	433	319	300	264	165	1511	301	123	109	87	139	158	192	247	305	179	25
Cancer - - -	1964	1	2	2	-	6	11	4	9	13	15	48	166	352	575	520	226	25
Scrofula and Tabes -	2765	1103	457	185	93	53	1891	203	135	91	87	114	66	62	54	47	15	-
Phthisis - - -	13780	450	276	120	56	41	946	254	323	978	1835	3236	2669	1921	1142	425	48	3
Hydrocephalus - -	2228	817	581	262	128	112	1900	234	70	10	6	6	1	-	1	-	-	-
Dis. of Brain - -	17956	4909	829	367	232	185	6522	360	227	242	274	741	1209	1360	1930	2350	1998	243
Dis. of Heart & Dropsy	8897	217	86	45	33	32	413	144	152	133	157	463	698	1103	1868	2413	1231	122
Dis. of Lungs - -	19800	5610	2103	828	368	207	9116	377	133	168	213	580	858	1268	2017	2825	1931	314
Dis. of Stom. and Liver	6517	852	113	81	55	41	1142	163	137	140	119	322	568	832	1268	1288	477	61
Dis. of Kidneys - -	2742	13	18	22	23	10	86	47	44	42	60	188	262	344	487	680	444	58
Dis. of Gener. Organs -	31	2	2	-	-	-	4	-	-	-	2	3	3	4	5	8	1	1
Dis. of Joints - -	532	18	11	5	13	1	48	52	49	64	41	53	47	39	67	47	22	3
Dis. of Skin - -	472	169	27	10	11	1	218	14	19	9	13	9	17	27	47	61	31	7
Childbirth & Metria -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	628	-	-	-	-	-	-	-	3	15	29	70	94	166	146	80	21	4
Other Violent Deaths -	5463	377	222	204	122	111	1036	414	401	371	366	583	613	594	517	378	166	24
Other Causes - -	30793	15590	1486	325	110	89	17600	163	71	55	63	210	342	466	834	2946	5762	2278

Mean Population, 1861–71, and **Deaths** in **Divisions** during the **10 Years 1861–70.**

III.—SOUTH MIDLAND COUNTIES.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
Mean Populn, 1861-71	701,095	19,722	18,042	18,358	18,109	17,723	91,954	83,288	75,612	64,663	60,512	98,265	79,223	62,507	45,105	28,081	10,388	1,497
TOTAL DEATHS	135,205	28,528	9,493	4,697	3,024	2,245	47,987	5,228	3,072	4,262	4,668	8,756	8,444	8,214	10,845	15,400	13,941	4,388
Small-pox	664	150	68	53	48	25	344	57	22	45	45	58	39	29	12	8	4	1
Measles	2219	374	783	466	231	150	2004	188	21	10	7	9	8	1	1	–	–	–
Scarlatina	4890	300	654	741	696	579	2970	1311	368	82	52	61	28	4	8	5	1	–
Diphtheria	1241	76	120	134	158	147	635	352	123	30	33	26	11	17	10	3	1	–
Whooping-cough	2937	1282	923	373	183	86	2847	81	8	1	–	–	–	–	–	–	–	–
Typhus	5348	116	204	215	189	201	925	768	642	630	431	544	432	285	287	247	144	13
Diarrhœa & Dysentery	5634	2929	828	222	41	32	4055	51	26	25	34	80	102	96	164	403	476	122
Cholera	308	101	39	15	5	3	163	9	8	5	1	12	23	22	23	30	12	–
Other Zymotic Dis.	2969	372	296	283	227	180	1358	238	105	97	81	112	125	144	214	253	158	34
Cancer	3906	2	2	5	4	3	16	6	7	16	29	164	491	961	1036	815	315	50
Scrofula and Tabes	2515	844	425	175	100	60	1604	166	119	147	92	113	91	69	57	39	17	1
Phthisis	16226	426	303	133	66	61	989	347	683	1967	2350	4102	2308	1716	872	336	51	5
Hydrocephalus	1590	578	390	160	106	65	1299	208	58	13	3	4	2	1	1	–	1	–
Dis. of Brain	15481	3398	767	349	213	153	4880	337	208	286	275	614	831	1092	1884	2759	1988	332
Dis. of Heart & Dropsy	10022	175	57	43	29	30	334	136	185	192	211	543	818	1188	2061	2804	1387	168
Dis. of Lungs	17077	4155	1930	763	416	262	7526	367	158	188	200	492	569	812	1582	2765	2012	406
Dis. of Stom. and Liver	6483	535	97	63	55	40	790	160	107	159	179	424	607	900	1269	1294	527	67
Dis. of Kidneys	1192	23	19	10	7	7	66	35	33	42	59	137	177	153	201	201	77	11
Dis. of Gener. Organs	760	–	–	–	1	–	1	–	2	14	27	96	158	163	171	97	27	4
Dis. of Joints	451	14	21	11	9	7	62	23	30	39	35	59	43	53	44	44	18	1
Dis. of Skin	400	121	38	12	11	3	185	3	4	7	11	21	16	30	36	48	32	7
Childbirth and Metria	2003	–	–	–	–	–	–	–	–	108	376	798	691	30	–	–	–	–
Suicide	212	–	–	–	–	–	–	–	3	14	15	24	43	45	42	16	10	–
Other Violent Deaths	1869	330	145	129	101	72	777	196	58	58	37	81	79	94	87	139	194	69
Other Causes	28808	12227	1384	342	125	79	14157	169	94	87	85	182	252	314	783	3094	6494	3097

Mean Population, 1861–71, and **Deaths** in **Divisions** during the **10 Years 1861–70.**

IV.—EASTERN COUNTIES.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
Mean Popul", 1861-71	579,348	16,693	15,417	15,749	15,544	15,465	78,868	72,314	67,418	55,846	43,136	70,462	62,892	52,946	39,372	25,175	9,610	1,309
TOTAL DEATHS	120,555	30,196	7,783	3,717	2,542	1,910	46,148	5,000	2,637	3,149	3,584	6,220	6,507	7,336	9,639	13,818	12,661	3,856
Small-pox	606	118	35	30	22	13	218	48	22	36	68	74	63	40	22	13	2	–
Measles	1512	299	510	290	153	99	1351	131	16	5	2	1	5	1	–	–	–	–
Scarlatina	4019	230	441	582	554	492	2299	1150	344	99	46	51	16	8	5	–	1	–
Diphtheria	1565	94	134	154	166	162	710	458	163	86	41	37	25	19	17	5	4	–
Whooping-cough	2283	1209	609	237	107	54	2216	58	6	1	–	–	–	1	1	–	–	–
Typhus	3768	99	114	143	157	136	649	462	333	391	281	348	311	297	289	269	128	10
Diarrhœa & Dysentery	4600	2684	489	122	57	26	3378	61	15	17	14	39	48	71	166	309	392	90
Cholera	431	65	26	20	14	11	136	48	17	16	12	30	46	38	40	29	17	2
Other Zymotic Dis.	2662	295	208	211	208	161	1113	254	95	89	44	90	129	145	214	298	167	24
Cancer	1548	4	–	4	2	3	13	5	3	6	7	33	108	223	444	473	205	28
Scrofula and Tabes	2853	1184	412	155	89	53	1893	209	144	112	84	119	86	64	74	55	12	1
Phthisis	12162	378	212	81	52	55	778	303	341	1130	1806	2911	2189	1569	1004	389	40	2
Hydrocephalus	1716	624	459	174	115	66	1438	201	46	14	5	6	2	2	1	1	–	–
Dis. of Brain	13800	3385	804	349	186	141	4865	376	219	201	208	471	686	906	1425	2392	1773	278
Dis. of Heart & Dropsy	7454	155	49	28	27	28	287	132	118	142	132	353	539	848	1477	2093	1193	140
Dis. of Lungs	16515	4236	1735	592	351	197	7111	341	109	153	195	444	650	1045	1599	2578	1902	388
Dis. of Stom. and Liver	5354	652	85	59	36	31	863	127	112	108	115	247	460	710	989	1071	510	42
Dis. of Kidneys	2723	24	15	13	10	6	68	49	47	53	45	146	223	285	448	780	496	83
Dis. of Gener. Organs	31	2	–	–	1	–	3	–	–	1	1	4	3	4	4	8	3	–
Dis. of Joints	407	8	11	9	5	4	37	49	45	42	35	39	28	32	35	42	21	2
Dis. of Skin	425	115	18	5	5	3	146	14	16	11	9	11	12	35	46	81	39	5
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	530	–	–	–	–	–	–	–	4	12	23	65	75	125	104	92	27	3
Other Violent Deaths	4174	230	173	133	114	94	744	324	360	354	327	510	495	457	419	300	150	34
Other Causes	28817	14106	1244	296	111	75	15832	200	62	70	84	191	308	411	816	2540	5579	2724

Mean Population, 1861-71, and **Deaths** in **Divisions** during the **10 Years 1861-70.**

IV.—EASTERN COUNTIES.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
Mean Popul^{n}, 1861-71	601,307	16,475	15,062	15,531	15,313	15,257	77,638	71,945	65,124	53,273	49,004	80,799	68,588	55,006	39,865	26,867	11,258	1,940
TOTAL DEATHS	116,559	23,751	6,998	3,629	2,482	1,893	38,753	4,858	3,058	3,838	4,227	7,568	7,192	6,951	8,551	12,744	13,508	5,311
Small-pox	434	114	31	25	16	12	198	34	21	41	33	41	33	19	6	3	5	-
Measles	1438	229	490	268	145	103	1235	156	20	8	7	5	3	3	-	1	-	-
Scarlatina	3891	205	385	549	548	451	2138	1108	373	96	53	78	24	9	7	5	-	-
Diphtheria	1928	79	108	165	191	205	748	634	263	81	47	48	41	34	17	12	2	1
Whooping cough	2601	1185	741	329	167	89	2511	82	5	2	-	1	-	-	-	-	-	-
Typhus	4109	87	110	149	155	154	655	565	447	422	310	424	330	296	272	241	131	16
Diarrhœa & Dysentery	4216	2114	473	111	62	34	2794	71	19	26	32	80	72	72	149	312	442	147
Cholera	406	68	19	21	10	17	135	37	18	9	21	42	42	38	24	29	9	2
Other Zymotic Dis.	2351	286	216	206	174	132	1014	218	103	68	45	85	103	110	185	237	151	32
Cancer	3683	-	2	2	4	1	9	4	4	8	23	171	512	900	948	751	307	46
Scrofula and Tabes	2595	909	372	178	80	42	1581	171	145	115	96	142	99	103	73	51	18	1
Phthisis	15021	327	218	89	60	58	752	338	802	1959	2339	3791	2529	1461	737	282	30	1
Hydrocephalus	1183	399	260	152	91	60	962	139	59	14	2	2	2	1	1	1	-	-
Dis. of Brain	12263	2318	647	332	190	106	3593	316	199	236	203	466	573	813	1392	2252	1868	352
Dis. of Heart & Dropsy	7226	145	46	30	25	22	268	109	135	137	160	400	624	842	1478	2247	1346	180
Dis. of Lungs	14128	3193	1520	585	323	219	5840	344	128	179	162	315	502	675	1194	2294	1997	498
Dis. of Stom. and Liver	5415	419	66	37	37	55	614	114	106	127	148	347	482	673	978	1131	595	100
Dis. of Kidneys	952	10	8	6	13	3	40	33	29	42	46	91	128	143	157	149	81	13
Dis. of Gener. Organs	802	1	3	-	-	-	4	2	2	19	23	85	163	201	144	115	39	5
Dis. of Joints	364	7	14	4	5	6	36	22	35	28	26	85	43	31	55	34	18	1
Dis. of Skin	333	77	17	9	4	6	113	13	12	6	9	13	14	27	42	51	26	7
Childbirth and Metria	1639	-	-	-	-	-	-	-	-	70	308	653	565	43	-	-	-	-
Suicide	176	-	-	-	-	-	-	-	1	11	15	19	26	41	27	24	12	-
Other Violent Deaths	1437	195	121	106	66	51	539	167	60	42	32	59	39	65	73	109	173	79
Other Causes	27268	11334	1131	276	116	67	12974	181	72	92	87	175	243	351	592	2413	6258	3830

Mean Population, 1861–71, and **Deaths** in **Divisions** during the **10 Years 1861–70.**

V.—SOUTH WESTERN COUNTIES.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
Mean Popul^n, 1861–71	**887,638**	**25,489**	**23,698**	**24,210**	**23,509**	**23,453**	**120,359**	**111,623**	**103,442**	**91,810**	**69,628**	**107,681**	**91,801**	**78,757**	**59,133**	**37,122**	**14,489**	**1,793**
TOTAL DEATHS -	186,250	42,003	12,699	6,166	3,920	2,798	67,586	7,025	3,959	4,937	5,782	10,411	10,722	12,466	16,105	21,804	19,865	5,588
Small-pox - - -	888	192	93	72	61	42	460	99	37	54	90	85	35	15	8	4	1	-
Measles - - -	3602	681	1246	714	375	231	3247	285	32	12	9	11	4	1	-	1	-	-
Scarlatina - - -	6288	442	843	963	896	703	3847	1759	400	141	68	37	18	13	4	-	1	-
Diphtheria - - -	1036	130	135	112	119	103	599	245	91	39	14	17	8	6	9	6	2	-
Whooping-cough -	3207	1605	886	379	165	82	3117	84	4	2	-	-	-	-	-	-	-	-
Typhus - - -	6093	161	236	285	255	222	1159	810	581	649	530	555	448	382	406	392	166	15
Diarrhœa & Dysentery	5201	2999	520	152	52	42	3765	56	28	18	46	86	85	111	180	365	389	72
Cholera - - -	526	75	29	20	22	12	158	46	25	17	11	45	59	40	55	50	18	2
Other Zymotic Dis. -	4134	559	440	576	282	228	1885	323	128	135	97	159	181	232	279	403	265	47
Cancer - - -	2597	-	2	2	5	4	13	8	6	21	25	61	188	441	696	738	347	53
Scrofula and Tabes -	3593	1148	544	227	124	71	2114	277	202	197	177	247	118	105	77	62	16	1
Phthisis - - -	19107	451	575	173	95	70	1164	358	453	1520	2595	4314	3178	2659	1909	821	101	5
Hydrocephalus - -	2613	897	726	269	139	108	2139	321	124	17	10	3	2	1	1	-	-	-
Dis. of Brain - -	22513	5925	1236	496	279	203	8139	538	339	383	339	864	1199	1571	2253	3729	2752	397
Dis. of Heart & Dropsy	12863	185	87	53	51	43	419	201	196	249	222	694	995	1508	2522	3585	2038	234
Dis. of Lungs - -	28535	6951	2754	954	507	273	11439	464	173	293	401	858	1275	1908	3228	4510	3367	619
Dis. of Stom. and Liver	8654	1039	135	98	61	47	1380	161	177	191	213	492	823	1185	1538	1650	751	90
Dis. of Kidneys - -	3854	12	15	10	13	15	65	70	65	84	98	299	395	440	626	949	664	99
Dis. of Gener. Organs -	43	2	1	1	2	1	7	-	-	1	2	2	3	4	9	9	6	-
Dis. of Joints - -	802	18	24	18	6	6	72	78	91	85	68	87	71	73	82	58	36	1
Dis. of Skin - -	507	155	23	11	4	10	203	18	14	23	8	22	27	29	45	63	49	6
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	762	-	-	-	-	-	-	-	5	18	28	90	119	170	198	97	32	5
Other Violent Deaths -	8669	498	287	284	230	175	1474	582	676	699	619	1055	1005	972	777	494	249	67
Other Causes - -	40158	17878	2062	497	177	107	20721	239	112	89	112	298	486	600	1193	3818	8615	3875

Mean Population, 1861–71, and **Deaths** in **Divisions** during the **10 Years 1861–70.**

V.—SOUTH WESTERN COUNTIES.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
Mean Populn, 1861-71	970,608	25,091	23,406	24,047	23,206	23,102	118,852	111,379	100,377	91,112	83,526	132,159	108,832	91,218	67,166	44,622	18,384	2,981
TOTAL DEATHS	184,273	32968	11,613	5,956	3,989	2,820	57,346	6,808	4,149	5,704	6,416	11,507	10,843	11,186	15,017	23,122	23,811	8,364
Small-pox	725	193	75	62	65	35	430	81	36	34	53	56	18	6	7	2	2	-
Measles	3367	558	1142	635	358	241	2934	331	36	13	20	19	9	4	1	-	-	-
Scarlatina	6163	317	809	942	884	696	3678	1690	418	130	80	80	36	14	3	3	1	-
Diphtheria	1168	70	118	113	135	152	588	362	98	33	20	29	11	9	9	6	3	-
Whooping-cough	3910	1688	1135	508	278	122	3731	165	11	2	-	-	1	-	-	-	-	-
Typhus	6845	156	224	298	290	274	1242	937	781	856	550	660	446	388	389	387	186	23
Diarrhœa & Dysentery	4804	2443	519	136	55	33	3186	64	21	31	38	93	108	113	180	383	454	133
Cholera	472	57	28	20	12	19	136	38	19	12	11	31	45	56	51	49	22	2
Other Zymotic Dis.	3767	425	371	337	283	211	1627	288	141	120	89	138	151	192	244	379	328	70
Cancer	5468	4	3	4	5	4	20	3	9	10	28	182	647	1241	1388	1266	579	95
Scrofula and Tabes	3253	947	530	227	116	76	1896	236	195	203	131	179	141	106	92	57	16	1
Phthisis	21394	374	351	185	115	78	1103	447	969	2565	3247	5281	3557	2271	1262	573	107	12
Hydrocephalus	1855	596	428	230	121	90	1465	224	114	33	6	4	4	2	1	2	-	-
Dis. of Brain	20730	4269	982	442	308	167	6168	506	328	364	403	777	898	1453	2354	3866	3124	549
Dis. of Heart & Dropsy	15535	129	77	55	30	32	323	186	231	294	345	706	1110	1710	3162	4486	2613	309
Dis. of Lungs	24301	4812	2426	945	517	271	8971	463	220	285	306	718	852	1204	2480	4519	3551	732
Dis. of Stom. and Liver	8964	686	132	66	55	66	1005	197	138	207	271	598	828	1173	1588	1831	1011	117
Dis. of Kidneys	1669	10	13	15	16	16	70	41	40	49	79	207	243	216	268	295	110	21
Dis. of Gener Organs	969	1	2	-	2	-	5	-	1	11	37	112	175	230	203	144	51	-
Dis. of Joints	628	8	9	17	8	10	52	42	61	71	46	83	69	63	53	57	27	1
Dis. of Skin	479	120	25	11	6	4	166	15	6	6	11	26	30	32	47	60	70	10
Childbirth and Metria	2613	-	-	-	-	-	-	-	-	114	448	1057	939	55	-	-	-	-
Suicide	297	-	-	-	-	-	-	-	2	26	19	43	40	52	65	32	15	3
Other Violent Deaths	2583	412	187	190	125	118	1032	280	114	99	59	108	100	95	146	172	284	94
Other Causes	42314	14723	2027	518	205	105	17578	212	130	136	119	320	355	468	1024	4553	11227	6192

Mean Population, 1861-71, and **Deaths** in **Divisions** during the **10 Years 1861-70.**

VI.—WEST MIDLAND COUNTIES.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
Mean Popul^{n}, 1861-71	1,262,909	39,762	35,113	35,441	34,224	34,072	178,612	155,822	140,141	123,298	107,147	176,609	142,740	109,446	73,527	40,107	13,815	1,645
TOTAL DEATHS -	291,207	80,083	25,237	11,704	7,501	5,306	129,831	11,578	5,807	6,576	7,662	15,526	17,464	19,958	23,959	27,055	20,484	5,807
Small-pox - - -	2121	503	210	139	132	117	1131	193	75	96	153	200	132	73	41	18	2	2
Measles - - -	5880	1134	2298	1143	569	320	5464	336	36	12	8	7	10	4	2	-	1	-
Scarlatina - - -	12069	815	1895	2047	1880	1553	8190	3079	505	128	50	71	24	12	6	4	-	-
Diphtheria - - -	2354	284	373	291	285	242	1475	483	151	55	26	52	33	29	29	13	7	1
Whooping-cough -	5179	2313	1556	655	328	167	5019	149	8	2	-	-	1	-	-	-	-	-
Typhus - - -	9733	408	519	502	525	378	2332	1324	863	820	713	944	806	652	653	446	159	21
Diarrhœa & Dysentery	14632	9193	2297	523	161	94	12268	147	51	33	37	89	121	210	347	637	566	126
Cholera - - -	393	97	34	6	7	12	156	21	7	3	8	9	33	42	49	44	19	2
Other Zymotic Dis. -	7042	1052	964	738	621	406	3781	533	190	209	131	296	340	369	481	455	212	45
Cancer -	2859	1	1	6	7	5	20	10	11	26	42	125	270	504	806	721	272	32
Scrofula and Tabes -	5215	2005	1012	349	146	113	3625	309	272	228	164	208	119	111	103	60	14	2
Phthisis - - -	25942	701	500	238	145	110	1694	509	646	1992	3328	6171	5177	3711	2027	627	53	7
Hydrocephalus - -	3917	1544	1113	386	234	146	3423	337	98	18	8	5	6	-	2	-	-	-
Dis. of Brain - -	36636	13730	2191	905	521	326	17673	768	461	458	479	1243	1898	2569	3531	4490	2686	377
Dis. of Heart & Dropsy	16447	371	162	116	79	90	818	369	350	346	354	1008	1625	2382	3522	3709	1778	186
Dis. of Lungs - -	48201	13462	5906	2067	922	515	22872	816	254	343	418	1356	2364	3905	5648	6222	3459	544
Dis. of Stom. and Liver	12692	2033	347	180	100	92	2752	317	250	302	274	720	1202	1882	2232	1953	698	80
Dis. of Kidneys - -	5165	38	43	49	36	39	205	120	90	115	158	431	535	708	966	1125	623	89
Dis. of Gener. Organs -	76	3	2	-	1	1	7	1	2	2	-	7	12	13	15	15	1	1
Dis. of Joints - -	1122	28	19	13	24	15	99	118	124	113	99	121	108	102	113	90	31	4
Dis. of Skin - -	845	284	53	18	3	7	365	19	22	20	13	32	50	63	97	107	49	8
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	1083	-	-	-	-	-	-	-	5	33	62	128	195	245	253	131	30	1
Other Violent Deaths -	14714	1017	553	595	530	416	3111	1233	1197	1082	973	1819	1672	1390	1148	713	303	73
Other Causes - -	56910	29067	3159	738	245	142	33351	332	139	140	164	484	731	982	1885	5475	9521	3706

Mean Population, 1861-71, and Deaths in Divisions during the 10 Years 1861-70.

VI.—WEST MIDLAND COUNTIES.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
Mean Popul", 1861-71	1,309,676	39,556	35,209	35,636	34,227	33,628	178,256	156,669	138,199	124,090	118,888	190,451	148,665	112,567	76,841	45,204	17,147	2,699
TOTAL DEATHS	271,787	63,665	24,131	12,009	7,575	5,169	112,549	11,026	5,641	7,223	8,408	16,603	16,387	15,955	20,380	26,573	23,190	7,852
Small-pox	1784	474	212	190	162	109	1147	174	82	74	84	115	53	32	17	6	–	–
Measles	5708	942	2056	1236	654	319	5207	395	34	20	10	22	11	5	2	1	1	–
Scarlatina	11922	706	1719	2045	1911	1521	7902	2957	619	152	107	112	48	14	8	3	–	–
Diphtheria	2669	209	377	305	304	266	1461	724	207	68	47	58	41	25	21	5	3	–
Whooping-cough	6329	2459	1974	957	461	235	6086	219	15	6	–	3	–	–	–	–	–	–
Typhus	9862	509	527	573	512	454	2375	1438	1044	977	737	923	738	561	485	415	156	13
Diarrhœa & Dysentery	13246	7386	2315	525	193	93	10512	142	39	45	66	192	185	181	359	706	652	167
Cholera	329	73	37	13	5	5	133	18	5	5	12	14	32	35	24	34	16	1
Other Zymotic Dis.	6115	879	896	704	558	364	3401	523	252	164	104	207	201	258	347	396	244	38
Cancer	6614	1	8	5	7	5	26	12	17	17	36	271	984	1654	1808	1223	477	89
Scrofula and Tabes	4635	1767	896	323	132	62	3180	254	217	218	174	195	143	119	75	44	14	2
Phthisis	27356	566	481	247	148	120	1562	627	1110	3116	3948	7277	5139	2818	1322	378	49	4
Hydrocephalus	2762	989	682	320	184	136	2311	299	101	27	12	7	3	2	–	–	–	–
Dis. of Brain	31145	10353	2053	913	525	295	14139	718	453	529	514	1101	1344	2021	2981	4058	2803	484
Dis. of Heart & Dropsy	18211	314	163	94	64	60	695	310	415	401	448	1057	1648	2327	3822	4618	2213	257
Dis. of Lungs	40585	9810	5595	2185	1006	566	19192	792	270	336	428	1139	1475	2288	4279	5862	3753	771
Dis. of Stom. and Liver	12450	1299	299	141	96	86	1921	281	214	253	417	933	1303	1737	2226	2072	954	139
Dis. of Kidneys	2315	94	44	29	22	19	138	83	37	71	107	288	362	344	414	328	125	18
Dis. of Gener. Organs	1392	4	2	3	–	1	10	–	2	22	46	183	312	363	249	160	42	3
Dis. of Joints	843	28	20	21	11	16	96	74	91	94	68	86	81	100	67	64	19	3
Dis. of Skin	824	241	58	23	10	11	348	11	27	14	20	52	48	42	90	95	64	13
Childbirth and Metria	4107	–	–	–	–	–	–	–	–	221	687	1723	1393	83	–	–	–	–
Suicide	357	–	–	–	–	–	–	–	5	40	31	48	64	72	52	34	16	1
Other Violent Deaths	5310	953	456	355	356	255	2375	658	254	202	104	200	213	220	244	320	372	148
Other Causes	54932	23819	3261	797	254	171	28332	317	151	151	201	397	566	654	1488	5751	11223	5701

Mean Population, 1861–71, and **Deaths** in **Divisions** during the **10 Years 1861–70.**

VII.—NORTH MIDLAND COUNTIES.

CAUSES OF DEATH.	All Ages.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
Mean Popul^n, 1861–71	664,047	20,151	18,389	17,795	17,487	17,441	91,263	81,102	73,113	65,214	53,446	88,299	73,263	59,161	43,338	25,756	9,029	1,063
TOTAL DEATHS	142,504	40,971	9,796	4,655	3,080	2,235	60,737	5,421	2,986	3,733	4,224	7,223	7,277	8,472	11,536	15,182	12,458	3,255
Small-pox	649	195	62	44	30	32	363	45	24	28	65	57	28	25	12	2	-	-
Measles	2309	538	831	455	231	107	2162	120	14	3	7	2	1	-	-	-	-	-
Scarlatina	4973	332	686	812	767	623	3220	1293	269	88	28	41	22	8	3	1	-	-
Diphtheria	1250	132	125	128	138	122	645	332	107	52	24	26	13	20	19	11	1	-
Whooping-cough	2356	1179	660	255	127	57	2278	72	3	1	-	1	-	-	-	1	-	-
Typhus	5100	157	195	216	204	177	949	657	499	496	427	526	429	325	380	301	93	18
Diarrhœa & Dysentery	6147	3937	658	149	60	29	4833	49	15	13	24	34	63	89	162	391	396	78
Cholera	312	69	22	9	6	7	113	15	3	2	7	14	24	31	43	46	13	1
Other Zymotic Dis.	3112	451	344	289	223	158	1465	267	104	87	39	119	136	164	246	277	178	30
Cancer	1585	3	2	-	4	3	12	5	11	7	15	50	128	284	452	411	186	24
Scrofula and Tabes	2643	1043	424	143	61	47	1718	179	142	128	94	110	83	69	69	45	5	1
Phthisis	12716	341	240	87	45	45	758	283	369	1359	2058	3100	2096	1418	927	312	32	4
Hydrocephalus	2016	723	530	212	132	89	1686	231	74	11	3	3	4	2	1	1	-	-
Dis. of Brain	21974	11061	1099	427	252	167	13006	452	211	249	215	523	758	1054	1623	2299	1389	195
Dis. of Heart & Dropsy	8597	147	40	32	41	31	291	147	166	188	164	490	736	1151	1813	2249	1097	105
Dis. of Lungs	19933	5458	2095	773	381	219	8926	339	133	201	237	558	863	1344	2296	2932	1791	313
Dis. of Stom. and Liver	6667	818	102	91	54	50	1145	179	130	151	150	381	589	916	1254	1276	463	33
Dis. of Kidneys	2686	26	17	15	19	14	91	57	40	62	62	170	237	305	494	721	397	50
Dis. of Gener. Organs	23	3	-	1	-	-	4	1	-	1	2	3	5	1	2	2	6	1
Dis. of Joints	553	17	10	9	3	11	50	56	59	68	34	72	43	65	45	48	13	-
Dis. of Skin	365	123	14	5	2	4	148	6	8	5	8	12	17	29	42	52	34	4
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	742	-	-	-	-	-	-	-	4	27	31	78	101	183	174	118	22	4
Other Violent Deaths	5752	386	223	195	176	165	1145	442	505	437	454	633	567	559	478	352	167	33
Other Causes	30039	13802	1417	308	124	78	15729	194	96	69	76	220	334	450	1001	3334	6175	2361

Mean Population, 1861-71, and **Deaths** in **Divisions** during the **10 Years 1861-70.**

VII.—NORTH MIDLAND COUNTIES.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
Mean Populn. 1861-71	683,884	20,038	18,326	18,069	17,566	17,316	91,315	81,447	72,316	64,606	59,685	96,466	76,476	60,283	43,582	26,565	9,816	1,327
TOTAL DEATHS	138,432	32,064	9,319	4,619	3,049	2,172	51,223	5,214	3,283	4,914	5,327	9,823	8,305	8,049	10,764	14,579	13,025	3,926
Small-pox	581	169	55	43	50	26	343	60	32	30	40	33	17	11	7	7	–	1
Measles	2290	392	849	447	265	140	2093	157	22	4	5	4	4	1	–	–	–	–
Scarlatina	4835	285	677	818	704	563	3047	1271	304	82	37	57	25	5	4	2	1	–
Diphtheria	1475	109	132	168	163	127	699	422	174	50	34	43	18	15	11	7	–	2
Whooping-cough	2772	1224	803	369	188	91	2675	91	4	1	1	–	–	–	–	–	–	–
Typhus	5602	140	215	244	184	212	995	721	679	725	473	644	425	316	269	228	116	11
Diarrhœa & Dysentery	5613	3216	660	151	47	29	4103	53	16	24	39	97	73	91	225	398	386	108
Cholera	202	60	9	7	7	1	84	8	4	6	4	12	8	15	27	15	17	2
Other Zymotic Dis.	2812	367	258	283	214	151	1273	233	97	87	51	123	127	133	207	277	173	31
Cancer	3328	2	1	1	5	1	10	4	4	6	19	124	471	838	928	662	232	30
Scrofula and Tabes	2235	799	355	133	49	45	1381	136	123	116	96	133	98	59	49	33	10	1
Phthisis	17698	358	221	98	65	48	770	315	828	2531	2924	4907	2804	1586	790	212	29	2
Hydrocephalus	1406	450	347	155	112	78	1142	173	56	19	5	8	2	1	–	–	–	–
Dis. of Brain	18140	7987	985	428	257	159	9816	393	214	259	264	494	600	886	1455	2098	1448	213
Dis. of Heart & Dropsy	10006	99	32	22	33	24	210	142	182	206	232	606	889	1400	2200	2614	1192	133
Dis. of Lungs	16983	4099	1989	747	376	228	7439	362	152	185	227	508	623	888	1782	2667	1808	342
Dis. of Stom. and Liver	6556	575	95	70	57	36	833	139	117	167	243	548	688	865	1265	1177	456	58
Dis. of Kidneys	1059	14	16	9	8	10	57	29	36	28	65	143	148	154	181	158	56	4
Dis. of Gener. Organs	779	1	–	1	–	–	2	–	2	8	29	98	188	181	157	89	24	1
Dis. of Joints	421	18	9	4	6	9	46	31	43	49	23	45	31	44	55	42	10	2
Dis. of Skin	369	101	18	5	7	4	135	9	8	4	8	25	30	28	44	43	31	4
Childbirth and Metria	1870	–	–	–	–	–	–	–	1	108	330	794	609	28	–	–	–	–
Suicide	295	–	–	–	–	–	–	–	4	29	23	40	48	59	52	27	12	1
Other Violent Deaths	2087	352	190	121	127	89	879	224	87	67	52	93	65	105	112	168	173	62
Other Causes	29018	11267	1403	295	125	101	13191	241	94	123	103	244	314	340	944	3655	6851	2918

Mean Population, 1861–71, and **Deaths** in **Divisions** during the **10 Years 1861–70.**

VIII.—NORTH WESTERN COUNTIES.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
Mean Popul^n, 1861–71	1,524,958	49,756	43,024	43,206	41,366	39,978	217,330	182,993	164,783	150,936	141,129	233,957	179,852	129,754	77,682	35,508	10,036	998
TOTAL DEATHS	426,462	117,486	43,353	19,506	12,492	8,985	201,822	19,255	8,667	11,261	13,155	26,423	29,842	32,247	33,651	29,653	16,996	3,490
Small-pox	2635	606	243	232	150	130	1361	300	92	150	229	277	146	56	17	6	1	–
Measles	10414	2148	4118	1963	1029	567	9825	528	32	13	6	4	5	–	1	–	–	–
Scarlatina	21045	1372	3179	3502	3375	2708	14136	5624	866	203	99	84	22	10	1	–	–	–
Diphtheria	2575	351	503	329	306	249	1738	517	105	62	30	43	25	22	21	8	4	–
Whooping-cough	9683	4091	2940	1283	648	368	9330	339	11	–	1	–	2	–	–	–	–	–
Typhus	20050	633	858	773	693	616	3573	2086	1184	1547	1538	2581	2655	2365	1516	806	189	10
Diarrhœa & Dysentery	24760	15291	4815	846	304	155	21411	236	78	71	85	239	288	428	611	745	478	90
Cholera	2471	379	148	103	66	55	751	187	95	59	76	228	295	333	245	157	44	1
Other Zymotic Dis.	10820	1536	2020	1413	1044	722	6735	889	243	236	201	402	460	472	515	417	230	20
Cancer	2910	1	3	10	5	5	24	10	9	27	35	121	337	645	869	621	195	17
Scrofula and Tabes	7890	2966	1684	601	282	175	5708	611	399	303	205	245	147	116	103	45	7	1
Phthisis	42839	817	720	393	264	203	2397	1010	1413	4555	6038	10221	8223	5358	2773	778	70	3
Hydrocephalus	7877	3089	2160	896	504	352	7001	683	150	26	5	4	3	3	2	–	–	–
Dis. of Brain	52908	24603	3762	1592	879	606	31442	1383	662	571	618	1729	2688	3214	4162	4225	1971	243
Dis. of Heart & Dropsy	18857	315	228	151	135	135	964	621	495	552	538	1711	2528	3190	3756	3304	1100	95
Dis. of Lungs	74981	19573	9038	3112	1555	954	34232	1439	422	538	855	2745	4705	7680	9972	8262	3668	463
Dis. of Stom. and Liver	16564	2568	455	203	116	115	3457	431	424	407	442	1218	1955	2720	2899	1983	582	46
Dis. of Kidneys	5783	58	76	71	89	74	368	226	119	165	180	559	682	876	1006	1013	531	58
Dis. of Gener. Organs	66	5	–	2	–	–	7	–	–	–	3	7	10	12	10	13	4	–
Dis. of Joints	1722	52	46	45	40	38	221	234	231	194	126	165	142	153	154	81	20	1
Dis. of Skin	980	319	80	29	10	18	451	26	23	35	31	53	46	79	81	97	43	15
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	1555	–	–	–	–	–	–	–	3	21	68	205	321	372	365	165	32	–
Other Violent Deaths	19503	1459	758	728	558	480	3983	1317	1377	1309	1486	2630	2388	2168	1555	790	260	40
Other Causes	67574	35254	5519	1229	440	265	42707	555	234	214	260	952	1569	1975	3017	6137	7567	2387

Mean Population, 1861–71, and **Deaths** in **Divisions** during the **10 Years 1861–70.**

VIII.—NORTH WESTERN COUNTIES.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
Mean Popul^{n}, 1861–71	1,634,448	49,486	42,965	43,290	41,248	39,875	216,864	183,816	165,205	160,362	161,622	266,156	197,615	140,030	85,897	42,237	13,022	1,622
TOTAL DEATHS	405,139	94,451	41,635	19,775	12,738	8,853	177,452	17,786	8,049	11,536	14,109	29,780	29,498	29,292	32,172	31,081	19,715	4,669
Small-pox	2282	561	261	223	177	118	1340	244	102	134	147	185	80	33	13	4	–	–
Measles	10177	1926	3955	2107	1058	527	9573	514	40	16	8	20	4	1	–	1	–	–
Scarlatina	20221	1160	2995	3428	3187	2574	13344	5334	972	221	131	155	42	15	7	–	–	–
Diphtheria	2867	293	503	407	335	314	1852	628	165	69	44	33	23	21	15	10	7	–
Whooping-cough	12400	4480	3985	1847	1040	555	11907	467	19	4	2	–	–	–	1	–	–	–
Typhus	20008	573	794	828	804	688	3687	2206	1436	1647	1411	2335	2575	2207	1500	731	199	14
Diarrhœa & Dysentery	23328	13139	4757	884	294	135	19209	239	66	58	120	328	369	426	731	969	687	123
Cholera	2273	330	144	67	65	68	674	181	69	44	81	300	299	244	219	127	30	5
Other Zymotic Dis.	9860	1334	1727	1422	1062	658	6203	839	231	208	210	368	336	384	450	409	194	28
Cancer	6991	–	2	5	7	12	26	13	6	18	55	398	1207	1959	1851	1094	331	30
Scrofula and Tabes	6505	2385	1515	567	247	177	4891	404	247	207	166	167	169	112	98	34	10	–
Phthisis	47235	674	674	350	245	215	2158	976	2013	5791	7183	13066	8949	4552	1953	585	64	5
Hydrocephalus	5741	2058	1625	701	383	303	5070	507	112	16	13	9	6	4	3	1	–	–
Dis. of Brain	45092	18117	3458	1551	913	628	24667	1259	545	546	637	1520	2002	3054	4034	4405	2137	286
Dis. of Heart & Dropsy	21589	267	201	125	125	113	831	500	568	604	686	2148	2904	3772	4503	3687	1266	120
Dis. of Lungs	67466	14856	8426	3089	1662	967	29000	1382	428	560	754	2456	3901	6500	9236	8665	4004	580
Dis. of Stom. and Liver	17038	1762	421	202	140	112	2637	409	293	393	534	1528	2197	2747	3170	2301	763	66
Dis. of Kidneys	2937	35	49	45	51	35	215	109	90	120	161	447	485	482	458	283	78	9
Dis. of Gener. Organs	1469	–	6	3	1	–	10	2	3	21	64	227	308	398	257	138	37	4
Dis. of Joints	1339	40	39	26	36	28	169	187	146	141	81	132	125	128	116	83	28	3
Dis. of Skin	885	276	74	33	10	14	407	21	13	13	24	56	46	77	83	87	45	13
Childbirth and Metria	6192	–	–	–	–	–	–	–	–	267	1166	2755	1919	85	–	–	–	–
Suicide	500	–	–	–	–	–	–	–	5	34	40	75	108	120	73	32	11	2
Other Violent Deaths	6819	1315	591	530	368	301	3105	813	257	176	141	338	377	412	460	356	307	77
Other Causes	63925	28870	5433	1335	528	311	36477	552	223	228	250	734	1067	1559	2935	7079	9517	3304

Mean Population, 1861–71, and **Deaths** in **Divisions** during the **10 Years 1861–70.**

IX.—YORKSHIRE.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
Mean Popul^n, 1861–71	**1,087,826**	**34,675**	**30,523**	**29,741**	**29,026**	**28,416**	**152,381**	**131,257**	**116,597**	**107,917**	**96,749**	**160,377**	**125,742**	**93,883**	**60,627**	**31,331**	**9,885**	**1,080**
TOTAL DEATHS	273,321	79,531	24,168	10,512	6,831	4,962	126,004	11,727	6,102	7,655	8,593	15,425	16,316	17,942	21,460	22,756	15,840	3,501
Small-pox	2720	741	287	226	227	149	1630	302	83	110	166	216	115	63	28	6	1	–
Measles	4910	1068	2043	854	406	228	4599	268	22	7	3	3	3	5	–	–	–	–
Scarlatina	12310	805	1753	1972	1891	1549	7970	3301	684	169	70	77	17	14	3	4	1	–
Diphtheria	1905	229	263	221	233	151	1097	451	128	68	45	39	23	22	17	12	2	1
Whooping-cough	4615	2254	1339	533	258	108	4492	119	1	1	–	–	2	–	–	–	–	–
Typhus	11312	347	461	542	477	381	2208	1313	910	1027	968	1408	1028	896	800	518	211	25
Diarrhœa & Dysentery	13347	8436	2080	393	114	64	11087	112	46	50	46	97	134	201	381	592	503	98
Cholera	840	232	73	24	15	10	354	36	13	14	18	46	47	94	96	87	34	1
Other Zymotic Dis.	6095	973	757	645	519	376	3270	530	156	154	110	241	308	337	347	385	220	37
Cancer	2300	3	–	5	4	3	15	20	6	24	15	86	220	411	707	538	232	26
Scrofula and Tabes	5256	1890	1069	330	132	112	3533	378	330	235	178	218	137	111	83	51	2	–
Phthisis	26245	416	390	192	104	108	1210	600	950	2997	3913	5983	4752	3269	1896	604	69	2
Hydrocephalus	5313	2076	1471	518	281	241	4617	515	144	24	3	4	3	1	2	–	–	–
Dis. of Brain	43057	21747	2967	1077	603	430	26824	1005	494	421	437	1066	1572	2153	3181	3721	1960	223
Dis. of Heart & Dropsy	14293	362	124	107	70	70	733	323	334	390	340	1093	1564	2194	2947	2975	1288	115
Dis. of Lungs	42672	11286	5178	1727	824	452	19467	801	275	352	519	1443	2324	3585	5242	5529	2724	381
Dis. of Stom. and Liver	11971	1701	283	146	95	72	2300	286	251	333	323	786	1224	1761	2146	1866	622	70
Dis. of Kidneys	4222	47	42	38	34	27	188	123	88	105	148	333	420	534	731	928	545	79
Dis. of Gener. Organs	67	5	–	–	–	2	7	1	3	2	4	3	10	9	14	10	2	2
Dis. of Joints	1307	38	40	31	18	21	148	141	156	145	111	127	119	119	124	89	28	–
Dis. of Skin	661	230	45	17	8	7	307	15	11	15	11	36	30	52	78	58	37	8
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	970	–	–	–	–	–	–	–	4	29	53	139	196	202	216	104	25	2
Other Violent Deaths	11442	595	382	338	330	294	1939	781	867	870	947	1570	1446	1196	976	561	239	50
Other Causes	45488	24047	3121	543	188	107	28009	306	146	113	132	411	622	710	1445	4118	7095	2281

Mean Population, 1861-71, and Deaths in Divisions during the 10 Years 1861-70.

IX.—YORKSHIRE.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																	
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
Mean Popul^{n}, 1861-71	1,117,729	34,713	30,642	29,931	29,340	28,552	153,178	131,900	115,705	108,194	103,279	169,163	129,424	95,390	62,977	34,892	12,000	1,627
TOTAL DEATHS	255,799	62,689	22,824	10,397	6,738	4,914	107,562	11,122	6,054	8,736	9,562	18,074	16,140	15,120	18,602	22,482	17,604	4,741
Small-pox	2529	629	352	268	207	169	1625	293	87	118	118	139	76	45	20	7	1	–
Measles	4837	882	1898	912	480	269	4441	324	29	8	11	17	5	2	–	–	–	–
Scarlatina	11689	655	1585	1844	1729	1466	7279	3193	721	209	109	127	42	4	4	1	–	–
Diphtheria	2073	183	239	246	231	223	1122	586	168	50	45	53	22	10	9	6	2	–
Whooping-cough	5869	2539	1819	762	367	181	5668	184	9	2	3	1	1	–	–	1	–	–
Typhus	11433	249	498	502	461	474	2244	1453	1176	1298	940	1327	920	757	678	451	169	20
Diarrhœa & Dysentery	12609	7179	2133	360	114	56	9842	131	43	46	79	215	223	228	409	659	607	127
Cholera	667	194	74	19	8	17	312	40	11	7	16	44	43	46	62	56	26	4
Other Zymotic Dis.	5496	825	699	603	502	343	2972	461	173	141	121	219	209	235	322	376	229	38
Cancer	5436	–	5	2	7	3	17	6	9	25	30	278	868	1494	1344	959	366	40
Scrofula and Tabes	4573	1493	965	323	174	102	3057	283	222	223	156	205	144	126	38	50	9	–
Phthisis	29723	349	344	191	121	105	1110	625	1440	4329	4842	8183	4978	2463	1269	431	53	–
Hydrocephalus	3952	1337	1111	460	282	199	3389	389	126	20	14	8	2	2	1	1	–	–
Dis. of Brain	35692	16295	2525	1014	610	340	20784	928	470	479	467	915	1252	1797	2692	3492	2098	318
Dis. of Heart & Dropsy	15601	301	135	73	73	58	640	300	375	396	450	1251	1781	2320	3247	3269	1436	136
Dis. of Lungs	36134	8483	4889	1696	811	531	16410	793	303	399	482	1177	1632	2261	3985	5218	3004	470
Dis. of Stom. and Liver	12061	1137	283	132	95	73	1720	255	191	265	388	1026	1357	1728	2290	1989	768	84
Dis. of Kidneys	1890	27	39	28	19	22	135	62	54	63	105	244	290	287	297	243	96	14
Dis. of Gener. Organs	1072	1	3	–	–	–	4	–	5	13	56	177	239	249	194	96	34	5
Dis. of Joints	1108	42	28	21	17	21	129	89	111	105	67	111	119	136	113	94	28	6
Dis. of Skin	627	172	28	11	10	7	228	12	11	13	20	46	54	53	60	85	42	3
Childbirth and Metria	3992	–	–	–	–	–	–	–	–	220	759	1759	1199	55	–	–	–	–
Suicide	403	–	–	–	–	–	–	–	7	45	38	64	68	87	54	29	9	2
Other Violent Deaths	3677	528	306	263	208	153	1458	433	189	121	111	154	193	184	182	258	284	110
Other Causes	42656	19189	2866	607	212	102	22976	282	124	141	135	334	423	551	1272	4711	8343	3364

Mean Population, 1861–71, and **Deaths** in **Divisions** during the **10 Years 1861–70.**

X.—NORTHERN COUNTIES.

CAUSES OF DEATH.	All Ages.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
Mean Popul^n, 1861-71	648,066	20,899	18,310	18,986	17,949	17,647	93,791	79,989	69,938	63,795	60,493	98,194	72,276	52,509	33,420	17,072	5,823	766
TOTAL DEATHS -	150,193	41,759	13,948	6,361	4,056	3,056	69,180	7,297	3,671	4,449	4,996	8,966	8,614	9,338	10,787	11,708	8,820	2,367
Small-pox - - -	1420	351	120	122	86	61	740	125	40	61	128	156	81	49	29	10	1	-
Measles - - -	2851	493	1139	562	266	156	2616	188	17	10	6	5	3	3	3	-	-	-
Scarlatina - - -	8848	654	1290	1452	1286	1076	5758	2470	390	105	49	44	23	8	1	-	-	-
Diphtheria - - -	1025	157	185	111	116	84	653	215	58	28	15	23	12	10	6	5	-	-
Whooping-cough -	2783	1195	864	357	161	98	2675	103	4	-	-	-	-	-	-	1	-	-
Typhus - - -	6362	194	279	276	241	242	1232	775	463	566	575	796	610	510	433	306	85	11
Diarrhœa & Dysentery	6173	3385	1249	214	68	38	4954	67	37	26	27	73	84	109	197	294	261	44
Cholera - - -	627	127	48	24	19	16	234	36	21	9	20	42	74	81	61	33	16	-
Other Zymotic Dis. -	3328	525	569	382	326	180	1982	274	79	72	59	84	116	151	164	206	115	26
Cancer - - -	1427	-	1	1	1	2	5	5	6	13	9	60	136	265	410	338	160	29
Scrofula and Tabes -	5025	1926	1463	409	160	88	4046	267	186	147	76	117	66	41	49	24	6	-
Phthisis - - -	13881	195	167	94	64	68	588	373	531	1490	2074	3416	2355	1700	1033	293	26	2
Hydrocephalus - -	3085	1188	834	326	159	140	2657	338	62	13	7	2	2	3	-	1	-	-
Dis. of Brain - -	18832	8359	1092	463	266	188	10368	469	209	227	243	545	778	1104	1498	1971	1253	167
Dis. of Heart & Dropsy	8713	130	100	65	47	48	390	183	185	214	201	622	956	1261	1744	1898	936	123
Dis. of Lungs - -	18772	5501	2377	801	389	248	9316	397	129	186	237	573	888	1283	2042	2192	1313	216
Dis. of Stom. and Liver	6688	1387	261	98	55	45	1846	160	134	152	170	430	581	919	1011	927	328	30
Dis. of Kidneys - -	2107	29	32	22	18	16	117	63	42	64	77	164	195	232	375	426	308	44
Dis. of Gener. Organs -	33	3	1	2	-	-	6	1	-	-	1	3	4	8	3	3	3	1
Dis. of Joints - -	635	18	13	12	15	19	72	90	73	62	48	75	64	49	38	45	16	3
Dis. of Skin - -	309	110	19	8	1	7	145	9	7	7	5	8	16	25	37	30	17	3
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	528	-	-	-	-	-	-	-	1	14	30	66	102	118	126	54	16	1
Other Violent Deaths -	9068	368	240	198	180	155	1141	510	923	907	863	1425	1076	899	735	419	145	25
Other Causes - -	27673	15469	1605	362	122	81	17639	179	74	76	76	237	392	510	792	2232	8815	1651

Mean Population, 1861–71, and **Deaths** in **Divisions** during the **10 Years 1861–70.**

X.—NORTHERN COUNTIES.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
Mean Popul^{n}, 1861–71	634,737	20,593	18,147	18,716	17,697	17,077	92,230	78,669	67,730	60,106	56,826	93,028	70,067	52,065	35,135	20,045	7,009	1,227
TOTAL DEATHS	141,329	33,590	13,240	6,456	4,098	2,879	60,263	7,083	3,172	4,087	4,843	9,676	8,513	7,896	9,723	11,932	10,612	3,529
Small-pox	1220	315	146	99	86	57	703	150	45	60	52	87	63	28	25	4	3	–
Measles	2631	425	995	523	237	151	2351	223	23	8	2	8	9	2	1	1	–	–
Scarlatina	8808	537	1251	1446	1317	998	5569	2115	485	130	72	80	21	4	2	–	–	–
Diphtheria	1081	94	148	125	141	106	614	263	92	30	22	30	11	11	3	4	1	–
Whooping-cough	3406	1366	1015	469	213	159	3252	149	3	1	–	–	–	1	–	–	–	–
Typhus	6277	136	300	294	274	240	1244	878	543	539	513	775	518	472	400	275	107	13
Diarrhœa & Dysentery	6018	3011	1171	230	65	38	4515	64	21	19	36	134	122	110	204	350	338	105
Cholera	574	78	43	22	24	10	177	51	28	19	12	67	54	59	49	41	14	3
Other Zymotic Dis.	2994	400	417	333	284	189	1673	267	72	62	56	78	99	109	171	224	148	35
Cancer	2820	1	1	–	4	3	9	4	2	4	14	135	422	716	731	535	215	33
Scrofula and Tabes	4156	1686	1317	426	151	80	3690	193	118	98	72	120	50	63	31	18	2	1
Phthisis	15821	158	190	132	57	63	600	429	836	1927	2370	4377	2739	1493	763	241	43	3
Hydrocephalus	2466	878	650	294	145	119	2086	274	68	21	2	6	4	5	–	–	–	–
Dis. of Brain	15970	6228	1029	416	226	150	8049	432	173	212	221	496	634	962	1425	1910	1228	228
Dis. of Heart & Dropsy	8984	125	100	54	55	49	383	143	187	237	209	638	943	1236	1897	2068	1067	126
Dis. of Lungs	16590	4188	2271	915	436	232	8042	421	138	145	197	472	623	903	1620	2102	1497	340
Dis. of Stom. and Liver	6627	935	223	92	55	50	1355	136	101	156	208	510	675	802	1116	1038	468	62
Dis. of Kidneys	1076	17	29	26	21	6	99	41	25	34	61	156	178	136	156	133	50	7
Dis. of Gener. Organs	615	–	2	1	1	–	4	–	4	8	28	89	134	141	122	61	23	1
Dis. of Joints	481	14	12	14	12	10	62	60	53	46	39	55	38	39	38	38	13	–
Dis. of Skin	329	103	18	8	3	5	137	5	3	5	8	18	17	22	33	49	21	6
Childbirth and Metria	2378	–	–	–	–	–	–	–	1	132	488	1015	714	28	–	–	–	–
Suicide	202	–	–	–	–	–	–	–	4	12	11	31	36	52	30	23	2	1
Other Violent Deaths	2103	285	167	146	111	80	789	243	86	95	58	88	108	122	131	158	176	49
Other Causes	27492	12590	1685	371	130	81	14860	299	61	87	92	211	301	380	860	2559	5256	2516

Mean Population, 1861–71, and **Deaths** in **Divisions** during the **10 Years 1861–70.**

XI.—MONMOUTHSHIRE AND WALES.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
Mean Popul^{n}, 1861–71	687,450	20,056	17,801	19,180	18,345	18,259	93,641	83,642	75,803	69,327	59,788	95,271	75,082	59,707	41,838	22,846	9,111	1,394
TOTAL DEATHS	152,539	36,712	10,650	5,599	3,663	2,671	56,295	7,244	4,216	5,483	6,927	10,652	9,574	10,067	12,023	13,941	12,109	4,008
Small-pox	1181	215	84	84	62	44	489	124	48	57	151	173	87	35	12	3	2	–
Measles	2134	403	766	376	186	128	1859	211	36	9	6	6	5	1	1	–	–	–
Scarlatina	6293	509	966	989	931	745	4140	1658	300	86	46	36	15	6	5	1	–	–
Diphtheria	1320	114	155	147	131	118	665	373	126	54	44	23	12	8	8	6	1	–
Whooping-cough	2539	1115	727	306	167	99	2414	116	7	–	1	1	–	–	–	–	–	–
Typhus	6451	192	236	272	229	230	1159	815	506	656	671	713	562	476	458	324	116	15
Diarrhœa & Dysentery	2494	1125	319	96	40	24	1604	42	20	14	20	57	55	75	135	235	189	48
Cholera	1345	69	52	40	29	30	220	141	86	52	84	159	146	178	154	92	32	1
Other Zymotic Dis.	3411	424	459	382	300	210	1775	357	107	102	88	125	142	146	200	212	139	18
Cancer	1643	–	–	3	5	2	10	10	4	13	13	53	153	285	418	403	219	32
Scrofula and Tabes	2523	556	459	193	70	44	1322	219	190	170	153	175	78	91	67	44	12	2
Phthisis	19335	210	222	146	74	67	719	448	714	2134	3350	4104	2933	2196	1598	725	107	7
Hydrocephalus	1610	499	381	184	111	78	1244	237	77	21	8	9	7	3	1	3	–	–
Dis. of Brain	25062	14020	1893	753	368	208	17242	592	231	243	238	556	755	883	1228	1679	1200	215
Dis. of Heart & Dropsy	7072	66	46	42	33	33	220	155	164	126	189	524	692	972	1381	1624	838	97
Dis. of Lungs	20056	3719	1913	761	414	244	7051	447	174	265	326	782	1056	1652	2733	3358	1940	272
Dis. of Stom. and Liver	5704	472	116	64	49	34	735	155	137	143	164	422	635	868	1082	960	359	44
Dis. of Kidneys	2131	14	19	7	12	10	62	46	30	56	52	155	239	278	342	499	318	54
Dis. of Gener. Organs	26	1	1	–	–	–	2	1	–	–	–	–	6	3	4	5	4	1
Dis. of Joints	396	6	10	5	6	2	29	39	49	48	48	37	34	37	41	21	12	1
Dis. of Skin	266	89	12	5	3	2	111	8	9	11	6	10	10	23	23	30	20	5
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	311	–	–	–	–	–	–	–	4	5	16	37	63	82	62	33	8	1
Other Violent Deaths	10040	147	239	249	181	166	982	545	971	977	1033	1759	1378	1047	755	395	167	31
Other Causes	29196	9756	1575	495	262	153	12241	505	226	171	220	436	511	722	1205	3289	6406	3164

Mean Population, 1861–71, and Deaths in Divisions during the 10 Years 1861–70.

XI.—MONMOUTHSHIRE AND WALES.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES.																
		Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
Mean Popul^{n}, 1861-71	688,721	19,867	17,731	18,741	18,352	18,054	92,745	82,303	73,505	65,463	59,936	97,086	74,820	59,464	42,660	26,278	12,046	2,415
TOTAL DEATHS	141,781	26,896	10,129	5,548	3,917	2,762	49,252	6,762	3,765	4,798	5,802	10,609	9,123	8,309	10,109	13,171	13,846	6,235
Small-pox	935	223	113	82	55	44	517	137	36	46	65	71	37	15	6	5	–	–
Measles	2152	339	705	390	252	151	1837	245	36	8	8	12	4	2	–	–	–	–
Scarlatina	6257	388	868	984	985	792	4017	1608	373	106	71	57	13	5	5	1	1	–
Diphtheria	1493	80	133	150	168	155	666	442	186	63	41	32	27	14	14	6	1	1
Whooping-cough	3213	1274	924	420	266	141	3025	167	16	2	–	–	2	–	1	–	–	–
Typhus	6162	141	239	299	240	220	1139	800	621	649	542	700	499	390	376	307	130	9
Diarrhœa & Dysentery	2297	892	302	94	37	26	1351	50	23	12	36	74	73	84	118	203	201	72
Cholera	1429	37	46	50	31	43	207	126	68	48	83	208	193	165	148	114	57	12
Other Zymotic Dis.	3024	338	407	368	290	193	1596	310	92	77	68	85	84	135	184	236	144	23
Cancer	2690	2	–	–	4	4	10	6	4	11	14	114	328	671	738	508	247	39
Scrofula and Tabes	1953	441	402	173	75	51	1142	136	128	94	99	122	60	69	49	36	17	1
Phthisis	20561	209	246	124	97	79	755	506	1054	2495	3032	5116	3456	2118	1514	618	86	11
Hydrocephalus	1095	307	262	129	75	60	833	185	49	16	3	5	–	–	2	2	–	–
Dis. of Brain	21338	10920	1798	695	369	219	14001	509	201	191	211	461	514	757	1146	1727	1344	276
Dis. of Heart & Dropsy	8129	53	51	31	29	34	198	158	174	221	253	635	770	1090	1547	1861	1100	122
Dis. of Lungs	15518	2756	1780	779	458	240	6013	436	156	208	273	562	674	865	1731	2504	1680	316
Dis. of Stom. and Liver	5109	238	89	52	33	28	500	132	86	118	184	471	566	759	997	841	409	46
Dis. of Kidneys	859	9	8	4	9	9	39	27	26	28	50	116	149	119	133	125	44	3
Dis. of Gener. Organs	405	1	–	–	–	–	1	–	1	10	18	59	90	90	77	44	13	2
Dis. of Joints	286	3	5	5	4	4	21	27	39	31	17	37	33	30	24	15	10	2
Dis. of Skin	248	64	8	8	5	1	86	4	4	3	8	10	20	31	40	24	17	1
Childbirth and Metria	2695	–	–	–	–	–	–	–	–	75	445	1145	968	62	–	–	–	–
Suicide	127	–	–	–	–	–	–	–	1	9	12	23	17	25	25	10	5	–
Other Violent Deaths	2042	160	203	174	178	113	828	285	103	98	46	84	78	99	95	130	129	67
Other Causes	31754	7961	1540	557	257	155	10470	466	288	179	223	410	468	714	1339	3754	8211	5232

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–
1.—KENSINGTON.																	
Mean Popul^n, 1861–71	97243	3191	2741	2719	2642	2579	13872	11269	9222	8675	8819	16118	12298	8647	5072	2436	738
TOTAL DEATHS	24111	6610	2261	1068	703	444	11086	939	380	531	751	1648	1917	1811	1899	1842	1056
Small-pox	168	54	17	16	6	9	102	15	4	4	6	17	12	6	1	1	–
Measles	621	132	237	120	76	27	592	23	3	2	2	1	1	–	–	–	–
Scarlatina	1120	75	169	188	171	135	738	310	46	11	7	7	5	2	–	–	–
Diphtheria	238	38	32	35	32	33	170	40	5	2	4	6	4	1	5	1	–
Whooping-cough	659	279	189	106	46	22	642	17	–	–	–	–	–	–	–	–	–
Typhus	592	26	24	37	31	23	141	76	49	52	39	64	46	38	33	39	14
Diarrhœa & Dysentery	1287	997	122	20	12	5	1156	6	1	4	6	7	14	18	15	28	25
Cholera	136	45	10	10	3	3	71	12	2	2	1	5	10	8	5	7	3
Other Zymotic Dis.	613	92	85	57	47	29	310	38	16	16	20	33	45	43	40	24	20
Cancer	311	–	–	–	1	–	1	1	3	3	3	14	44	70	81	68	20
Scrofula and Tabes	444	197	90	47	16	10	360	32	14	10	5	6	9	2	2	2	2
Phthisis	3223	78	54	28	22	10	192	56	54	205	412	857	719	398	224	67	8
Hydrocephalus	622	241	186	73	31	22	556	50	13	2	–	1	–	–	–	–	–
Dis. of Brain	2683	762	179	61	46	22	1070	46	32	34	35	108	188	244	310	387	198
Dis. of Heart & Dropsy	1367	42	10	7	3	3	65	31	33	36	40	109	181	217	281	210	120
Dis. of Lungs	4111	1158	579	172	100	50	2054	68	22	35	44	142	221	322	434	483	230
Dis. of Stom. and Liver	965	172	11	14	7	7	211	18	19	18	11	65	115	162	160	131	42
Dis. of Kidneys	622	2	4	7	3	2	18	8	12	11	17	46	81	102	133	121	62
Dis. of Gener. Organs	9	–	–	–	–	–	–	–	–	–	1	–	2	2	3	1	–
Dis. of Joints	76	1	4	2	–	1	8	16	6	6	6	7	4	5	9	7	2
Dis. of Skin	67	27	3	2	1	1	34	2	1	2	1	2	4	5	5	6	5
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	115	–	–	–	–	–	–	–	1	4	5	25	30	26	8	10	5
Other Violent Deaths	988	191	34	31	31	22	309	63	41	64	74	99	105	85	83	41	20
Other Causes	3075	2006	222	35	15	8	2286	11	3	8	12	27	47	55	67	171	280
2.—CHELSEA.																	
Mean Popul^n, 1861–71	30878	944	774	791	825	762	4096	3483	3217	2665	2743	4939	3829	2778	1692	1008	376
TOTAL DEATHS	8494	2113	763	378	220	148	3622	330	111	100	174	452	622	692	702	827	696
Small-pox	74	22	12	3	4	3	44	11	1	1	5	3	4	3	1	1	–
Measles	205	35	71	43	20	14	183	19	–	–	–	1	1	–	1	–	–
Scarlatina	429	21	76	71	51	63	282	113	19	5	1	6	1	1	–	–	1
Diphtheria	47	9	11	7	7	1	35	6	1	–	1	–	2	1	–	1	–
Whooping-cough	247	92	72	47	18	9	238	9	–	–	–	–	–	–	–	–	–
Typhus	207	8	9	18	15	9	59	27	11	11	6	23	16	11	20	10	11
Diarrhœa & Dysentery	369	231	48	9	5	1	294	7	1	–	–	1	3	2	16	17	24
Cholera	29	15	1	1	2	2	21	–	–	–	1	–	2	1	1	2	1
Other Zymotic Dis.	176	20	24	18	13	3	78	8	4	6	3	9	15	13	7	18	14
Cancer	150	–	–	–	–	–	–	1	–	–	2	1	21	33	49	26	16
Scrofula and Tabes	191	99	30	16	7	4	156	11	9	2	1	–	6	3	1	1	1
Phthisis	1258	61	47	13	7	4	132	20	16	36	98	260	277	217	133	57	11
Hydrocephalus	184	81	53	18	11	8	171	8	3	–	–	2	–	–	–	–	–
Dis. of Brain	974	291	59	21	9	12	392	27	13	4	12	29	51	93	99	137	101
Dis. of Heart & Dropsy	442	7	4	3	1	–	15	9	4	11	9	24	51	65	82	107	55
Dis. of Lungs	1583	359	167	65	39	10	640	24	3	9	16	40	85	113	159	226	204
Dis. of Stom. and Liver	303	46	3	3	2	1	55	9	7	2	1	13	32	54	48	53	28
Dis. of Kidneys	150	3	1	–	1	1	6	2	1	2	3	11	12	23	29	33	26
Dis. of Gener. Organs	4	–	–	–	–	1	1	–	–	–	–	–	–	–	1	1	1
Dis. of Joints	38	1	1	–	–	–	2	5	6	4	2	1	3	4	3	3	4
Dis. of Skin	34	15	–	1	–	–	16	2	–	–	1	1	–	4	4	2	4
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	38	–	–	–	–	–	–	–	1	1	1	4	6	10	9	5	1
Other Violent Deaths	163	40	4	4	1	1	50	10	8	4	9	14	15	15	8	12	15
Other Causes	1199	657	70	17	7	1	752	2	3	2	2	9	19	23	31	115	178
3.—ST. GEORGE HANOVER SQUARE.*																	
Mean Popul^n, 1861–71	38044	986	823	828	809	753	4199	3334	2895	3426	4399	7336	5397	3732	2142	938	221
TOTAL DEATHS	10225	2025	750	382	251	150	3558	350	160	244	352	987	1086	1181	1027	820	395
Small-pox	45	14	4	1	4	–	23	2	–	1	2	10	6	–	1	–	–
Measles	183	32	60	43	21	14	170	10	1	1	–	–	1	–	–	–	–
Scarlatina	338	19	36	57	59	44	215	86	13	9	5	4	3	2	1	–	–
Diphtheria	83	14	6	12	14	6	52	15	–	4	2	3	6	1	–	–	–
Whooping-cough	289	98	98	43	28	10	277	10	2	–	–	–	–	–	–	–	–
Typhus	238	2	2	11	12	5	32	22	17	21	27	30	25	24	24	11	4
Diarrhœa & Dysentery	316	234	25	3	4	–	266	6	3	–	–	2	4	10	7	11	3
Cholera	43	18	5	4	–	2	29	–	–	1	–	2	3	2	4	–	2
Other Zymotic Dis.	260	33	30	24	15	8	110	18	5	13	7	23	22	24	18	12	8
Cancer	171	–	–	–	–	1	1	1	–	–	4	11	20	52	49	29	4
Scrofula and Tabes	181	63	29	11	4	2	109	15	8	10	4	16	7	7	3	2	–
Phthisis	1362	23	22	9	7	11	72	16	19	67	130	349	319	245	111	30	4
Hydrocephalus	297	91	68	29	11	8	207	23	3	1	–	3	–	–	–	–	–
Dis. of Brain	1012	228	57	32	18	10	345	27	10	20	18	54	88	124	133	121	55
Dis. of Heart & Dropsy	670	13	4	4	3	1	25	8	18	9	16	98	113	116	123	107	34
Dis. of Lungs	1625	346	185	52	25	14	622	20	7	11	20	88	107	178	222	224	109
Dis. of Stom. & Liver	534	56	11	1	4	1	73	9	7	12	13	52	87	101	102	53	22
Dis. of Kidneys	467	1	1	2	3	1	8	8	6	8	11	51	97	90	79	81	25
Dis. of Gener. Organs	6	–	–	–	–	–	–	–	–	–	–	–	2	1	–	2	1
Dis. of Joints	85	2	–	1	2	2	7	9	5	9	9	13	15	8	10	–	1
Dis. of Skin	68	6	–	1	–	–	7	–	2	4	4	7	13	11	9	10	1
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	76	–	–	–	–	–	–	–	–	3	5	15	17	17	18	–	1
Other Violent Deaths	734	69	31	23	13	8	144	41	34	38	55	118	97	107	55	33	3
Other Causes	1201	663	76	19	4	2	764	4	–	2	9	38	34	51	58	89	118

* Sub-districts of Hanover-square, Mayfair, and Belgrave only.

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
1.—KENSINGTON.																		
Mean Popul^n, 1861-71	137309	3239	2700	2753	2697	2547	13936	11779	10600	13830	16763	27146	18046	12055	7496	4080	1389	183
TOTAL DEATHS	24590	5137	2087	1059	677	445	9405	964	403	668	850	1893	1790	1755	1995	2407	1911	544
Small-pox	129	33	11	8	11	5	68	18	4	5	7	12	9	3	1	2	–	–
Measles	615	104	246	131	58	24	563	34	8	4	3	2	–	1	–	–	–	–
Scarlatina	1065	55	143	194	154	128	674	271	48	14	18	27	10	2	1	–	–	–
Diphtheria	247	23	31	28	40	23	145	51	10	9	7	14	5	2	3	1	–	–
Whooping-cough	761	280	214	138	67	22	721	36	2	–	–	1	–	–	–	1	–	–
Typhus	704	17	31	31	40	29	148	95	44	73	46	82	57	52	39	42	22	4
Diarrhœa & Dysentery	1164	804	119	23	12	6	964	12	1	1	6	11	15	17	22	42	56	14
Cholera	94	34	9	2	2	2	49	11	1	–	2	4	6	5	5	9	2	–
Other Zymotic Dis.	586	86	61	65	45	33	290	40	20	16	19	33	27	35	31	36	31	8
Cancer	857	–	–	–	–	–	–	1	1	3	6	41	134	220	207	152	66	6
Scrofula and Tabes	455	180	95	27	18	13	333	28	23	13	9	16	18	4	3	6	2	–
Phthisis	3120	89	60	35	14	15	213	65	105	343	455	851	612	308	120	36	12	–
Hydrocephalus	494	196	138	46	30	27	437	44	7	3	1	1	–	1	–	–	–	–
Dis. of Brain	2552	553	142	67	42	25	829	63	27	30	29	98	140	227	293	411	334	71
Dis. of Heart & Dropsy	1680	39	12	11	4	7	73	26	24	45	37	104	159	246	333	385	221	24
Dis. of Lungs	4153	826	530	188	107	48	1699	79	26	33	43	115	169	241	484	669	489	126
Dis. of Stom. and Liver	1230	111	14	5	3	8	141	28	21	23	34	116	140	189	222	198	106	12
Dis. of Kidneys	355	2	2	3	2	5	14	8	5	7	15	39	49	57	71	65	22	3
Dis. of Gener. Organs	246	–	–	–	–	–	–	–	1	2	9	43	57	64	41	19	10	–
Dis. of Joints	61	2	–	1	2	–	5	6	4	3	4	6	6	7	6	10	3	1
Dis. of Skin	74	18	5	1	–	1	25	–	1	4	3	8	4	5	10	10	3	1
Childbirth and Metria	885	–	–	–	–	–	–	–	–	9	67	193	111	–	–	–	–	–
Suicide	54	–	–	–	–	–	–	–	–	3	10	10	16	4	4	4	–	
Other Violent Deaths	442	142	24	16	17	15	214	36	12	14	9	28	18	26	19	23	28	12
Other Causes	3090	1543	203	39	9	9	1800	12	8	11	11	30	28	39	80	233	521	267
2.—CHELSEA.																		
Mean Popul^n, 1861-71	36386	961	813	773	811	733	4091	3486	3238	3199	3529	6284	4772	3488	2372	1355	483	89
TOTAL DEATHS	8443	1721	722	390	223	163	3219	278	129	131	220	531	585	627	806	911	755	251
Small-pox	69	17	9	8	5	3	42	10	1	3	4	4	4	1	–	–	–	–
Measles	190	38	66	39	17	16	176	11	–	–	–	2	–	1	–	–	–	–
Scarlatina	411	28	68	81	59	51	287	88	20	7	2	2	3	1	1	–	–	–
Diphtheria	46	2	9	5	5	5	26	13	1	1	–	3	1	–	–	1	–	–
Whooping-cough	290	97	108	46	19	11	281	8	1	–	–	–	–	–	–	–	–	–
Typhus	221	3	12	19	14	16	64	25	17	7	10	16	22	18	24	15	5	1
Diarrhœa & Dysentery	347	218	50	10	4	–	282	6	1	–	1	5	3	7	10	14	10	8
Cholera	28	6	1	2	1	1	11	1	1	–	2	2	1	2	2	4	2	–
Other Zymotic Dis.	147	17	18	18	10	4	67	10	6	3	3	7	10	8	15	8	9	1
Cancer	417	–	–	–	–	–	–	1	1	1	3	26	81	105	103	75	18	3
Scrofula and Tabes	158	83	28	9	1	3	124	3	7	1	4	7	4	2	2	3	1	–
Phthisis	1109	58	37	11	10	10	126	28	42	60	118	260	212	159	64	29	4	1
Hydrocephalus	144	51	35	22	18	3	129	12	–	3	–	–	–	–	–	–	–	–
Dis. of Brain	880	194	63	23	13	13	306	19	6	9	8	29	56	72	129	142	88	16
Dis. of Heart & Dropsy	491	7	4	3	1	1	16	8	5	9	14	30	46	53	124	116	55	10
Dis. of Lungs	1130	301	139	72	36	22	570	16	9	6	15	38	47	92	187	237	158	35
Dis. of Stom. and Liver	351	18	–	3	7	–	28	3	8	8	10	26	35	63	72	61	33	1
Dis. of Kidneys	64	–	1	2	–	–	3	1	–	3	–	9	9	8	12	10	8	1
Dis. of Gener. Organs	41	–	–	–	–	–	–	–	–	–	1	7	7	9	12	4	1	–
Dis of Joints	24	–	–	1	–	–	1	6	2	2	–	3	2	–	4	2	2	–
Dis. of Skin	23	7	2	1	–	–	10	–	1	–	1	2	2	–	2	3	2	–
Childbirth and Metria	88	–	–	–	–	–	–	–	–	4	17	38	28	1	–	–	–	–
Suicide	9	–	–	–	–	–	–	–	–	2	–	–	1	3	3	–	–	–
Other Violent Deaths	86	33	5	3	2	1	49	5	–	1	3	3	2	8	5	9	5	1
Other Causes	1382	538	67	12	1	3	621	4	–	1	4	12	9	14	35	155	354	173
3.—ST. GEORGE HANOVER SQUARE.*																		
Mean Popul^n, 1861-71	50680	1008	871	859	801	753	4292	3498	3292	5048	6720	10830	7319	4882	2913	1397	429	60
TOTAL DEATHS	8923	1614	639	351	230	171	3005	318	178	253	293	764	766	861	893	877	558	157
Small-pox	41	13	1	–	3	2	19	1	3	1	4	5	5	2	–	1	–	–
Measles	182	22	64	44	22	14	166	10	2	–	1	2	–	–	–	1	–	–
Scarlatina	318	15	47	52	49	46	209	89	28	11	4	3	3	1	–	–	–	–
Diphtheria	87	7	7	9	16	7	46	18	6	3	3	5	1	2	3	–	–	–
Whooping-cough	289	109	88	42	29	13	281	8	–	–	–	–	–	–	–	–	–	–
Typhus	254	3	9	15	7	7	41	23	21	19	24	29	35	18	21	13	6	–
Diarrhœa & Dysentery	291	183	30	2	3	2	220	6	1	–	1	3	4	9	16	12	13	6
Cholera	27	16	2	–	–	–	18	–	1	1	–	–	2	1	4	–	–	–
Other Zymotic Dis.	243	21	20	13	12	15	84	20	10	10	9	22	17	16	21	22	10	2
Cancer	458	–	–	–	–	1	1	–	2	4	2	30	66	145	121	66	29	1
Scrofula and Tabes	129	36	26	11	3	4	80	10	6	3	2	6	11	5	1	4	1	–
Phthisis	958	12	17	12	8	7	56	18	36	82	101	239	205	159	49	10	2	–
Hydrocephalus	183	73	39	15	12	13	152	21	7	3	–	–	–	–	–	–	–	–
Dis. of Brain	832	159	42	33	11	12	257	13	18	27	16	51	46	77	94	136	80	17
Dis. of Heart & Dropsy	595	14	3	2	1	3	23	3	9	20	21	59	69	105	134	115	42	7
Dis. of Lungs	1535	278	161	66	31	11	547	30	8	16	18	50	68	115	214	269	165	35
Dis. of Stom. and Liver	523	34	3	1	2	3	43	7	7	14	21	55	69	102	95	82	24	4
Dis. of Kidneys	208	1	–	–	2	–	3	2	4	3	14	30	38	38	47	23	6	
Dis. of Gener. Organs	111	–	–	–	–	–	–	–	–	2	6	24	30	20	20	6	2	1
Dis. of Joints	63	–	2	1	2	–	5	9	3	8	5	7	5	10	9	1	1	–
Dis. of Skin	54	17	3	3	1	1	25	2	–	–	2	10	6	2	1	5	1	–
Childbirth and Metria	146	–	–	–	–	–	–	–	–	3	24	71	48	–	–	–	–	–
Suicide	26	–	–	–	–	–	–	–	–	1	1	7	6	5	3	3	–	–
Other Violent Deaths	238	51	14	11	13	8	97	22	3	16	7	17	18	24	18	18	15	3
Other Causes	1082	547	61	19	3	2	632	4	3	6	7	9	23	25	52	99	179	81

* Sub-districts of Hanover-square, Mayfair, and Belgrave only.

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
4.—WESTMINSTER, ST. MARGARET.*																		
Mean Popul^n, 1861-71	32818	941	749	749	753	743	3935	3280	2931	2875	3621	6090	4412	3004	1717	761	176	16
TOTAL DEATHS	9883	2393	946	509	276	181	4305	343	124	191	311	790	958	920	895	686	298	62
Small-pox	122	21	12	10	14	14	71	13	3	5	7	11	9	3	-	-	-	-
Measles	305	61	113	71	31	15	291	12	-	-	1	1	-	-	-	-	-	-
Scarlatina	372	17	51	79	56	39	215	97	18	2	4	5	1	-	-	-	-	-
Diphtheria	47	3	13	4	3	6	29	7	2	-	2	1	3	1	-	2	-	-
Whooping-cough	339	123	110	60	28	16	337	2	-	-	-	-	-	-	-	-	-	-
Typhus	314	9	13	12	14	13	61	30	15	21	17	45	32	32	30	25	3	-
Diarrhœa & Dysentery	384	230	54	10	4	3	321	1	-	1	-	5	9	9	12	16	8	2
Cholera	46	16	3	-	1	1	21	3	-	1	-	6	3	5	3	3	1	-
Other Zymotic Dis.	210	23	30	26	19	10	108	19	4	6	5	18	11	18	18	21	6	3
Cancer	88	-	-	-	-	-	-	-	-	2	-	5	20	20	27	11	2	1
Scrofula and Tabes	193	77	36	22	6	3	144	19	5	4	4	7	2	5	2	1	-	-
Phthisis	1393	21	24	13	9	1	68	16	12	72	155	337	351	239	110	33	-	-
Hydrocephalus	233	100	69	29	12	8	218	11	3	-	-	-	-	1	-	-	-	-
Dis. of Brain	1021	361	85	25	16	12	499	26	11	8	17	50	66	88	105	106	44	6
Dis. of Heart & Dropsy	490	11	4	5	3	3	26	7	11	13	10	77	85	76	100	59	23	2
Dis. of Lungs	1859	411	192	93	43	14	753	27	7	21	35	88	158	201	249	224	87	9
Dis. of Stom. and Liver	353	49	7	5	3	4	68	7	7	7	12	26	45	66	76	32	7	-
Dis. of Kidneys	219	1	-	3	1	2	7	6	4	5	8	22	46	59	43	28	19	2
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-
Dis. of Joints	43	1	4	1	1	-	7	10	4	2	6	4	3	2	1	3	1	-
Dis. of Skin	35	8	3	1	1	-	13	1	-	-	1	4	2	5	6	3	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	57	-	-	-	-	-	-	-	-	-	5	8	12	10	16	6	-	-
Other Violent Deaths	364	47	10	10	7	11	85	18	16	15	16	46	53	46	40	21	11	1
Other Causes	1323	783	110	30	4	6	933	11	2	3	6	24	42	39	56	90	86	36
6 and 13.—WESTMINSTER, ST. JAMES, AND STRAND.†																		
Mean Popul^n, 1861-71	46824	1202	955	981	927	885	4950	4070	3917	4554	5263	8502	6651	4828	2686	1113	264	26
TOTAL DEATHS	12824	2664	1187	589	328	218	4986	451	196	244	371	1003	1330	1419	1347	947	450	80
Small-pox	75	17	11	12	5	4	49	9	2	2	3	2	3	4	1	-	-	-
Measles	249	51	91	65	17	8	232	16	1	-	-	-	-	-	-	-	-	-
Scarlatina	432	25	71	89	65	52	302	98	17	3	3	3	6	-	-	-	-	-
Diphtheria	59	13	9	9	5	4	40	10	1	2	2	-	1	1	1	-	1	-
Whooping-cough	387	139	138	51	28	15	374	11	-	-	-	-	-	2	-	-	-	-
Typhus	306	5	9	9	17	8	48	38	21	18	21	30	45	36	31	12	6	-
Diarrhœa & Dysentery	356	239	52	11	5	1	308	3	-	-	-	12	7	6	7	7	5	1
Cholera	41	13	4	1	1	-	19	3	1	-	1	4	7	3	2	-	1	-
Other Zymotic Dis.	297	41	27	23	19	19	129	22	9	8	10	22	29	26	20	17	5	-
Cancer	197	-	-	-	1	-	1	3	1	3	2	10	31	57	58	26	3	2
Scrofula and Tabes	279	89	63	34	17	11	214	25	15	8	3	5	2	4	3	-	-	-
Phthisis	1862	26	35	26	15	9	111	38	30	86	159	430	458	345	159	42	4	-
Hydrocephalus	335	116	95	47	27	20	305	27	1	1	-	1	-	-	-	-	-	-
Dis. of Brain	1384	360	97	45	23	14	539	25	17	17	19	66	107	152	192	178	71	1
Dis. of Heart & Dropsy	827	8	9	7	4	4	32	17	18	25	21	99	131	168	170	111	31	4
Dis. of Lungs	2357	524	318	110	59	34	1045	29	10	12	31	88	169	261	342	272	89	9
Dis. of Stom. and Liver	573	55	4	5	1	1	66	17	15	14	16	49	97	118	113	50	17	1
Dis. of Kidneys	396	2	1	4	3	1	11	6	5	12	20	46	75	63	82	48	28	-
Dis. of Gener. Organs	5	1	-	-	-	-	1	-	-	-	-	2	1	1	-	-	-	-
Dis. of Joints	79	1	-	3	-	3	7	11	6	7	5	7	17	8	11	-	-	-
Dis. of Skin	65	13	1	-	2	-	16	-	3	3	10	8	8	4	7	4	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	88	-	-	-	-	-	-	-	-	5	3	16	19	21	14	8	2	-
Other Violent Deaths	506	64	19	9	7	9	108	32	18	15	30	77	62	66	53	35	10	-
Other Causes	1669	862	133	26	7	1	1029	11	5	3	12	26	55	73	81	137	175	62
7.—MARYLEBONE.																		
Mean Popul^n, 1861-71	69943	2157	1755	1707	1652	1603	8874	7056	6155	6396	6890	12082	9212	6663	4109	1898	547	61
TOTAL DEATHS	19604	5153	1881	883	547	333	8797	698	268	363	482	1226	1447	1673	1914	1664	866	206
Small-pox	117	35	11	9	9	2	66	16	6	2	7	9	8	2	1	-	-	-
Measles	459	95	179	98	39	22	433	24	1	-	-	1	-	-	-	-	-	-
Scarlatina	765	49	102	114	133	92	490	198	41	19	8	4	3	1	1	-	-	-
Diphtheria	133	25	28	13	15	10	91	20	4	2	1	3	1	2	1	5	3	-
Whooping-cough	605	219	211	91	39	21	581	21	1	-	1	-	1	-	-	-	-	-
Typhus	390	16	24	18	15	19	92	56	24	30	29	34	41	33	30	15	5	1
Diarrhœa & Dysentery	934	708	107	17	4	1	837	3	-	-	2	5	5	11	25	24	15	7
Cholera	61	22	8	1	1	-	32	2	2	3	-	2	4	3	9	4	-	-
Other Zymotic Dis.	420	64	57	42	32	23	218	21	9	10	9	34	29	22	40	17	9	2
Cancer	326	-	-	1	2	-	3	-	3	-	2	15	38	97	97	53	17	1
Scrofula and Tabes	505	217	102	53	27	14	413	27	14	12	14	11	3	5	5	1	-	-
Phthisis	2463	45	32	27	17	12	133	47	38	143	243	615	580	400	205	55	6	-
Hydrocephalus	563	225	159	68	33	22	507	46	5	1	2	2	-	-	-	-	-	-
Dis. of Brain	2314	643	156	70	45	28	942	36	18	22	25	77	135	208	318	359	156	18
Dis. of Heart & Dropsy	1074	20	4	1	4	1	30	25	25	29	22	91	144	188	258	178	72	12
Dis. of Lungs	3833	938	505	194	94	38	1769	67	13	19	39	123	193	351	494	499	197	39
Dis. of Stom. and Liver	696	96	8	6	7	5	122	19	12	16	12	58	68	104	138	105	37	5
Dis. of Kidneys	581	2	1	3	3	4	13	7	6	14	14	44	61	92	141	134	53	2
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-
Dis. of Joints	111	6	-	4	1	5	16	22	16	11	7	12	8	9	5	5	-	-
Dis. of Skin	43	11	2	-	1	-	14	3	1	-	1	1	3	5	8	4	3	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	81	-	-	-	-	-	-	-	-	1	6	10	18	17	19	7	2	1
Other Violent Deaths	575	148	21	14	20	9	212	31	25	24	31	46	60	57	49	33	7	-
Other Causes	2552	1539	164	39	6	5	1753	7	4	5	7	29	43	66	71	165	284	118

* Sub-districts of St. John and St. Margaret.
† St. Martin-in-the-Fields, united to Strand District 1st July 1868, is included here, Westminster and Strand Districts being tabled together on account of the transfer of St. Anne Soho from Strand to Westminster 1st July 1868.

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
4.—WESTMINSTER, ST. MARGARET.*																		
Mean Popul^{n}, 1861–71	34418	957	780	810	773	703	4023	3281	2887	2807	3439	6385	4882	3354	2016	973	322	49
TOTAL DEATHS	8795	2016	889	454	267	164	3790	344	125	171	250	664	676	700	774	759	421	121
Small-pox	78	18	9	16	9	3	55	8	2	1	3	5	4	–	–	–	–	–
Measles	292	44	108	57	39	23	271	17	1	1	–	–	1	–	1	–	–	–
Scarlatina	345	20	44	72	48	39	223	88	19	3	3	7	1	1	–	–	–	–
Diphtheria	46	8	3	6	5	5	27	9	1	3	–	–	4	1	–	–	1	–
Whooping-cough	396	128	120	71	34	18	371	25	–	–	–	–	–	–	–	–	–	–
Typhus	329	8	10	8	13	11	50	41	16	21	22	40	26	35	42	29	7	–
Diarrhœa & Dysentery	431	280	67	10	2	–	359	4	1	1	2	6	6	9	7	17	13	6
Cholera	42	10	4	3	3	–	20	4	–	1	1	6	3	2	2	3	–	–
Other Zymotic Dis.	179	23	23	23	11	7	87	16	3	6	8	7	15	12	16	6	3	–
Cancer	257	–	–	1	1	–	2	2	1	1	1	25	46	89	53	32	13	1
Scrofula and Tabes	159	64	40	10	9	4	127	7	6	4	3	6	–	3	2	–	1	–
Phthisis	978	15	14	7	9	4	49	28	32	64	95	277	227	131	60	14	1	–
Hydrocephalus	173	63	49	33	14	4	163	8	–	1	1	–	–	–	–	–	–	–
Dis. of Brain	868	276	76	22	20	13	407	23	9	20	17	26	38	67	96	98	61	6
Dis. of Heart & Dropsy	497	22	6	7	1	1	37	9	12	7	12	50	63	79	89	93	40	6
Dis. of Lungs	1561	293	177	79	30	22	601	20	11	5	20	56	83	152	238	244	104	27
Dis. of Stom. and Liver	364	33	3	3	–	3	42	13	3	4	13	27	43	52	86	63	16	2
Dis. of Kidneys	98	3	–	–	–	–	3	1	2	6	4	19	15	17	9	17	4	1
Dis. of Gener. Organs	57	–	–	–	–	–	–	–	–	–	–	13	13	18	9	3	1	–
Dis. of Joints	23	–	1	1	–	–	2	3	1	5	2	4	–	2	2	–	1	1
Dis. of Skin	25	9	1	–	–	–	10	–	–	1	3	2	–	–	–	4	4	1
Childbirth and Metria	147	–	–	–	–	–	–	–	–	6	25	57	57	2	–	–	–	–
Suicide	18	–	–	–	–	–	–	–	–	2	3	2	6	2	3	–	–	–
Other Violent Deaths	176	48	9	2	11	5	75	13	4	4	6	11	9	17	11	15	7	4
Other Causes	1256	651	125	23	8	2	809	5	1	4	6	18	16	18	48	121	144	66
6 and 13.—WESTMINSTER, ST. JAMES, AND STRAND.†																		
Mean Popul^{n}, 1861–71	49933	1200	976	973	937	914	5000	4269	4041	5090	5789	9241	6821	4924	2880	1424	401	53
TOTAL DEATHS	11456	2224	1102	538	367	232	4463	444	202	242	357	850	950	1043	1132	1012	616	145
Small-pox	70	20	10	5	6	2	43	9	–	4	5	4	4	1	–	–	–	–
Measles	243	43	95	58	23	10	229	11	1	2	–	–	–	–	–	–	–	–
Scarlatina	490	42	66	67	87	70	332	123	16	3	7	4	4	–	1	–	–	–
Diphtheria	70	7	11	13	15	5	51	8	2	3	3	–	1	1	1	–	–	–
Whooping-cough	483	134	161	88	52	28	463	18	1	–	1	–	–	–	–	–	–	–
Typhus	322	7	12	12	8	9	48	32	27	30	23	41	34	40	30	13	4	–
Diarrhœa & Dysentery	374	244	46	7	4	–	301	9	3	4	–	5	6	14	11	12	6	3
Cholera	42	12	3	1	–	–	16	4	–	2	–	5	2	8	2	2	1	–
Other Zymotic Dis.	264	29	29	19	28	16	121	17	7	10	19	19	18	15	14	19	4	1
Cancer	321	1	–	–	–	1	2	2	1	2	1	28	59	85	85	46	8	2
Scrofula and Tabes	203	68	44	18	10	4	144	23	11	6	1	4	4	3	5	2	–	–
Phthisis	1304	35	36	23	15	10	119	36	51	77	141	323	291	159	81	24	2	–
Hydrocephalus	258	71	68	43	22	16	220	28	6	2	1	–	1	–	–	–	–	–
Dis. of Brain	1075	272	84	28	27	15	426	29	14	6	19	41	68	104	155	141	68	4
Dis. of Heart & Dropsy	729	8	4	4	2	2	20	12	17	22	32	81	102	132	167	107	31	6
Dis. of Lungs	2276	419	301	119	54	22	915	38	11	14	26	63	112	254	350	338	136	19
Dis. of Stom. and Liver	546	31	4	2	1	3	41	11	10	14	8	57	84	113	110	77	19	2
Dis. of Kidneys	171	–	1	–	1	2	4	5	4	6	12	27	35	27	30	10	10	1
Dis. of Gener. Organs	112	–	–	–	–	–	–	–	1	5	3	21	25	29	20	6	2	
Dis. of Joints	61	2	1	1	2	1	7	7	6	10	5	6	10	2	6	2	–	–
Dis. of Skin	21	3	–	–	–	–	3	–	2	–	1	9	2	1	–	2	1	–
Childbirth and Metria	162	–	–	–	–	–	–	–	–	5	35	71	49	2	–	–	–	–
Suicide	30	–	–	–	–	–	–	–	–	2	4	8	7	3	3	2	1	–
Other Violent Deaths	275	83	12	9	7	12	123	17	7	8	8	15	18	24	15	24	14	2
Other Causes	1554	693	114	21	3	4	835	5	4	5	2	18	14	26	46	185	309	105
7.—MARYLEBONE.																		
Mean Popul^{n}, 1861–71	90524	2070	1720	1744	1711	1622	8867	7336	6873	8167	10182	17234	12635	8969	5825	3181	1100	155
TOTAL DEATHS	20667	4130	1664	831	545	355	7525	672	270	394	540	1435	1636	1756	2080	2267	1622	470
Small-pox	110	18	18	18	9	10	73	8	–	3	3	11	6	3	2	–	1	–
Measles	423	77	166	82	50	21	396	22	2	1	1	–	1	–	–	–	–	–
Scarlatina	689	34	85	123	103	84	429	187	29	17	11	11	3	1	1	–	–	–
Diphtheria	159	15	24	34	17	14	104	31	5	2	2	8	3	2	1	1	–	–
Whooping-cough	669	235	198	104	69	30	636	30	2	1	–	–	–	–	–	–	–	–
Typhus	488	11	13	24	21	29	98	73	32	37	38	50	47	43	35	22	10	3
Diarrhœa & Dysentery	906	653	83	16	6	2	760	6	3	2	3	17	10	8	24	35	28	10
Cholera	60	17	6	–	1	–	24	4	1	1	–	5	3	7	5	7	3	–
Other Zymotic Dis.	390	57	40	32	34	26	189	38	13	10	8	19	28	22	22	25	14	2
Cancer	1095	–	–	–	–	–	–	1	–	4	4	72	209	336	284	138	41	6
Scrofula and Tabes	398	164	82	34	14	12	306	17	12	14	3	13	9	8	9	6	1	–
Phthisis	2124	45	38	21	14	17	135	53	68	141	219	586	501	262	123	29	6	1
Hydrocephalus	420	158	118	52	31	20	379	25	9	3	3	–	–	–	–	1	–	–
Dis. of Brain	2306	429	135	58	43	22	687	50	24	24	34	91	118	204	311	460	254	49
Dis. of Heart & Dropsy	1384	11	6	4	1	2	24	23	22	25	33	105	144	234	302	318	159	14
Dis. of Lungs	3892	672	457	174	90	47	1440	64	23	35	48	96	170	282	607	659	400	68
Dis. of Stom. and Liver	916	58	13	5	8	3	87	12	9	21	28	84	139	156	168	169	65	8
Dis. of Kidneys	348	1	4	2	2	1	10	6	2	10	13	35	42	55	69	55	17	3
Dis. of Gener. Organs	259	–	–	1	–	–	1	–	–	2	16	56	63	73	28	17	1	2
Dis. of Joints	65	2	–	1	1	4	8	7	6	7	4	11	7	8	3	4	–	–
Dis. of Skin	48	11	1	2	–	–	14	1	1	3	2	4	5	4	6	5	2	1
Childbirth and Metria	255	–	–	–	–	–	–	–	–	18	56	109	69	3	–	–	–	–
Suicide	36	–	–	–	–	–	–	–	–	1	3	7	9	7	5	4	–	–
Other Violent Deaths	387	164	22	17	16	8	227	10	6	6	5	16	18	16	24	33	22	4
Other Causes	2840	1298	155	27	15	3	1498	4	1	6	3	29	32	22	60	279	607	299

* Sub-districts of St. John and St. Margaret.
† St. Martin-in-the-Fields, united to Strand District 1st July 1868, is included here, Westminster and Strand Districts being tabled together on account of the transfer of St. Anne Soho from Strand to Westminster 1st July 1868.

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
8.—HAMPSTEAD.																		
Mean Popul^n, 1861–71	9899	320	263	271	269	270	1393	1179	1047	953	847	1430	1229	911	548	280	77	5
TOTAL DEATHS	1960	500	133	70	50	26	779	63	39	48	65	118	112	159	199	197	126	25
Small-pox	22	3	2	1	1	–	7	5	1	1	3	4	–	–	–	–	1	–
Measles	40	4	18	6	8	2	38	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	84	7	14	15	13	11	60	14	7	1	1	–	–	–	1	–	–	–
Diphtheria	22	–	2	6	5	1	14	4	1	1	–	1	–	–	1	–	–	–
Whooping-cough	63	31	15	12	2	2	62	1	–	–	–	–	–	–	–	–	–	–
Typhus	46	1	2	2	1	1	7	1	4	4	3	10	2	8	4	1	2	–
Diarrhœa & Dysentery	104	81	8	–	–	–	92	–	–	–	–	1	3	–	1	3	4	–
Cholera	9	8	–	–	–	–	8	–	–	–	–	–	–	1	–	–	–	–
Other Zymotic Dis.	51	8	7	3	4	–	22	3	5	3	2	1	3	2	5	2	3	–
Cancer	27	–	–	–	–	–	–	–	–	–	–	2	2	6	5	9	3	–
Scrofula and Tabes	25	9	6	–	1	–	16	2	1	1	1	2	–	1	1	–	–	–
Phthisis	235	2	3	5	–	–	10	6	2	17	36	63	53	33	24	8	3	–
Hydrocephalus	45	20	10	4	3	3	40	5	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	241	46	10	5	5	–	66	5	2	3	4	5	15	23	43	48	21	3
Dis. of Heart & Dropsy	131	3	–	–	1	–	4	4	2	–	2	7	16	20	29	34	12	1
Dis. of Lungs	284	85	25	8	2	3	123	2	2	2	5	3	16	27	32	41	21	8
Dis. of Stom. and Liver	91	11	2	–	1	–	14	2	1	4	4	6	10	15	21	9	5	–
Dis. of Kidneys	60	1	–	–	1	–	2	1	1	–	1	5	6	9	13	15	6	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	6	–	–	–	1	–	1	–	–	–	–	–	1	1	–	2	1	–
Dis. of Skin	9	3	–	1	–	–	4	–	1	–	–	–	–	1	1	1	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	21	–	–	–	–	–	–	–	–	1	–	2	7	4	3	4	–	–
Other Violent Deaths	69	18	2	1	1	2	24	6	7	9	3	2	6	7	3	1	1	–
Other Causes	255	156	7	1	–	1	165	–	2	1	–	4	2	1	12	19	37	12
9.—PANCRAS.																		
Mean Popul^n, 1861–71	97198	3069	2709	2648	2494	2428	13348	10714	9321	8602	9404	16798	12501	8584	4903	2330	632	61
TOTAL DEATHS	25220	6523	2507	1245	771	504	11550	985	377	423	683	1585	1995	2161	2119	1964	1137	250
Small-pox	161	49	26	9	11	8	103	15	4	7	9	10	9	3	1	–	–	–
Measles	555	110	216	103	65	34	531	21	1	–	1	–	1	–	–	–	–	–
Scarlatina	1261	71	173	243	207	152	849	312	61	11	12	5	7	3	1	–	–	–
Diphtheria	231	22	43	41	32	28	166	39	5	3	2	5	3	6	1	1	–	–
Whooping-cough	813	287	234	130	58	33	792	18	2	–	–	–	1	–	–	–	–	–
Typhus	571	20	26	48	24	32	150	66	38	32	43	67	58	47	31	24	14	1
Diarrhœa & Dysentery	1055	810	112	19	9	1	951	3	–	2	1	6	5	12	22	31	22	–
Cholera	120	43	9	3	1	3	59	9	3	–	1	8	12	10	10	7	1	–
Other Zymotic Dis.	557	90	78	43	32	21	264	36	20	14	19	29	35	46	40	31	17	6
Cancer	296	–	1	–	2	1	4	1	–	3	2	8	38	66	91	67	13	3
Scrofula and Tabes	626	317	114	58	21	16	521	29	16	12	11	10	5	9	12	1	–	–
Phthisis	3504	90	72	45	27	18	252	77	45	169	332	785	839	644	278	72	10	1
Hydrocephalus	675	256	183	86	52	27	604	50	12	2	1	6	–	–	–	–	–	–
Dis. of Brain	2624	712	193	67	60	30	1065	68	27	29	31	95	165	233	331	365	181	34
Dis. of Heart & Dropsy	1241	84	13	8	8	5	68	36	30	25	38	95	151	219	250	218	97	14
Dis. of Lungs	4535	1244	639	230	101	47	2261	69	24	21	47	113	213	365	558	586	250	28
Dis. of Stom. and Liver	970	170	18	14	5	8	215	26	14	20	15	56	121	161	169	117	49	7
Dis. of Kidneys	536	2	4	7	5	4	22	14	3	15	17	63	74	87	104	85	46	6
Dis. of Gener. Organs	9	1	–	–	–	–	1	–	–	–	–	1	2	1	2	–	2	–
Dis. of Joints	129	3	3	4	4	2	16	17	19	14	4	13	16	10	12	7	1	–
Dis. of Skin	66	27	5	1	4	–	37	–	1	3	1	2	5	4	3	6	4	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	156	–	–	–	–	–	–	–	3	–	11	27	38	37	25	12	3	–
Other Violent Deaths	1171	254	39	36	29	21	379	76	44	37	69	138	136	123	84	56	22	7
Other Causes	8367	1908	253	52	14	13	2240	3	5	4	16	43	61	75	94	278	405	143
10.—ISLINGTON.																		
Mean Popul^n, 1861–71	83906	2852	2499	2450	2421	2280	12502	9921	8300	7531	7862	14228	10498	6946	3833	1756	478	51
TOTAL DEATHS	22189	5674	2071	988	665	446	9844	965	430	627	945	1696	1819	1840	1686	1420	753	164
Small-pox	1133	63	29	25	35	29	181	81	51	123	243	256	119	48	16	12	–	–
Measles	515	97	199	111	55	26	488	25	1	–	–	1	–	–	–	–	–	–
Scarlatina	1320	83	171	195	194	140	783	338	78	55	26	26	6	6	2	–	–	–
Diphtheria	163	34	34	19	24	13	128	19	2	2	2	4	4	1	–	1	–	–
Whooping-cough	837	349	276	124	48	25	822	15	–	–	–	–	–	–	–	–	–	–
Typhus	2107	23	18	19	28	30	118	79	86	141	204	348	397	370	237	108	17	2
Diarrhœa & Dysentery	971	725	121	17	8	7	878	7	2	3	1	2	11	6	21	16	21	3
Cholera	111	33	9	3	3	3	51	10	6	3	4	7	5	7	10	7	1	–
Other Zymotic Dis.	520	93	58	48	38	31	268	40	13	20	19	33	31	36	34	26	10	–
Cancer	193	–	–	1	1	–	2	–	–	2	2	5	20	51	56	42	13	–
Scrofula and Tabes	428	207	78	33	16	10	344	27	13	9	8	8	8	4	4	3	–	–
Phthisis	2245	79	46	33	12	7	177	43	33	123	268	557	514	355	138	35	2	–
Hydrocephalus	605	224	150	74	35	31	517	57	12	1	8	5	3	1	–	–	1	–
Dis. of Brain	2021	588	132	56	40	33	849	50	34	34	31	82	127	156	238	283	120	17
Dis. of Heart & Dropsy	964	21	4	4	4	3	39	25	26	23	18	61	122	178	201	189	73	9
Dis. of Lungs	3623	1005	518	165	83	26	1797	63	26	29	58	137	187	325	421	366	187	27
Dis. of Stom. and Liver	768	142	10	11	3	3	169	23	8	19	17	51	98	134	118	94	35	2
Dis. of Kidneys	363	1	–	–	3	4	8	3	4	11	10	36	56	59	77	61	36	2
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Dis. of Joints	51	1	2	–	1	–	4	9	12	7	3	5	6	1	2	2	–	–
Dis. of Skin	53	21	3	–	1	1	26	–	1	2	–	–	5	6	4	4	5	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	81	–	–	–	–	–	–	–	–	4	5	17	18	15	13	9	–	–
Other Violent Deaths	459	164	20	16	17	14	231	35	18	6	13	26	39	37	25	19	8	2
Other Causes	2647	1718	193	34	12	7	1964	16	4	7	5	29	43	44	68	143	224	100

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
8.—HAMPSTEAD.																		
Mean Popul^n, 1861–71	15794	297	271	275	203	275	1411	1304	1365	1901	2255	3101	1873	1246	763	423	126	21
TOTAL DEATHS	1070	359	128	79	58	40	664	69	53	57	69	156	144	142	191	212	159	54
Small-pox	17	2	1	–	–	3	6	3	2	–	1	3	2	–	–	–	–	–
Measles	43	9	12	9	4	5	39	3	1	–	–	–	–	–	–	–	–	–
Scarlatina	82	4	9	12	13	11	49	20	8	2	–	3	–	–	–	–	–	–
Diphtheria	33	4	6	5	2	4	21	6	4	–	1	1	–	–	–	–	–	–
Whooping cough	65	26	19	8	6	3	62	3	–	–	–	–	–	–	–	–	–	–
Typhus	34	1	3	2	2	–	8	4	5	5	1	4	4	2	1	–	–	–
Diarrhœa & Dysentery	78	47	8	2	–	–	57	1	–	–	1	1	3	2	3	4	4	2
Cholera	5	1	1	–	–	–	2	–	1	–	–	–	–	–	1	–	–	1
Other Zymotic Dis.	62	6	4	9	8	4	31	2	4	1	2	5	1	4	5	5	2	–
Cancer	95	–	–	–	–	–	–	–	–	–	–	5	14	26	22	19	8	1
Scrofula and Tabes	31	5	9	3	1	1	19	1	3	1	1	4	–	1	–	–	1	–
Phthisis	232	3	–	1	3	1	8	2	10	23	34	66	51	19	8	7	1	–
Hydrocephalus	44	15	9	7	3	1	35	6	2	–	1	–	–	–	–	–	–	–
Dis. of Brain	229	40	12	8	5	1	66	8	5	9	3	12	13	18	35	33	30	7
Dis. of Heart & Dropsy	155	1	1	1	–	–	3	3	3	4	3	10	11	26	35	31	22	1
Dis. of Lungs	245	49	22	5	5	4	85	4	2	5	4	6	6	13	37	40	39	4
Dis. of Stom. and Liver	131	19	4	2	–	1	26	3	1	3	6	12	11	15	22	22	7	3
Dis. of Kidneys	35	2	–	–	–	–	2	–	1	–	1	4	5	6	5	8	3	–
Dis. of Gener. Organs	23	–	–	–	–	–	–	–	–	–	1	4	4	5	4	4	1	–
Dis. of Joints	6	1	–	1	–	1	3	–	–	–	–	–	–	–	3	–	–	–
Dis. of Skin	10	2	–	1	1	–	4	–	–	–	1	–	–	1	2	2	–	–
Childbirth and Metria	27	–	–	–	–	–	–	–	–	–	5	11	11	–	–	–	–	–
Suicide	8	–	–	–	–	–	–	–	–	3	1	1	1	1	–	1	–	–
Other Violent Deaths	40	22	1	3	4	–	30	–	1	–	2	3	–	1	1	2	–	–
Other Causes	230	100	7	–	1	–	108	–	–	1	–	1	1	2	7	34	41	35
9.—PANCRAS.																		
Mean Popul^n, 1861–71	112929	3099	2671	2699	2537	2494	13500	11157	9684	10227	11635	20199	14576	10296	6613	3671	1210	161
TOTAL DEATHS	24941	5231	2182	1176	737	501	9827	943	382	473	664	1666	1818	1921	2212	2584	1963	488
Small-pox	149	35	24	20	8	12	99	14	–	1	9	16	5	1	4	–	–	–
Measles	523	103	192	94	69	30	488	28	4	1	–	2	–	–	–	–	–	–
Scarlatina	1172	57	139	191	194	161	742	303	57	17	16	29	7	1	–	–	–	–
Diphtheria	248	28	48	38	33	23	167	53	7	3	4	6	4	1	1	1	1	–
Whooping-cough	1007	311	335	183	95	44	968	32	4	3	–	–	–	–	–	–	–	–
Typhus	622	23	25	39	25	35	148	68	47	44	35	76	71	54	40	36	20	3
Diarrhœa & Dysentery	903	639	111	19	3	1	773	7	1	1	4	4	10	17	27	29	25	5
Cholera	124	31	10	3	–	3	47	6	3	2	6	16	11	14	10	7	2	–
Other Zymotic Dis.	550	86	64	41	34	19	244	40	29	23	20	35	65	27	36	45	12	5
Cancer	791	1	–	1	3	–	5	–	1	4	5	43	128	212	211	131	46	5
Scrofula and Tabes	523	241	122	34	20	12	429	28	10	9	10	15	9	8	4	1	–	–
Phthisis	2806	68	51	38	25	15	197	70	78	207	303	744	620	368	159	49	10	1
Hydrocephalus	466	165	124	60	41	21	411	37	8	3	1	4	1	1	–	–	–	–
Dis. of Brain	2276	495	117	78	33	21	719	56	24	27	29	83	135	231	319	400	269	54
Dis. of Heart & Dropsy	1612	22	9	4	5	3	43	38	41	30	38	100	184	249	346	360	159	21
Dis. of Lungs	4000	960	525	231	97	53	1866	75	16	35	34	108	187	343	608	794	467	67
Dis. of Stom. and Liver	1171	116	13	7	4	7	147	22	13	16	29	100	148	183	217	191	88	17
Dis. of Kidneys	313	3	2	2	4	3	14	8	6	7	19	35	46	69	55	37	17	–
Dis. of Gener. Organs	150	–	2	–	–	–	2	–	–	3	6	18	24	37	31	24	5	–
Dis. of Joints	76	1	2	–	–	3	6	8	10	4	10	6	7	9	7	8	1	–
Dis. of Skin	71	21	6	4	2	2	34	1	–	–	4	6	5	4	5	6	5	1
Childbirth and Metria	339	–	–	–	–	–	–	–	–	8	58	158	112	3	–	–	–	–
Suicide	47	–	–	–	–	–	–	–	–	2	7	9	10	8	4	5	2	–
Other Violent Deaths	616	219	28	23	22	17	309	32	19	15	6	24	38	42	41	42	42	6
Other Causes	3686	1609	234	66	14	16	1939	17	1	8	11	29	42	59	87	418	792	303
10.—ISLINGTON.																		
Mean Popul^n, 1861–71	100653	2849	2409	2413	2309	2285	12265	10224	8842	10240	11006	17665	12374	8447	5477	3013	974	126
TOTAL DEATHS	22545	4742	1872	989	627	411	8641	913	539	706	844	1827	1778	1734	1803	1936	1425	399
Small-pox	677	58	33	26	26	22	165	55	40	94	122	113	59	18	10	1	–	–
Measles	477	95	177	93	52	23	440	23	3	2	3	5	1	–	–	–	–	–
Scarlatina	1306	55	135	236	166	137	729	323	106	53	37	40	14	3	–	1	–	–
Diphtheria	184	12	32	30	20	16	110	46	14	5	–	2	2	3	2	–	–	–
Whooping cough	891	320	265	147	79	29	850	37	2	–	1	1	–	–	–	–	–	–
Typhus	2109	20	20	17	29	26	112	100	112	171	183	332	395	381	296	89	27	1
Diarrhœa & Dysentery	953	693	102	18	1	6	820	5	1	2	1	9	5	7	28	37	25	13
Cholera	112	33	3	1	2	2	41	7	6	4	5	14	6	8	11	8	2	–
Other Zymotic Dis.	543	77	74	38	41	17	250	26	25	21	12	32	62	25	42	47	26	5
Cancer	554	1	–	1	2	–	4	1	1	1	4	27	83	136	161	96	34	6
Scrofula and Tabes	352	138	67	30	22	10	267	27	19	6	4	10	5	7	6	1	–	–
Phthisis	2084	60	36	24	10	10	140	47	67	163	234	606	430	257	107	31	2	–
Hydrocephalus	469	158	129	50	35	25	397	46	17	4	2	3	–	–	–	–	–	–
Dis. of Brain	2011	474	109	55	30	27	695	48	26	41	30	68	130	146	255	312	224	33
Dis. of Heart & Dropsy	1269	19	5	3	1	6	34	25	37	25	35	87	136	176	253	277	159	25
Dis. of Lungs	3497	756	431	156	78	34	1455	49	31	47	39	107	137	250	393	567	336	66
Dis. of Stom. and Liver	993	109	7	7	4	5	121	19	11	19	26	67	104	181	177	163	79	19
Dis. of Kidneys	214	1	1	–	2	–	4	3	2	10	11	26	29	36	48	35	10	–
Dis. of Gener. Organs	114	1	–	–	–	–	1	–	2	–	6	15	22	27	24	11	1	2
Dis. of Joints	61	2	3	–	2	3	10	5	7	3	4	11	7	7	4	1	2	–
Dis. of Skin	56	18	3	1	–	1	24	1	2	–	1	5	7	3	3	2	8	1
Childbirth and Metria	467	–	–	–	–	–	–	–	–	15	64	216	110	2	–	–	–	–
Suicide	47	–	–	–	–	–	–	–	–	2	6	2	17	9	6	4	1	–
Other Violent Deaths	320	160	17	21	14	7	219	15	3	8	6	7	10	10	10	15	14	3
Other Causes	2815	1481	223	35	8	5	1752	5	5	7	8	22	37	42	57	230	455	225

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–
11.—HACKNEY.																		
Mean Populn, 1861–71	45467	1449	1324	1313	1304	1279	6669	5728	4965	4205	3734	6873	5379	3953	2279	1244	396	42
TOTAL DEATHS	10771	2685	956	432	270	215	4558	408	214	225	323	759	803	868	848	1065	633	127
Small-pox	68	18	8	4	3	5	38	6	3	1	3	10	3	3	–	1	–	–
Measles	189	36	88	31	15	8	178	8	1	1	–	1	–	–	–	–	–	–
Scarlatina	507	32	60	76	70	83	321	141	29	5	2	6	2	–	–	–	1	–
Diphtheria	82	18	12	9	8	9	56	15	4	1	–	2	–	1	3	–	–	–
Whooping-cough	288	116	110	31	17	9	283	4	1	–	–	–	–	–	–	–	–	–
Typhus	368	16	12	20	24	13	85	38	43	21	28	47	33	24	22	15	12	–
Diarrhœa & Dysentery	454	332	53	4	3	1	393	3	2	1	1	5	6	5	8	11	15	4
Cholera	102	38	8	5	2	1	54	7	3	1	2	10	4	9	5	4	3	–
Other Zymotic Dis.	312	62	41	31	23	5	162	21	8	10	4	15	21	21	17	21	6	3
Cancer	122	–	1	–	1	–	2	1	–	–	2	3	17	31	27	30	8	1
Scrofula and Tabes	222	71	43	20	9	5	148	13	13	6	8	17	10	3	3	1	–	–
Phthisis	1392	27	19	9	5	3	63	18	21	86	173	361	294	239	102	31	3	1
Hydrocephalus	248	104	71	23	16	12	226	18	2	1	–	1	–	–	–	–	–	–
Dis. of Brain	1263	335	71	38	22	16	482	26	15	12	17	39	94	108	159	192	112	7
Dis. of Heart & Dropsy	605	6	2	1	–	4	13	15	17	18	14	49	61	101	122	129	64	2
Dis. of Lungs	1746	440	226	87	36	20	809	25	10	16	25	75	93	136	177	248	112	20
Dis. of Stom. and Liver	419	67	8	8	5	1	89	9	9	9	11	29	51	62	79	77	21	3
Dis. of Kidneys	239	1	1	1	–	3	6	7	3	2	8	18	34	46	41	48	21	2
Dis. of Gener. Organs	3	1	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–
Dis. of Joints	46	2	1	1	1	1	6	6	4	5	3	7	3	8	3	1	–	–
Dis. of Skin	29	8	1	1	–	1	11	–	–	1	1	2	2	–	5	7	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	58	–	–	–	–	–	–	–	–	1	2	11	16	15	6	6	1	–
Other Violent Deaths	365	82	17	13	4	7	123	16	22	21	17	36	40	37	26	14	9	1
Other Causes	1614	873	103	19	6	8	1009	11	4	3	2	14	18	19	43	166	242	83
12.—ST. GILES.																		
Mean Populn, 1861–71	25500	733	552	597	580	521	2983	2454	2348	2439	2478	4330	3500	2612	1522	676	142	16
TOTAL DEATHS	7464	1936	844	371	218	133	3502	257	84	119	159	397	552	729	703	619	285	58
Small-pox	73	25	7	12	2	2	48	12	2	2	1	3	2	3	–	–	–	–
Measles	155	41	65	25	13	6	150	5	–	–	–	–	–	–	–	–	–	–
Scarlatina	275	23	47	51	51	34	206	45	12	6	1	2	1	2	–	–	–	–
Diphtheria	37	9	7	5	6	1	28	4	1	–	–	–	2	–	2	–	–	–
Whooping-cough	223	72	73	31	21	12	209	14	–	–	–	–	–	–	–	–	–	–
Typhus	254	4	4	5	11	7	31	28	6	12	13	25	47	39	35	15	3	–
Diarrhœa & Dysentery	347	231	61	5	6	2	305	5	–	–	2	1	3	5	11	7	7	1
Cholera	30	5	2	1	3	2	13	5	3	–	1	1	2	3	2	–	–	–
Other Zymotic Dis.	182	39	31	26	10	5	111	10	2	4	3	8	8	9	11	11	4	1
Cancer	73	–	–	–	–	–	–	1	1	–	–	3	2	26	25	10	5	–
Scrofula and Tabes	180	75	56	17	5	3	156	8	7	2	–	2	3	2	–	–	–	–
Phthisis	1097	27	22	10	8	4	71	24	20	50	93	219	250	224	114	27	4	1
Hydrocephalus	186	76	55	24	8	12	175	7	3	1	–	–	–	–	–	–	–	–
Dis. of Brain	718	195	57	30	18	8	308	22	8	6	10	23	40	82	78	101	36	4
Dis. of Heart & Dropsy	392	7	3	4	2	1	17	9	2	7	8	31	50	81	90	63	30	4
Dis. of Lungs	1770	408	256	102	43	23	832	33	5	9	17	33	71	151	244	287	78	10
Dis. of Stom. & Liver	202	32	5	3	2	3	45	5	1	7	3	21	24	46	26	20	2	2
Dis. of Kidneys	111	–	–	–	2	3	5	10	1	4	2	6	11	17	22	16	17	–
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
Dis. of Joints	21	1	2	1	–	2	6	4	7	1	–	–	1	2	–	–	–	–
Dis. of Skin	8	3	1	1	–	–	5	–	–	–	–	1	–	–	1	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	28	–	–	–	–	–	–	–	–	3	2	3	7	8	3	2	–	–
Other Violent Deaths	150	91	7	5	3	1	107	5	3	3	1	3	3	7	11	4	3	–
Other Causes	950	572	83	13	4	2	674	1	–	2	2	11	25	22	27	55	96	35
14.—HOLBORN.*																		
Mean Populn, 1861–71	80984	2587	2082	2081	1994	1951	10695	8622	8082	8134	8102	13474	10296	7232	4124	1740	441	42
TOTAL DEATHS	21405	5734	2591	1296	739	508	10868	981	265	356	526	1178	1519	1743	1690	1401	759	119
Small-pox	221	66	31	32	19	14	162	26	6	1	7	10	6	3	–	–	–	–
Measles	633	117	248	136	62	42	605	27	1	–	–	–	–	–	–	–	–	–
Scarlatina	1124	98	194	205	177	133	807	253	39	13	3	6	2	1	–	–	–	–
Diphtheria	164	27	32	29	28	14	130	20	2	1	3	2	3	1	2	–	–	–
Whooping cough	771	274	255	129	60	28	746	23	–	1	–	–	–	–	1	–	–	–
Typhus	687	22	25	30	40	30	147	88	43	45	38	76	79	69	58	37	5	2
Diarrhœa & Dysentery	1001	685	166	30	15	4	900	11	3	2	4	4	6	11	13	25	15	7
Cholera	87	22	9	3	3	5	42	8	–	–	1	2	10	10	5	7	2	–
Other Zymotic Dis.	524	96	89	44	30	27	286	59	14	8	10	21	28	38	44	27	7	2
Cancer	173	–	2	1	2	1	6	1	1	1	2	4	14	45	51	41	6	1
Scrofula and Tabes	537	231	107	74	21	17	450	47	11	7	5	5	2	5	3	2	–	–
Phthisis	2757	51	56	35	15	18	175	85	39	153	282	623	640	498	204	53	5	–
Hydrocephalus	655	244	169	86	49	37	585	61	7	1	1	–	–	–	–	–	–	–
Dis. of Brain	2339	868	187	74	55	38	1222	71	22	23	27	101	139	193	221	210	100	10
Dis. of Heart & Dropsy	940	55	11	5	4	6	81	30	19	25	29	56	128	178	205	130	55	4
Dis. of Lungs	4125	979	623	251	90	62	2005	82	17	31	53	136	245	393	535	434	176	18
Dis. of Stom. and Liver	749	99	20	17	6	8	150	31	16	13	15	41	89	130	139	86	34	5
Dis. of Kidneys	276	2	5	8	5	3	23	15	5	4	7	22	33	50	47	46	23	1
Dis. of Gener. Organs	9	–	1	–	–	–	1	1	–	–	–	–	2	1	3	1	–	–
Dis. of Joints	79	5	4	4	7	2	22	22	8	5	6	4	3	5	3	–	–	1
Dis. of Skin	55	20	7	2	–	–	29	1	–	1	–	1	1	3	7	7	4	1
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	120	–	–	–	–	–	–	–	1	6	10	17	23	32	20	11	–	–
Other Violent Deaths	426	194	27	11	18	5	255	20	10	11	12	14	23	23	30	20	5	3
Other Causes	2953	1579	523	90	33	14	2039	19	1	4	11	33	43	54	99	264	322	64

* Including Districts of Clerkenwell and St. Luke, united to Holborn 2d August 1869.

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
11.—HACKNEY.																		
Mean Popul^n, 1861-71	58657	1520	1340	1329	1362	1264	6815	5910	5513	6642	6282	9421	6859	4985	3322	2035	756	117
TOTAL DEATHS	11054	2279	830	416	286	209	4020	418	194	244	329	742	751	760	941	1255	1072	328
Small-pox	78	27	5	4	8	1	45	10	2	2	5	8	3	2	–	1	–	–
Measles	178	24	63	39	25	10	161	13	3	–	–	–	1	–	–	–	–	–
Scarlatina	528	29	52	87	78	57	301	149	35	16	12	8	6	1	–	–	–	–
Diphtheria	105	9	11	11	8	14	56	30	6	4	2	1	2	2	–	2	–	–
Whooping-cough	325	118	107	42	29	18	314	10	1	–	–	–	–	–	–	–	–	–
Typhus	333	6	11	23	18	17	75	40	23	24	29	41	34	23	26	9	7	2
Diarrhœa & Dysentery	443	291	51	9	6	2	359	3	2	2	2	2	4	2	14	25	22	6
Cholera	91	32	7	1	4	1	45	2	4	–	2	4	8	10	9	2	5	–
Other Zymotic Dis.	248	36	19	23	23	5	111	18	13	5	9	14	11	4	17	22	19	5
Cancer	419	–	–	–	1	–	1	–	–	1	1	16	57	118	108	82	31	4
Scrofula and Tabes	192	81	37	13	5	3	139	8	10	2	3	11	8	3	3	3	1	1
Phthisis	1146	24	14	9	4	3	54	19	31	110	149	311	248	129	65	27	3	–
Hydrocephalus	177	75	54	15	8	8	160	11	5	–	1	–	–	–	–	–	–	–
Dis. of Brain	1222	261	64	37	17	25	404	25	12	14	16	35	63	113	153	199	160	28
Dis. of Heart & Dropsy	793	10	3	2	2	1	18	14	15	21	25	55	92	91	159	179	109	15
Dis. of Lungs	1717	380	196	76	32	29	713	26	9	13	9	44	42	120	193	322	191	35
Dis. of Stom. and Liver	543	47	7	1	3	3	61	17	7	10	12	54	57	73	88	103	55	6
Dis. of Kidneys	121	1	–	–	–	1	2	4	2	3	7	14	18	16	20	24	7	4
Dis. of Gener. Organs	58	–	–	–	–	–	–	–	1	1	2	13	11	14	7	6	3	–
Dis. of Joints	30	–	1	–	2	–	3	1	5	3	2	4	2	5	1	3	1	–
Dis. of Skin	31	12	1	3	–	–	16	–	–	–	1	2	4	2	2	4	–	–
Childbirth and Metria	174	–	–	–	–	–	–	–	–	4	33	83	50	4	–	–	–	–
Suicide	14	–	–	–	–	–	–	–	–	1	1	1	6	2	2	1	–	–
Other Violent Deaths	203	78	16	3	3	4	104	10	5	6	4	12	14	9	12	9	11	7
Other Causes	1885	738	108	15	10	7	878	8	3	2	2	9	10	17	62	232	447	215
12.—ST. GILES.																		
Mean Popul^n, 1861-71	28316	713	604	584	544	532	2977	2531	2353	2625	3131	5179	3894	2796	1717	818	261	34
TOTAL DEATHS	7290	1653	785	362	243	125	3168	263	100	108	164	466	615	615	697	615	387	92
Small-pox	68	19	10	3	9	3	44	8	3	1	1	7	3	–	1	–	–	–
Measles	132	26	54	24	15	8	127	3	–	1	–	1	–	–	–	–	–	–
Scarlatina	288	18	49	38	53	33	191	66	16	4	5	1	4	–	1	–	–	–
Diphtheria	36	4	3	7	2	3	19	8	1	–	1	3	2	1	1	–	–	–
Whooping-cough	272	77	98	43	37	12	267	5	–	–	–	–	–	–	–	–	–	–
Typhus	222	6	6	9	6	11	38	24	13	11	16	25	31	26	29	8	1	–
Diarrhœa & Dysentery	307	196	62	6	6	–	270	4	–	1	1	4	2	2	6	12	5	–
Cholera	38	8	2	1	–	1	12	3	1	1	–	3	7	4	5	2	–	–
Other Zymotic Dis.	149	23	21	22	6	9	86	8	1	2	2	7	9	10	9	12	3	–
Cancer	189	–	–	–	–	–	–	–	–	–	2	8	38	55	51	27	8	–
Scrofula and Tabes	144	52	45	21	4	3	125	7	2	3	2	2	3	–	–	–	–	–
Phthisis	932	24	21	19	11	6	81	35	32	47	74	214	236	136	66	11	–	–
Hydrocephalus	143	60	42	17	11	3	133	8	1	–	–	–	1	–	–	–	–	–
Dis. of Brain	638	154	47	19	24	4	248	20	10	9	3	23	39	69	84	81	49	3
Dis. of Heart & Dropsy	447	11	1	1	3	1	17	6	7	7	6	41	57	86	91	88	38	3
Dis. of Lungs	1680	311	253	106	45	17	732	33	6	8	17	42	81	145	259	258	92	7
Dis. of Stom. and Liver	232	16	3	2	2	2	25	8	2	1	3	22	32	40	39	42	15	3
Dis. of Kidneys	73	1	1	2	1	2	7	3	1	–	2	5	11	10	19	11	4	–
Dis. of Gener. Organs	30	–	–	–	–	–	–	–	–	–	–	5	9	9	4	2	1	–
Dis. of Joints	22	1	–	–	2	1	4	7	2	2	1	2	–	2	–	2	–	–
Dis. of Skin	15	7	1	–	–	–	8	1	–	–	1	1	–	–	1	1	1	1
Childbirth and Metria	81	–	–	–	–	–	–	–	–	3	19	35	24	–	–	–	–	–
Suicide	8	–	–	–	–	–	–	–	–	1	–	2	2	1	1	1	–	–
Other Violent Deaths	162	106	8	5	1	2	122	1	1	2	1	6	6	6	8	4	4	1
Other Causes	982	528	58	17	5	4	612	5	1	4	7	7	18	13	22	53	166	74
14.—HOLBORN.*																		
Mean Popul^n, 1861-71	84569	2627	2107	2135	1949	1879	10697	8734	7950	7831	8369	14012	10960	7920	4839	2410	740	107
TOTAL DEATHS	20889	1728	2454	1401	756	524	9863	929	283	325	478	1234	1449	1436	1684	1770	1167	271
Small-pox	213	60	30	28	18	16	152	27	4	3	3	8	12	1	3	–	–	–
Measles	638	91	238	154	71	48	602	34	1	–	–	1	–	–	–	–	–	–
Scarlatina	1076	45	168	215	162	158	748	273	25	12	5	8	3	1	–	–	1	–
Diphtheria	171	19	32	33	25	25	134	26	2	2	3	–	2	1	–	–	1	–
Whooping-cough	1001	294	334	187	100	52	967	34	–	–	–	–	–	–	–	–	–	–
Typhus	710	20	29	43	31	38	163	99	48	35	34	76	71	69	73	33	9	–
Diarrhœa & Dysentery	929	572	179	26	13	3	803	8	1	1	–	12	14	11	18	33	24	4
Cholera	112	27	3	3	2	4	39	6	5	1	3	9	12	13	13	9	2	–
Other Zymotic Dis.	458	95	71	58	37	22	286	25	8	7	12	16	27	28	25	22	9	3
Cancer	469	–	–	1	–	–	1	2	1	–	4	26	100	133	102	78	22	–
Scrofula and Tabes	516	207	129	69	20	13	439	33	11	10	2	6	7	4	2	1	1	–
Phthisis	2146	52	51	40	21	21	185	81	65	143	239	528	489	269	116	28	3	–
Hydrocephalus	463	157	108	92	37	26	420	36	5	1	1	–	–	–	–	–	–	–
Dis. of Brain	2069	698	175	91	39	19	1022	55	21	18	32	58	106	138	235	231	139	14
Dis. of Heart & Dropsy	1131	53	16	10	8	4	91	40	36	31	23	95	119	169	220	208	90	6
Dis. of Lungs	3883	755	563	258	118	48	1745	89	19	17	20	99	180	325	557	556	213	42
Dis. of Stom. and Liver	887	79	17	10	11	4	121	22	11	19	20	63	131	142	149	156	41	12
Dis. of Kidneys	132	–	–	3	1	2	6	9	8	–	1	11	19	26	25	20	7	–
Dis. of Gener. Organs	89	–	1	–	–	–	1	–	–	1	2	11	16	26	18	11	3	–
Dis. of Joints	71	4	2	5	2	3	16	17	6	2	3	6	4	5	8	3	1	–
Dis. of Skin	56	23	4	4	–	–	31	1	–	–	1	3	4	6	4	3	3	–
Childbirth and Metria	322	–	–	–	–	–	–	–	–	13	51	171	80	7	–	–	–	–
Suicide	34	–	–	–	–	–	–	–	–	1	2	6	11	9	2	3	–	–
Other Violent Deaths	335	195	25	10	8	7	245	9	3	3	6	8	9	14	12	12	11	3
Other Causes	2968	1282	223	60	30	11	1646	12	3	5	6	15	33	39	102	363	557	187

* Including Districts of Clerkenwell and St. Luke, united to Holborn 2d August 1869.

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
17.—EAST LONDON.																		
Mean Popul^n, 1861-71	16498	499	407	388	381	375	2050	1796	1726	1763	1727	2583	1975	1477	923	377	89	12
TOTAL DEATHS	3968	992	497	243	135	79	1946	180	57	66	83	211	314	330	339	279	134	29
Small-pox	28	1	2	6	2	3	14	5	–	2	1	3	3	–	–	–	–	–
Measles	116	24	41	30	13	4	112	4	–	–	–	–	–	–	–	–	–	–
Scarlatina	223	16	41	43	34	21	155	57	7	2	1	–	–	–	1	–	–	–
Diphtheria	27	3	7	5	1	2	18	3	1	–	–	–	3	–	1	1	–	–
Whooping-cough	163	62	55	21	11	9	158	5	–	–	–	–	–	–	–	–	–	–
Typhus	150	4	7	4	10	9	34	24	9	10	8	12	13	12	13	14	1	–
Diarrhœa & Dysentery	177	111	33	7	1	–	152	3	1	–	–	1	2	3	10	1	4	–
Cholera	34	9	1	1	–	–	11	4	5	–	1	2	–	3	3	3	2	–
Other Zymotic Dis.	113	17	20	17	6	4	64	5	5	3	2	5	11	6	4	6	1	1
Cancer	26	–	–	–	–	–	–	–	–	–	–	–	3	7	10	6	–	–
Scrofula and Tabes	112	35	37	14	6	3	95	7	4	–	1	–	2	2	1	–	–	–
Phthisis	560	5	10	7	3	4	29	17	11	28	45	120	143	100	40	24	3	–
Hydrocephalus	146	55	44	15	14	5	133	10	1	–	1	1	–	–	–	–	–	–
Dis. of Brain	416	168	31	12	10	3	224	11	1	2	3	10	27	33	44	38	22	1
Dis. of Heart & Dropsy	190	3	2	1	–	1	7	3	3	6	3	14	21	42	48	35	8	–
Dis. of Lungs	709	160	118	37	18	5	338	11	4	7	7	14	33	71	103	82	33	6
Dis. of Stom. and Liver	117	17	1	1	–	1	20	1	2	–	3	11	17	23	22	14	3	1
Dis. of Kidneys	60	2	–	–	1	1	4	–	1	–	1	4	8	16	9	10	7	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	12	3	–	–	–	–	3	2	–	2	1	–	1	2	1	–	–	–
Dis. of Skin	4	1	1	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	18	–	–	–	–	–	–	–	–	–	–	4	5	1	6	1	1	–
Other Violent Deaths	76	20	3	3	2	–	28	6	1	4	3	6	10	2	9	4	3	–
Other Causes	491	276	43	19	3	4	345	2	1	–	2	4	12	7	13	39	46	20
18.—WEST LONDON.																		
Mean Popul^n, 1861-71	11405	306	232	237	215	201	1191	1030	1008	1215	1242	1998	1542	1159	671	280	60	9
TOTAL DEATHS	6584	750	385	234	136	95	1600	264	170	265	344	865	938	931	656	381	145	25
Small-pox	26	11	2	2	1	1	17	3	–	1	3	1	1	–	–	–	–	–
Measles	94	23	25	29	6	6	89	5	–	–	–	–	–	–	–	–	–	–
Scarlatina	193	5	22	23	30	28	108	64	12	1	7	3	1	–	–	–	–	–
Diphtheria	32	3	7	6	3	1	20	3	3	3	–	–	2	1	–	–	–	–
Whooping-cough	93	33	31	18	7	2	91	2	–	–	–	–	–	–	–	–	–	–
Typhus	252	6	5	4	4	1	20	17	12	35	21	47	40	39	15	5	1	–
Diarrhœa & Dysentery	116	52	18	9	2	2	83	1	2	1	2	6	2	7	6	4	2	–
Cholera	41	–	1	2	–	–	3	2	2	–	3	10	8	4	6	2	1	–
Other Zymotic Dis.	178	22	18	14	10	6	70	4	8	9	10	16	17	17	14	9	3	1
Cancer	175	–	–	–	–	–	–	–	1	2	3	20	36	56	35	16	5	1
Scrofula and Tabes	110	25	12	6	5	3	51	12	10	6	7	11	6	6	–	1	–	–
Phthisis	924	11	3	8	4	1	27	16	13	56	99	247	234	163	56	12	1	–
Hydrocephalus	117	38	33	11	6	1	89	18	2	3	–	3	2	–	–	–	–	–
Dis. of Brain	507	107	28	22	9	4	170	11	5	14	12	44	58	66	70	47	9	1
Dis. of Heart & Dropsy	472	4	2	–	1	1	8	10	19	22	32	84	90	95	77	33	1	1
Dis. of Lungs	1087	142	99	33	16	8	298	23	12	23	41	109	140	156	148	97	39	1
Dis. of Stom. and Liver	386	15	4	1	7	2	29	7	13	12	25	56	74	75	55	25	13	2
Dis. of Kidneys	279	–	–	2	3	–	5	2	6	12	13	34	66	75	37	24	5	–
Dis. of Gener. Organs	7	–	–	–	–	–	–	–	1	–	–	–	2	2	2	–	–	–
Dis. of Joints	108	3	–	–	–	2	5	4	9	15	14	21	14	12	11	3	–	–
Dis. of Skin	28	3	–	–	–	–	3	1	3	3	2	6	1	5	1	2	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	52	–	–	–	–	–	–	–	–	–	3	13	9	16	9	2	–	–
Other Violent Deaths	722	19	34	23	20	23	119	50	32	44	35	99	98	101	77	45	19	3
Other Causes	582	228	41	21	2	3	295	9	5	3	12	35	37	35	37	54	45	15
19.—LONDON CITY.																		
Mean Popul^n, 1861-71	17913	365	296	288	278	266	1493	1383	2070	2567	2471	2680	2034	1641	1015	446	103	10
TOTAL DEATHS	3459	661	299	174	78	67	1279	130	80	81	95	216	307	374	389	325	154	29
Small-pox	20	8	5	3	2	1	14	1	1	–	1	2	1	–	–	–	–	–
Measles	74	21	24	15	9	4	73	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	150	11	20	29	19	19	98	34	9	5	1	–	2	1	–	–	–	–
Diphtheria	24	7	6	1	1	2	17	6	–	–	–	1	–	–	–	–	–	–
Whooping-cough	123	48	38	22	7	4	119	4	–	–	–	–	–	–	–	–	–	–
Typhus	114	4	2	9	6	6	27	9	14	7	7	11	6	7	16	7	3	–
Diarrhœa & Dysentery	94	67	7	5	–	–	79	–	–	1	–	–	1	1	4	5	–	–
Cholera	14	–	–	1	1	1	3	–	2	–	1	–	2	1	5	–	–	–
Other Zymotic Dis.	94	15	14	6	6	3	44	10	3	1	1	4	9	8	7	5	2	–
Cancer	32	–	–	–	–	–	–	–	–	–	2	1	1	9	9	6	4	–
Scrofula and Tabes	50	16	13	4	4	1	38	5	3	1	1	–	1	1	–	–	–	–
Phthisis	431	4	5	1	–	2	12	9	5	30	49	90	91	96	39	9	1	–
Hydrocephalus	85	21	29	15	5	4	74	5	4	1	–	–	–	1	–	–	–	–
Dis. of Brain	412	100	29	18	5	9	161	8	5	6	5	15	18	39	69	51	31	–
Dis. of Heart & Dropsy	218	3	1	1	–	–	5	4	3	7	5	7	41	32	52	45	14	–
Dis. of Lungs	635	112	75	35	9	9	240	11	5	7	3	27	38	64	100	98	37	–
Dis. of Stom. and Liver	156	15	–	–	2	–	17	4	4	2	6	7	20	35	24	29	8	–
Dis. of Kidneys	101	–	–	1	1	–	2	2	3	3	–	4	15	18	23	21	10	–
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Dis. of Joints	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
Dis. of Skin	4	3	–	–	–	–	3	–	–	–	–	–	–	–	–	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	46	–	–	–	–	–	–	–	–	–	5	8	10	13	7	3	–	–
Other Violent Deaths	196	20	–	1	–	–	21	15	17	9	8	20	35	31	14	8	6	–
Other Causes	382	191	31	7	1	2	232	2	1	1	–	9	16	17	19	35	38	1

The Districts of East London and West London were united to the City of London District on 1st January 1870, but are kept distinct in the above Tables.

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
17.—EAST LONDON.																		
Mean Populn, 1861–71	17935	478	413	413	385	380	2069	1825	1695	1851	1807	2785	2315	1700	1119	569	170	30
TOTAL DEATHS	4064	913	481	257	142	97	1890	192	56	73	83	228	265	315	337	348	210	67
Small-pox	41	10	6	–	1	6	23	6	3	1	2	5	–	1	–	–	–	–
Measles	145	29	64	28	10	8	139	5	1	–	–	–	–	–	–	–	–	–
Scarlatina	205	16	35	32	36	32	151	48	3	1	–	1	–	1	–	–	–	–
Diphtheria	31	5	6	5	4	4	24	6	–	–	–	–	–	–	1	–	–	–
Whooping-cough	222	76	67	38	25	10	216	6	–	–	–	–	–	–	–	–	–	–
Typhus	190	2	7	12	5	6	32	28	12	12	9	15	23	23	18	14	4	–
Diarrhœa & Dysentery	155	91	34	6	2	1	134	1	–	–	–	–	–	1	5	6	7	1
Cholera	42	3	1	2	1	–	7	5	2	–	1	3	4	4	7	5	3	1
Other Zymotic Dis.	102	17	24	16	6	3	66	3	1	5	4	7	5	4	4	2	1	–
Cancer	87	–	–	–	–	–	–	–	–	1	–	6	9	30	19	18	3	1
Scrofula and Tabes	114	53	18	16	12	3	102	9	1	1	–	1	–	–	–	–	–	–
Phthisis	432	9	6	5	8	3	31	24	10	29	40	112	106	51	22	7	–	–
Hydrocephalus	112	44	34	16	5	5	104	7	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	380	113	35	21	6	5	180	11	6	3	6	11	13	30	47	45	20	8
Dis. of Heart & Dropsy	235	1	2	2	–	–	5	7	4	10	4	12	26	46	50	53	17	1
Dis. of Lungs	707	134	86	40	13	9	282	10	4	2	4	15	20	67	118	116	61	8
Dis. of Stom. and Liver	122	4	4	1	–	2	11	2	1	–	2	6	21	27	18	26	8	–
Dis. of Kidneys	34	–	1	1	1	–	3	1	2	2	1	1	7	5	5	4	3	–
Dis. of Gener. Organs	22	–	–	1	–	–	1	–	–	–	–	1	8	8	3	1	–	–
Dis. of Joints	10	–	–	–	–	–	–	6	2	–	1	–	–	–	1	–	–	–
Dis. of Skin	15	8	1	–	–	–	9	–	–	–	–	–	–	–	3	1	2	–
Childbirth and Metria	47	–	–	–	–	–	–	–	–	4	5	25	13	–	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–	–
Other Violent Deaths	49	16	4	1	1	–	22	3	3	1	1	4	2	3	2	4	4	–
Other Causes	561	282	46	14	6	–	348	4	–	1	2	3	7	12	14	46	77	47
18.—WEST LONDON.																		
Mean Populn, 1861–71	11541	301	251	263	255	233	1303	988	1027	1165	1172	1980	1504	1123	743	400	126	10
TOTAL DEATHS	4951	565	328	211	136	93	1333	230	131	251	292	471	570	547	524	332	218	52
Small-pox	24	6	2	2	2	1	13	6	–	2	–	1	2	–	–	–	–	–
Measles	83	10	38	19	7	5	79	3	–	1	–	–	–	–	–	–	–	–
Scarlatina	164	5	11	24	27	16	83	49	15	10	6	1	–	–	–	–	–	–
Diphtheria	27	–	6	4	3	2	15	6	2	2	2	–	–	–	–	–	–	–
Whooping-cough	125	23	43	31	8	11	116	9	–	–	–	–	–	–	–	–	–	–
Typhus	232	2	6	4	6	10	28	18	15	37	24	27	29	27	15	9	3	–
Diarrhœa & Dysentery	104	57	16	3	2	–	78	4	–	1	1	–	3	5	3	5	1	–
Cholera	28	1	2	–	–	–	3	–	2	1	2	7	5	5	2	1	–	–
Other Zymotic Dis.	150	12	18	16	9	7	62	9	9	10	10	17	5	12	9	6	1	–
Cancer	223	–	–	–	–	–	–	–	–	3	1	17	57	75	50	16	4	–
Scrofula and Tabes	93	34	14	11	6	3	68	9	4	1	3	2	4	1	1	–	–	–
Phthisis	568	1	4	3	3	1	12	11	20	52	87	155	134	68	25	3	1	–
Hydrocephalus	68	24	18	5	6	6	59	6	–	–	1	1	1	–	–	–	–	–
Dis. of Brain	366	76	16	13	4	2	111	8	9	9	15	21	15	50	65	38	23	2
Dis. of Heart & Dropsy	385	1	–	1	–	–	2	11	22	43	32	42	56	68	68	33	8	–
Dis. of Lungs	768	98	60	33	19	14	224	17	7	17	26	36	72	104	129	88	42	6
Dis. of Stom. and Liver	317	6	–	2	2	1	11	5	6	16	20	37	52	44	66	41	16	3
Dis. of Kidneys	131	–	–	2	1	–	3	2	3	10	17	21	32	21	18	4	–	–
Dis. of Gener. Organs	77	–	–	1	–	–	1	–	–	4	6	17	16	21	10	1	1	–
Dis. of Joints	53	1	2	–	1	–	4	5	3	4	12	8	11	5	1	–	–	–
Dis. of Skin	35	1	3	1	–	–	5	–	1	1	4	7	9	3	4	1	–	–
Childbirth and Metria	60	–	–	–	–	–	–	–	–	4	13	24	19	–	–	–	–	–
Suicide	22	–	–	–	–	–	–	–	–	2	1	3	5	6	2	3	–	–
Other Violent Deaths	352	25	25	25	25	12	112	46	10	14	6	16	29	18	34	28	30	9
Other Causes	499	182	44	11	5	2	244	6	3	7	3	11	14	14	22	55	88	52
19.—LONDON CITY.																		
Mean Populn, 1861–71	19393	383	291	316	303	293	1586	1465	1530	2364	2410	3216	2501	2028	1395	676	194	28
TOTAL DEATHS	3119	534	287	139	80	59	1099	139	59	67	97	170	237	278	353	348	213	59
Small-pox	23	7	–	4	2	1	14	5	–	1	2	–	1	–	–	–	–	–
Measles	64	12	27	11	7	3	60	3	–	–	–	–	1	–	–	–	–	–
Scarlatina	140	12	17	21	15	18	83	39	12	2	2	–	2	–	–	–	–	–
Diphtheria	27	6	6	4	2	2	20	4	–	–	–	1	–	1	–	–	1	–
Whooping-cough	116	37	45	18	8	5	113	3	–	–	–	–	–	–	–	–	–	–
Typhus	134	–	7	9	5	5	26	18	10	5	6	6	16	18	13	9	6	1
Diarrhœa & Dysentery	89	56	8	2	1	–	67	1	–	1	1	1	1	2	2	5	6	2
Cholera	14	1	–	–	1	–	2	2	–	–	–	1	3	2	3	1	–	–
Other Zymotic Dis.	81	3	10	8	4	9	34	8	4	3	3	7	4	5	6	4	3	–
Cancer	98	–	–	–	–	–	–	–	–	2	–	2	16	23	26	21	7	1
Scrofula and Tabes	69	25	12	4	5	–	46	6	2	2	–	–	1	2	–	1	–	–
Phthisis	350	1	14	1	2	–	18	14	12	23	39	71	89	51	26	7	–	–
Hydrocephalus	61	19	20	7	5	2	53	7	–	1	–	–	–	–	–	–	–	–
Dis. of Brain	346	86	30	17	7	4	144	11	4	8	6	11	19	32	31	53	26	1
Dis. of Heart & Dropsy	212	–	1	2	–	–	3	1	5	3	7	9	18	37	57	45	23	4
Dis. of Lungs	622	91	56	26	9	7	189	10	4	5	3	21	25	58	111	126	56	14
Dis. of Stom. and Liver	164	8	2	–	–	1	11	–	2	3	9	9	16	29	44	28	12	1
Dis. of Kidneys	29	2	2	–	–	–	4	1	1	–	2	–	4	3	6	6	2	–
Dis. of Gener. Organs	14	–	–	–	–	–	–	–	–	–	–	2	1	5	3	2	1	–
Dis. of Joints	7	–	1	–	–	1	2	1	–	1	–	–	–	–	1	–	2	–
Dis. of Skin	8	1	–	–	1	–	2	–	–	–	1	1	–	–	1	–	3	–
Childbirth and Metria	36	–	–	–	–	–	–	–	–	–	9	16	10	1	–	–	–	–
Suicide	11	–	–	–	–	–	–	–	–	2	2	1	1	1	4	–	–	–
Other Violent Deaths	79	18	1	1	3	1	21	4	1	5	4	6	4	5	6	5	3	3
Other Causes	343	149	28	4	3	–	184	1	2	–	1	5	5	3	13	35	62	32

The Districts of East London and West London were united to the City of London District on 1st January 1870, but are kept distinct in the above Tables.

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards
20.—SHOREDITCH.																		
Mean Populn, 1861–71	61833	2270	1853	1771	1801	1648	9343	7347	6339	5698	5635	10386	7617	5066	2767	1266	331	38
TOTAL DEATHS	16584	4670	1965	933	528	333	8429	671	189	292	361	933	1168	1242	1330	1167	680	122
Small-pox	219	57	26	27	19	19	148	30	4	7	7	10	9	1	3	–	–	–
Measles	452	92	181	93	44	20	430	22	–	–	–	–	–	–	–	–	–	–
Scarlatina	841	62	146	145	131	102	586	200	27	7	5	5	–	–	–	–	–	1
Diphtheria	105	22	21	16	13	8	80	15	4	1	1	3	–	–	1	–	–	–
Whooping-cough	672	240	234	113	46	19	652	19	–	1	–	–	–	–	–	–	–	–
Typhus	667	17	13	26	28	22	106	73	29	43	27	65	83	64	77	58	33	4
Diarrhœa & Dysentery	727	474	110	19	4	4	611	6	3	–	–	5	10	7	25	33	24	3
Cholera	118	37	15	3	2	4	61	9	2	2	2	8	9	6	15	3	1	–
Other Zymotic Dis.	449	101	64	40	37	18	260	26	9	5	7	21	20	20	32	34	13	2
Cancer	103	2	–	–	1	1	4	–	–	–	–	2	16	17	35	25	4	–
Scrofula and Tabes	504	248	120	48	17	10	443	22	4	8	4	7	4	6	4	2	–	–
Phthisis	2224	59	39	19	6	13	136	39	27	137	214	511	503	375	198	68	16	–
Hydrocephalus	415	172	131	60	14	14	391	18	4	2	–	–	–	–	–	–	–	–
Dis. of Brain	2006	613	162	71	45	26	917	51	13	27	21	67	126	185	207	249	125	18
Dis. of Heart & Dropsy	709	17	9	11	4	2	43	30	20	12	25	66	95	107	164	99	43	5
Dis. of Lungs	3078	846	482	181	81	35	1625	49	9	16	29	83	156	253	364	328	145	21
Dis. of Stom. and Liver	450	72	8	6	3	3	92	9	8	9	7	30	42	87	84	64	16	2
Dis. of Kidneys	198	4	4	5	3	–	16	8	4	6	1	11	22	43	37	34	14	2
Dis. of Gener. Organs	5	1	–	1	–	–	2	–	–	1	–	–	1	–	–	1	–	–
Dis. of Joints	37	–	–	2	3	1	6	9	6	1	3	2	2	3	2	1	2	–
Dis. of Skin	41	19	–	1	–	–	20	1	–	–	–	–	–	5	3	9	3	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	55	–	–	–	–	–	–	–	–	2	1	9	11	12	11	8	1	–
Other Violent Deaths	368	172	22	13	15	4	226	22	14	3	3	13	21	23	14	13	14	2
Other Causes	2151	1343	178	33	12	8	1574	8	2	2	4	15	38	28	54	138	226	62
21.—BETHNAL GREEN.																		
Mean Populn, 1861–71	55358	1988	1657	1672	1625	1583	8525	7027	6253	5185	4745	8377	6430	4558	2662	1262	303	31
TOTAL DEATHS	14843	4176	1922	962	545	338	7943	656	186	243	376	791	949	1068	1074	973	490	94
Small-pox	267	92	40	38	26	15	211	37	3	4	6	3	3	–	–	–	–	–
Measles	430	55	183	106	55	17	416	14	–	–	–	–	–	–	–	–	–	–
Scarlatina	809	68	141	161	140	98	608	166	16	6	8	3	2	–	–	–	–	–
Diphtheria	41	7	9	5	8	3	32	6	1	–	1	–	–	1	–	–	–	–
Whooping-cough	541	181	183	102	40	17	523	17	–	–	–	–	1	–	–	–	–	–
Typhus	529	13	20	26	28	25	112	91	35	25	16	44	58	55	54	36	3	–
Diarrhœa & Dysentery	635	373	146	28	9	4	560	6	2	2	1	4	4	9	14	19	9	5
Cholera	326	35	40	25	17	9	126	46	12	4	6	33	22	28	24	22	3	–
Other Zymotic Dis.	366	68	54	50	34	22	228	24	6	7	1	11	26	13	19	24	6	1
Cancer	71	–	–	–	–	–	–	1	–	1	–	3	10	29	14	11	2	–
Scrofula and Tabes	343	154	92	40	7	5	298	17	7	5	2	1	4	6	3	–	–	–
Phthisis	1841	31	29	17	10	5	92	33	24	114	237	439	371	318	165	47	1	–
Hydrocephalus	261	100	91	21	13	12	237	23	–	–	–	1	–	–	–	–	–	–
Dis. of Brain	1784	696	171	77	41	24	1009	36	11	12	20	53	89	129	166	181	71	7
Dis. of Heart & Dropsy	660	14	9	14	7	13	57	32	29	18	22	59	97	113	125	88	17	3
Dis. of Lungs	2658	753	438	156	79	43	1469	52	4	10	28	67	151	213	331	242	82	9
Dis. of Stom. and Liver	349	56	9	12	3	4	84	16	12	15	11	16	29	56	57	39	13	1
Dis. of Kidneys	127	–	1	1	1	–	3	7	2	5	4	11	20	22	23	16	8	1
Dis. of Gener. Organs	3	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–
Dis. of Joints	30	2	–	1	–	1	4	2	5	4	–	3	3	2	3	3	1	–
Dis. of Skin	34	19	5	2	–	–	26	–	–	1	1	–	–	1	1	2	1	1
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	61	–	–	–	–	–	–	–	–	2	3	10	11	18	9	8	–	–
Other Violent Deaths	407	184	25	17	11	13	250	19	14	8	6	18	21	27	18	17	8	–
Other Causes	2270	1273	236	63	16	8	1596	11	3	–	3	12	27	28	43	218	264	6
22.—WHITECHAPEL.																		
Mean Populn, 1861–71	39524	1132	974	977	934	921	4938	4254	3995	3910	3950	6517	5133	3709	2027	844	211	3
TOTAL DEATHS	14567	2858	1337	768	414	282	5659	581	246	336	534	1151	1611	1604	1455	902	396	9
Small-pox	153	21	24	24	14	14	97	22	4	4	8	11	4	3	–	–	–	
Measles	375	92	145	80	30	13	360	14	1	–	–	–	–	–	–	–	–	
Scarlatina	490	34	73	110	84	60	361	110	12	5	1	1	–	–	–	–	–	
Diphtheria	35	5	4	5	8	3	25	7	–	–	–	1	1	1	–	–	–	
Whooping-cough	343	110	116	55	35	16	332	11	–	–	–	–	–	–	–	–	–	
Typhus	657	7	16	30	21	29	103	57	38	29	34	67	87	108	77	46	10	
Diarrhœa & Dysentery	560	279	118	26	7	5	435	6	3	2	10	13	19	18	30	19	3	
Cholera	484	27	28	23	18	13	109	45	28	20	25	61	71	53	45	15	11	
Other Zymotic Dis.	330	42	57	34	26	14	173	12	1	11	11	22	25	26	24	22	3	
Cancer	175	–	1	2	1	–	4	1	–	1	8	14	22	48	48	26	3	
Scrofula and Tabes	251	86	58	33	10	8	195	15	4	5	8	9	8	5	–	2	–	
Phthisis	1594	16	17	12	7	8	60	18	23	80	184	340	436	266	148	32	7	
Hydrocephalus	237	86	72	35	14	9	216	17	2	2	–	–	–	–	–	–	–	
Dis. of Brain	1319	472	80	43	24	13	632	35	11	20	26	70	109	125	167	75	45	
Dis. of Heart & Dropsy	667	3	3	1	2	7	16	24	17	26	20	69	152	143	124	59	16	
Dis. of Lungs	2470	550	304	143	62	21	1080	35	10	14	37	99	211	337	309	200	62	
Dis. of Stom. and Liver	555	40	5	7	3	–	55	10	12	11	28	57	95	114	111	49	12	
Dis. of Kidneys	358	1	2	2	4	1	10	6	5	10	9	48	59	59	70	60	19	
Dis. of Gener. Organs	10	–	–	–	–	–	–	–	–	–	1	2	1	2	2	2	–	
Dis. of Joints	96	–	2	–	1	1	4	14	9	9	8	23	13	9	3	3	1	
Dis. of Skin	57	11	4	–	1	2	18	1	–	1	5	3	10	9	8	1	1	
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Suicide	93	–	–	–	–	–	–	–	–	4	7	11	19	26	19	6	1	
Other Violent Deaths	1396	102	36	51	35	34	261	101	61	69	92	177	215	197	126	66	27	
Other Causes	1862	874	172	49	7	11	1113	20	5	13	12	53	54	55	84	219	175	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
20.—SHOREDITCH.																		
Mean Popul^n, 1861-71	66431	2196	1832	1777	1760	1692	9257	7295	6173	5815	6429	11284	8218	5720	3556	1939	648	97
TOTAL DEATHS	16549	3782	1937	926	546	357	7548	597	194	298	420	1010	1114	1192	1345	1464	1060	307
Small-pox	204	52	29	15	18	17	131	31	6	9	7	10	7	3	–	–	–	–
Measles	456	70	182	95	58	34	439	15	–	–	1	1	–	–	–	–	–	–
Scarlatina	812	41	139	162	120	105	567	183	36	6	8	6	5	1	–	–	–	–
Diphtheria	122	15	27	16	21	14	93	16	5	4	–	1	–	2	1	–	–	–
Whooping-cough	805	266	271	135	69	33	774	30	–	1	–	–	–	–	–	–	–	–
Typhus	642	16	18	31	29	25	119	69	37	30	33	61	72	64	72	62	17	6
Diarrhœa & Dysentery	715	427	131	26	7	4	595	3	2	1	2	7	5	15	18	35	25	7
Cholera	130	34	21	6	2	5	68	11	4	2	2	6	9	8	9	7	4	–
Other Zymotic Dis.	430	66	64	47	30	22	229	35	14	9	11	17	15	30	26	24	16	4
Cancer	326	–	–	–	–	–	–	–	–	2	1	13	59	87	89	55	16	4
Scrofula and Tabes	395	175	129	36	9	5	354	11	4	5	2	6	1	4	3	5	–	–
Phthisis	1771	47	49	28	10	16	150	36	51	140	189	461	399	225	96	35	8	1
Hydrocephalus	276	114	89	33	14	7	257	16	1	1	–	–	–	1	–	–	–	–
Dis. of Brain	1872	482	118	62	42	15	719	36	14	22	30	79	109	172	219	260	168	44
Dis. of Heart & Dropsy	920	10	9	6	9	5	39	27	17	18	25	61	93	156	189	197	85	10
Dis. of Lungs	3084	649	441	172	84	37	1383	52	11	13	26	67	126	232	380	447	283	55
Dis. of Stom. and Liver	573	57	12	5	5	2	81	11	2	7	19	59	72	84	110	88	33	7
Dis. of Kidneys	127	–	6	3	2	1	12	2	2	3	2	14	17	22	23	22	8	–
Dis. of Gener. Organs	78	–	1	–	–	–	1	–	–	–	2	7	21	20	19	4	2	2
Dis. of Joints	41	4	4	–	2	2	12	3	2	2	3	2	4	4	5	3	1	–
Dis. of Skin	37	13	1	–	–	–	14	–	1	1	–	2	2	2	3	7	4	1
Childbirth and Metria	195	–	–	–	–	–	–	–	–	10	40	98	46	1	–	–	–	–
Suicide	49	–	–	–	–	–	–	–	–	4	5	9	9	8	4	1	–	–
Other Violent Deaths	275	131	18	13	5	2	169	7	1	6	5	8	15	24	14	11	13	2
Other Causes	2223	1113	178	35	10	6	1342	8	4	2	7	15	25	27	56	201	377	164
21.—BETHNAL GREEN.																		
Mean Popul^n, 1861-71	57244	1963	1698	1673	1640	1512	8486	6988	6052	5240	5190	8766	6703	4787	2955	1536	468	73
TOTAL DEATHS	14002	3316	1831	1015	531	343	7066	652	221	287	414	801	813	881	1025	1036	699	197
Small-pox	261	67	50	43	25	17	202	26	5	7	8	8	3	2	–	–	–	–
Measles	372	62	131	103	42	11	349	20	1	–	–	1	–	–	1	–	–	–
Scarlatina	760	32	124	158	120	95	529	183	28	8	4	7	–	1	–	–	–	–
Diphtheria	75	8	15	13	10	7	53	15	1	2	–	2	–	2	–	–	–	–
Whooping-cough	713	212	245	143	54	36	693	20	–	–	–	–	–	–	–	–	–	–
Typhus	567	15	24	34	32	34	139	84	53	41	34	56	53	37	41	17	11	1
Diarrhœa & Dysentery	647	349	155	25	9	4	542	5	1	–	1	8	5	9	23	24	23	6
Cholera	357	32	40	29	11	7	110	32	11	13	20	37	37	35	27	25	7	3
Other Zymotic Dis.	362	49	50	61	48	15	226	33	11	11	8	14	15	11	18	10	3	2
Cancer	235	–	–	–	–	1	1	1	–	2	–	16	49	64	57	36	9	–
Scrofula and Tabes	282	112	87	24	11	4	241	11	7	9	2	3	2	4	1	1	1	–
Phthisis	1355	20	29	13	12	8	82	34	40	110	210	346	218	176	81	24	4	–
Hydrocephalus	190	88	46	16	18	8	176	11	3	–	–	–	–	–	–	–	–	–
Dis. of Brain	1550	520	120	60	32	26	767	48	18	18	22	43	83	112	167	159	98	15
Dis. of Heart & Dropsy	676	12	8	3	6	7	36	29	21	12	25	55	79	98	144	114	55	8
Dis. of Lungs	2504	607	414	201	72	41	1335	53	8	15	16	63	99	189	308	288	113	17
Dis. of Stom. and Liver	388	45	14	4	1	3	67	13	4	8	11	29	47	58	73	58	17	3
Dis. of Kidneys	65	1	–	–	–	2	3	2	1	4	3	11	6	17	10	6	2	–
Dis. of Gener. Organs	39	–	–	–	–	–	–	–	–	–	–	6	6	13	9	5	–	–
Dis. of Joints	29	–	–	2	–	–	2	6	4	3	–	1	2	1	–	1	–	–
Dis. of Skin	36	15	3	4	1	–	23	–	1	–	1	–	1	2	3	4	1	–
Childbirth and Metria	183	–	–	–	–	–	–	–	–	12	41	77	50	3	–	–	–	–
Suicide	20	–	–	–	–	–	–	–	–	1	3	4	5	2	4	1	–	–
Other Violent Deaths	255	141	23	7	7	4	182	11	2	6	2	9	7	10	7	11	3	2
Other Causes	2180	959	244	75	17	13	1308	12	1	5	3	5	16	35	51	252	352	140
22.—WHITECHAPEL.																		
Mean Popul^n, 1861-71	38248	1186	930	997	943	954	5010	4246	3775	3756	3654	6056	4926	3416	2029	1008	319	53
TOTAL DEATHS	11916	2415	1347	728	375	280	5145	536	190	273	385	858	1079	993	961	812	536	118
Small-pox	162	32	25	29	17	15	118	23	6	3	4	4	–	2	2	–	–	–
Measles	342	67	128	68	43	23	331	10	1	–	–	–	–	–	–	–	–	–
Scarlatina	441	31	69	89	65	57	311	106	13	6	4	1	–	–	–	–	–	–
Diphtheria	49	5	7	4	3	6	25	2	2	3	1	4	–	1	1	1	–	–
Whooping-cough	425	127	129	97	34	21	408	16	–	1	–	–	–	–	–	–	–	–
Typhus	589	8	18	21	19	25	91	72	34	33	30	61	78	78	59	35	8	1
Diarrhœa & Dysentery	570	292	145	23	11	1	472	7	1	1	1	8	12	14	21	17	13	3
Cholera	481	21	25	21	15	10	93	55	15	21	28	60	80	55	40	21	6	2
Other Zymotic Dis.	270	41	48	40	19	13	161	14	12	15	8	11	12	12	17	5	–	3
Cancer	214	–	–	–	–	–	–	2	1	2	3	15	57	70	54	31	8	1
Scrofula and Tabes	211	73	60	23	13	6	175	9	5	2	4	11	5	1	2	–	–	–
Phthisis	1111	16	8	6	3	9	42	25	13	64	132	297	295	143	77	20	3	–
Hydrocephalus	148	58	41	25	6	7	140	7	–	–	–	–	–	–	1	–	–	–
Dis. of Brain	1014	318	87	35	19	13	502	25	14	18	18	41	71	83	95	90	50	7
Dis. of Heart & Dropsy	642	3	4	3	2	2	14	17	27	26	23	67	98	122	114	96	34	4
Dis. of Lungs	2007	380	328	162	57	39	966	43	5	10	15	54	132	203	261	212	89	14
Dis. of Stom. and Liver	473	32	10	2	2	2	48	7	7	19	19	56	74	81	83	50	27	2
Dis. of Kidneys	153	–	1	1	3	–	5	7	3	6	18	29	24	23	28	9	1	–
Dis. of Gener. Organs	97	–	–	–	–	–	–	–	–	2	6	18	16	29	15	10	1	–
Dis. of Joints	42	–	–	1	2	2	5	10	4	3	4	4	6	2	1	3	–	–
Dis. of Skin	43	9	3	3	–	–	15	–	–	2	2	7	7	2	3	5	2	1
Childbirth and Metria	122	–	–	–	–	–	–	–	–	10	24	47	39	2	–	–	–	–
Suicide	39	–	–	–	–	–	–	–	–	5	2	8	8	11	4	1	–	–
Other Violent Deaths	572	97	39	38	31	25	230	65	22	13	20	33	35	32	36	38	23	5
Other Causes	1692	772	169	47	9	4	991	14	5	8	10	22	30	27	44	165	271	105

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards
23.—ST. GEORGE-IN-THE-EAST.																		
Mean Popul^n, 1861–71	23649	813	643	635	650	612	3353	2785	2375	2099	2085	3923	3072	2074	1180	546	143	14
TOTAL DEATHS	6891	1872	836	446	215	145	3514	252	73	104	165	349	522	511	526	524	300	51
Small-pox	82	23	11	10	11	5	60	9	–	1	4	2	4	2	–	–	–	–
Measles	218	41	88	54	18	12	213	5	–	–	–	–	–	–	–	–	–	–
Scarlatina	259	15	46	59	49	31	200	47	8	2	2	–	–	–	–	–	–	–
Diphtheria	40	11	9	7	4	4	35	2	–	–	–	–	–	2	1	–	–	–
Whooping-cough	284	116	87	39	19	14	275	9	–	–	–	–	–	–	–	–	–	–
Typhus	226	6	13	15	15	13	62	30	9	12	4	26	20	27	27	5	4	–
Diarrhœa & Dysentery	341	196	76	14	–	3	289	3	3	1	4	5	5	4	9	10	5	3
Cholera	187	19	18	15	8	6	66	24	12	1	4	16	22	17	13	9	2	1
Other Zymotic Dis.	174	32	35	29	9	9	114	8	1	2	1	11	9	7	5	13	3	–
Cancer	35	–	–	–	–	–	–	–	–	–	–	1	7	2	13	10	2	–
Scrofula and Tabes	197	67	59	21	11	3	164	16	2	3	3	3	1	2	1	2	–	–
Phthisis	739	9	11	8	1	6	35	16	7	40	96	155	200	125	49	16	–	–
Hydrocephalus	213	96	58	30	13	5	202	9	1	–	1	–	–	–	–	–	–	–
Dis. of Brain	687	234	54	23	11	9	331	22	7	6	4	20	39	46	85	74	50	3
Dis. of Heart & Dropsy	338	6	6	2	5	1	20	6	8	7	7	35	57	65	66	46	18	3
Dis. of Lungs	1266	340	177	76	25	18	636	19	3	3	10	32	71	127	153	156	43	8
Dis. of Stom. and Liver	171	24	4	4	–	1	33	2	1	6	6	12	21	29	34	21	6	–
Dis. of Kidneys	78	3	–	3	6	1	13	5	1	2	1	5	10	13	9	14	5	–
Dis. of Gener. Organs	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	20	2	–	–	–	–	2	8	4	2	1	1	–	1	1	–	–	–
Dis. of Skin	13	5	1	–	–	–	6	–	1	–	–	–	1	–	2	2	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	31	–	–	–	–	–	–	–	–	–	4	4	4	11	4	2	1	1
Other Violent Deaths	224	81	9	4	6	1	101	10	4	15	9	12	30	13	17	8	3	2
Other Causes	1067	546	74	30	3	3	655	2	1	1	4	9	21	18	37	136	152	30
24 *a*.—STEPNEY.																		
Mean Popul^n, 1861–71	28333	926	773	791	778	761	4029	3486	3141	2675	2440	4333	3575	2546	1366	583	149	10
TOTAL DEATHS	7297	1928	912	429	268	182	3719	388	181	167	162	433	541	525	530	406	207	39
Small-pox	116	31	14	10	8	10	73	14	8	5	1	6	5	3	1	–	–	–
Measles	175	35	73	35	19	5	167	7	–	–	–	–	–	1	–	–	–	–
Scarlatina	373	20	72	53	60	51	256	99	10	2	–	5	1	–	–	–	–	–
Diphtheria	62	8	19	12	7	4	50	7	1	–	–	1	–	2	–	1	–	–
Whooping cough	255	84	80	39	26	14	243	10	1	–	–	1	–	–	–	–	–	–
Typhus	315	5	17	13	17	16	68	30	20	12	17	22	52	34	35	19	4	–
Diarrhœa & Dysentery	357	217	65	18	9	2	311	4	2	1	1	5	8	6	6	4	7	–
Cholera	284	22	21	23	9	10	85	36	14	13	10	26	30	33	25	10	1	–
Other Zymotic Dis.	227	43	53	36	27	13	172	10	6	3	2	7	4	10	11	–	1	–
Cancer	50	–	–	–	–	–	–	1	–	–	1	2	6	11	16	7	3	–
Scrofula and Tabes	159	62	44	13	7	9	135	11	4	3	1	2	–	–	2	1	–	–
Phthisis	669	7	14	12	8	4	45	21	18	42	53	143	172	101	61	10	3	–
Hydrocephalus	186	88	51	22	10	5	176	8	–	1	–	–	1	–	–	–	–	–
Dis. of Brain	729	281	65	28	19	9	402	28	12	6	9	25	28	53	65	80	19	–
Dis. of Heart & Dropsy	326	4	1	6	4	2	17	10	8	13	8	35	48	67	57	45	17	–
Dis. of Lungs	1290	384	218	76	29	18	725	28	9	12	17	41	76	93	122	105	52	–
Dis. of Stom. and Liver	216	38	5	3	2	2	50	4	8	3	1	10	28	29	49	27	7	–
Dis. of Kidneys	90	1	4	6	1	2	14	8	4	2	1	3	6	9	22	13	7	–
Dis. of Gener. Organs	3	1	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–
Dis. of Joints	21	–	–	1	–	1	2	7	3	–	2	1	1	5	–	–	–	–
Dis. of Skin	10	8	–	–	–	–	8	–	1	–	–	1	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	29	–	–	–	–	–	–	–	–	–	1	8	6	4	8	1	1	–
Other Violent Deaths	485	75	12	7	3	3	100	41	50	45	35	83	56	46	18	8	3	–
Other Causes	870	514	84	16	3	2	619	4	2	3	2	6	13	11	32	75	82	2
24 *b*.—MILE END OLD TOWN.																		
Mean Popul^n, 1861–71	38991	1408	1158	1180	1204	1081	6031	4812	4189	3404	3282	6260	4785	3304	1843	823	228	3
TOTAL DEATHS	9587	2639	1130	554	273	196	4792	441	153	173	214	522	689	720	692	654	422	1
Small-pox	145	39	22	16	6	6	89	26	1	5	10	12	5	1	1	1	–	–
Measles	253	34	101	55	30	16	236	12	4	1	–	–	–	–	–	–	–	–
Scarlatina	540	45	92	101	76	63	380	133	21	4	1	–	1	–	–	–	–	–
Diptheria	45	5	7	8	5	3	28	7	–	1	–	2	3	2	1	–	1	–
Whooping-cough	328	117	106	64	19	12	318	10	–	–	–	–	–	–	–	–	–	–
Typhus	407	7	15	18	15	11	66	58	28	32	24	30	63	43	31	20	12	–
Diarrhœa & Dysentery	484	325	78	9	2	2	416	5	1	1	1	6	4	6	14	19	8	–
Cholera	275	40	24	22	14	7	107	18	14	6	6	23	23	31	29	14	3	–
Other Zymotic Dis.	275	54	52	37	18	8	169	19	9	6	2	8	10	10	16	19	6	–
Cancer	65	–	–	–	1	–	1	–	1	–	1	2	6	14	24	11	5	–
Scrofula and Tabes	188	85	52	15	11	4	167	7	4	2	3	2	–	–	3	–	–	–
Phthisis	1082	14	11	4	2	7	38	32	18	71	112	262	262	168	97	17	4	–
Hydrocephalus	209	75	71	30	14	5	195	12	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	1072	370	75	44	16	14	519	31	10	9	11	29	52	81	104	133	85	–
Dis. of Heart & Dropsy	437	5	1	6	2	4	18	6	17	13	10	39	62	73	76	75	58	1
Dis. of Lungs	1911	514	297	93	33	22	959	31	8	11	21	58	122	164	194	202	121	2
Dis. of Stom. and Liver	295	56	6	2	3	4	71	9	6	5	5	15	31	73	42	47	10	–
Dis. of Kidneys	162	1	1	1	–	1	4	3	2	1	2	4	13	21	21	16	12	–
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–
Dis. of Joints	17	2	1	–	1	–	4	3	2	–	2	2	–	1	2	1	–	–
Dis. of Skin	19	12	–	–	–	–	12	–	–	–	–	–	1	–	–	3	2	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	28	–	–	–	–	–	–	–	–	1	–	9	4	8	5	1	–	–
Other Violent Deaths	224	103	14	7	3	4	131	17	4	2	3	9	13	17	11	9	6	–
Other Causes	1184	736	104	19	2	3	861	8	1	1	–	10	14	21	21	66	108	1

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
23.—ST. GEORGE-IN-THE-EAST.																		
Mean Popul^{n}, 1861–71	24823	809	621	673	650	629	3382	2763	2389	1961	2320	4174	3228	2231	1374	710	256	35
TOTAL DEATHS	6993	1554	773	368	229	113	3067	280	64	108	220	540	497	508	585	619	400	105
Small-pox	84	23	15	8	9	10	65	8	1	2	5	3	–	–	–	–	–	–
Measles	193	29	79	40	32	5	185	8	–	–	–	–	–	–	–	–	–	–
Scarlatina	284	20	47	55	52	35	209	63	5	2	5	–	–	–	–	–	–	–
Diphtheria	41	5	7	5	4	9	30	8	1	–	–	1	–	1	–	–	–	–
Whooping-cough	280	84	102	54	22	10	272	8	–	–	–	–	–	–	–	–	–	–
Typhus	286	3	8	12	29	16	69	35	6	12	19	33	29	39	36	14	3	1
Diarrhœa & Dysentery	313	164	69	14	5	–	252	3	2	–	–	3	3	8	8	20	11	3
Cholera	241	14	14	9	6	6	49	24	7	5	7	25	38	24	30	21	9	2
Other Zymotic Dis.	141	19	21	16	15	11	82	13	1	1	4	9	6	4	11	6	4	–
Cancer	147	1	–	–	–	–	1	–	–	–	2	7	24	53	35	18	7	–
Scrofula and Tabes	143	51	38	16	5	6	116	8	1	3	–	1	2	4	5	1	2	–
Phthisis	729	7	9	9	5	5	35	17	15	39	90	263	165	72	25	8	–	–
Hydrocephalus	172	77	46	23	8	5	159	12	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	652	190	46	25	13	4	278	15	4	9	12	27	34	64	62	87	49	11
Dis. of Heart & Dropsy	395	4	5	3	2	2	16	12	6	9	13	39	56	67	84	63	26	4
Dis. of Lungs	1179	276	163	59	17	12	527	20	6	12	20	42	57	85	173	160	64	13
Dis. of Stom. and Liver	232	26	3	–	1	2	32	7	5	1	9	18	29	42	43	33	9	4
Dis. of Kidneys	50	1	4	1	–	1	7	4	2	–	1	4	4	2	15	9	2	–
Dis. of Gener. Organs	29	1	–	–	–	–	1	–	–	–	–	2	8	5	8	3	2	–
Dis. of Joints	12	–	–	–	1	–	1	2	–	1	2	1	2	–	1	1	1	–
Dis. of Skin	17	5	1	1	–	–	7	1	–	–	–	1	–	4	1	2	1	–
Childbirth and Metria	75	–	–	–	–	–	–	–	–	8	18	34	15	–	–	–	–	–
Suicide	21	–	–	–	–	–	–	–	–	1	5	6	4	5	–	–	–	–
Other Violent Deaths	136	75	8	4	4	–	91	4	–	1	5	5	4	8	4	10	3	1
Other Causes	1141	479	88	14	8	4	593	8	1	2	3	16	17	21	44	163	207	66
24 *a*.—STEPNEY.																		
Mean Popul^{n}, 1861–71	28797	879	781	778	752	776	3966	3492	3038	2493	2423	4476	3691	2584	1552	785	253	44
TOTAL DEATHS	6847	1550	789	452	262	213	3266	327	117	131	174	442	502	476	490	520	317	85
Small-pox	98	37	17	10	9	4	77	12	–	2	2	4	1	–	–	–	–	–
Measles	178	28	66	51	18	10	173	5	–	–	–	–	–	–	–	–	–	–
Scarlatina	347	25	46	52	63	61	247	81	10	4	–	3	–	1	–	–	1	–
Diphtheria	40	3	8	9	4	6	30	4	4	–	–	–	1	1	–	–	–	–
Whoopiog-cough	328	102	99	65	31	17	314	13	1	–	–	–	–	–	–	–	–	–
Typhus	353	6	15	16	17	15	69	32	18	19	14	38	50	48	36	22	6	1
Diarrhœa & Dysentery	328	189	64	12	3	5	273	4	3	–	1	6	7	4	10	12	7	1
Cholera	319	24	19	16	8	9	76	35	13	6	16	50	51	29	30	9	3	1
Other Zymotic Dis.	189	37	43	29	17	13	139	13	3	3	1	7	5	5	5	5	2	1
Cancer	115	–	–	1	–	–	1	–	1	–	2	7	26	34	24	17	3	–
Scrofula and Tabes	131	44	47	16	5	5	117	5	2	2	1	1	–	2	–	1	–	–
Phthisis	643	16	12	12	7	9	56	21	21	41	68	166	144	77	34	14	1	–
Hydrocephalus	153	54	44	26	13	3	140	11	1	–	–	–	–	1	–	–	–	–
Dis. of Brain	613	180	53	20	20	14	287	18	5	11	13	14	23	49	47	91	49	6
Dis. of Heart & Dropsy	346	5	1	–	2	1	9	12	13	16	12	29	42	68	78	47	19	1
Dis. of Lungs	1199	274	182	90	29	30	605	31	9	4	9	31	38	89	137	172	62	12
Dis. of Stom. and Liver	230	12	1	3	1	2	19	10	5	7	4	19	34	37	44	33	12	6
Dis. of Kidneys	49	1	1	1	1	–	4	7	–	1	2	6	13	5	6	5	–	–
Dis. of Gener. Organs	24	–	–	–	–	–	–	–	–	1	1	2	6	6	5	3	–	–
Dis. of Joints	23	–	–	–	1	3	4	1	5	3	1	2	1	3	1	2	–	–
Dis. of Skin	11	4	–	–	–	–	4	2	–	–	–	–	2	–	1	–	2	–
Childbirth and Metria	75	–	–	–	–	–	–	–	–	4	10	30	30	1	–	–	–	–
Suicide	28	–	–	–	–	–	–	–	–	2	7	7	7	4	–	1	–	–
Other Violent Deaths	152	68	5	3	5	4	85	4	1	4	7	13	12	7	10	6	3	–
Other Causes	875	441	66	20	8	2	537	6	2	1	3	7	9	5	22	80	147	56
24 *b*.—MILE END OLD TOWN.																		
Mean Popul^{n}, 1861–71	44117	1385	1239	1198	1148	1093	6063	4967	4185	3875	3982	7221	5412	3935	2469	1406	526	76
TOTAL DEATHS	9856	2134	1011	569	323	209	4246	438	148	198	251	628	652	649	754	949	730	213
Small-pox	132	42	19	14	9	6	90	19	4	4	4	3	6	1	1	–	–	–
Measles	252	40	98	46	24	21	229	22	1	–	–	–	–	–	–	–	–	–
Scarlatina	544	40	86	96	90	68	380	129	20	9	3	2	1	–	–	–	–	–
Diphtheria	65	5	12	10	12	4	43	14	3	–	1	2	1	1	–	–	–	–
Whooping-cough	421	132	131	80	37	20	400	20	1	–	–	–	–	–	–	–	–	–
Typhus	404	6	14	19	11	12	62	46	27	27	25	46	44	38	38	35	14	2
Diarrhœa & Dysentery	426	249	72	13	5	5	344	5	1	3	4	5	3	6	12	20	19	4
Cholera	297	20	23	8	11	11	73	19	12	10	11	41	47	28	23	23	9	1
Other Zymotic Dis.	224	39	39	34	23	8	143	21	6	5	3	5	8	6	6	14	6	1
Cancer	209	–	–	–	–	–	–	–	–	1	–	13	33	66	51	37	7	1
Scrofula and Tabes	149	61	33	17	5	2	118	11	4	2	–	3	1	4	4	1	1	–
Phthisis	851	12	10	10	8	3	41	20	34	68	102	257	182	94	44	9	–	–
Hydrocephalus	170	59	56	22	13	4	154	11	4	–	1	–	–	–	–	–	–	–
Dis. of Brain	1050	264	63	43	17	12	899	27	1	15	8	29	58	76	126	172	121	13
Dis. of Heart & Dropsy	534	5	3	–	1	1	10	13	8	16	14	43	54	73	101	134	61	7
Dis. of Lungs	1897	402	230	123	44	25	824	38	9	11	23	47	72	145	221	290	131	36
Dis. of Stom. and Liver	344	29	5	6	1	2	43	7	5	6	11	28	43	56	60	53	29	3
Dis. of Kidneys	68	–	–	1	–	1	2	1	–	3	6	11	13	12	12	7	1	–
Dis. of Gener. Organs	60	–	1	–	–	–	1	–	–	1	–	4	17	15	13	6	2	1
Dis. of Joints	22	1	2	–	1	–	4	3	2	–	1	–	8	1	–	2	1	–
Dis. Skin	24	10	1	4	–	–	15	–	–	–	–	–	–	1	3	2	3	–
Childbirth and Metria	150	–	–	–	–	–	–	–	–	11	27	72	40	–	–	–	–	–
Suicide	14	–	–	–	–	–	–	–	–	–	1	2	3	4	1	2	1	–
Other Violent Deaths	152	79	5	4	3	1	92	4	4	3	2	4	9	8	9	3	8	6
Other Causes	1397	639	108	19	10	3	779	8	2	3	4	11	9	14	20	139	261	139

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	All Ages.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
25.—POPLAR.																		
Mean Popul^n, 1861-71	48893	1714	1453	1454	1469	1380	7470	6334	5078	4377	3962	7849	6307	4142	2082	944	317	31
TOTAL DEATHS	13858	3519	1398	696	423	255	6291	593	286	333	402	1012	1142	1086	1027	959	606	121
Small pox	206	47	14	20	11	9	101	24	5	11	18	22	17	5	2	1	-	-
Measles	280	52	106	69	35	11	273	11	-	-	1	-	-	1	-	-	-	-
Scarlatina	568	42	87	110	90	64	393	141	23	1	1	4	3	2	-	-	-	-
Diphtheria	67	9	11	15	8	7	50	10	3	-	-	3	-	1	-	-	-	-
Whooping-cough	341	137	109	41	31	15	333	7	1	-	-	-	-	-	-	-	-	-
Typhus	496	16	24	23	17	17	97	73	33	32	29	52	58	38	43	32	8	1
Diarrhœa & Dysentery	600	363	103	27	6	3	502	5	5	2	3	8	9	12	19	19	15	1
Cholera	449	19	29	19	15	18	100	52	23	11	16	53	58	64	41	24	6	1
Other Zymotic Dis.	302	49	48	31	37	16	181	18	7	4	6	16	12	18	15	14	9	2
Cancer	99	-	1	-	-	-	1	1	-	3	2	5	8	20	39	11	8	1
Scrofula and Tabes	330	161	78	27	9	6	281	19	6	4	3	5	5	2	3	2	-	-
Phthisis	1530	51	46	23	12	5	137	30	26	82	151	355	335	241	121	41	3	-
Hydrocephalus	259	100	75	38	16	8	237	17	3	-	-	-	-	1	-	1	-	-
Dis of Brain	1777	510	135	56	35	10	746	31	12	25	25	160	158	162	189	174	81	14
Dis. of Heart & Dropsy	710	14	12	5	5	5	41	20	19	21	15	58	105	126	147	108	49	1
Dis. of Lungs	2238	679	322	126	65	37	1229	42	12	13	19	80	124	163	208	231	122	15
Dis. of Stom. and Liver	394	72	14	10	2	4	102	12	8	14	8	25	57	57	58	39	11	3
Dis. of Kidneys	143	-	1	2	3	1	7	5	2	3	4	9	18	27	23	28	16	1
Dis. of Gener. Organs	4	1	-	-	-	-	1	-	-	-	-	-	-	1	-	2	-	-
Dis. of Joints	30	3	-	1	1	-	5	6	6	3	-	2	2	2	3	1	-	-
Dis. of Skin	34	8	-	-	1	-	9	-	2	-	1	3	2	2	4	8	2	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	54	-	-	-	-	-	-	-	-	3	3	9	15	12	7	5	-	-
Other Violent Deaths	921	84	23	22	9	12	150	61	88	93	93	119	128	98	49	26	10	1
Other Causes	2000	1102	160	31	15	7	1315	8	2	3	4	24	28	31	51	189	266	79
26.—ST. SAVIOUR, SOUTHWARK.*																		
Mean Popul^n, 1861-71	84575	2876	2384	2326	2232	2223	12041	9712	8697	7866	7764	13667	10753	7442	4296	1835	449	53
TOTAL DEATHS	22346	5989	2327	1231	712	464	10723	905	310	392	522	1378	1720	1921	1874	1612	843	146
Small-pox	219	53	31	24	18	16	142	30	5	3	10	19	8	2	-	-	-	-
Measles	492	91	202	112	41	26	472	19	-	-	-	-	-	-	-	1	-	-
Scarlatina	1122	80	169	211	168	134	762	292	39	14	5	5	3	2	-	-	-	-
Diphtheria	131	27	20	22	15	11	95	26	8	2	1	1	2	-	-	-	1	-
Whooping-cough	874	310	267	140	92	38	847	24	1	1	-	-	1	-	-	-	-	-
Typhus	734	17	31	45	36	26	155	90	45	39	33	67	91	88	66	49	17	3
Diarrhœa & Dysentery	882	624	130	32	7	-	793	7	2	1	2	4	6	16	17	16	16	2
Cholera	117	31	12	4	3	8	53	10	4	3	1	11	6	11	10	6	2	-
Other Zymotic Dis.	509	83	65	64	44	27	286	31	12	13	3	25	27	30	47	28	7	-
Cancer	206	-	-	-	1	2	3	1	8	3	1	9	33	46	68	29	8	2
Scrofula and Tabes	450	216	99	43	16	11	385	20	10	10	7	8	2	5	2	1	-	-
Phthisis	3068	92	60	43	33	18	246	54	39	146	297	717	690	545	260	54	10	-
Hydrocephalus	433	179	121	55	33	20	408	20	4	-	-	1	-	-	-	-	-	-
Dis. of Brain	2681	1046	211	100	48	32	1467	55	27	21	29	98	141	177	268	255	129	14
Dis. of Heart & Dropsy	951	12	4	3	7	4	30	37	22	33	23	90	150	200	180	158	53	5
Dis. of Lungs	4211	1065	537	212	88	47	1949	60	18	17	29	120	240	427	577	545	195	34
Dis. of Stom. and Liver	742	101	9	10	6	5	131	24	18	28	9	50	94	148	141	73	26	-
Dis. of Kidneys	359	2	5	4	8	6	20	12	7	9	11	29	54	60	60	67	29	1
Dis. of Gener. Organs	5	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	-
Dis. of Joints	94	8	-	1	2	2	8	18	9	9	7	15	5	7	8	7	1	-
Dis. of Skin	49	15	1	4	2	2	24	1	1	-	-	1	1	6	3	8	2	2
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	121	-	-	-	-	-	-	-	2	2	11	16	30	26	23	8	3	-
Other Violent Deaths	724	141	41	35	80	24	271	60	35	34	36	63	74	63	49	25	12	2
Other Causes	3152	1798	282	67	19	10	2176	14	4	4	7	28	62	60	94	290	332	81
27.—ST. OLAVE, SOUTHWARK.†																		
Mean Popul^n, 1861-71	56275	1935	1661	1657	1583	1515	8351	6837	5757	5358	5131	9155	6982	4719	2601	1087	268	29
TOTAL DEATHS	17128	3965	1589	830	478	343	7205	614	337	441	691	1453	1722	1584	1455	1060	479	87
Small pox	174	48	18	19	20	13	118	14	5	4	4	15	10	2	-	2	-	-
Measles	370	70	138	73	38	17	356	10	1	1	-	2	-	-	-	-	-	-
Scarlatina	728	56	119	146	118	85	524	154	31	7	5	3	3	1	-	-	-	-
Diphtheria	86	13	25	9	10	10	67	9	2	1	2	1	2	1	1	-	-	-
Whooping-cough	561	199	180	96	39	26	540	21	-	-	-	-	-	-	-	-	-	-
Typhus	487	10	21	32	18	27	108	52	22	30	49	60	57	40	46	19	4	-
Diarrhœa & Dysentery	649	432	126	19	3	9	589	5	1	2	4	7	5	6	11	9	8	2
Cholera	73	16	7	3	4	3	33	8	4	1	3	7	8	5	2	1	1	-
Other Zymotic Dis.	412	68	60	40	46	24	238	30	9	10	14	23	24	27	20	12	3	2
Cancer	237	-	-	1	-	1	2	2	2	7	5	17	48	70	97	30	6	1
Scrofula and Tabes	334	142	66	23	9	2	242	19	15	7	16	11	10	6	5	3	-	-
Phthisis	2109	47	42	21	8	10	128	45	29	115	247	482	530	338	159	33	3	-
Hydrocephalus	531	108	99	49	25	11	292	25	7	2	1	2	1	-	1	-	-	-
Dis. of Brain	1783	676	132	55	42	22	927	45	23	24	29	63	113	137	164	177	71	10
Dis. of Heart & Dropsy	933	8	2	7	5	5	27	15	32	37	35	139	184	181	171	89	20	3
Dis. of Lungs	2813	768	362	167	45	24	1376	41	20	16	46	120	179	281	329	296	96	13
Dis. of Stom. and Liver	697	94	11	6	6	7	124	18	8	17	22	61	126	136	106	66	13	-
Dis. of Kidneys	521	3	2	4	2	6	17	15	10	12	33	90	95	94	99	48	8	-
Dis. of Gener. Organs	6	-	-	-	1	-	1	-	-	-	-	-	2	2	-	1	-	-
Dis. of Joints	101	1	1	2	-	1	5	8	10	9	16	17	10	9	10	7	-	-
Dis. of Skin	82	23	3	3	-	-	34	-	4	-	6	7	8	4	12	6	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	89	-	-	-	-	-	-	-	-	5	4	20	20	17	16	7	-	-
Other Violent Deaths	1462	69	30	21	28	20	168	69	96	129	138	264	224	164	128	66	16	-
Other Causes	2040	1109	125	34	11	10	1289	9	6	5	12	42	63	63	78	188	229	56

* Including St. George Southwark and Newington, united to St. Saviour 1st January 1870.
† Including Bermondsey and Rotherhithe, united to St. Olave 1st January 1870.

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
25.—POPLAR.																		
Mean Popul^n, 1861–71	48894	1689	1455	1497	1450	1408	7499	6323	5092	4072	3994	7762	6235	3989	2244	1213	410	61
TOTAL DEATHS	12569	2856	1298	705	422	281	5562	533	217	283	323	830	947	847	910	1105	776	236
Small-pox	182	37	18	33	17	18	123	22	5	6	7	11	5	3	–	–	–	–
Measles	291	39	130	53	35	12	269	17	1	–	2	2	–	–	–	–	–	–
Scarlatina	607	33	82	112	94	76	397	157	34	4	8	7	–	–	–	–	–	–
Diphtheria	86	11	12	16	15	7	61	17	3	1	–	1	3	–	–	–	–	–
Whooping-cough	458	163	139	95	32	16	445	13	–	–	–	–	–	–	–	–	–	–
Typhus	513	18	23	21	25	27	114	79	46	39	28	59	57	32	29	23	7	–
Diarrhœa & Dysentery	557	320	101	23	7	4	455	6	5	1	3	9	7	6	14	32	18	1
Cholera	438	21	20	16	5	11	76	34	7	14	25	46	68	71	51	25	12	9
Other Zymotic Dis.	234	50	32	29	33	10	154	8	6	9	1	9	8	7	10	14	7	1
Cancer	292	–	–	1	1	–	2	–	–	2	–	15	55	85	70	48	12	2
Scrofula and Tabes	312	138	81	32	13	10	274	9	6	7	1	4	4	1	4	1	1	–
Phthisis	1264	39	31	20	11	7	108	28	35	92	122	343	284	162	64	20	1	–
Hydrocephalus	175	64	45	19	19	12	159	9	5	2	–	–	–	–	–	–	–	–
Dis. of Brain	1490	414	124	58	29	18	643	27	16	18	16	71	103	101	162	218	98	17
Dis. of Heart & Dropsy	806	17	7	10	3	5	42	29	22	26	30	65	99	129	153	149	57	5
Dis. of Lungs	1908	509	299	123	64	33	1028	44	8	18	17	44	78	111	192	221	127	20
Dis. of Stom. and Liver	427	41	6	10	–	6	63	17	10	10	9	30	64	64	72	72	14	2
Dis. of Kidneys	56	–	–	1	–	–	1	2	–	2	4	6	9	9	8	10	4	1
Dis. of Gener. Organs	58	–	–	–	–	–	–	–	1	1	2	5	13	14	9	10	3	–
Dis. of Joints	28	2	1	–	2	–	5	1	2	3	1	3	5	8	1	4	–	–
Dis. of Skin	27	5	2	1	–	1	9	–	–	–	1	–	1	5	3	6	2	–
Childbirth and Metria	164	–	–	–	–	–	–	–	–	9	30	73	48	4	–	–	–	–
Suicide	23	–	–	–	–	–	–	1	–	4	–	4	4	7	2	–	1	–
Other Violent Deaths	198	69	19	10	6	4	108	9	5	8	9	7	17	12	5	11	5	2
Other Causes	1975	863	126	22	11	4	1026	4	–	7	7	11	15	21	61	241	406	176
26.—ST. SAVIOUR, SOUTHWARK.*																		
Mean Popul^n, 1861–72	89900	2754	2370	2353	2241	2148	11866	9836	8533	7979	8362	14804	11541	8088	5114	2768	890	119
TOTAL DEATHS	21967	4936	2248	1249	680	439	9552	866	319	424	590	1440	1581	1605	1890	1962	1366	372
Small-pox	194	48	29	27	20	11	135	24	6	5	9	9	4	2	–	–	–	–
Measles	467	79	178	114	53	27	451	14	1	–	–	–	1	–	–	–	–	–
Scarlatina	985	59	141	178	156	106	640	270	41	9	11	9	3	2	–	–	–	–
Diphtheria	130	12	26	31	11	13	93	23	2	1	2	3	2	3	1	–	–	–
Whooping cough	1007	309	321	195	101	42	968	36	3	–	–	–	–	–	–	–	–	–
Typhus	788	13	30	45	30	41	159	84	46	44	43	71	93	94	83	51	16	4
Diarrhœa & Dysentery	866	535	147	25	6	4	717	12	2	2	5	7	12	12	23	34	34	6
Cholera	91	20	12	1	4	3	40	7	1	–	3	11	7	2	14	3	2	1
Other Zymotic Dis.	471	81	60	71	40	34	286	43	11	11	14	17	19	18	17	21	12	2
Cancer	549	1	–	–	1	–	2	–	2	3	2	35	113	133	151	88	19	1
Scrofula and Tabes	350	139	99	31	14	7	281	26	10	7	7	5	7	4	1	2	–	–
Phthisis	2598	78	80	40	23	18	239	55	64	181	286	706	554	284	158	56	14	1
Hydrocephalus	328	125	105	38	24	11	303	19	4	1	–	–	1	–	–	–	–	–
Dis. of Brain	2503	776	185	94	56	30	1141	70	25	31	35	81	125	175	233	281	215	41
Dis. of Heart & Dropsy	1250	16	11	9	2	2	40	29	34	42	40	105	160	218	265	218	89	10
Dis. of Lungs	3906	831	538	240	91	60	1760	55	15	22	21	87	162	350	533	608	315	68
Dis. of Stom. and Liver	852	66	8	10	7	7	98	19	12	18	29	70	105	155	162	147	59	8
Dis. of Kidneys	201	2	1	2	1	1	7	6	3	10	12	33	86	27	31	26	8	2
Dis. of Gener. Organs	103	–	–	2	–	–	2	–	1	1	7	10	21	27	22	9	3	–
Dis. of Joints	67	3	1	2	4	1	11	12	9	3	5	11	3	6	4	3	–	–
Dis. of Skin	60	20	4	–	1	1	26	3	1	–	–	4	3	2	8	6	5	2
Childbirth and Metria	227	–	–	–	–	–	–	–	–	10	36	97	83	1	–	–	–	–
Suicide	40	–	–	–	–	–	–	–	–	3	1	7	8	11	6	4	–	–
Other Violent Deaths	482	155	36	34	16	13	254	41	16	11	8	28	22	29	18	27	28	–
Other Causes	3332	1568	245	60	19	7	1899	18	10	9	14	34	37	50	110	378	547	226
27.—ST. OLAVE, SOUTHWARK.†																		
Mean Popul^n, 1861–71	55881	1919	1598	1650	1577	1550	8294	6865	5653	4506	4692	8914	7096	4884	2975	1474	460	68
TOTAL DEATHS	14237	3169	1489	803	461	316	6238	596	217	350	481	1048	1104	1085	1127	1093	688	210
Small-pox	140	45	23	10	8	5	91	23	2	5	6	7	4	1	1	–	–	–
Measles	360	59	143	84	44	18	348	12	–	–	–	–	–	–	–	–	–	–
Scarlatina	740	39	120	139	129	83	510	184	17	7	10	8	4	–	–	–	–	–
Diphtheria	96	17	24	11	6	8	69	15	3	5	1	1	1	–	1	–	–	–
Whooping-cough	687	216	247	111	64	32	670	16	–	1	–	–	–	–	–	–	–	–
Typhus	474	8	24	25	10	24	97	63	24	30	36	40	75	46	42	17	3	1
Diarrhœa & Dysentery	587	369	101	21	3	3	500	–	–	1	8	6	8	9	23	25	9	3
Cholera	74	20	4	3	1	3	31	6	2	1	1	10	12	3	3	3	2	–
Other Zymotic Dis.	343	40	46	43	27	26	187	26	9	12	13	23	18	11	18	19	7	–
Cancer	394	–	1	–	–	–	1	2	1	3	2	40	83	127	82	42	9	2
Scrofula and Tabes	275	105	54	29	10	8	206	19	11	11	6	11	4	4	3	–	–	–
Phthisis	1563	36	39	23	12	16	126	41	47	132	210	436	305	169	64	29	2	2
Hydrocephalus	240	83	72	31	14	11	211	22	4	2	1	–	–	–	–	–	–	–
Dis. of Brain	1419	452	110	52	29	22	665	39	22	28	15	44	68	113	159	160	83	23
Dis. of Heart & Dropsy	720	3	3	2	–	–	8	20	27	22	41	68	105	139	124	117	46	3
Dis. of Lungs	2349	582	290	143	53	36	1104	34	8	19	26	68	123	192	324	317	118	16
Dis. of Stom. and Liver	633	53	6	5	2	4	70	11	9	12	19	69	98	113	122	74	33	3
Dis. of Kidneys	220	–	2	5	2	2	11	5	5	13	16	41	39	46	29	12	3	–
Dis. of Gener. Organs	155	1	–	–	–	1	2	–	–	6	10	29	37	28	25	12	6	–
Dis. of Joints	74	1	3	2	2	3	11	13	5	7	7	9	7	9	5	–	1	–
Dis. of Skin	50	19	3	–	2	–	24	–	2	2	1	3	4	3	5	3	2	1
Childbirth and Metria	185	–	–	–	–	–	–	–	1	8	33	86	53	4	–	–	–	–
Suicide	45	–	–	–	–	–	–	–	–	7	8	11	6	9	2	2	–	–
Other Violent Deaths	376	77	25	22	18	6	148	32	14	10	9	25	30	34	24	29	16	5
Other Causes	2038	944	149	31	19	5	1148	13	4	6	7	13	20	25	71	232	318	151

* Including St. George Southwark and Newington, united to St. Saviour 1st January 1870.
† Including Bermondsey and Rotherhithe, united to St. Olave 1st January 1870.

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
31.—LAMBETH.																		
Mean Popul^n, 1861-71	85428	2858	2502	2456	2347	2294	12457	10270	8695	7486	7499	14256	10693	7289	4198	2007	516	62
TOTAL DEATHS	20254	5900	2213	1019	606	394	10132	826	288	334	484	1069	1411	1576	1576	1515	858	185
Small pox	216	65	32	12	20	11	140	17	7	5	6	18	15	5	3	-	-	-
Measles	539	105	213	126	51	19	514	21	1	-	-	-	-	-	-	-	-	-
Scarlatina	1081	65	185	184	178	129	741	265	41	8	10	11	4	1	-	-	-	-
Diphtheria	123	16	18	23	16	11	84	21	6	3	2	1	2	-	1	3	-	-
Whooping-cough	788	303	271	101	53	27	758	29	1	-	-	-	-	-	-	-	-	-
Typhus	675	24	38	37	39	24	162	113	44	37	32	54	62	61	59	41	10	-
Diarrhœa & Dysentery	1014	748	143	22	8	6	927	8	1	4	1	3	4	12	11	17	22	4
Cholera	104	43	6	5	2	4	60	5	2	3	3	10	9	5	3	3	1	-
Other Zymotic Dis.	586	97	74	70	28	30	299	48	20	13	13	21	42	33	51	31	15	-
Cancer	174	-	-	1	3	-	4	1	1	-	1	4	16	40	47	43	17	-
Scrofula and Tabes	458	220	86	28	17	10	361	25	17	13	10	8	9	5	6	2	2	-
Phthisis	2444	55	50	30	11	12	158	41	42	153	270	546	549	420	190	60	14	1
Hydrocephalus	431	160	108	59	33	22	382	35	9	3	1	1	-	-	-	-	-	-
Dis. of Brain	2366	894	178	69	50	27	1218	51	20	19	22	61	114	176	232	288	149	13
Dis. of Heart & Dropsy	852	10	3	8	2	3	26	24	17	18	17	74	107	165	194	150	56	4
Dis. of Lungs	3811	1032	516	184	62	35	1829	46	12	16	31	117	226	339	468	463	214	50
Dis. of Stom. and Liver	746	121	15	6	7	9	158	10	9	12	21	48	89	116	128	113	38	4
Dis. of Kidneys	287	3	4	5	3	3	18	10	3	3	6	26	37	49	50	51	31	3
Dis. of Gener. Organs	5	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	-	-
Dis. of Joints	62	1	4	-	3	3	11	6	7	7	4	3	6	7	5	4	2	-
Dis. of Skin	65	21	8	2	-	-	31	1	-	-	-	-	3	5	6	12	6	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	90	-	-	-	-	-	-	-	-	-	6	13	19	28	16	8	-	-
Other Violent Deaths	401	95	20	14	12	3	144	38	23	14	22	31	40	45	16	19	8	1
Other Causes	2936	1819	241	33	8	6	2107	8	5	3	6	16	56	62	90	206	273	104
32.—WANDSWORTH.																		
Mean Popul^n, 1861-71	44703	1420	1316	1286	1276	1223	6521	5710	4973	3985	3692	6887	5523	3772	2169	1109	321	41
TOTAL DEATHS	9588	2785	907	401	305	194	4592	374	161	225	225	567	691	706	707	729	505	106
Small-pox	118	36	16	7	6	7	72	13	6	1	5	15	4	1	1	-	-	-
Measles	208	41	74	29	28	12	187	17	4	-	-	-	-	-	-	-	-	-
Scarlatina	483	30	65	74	90	71	330	116	21	4	5	3	2	1	1	-	-	-
Diphtheria	82	7	17	8	8	6	46	21	3	2	-	1	2	2	1	3	1	-
Whooping-cough	256	105	87	35	19	8	254	2	-	-	-	-	-	-	-	-	-	-
Typhus	242	7	8	16	12	8	51	38	19	21	11	28	29	23	10	10	1	1
Diarrhœa & Dysentery	437	327	50	8	4	4	393	1	2	2	1	1	5	3	7	9	9	4
Cholera	52	15	13	2	-	-	30	4	2	1	-	3	2	4	4	1	1	-
Other Zymotic Dis.	279	46	23	37	27	20	153	15	8	10	8	13	13	15	16	19	7	2
Cancer	83	-	-	-	-	-	-	-	-	-	1	4	12	16	16	22	12	-
Scrofula and Tabes	227	100	52	11	6	8	177	13	10	10	5	5	2	2	2	1	-	-
Phthisis	1044	42	24	12	2	8	88	14	14	72	109	253	216	180	77	17	3	1
Hydrocephalus	186	71	50	21	24	3	169	14	1	2	-	-	-	-	-	-	-	-
Dis. of Brain	1379	378	86	35	26	9	534	39	16	20	19	65	137	123	134	180	98	9
Dis. of Heart & Dropsy	518	8	2	3	1	2	16	9	10	17	8	36	62	75	114	115	51	5
Dis of Lungs	1495	493	218	69	37	16	833	12	5	13	14	38	73	110	146	156	82	13
Dis. of Stom. and Liver	322	64	6	7	2	2	81	4	5	5	6	15	41	51	55	42	16	1
Dis. of Kidneys	172	-	-	1	1	3	5	4	5	4	4	13	20	29	39	31	16	2
Dis. of Gener. Organs	6	1	-	-	-	-	1	-	-	-	1	1	1	2	-	-	-	-
Dis. of Joints	31	1	-	-	2	1	4	6	4	3	-	2	5	1	5	1	-	-
Dis. of Skin	34	14	2	1	1	1	19	1	-	1	-	2	3	1	2	4	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	55	-	-	-	-	-	-	-	-	3	4	11	12	8	10	6	1	-
Other Violent Deaths	324	29	15	7	4	5	60	27	25	33	23	45	31	36	21	14	5	4
Other Causes	1555	967	99	18	5	-	1089	4	1	1	1	13	19	18	46	98	201	64
33.—CAMBERWELL.																		
Mean Popul^n, 1861-71	41224	1423	1226	1251	1267	1187	6354	5414	4580	3695	3163	6028	4967	3472	2060	1097	352	42
TOTAL DEATHS	9650	2665	855	389	254	172	4335	441	191	163	247	565	781	723	793	809	481	121
Small-pox	65	12	9	2	5	3	31	6	3	4	3	9	6	1	-	2	-	-
Measles	159	34	62	32	15	6	149	7	2	-	-	-	1	-	-	-	-	-
Scarlatina	473	24	59	85	68	57	297	134	27	7	1	5	-	-	2	-	-	-
Diphtheria	89	13	13	12	7	7	52	23	4	3	2	1	2	1	-	-	1	-
Whooping cough	307	147	99	29	16	5	296	11	-	-	-	-	-	-	-	-	-	1
Typhus	261	15	15	14	14	23	81	33	26	11	12	24	21	18	19	10	6	-
Diarrhœa & Dysentery	515	374	62	7	5	4	452	4	-	3	1	4	2	9	9	15	14	2
Cholera	64	25	6	2	-	1	34	8	1	1	3	5	4	4	3	1	-	-
Other Zymotic Dis.	228	34	28	25	17	11	115	23	10	8	2	7	16	13	18	10	4	2
Cancer	85	-	-	-	-	-	-	1	-	-	1	3	10	20	27	14	5	4
Scrofula and Tabes	271	129	55	18	10	5	217	22	10	5	3	3	6	2	2	1	-	-
Phthisis	1098	52	16	10	6	6	90	22	16	54	136	244	261	158	86	27	4	-
Hydrocephalus	198	80	58	20	18	6	182	13	2	-	1	-	-	-	-	-	-	-
Dis. of Brain	1559	377	75	45	18	12	527	39	19	13	18	99	171	153	182	207	121	10
Dis. of Heart & Dropsy	432	5	3	1	3	2	14	16	16	12	14	27	61	65	83	85	32	7
Dis. of Lungs	1575	407	174	58	34	16	689	25	7	10	22	51	91	138	203	205	114	20
Dis. of Stom. and Liver	393	53	6	4	4	3	70	13	14	4	4	34	42	55	65	71	17	4
Dis. of Kidneys	166	1	1	1	1	1	5	1	1	3	2	12	19	26	31	43	22	1
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
Dis. of Joints	24	1	-	-	-	1	2	5	2	3	2	1	3	1	4	-	1	-
Dis. of Skin	31	14	1	-	-	-	15	1	-	-	1	-	-	2	2	8	1	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	53	-	-	-	-	-	-	-	-	3	4	9	14	9	9	3	2	-
Other Violent Deaths	248	42	12	1	5	2	62	23	23	18	10	18	26	21	20	9	5	3
Other Causes	1353	822	101	23	8	1	955	6	3	1	5	9	23	26	28	98	132	67

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
31.—LAMBETH.																		
Mean Popul^{n}, 1861–71	99765	2983	2464	2505	2441	2313	12706	10209	8995	9250	10212	17324	12383	8772	5611	3142	1033	128
TOTAL DEATHS	20734	4847	2083	1062	652	438	9082	790	368	361	531	1313	1395	1358	1643	1930	1507	456
Small-pox	188	48	25	17	12	12	114	26	7	8	7	11	9	3	2	1	-	-
Measles	545	100	200	139	52	34	525	18	-	2	-	-	-	-	-	-	-	-
Scarlatina	1042	49	155	185	161	123	673	250	59	12	18	21	4	3	2	-	-	-
Diphtheria	158	15	30	27	28	12	112	33	5	1	3	-	1	-	2	1	-	-
Whooping-cough	956	303	322	168	83	45	921	38	2	-	-	-	-	-	-	-	-	-
Typhus	676	23	25	32	37	38	155	82	54	41	33	71	45	47	61	59	18	7
Diarrhœa & Dysentery	945	616	144	21	13	5	799	6	-	2	1	10	13	16	16	30	12	20
Cholera	139	47	14	1	5	2	69	12	6	7	1	7	16	6	4	8	3	-
Other Zymotic Dis.	544	68	83	59	41	26	280	34	20	9	12	31	27	25	44	35	20	7
Cancer	623	-	-	-	-	1	1	2	-	1	5	29	101	166	171	111	29	7
Scrofula and Tabes	425	187	90	27	13	6	323	29	19	7	8	8	11	8	7	5	-	-
Phthisis	2161	43	50	28	13	12	146	61	77	171	243	581	477	223	113	45	21	3
Hydrocephalus	323	126	96	39	22	19	302	19	1	-	-	-	1	-	-	-	-	-
Dis. of Brain	2262	656	151	73	33	31	944	57	24	26	24	66	100	152	249	368	208	41
Dis. of Heart & Dropsy	1068	13	4	1	6	2	26	23	31	17	36	75	114	160	228	228	115	15
Dis. of Lungs	3734	820	429	179	100	53	1611	47	23	13	27	71	145	262	434	614	415	72
Dis. of Stom. and Liver	910	89	15	9	7	3	123	16	20	14	21	82	124	151	163	140	69	17
Dis. of Kidneys	196	5	1	1	2	-	9	1	5	2	8	25	35	39	29	29	12	2
Dis. of Gener. Organs	123	-	-	-	-	-	-	-	1	-	5	10	38	26	26	14	3	-
Dis. of Joints	51	2	1	1	1	1	6	7	5	9	2	5	4	3	4	4	2	-
Dis. of Skin	66	18	3	1	2	1	25	1	1	-	2	2	2	9	5	11	8	-
Childbirth and Metria	312	-	-	-	-	-	-	-	-	15	61	162	73	1	-	-	-	-
Suicide	45	-	-	-	-	-	-	-	-	1	3	11	11	11	4	4	-	-
Other Violent Deaths	238	108	8	11	9	7	143	16	6	1	1	10	9	10	12	11	16	3
Other Causes	2974	1511	207	43	9	5	1775	17	2	2	10	25	35	37	64	212	536	259
32.—WANDSWORTH.																		
Mean Popul^{n}, 1861–71	53029	1451	1339	1323	1320	1287	6720	5837	5171	4858	5079	9076	6762	4520	2760	1602	556	88
TOTAL DEATHS	9136	2152	828	462	265	196	3903	409	169	196	289	595	630	618	783	875	770	249
Small-pox	97	19	10	8	8	6	51	15	4	2	5	11	3	3	2	1	-	-
Measles	210	38	73	52	17	12	192	14	3	-	1	-	-	-	-	-	-	-
Scarlatina	488	35	72	79	72	56	314	125	22	5	6	11	3	-	1	1	-	-
Diphtheria	95	8	6	11	9	14	48	29	8	4	1	2	-	1	2	-	-	-
Whooping-cough	301	111	100	43	21	13	288	12	-	1	-	-	-	-	-	-	-	-
Typhus	289	10	8	18	18	16	70	45	28	20	19	34	25	13	17	9	8	1
Diarrhœa & Dysentery	409	279	44	11	6	3	343	4	-	1	1	6	4	9	13	13	12	3
Cholera	43	18	3	3	1	1	26	2	1	1	1	4	1	1	3	2	1	-
Other Zymotic Dis.	254	29	33	24	22	13	121	14	14	10	5	17	8	10	19	19	13	4
Cancer	289	-	-	1	-	-	1	-	-	-	1	13	33	81	82	48	27	3
Scrofula and Tabes	221	101	33	24	6	6	170	14	9	6	4	4	4	3	5	2	-	-
Phthisis	928	22	22	10	1	8	63	25	27	91	99	234	206	112	49	17	5	-
Hydrocephalus	144	54	32	17	8	8	119	13	10	-	-	2	-	-	-	-	-	-
Dis. of Brain	1225	268	92	48	27	20	455	25	12	11	24	43	94	89	135	178	128	21
Dis. of Heart & Dropsy	590	10	4	5	2	-	21	14	12	9	15	31	66	86	114	141	77	7
Dis. of Lungs	1426	350	180	67	33	16	646	29	8	9	7	41	34	88	172	225	140	27
Dis. of Stom. and Liver	412	42	5	3	1	1	52	9	4	3	12	34	50	49	82	60	50	7
Dis. of Kidneys	88	-	2	-	2	-	4	1	-	2	2	11	11	15	18	18	6	-
Dis. of Gener. Organs	60	-	-	-	-	-	-	-	-	1	2	5	7	16	15	11	2	1
Dis. of Joints	31	2	-	-	-	1	3	1	1	4	-	3	7	5	4	2	1	-
Dis. of Skin	32	13	1	-	-	-	14	1	-	-	2	-	1	4	1	6	3	-
Childbirth and Metria	148	-	-	-	-	-	-	-	-	5	23	70	49	1	-	-	-	-
Suicide	18	-	-	-	-	-	-	-	-	3	1	3	6	2	3	-	-	-
Other Violent Deaths	123	29	13	12	3	-	57	11	1	4	4	4	8	8	10	6	8	2
Other Causes	1515	714	95	26	8	2	845	6	5	4	4	12	10	22	39	116	279	173
33.—CAMBERWELL.																		
Mean Popul^{n}, 1861–71	50172	1387	1253	1243	1214	1185	6282	5416	4854	4902	4831	8050	6073	4318	2890	1817	653	86
TOTAL DEATHS	9928	2189	817	390	290	171	3857	410	173	187	236	661	677	691	801	1127	837	271
Small-pox	67	19	8	2	2	3	34	13	3	-	3	4	4	4	-	-	-	-
Measles	166	35	61	36	15	8	155	9	1	-	-	1	-	-	-	-	-	-
Scarlatina	457	31	51	70	73	52	277	126	28	9	3	9	4	-	1	-	-	-
Diphtheria	104	14	17	9	9	9	58	24	11	-	-	3	3	2	2	1	-	-
Whooping-cough	374	119	117	72	37	16	361	12	-	-	-	1	-	-	-	-	-	-
Typhus	232	12	11	12	14	13	62	45	22	18	9	26	21	15	15	18	7	4
Diarrhœa & Dysentery	400	263	49	9	2	2	325	7	-	-	3	8	4	3	11	16	19	1
Cholera	57	22	6	1	3	2	34	3	2	-	-	3	3	3	3	4	1	1
Other Zymotic Dis.	233	32	21	19	25	5	105	20	9	5	4	16	14	11	13	20	15	1
Cancer	364	-	-	-	-	-	-	-	-	-	2	14	49	93	83	89	29	5
Scrofula and Tabes	223	105	56	13	5	6	185	10	6	5	2	2	5	5	3	-	-	-
Phthisis	1002	32	13	10	11	6	72	28	28	83	104	208	221	125	41	28	3	1
Hydrocephalus	157	50	38	19	16	7	130	18	5	3	1	-	-	-	-	-	-	-
Dis. of Brain	1372	271	70	29	15	16	401	31	15	16	17	86	92	116	168	228	174	28
Dis. of Heart & Dropsy	604	8	3	3	2	2	18	9	20	11	15	37	54	78	127	154	66	15
Dis. of Lungs	1527	326	178	54	37	15	610	18	10	13	33	59	86	167	289	185	56	
Dis. of Stom. and Liver	497	44	9	1	7	3	64	16	3	8	12	38	57	76	80	89	50	4
Dis. of Kidneys	107	2	1	1	3	-	7	4	5	2	3	14	5	24	19	17	10	-
Dis. of Gener. Organs	64	1	1	-	-	-	2	-	-	-	3	9	9	15	16	9	1	-
Dis. of Joints	28	1	-	1	-	1	3	7	2	2	1	4	2	3	1	2	1	-
Dis. of Skin	33	8	1	-	1	-	10	-	-	1	-	6	4	5	1	3	2	1
Childbirth and Metria	141	-	-	-	-	-	-	-	-	2	30	64	47	1	-	-	-	-
Suicide	28	-	-	-	-	-	-	-	-	4	2	5	3	8	5	1	-	-
Other Violent Deaths	118	40	12	5	3	3	63	4	2	6	4	4	9	1	3	8	5	9
Other Causes	1540	751	91	21	10	2	881	6	1	2	3	6	8	20	39	160	269	145

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
35.—GREENWICH.*																		
Mean Popul^n, 1861–71	66396	2036	1805	1796	1704	1741	9082	7541	7130	6451	6819	10778	7652	5266	3028	1657	755	97
TOTAL DEATHS	18177	4223	1582	799	506	340	7450	698	316	153	716	1489	1453	1386	1282	1236	1242	456
Small pox	160	43	20	9	12	5	89	20	6	7	10	18	6	3	-	1		-
Measles	354	68	135	73	30	19	325	24	1	1	2	1	-	-	-	-	-	-
Scarlatina	760	49	95	127	146	90	498	198	33	11	8	7	3	2	-	-	-	-
Diphtheria	155	25	32	21	24	14	116	18	2	1	6	5	3	1	3	-	-	-
Whooping-cough	432	172	149	60	25	13	419	12	1	-	-	-	-	-	-	-	-	-
Typhus	724	21	33	40	37	36	167	90	51	57	51	83	81	58	41	23	9	1
Diarrhœa & Dysentery	818	480	103	24	9	6	622	8	2	7	26	39	18	17	22	21	30	6
Cholera	196	36	21	4	7	10	78	18	9	8	9	24	21	13	11	3	2	-
Other Zymotic Dis.	463	59	59	59	41	34	243	37	20	9	14	25	21	20	24	28	18	4
Cancer	170	-	-	-	1	-	1	-	-	2	2	13	11	34	41	38	26	2
Scrofula and Tabes	365	140	79	30	15	6	279	24	14	12	10	9	9	3	2	3	-	-
Phthisis	2402	43	36	23	5	5	112	46	42	136	292	693	537	346	173	62	13	-
Hydrocephalus	388	170	109	45	21	11	379	22	5	-	-	-	-	-	1	1	-	-
Dis. of Brain	2027	706	144	69	31	16	966	52	25	24	24	72	151	152	187	205	169	20
Dis. of Heart & Dropsy	1024	24	8	6	6	3	47	10	25	21	49	120	132	178	193	144	104	19
Dis. of Lungs	2058	788	363	158	62	43	1394	43	12	23	57	163	167	159	203	304	244	50
Dis. of Stom. and Liver	645	90	5	-	4	7	106	18	9	15	30	62	87	101	106	71	39	10
Dis of Kidneys	334	2	4	2	3	5	16	4	4	10	14	36	43	48	35	56	58	10
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-	-
Dis. of Joints	78	1	2	1	1	2	7	10	11	9	6	11	10	6	2	2	2	2
Dis. of Skin	84	18	7	1	-	-	26	1	-	2	8	12	7	12	10	4	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	80	-	-	-	-	-	-	-	-	5	4	10	20	13	18	7	3	-
Other Violent Deaths	814	82	30	21	10	10	153	40	61	89	88	103	92	74	52	35	21	1
Other Causes	2742	1206	157	46	13	5	1427	3	6	4	12	59	53	66	65	287	529	231
36.—LEWISHAM.†																		
Mean Popul^n, 1861–71	35764	1210	1017	1043	987	961	5218	4303	3563	3396	3416	5837	4418	2951	1630	754	242	36
TOTAL DEATHS	6874	1948	638	285	222	160	3253	311	124	120	200	536	512	470	46	440	345	101
Small-pox	54	7	4	4	4	3	22	5	3	3	7	7	5	1	1	-	-	-
Measles	145	23	55	24	22	11	135	10	-	-	-	-	-	-	-	-	-	-
Scarlatina	351	28	38	62	60	51	239	81	19	2	2	5	-	-	-	-	-	-
Diphtheria	69	5	10	10	6	11	42	19	-	2	1	1	2	1	-	1	-	-
Whooping-cough	185	75	52	28	12	10	177	8	-	-	-	-	-	-	-	-	-	-
Typhus	203	8	11	10	13	6	48	27	15	20	19	30	14	14	6	8	1	1
Diarrhœa & Dysentery	364	261	46	3	4	6	323	5	-	-	1	7	2	-	2	7	14	-
Cholera	42	14	-	1	1	-	16	1	1	2	1	6	2	6	2	4	1	-
Other Zymotic Dis.	257	56	24	20	14	18	112	22	6	4	10	20	20	11	17	4	11	-
Cancer	70	-	-	1	-	-	1	-	-	-	-	4	8	20	20	13	4	-
Scrofula and Tabes	133	56	31	8	3	4	102	13	3	6	1	2	2	2	-	2	-	-
Phthisis	863	12	10	3	6	2	33	20	19	46	105	239	205	121	57	17	-	1
Hydrocephalus	196	73	53	19	23	11	179	13	3	1	-	-	-	-	-	-	-	-
Dis. of Brain	733	273	56	21	13	12	375	27	7	3	7	30	49	51	82	95	56	11
Dis. of Heart & Dropsy	401	4	2	-	4	3	13	11	8	6	9	52	58	62	77	67	31	7
Dis. of Lungs	1022	330	152	45	22	5	554	14	7	4	16	43	44	64	94	95	71	16
Dis. of Stom. and Liver	324	67	2	3	2	1	75	9	6	3	4	30	44	43	47	45	15	3
Dis. of Kidneys	135	-	2	1	-	-	3	5	1	3	3	15	15	19	18	30	19	1
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Dis. of Joints	30	1	-	-	2	-	3	7	3	3	-	4	3	2	2	3	-	-
Dis. of Skin	19	8	3	-	-	-	11	1	-	1	-	2	1	-	2	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	35	-	-	-	-	-	-	-	1	-	-	9	7	10	6	-	2	-
Other Violent Deaths	188	38	11	4	6	4	63	7	18	10	12	18	20	20	8	6	2	4
Other Causes	1042	629	76	12	5	2	724	3	4	1	2	12	8	23	21	42	115	57

* This Table includes population of the Sub-district of Woolwich Dockyard and Arsenal with the Deaths occurring therein for the whole 10 years.

† This Table includes the portion of the new Woolwich District not transferred to and included in the Greenwich Table.

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
35.—GREENWICH.*																		
Mean Popul^{n}, 1861–71	65517	1968	1721	1741	1733	1683	8846	7446	6313	5677	6008	10630	8266	5702	3592	2101	813	123
TOTAL DEATHS	15017	3517	1552	758	470	327	6624	681	272	315	378	977	1069	935	1135	1276	1075	330
Small-pox	162	42	21	13	11	10	97	24	6	6	9	8	7	5	-	-	-	-
Measles	290	55	117	55	30	22	279	6	3	-	1	1	-	-	-	-	-	-
Scarlatina	746	44	95	154	109	97	479	198	33	12	9	13	2	-	-	-	-	-
Diphtheria	137	21	19	25	20	13	98	16	10	2	3	5	1	1	-	-	1	-
Whooping-cough	548	195	188	70	46	25	524	21	3	-	-	-	-	-	-	-	-	-
Typhus	644	29	43	51	37	27	187	90	54	40	31	66	54	51	40	24	7	-
Diarrhœa & Dysentery	693	438	109	13	4	4	568	13	2	2	4	10	9	12	18	21	29	8
Cholera	171	21	13	7	7	4	52	17	4	4	6	23	27	17	9	11	1	-
Other Zymotic Dis.	348	60	52	42	36	23	213	23	10	10	4	20	12	18	12	10	15	1
Cancer	370	-	1	1	1	1	4	1	-	-	-	17	60	93	101	63	26	5
Scrofula and Tabes	382	138	93	29	6	8	274	20	10	8	2	5	2	3	6	1	1	-
Phthisis	1725	44	35	27	8	10	124	43	55	132	184	443	375	209	123	34	3	-
Hydrocephalus	248	94	71	32	20	9	226	19	3	-	-	-	-	-	-	-	-	-
Dis. of Brain	1674	595	129	60	41	27	852	40	20	28	13	48	82	113	147	186	120	25
Dis. of Heart & Dropsy	844	18	6	3	4	6	37	14	13	18	19	61	105	115	172	190	87	8
Dis. of Lungs	2287	577	348	142	67	28	1162	42	15	18	16	53	88	124	236	297	170	36
Dis. of Stom. and Liver	588	53	17	4	1	3	78	11	6	13	17	48	80	90	100	105	35	5
Dis. of Kidneys	121	-	2	4	4	1	11	1	3	2	6	18	20	16	20	15	9	-
Dis. of Gener. Organs	80	-	1	-	1	-	2	-	-	2	3	9	22	13	20	8	-	1
Dis. of Joints	35	1	2	1	-	-	4	5	4	1	2	6	5	1	3	1	2	1
Dis. of Skin	53	20	3	1	2	1	27	-	-	-	-	6	5	4	3	5	3	-
Childbirth and Metria	204	-	-	-	-	-	-	-	-	10	31	87	76	-	-	-	-	-
Suicide	23	-	-	-	-	-	-	-	-	-	1	4	5	4	4	5	-	-
Other Violent Deaths	225	83	27	12	5	-	127	11	9	2	8	10	15	6	12	6	15	4
Other Causes	2466	989	160	32	10	8	1199	16	4	5	9	16	17	40	79	294	551	236
36.—LEWISHAM.†																		
Mean Popul^{n}, 1861–71	41804	1201	994	1067	1044	985	5291	4351	3922	4159	4637	7459	4961	3371	2123	1095	372	63
TOTAL DEATHS	6690	1611	608	332	189	158	2898	309	124	157	169	455	474	436	481	558	483	146
Small-pox	42	17	3	2	2	1	25	4	-	2	3	3	2	1	1	1	-	-
Measles	136	28	33	32	11	3	127	7	2	-	-	-	-	-	-	-	-	-
Scarlatina	359	20	36	63	43	54	216	101	18	7	5	6	5	-	-	1	-	-
Diphtheria	98	5	11	22	8	9	55	28	4	1	2	4	3	1	-	-	-	-
Whooping-cough	268	105	75	35	27	14	256	12	-	-	-	-	-	-	-	-	-	-
Typhus	237	5	11	18	11	7	52	31	23	29	14	30	13	13	15	9	8	-
Diarrhœa & Dysentery	300	206	34	8	-	-	248	3	1	-	1	3	2	4	6	8	17	7
Cholera	41	10	2	2	-	2	16	4	2	-	2	8	3	1	6	3	-	1
Other Zymotic Dis.	200	28	30	29	17	16	120	6	5	7	5	10	12	8	3	12	11	1
Cancer	250	-	-	-	-	-	-	-	-	2	1	9	40	75	55	55	12	1
Scrofula and Tabes	116	44	20	10	2	5	81	7	8	1	2	6	6	4	1	-	-	-
Phthisis	690	20	10	6	5	2	43	19	19	65	70	204	164	59	35	13	1	1
Hydrocephalus	158	59	43	15	12	7	136	18	2	-	1	1	-	-	-	-	-	-
Dis. of Brain	797	243	55	21	13	11	346	20	11	9	8	26	51	52	71	105	77	21
Dis. of Heart & Dropsy	430	8	6	-	2	2	18	10	6	9	12	27	39	69	95	97	41	5
Dis. of Lungs	905	223	124	43	30	15	439	15	7	8	8	24	30	44	90	110	105	25
Dis. of Stom. and Liver	324	33	13	7	1	2	56	7	6	7	8	23	27	52	51	48	34	5
Dis. of Kidneys	85	1	1	-	-	1	3	2	1	2	4	13	11	16	17	9	5	2
Dis. of Gener. Organs	52	-	-	-	-	-	-	-	-	-	1	8	16	10	8	4	3	2
Dis. of Joints	20	-	-	1	-	2	3	2	3	3	-	2	2	1	3	-	1	-
Dis. of Skin	29	9	-	-	-	-	9	-	2	-	-	3	3	1	-	1	1	-
Childbirth and Metria	89	-	-	-	-	-	-	-	-	3	13	43	28	2	-	-	-	-
Suicide	11	-	-	-	-	-	-	-	-	-	1	3	3	2	1	-	1	-
Other Violent Deaths	93	39	8	4	3	3	57	5	2	-	4	1	2	3	7	3	6	3
Other Causes	959	508	69	11	2	2	592	8	2	2	4	6	12	18	16	79	158	72

* This Table includes population of the Sub-district of Woolwich Dockyard and Arsenal with the Deaths occurring therein for the whole 10 years.

† This Table includes the portion of the new Woolwich District not transferred to and included in the Greenwich Table.

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
37.—EPSOM.																		
Mean Popul^n, 1861–71	12891	372	308	338	340	324	1682	1636	1752	1206	995	1711	1416	1126	769	432	144	22
TOTAL DEATHS	2300	466	134	74	44	53	771	122	45	54	55	150	162	181	247	248	205	60
Small-pox	13	4	-	2	1	-	7	1	1	2	-	4	1	3	-	-	-	-
Measles	38	4	16	8	-	4	32	5	1	-	-	-	-	-	-	-	-	-
Scarlatina	63	5	9	19	12	11	56	26	5	2	-	3	1	-	-	-	-	-
Diphtheria	25	4	3	4	3	3	17	4	1	1	2	-	-	-	-	-	-	-
Whooping cough	47	18	14	5	2	5	44	3	-	-	-	-	-	-	-	-	-	-
Typhus	57	-	3	1	2	1	7	7	3	9	7	11	3	3	5	2	-	-
Diarrhœa & Dysentery	87	37	12	2	1	3	55	10	1	-	1	-	4	-	3	4	6	3
Cholera	14	9	1	-	-	-	10	-	-	-	-	-	1	-	1	1	1	-
Other Zymotic Dis.	52	8	4	3	3	3	21	4	3	4	2	2	1	6	4	3	2	-
Cancer	31	-	-	-	-	-	-	1	1	1	-	3	-	6	6	11	4	1
Scrofula and Tabes	48	25	10	-	-	1	36	7	1	-	-	-	2	1	1	-	-	-
Phthisis	258	3	4	2	1	1	11	6	5	11	21	62	64	38	27	7	3	-
Hydrocephalus	29	7	5	4	5	5	26	3	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	252	60	8	6	5	4	83	11	4	6	3	6	10	21	29	36	36	7
Dis. of Heart & Dropsy	153	2	-	-	-	2	4	6	5	4	1	10	14	16	32	35	23	3
Dis. of Lungs	387	93	27	10	3	3	136	10	4	1	2	16	25	38	47	68	32	8
Dis. of Stom. and Liver	123	21	2	3	-	1	27	1	1	1	1	3	11	15	37	16	8	2
Dis. of Kidneys	73	-	-	-	-	-	-	3	1	2	1	6	5	6	20	12	13	4
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	10	-	1	-	2	-	3	2	-	-	1	-	2	1	1	-	-	-
Dis. of Skin	10	5	-	-	-	-	5	1	-	-	-	-	-	1	1	2	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	22	-	-	-	-	-	-	-	-	1	-	4	2	9	3	3	-	-
Other Violent Deaths	112	10	4	2	3	1	20	5	6	7	10	15	14	9	16	6	3	1
Other Causes	357	151	11	3	1	5	171	6	2	2	-	5	2	8	14	42	74	31
38.—CHERTSEY.																		
Mean Popul^n, 1861–71	10153	282	286	294	274	289	1425	1217	1145	920	824	1357	1174	904	631	404	135	17
TOTAL DEATHS	1872	397	109	50	33	28	617	72	38	32	55	114	140	149	185	214	201	55
Small-pox	10	3	-	1	-	-	4	-	-	-	2	2	-	-	1	1	-	-
Measles	30	5	13	3	3	1	25	4	-	1	-	-	-	-	-	-	-	-
Scarlatina	56	-	10	9	6	5	30	15	6	3	-	2	-	-	-	-	-	-
Diphtheria	17	1	1	2	1	3	8	5	1	-	-	2	-	1	-	-	-	-
Whooping-cough	37	18	12	1	2	4	37	-	-	-	-	-	-	-	-	-	-	-
Typhus	60	1	-	1	2	-	4	5	5	6	6	7	5	6	7	4	5	-
Diarrhœa & Dysentery	73	37	8	1	1	1	48	2	-	-	-	-	2	3	3	3	8	4
Cholera	5	3	-	-	-	-	3	-	-	-	-	-	-	1	-	1	-	-
Other Zymotic Dis.	55	9	4	3	5	2	23	6	3	1	2	3	2	4	5	4	2	-
Cancer	20	-	-	-	-	-	-	-	-	-	2	-	2	3	5	4	2	2
Scrofula and Tabes	20	4	2	1	-	1	8	2	3	3	-	2	1	-	1	-	-	-
Phthisis	182	1	4	1	-	1	7	5	6	10	20	47	49	18	14	5	1	-
Hydrocephalus	31	14	9	2	1	1	27	3	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	248	57	8	7	1	1	74	6	1	1	3	12	9	23	29	47	36	5
Dis. of Heart & Dropsy	134	1	-	1	1	1	4	-	1	1	2	13	19	18	24	27	22	3
Dis. of Lungs	292	74	18	9	5	-	106	8	2	2	2	8	12	31	40	40	33	8
Dis. of Stom. and Liver	90	11	1	1	-	3	16	2	1	-	1	2	14	12	22	14	5	1
Dis. of Kidneys	31	-	-	-	-	-	-	-	-	-	-	2	4	4	6	9	5	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Dis. of Joints	2	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Dis. of Skin	15	4	2	-	-	-	6	-	-	-	1	-	1	-	4	2	-	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	9	-	-	-	-	-	-	-	-	-	2	-	2	1	2	1	1	-
Other Violent Deaths	95	6	3	4	5	1	19	8	7	2	12	11	9	13	5	5	2	2
Other Causes	359	148	14	2	-	3	167	1	1	2	-	1	9	9	16	46	79	28
39.—GUILDFORD.																		
Mean Popul^n, 1861–71	16148	426	397	401	389	381	1994	1883	1822	1473	1244	2237	1954	1534	1105	653	230	19
TOTAL DEATHS	3489	617	183	100	57	59	1016	134	64	75	148	293	284	317	315	419	344	80
Small-pox	18	3	1	1	-	-	5	1	-	-	1	2	2	4	-	1	2	-
Measles	57	12	20	10	4	3	49	6	1	-	1	-	-	-	-	-	-	-
Scarlatina	106	4	10	13	15	15	57	36	9	1	2	-	1	-	-	-	-	-
Diphtheria	47	3	3	5	8	5	24	11	4	5	1	-	-	1	-	-	1	-
Whooping-cough	61	27	21	7	3	2	60	1	-	-	-	-	-	-	-	-	-	-
Typhus	102	4	3	4	1	1	13	9	10	11	10	6	16	8	5	9	5	-
Diarrhœa & Dysentery	86	43	10	3	3	3	62	-	-	-	1	-	-	3	1	10	8	1
Cholera	11	4	-	1	-	1	6	1	-	-	-	1	-	1	1	1	-	-
Other Zymotic Dis.	83	5	7	5	10	2	29	10	-	3	3	4	6	3	10	10	7	1
Cancer	52	-	-	-	-	-	-	-	-	-	1	2	4	11	14	13	7	-
Scrofula and Tabes	81	26	6	5	1	2	40	9	2	3	7	11	3	2	3	-	1	-
Phthisis	541	5	4	2	1	1	13	7	7	28	70	156	108	82	50	18	2	-
Hydrocephalus	61	25	14	10	2	4	55	3	1	1	-	-	1	-	-	-	-	-
Dis. of Brain	486	107	15	8	2	7	139	4	8	3	7	29	51	47	55	76	50	17
Dis. of Heart & Dropsy	303	-	-	-	-	2	2	-	5	4	11	24	27	42	54	78	53	3
Dis. of Lungs	499	126	51	18	1	6	202	15	4	5	3	12	18	47	52	81	50	10
Dis. of Stom. and Liver	149	9	-	1	-	2	12	6	5	1	7	10	19	22	19	35	11	2
Dis. of Kidneys	115	-	-	-	-	-	-	2	1	2	6	10	11	15	21	23	23	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	14	-	-	-	-	-	-	3	-	1	4	-	2	2	2	-	-	-
Dis. of Skin	9	1	1	-	-	-	2	-	-	-	1	1	-	3	2	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	13	-	-	-	-	-	-	-	-	-	-	1	6	3	1	1	1	-
Other Violent Deaths	114	7	4	4	5	3	23	8	7	6	8	19	6	13	11	6	7	-
Other Causes	478	206	13	3	1	-	223	2	-	1	4	5	3	8	14	57	116	45

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
37.—EPSOM.																		
Mean Popul^{n}, 1861–71	13460	368	314	339	303	326	1650	1632	1556	1198	1222	2052	1518	1143	796	472	188	33
TOTAL DEATHS	2083	351	132	60	52	49	644	131	52	61	63	128	143	152	170	220	236	83
Small-pox	7	-	-	-	1	-	1	3	-	-	1	1	-	-	1	-	-	-
Measles	44	6	16	4	4	3	33	9	2	-	-	-	-	-	-	-	-	-
Scarlatina	93	10	11	11	13	11	56	30	4	-	1	2	-	-	-	-	-	-
Diphtheria	45	3	2	3	5	9	22	15	2	3	1	-	2	-	-	-	-	-
Whooping-cough	62	25	18	8	1	6	58	4	-	-	-	-	-	-	-	-	-	-
Typhus	58	-	-	2	3	3	8	5	6	15	3	6	3	5	4	3	-	-
Diarrhœa & Dysentery	48	22	6	-	-	-	28	7	-	1	-	3	1	-	3	3	1	1
Cholera	15	8	1	1	1	-	11	1	-	-	1	-	1	-	1	-	-	-
Other Zymotic Dis.	47	5	2	1	5	5	18	4	4	1	-	4	4	2	5	2	2	1
Cancer	86	-	-	-	1	-	1	-	1	1	-	2	12	27	17	16	6	3
Scrofula and Tabes	38	15	7	-	3	1	26	6	3	1	-	-	1	-	-	1	-	-
Phthisis	221	1	3	1	1	1	7	9	8	25	36	56	39	29	8	3	1	-
Hydrocephalus	31	8	4	3	2	-	17	9	3	1	-	-	-	-	1	-	-	-
Dis. of Brain	233	48	15	10	3	2	78	4	4	4	6	10	9	15	33	47	47	6
Dis. of Heart & Dropsy	156	2	1	-	-	1	4	4	5	3	2	8	9	22	24	45	24	6
Dis. of Lungs	262	65	25	7	4	2	103	8	4	2	1	5	11	13	27	33	40	15
Dis. of Stom. and Liver	147	3	3	2	2	-	10	8	2	2	4	9	15	18	33	25	19	2
Dis. of Kidneys	24	-	-	-	-	-	-	1	-	-	2	-	7	4	4	3	3	-
Dis. of Gener. Organs	11	-	-	-	-	-	-	-	-	-	-	2	2	4	2	1	-	-
Dis. of Joints	3	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-
Dis. of Skin	8	1	-	-	-	-	1	-	1	-	-	1	-	-	1	1	2	1
Childbirth and Metria	41	-	-	-	-	-	-	-	-	2	3	15	19	2	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-
Other Violent Deaths	33	6	4	2	1	1	14	2	-	-	1	1	2	5	-	2	3	3
Other Causes	336	123	14	5	2	4	148	1	2	-	1	2	6	5	5	33	88	45
38.—CHERTSEY.																		
Mean Popul^{n}, 1861–71	10686	292	278	281	305	270	1426	1289	1059	890	947	1653	1228	962	670	387	155	20
TOTAL DEATHS	1738	285	107	59	31	20	502	78	48	57	51	103	133	115	174	232	182	63
Small-pox	6	1	-	-	-	-	1	-	1	1	-	-	1	-	2	-	-	-
Measles	20	5	7	2	1	1	16	3	-	1	-	-	-	-	-	-	-	-
Scarlatina	65	-	6	10	8	10	34	16	8	3	2	2	-	-	-	-	-	-
Diphtheria	23	1	-	3	-	-	4	11	5	-	2	-	1	-	-	-	-	-
Whooping-cough	46	15	17	11	2	1	46	-	-	-	-	-	-	-	-	-	-	-
Typhus	49	1	2	-	1	2	6	12	4	3	2	7	8	2	3	2	-	-
Diarrhœa & Dysentery	64	25	12	2	-	-	39	1	-	-	-	3	-	-	-	8	8	5
Cholera	9	3	-	-	-	-	3	-	-	-	2	-	-	1	-	1	1	1
Other Zymotic Dis.	43	1	3	8	3	2	17	3	2	3	1	3	-	5	6	2	1	-
Cancer	62	-	-	-	-	-	-	-	-	-	1	1	9	14	18	16	3	-
Scrofula and Tabes	21	5	3	2	1	-	11	3	1	1	-	2	2	1	-	-	-	-
Phthisis	188	3	4	-	-	-	7	2	10	19	24	41	46	24	11	-	1	-
Hydrocephalus	27	6	6	3	1	1	17	8	1	1	-	-	-	-	-	-	-	-
Dis. of Brain	200	29	10	5	2	-	46	2	5	7	8	7	15	14	25	38	28	5
Dis. of Heart & Dropsy	140	1	-	-	-	-	1	1	4	2	2	7	18	10	37	43	13	2
Dis. of Lungs	223	51	22	5	7	-	85	6	2	2	-	6	6	12	31	40	28	5
Dis. of Stom. and Liver	101	6	-	-	1	-	7	4	1	4	1	3	9	18	26	24	7	-
Dis. of Kidneys	30	-	-	-	-	-	-	-	3	3	-	2	2	3	7	8	1	1
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	-	1	3	-	2	1	1	1
Dis. of Joints	5	-	-	-	-	-	-	1	1	1	1	-	-	-	1	-	-	-
Dis. of Skin	6	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	-
Childbirth and Metria	22	-	-	-	-	-	-	-	-	-	4	11	6	1	-	-	-	-
Suicide	9	-	-	-	-	-	-	-	-	2	-	-	-	3	2	1	1	-
Other Violent Deaths	32	7	5	4	2	1	19	1	-	2	-	2	4	1	-	3	-	-
Other Causes	335	125	10	4	2	2	143	4	-	2	1	2	2	6	2	42	88	43
39.—GUILDFORD.																		
Mean Popul^{n}, 1861–71	16351	437	420	412	428	389	2086	1909	1681	1376	1417	2464	2014	1500	1012	594	265	33
TOTAL DEATHS	2853	485	145	88	66	55	839	132	71	104	107	198	217	180	256	347	306	96
Small-pox	19	4	3	-	1	1	9	-	1	1	4	3	-	-	-	1	-	-
Measles	36	8	6	7	7	4	32	3	-	-	-	-	1	-	-	-	-	-
Scarlatina	115	9	6	13	13	15	56	31	15	4	5	4	-	-	-	-	-	-
Diphtheria	57	2	2	3	3	8	18	27	7	3	1	1	-	-	-	-	-	-
Whooping-cough	85	41	23	8	3	3	78	7	-	-	-	-	-	-	-	-	-	-
Typhus	83	3	2	4	4	1	14	12	7	10	7	5	10	7	7	3	-	1
Diarrhœa & Dysentery	78	39	8	1	2	3	53	1	-	-	-	-	-	2	5	5	10	2
Cholera	5	-	1	1	-	-	2	-	-	-	-	-	1	-	1	-	1	-
Other Zymotic Dis.	56	8	-	5	3	3	19	5	1	3	1	3	1	2	3	10	6	2
Cancer	104	-	-	-	-	-	-	-	-	-	1	3	9	18	35	24	12	2
Scrofula and Tabes	66	23	2	5	3	2	35	3	3	6	1	4	4	8	3	2	2	-
Phthisis	329	2	4	2	-	-	8	4	13	35	47	97	66	27	22	10	-	-
Hydrocephalus	35	7	9	6	2	2	26	4	4	-	1	-	-	-	-	-	-	-
Dis. of Brain	368	65	13	6	6	6	96	5	6	12	11	16	28	30	38	60	57	9
Dis. of Heart & Dropsy	266	3	3	-	-	-	6	5	3	8	4	6	19	30	56	83	46	2
Dis. of Lungs	414	90	44	18	14	5	171	12	3	5	7	11	19	19	40	67	43	17
Dis. of Stom. and Liver	145	10	1	-	1	-	12	5	4	6	5	12	19	20	23	24	15	-
Dis. of Kidneys	33	-	-	1	-	-	1	1	-	3	1	4	8	6	2	3	4	-
Dis. of Gener. Organs	23	-	-	-	-	-	-	-	-	-	-	5	5	8	-	4	1	-
Dis. of Joints	10	-	-	1	-	-	1	-	1	1	-	2	-	1	3	-	1	-
Dis. of Skin	13	4	-	-	-	-	4	1	-	-	1	1	1	1	2	2	-	-
Childbirth and Metria	50	-	-	-	-	-	-	-	-	4	8	16	21	1	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-
Other Violent Deaths	38	4	3	4	4	1	16	5	2	1	-	1	1	1	3	3	4	1
Other Causes	421	163	15	3	-	1	182	3	-	2	1	3	4	4	12	46	104	60

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
40 & 41.—FARNHAM AND FARNBOROUGH.																		
Mean Popul^n, 1861 71	29857	660	631	550	529	308	2878	2209	1846	3601	5640	7369	3231	1483	894	513	166	27
TOTAL DEATHS	4486	1202	321	159	134	85	1901	175	69	104	204	554	405	258	252	272	210	52
Small-pox	9	1	1	–	–	–	2	–	–	2	2	1	–	–	–	2	–	–
Measles	79	18	28	12	9	4	71	7	1	–	–	–	–	–	–	–	–	–
Scarlatina	245	17	37	29	42	33	158	68	10	4	4	1	–	–	–	–	–	–
Diphtheria	29	2	4	1	5	5	17	7	3	2	–	–	–	–	–	–	–	–
Whooping-cough	63	28	19	8	5	2	62	1	–	–	–	–	–	–	–	–	–	–
Typhus	124	4	1	5	5	3	18	15	12	17	13	18	12	7	7	4	1	–
Diarrhœa & Dysentery	188	111	25	5	4	2	147	2	–	1	2	7	3	5	5	4	10	2
Cholera	10	2	–	1	–	–	3	–	–	–	1	3	2	1	–	–	–	–
Other Zymotic Dis.	111	14	8	12	7	7	43	6	1	9	8	14	7	5	5	6	2	–
Cancer	28	–	1	–	–	–	1	–	–	1	–	–	3	3	10	5	5	–
Scrofula and Tabes	73	29	16	3	6	–	54	6	1	2	3	4	1	1	–	1	–	–
Phthisis	587	7	4	4	5	4	24	6	9	28	80	190	137	80	25	7	1	–
Hydrocephalus	92	33	21	16	10	4	84	6	1	–	–	–	–	–	–	–	1	–
Dis. of Brain	536	199	36	15	6	5	261	12	5	3	17	35	37	32	40	54	35	5
Dis. of Heart & Dropsy	335	12	3	1	1	1	18	6	9	9	12	83	63	23	39	45	19	4
Dis. of Lungs	625	174	55	27	13	10	279	9	4	8	24	73	49	34	49	54	36	6
Dis. of Stom. and Liver	225	39	6	5	2	1	53	3	2	9	9	35	23	27	30	18	15	1
Dis. of Kidneys	73	–	–	–	–	–	–	1	1	–	–	8	17	7	9	18	12	–
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
Dis. of Joints	15	–	–	–	1	–	1	2	1	1	1	3	2	–	–	2	2	–
Dis. of Skin	10	5	–	–	1	–	6	–	–	–	1	1	1	–	1	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	35	–	–	–	–	–	–	–	–	2	2	11	5	4	8	2	1	–
Other Violent Deaths	190	16	11	7	8	2	44	14	7	5	16	46	24	12	11	8	3	–
Other Causes	802	491	45	8	4	2	550	4	2	1	9	20	19	12	13	42	96	34
42.—HAMBLEDON.																		
Mean Popul^n, 1861-71	7612	216	185	204	211	198	1014	898	921	711	588	955	823	692	545	321	129	15
TOTAL DEATHS	1278	249	61	30	32	17	389	57	25	35	30	79	72	78	107	173	192	41
Small-pox	6	2	–	–	–	–	2	–	–	–	1	1	1	–	1	–	–	–
Measles	8	2	2	1	–	1	6	1	1	–	–	–	–	–	–	–	–	–
Scarlatina	41	2	3	4	9	1	19	12	5	4	1	–	–	–	–	–	–	–
Diphtheria	35	3	8	1	2	1	15	10	4	–	–	2	2	–	1	–	–	1
Whooping-cough	19	10	4	1	1	1	17	2	–	–	–	–	–	–	–	–	–	–
Typhus	27	–	–	1	–	1	2	4	–	2	2	4	2	3	4	3	–	1
Diarrhœa & Dysentery	33	13	2	1	1	–	17	–	1	–	–	1	–	1	1	5	6	1
Cholera	5	–	–	1	–	–	1	–	1	2	–	–	–	–	–	1	–	–
Other Zymotic Dis.	35	6	3	3	3	1	16	3	–	1	1	–	1	2	–	3	7	1
Cancer	25	–	–	–	1	–	1	–	–	–	1	–	2	3	4	10	4	–
Scrofula and Tabes	16	3	2	1	1	–	7	2	–	1	1	2	1	1	–	1	–	–
Phthisis	122	1	–	–	1	–	2	2	2	11	12	34	24	18	12	5	–	–
Hydrocephalus	34	9	14	3	–	1	27	6	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	147	42	4	3	2	2	53	1	1	3	1	4	5	14	10	28	25	2
Dis. of Heart & Dropsy	114	1	–	–	–	–	1	1	1	1	1	3	9	11	23	34	29	–
Dis. of Lungs	186	45	12	6	5	3	71	4	1	4	2	9	14	9	24	24	23	1
Dis. of Stom. and Liver	53	10	1	2	–	–	13	2	–	–	2	2	2	3	10	11	7	1
Dis. of Kidneys	31	–	–	1	–	–	1	3	–	–	1	2	2	3	4	8	7	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	5	–	–	1	–	–	1	–	–	2	–	1	1	–	–	–	–	–
Dis. of Skin	3	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	10	–	–	–	–	–	–	–	–	–	–	–	2	2	3	2	1	–
Other Violent Deaths	60	6	2	–	5	3	16	2	6	4	3	11	2	5	5	3	3	–
Other Causes	263	93	4	–	1	2	100	2	–	–	1	3	2	3	5	35	79	33
43.—DORKING.																		
Mean Popul^n, 1861-71	6661	196	169	172	186	153	876	812	746	656	516	825	785	624	456	259	95	11
TOTAL DEATHS	1209	226	72	28	27	14	367	51	24	22	43	82	85	85	114	167	136	33
Small-pox	6	1	–	–	–	–	1	1	–	–	–	–	2	–	1	–	–	1
Measles	8	3	2	–	–	1	6	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	35	1	4	4	6	3	18	15	1	–	1	–	–	–	–	–	–	–
Diphtheria	14	–	3	–	1	–	4	4	3	–	2	1	–	–	–	–	–	–
Whooping-cough	30	14	10	3	2	1	30	–	–	–	–	–	–	–	–	–	–	–
Typhus	40	–	2	2	1	–	5	4	4	5	4	6	4	2	3	1	2	–
Diarrhœa & Dysentery	30	14	4	1	–	–	19	–	–	–	–	–	–	–	1	2	7	1
Cholera	5	1	–	–	–	1	2	–	–	–	–	–	–	–	–	2	1	–
Other Zymotic Dis.	38	9	3	4	3	2	21	3	–	1	–	–	–	4	2	4	2	1
Cancer	23	–	–	–	–	–	–	–	–	1	–	–	2	3	7	7	3	–
Scrofula and Tabes	17	4	2	–	–	–	6	1	4	–	1	1	2	1	–	1	–	–
Phthisis	145	1	2	–	1	1	5	4	1	7	21	38	27	20	17	5	–	–
Hydrocephalus	23	7	5	4	3	–	19	3	–	1	–	–	–	–	–	–	–	–
Dis. of Brain	157	32	10	1	2	–	45	4	5	2	4	8	9	11	19	35	14	1
Dis. of Heart & Dropsy	89	4	1	–	–	1	6	–	1	–	1	2	8	11	19	23	17	1
Dis. of Lungs	146	28	11	4	4	2	49	4	1	1	2	8	11	5	19	27	18	1
Dis. of Stom. and Liver	57	7	–	–	–	–	7	–	2	–	1	3	4	7	10	13	10	–
Dis. of Kidneys	53	1	–	–	–	1	2	–	1	1	2	3	3	11	7	14	9	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	6	1	–	–	–	–	1	–	–	–	1	1	–	–	–	3	–	–
Dis. of Skin	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	8	–	–	–	–	–	–	–	–	–	–	2	2	–	2	1	1	–
Other Violent Deaths	49	–	4	3	3	1	11	4	1	3	3	6	7	7	2	2	2	1
Other Causes	229	97	9	2	1	–	109	2	–	–	–	3	4	3	5	27	50	26

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
40 & 41.—FARNHAM AND FARNBOROUGH.																		
Mean Popul^n, 1861–71	18616	686	600	563	552	510	2911	2246	1840	1526	2054	3255	2021	1271	786	488	190	28
TOTAL DEATHS	3545	899	320	179	102	63	1563	170	77	112	177	311	213	168	206	255	213	80
Small-pox	9	1	-	-	1	2	4	1	-	1	2	1	-	-	-	-	-	-
Measles	68	11	22	16	7	5	61	6	-	-	1	-	-	-	-	-	-	-
Scarlatina	224	7	31	41	36	22	137	54	17	7	3	4	2	-	-	-	-	-
Diphtheria	32	2	3	3	4	6	18	9	2	1	2	-	-	-	-	-	-	-
Whooping-cough	94	45	19	17	3	6	90	4	-	-	-	-	-	-	-	-	-	-
Typhus	93	2	3	4	3	2	14	13	13	10	9	6	10	3	10	3	2	-
Diarrhœa & Dysentery	147	74	37	4	2	1	118	4	-	-	3	1	-	-	3	8	6	4
Cholera	4	1	-	-	-	-	1	-	-	-	1	-	-	-	2	-	-	-
Other Zymotic Dis.	80	12	5	10	9	2	38	11	3	3	2	6	5	2	2	5	2	1
Cancer	84	-	-	-	-	-	-	-	-	1	-	5	12	27	20	13	5	1
Scrofula and Tabes	64	22	17	7	2	1	49	6	3	2	-	1	1	1	-	1	-	-
Phthisis	421	5	5	5	2	1	18	9	14	44	83	138	67	30	14	4	-	-
Hydrocephalus	60	28	15	7	1	1	52	8	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	375	133	37	14	6	2	192	6	5	7	5	13	19	19	26	43	32	8
Dis. of Heart & Dropsy	224	3	1	2	1	1	8	4	6	5	9	28	17	26	36	56	26	3
Dis. of Lungs	465	137	76	23	14	8	258	7	4	6	12	18	14	16	39	43	40	8
Dis. of Stom. and Liver	170	20	4	1	2	1	28	9	2	4	5	23	21	16	28	23	11	-
Dis. of Kidneys	45	-	-	1	2	-	3	3	1	2	5	3	9	4	7	8	-	-
Dis. of Gener. Organs	25	-	-	-	-	-	-	-	-	1	1	2	5	8	4	3	1	-
Dis. of Joints	9	-	-	1	-	-	1	1	2	1	1	1	1	-	1	-	-	-
Dis. of Skin	13	9	-	1	-	-	10	-	-	-	-	-	1	1	-	-	1	-
Childbirth and Metria	97	-	-	-	-	-	-	-	-	10	22	47	18	-	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-
Other Violent Deaths	64	11	11	6	3	1	32	9	3	2	4	2	2	2	2	2	4	-
Other Causes	673	376	34	16	4	1	431	6	2	5	7	12	7	11	11	43	83	35
42.—HAMBLEDON.																		
Mean Popul^n, 1861–71	6979	203	203	189	192	179	966	914	797	557	522	943	815	622	450	275	102	16
TOTAL DEATHS	1162	192	59	18	22	17	308	52	38	38	42	88	72	71	125	138	143	47
Small-pox	4	-	-	1	-	1	2	-	1	-	-	1	-	-	-	-	-	-
Measles	13	1	4	2	3	-	10	1	-	2	-	-	-	-	-	-	-	-
Scarlatina	27	1	5	1	8	1	16	6	4	-	1	-	-	-	-	-	-	-
Diphtheria	31	-	3	1	5	3	12	8	7	2	1	-	1	-	-	-	-	-
Whooping-cough	17	11	6	-	-	-	17	-	-	-	-	-	-	-	-	-	-	-
Typhus	23	1	1	-	-	-	2	5	6	5	2	5	5	1	1	1	-	-
Diarrhœa & Dysentery	25	6	4	2	-	-	12	2	1	-	-	1	1	-	1	4	1	2
Cholera	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Other Zymotic Dis.	20	3	-	1	1	2	7	4	2	-	1	1	2	2	1	-	-	-
Cancer	51	-	-	-	-	-	-	1	-	-	-	1	9	12	12	12	4	-
Scrofula and Tabes	18	2	2	-	-	-	4	2	1	3	2	2	1	-	3	-	-	-
Phthisis	131	3	3	1	-	3	10	4	6	18	20	32	19	11	8	2	1	-
Hydrocephalus	17	7	2	2	-	1	12	5	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	140	24	4	-	-	-	28	3	-	5	2	8	3	7	20	34	26	4
Dis. of Heart & Dropsy	110	3	-	-	1	1	5	-	2	-	2	6	4	10	30	35	11	5
Dis. of Lungs	151	35	16	4	3	3	61	5	5	1	2	10	7	5	16	18	19	2
Dis. of Stom. and Liver	53	3	1	1	-	-	5	4	1	1	-	1	1	12	16	6	6	-
Dis. of Kidneys	17	-	-	-	1	-	1	1	1	1	1	2	4	1	2	1	2	-
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	-	4	2	1	1	1	-	-
Dis. of Joints	4	-	-	1	-	-	1	-	1	-	-	-	-	1	1	-	-	-
Dis. of Skin	3	2	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	27	-	-	-	-	-	-	-	-	-	7	10	10	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Other Violent Deaths	10	1	2	1	-	1	5	-	-	-	1	-	-	1	2	-	1	-
Other Causes	214	89	6	-	-	1	96	-	-	-	-	4	3	2	10	23	72	34
43.—DORKING.																		
Mean Popul^n, 1861–71	6745	177	190	164	187	158	876	802	702	584	550	1002	792	627	452	259	85	14
TOTAL DEATHS	1024	147	65	22	23	19	276	43	24	39	33	72	70	68	92	144	118	45
Small-pox	10	3	-	-	-	1	4	-	1	1	1	2	-	1	-	-	-	-
Measles	6	1	2	1	-	-	4	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	36	-	6	3	4	6	19	11	3	2	-	1	-	-	-	-	-	-
Diphtheria	14	-	2	-	3	1	6	4	2	2	-	-	-	-	-	-	-	-
Whooping-cough	20	6	12	4	1	2	25	4	-	-	-	-	-	-	-	-	-	-
Typhus	37	2	1	2	2	1	8	2	3	7	5	4	5	-	1	2	-	-
Diarrhœa & Dysentery	23	11	6	-	2	-	19	1	-	-	-	2	-	-	1	-	2	-
Cholera	4	1	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-
Other Zymotic Dis.	25	3	-	1	2	1	7	1	1	3	4	2	1	1	1	1	2	1
Cancer	53	-	-	-	-	-	-	-	-	-	-	-	7	11	21	7	6	1
Scrofula and Tabes	18	4	2	-	-	1	7	2	5	1	-	-	-	3	-	-	-	-
Phthisis	168	1	-	-	1	-	2	2	1	17	14	32	22	9	4	5	-	-
Hydrocephalus	23	6	4	2	1	4	17	5	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	139	39	9	4	2	1	46	5	3	1	-	6	5	11	16	27	16	3
Dis. of Heart & Dropsy	100	4	-	-	-	-	4	-	-	2	-	6	4	12	21	33	17	1
Dis. of Lungs	118	18	11	1	3	1	34	-	-	-	2	5	5	5	12	29	21	5
Dis. of Stom. and Liver	48	4	2	-	-	-	6	2	1	-	1	1	4	7	6	11	8	1
Dis. of Kidneys	24	-	-	-	-	-	-	-	-	-	-	1	6	2	4	8	3	-
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	-	-
Dis. of Joints	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-
Dis. of Skin	5	3	-	-	-	-	3	1	-	-	-	-	-	1	-	-	-	-
Childbirth and Metria	24	-	-	-	-	-	-	-	-	2	5	9	8	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Violent Deaths	19	-	1	2	1	-	4	1	3	-	-	-	-	-	2	-	-	-
Other Cause	158	50	7	2	1	-	60	-	-	-	-	-	1	1	1	19	43	33

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
44.—REIGATE.																		
Mean Populn, 1861–71	11872	344	312	329	310	326	1621	1451	1363	1268	1008	1703	1326	945	668	366	138	15
TOTAL DEATHS	2115	471	127	54	47	40	739	115	97	99	103	114	119	134	158	214	172	51
Small-pox	13	3	-	-	-	-	3	-	-	1	3	1	2	1	1	-	1	-
Measles	50	6	12	2	4	7	31	9	7	3	-	-	-	-	-	-	-	-
Scarlatina	80	3	10	9	11	8	41	21	6	3	4	2	-	-	-	-	-	-
Diphtheria	22	-	4	3	2	5	14	6	-	-	1	-	-	1	-	-	-	-
Whooping-cough	36	15	11	3	-	2	31	2	3	-	-	-	-	-	-	-	-	-
Typhus	53	-	2	1	3	2	8	8	7	7	4	6	4	4	2	2	1	-
Diarrhœa & Dysentery	73	38	7	2	2	1	50	-	-	3	-	-	-	1	1	9	7	2
Cholera	3	2	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-
Other Zymotic Dis.	61	5	13	1	4	1	24	9	1	2	3	2	4	5	7	3	4	-
Cancer	19	-	-	-	-	-	-	-	-	-	-	-	2	2	5	8	2	-
Scrofula and Tabes	33	10	2	2	-	-	14	7	6	1	-	1	-	1	2	1	-	-
Phthisis	300	5	6	2	2	2	17	7	22	38	50	55	35	44	16	12	4	-
Hydrocephalus	36	8	8	4	3	-	23	8	2	-	-	-	-	-	-	-	-	-
Dis. of Brain	305	89	14	9	6	6	124	10	17	13	11	8	15	16	21	36	26	5
Dis. of Heart & Dropsy	118	1	-	-	-	-	1	1	3	5	7	9	17	17	32	37	17	2
Dis. of Lungs	305	88	27	10	6	2	133	8	9	11	9	7	18	13	25	38	30	4
Dis. of Stom. and Liver	90	17	2	1	1	1	22	3	3	5	2	7	5	11	13	11	7	1
Dis. of Kidneys	46	-	-	-	-	-	-	2	-	-	3	1	2	1	15	15	6	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	5	-	-	-	-	-	-	-	1	1	-	-	2	-	-	1	-	-
Dis. of Skin	9	4	1	1	1	-	7	-	-	-	-	-	-	-	1	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	14	-	-	-	-	-	-	-	-	1	1	1	2	3	3	2	1	-
Other Violent Deaths	69	5	2	2	1	1	11	7	8	5	4	12	5	7	3	4	2	1
Other Causes	345	172	6	2	1	2	183	4	2	-	1	2	6	6	8	35	63	35
45.—GODSTONE.																		
Mean Populn, 1861–71	5831	163	166	159	147	131	766	693	632	530	465	772	668	548	418	247	81	11
TOTAL DEATHS	971	209	55	17	20	15	316	34	15	25	39	68	52	69	101	124	102	26
Small-pox	6	1	-	-	-	-	1	-	-	-	-	-	2	2	1	-	-	-
Measles	12	1	2	3	1	1	8	2	-	1	-	1	-	-	-	-	-	-
Scarlatina	26	-	2	1	3	6	12	7	3	1	2	1	-	-	-	-	-	-
Diphtheria	12	1	2	1	-	1	5	2	-	2	-	1	1	1	-	-	-	-
Whooping-cough	26	13	6	1	4	1	25	1	-	-	-	-	-	-	-	-	-	-
Typhus	21	-	-	-	2	-	2	6	-	3	2	1	3	2	-	3	2	-
Diarrhœa & Dysentery	23	10	5	1	2	-	18	-	-	-	1	-	-	-	1	1	2	-
Cholera	13	-	2	-	-	-	2	-	-	-	1	6	1	1	-	1	1	-
Other Zymotic Dis.	24	4	2	1	2	2	11	1	1	1	1	2	-	1	1	2	3	-
Cancer	14	-	-	-	-	-	-	-	-	-	-	1	-	4	3	5	1	-
Scrofula and Tabes	26	16	5	-	1	1	23	1	-	-	1	-	-	1	-	-	-	-
Phthisis	101	1	-	1	-	-	2	1	2	7	12	34	19	9	9	5	1	-
Hydrocephalus	8	5	2	-	-	-	7	-	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	132	44	7	2	-	1	54	3	1	1	2	4	8	6	20	17	13	3
Dis. of Heart & Dropsy	94	-	1	-	1	-	2	1	1	1	3	5	5	9	17	33	16	1
Dis. of Lungs	152	38	9	5	2	1	55	1	-	3	7	4	8	14	17	24	18	1
Dis. of Stom. and Liver	51	5	1	-	-	1	7	1	2	1	1	4	1	9	11	10	4	-
Dis. of Kidneys	25	-	-	-	-	-	-	-	1	-	1	1	-	3	8	3	5	3
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	4	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-
Dis. of Skin	3	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	8	-	-	-	-	-	-	-	-	-	1	1	1	1	3	1	-	-
Other Violent Deaths	38	3	1	1	1	-	6	5	3	2	4	2	2	4	4	5	1	-
Other Causes	149	66	8	-	1	-	75	2	-	-	-	-	1	1	4	11	34	18
46.—CROYDON.																		
Mean Populn, 1861–71	29519	940	820	877	813	805	4255	3830	3350	2601	2401	4431	3505	2461	1496	840	306	43
TOTAL DEATHS	6266	1698	468	215	157	125	2663	268	131	124	151	375	479	463	533	537	429	113
Small-pox	58	10	3	2	3	1	19	4	1	4	8	8	6	6	-	1	1	-
Measles	137	81	43	18	15	12	119	12	3	-	1	1	1	-	-	-	-	-
Scarlatina	300	19	41	46	42	31	179	82	21	9	3	4	2	-	-	-	-	-
Diphtheria	35	9	4	3	6	4	26	8	1	-	-	-	-	-	-	-	-	-
Whooping-cough	145	61	44	16	12	8	141	4	-	-	-	-	-	-	-	-	-	-
Typhus	185	4	9	3	5	5	26	30	11	15	14	22	16	18	18	11	4	-
Diarrhœa & Dysentery	314	234	33	7	2	-	276	1	-	-	-	1	1	1	10	11	10	3
Cholera	20	5	2	1	1	-	9	1	-	-	-	1	2	3	2	1	1	-
Other Zymotic Dis.	187	18	20	21	16	13	88	15	6	7	2	7	13	9	14	15	9	2
Cancer	66	-	-	-	-	-	-	-	-	1	1	-	9	11	15	14	13	2
Scrofula and Tabes	164	61	27	18	6	5	117	14	11	7	2	3	6	1	2	1	-	-
Phthisis	649	10	6	4	3	1	24	8	9	36	64	169	157	101	56	19	5	1
Hydrocephalus	136	61	36	10	5	6	118	10	6	1	-	-	1	-	-	-	-	-
Dis. of Brain	814	233	50	17	11	15	346	31	15	5	7	20	55	67	109	108	74	7
Dis. of Heart & Dropsy	365	7	1	-	1	2	11	3	8	8	5	28	48	40	91	77	42	4
Dis. of Lungs	914	289	90	38	18	7	442	13	8	8	12	25	47	65	81	118	79	16
Dis. of Stom. and Liver	323	43	5	2	1	4	60	12	7	5	5	20	36	50	61	43	21	3
Dis. of Kidneys	176	-	1	1	1	1	4	-	2	1	4	14	23	27	26	45	26	4
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-
Dis. of Joints	34	-	1	-	-	3	4	8	5	2	3	1	2	4	1	3	1	-
Dis. of Skin	26	13	-	-	1	-	14	-	1	1	1	1	1	1	3	1	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	39	-	-	-	-	-	-	-	1	2	4	6	6	11	4	4	1	-
Other Violent Deaths	203	21	5	4	6	4	40	9	12	11	14	30	27	32	15	6	4	3
Other Causes	943	544	47	4	2	3	600	3	3	1	1	13	20	15	25	58	136	68

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
44.—REIGATE.																		
Mean Popul^{n}, 1861–71	11834	342	342	346	298	308	1636	1397	1216	1043	1135	1901	1393	991	645	343	119	15
TOTAL DEATHS	1840	372	116	47	37	27	599	91	83	75	76	138	149	115	142	167	167	38
Small-pox	6	1	–	–	–	1	2	–	–	–	–	1	–	2	1	–	–	–
Measles	36	5	4	5	2	2	18	3	12	1	–	1	1	–	–	–	–	–
Scarlatina	65	5	8	11	8	9	41	14	8	1	–	1	–	–	–	–	–	–
Diphtheria	24	1	3	3	3	1	11	8	4	1	–	–	–	–	–	–	–	–
Whooping-cough	44	22	19	1	1	1	44	–	–	–	–	–	–	–	–	–	–	–
Typhus	59	1	1	1	–	2	5	11	5	12	5	5	6	3	4	2	1	–
Diarrhœa & Dysentery	48	25	6	2	–	–	33	–	–	–	–	–	–	1	2	5	6	1
Cholera	2	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	40	7	5	2	2	4	20	5	3	1	–	1	5	1	2	–	2	–
Cancer	54	–	–	–	–	–	–	–	–	1	–	1	9	13	17	7	5	1
Scrofula and Tabes	36	12	4	1	2	2	21	5	2	2	3	–	1	2	–	–	–	–
Phthisis	252	3	2	–	3	–	8	8	21	31	38	63	51	21	6	4	1	–
Hydrocephalus	19	7	4	1	–	1	13	4	1	–	1	–	–	–	–	–	–	–
Dis. of Brain	241	55	23	3	6	–	87	9	7	9	7	11	12	14	22	37	23	3
Dis. of Heart & Dropsy	163	2	1	–	1	–	4	2	6	6	2	10	12	19	39	37	24	2
Dis. of Lungs	244	61	24	9	6	2	105	15	7	3	4	6	14	11	17	28	31	3
Dis. of Stom. and Liver	102	8	1	–	–	–	9	1	5	2	2	8	14	18	16	19	7	1
Dis. of Kidneys	20	1	–	1	1	–	3	–	2	–	1	3	5	2	4	–	–	–
Dis. of Gener. Organs	7	–	–	–	–	–	–	–	–	2	–	–	2	2	1	–	–	–
Dis. of Joints	6	–	–	–	–	–	–	1	–	–	–	4	–	1	–	–	–	–
Dis. of Skin	6	2	–	–	–	–	2	1	–	–	–	–	2	–	1	–	–	–
Childbirth and Metria	40	–	–	–	–	–	–	–	–	2	8	17	10	3	–	–	–	–
Suicide	5	–	–	–	–	–	–	–	–	–	2	2	–	–	1	–	–	–
Other Violent Deaths	30	9	3	4	2	1	19	1	–	–	–	1	2	1	1	1	3	1
Other Causes	291	141	8	3	–	1	153	2	–	1	3	3	3	1	8	27	64	26
45.—GODSTONE.																		
Mean Popul^{n}, 1861–71	5760	178	149	140	170	151	788	736	588	437	462	846	675	542	340	236	91	19
TOTAL DEATHS	832	151	46	30	32	10	269	32	25	33	31	51	48	57	56	98	102	30
Small-pox	4	–	–	1	1	–	2	–	–	–	–	–	1	–	–	–	–	1
Measles	15	4	2	3	1	2	12	1	2	–	–	–	–	–	–	–	–	–
Scarlatina	22	–	4	3	8	1	16	5	–	–	–	–	–	1	–	–	–	–
Diphtheria	13	–	–	2	1	2	5	4	–	3	–	–	1	–	–	–	–	–
Whooping-cough	24	9	8	4	3	–	24	–	–	–	–	–	–	–	–	–	–	–
Typhus	29	–	–	1	–	–	1	4	5	1	4	2	3	4	3	–	2	–
Diarrhœa & Dysentery	21	11	3	2	1	–	17	–	–	–	–	1	1	–	–	1	–	1
Cholera	5	–	–	–	1	–	1	–	–	–	1	–	–	–	2	–	1	–
Other Zymotic Dis.	8	–	–	1	2	–	3	1	–	–	1	1	–	1	1	–	–	–
Cancer	26	–	–	–	–	–	–	1	–	–	–	1	3	9	3	7	2	–
Scrofula and Tabes	23	8	2	1	–	1	12	1	4	2	1	2	–	–	1	–	–	–
Phthisis	81	1	–	–	–	–	1	–	2	16	13	18	15	9	3	3	1	–
Hydrocephalus	14	4	1	2	3	1	11	–	3	–	–	–	–	–	–	–	–	–
Dis. of Brain	107	26	8	2	2	2	40	1	2	1	1	5	3	8	3	21	18	4
Dis. of Heart & Dropsy	80	1	–	–	–	–	1	2	3	3	–	2	5	9	17	28	9	1
Dis. of Lungs	104	23	11	5	4	–	43	6	3	1	3	1	3	4	9	13	16	2
Dis. of Stom. and Liver	48	4	–	–	–	1	5	2	–	1	1	5	3	4	8	10	8	1
Dis. of Kidneys	10	–	–	–	–	–	–	–	–	–	–	1	–	1	3	2	3	–
Dis. of Gener. Organs	6	–	–	–	–	–	–	–	–	–	–	–	2	3	1	–	–	–
Dis. of Joints	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Dis. of Skin	2	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Childbirth and Metria	26	–	–	–	–	–	–	–	–	8	4	10	8	1	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–
Other Violent Deaths	13	2	2	1	1	–	6	2	–	–	–	1	–	1	–	1	2	–
Other Causes	146	57	5	2	4	–	68	2	–	–	1	–	–	1	2	12	40	20
46.—CROYDON.																		
Mean Popul^{n}, 1861–71	35645	930	857	865	847	822	4321	3850	3549	3424	3808	6070	4263	2850	1933	1132	392	53
TOTAL DEATHS	5981	1341	459	267	143	132	2342	248	133	156	182	438	403	381	486	577	461	179
Small-pox	38	10	4	1	1	4	20	4	1	1	4	6	1	1	–	–	–	–
Measles	132	17	45	24	13	18	117	14	1	–	–	–	–	–	–	–	–	–
Scarlatina	291	21	40	48	36	32	177	67	23	5	6	11	2	–	–	–	–	–
Diphtheria	46	6	4	5	9	3	27	9	4	1	1	1	2	–	–	1	–	–
Whooping-cough	213	93	58	33	17	6	207	5	1	–	–	–	–	–	–	–	–	–
Typhus	198	4	4	12	8	7	35	24	25	28	19	22	13	5	14	11	2	–
Diarrhœa & Dysentery	276	180	27	7	2	2	218	4	–	–	1	6	2	8	6	13	11	7
Cholera	13	1	1	–	–	1	3	3	–	–	–	3	1	–	2	–	1	–
Other Zymotic Dis.	140	18	17	14	9	7	65	13	5	6	4	4	7	8	14	7	6	1
Cancer	177	–	–	2	–	–	2	–	1	1	1	10	29	41	52	28	10	2
Scrofula and Tabes	152	52	35	10	7	7	111	9	6	3	5	5	4	1	6	2	–	–
Phthisis	586	9	9	2	2	8	25	12	25	61	73	170	133	53	28	6	–	–
Hydrocephalus	107	47	26	10	4	7	94	9	3	–	–	1	–	–	–	–	–	–
Dis. of Brain	730	159	42	32	11	9	253	24	10	12	12	39	30	71	81	106	77	15
Dis. of Heart & Dropsy	373	4	1	–	–	–	5	6	5	11	11	28	34	50	77	98	45	3
Dis. of Lungs	863	206	99	43	17	15	380	14	3	5	10	23	34	46	83	137	103	25
Dis. of Stom. and Liver	343	23	4	5	2	2	36	6	5	5	6	33	43	45	60	65	33	6
Dis. of Kidneys	100	–	–	–	–	–	–	6	4	1	4	11	15	22	16	14	7	–
Dis. of Gener. Organs	45	–	–	–	–	–	–	–	–	1	–	6	12	7	12	6	1	–
Dis. of Joints	26	–	–	–	–	1	1	2	3	1	3	3	2	5	5	1	–	–
Dis. of Skin	21	8	–	–	–	–	8	–	1	–	1	2	1	2	2	2	1	1
Childbirth and Metria	92	–	–	–	–	–	–	–	–	4	16	44	26	2	–	–	–	–
Suicide	12	–	–	–	–	–	–	–	–	5	–	–	1	1	2	3	–	–
Other Violent Deaths	87	15	5	6	2	7	35	10	5	2	2	6	3	3	4	8	6	3
Other Causes	920	468	38	13	3	1	523	2	2	3	3	4	8	10	22	69	158	115

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
47.—KINGSTON.																		
Mean Popul^n, 1861–71	20859	687	588	599	600	540	3014	2540	2098	1844	1717	3220	2481	1808	1207	679	227	24
TOTAL DEATHS	4290	996	298	134	109	61	1601	190	74	88	129	284	351	371	407	390	334	71
Small-pox	30	5	1	2	-	-	8	1	2	3	2	4	3	2	4	1	-	-
Measles	88	15	36	13	9	6	79	6	3	-	-	-	-	-	-	-	-	-
Scarlatina	204	17	21	20	26	18	102	76	12	6	1	3	-	1	-	-	-	-
Diphtheria	16	-	4	2	2	4	12	2	-	-	1	-	-	1	-	-	-	-
Whooping-cough	83	37	27	7	7	2	80	3	-	-	-	-	-	-	-	-	-	-
Typhus	167	4	7	9	8	4	32	13	12	8	16	15	14	19	16	11	5	1
Diarrhœa & Dysentery	132	96	16	1	-	-	113	-	-	-	1	-	1	4	3	2	4	4
Cholera	19	2	2	1	-	-	5	1	-	2	-	1	1	3	3	1	2	-
Other Zymotic Dis.	96	7	9	8	8	6	38	7	2	3	5	7	6	4	13	6	5	-
Cancer	56	-	-	-	-	-	-	-	-	-	-	-	10	10	13	15	8	-
Scrofula and Tabes	79	36	16	4	-	2	58	4	4	3	4	2	1	2	-	-	1	-
Phthisis	578	6	6	2	2	-	16	6	6	15	50	129	145	110	63	28	10	-
Hydrocephalus	100	36	24	12	11	9	92	7	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	595	164	27	12	9	5	217	15	6	8	6	20	35	36	80	84	73	15
Dis. of Heart & Dropsy	285	1	-	1	-	-	2	5	6	4	6	15	34	39	63	59	43	9
Dis. of Lungs	615	176	61	27	16	4	284	13	2	3	3	23	26	51	52	74	72	12
Dis. of Stom. and Liver	208	22	3	1	3	-	29	5	3	6	6	19	18	30	41	34	16	1
Dis. of Kidneys	129	3	-	1	-	-	4	3	-	1	4	10	18	25	13	32	16	3
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Dis. of Joints	11	-	-	-	-	-	-	1	1	1	-	-	4	2	1	1	-	-
Dis. of Skin	14	8	-	-	-	-	8	1	1	-	-	1	-	-	1	1	-	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	41	-	-	-	-	-	-	-	1	3	4	4	6	6	13	2	2	-
Other Violent Deaths	194	20	7	2	6	3	38	12	9	21	20	27	19	17	19	9	3	-
Other Causes	551	341	31	9	2	1	384	4	3	1	-	4	10	8	9	29	74	25
48.—RICHMOND.																		
Mean Popul^n, 1861–71	9768	284	267	272	233	252	1308	1120	1056	909	909	1499	1157	836	545	323	92	14
TOTAL DEATHS	2187	502	144	71	45	26	788	89	52	57	69	140	192	184	213	195	169	39
Small-pox	25	2	-	4	-	-	6	2	2	5	5	1	2	1	1	-	-	-
Measles	49	6	17	10	8	2	43	4	2	-	-	-	-	-	-	-	-	-
Scarlatina	82	6	12	6	13	10	47	22	6	2	2	-	1	2	-	-	-	-
Diphtheria	18	2	-	1	1	1	5	9	1	-	1	1	-	-	-	1	-	-
Whooping-cough	41	22	14	4	1	-	41	-	-	-	-	-	-	-	-	-	-	-
Typhus	62	-	1	1	1	1	4	7	4	3	6	5	8	3	13	8	1	-
Diarrhœa & Dysentery	79	56	9	1	2	-	68	2	-	-	-	1	2	-	-	4	2	-
Cholera	22	12	1	-	-	-	13	-	1	-	-	2	1	-	1	2	1	1
Other Zymotic Dis.	68	11	10	5	2	4	32	3	5	6	-	1	4	4	2	8	2	1
Cancer	19	-	-	-	-	-	-	-	-	-	-	-	2	5	6	4	2	-
Scrofula and Tabes	59	23	10	7	3	2	45	5	2	1	1	3	-	1	-	1	-	-
Phthisis	251	3	4	-	1	1	9	3	5	11	29	69	63	35	20	4	-	-
Hydrocephalus	39	8	14	6	1	1	30	6	3	-	-	-	-	-	-	-	-	-
Dis. of Brain	261	72	12	7	2	-	93	5	7	4	1	11	20	33	29	32	25	1
Dis. of Heart & Dropsy	120	3	1	1	2	-	7	1	2	4	2	8	17	11	27	26	15	-
Dis. of Lungs	340	99	21	9	3	3	135	6	-	1	4	5	27	23	55	39	33	7
Dis. of Stom. and Liver	121	16	1	3	1	-	21	2	2	-	1	7	15	21	25	16	11	-
Dis. of Kidneys	54	-	-	1	-	-	1	2	-	1	1	5	5	10	10	10	7	2
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Dis. of Joints	10	-	-	1	-	-	1	3	2	1	-	-	2	1	-	-	-	-
Dis. of Skin	9	3	1	1	-	-	5	-	-	-	-	-	-	-	1	3	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	25	-	-	-	-	-	-	-	-	1	2	4	4	5	7	2	-	-
Other Violent Deaths	112	5	2	2	4	1	14	4	7	17	14	14	10	19	7	4	2	-
Other Causes	319	153	14	1	-	-	168	3	1	-	-	3	5	4	9	31	68	27
49.—BROMLEY.																		
Mean Popul^n, 1861–71	12324	390	341	362	356	332	1781	1522	1213	1106	1001	1848	1396	1093	757	440	147	20
TOTAL DEATHS	2225	531	148	71	41	40	831	105	44	49	59	117	156	153	184	269	205	53
Small-pox	22	6	3	-	-	2	11	1	-	1	5	-	3	1	-	-	-	-
Measles	21	5	8	2	1	-	16	4	-	-	1	-	-	-	-	-	-	-
Scarlatina	64	3	11	6	14	8	42	17	3	-	1	1	-	-	-	-	-	-
Diphtheria	43	2	8	3	8	7	28	11	1	1	1	1	-	-	-	-	-	-
Whooping-cough	49	24	15	7	-	3	49	-	-	-	-	-	-	-	-	-	-	-
Typhus	70	1	2	4	-	1	8	10	12	9	4	9	5	3	6	-	3	1
Diarrhœa & Dysentery	104	71	9	5	1	2	88	-	-	-	1	-	3	-	2	5	5	-
Cholera	5	-	1	1	-	-	2	-	-	-	-	-	2	-	-	1	-	-
Other Zymotic Dis.	62	9	5	5	3	3	25	7	1	3	3	-	1	6	3	8	5	-
Cancer	26	-	-	-	-	-	-	1	-	-	-	-	4	5	8	7	-	1
Scrofula and Tabes	28	10	5	2	-	-	17	5	1	1	-	3	1	-	-	-	-	-
Phthisis	198	6	1	3	-	2	12	9	7	15	20	45	47	28	10	3	2	-
Hydrocephalus	33	8	5	6	3	1	23	8	2	-	-	-	-	-	-	-	-	-
Dis. of Brain	279	88	13	7	1	2	111	6	2	1	6	8	14	27	28	30	22	4
Dis. of Heart & Dropsy	181	5	6	1	1	-	13	4	1	4	3	10	17	18	35	50	22	4
Dis. of Lungs	319	74	21	11	3	3	112	8	1	1	6	14	15	21	41	56	40	4
Dis. of Stom. and Liver	96	5	2	-	2	1	10	2	3	-	2	8	16	12	15	19	7	2
Dis. of Kidneys	56	1	-	1	1	-	3	3	1	1	1	3	7	5	9	13	9	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	6	-	-	1	-	-	1	-	1	-	-	2	1	-	-	1	-	-
Dis. of Skin	6	2	1	-	1	1	5	-	1	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	14	-	-	-	-	-	-	-	-	2	2	1	4	1	2	1	1	-
Other Violent Deaths	101	16	4	1	2	4	27	7	4	9	2	10	9	15	5	7	6	-
Other Causes	442	195	28	5	-	-	228	2	3	1	1	2	7	11	20	48	85	35

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
		47.—KINGSTON.																
Mean Popul^n, 1861–71	25345	647	583	654	599	557	3040	2594	2334	2371	2696	4370	3034	2161	1484	883	331	47
TOTAL DEATHS	4045	768	268	130	120	65	1351	142	81	121	131	277	280	275	351	468	423	145
Small pox	17	9	2	1	2	–	14	–	–	1	1	–	1	–	–	–	–	–
Measles	85	17	32	17	9	4	79	5	1	–	–	–	–	–	–	–	–	–
Scarlatina	185	8	20	24	33	22	107	50	14	4	3	5	1	–	1	–	–	–
Diphtheria	36	3	4	1	4	4	16	9	3	1	2	–	2	1	1	–	1	–
Whooping-cough	99	39	30	11	9	6	95	4	–	–	–	–	–	–	–	–	–	–
Typhus	161	5	7	9	10	5	36	15	15	18	13	16	13	13	8	5	8	1
Diarrhœa & Dysentery	127	76	17	2	3	–	98	1	1	–	1	2	2	2	2	5	8	5
Cholera	12	1	1	–	–	–	2	2	–	–	–	2	1	3	1	1	–	–
Other Zymotic Dis.	103	8	10	4	13	5	40	11	4	3	5	6	4	5	8	9	5	3
Cancer	179	–	1	–	–	–	1	–	1	–	–	5	21	40	55	38	14	4
Scrofula and Tabes	52	18	8	4	3	2	35	2	4	1	3	3	1	–	1	2	–	–
Phthisis	417	9	7	5	1	2	24	5	9	57	54	108	80	50	22	4	4	–
Hydrocephalus	71	25	19	8	3	1	56	12	2	–	1	–	–	–	–	–	–	–
Dis. of Brain	530	113	25	10	8	4	160	6	6	6	7	19	31	32	60	104	80	19
Dis. of Heart & Dropsy	357	7	1	1	4	–	13	1	7	6	7	21	33	41	55	88	75	10
Dis. of Lungs	586	99	48	22	10	5	184	7	5	5	8	18	32	34	65	103	97	28
Dis. of Stom. and Liver	225	15	3	–	1	1	20	4	2	7	6	18	20	30	41	51	16	10
Dis. of Kidneys	47	1	–	–	1	1	3	3	1	2	–	6	6	4	10	11	1	–
Dis. of Gener. Organs	22	–	–	–	–	–	–	–	–	–	–	2	2	7	4	4	3	–
Dis. of Joints	15	–	–	–	–	–	–	–	1	2	–	3	2	1	2	2	1	1
Dis. of Skin	17	7	–	–	–	–	7	–	–	–	1	2	2	1	1	1	1	1
Childbirth and Metria	62	–	–	–	–	–	–	–	–	2	13	34	13	–	–	–	–	–
Suicide	10	–	–	–	–	–	–	–	–	3	2	1	–	–	3	1	–	–
Other Violent Deaths	66	16	6	7	3	1	33	4	3	3	2	2	3	4	2	3	5	2
Other Causes	564	292	27	4	3	2	328	1	2	–	2	4	10	7	9	36	104	61
		48.—RICHMOND.																
Mean Popul^n, 1861–71	12706	294	241	258	248	252	1293	1171	1109	1330	1424	2187	1557	1150	786	497	175	27
TOTAL DEATHS	2103	384	140	79	48	39	690	78	40	47	52	130	142	137	185	302	227	73
Small-pox	14	4	3	2	1	–	10	1	2	1	–	–	–	–	–	–	–	–
Measles	48	12	21	6	4	2	45	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	83	3	6	16	10	16	51	20	7	–	2	2	1	–	–	–	–	–
Diphtheria	23	3	–	–	3	3	9	5	3	3	–	1	–	–	–	2	–	–
Whooping-cough	52	20	12	13	–	2	47	5	–	–	–	–	–	–	–	–	–	–
Typhus	65	–	2	2	2	4	10	12	3	7	5	4	7	10	2	4	1	–
Diarrhœa & Dysentery	77	41	8	1	–	–	50	–	–	–	4	4	–	1	2	6	9	1
Cholera	17	4	1	–	–	–	5	2	1	–	–	2	2	1	1	2	1	–
Other Zymotic Dis.	42	6	7	4	–	2	19	2	2	1	1	4	1	2	4	4	2	–
Cancer	84	–	–	–	–	–	–	–	–	–	–	2	12	14	20	32	4	–
Scrofula and Tabes	39	14	3	5	3	1	26	5	5	–	–	1	1	–	1	–	–	–
Phthisis	200	3	3	2	5	–	13	6	9	19	20	57	39	26	8	3	–	–
Hydrocephalus	27	10	3	4	5	1	23	3	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	264	59	10	7	4	4	84	8	3	1	6	13	15	9	26	60	32	7
Dis. of Heart & Dropsy	119	–	–	–	–	–	–	1	–	3	3	7	8	16	23	38	18	2
Dis. of Lungs	350	81	33	9	7	1	134	1	2	–	3	4	18	16	49	75	41	7
Dis. of Stom. and Liver	135	12	2	–	1	1	16	2	–	3	1	8	20	18	28	21	15	3
Dis. of Kidneys	33	–	1	1	–	1	3	–	–	1	1	1	3	7	6	8	2	1
Dis. of Gener. Organs	20	–	–	–	–	–	–	–	–	–	1	3	2	2	3	8	1	–
Dis. of Joints	8	–	–	–	–	–	–	–	1	1	1	–	–	2	–	3	–	–
Dis. of Skin	7	3	1	2	–	–	6	–	–	–	–	–	–	–	–	1	–	–
Childbirth and Metria	25	–	–	–	–	–	–	–	–	2	2	11	9	1	–	–	–	–
Suicide	12	–	–	–	–	–	–	–	–	2	1	4	2	2	1	–	–	–
Other Violent Deaths	28	6	3	–	1	1	11	1	–	1	1	–	1	3	4	4	1	1
Other Causes	331	100	21	5	2	–	128	1	1	2	–	2	1	7	7	31	100	51
		49.—BROMLEY.																
Mean Popul^n, 1861–71	13952	382	342	359	363	349	1795	1524	1299	1290	1375	2348	1634	1200	822	472	165	28
TOTAL DEATHS	2085	419	119	60	56	42	696	93	42	59	69	131	147	139	177	247	214	71
Small-pox	13	3	–	–	1	3	7	–	–	–	1	3	–	–	2	–	–	–
Measles	19	3	8	4	2	1	18	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	61	4	5	10	8	10	37	18	1	1	1	2	–	1	–	–	–	–
Diphtheria	45	2	2	5	6	11	26	12	5	–	1	–	–	1	–	–	–	–
Whooping-cough	54	27	16	5	4	1	53	1	–	–	–	–	–	–	–	–	–	–
Typhus	73	2	4	2	4	2	14	18	7	5	5	6	11	3	–	4	–	–
Diarrhœa & Dysentery	74	45	6	–	1	–	52	2	–	2	2	1	1	1	4	2	5	2
Cholera	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Other Zymotic Dis.	53	7	4	4	2	6	23	7	3	1	2	1	3	1	4	3	4	1
Cancer	55	–	–	–	–	–	–	–	1	–	–	1	7	13	10	16	5	2
Scrofula and Tabes	21	11	–	–	3	–	14	1	–	2	1	–	–	1	–	2	–	–
Phthisis	233	2	2	–	1	–	5	5	7	26	36	65	45	22	19	3	–	–
Hydrocephalus	24	6	6	4	3	2	21	2	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	245	53	13	7	3	2	78	7	4	5	2	3	10	17	34	43	37	5
Dis. of Heart & Dropsy	219	4	2	3	3	1	13	4	2	6	12	14	22	27	35	49	28	7
Dis. of Lungs	283	61	29	8	11	1	113	5	2	2	3	7	14	17	23	55	33	9
Dis. of Stom. and Liver	95	7	1	–	1	–	9	2	1	4	–	6	11	11	22	19	9	1
Dis. of Kidneys	16	–	–	–	–	–	–	–	–	1	–	2	2	3	5	2	–	1
Dis. of Gener. Organs	13	–	–	–	–	–	–	–	–	–	–	2	2	6	–	3	–	–
Dis. of Joints	9	–	–	–	–	–	–	1	3	1	–	1	1	1	–	1	–	–
Dis. of Skin	4	3	–	1	–	–	4	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	26	–	–	–	–	–	–	–	–	1	3	12	9	1	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Other Violent Deaths	31	4	2	2	1	1	10	4	2	–	–	2	2	2	4	1	3	1
Other Causes	415	172	19	5	2	1	199	3	3	1	–	1	7	10	15	44	90	42

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
50.—DARTFORD.																		
Mean Populn, 1861-71	18485	585	473	531	497	505	2591	2367	2100	1729	1443	2545	2113	1607	1102	640	217	31
TOTAL DEATHS	3830	928	301	112	91	70	1532	135	66	99	116	226	266	302	322	385	292	89
Small pox	22	11	2	3	1	1	18	-	1	-	2	1	-	-	-	-	-	-
Measles	81	13	31	18	7	6	75	6	-	-	-	-	-	-	-	-	-	-
Scarlatina	160	13	39	22	21	19	105	47	4	2	-	1	-	-	1	-	-	-
Diphtheria	22	2	2	4	2	3	13	4	2	2	-	-	-	-	1	-	-	-
Whooping-cough	67	31	16	10	4	2	63	4	-	-	-	-	-	-	-	-	-	-
Typhus	160	4	4	6	3	5	22	15	8	9	4	13	13	13	12	18	29	4
Diarrhœa & Dysentery	153	90	30	3	1	1	125	2	-	-	-	-	3	2	2	7	6	6
Cholera	21	8	2	2	-	-	12	1	-	-	-	-	1	4	1	2	-	-
Other Zymotic Dis.	117	11	9	17	13	8	58	9	4	5	3	8	7	6	8	4	2	3
Cancer	47	-	-	-	-	-	-	-	-	-	-	-	2	13	14	12	5	1
Scrofula and Tabes	83	44	10	8	2	1	65	-	2	3	1	2	5	2	3	-	-	-
Phthisis	349	7	9	5	2	-	23	4	8	20	46	90	61	66	18	12	1	-
Hydrocephalus	64	27	13	11	5	3	59	4	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	517	164	32	8	9	5	218	13	6	4	4	18	28	39	60	67	52	8
Dis. of Heart & Dropsy	238	4	-	-	2	-	6	3	4	3	4	13	37	27	47	67	23	4
Dis. of Lungs	521	135	71	10	12	6	234	4	5	9	10	14	21	37	62	79	40	8
Dis. of Stom. and Liver	176	26	3	4	2	1	36	4	1	5	2	8	22	31	31	21	14	1
Dis. of Kidneys	71	1	-	-	-	-	1	3	-	3	2	5	5	8	14	19	10	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	15	-	-	-	-	1	1	2	1	2	1	-	1	3	-	3	1	-
Dis. of Skin	7	1	-	1	-	-	2	-	-	-	1	-	-	-	1	2	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	34	-	-	-	-	-	-	-	-	3	4	7	6	5	8	1	-	-
Other Violent Deaths	251	9	5	2	4	7	27	7	18	28	29	35	47	31	11	10	4	1
Other Causes	654	327	32	8	1	1	369	3	1	1	3	13	7	12	28	61	101	52
51.—GRAVESEND.																		
Mean Populn, 1861-71	9390	279	229	275	240	250	1273	1230	1055	853	793	1355	1093	788	524	305	109	12
TOTAL DEATHS	2283	518	135	85	64	44	846	105	38	55	82	166	196	179	192	227	162	35
Small-pox	25	4	2	1	1	1	9	5	5	-	2	2	2	-	-	-	-	-
Measles	24	9	5	3	2	2	21	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	107	9	13	22	23	12	79	24	-	3	1	-	-	-	-	-	-	-
Diphtheria	17	2	2	1	3	1	9	7	1	-	-	-	-	-	-	-	-	-
Whooping-cough	46	22	13	6	3	-	44	2	-	-	-	-	-	-	-	-	-	-
Typhus	76	2	1	1	2	3	9	6	4	4	8	7	6	10	9	6	5	2
Diarrhœa & Dysentery	128	71	9	3	1	2	86	1	-	1	2	11	6	3	3	5	8	2
Cholera	21	5	-	-	2	1	8	-	1	1	2	1	2	1	4	1	-	-
Other Zymotic Dis.	67	9	7	6	6	5	33	9	2	3	2	3	2	1	4	5	2	1
Cancer	26	-	-	-	-	-	-	-	-	-	-	1	2	5	5	9	3	1
Scrofula and Tabes	38	10	4	4	2	4	24	4	4	1	1	1	2	-	1	-	-	-
Phthisis	233	3	2	1	-	5	11	11	3	11	34	60	52	31	17	3	-	-
Hydrocephalus	40	14	9	7	1	3	34	6	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	280	70	17	8	7	3	105	8	4	-	-	11	20	20	33	42	32	5
Dis. of Heart & Dropsy	142	2	1	-	2	-	5	2	2	3	1	16	23	20	23	34	13	-
Dis. of Lungs	375	93	33	10	3	1	140	8	-	9	4	16	22	32	44	54	40	6
Dis. of Stom. and Liver	121	19	-	1	-	-	20	1	4	2	3	9	13	21	17	18	10	-
Dis. of Kidneys	55	1	-	-	1	-	2	1	-	2	-	5	7	2	10	14	11	1
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
Dis. of Joints	10	-	-	2	-	-	2	2	1	-	-	-	2	1	2	-	-	-
Dis. of Skin	9	2	1	1	-	-	4	-	1	-	-	-	-	1	-	2	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	15	-	-	-	-	-	-	-	-	-	1	2	3	3	3	2	1	-
Other Violent Deaths	92	4	1	2	2	-	9	3	5	13	13	16	15	11	4	1	2	-
Other Causes	334	167	15	6	3	1	192	3	-	2	8	5	16	14	13	30	34	17
52.—NORTH AYLESFORD.																		
Mean Populn, 1861-71	10371	340	294	291	290	269	1484	1311	1100	949	847	1483	1184	914	617	362	106	14
TOTAL DEATHS	2215	587	178	87	59	45	956	82	43	75	79	124	142	143	159	214	136	62
Small-pox	22	3	3	1	1	2	10	-	-	-	1	6	2	3	-	-	-	-
Measles	59	8	21	15	8	3	55	4	-	-	-	-	-	-	-	-	-	-
Scarlatina	109	7	6	21	21	11	66	25	7	6	2	2	-	-	1	-	-	-
Diphtheria	26	3	5	2	4	2	16	6	1	-	1	2	-	-	-	-	-	-
Whooping-cough	56	25	19	4	6	1	55	1	-	-	-	-	-	-	-	-	-	-
Typhus	141	29	19	6	1	6	61	12	5	11	5	7	9	9	8	10	2	2
Diarrhœa & Dysentery	94	62	9	1	-	-	72	2	-	-	-	1	-	2	5	2	6	4
Cholera	19	9	1	1	1	-	12	-	-	-	1	2	2	-	1	1	-	-
Other Zymotic Dis.	97	10	12	7	4	6	39	4	4	4	3	1	12	3	9	11	6	1
Cancer	25	-	-	-	-	-	-	-	-	1	-	3	1	4	4	5	4	3
Scrofula and Tabes	31	7	8	2	2	1	20	3	-	2	3	-	2	-	1	-	-	-
Phthisis	160	3	4	2	-	-	9	6	2	7	21	36	33	23	15	5	-	-
Hydrocephalus	26	9	6	4	2	2	23	3	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	238	103	15	6	-	2	126	2	3	2	4	8	8	18	20	25	17	5
Dis. of Heart & Dropsy	132	1	-	-	-	-	1	1	2	8	7	14	10	24	20	40	5	-
Dis. of Lungs	292	72	24	8	5	5	114	4	-	6	7	10	18	17	27	46	29	14
Dis. of Stom. and Liver	122	41	11	2	1	1	56	1	1	1	1	3	13	9	16	11	9	1
Dis. of Kidneys	34	-	1	-	-	1	2	-	1	-	-	-	2	5	5	12	7	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	5	-	-	-	-	-	-	2	2	-	-	-	-	1	-	-	-	-
Dis. of Skin	7	4	2	-	-	-	6	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	21	-	-	-	-	-	-	-	-	1	2	5	1	4	4	4	-	-
Other Violent Deaths	161	8	5	4	2	2	21	6	13	24	19	19	24	12	11	8	2	2
Other Causes	338	183	7	1	1	-	192	-	2	2	2	5	5	6	12	33	49	30

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
50.—DARTFORD.																		
Mean Popul^n, 1861–71	18846	533	497	533	507	491	2561	2361	1995	1697	1638	2776	2178	1638	1099	633	231	39
TOTAL DEATHS	3500	785	264	125	88	56	1318	167	61	90	82	187	221	198	260	354	273	89
Small-pox	23	8	3	1	1	1	14	2	1	3	–	–	2	1	–	–	–	–
Measles	77	18	20	16	7	2	63	14	–	–	–	–	–	–	–	–	–	–
Scarlatina	170	10	16	35	19	22	102	53	9	–	2	1	2	–	–	–	1	–
Diphtheria	17	–	2	2	2	1	7	5	1	1	1	–	1	1	–	–	–	–
Whooping-cough	104	46	34	11	7	2	100	4	–	–	–	–	–	–	–	–	–	–
Typhus	170	2	4	2	6	7	21	26	14	14	6	8	15	14	12	14	18	8
Diarrhœa & Dysentery	149	88	17	4	–	–	109	1	–	1	3	3	5	2	2	11	7	5
Cholera	17	7	2	1	1	–	11	1	–	–	–	–	3	1	–	1	–	–
Other Zymotic Dis.	96	13	13	12	8	4	50	12	2	2	3	3	5	4	4	6	5	–
Cancer	89	–	–	–	–	–	–	–	–	1	–	1	15	16	30	19	5	2
Scrofula and Tabes	80	35	19	6	1	3	64	3	5	–	–	1	3	–	3	1	–	–
Phthisis	314	7	2	1	1	–	11	7	7	36	45	80	69	30	18	8	2	1
Hydrocephalus	34	14	9	4	3	–	30	3	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	394	121	23	7	10	4	165	9	7	7	3	14	19	28	38	57	42	5
Dis. of Heart & Dropsy	237	6	2	2	2	1	13	3	3	7	5	15	14	22	48	62	40	5
Dis. of Lungs	424	127	54	9	12	3	205	4	2	9	1	14	18	31	31	74	27	8
Dis. of Stom. and Liver	147	18	2	1	2	1	24	4	1	1	3	13	10	20	35	27	9	–
Dis. of Kidneys	25	2	–	–	–	–	2	–	–	1	–	2	7	5	2	6	1	–
Dis. of Gener. Organs	19	–	–	–	–	–	–	–	–	–	–	4	1	6	4	3	1	–
Dis. of Joints	18	1	–	1	–	–	2	4	3	1	–	–	3	1	2	2	–	–
Dis. of Skin	8	3	–	–	–	–	3	–	–	–	1	–	–	–	1	2	–	1
Childbirth and Metria	43	–	–	–	–	–	–	–	–	2	6	16	17	2	–	–	–	–
Suicide	5	–	–	–	–	–	–	–	–	–	–	1	2	–	1	1	–	–
Other Violent Deaths	61	11	5	3	3	3	25	5	3	3	2	5	2	2	7	2	4	1
Other Causes	578	248	37	7	3	2	297	7	2	1	1	6	8	12	22	58	111	53
51.—GRAVESEND.																		
Mean Popul^n, 1861–71	10633	279	233	247	259	275	1293	1192	1094	1123	990	1564	1195	941	671	394	147	29
TOTAL DEATHS	2105	405	171	79	69	32	756	91	38	50	69	122	141	150	192	231	186	79
Small-pox	18	4	1	4	1	1	11	1	1	1	1	2	1	–	–	–	–	–
Measles	33	4	11	5	10	1	31	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	98	5	12	10	18	17	62	27	6	–	2	1	–	–	–	–	–	–
Diphtheria	23	3	2	4	2	2	13	6	1	1	–	1	–	1	–	–	–	–
Whooping-cough	67	29	24	10	2	1	66	1	–	–	–	–	–	–	–	–	–	–
Typhus	80	1	3	–	3	1	8	13	3	5	7	4	7	3	15	9	4	2
Diarrhœa & Dysentery	111	64	20	5	1	–	90	–	–	–	–	1	3	4	2	2	7	5
Cholera	9	3	–	–	–	–	3	2	1	–	–	–	1	1	1	–	–	–
Other Zymotic Dis.	58	6	13	4	6	2	31	3	3	2	–	2	4	2	4	3	3	1
Cancer	74	–	–	–	–	–	–	–	–	–	1	2	9	19	17	15	8	3
Scrofula and Tabes	19	4	3	1	1	–	9	2	1	–	–	1	1	1	1	1	2	–
Phthisis	218	3	4	–	2	2	11	10	11	21	33	53	41	27	10	1	–	–
Hydrocephalus	24	12	6	2	4	–	24	–	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	273	62	21	6	10	–	99	8	1	3	4	6	13	22	36	45	30	6
Dis. of Heart & Dropsy	120	–	–	–	–	–	–	2	1	5	3	7	13	16	27	30	21	4
Dis. of Lungs	330	72	28	22	8	2	132	6	1	3	3	11	11	21	36	58	39	9
Dis. of Stom. and Liver	146	10	1	–	–	–	11	2	3	3	3	10	16	21	29	31	13	4
Dis. of Kidneys	22	–	–	–	–	–	–	–	1	–	1	5	2	2	4	3	2	2
Dis. of Gener. Organs	11	–	–	–	–	–	–	–	–	–	–	–	4	4	–	2	1	–
Dis. of Joints	9	1	–	–	1	–	2	1	3	1	–	–	1	1	–	–	–	–
Dis. of Skin	8	–	–	–	–	–	–	1	–	–	2	1	1	1	–	1	1	–
Childbirth and Metria	20	–	–	–	–	–	–	–	–	–	7	3	5	–	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Other Violent Deaths	25	7	2	1	–	1	11	1	–	2	–	1	2	–	1	3	3	1
Other Causes	295	115	20	5	–	2	142	3	1	3	1	6	5	4	9	27	52	42
52.—NORTH AYLESFORD.																		
Mean Popul^n, 1861–71	9970	318	297	290	288	285	1478	1348	1054	829	815	1426	1107	869	583	328	117	16
TOTAL DEATHS	1878	474	164	74	36	38	786	102	46	62	64	115	119	100	128	152	150	51
Small-pox	7	2	–	–	–	–	2	1	–	1	–	3	–	–	–	–	–	–
Measles	56	9	19	12	4	2	46	8	1	1	–	–	–	–	–	–	–	–
Scarlatina	92	9	12	15	10	10	56	31	3	1	–	1	–	–	–	–	–	–
Diphtheria	33	3	5	1	5	3	17	7	4	2	1	–	1	1	–	–	–	–
Whooping-cough	43	17	13	5	5	2	42	1	–	–	–	–	–	–	–	–	–	–
Typhus	119	23	11	7	1	4	46	13	11	8	2	8	3	3	5	10	8	2
Diarrhœa & Dysentery	101	57	13	4	–	–	74	–	–	1	4	3	3	3	2	3	6	2
Cholera	9	4	–	–	1	–	5	2	–	–	–	1	–	1	–	–	–	–
Other Zymotic Dis.	59	5	7	2	3	1	18	6	3	3	4	2	4	3	3	10	2	1
Cancer	50	–	–	–	–	–	–	–	–	–	–	3	12	10	13	8	4	–
Scrofula and Tabes	21	7	3	–	–	1	11	2	4	1	2	1	1	1	–	1	–	–
Phthisis	195	6	2	2	–	1	11	6	5	22	36	49	37	15	10	2	2	–
Hydrocephalus	13	5	6	–	1	–	12	1	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	214	63	14	6	2	4	91	5	6	6	3	5	6	14	30	23	19	3
Dis. of Heart & Dropsy	108	–	–	–	–	1	1	2	2	4	2	5	13	13	21	29	14	2
Dis. of Lungs	211	58	32	14	3	8	115	6	3	1	3	2	10	10	15	23	18	5
Dis. of Stom. and Liver	107	29	7	2	–	–	38	3	2	3	–	6	9	14	12	11	9	–
Dis. of Kidneys	19	–	–	–	–	–	–	–	–	1	–	2	5	4	6	1	–	–
Dis. of Gener. Organs	10	–	–	–	–	–	–	–	–	–	–	1	–	2	3	4	–	–
Dis. of Joints	4	–	–	1	–	–	1	–	1	–	–	1	1	–	–	–	–	–
Dis. of Skin	7	1	–	–	–	–	1	–	–	–	–	–	1	1	1	2	1	–
Childbirth and Metria	31	–	–	–	–	–	–	–	–	3	6	13	9	–	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–	–	–
Other Violent Deaths	31	8	8	1	–	–	17	5	–	–	1	1	–	2	–	2	2	1
Other Causes	331	163	12	2	1	1	179	3	1	3	–	7	4	2	6	23	65	33

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
53.—HOO.																		
Mean Populn, 1861–71	1572	40	36	41	37	43	197	193	171	159	140	208	190	145	103	50	14	2
TOTAL DEATHS	395	96	30	14	10	8	158	12	13	6	18	27	30	30	31	44	21	5
Small-pox	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	21	1	-	6	5	3	15	3	2	-	-	1	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	2	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Typhus	18	1	-	1	-	-	2	1	1	-	1	3	4	1	3	2	-	-
Diarrhœa & Dysentery	26	14	8	-	-	-	22	-	-	-	-	-	-	-	2	-	2	-
Cholera	6	2	-	-	1	-	3	-	-	1	-	-	-	2	-	-	-	-
Other Zymotic Dis.	12	-	-	-	1	2	3	1	1	-	1	-	1	1	3	-	1	-
Cancer	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Scrofula and Tabes	2	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Phthisis	19	-	-	-	-	-	-	-	1	-	6	3	5	2	2	-	-	-
Hydrocephalus	5	-	1	1	1	-	3	1	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	47	17	3	2	1	-	23	2	2	-	-	2	-	5	2	8	3	-
Dis. of Heart & Dropsy	14	-	-	-	-	-	-	-	1	-	2	2	2	1	3	3	-	-
Dis. of Lungs	76	11	9	2	1	2	25	1	1	1	2	3	7	5	9	18	4	-
Dis. of Stom. and Liver	18	2	-	-	-	-	2	-	1	1	-	-	1	5	3	3	1	1
Dis. of Kidneys	12	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	5	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Violent Deaths	32	3	-	1	-	-	4	1	1	3	5	8	6	3	-	-	1	-
Other Causes	81	43	8	1	-	1	53	2	-	-	-	3	3	2	1	10	4	3
54.—MEDWAY.																		
Mean Populn, 1861–71	29578	796	681	736	692	683	3588	3091	2567	2970	3845	5456	3603	2168	1293	690	267	35
TOTAL DEATHS	6549	1695	543	260	154	102	2754	237	92	172	331	643	552	450	418	433	353	114
Small-pox	45	9	5	1	2	-	17	3	1	3	11	6	2	1	1	-	-	-
Measles	131	22	52	32	11	7	124	6	-	-	1	-	-	-	-	-	-	-
Scarlatina	260	16	38	45	42	36	177	58	12	4	5	4	-	-	-	-	-	-
Diphtheria	15	1	3	3	2	1	10	4	1	-	-	-	-	-	-	-	-	-
Whooping-cough	110	52	33	14	6	3	108	2	-	-	-	-	-	-	-	-	-	-
Typhus	229	8	12	13	8	10	51	26	12	24	20	29	25	16	13	10	3	-
Diarrhœa & Dysentery	287	185	38	5	2	-	230	5	1	-	2	13	11	4	7	6	5	3
Cholera	37	17	3	1	1	-	22	5	1	1	-	2	-	3	1	1	1	-
Other Zymotic Dis.	175	26	23	13	19	9	90	12	2	8	7	9	13	10	7	5	9	3
Cancer	62	-	-	-	-	-	-	-	-	-	2	2	7	10	18	17	6	-
Scrofula and Tabes	177	75	35	11	6	3	130	11	3	6	11	8	2	-	5	1	-	-
Phthisis	818	17	13	13	6	5	54	22	9	62	127	240	168	102	48	12	4	-
Hydrocephalus	95	30	29	13	9	4	85	9	1	-	-	-	1	-	-	-	-	-
Dis. of Brain	777	276	57	22	11	6	372	26	10	8	15	39	42	61	64	83	49	8
Dis. of Heart & Dropsy	473	8	3	4	-	2	17	1	7	12	16	73	90	77	58	81	37	4
Dis. of Lungs	998	290	127	48	14	10	489	16	-	8	51	74	84	56	73	77	58	12
Dis. of Stom. and Liver	316	71	6	5	1	3	86	6	5	8	27	42	33	38	26	30	23	2
Dis. of Kidneys	149	4	1	2	1	-	8	2	2	3	8	18	19	19	18	29	17	6
Dis. of Gener. Organs	3	1	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-
Dis. of Joints	36	4	3	1	1	2	11	4	3	2	4	2	1	2	5	1	-	1
Dis. of Skin	22	11	1	-	1	-	13	-	-	-	-	-	2	1	1	1	1	3
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	50	-	-	-	-	-	-	-	-	1	3	11	12	6	13	4	-	-
Other Violent Deaths	232	12	9	7	7	1	36	13	17	19	23	42	26	27	17	8	1	3
Other Causes	1021	560	52	7	4	-	623	6	5	3	7	29	14	17	42	67	139	69
55.—MALLING.																		
Mean Populn, 1861–71	11398	332	325	331	317	313	1618	1500	1276	1073	891	1481	1227	995	728	435	155	19
TOTAL DEATHS	2338	568	193	67	41	36	905	89	50	64	75	152	123	137	215	273	198	57
Small-pox	13	3	-	1	-	1	5	-	-	1	2	3	1	-	1	-	-	-
Measles	28	10	10	3	2	1	26	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	50	4	9	5	6	5	29	15	3	2	-	1	-	-	-	-	-	-
Diphtheria	52	1	7	3	6	5	22	15	9	3	-	-	1	-	1	1	-	-
Whooping-cough	44	18	19	3	-	2	42	2	-	-	-	-	-	-	-	-	-	-
Typhus	84	4	2	2	1	2	11	6	8	11	9	10	9	4	7	8	1	-
Diarrhœa & Dysentery	123	60	21	6	-	-	87	1	-	2	-	-	1	3	5	12	10	2
Cholera	18	4	3	-	1	-	8	2	-	-	1	3	1	1	2	-	-	-
Other Zymotic Dis.	80	8	11	4	7	2	32	8	2	3	2	2	7	2	8	8	6	-
Cancer	40	-	-	-	-	-	-	-	-	-	-	1	5	4	13	11	5	1
Scrofula and Tabes	66	32	12	6	-	1	51	4	1	-	1	4	1	2	1	1	-	-
Phthisis	224	4	5	4	3	1	17	1	5	15	37	63	32	22	24	7	1	-
Hydrocephalus	27	7	9	6	1	-	23	3	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	340	124	20	9	6	4	163	12	1	5	4	9	9	16	26	54	38	3
Dis. of Heart & Dropsy	147	1	-	1	-	1	3	-	2	3	1	9	11	13	33	48	22	2
Dis. of Lungs	295	73	40	7	6	9	135	4	1	2	4	11	15	20	34	48	21	-
Dis. of Stom. and Liver	119	20	-	1	-	-	21	4	4	1	3	6	7	21	18	24	9	1
Dis. of Kidneys	32	-	-	-	-	-	-	-	-	1	-	2	4	2	7	6	7	3
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Dis. of Joints	9	-	-	1	-	-	1	-	1	1	-	1	2	1	2	-	-	-
Dis. of Skin	7	3	-	-	-	-	3	1	-	-	-	-	-	-	1	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	22	-	-	-	-	-	-	-	-	2	1	1	3	5	6	2	2	-
Other Violent Deaths	115	4	4	4	1	1	14	7	11	10	9	18	9	11	18	4	3	1
Other Causes	402	188	21	1	1	1	212	2	1	2	1	8	5	9	8	38	72	44

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
53.—HOO.																		
Mean Popul^n, 1861–71	1430	45	46	41	54	41	227	204	165	116	109	200	148	122	82	43	13	1
TOTAL DEATHS	302	87	21	8	8	4	128	20	10	8	14	18	15	18	18	27	22	4
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	16	1	2	2	4	1	10	6	–	–	–	–	–	–	–	–	–	–
Diphtheria	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Whooping-cough	4	4	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–
Typhus	27	1	2	–	1	–	4	1	5	2	3	3	1	3	3	2	–	–
Diarrhœa & Dysentery	21	9	3	2	1	–	15	–	–	–	–	–	–	1	1	2	2	–
Cholera	7	1	–	–	–	1	2	1	–	–	1	1	–	–	–	2	–	–
Other Zymotic Dis.	8	–	–	1	–	–	1	2	1	–	–	–	–	–	–	3	1	–
Cancer	6	–	–	–	–	–	–	–	–	–	–	–	2	2	1	1	–	–
Scrofula and Tabes	5	1	3	–	–	–	4	–	–	–	1	–	–	–	–	–	–	–
Phthisis	27	–	–	–	–	–	–	1	1	4	4	6	7	3	–	1	–	–
Hydrocephalus	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	47	28	1	1	–	–	30	1	1	2	1	1	1	2	2	4	2	–
Dis. of Heart & Dropsy	9	–	–	–	–	–	–	–	1	–	1	1	–	1	3	2	–	–
Dis. of Lungs	27	8	3	–	1	–	12	2	–	–	–	1	1	1	4	2	3	1
Dis. of Stom. and Liver	9	–	–	–	–	–	–	1	–	–	–	1	–	3	3	–	1	–
Dis. of Kidneys	4	–	–	–	–	–	–	1	–	–	–	1	–	2	–	–	–	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Dis. of Skin	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Childbirth and Metria	7	–	–	–	–	–	–	–	–	–	2	3	2	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Deaths	4	1	1	–	–	1	3	–	–	–	–	–	1	–	–	–	–	–
Other Causes	69	33	6	1	1	1	42	2	1	–	–	–	–	–	1	8	12	3
54.—MEDWAY.																		
Mean Popul^n, 1861–71	25899	785	683	692	702	658	3520	3163	2589	2374	2424	4066	3074	2140	1372	810	313	54
TOTAL DEATHS	5707	1341	532	284	163	128	2448	240	114	126	200	435	391	349	390	463	399	152
Small-pox	36	9	2	6	2	1	20	5	1	1	7	2	–	–	–	–	–	–
Measles	148	31	54	29	20	7	141	6	–	–	–	1	–	–	–	–	–	–
Scarlatina	272	13	33	46	34	42	168	75	14	3	5	5	2	–	–	–	–	–
Diphtheria	35	2	5	4	9	4	24	8	2	–	–	–	–	–	1	–	–	–
Whooping-cough	138	44	49	24	11	6	134	4	–	–	–	–	–	–	–	–	–	–
Typhus	207	7	11	17	11	10	56	29	13	21	14	27	16	7	9	10	5	–
Diarrhœa & Dysentery	227	135	36	4	3	1	179	2	1	2	2	4	2	7	11	7	5	5
Cholera	39	19	5	–	2	–	26	3	–	1	–	1	1	2	3	1	1	–
Other Zymotic Dis.	175	20	25	25	16	11	97	17	7	8	3	2	9	3	7	8	8	6
Cancer	155	–	–	–	–	–	–	1	–	–	–	11	24	48	44	18	7	2
Scrofula and Tabes	172	66	32	18	6	9	131	6	11	3	6	9	2	3	–	1	–	–
Phthisis	639	15	16	10	4	2	47	18	22	49	89	187	119	70	30	6	2	–
Hydrocephalus	68	22	19	10	5	3	59	5	3	–	1	–	–	–	–	–	–	–
Dis. of Brain	671	214	52	25	11	8	310	17	10	8	7	31	31	25	58	87	69	18
Dis. of Heart & Dropsy	386	8	2	1	1	1	13	9	9	9	8	35	56	65	65	70	41	6
Dis. of Lungs	801	227	128	39	21	10	425	15	5	5	12	25	36	40	70	88	58	22
Dis. of Stom. and Liver	281	54	11	3	2	3	73	7	8	6	12	16	26	37	31	40	18	7
Dis. of Kidneys	82	1	1	2	–	1	5	1	–	–	3	10	17	15	9	8	10	4
Dis. of Gener. Organs	27	–	–	–	–	–	–	–	–	–	–	1	3	9	9	3	2	–
Dis. of Joints	30	–	–	–	–	2	2	1	4	–	3	2	8	–	5	3	2	–
Dis. of Skin	25	13	1	1	1	–	16	–	1	1	–	1	2	–	–	2	2	–
Childbirth and Metria	76	–	–	–	–	–	–	–	–	3	18	31	24	–	–	–	–	–
Suicide	14	–	–	–	–	–	–	–	–	2	1	3	2	3	–	2	1	–
Other Violent Deaths	61	17	5	5	1	1	29	5	1	1	3	3	5	2	6	4	2	–
Other Causes	942	424	45	15	3	6	493	6	2	3	6	28	6	13	32	105	166	82
55.—MALLING.																		
Mean Popul^n, 1861–71	11017	345	292	323	310	301	1571	1443	1311	903	893	1516	1210	931	681	403	134	21
TOTAL DEATHS	2061	490	157	66	54	37	804	84	55	72	75	145	115	115	144	196	189	67
Small-pox	8	1	–	1	–	–	2	1	–	2	1	2	–	–	–	–	–	–
Measles	22	5	7	3	2	1	18	3	1	–	–	–	–	–	–	–	–	–
Scarlatina	54	5	6	9	9	5	34	13	5	–	–	2	–	–	–	–	–	–
Diphtheria	48	2	2	3	4	10	21	14	10	2	–	–	1	–	–	–	–	–
Whooping-cough	53	23	18	6	3	2	52	1	–	–	–	–	–	–	–	–	–	–
Typhus	78	3	3	1	3	3	13	14	6	8	7	9	5	5	6	5	–	–
Diarrhœa & Dysentery	105	56	18	4	1	1	80	1	1	–	1	1	4	1	1	6	9	–
Cholera	8	–	–	–	–	–	–	1	–	–	1	–	1	3	1	1	–	–
Other Zymotic Dis.	46	3	10	2	3	1	19	4	1	1	2	3	4	3	–	4	4	1
Cancer	53	–	–	–	–	–	–	–	–	–	–	4	7	5	18	15	3	1
Scrofula and Tabes	78	43	11	4	4	–	62	1	3	5	1	1	2	–	2	1	–	–
Phthisis	236	4	3	1	–	–	8	3	8	35	39	64	35	30	9	3	2	–
Hydrocephalus	13	2	4	–	3	–	9	3	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	294	100	16	8	8	4	136	11	5	3	6	9	4	14	21	36	36	13
Dis. of Heart & Dropsy	151	–	2	3	2	–	7	3	4	4	4	6	16	10	30	41	23	3
Dis. of Lungs	268	61	34	11	4	6	116	5	2	1	5	8	8	16	28	45	29	5
Dis. of Stom. and Liver	95	14	2	2	3	1	22	3	2	2	1	9	8	10	15	10	11	2
Dis. of Kidneys	17	–	–	–	–	–	–	1	–	–	–	6	3	2	2	3	–	–
Dis. of Gener. Organs	12	–	–	–	–	–	–	–	–	–	–	1	2	5	2	–	2	–
Dis. of Joints	4	–	–	–	–	–	–	–	1	–	–	–	–	–	3	–	–	–
Dis. of Skin	6	1	–	1	–	–	2	–	1	–	–	1	–	–	–	2	–	–
Childbirth and Metria	31	–	–	–	–	–	–	–	–	2	4	15	9	1	–	–	–	–
Suicide	7	–	–	–	–	–	–	–	–	3	2	1	–	1	–	–	–	–
Other Violent Deaths	30	2	6	4	2	3	17	2	2	1	–	2	3	–	–	1	1	1
Other Causes	344	165	15	3	3	–	186	–	2	3	1	1	3	9	6	23	63	41

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
56.—SEVENOAKS.																		
Mean Populn, 1861–71	11625	339	287	307	312	323	1568	1494	1357	1103	879	1457	1247	1043	790	486	176	25
TOTAL DEATHS	2166	467	125	69	50	38	749	106	53	48	62	118	132	154	179	273	225	67
Small pox	17	3	1	–	2	–	6	2	1	1	2	1	1	3	–	–	–	–
Measles	25	7	6	6	2	2	23	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	81	2	10	12	12	14	50	23	6	1	2	1	–	1	–	–	–	–
Diphtheria	35	2	3	3	4	4	16	11	5	1	1	–	–	–	1	–	–	–
Whooping-cough	35	18	10	2	3	1	34	1	–	–	–	–	–	–	–	–	–	–
Typhus	70	–	1	2	1	–	4	12	9	6	4	9	6	7	6	5	2	–
Diarrhœa & Dysentery	33	11	7	1	1	–	23	–	–	–	–	–	2	–	1	3	3	1
Cholera	3	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–
Other Zymotic Dis.	53	8	6	2	6	4	26	3	3	1	–	1	6	3	1	6	3	–
Cancer	43	–	–	–	–	–	–	–	–	–	–	1	–	8	14	18	1	1
Scrofula and Tabes	46	10	4	7	1	1	23	10	2	5	3	–	1	–	1	1	–	–
Phthisis	215	2	–	–	1	–	3	4	6	14	29	57	49	31	21	9	1	–
Hydrocephalus	42	17	10	5	1	2	35	5	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	313	118	19	9	3	2	151	7	3	5	5	5	11	21	26	35	38	6
Dis. of Heart & Dropsy	187	1	–	–	–	–	1	3	5	4	4	11	12	20	37	56	30	4
Dis. of Lungs	253	67	21	12	6	5	111	8	1	–	2	9	12	13	23	42	25	7
Dis. of Stom. and Liver	115	18	–	–	2	–	20	4	2	–	3	5	12	17	17	26	9	–
Dis. of Kidneys	52	1	1	1	–	–	3	3	1	–	–	4	5	8	9	8	9	2
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Dis. of Joints	6	–	–	–	1	–	1	1	2	–	–	1	–	–	–	–	1	–
Dis. of Skin	4	2	–	–	–	–	2	–	–	–	–	–	–	1	–	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	10	–	–	–	–	–	–	–	–	–	–	1	4	1	3	1	–	–
Other Violent Deaths	77	5	3	2	3	2	15	1	3	9	5	6	12	10	8	5	2	1
Other Causes	447	172	23	5	1	1	202	6	2	1	2	4	7	10	10	57	101	45
57.—TUNBRIDGE.																		
Mean Populn, 1861–71	18391	593	545	522	536	493	2689	2338	2081	1809	1418	2456	1984	1609	1110	642	230	25
TOTAL DEATHS	3686	1001	258	127	74	60	1520	143	61	88	107	201	246	263	327	355	292	83
Small-pox	31	5	1	1	1	–	8	–	1	–	3	6	3	5	5	–	–	–
Measles	76	25	23	14	5	4	71	4	–	–	–	–	1	–	–	–	–	–
Scarlatina	111	4	17	15	10	12	58	36	8	4	2	2	1	–	–	–	–	–
Diphtheria	31	3	3	4	3	6	19	12	1	–	–	1	1	–	–	–	–	–
Whooping-cough	92	51	21	11	4	–	87	5	–	–	–	–	–	–	–	–	–	–
Typhus	88	2	4	6	–	4	16	13	8	5	3	8	9	3	8	11	4	–
Diarrhœa & Dysentery	147	94	14	5	2	1	116	2	–	–	1	–	3	3	3	5	12	2
Cholera	18	2	3	1	1	–	7	–	–	1	–	–	1	2	2	4	1	–
Other Zymotic Dis.	84	13	9	5	5	5	37	7	–	6	1	9	2	7	5	8	2	–
Cancer	52	–	–	1	–	1	2	–	–	–	–	1	6	9	24	8	2	–
Scrofula and Tabes	97	33	20	8	2	–	63	8	6	5	3	6	5	1	–	–	–	–
Phthisis	409	9	2	3	2	2	18	5	7	38	56	83	92	56	44	9	1	–
Hydrocephalus	87	27	22	8	9	4	70	11	5	1	–	–	–	–	–	–	–	–
Dis. of Brain	462	154	23	12	11	8	208	11	11	5	6	17	21	31	53	61	34	4
Dis. of Heart & Dropsy	242	3	1	–	–	–	4	3	–	4	6	16	24	31	55	71	27	1
Dis. of Lungs	504	184	60	18	6	2	270	10	1	4	4	15	14	38	37	48	50	15
Dis. of Stom. and Liver	185	24	2	2	3	–	31	4	5	4	5	8	21	27	33	37	7	3
Dis. of Kidneys	122	2	1	–	1	1	5	1	–	4	3	8	13	17	22	31	14	4
Dis. of Gener. Organs	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Dis. of Joints	16	–	–	–	–	–	–	2	1	1	1	1	4	4	1	1	–	–
Dis. of Skin	17	5	1	1	1	2	10	–	–	–	–	1	2	1	3	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	17	–	–	–	–	–	–	–	–	1	–	2	2	7	2	2	1	–
Other Violent Deaths	119	5	7	9	7	6	34	7	5	5	9	11	13	9	15	5	6	–
Other Causes	674	335	24	3	1	2	365	2	2	–	4	6	8	12	17	53	131	54
58.—MAIDSTONE.																		
Mean Populn, 1861–71	19681	564	537	437	508	513	2609	2345	2122	1967	1764	2774	2270	1775	1232	734	256	33
TOTAL DEATHS	4797	1080	308	134	77	79	1678	174	94	133	151	319	402	372	432	532	382	98
Small-pox	24	5	2	–	–	2	9	–	–	5	–	3	5	1	1	–	–	–
Measles	60	8	25	6	9	4	52	8	–	–	–	–	–	–	–	–	–	–
Scarlatina	157	14	19	20	17	18	88	54	10	2	1	–	–	1	–	–	1	–
Diphtheria	29	1	3	4	4	5	17	5	4	3	–	–	–	–	–	–	–	–
Whooping-cough	76	41	18	11	2	4	76	–	–	–	–	–	–	–	–	–	–	–
Typhus	145	1	7	5	5	7	25	11	8	16	7	13	11	15	9	10	11	–
Diarrhœa & Dysentery	173	101	24	5	2	1	133	4	1	1	–	3	–	5	6	8	8	4
Cholera	11	–	–	1	–	–	1	1	1	–	2	–	2	1	2	–	1	–
Other Zymotic Dis.	117	8	15	10	8	9	50	10	7	3	2	10	8	6	8	8	5	–
Cancer	45	1	–	–	–	–	1	–	–	–	–	3	3	7	14	9	8	–
Scrofula and Tabes	93	40	13	6	3	3	65	4	5	4	6	3	2	1	1	1	1	–
Phthisis	531	6	9	4	2	2	23	14	16	29	58	143	110	82	50	5	1	–
Hydrocephalus	108	49	22	10	7	6	94	11	2	1	–	–	–	–	–	–	–	–
Dis. of Brain	836	148	16	17	7	5	193	13	6	18	21	82	130	93	92	115	67	6
Dis. of Heart & Dropsy	314	12	1	2	–	–	15	4	2	5	9	19	32	41	61	75	27	4
Dis. of Lungs	707	166	76	23	5	6	275	8	8	14	16	24	36	49	85	121	67	6
Dis. of Stom. and Liver	170	23	4	1	–	3	31	5	3	5	8	10	13	12	43	34	5	1
Dis. of Kidneys	78	2	1	–	–	–	3	2	5	1	3	6	5	11	13	18	9	2
Dis. of Gener. Organs	6	1	1	1	–	–	3	–	–	–	1	–	1	–	1	–	–	–
Dis. of Joints	15	–	–	–	–	–	–	1	3	4	–	1	–	1	3	1	1	–
Dis. of Skin	12	6	1	–	–	–	7	–	–	–	–	–	–	–	2	3	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	33	–	–	–	–	–	–	–	–	1	2	4	9	8	6	2	1	–
Other Violent Deaths	173	7	5	4	4	3	23	13	11	13	11	19	24	17	16	14	4	–
Other Causes	884	440	46	5	2	1	494	6	2	3	1	6	11	21	21	99	145	75

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 upwards
56.—SEVENOAKS.																		
Mean Popul^n, 1861–71	11526	316	326	307	304	300	1553	1439	1286	982	929	1594	1267	1041	749	456	205	25
TOTAL DEATHS	2025	365	84	65	37	30	581	94	46	60	78	158	152	123	170	239	251	73
Small-pox	8	–	1	2	–	1	4	1	–	–	–	–	–	1	2	–	–	–
Measles	14	2	4	3	1	1	11	2	–	–	–	–	1	–	–	–	–	–
Scarlatina	68	5	6	9	8	7	35	20	4	5	–	1	1	2	–	–	–	–
Diphtheria	36	3	3	3	4	5	18	10	5	1	1	1	–	–	–	–	–	–
Whooping-cough	32	13	8	6	2	2	31	1	–	–		–	–	–	–	–	–	–
Typhus	79	1	2	1	4	1	9	12	5	7	1	10	10	7	6	6	6	–
Diarrhœa & Dysentery	38	21	1	2	1	–	25	1	–	1	1	–	2	1	1	5	1	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Other Zymotic Dis.	49	8	5	6	3	2	24	7	3	1	–	2	1	4	3	2	1	1
Cancer	58	–	–	–	–	–	–	–	–	–	1	2	7	10	19	14	5	–
Scrofula and Tabes	41	5	2	4	2	1	14	6	6	1	2	5	1	–	4	2	–	–
Phthisis	276	3	2	2	–	–	7	3	12	29	53	68	61	33	8	2	–	–
Hydrocephalus	29	7	8	4	2	2	23	6	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	231	59	13	4	–	1	77	5	2	4	2	20	11	12	26	31	29	9
Dis. of Heart & Dropsy	203	2	–	–	–	3	5	3	3	3	4	11	11	18	38	71	31	2
Dis. of Lungs	181	41	17	7	5	2	72	4	1	3	3	2	6	5	19	26	36	4
Dis. of Stom. and Liver	118	11	–	5	2	1	19	4	1	1	3	7	13	14	28	14	14	–
Dis. of Kidneys	23	–	–	–	–	–	–	2	2	–	–	4	3	3	3	6	–	–
Dis. of Gener. Organs	9	–	–	–	–	–	–	–	–	–	–	1	–	4	–	4	–	–
Dis. of Joints	3	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–
Dis. of Skin	5	2	–	–	–	–	2	–	–	–	–	1	1	1	–	–	–	–
Childbirth and Metria	36	–	–	–	–	–	–	–	–	2	5	15	14	–	–	–	–	–
Suicide	5	–	–	–	–	–	–	–	–	–	–	2	–	2	1	–	–	–
Other Violent Deaths	19	5	2	2	1	–	10	3	–	–	–	2	1	–	–	–	3	–
Other Causes	463	177	10	5	2	1	195	4	1	2	2	4	6	6	11	53	122	57
57.—TUNBRIDGE.																		
Mean Popul^n, 1861–71	21079	542	532	535	537	491	2637	2380	2198	1987	1986	3262	2500	1859	1275	724	240	31
TOTAL DEATHS	3563	722	230	116	74	59	1201	131	87	117	129	253	268	244	291	396	370	79
Small-pox	23	5	1	1	–	–	7	1	–	1	2	6	2	–	1	2	1	–
Measles	69	13	22	13	7	7	62	5	1	–	–	–	1	–	–	–	–	–
Scarlatina	119	6	12	18	14	14	61	32	13	5	1	3	1	–	–	–	–	–
Diphtheria	44	3	7	6	6	4	26	12	3	–	1	–	–	–	2	–	–	–
Whooping-cough	119	62	35	9	4	3	113	6	–	–	–	–	–	–	–	–	–	–
Typhus	117	–	2	5	4	1	12	14	16	15	5	11	19	10	8	4	3	–
Diarrhœa & Dysentery	124	74	17	4	1	–	96	–	–	–	2	3	1	–	3	7	8	4
Cholera	6	2	–	–	–	1	3	–	–	–	–	–	–	2	–	1	–	–
Other Zymotic Dis.	76	9	4	6	7	5	31	8	6	5	2	2	3	2	4	7	6	–
Cancer	136	–	–	–	–	–	–	–	–	–	1	7	22	33	45	23	4	1
Scrofula and Tabes	82	27	17	4	2	1	51	6	7	4	2	3	5	2	1	1	–	–
Phthisis	442	5	6	4	2	3	20	4	15	48	74	120	98	39	14	9	1	–
Hydrocephalus	61	22	7	9	4	5	47	10	3	–	–	–	–	–	1	–	–	–
Dis. of Brain	402	86	18	12	11	7	134	14	5	4	6	15	10	37	45	62	65	5
Dis. of Heart & Dropsy	256	6	1	1	–	1	9	3	6	5	5	11	14	40	54	63	45	1
Dis. of Lungs	450	102	49	13	7	4	175	10	3	3	3	6	18	24	45	83	69	11
Dis. of Stom. and Liver	221	17	3	2	1	–	23	4	3	5	8	27	22	18	35	52	21	3
Dis. of Kidneys	77	–	–	1	–	–	1	1	2	4	3	14	11	14	9	14	4	–
Dis. of Gener. Organs	28	–	–	–	–	–	–	–	–	1	1	3	7	9	6	1	–	–
Dis. of Joints	15	1	1	–	–	–	2	–	3	3	–	1	2	1	1	2	–	–
Dis. of Skin	9	1	1	–	–	–	2	–	1	–	2	–	2	–	–	1	1	–
Childbirth and Metria	46	–	–	–	–	–	–	–	–	6	5	14	19	2	–	–	–	–
Suicide	5	–	–	–	–	–	–	–	–	1	–	–	–	2	1	–	1	–
Other Violent Deaths	38	8	1	3	–	1	13	1	–	3	2	1	4	3	1	4	5	1
Other Causes	601	273	26	5	4	2	310	–	–	4	4	6	7	6	15	60	136	53
58.—MAIDSTONE.																		
Mean Popul^n, 1861–71	20463	513	527	502	522	495	2559	2389	2162	1839	1797	2915	2433	1889	1307	806	315	52
TOTAL DEATHS	4485	886	302	161	82	63	1494	185	93	117	173	319	345	341	387	490	410	131
Small-pox	25	9	1	3	–	–	13	2	1	1	1	1	5	–	–	1	–	–
Measles	70	8	24	15	6	4	57	9	2	–	1	–	1	–	–	–	–	–
Scarlatina	174	5	24	32	22	17	100	55	12	1	4	1	1	–	–	–	–	–
Diphtheria	35	2	4	4	4	1	15	11	5	2	–	1	1	–	–	–	–	–
Whooping-cough	82	31	24	13	7	4	79	2	1	–	–	–	–	–	–	–	–	–
Typhus	137	1	2	3	6	1	13	13	12	20	16	11	10	11	10	12	7	2
Diarrhœa & Dysentery	170	103	16	5	2	2	128	4	–	–	1	4	2	2	3	11	10	5
Cholera	21	5	3	1	–	–	9	–	2	1	–	2	4	1	–	1	1	–
Other Zymotic Dis.	82	10	7	12	2	3	34	6	2	1	4	2	6	5	9	9	4	–
Cancer	109	–	–	–	–	–	–	–	–	–	–	7	19	23	33	22	5	–
Scrofula and Tabes	72	26	11	3	1	3	44	5	6	5	1	3	–	5	2	1	–	–
Phthisis	544	9	10	5	3	4	31	10	21	53	86	137	103	65	30	7	1	–
Hydrocephalus	78	24	23	10	6	5	68	10	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	670	110	29	14	10	3	166	12	10	9	15	49	71	66	77	112	72	11
Dis. of Heart & Dropsy	332	15	1	–	1	1	18	4	6	6	14	15	35	55	70	76	30	3
Dis. of Lungs	614	116	62	23	7	10	218	18	3	3	12	17	28	46	80	101	77	11
Dis. of Stom. and Liver	178	24	5	4	–	1	34	10	2	5	5	15	19	19	27	26	14	2
Dis. of Kidneys	39	2	1	1	–	–	4	–	1	2	2	8	6	4	6	3	3	–
Dis. of Gener. Organs	35	–	–	–	–	–	–	–	–	–	–	5	3	12	9	4	2	
Dis. of Joints	10	–	1	1	–	1	3	1	1	–	1	1	1	–	1	1	–	–
Dis. of Skin	22	5	4	–	–	1	10	2	–	–	–	1	2	3	2	1	1	–
Childbirth and Metria	53	–	–	–	–	–	–	–	–	4	5	25	18	1	–	–	–	–
Suicide	12	–	–	–	–	–	–	–	–	2	–	2	1	5	2	–	–	–
Other Violent Deaths	70	8	4	5	3	2	22	5	5	2	3	4	5	4	–	11	6	3
Other Causes	851	373	46	7	2	–	428	6	1	–	2	8	4	14	26	91	177	94

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
59.—HOLLINGBOURN.																		
Mean Populn, 1861–71	7053	193	201	192	188	199	973	923	793	659	514	878	760	603	474	335	129	12
TOTAL DEATHS	1368	323	86	41	31	15	496	59	32	40	45	56	76	77	89	174	179	45
Small-pox	3	2	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–
Measles	17	4	5	3	1	1	14	2	1	–	–	–	–	–	–	–	–	–
Scarlatina	56	3	2	12	11	6	34	15	6	–	1	–	–	–	–	–	–	–
Diphtheria	24	1	1	2	4	2	10	8	2	2	–	–	–	2	–	–	–	–
Whooping-cough	23	13	7	2	–	–	22	1	–	–	–	–	–	–	–	–	–	–
Typhus	27	2	2	–	–	–	4	4	2	4	2	2	2	1	1	4	1	–
Diarrhœa & Dysentery	52	20	6	3	–	–	29	2	–	2	1	1	–	1	2	8	5	1
Cholera	4	2	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1
Other Zymotic Dis.	30	2	3	1	4	2	12	3	1	–	2	1	2	2	2	4	1	–
Cancer	26	–	–	–	–	–	–	–	1	–	–	–	4	4	4	7	5	1
Scrofula and Tabes	29	9	7	1	1	–	18	1	1	1	2	2	–	2	1	–	1	–
Phthisis	123	1	1	–	2	–	4	–	3	16	18	19	24	20	15	2	2	–
Hydrocephalus	11	4	3	–	–	2	9	1	–	1	–	–	–	–	–	–	–	
Dis. of Brain	181	53	13	4	1	1	72	4	2	2	6	2	9	9	13	32	25	5
Dis. of Heart & Dropsy	86	1	–	1	–	–	2	4	3	4	4	8	4	6	11	25	12	3
Dis. of Lungs	206	55	18	5	5	–	83	5	–	–	3	7	8	11	16	27	40	6
Dis. of Stom. and Liver	65	9	2	–	–	–	11	2	1	3	–	3	9	5	11	12	7	1
Dis. of Kidneys	32	–	–	–	1	–	1	1	–	1	2	–	1	4	4	11	7	–
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Dis. of Joints	3	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–
Dis. of Skin	4	2	–	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	12	–	–	–	–	–	–	–	–	–	1	1	3	2	2	2	1	–
Other Violent Deaths	42	2	2	–	–	1	5	3	8	3	3	7	4	3	2	3	–	1
Other Causes	311	138	14	7	1	–	160	3	1	1	–	1	5	4	3	35	72	26
60.—CRANBROOK.																		
Mean Populn, 1861–71	6871	199	167	180	176	197	919	869	827	678	548	851	712	599	473	278	102	15
TOTAL DEATHS	1148	245	64	26	23	16	374	47	24	29	40	59	50	56	116	180	136	37
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	11	2	3	2	1	1	9	1	1	–	–	–	–	–	–	–	–	–
Scarlatina	21	1	1	1	1	3	7	10	1	3	–	–	–	–	–	–	–	–
Diphtheria	15	1	1	1	3	1	7	6	2	–	–	–	–	–	–	–	–	–
Whooping-cough	20	8	8	3	–	1	20	–	–	–	–	–	–	–	–	–	–	–
Typhus	41	1	2	–	1	–	4	6	7	3	5	3	3	–	4	4	2	–
Diarrhœa & Dysentery	19	5	–	1	–	1	7	1	–	–	–	–	–	1	–	5	4	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	32	1	2	3	3	4	13	4	–	1	–	1	–	2	2	3	5	1
Cancer	19	–	–	–	–	–	–	–	–	–	–	–	4	3	3	4	5	–
Scrofula and Tabes	27	7	6	–	–	–	13	3	2	2	1	3	1	–	2	–	–	–
Phthisis	99	2	–	1	–	–	3	1	1	9	21	26	17	13	5	3	–	–
Hydrocephalus	15	9	2	–	2	1	14	–	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	161	43	12	–	5	2	62	3	2	1	7	7	8	11	16	21	23	–
Dis. of Heart & Dropsy	76	–	–	–	–	–	–	1	–	2	1	3	4	4	17	33	9	2
Dis. of Lungs	186	36	14	6	2	1	59	5	1	1	2	3	4	9	27	46	24	5
Dis. of Stom. and Liver	75	7	–	–	1	1	9	1	1	3	2	7	2	5	20	16	8	1
Dis. of Kidneys	41	–	–	1	1	–	2	–	1	–	–	1	4	5	7	16	7	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Dis. of Skin	4	–	1	–	–	–	1	–	–	–	–	–	1	–	1	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	–
Other Violent Deaths	38	–	5	4	3	–	12	3	3	3	1	2	1	3	1	3	3	3
Other Causes	240	122	7	3	–	–	132	2	1	–	–	2	–	–	10	24	46	23
61.—TENTERDEN.																		
Mean Populn, 1861–71	5455	146	160	151	143	133	733	691	621	549	399	666	579	493	384	241	88	11
TOTAL DEATHS	891	225	37	18	14	13	307	41	21	19	20	42	47	51	87	117	112	27
Small-pox	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	8	2	2	1	–	1	6	1	–	1	–	–	–	–	–	–	–	–
Scarlatina	9	–	2	1	1	1	5	3	1	–	–	–	–	–	–	–	–	–
Diphtheria	19	1	1	–	2	–	4	12	2	–	–	1	–	–	–	–	–	–
Whooping-cough	19	11	3	2	2	–	18	1	–	–	–	–	–	–	–	–	–	–
Typhus	22	1	–	–	3	–	4	3	2	1	1	–	2	–	2	6	1	–
Diarrhœa & Dysentery	15	7	1	–	1	1	10	–	–	1	1	–	–	–	2	1	–	–
Cholera	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	28	4	2	2	2	5	15	2	1	–	–	–	1	1	4	3	1	–
Cancer	7	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2	–	1
Scrofula and Tabes	10	1	2	–	–	–	3	–	2	1	–	–	–	–	4	–	–	–
Phthisis	127	7	2	–	–	–	9	3	6	10	12	27	20	17	16	6	1	–
Hydrocephalus	11	6	1	4	–	–	11	–	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	109	41	4	1	1	–	47	1	2	2	1	3	8	5	8	17	13	2
Dis. of Heart & Dropsy	65	2	–	–	–	–	2	1	–	1	–	1	4	6	17	20	12	1
Dis. of Lungs	91	29	5	2	–	1	37	2	1	2	–	3	3	5	10	20	6	2
Dis. of Stom. and Liver	55	16	2	2	–	1	21	3	–	–	1	–	3	7	7	6	7	–
Dis. of Kidneys	19	–	–	–	–	–	–	–	1	–	–	1	–	1	2	8	6	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	4	–	–	–	–	1	1	2	–	–	1	–	–	–	–	–	–	–
Dis. of Skin	7	4	–	–	–	–	4	–	–	–	–	–	1	1	1	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	5	–	–	–	–	–	–	–	1	–	–	–	1	1	2	–	–	–
Other Violent Deaths	28	1	–	–	1	1	3	4	1	–	3	5	3	4	4	1	–	–
Other Causes	231	90	10	3	1	1	105	3	1	–	–	1	1	1	6	27	65	21

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
59.—HOLLINGBOURN.																		
Mean Popul^{n}, 1861–71	6762	189	191	197	194	186	957	890	770	584	543	882	733	566	434	272	113	18
TOTAL DEATHS	1193	234	80	35	20	21	390	49	33	50	34	89	72	78	83	136	122	57
Small-pox	3	–	1	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–
Measles	15	1	6	3	–	2	12	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	41	1	2	2	4	7	16	9	7	3	1	3	2	–	–	–	–	–
Diphtheria	22	–	2	3	2	4	11	7	3	–	1	–	–	–	–	–	–	–
Whooping-cough	25	13	9	1	1	1	25	–	–	–	–	–	–	–	–	–	–	–
Typhus	30	–	1	2	2	–	5	2	1	6	–	4	6	3	2	1	–	–
Diarrhœa & Dysentery	48	26	7	–	2	–	35	1	–	–	1	2	2	–	–	1	5	1
Cholera	4	1	–	1	–	–	2	–	–	1	–	–	–	1	–	–	–	–
Other Zymotic Dis.	15	2	1	1	1	–	5	1	–	–	1	2	1	–	1	1	3	–
Cancer	56	–	–	1	–	–	1	–	–	–	2	7	5	15	11	10	4	1
Scrofula and Tabes	32	12	5	1	2	–	20	3	–	5	–	–	2	–	1	–	1	–
Phthisis	119	–	–	1	–	–	1	3	7	18	15	30	23	12	6	4	–	–
Hydrocephalus	12	4	2	1	1	–	8	3	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	151	39	11	5	2	2	59	5	6	3	3	9	8	9	12	18	14	5
Dis. of Heart & Dropsy	84	–	–	–	–	–	–	–	4	1	1	7	4	8	13	36	6	4
Dis. of Lungs	133	27	15	8	2	2	54	4	1	–	–	4	3	10	13	23	17	4
Dis. of Stom. and Liver	80	3	2	1	–	1	7	3	–	3	5	5	3	10	15	18	11	–
Dis. of Kidneys	17	–	–	–	–	–	–	–	–	–	1	6	2	1	4	3	–	–
Dis. of Gener. Organs	8	–	–	–	–	–	–	–	–	–	–	1	2	1	2	2	–	–
Dis. of Joints	3	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–
Dis. of Skin	6	2	1	–	–	–	3	–	1	–	–	–	1	1	–	–	–	–
Childbirth and Metria	15	–	–	–	–	–	–	–	–	1	3	7	4	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Deaths	15	3	1	–	–	1	5	3	–	3	–	–	1	2	–	1	–	–
Other Causes	259	100	14	4	1	1	120	1	1	5	–	1	2	5	3	18	61	42
60.—CRANBROOK.																		
Mean Popul^{n}, 1861–71	6837	193	198	195	184	187	957	850	746	620	563	946	749	596	426	274	99	11
TOTAL DEATHS	1161	207	57	34	17	13	328	46	28	58	45	86	79	73	92	161	122	43
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	13	2	4	2	–	2	10	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	24	–	1	4	3	1	9	8	4	2	1	–	–	–	–	–	–	–
Diphtheria	21	–	1	2	2	3	8	9	4	–	–	–	–	–	–	–	–	–
Whooping-cough	19	12	4	1	1	–	18	1	–	–	–	–	–	–	–	–	–	–
Typhus	47	2	1	1	1	1	6	5	6	7	5	3	3	3	4	3	2	–
Diarrhœa & Dysentery	48	13	6	3	1	–	23	1	–	1	–	1	–	1	3	8	5	5
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	23	2	2	4	1	–	9	3	1	–	–	2	1	1	1	1	4	–
Cancer	40	–	–	–	–	–	–	–	–	2	–	–	13	11	6	7	1	–
Scrofula and Tabes	30	9	3	1	–	–	13	–	–	5	1	5	3	2	1	–	–	–
Phthisis	152	4	1	1	–	–	6	3	7	25	27	44	25	7	7	1	–	–
Hydrocephalus	15	5	5	2	1	1	14	–	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	139	25	5	1	3	1	35	4	1	7	3	11	7	9	13	20	25	4
Dis. of Heart & Dropsy	95	4	–	–	–	–	4	1	–	1	3	5	8	15	14	28	16	–
Dis. of Lungs	176	27	17	10	1	2	57	3	2	2	1	3	8	12	17	42	24	5
Dis. of Stom. and Liver	48	5	–	–	1	1	7	1	1	4	–	1	3	6	11	10	4	–
Dis. of Kidneys	13	–	–	–	–	–	–	–	–	1	1	2	–	–	5	3	–	1
Dis. of Gener. Organs	6	–	–	–	–	–	–	–	–	–	–	–	2	2	–	2	–	–
Dis. of Joints	5	–	–	–	–	–	–	1	–	–	–	1	1	–	2	–	–	–
Dis. of Skin	8	1	–	–	–	–	1	1	1	–	–	1	–	–	2	1	1	–
Childbirth and Metria	10	–	–	–	–	–	–	–	–	–	1	4	4	1	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–
Other Violent Deaths	10	1	2	–	–	–	3	–	–	–	1	–	–	–	1	2	2	1
Other Causes	216	95	5	2	2	1	105	2	–	1	1	3	1	2	4	32	38	27
61.—TENTERDEN.																		
Mean Popul^{n}, 1861–71	5453	161	139	154	138	156	748	689	608	514	435	689	589	487	362	221	94	17
TOTAL DEATHS	954	179	52	18	27	12	288	39	28	35	37	74	65	56	67	114	105	46
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	17	1	4	6	3	–	14	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	12	2	–	1	4	1	8	4	–	–	–	–	–	–	–	–	–	–
Diphtheria	23	1	2	–	2	2	7	8	4	3	–	1	–	–	–	–	–	–
Whooping-cough	30	16	7	1	1	1	26	3	1	–	–	–	–	–	–	–	–	–
Typhus	24	–	1	–	1	–	2	3	4	5	3	2	2	1	2	–	–	–
Diarrhœa & Dysentery	21	8	2	1	1	1	13	1	–	1	–	–	–	–	–	2	3	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	23	1	2	2	2	2	9	2	–	–	–	1	–	2	4	4	1	–
Cancer	17	–	–	–	–	–	–	–	–	–	–	–	1	5	3	6	1	1
Scrofula and Tabes	5	1	–	–	–	–	1	–	–	2	–	1	–	1	–	–	–	–
Phthisis	177	4	5	–	2	–	11	4	9	17	31	44	30	16	9	6	–	–
Hydrocephalus	6	1	1	–	3	–	5	1	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	119	22	10	1	1	3	37	2	–	2	–	3	6	11	12	22	20	4
Dis. of Heart & Dropsy	78	2	–	–	–	–	2	3	4	1	–	6	8	9	9	24	11	1
Dis. of Lungs	93	23	9	3	4	1	40	–	2	2	–	3	6	2	7	18	11	2
Dis. of Stom. and Liver	40	11	–	–	1	1	13	1	1	1	–	1	1	5	5	10	2	–
Dis. of Kidneys	4	1	–	1	–	–	2	–	1	–	–	–	–	–	1	–	–	–
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Dis. of Joints	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Dis. of Skin	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Childbirth and Metria	14	–	–	–	–	–	–	–	–	1	2	8	3	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Deaths	14	1	1	2	–	–	4	1	–	–	1	–	1	–	4	–	2	1
Other Causes	233	84	8	–	2	–	94	3	1	–	–	4	6	3	10	22	54	3[illegible]

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
62.—WEST ASHFORD.																		
Mean Populn, 1861-71	8004	255	227	232	228	214	1156	994	906	789	658	1046	870	691	484	299	96	15
TOTAL DEATHS	1519	400	128	59	44	21	652	63	41	38	52	77	84	84	105	141	141	41
Small-pox	11	1	1	2	1	-	5	-	1	-	1	1	2	-	1	-	-	-
Measles	32	9	8	4	7	1	29	2	-	-	-	-	1	-	-	-	-	-
Scarlatina	73	1	8	11	10	5	35	23	11	2	-	-	2	-	-	-	-	-
Diphtheria	16	1	1	3	4	4	13	1	2	-	-	-	-	-	-	-	-	-
Whooping-cough	35	20	10	1	2	1	34	1	-	-	-	-	-	-	-	-	-	-
Typhus	73	3	4	2	6	1	16	11	6	7	6	6	4	5	5	6	1	-
Diarrhœa & Dysentery	55	30	5	1	-	-	36	-	1	-	1	-	-	-	1	4	6	6
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Zymotic Dis.	21	1	2	3	2	1	9	1	-	1	-	1	2	2	1	1	3	-
Cancer	6	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	-	-
Scrofula and Tabes	24	6	5	-	1	-	12	2	5	-	-	1	1	-	2	1	-	-
Phthisis	157	7	3	1	-	1	12	2	2	12	32	37	31	13	8	8	-	-
Hydrocephalus	38	15	14	4	1	-	34	4	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	178	61	20	10	3	2	96	3	4	4	-	2	7	11	17	20	13	1
Dis. of Heart & Dropsy	72	5	-	-	-	-	5	-	1	-	1	1	6	9	13	24	12	-
Dis. of Lungs	210	72	32	11	5	4	124	3	3	2	3	11	14	12	22	27	17	2
Dis. of Stom. and Liver	69	7	-	2	-	-	9	2	1	3	3	3	1	13	11	13	10	-
Dis. of Kidneys	31	1	-	-	-	-	1	2	1	2	1	4	1	5	3	5	5	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	11	1	-	-	1	-	2	-	-	-	3	1	1	1	2	1	-	-
Dis. of Skin	5	2	-	-	-	-	2	-	1	1	-	-	-	1	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	10	-	-	-	-	-	-	-	-	-	-	2	1	1	4	1	1	-
Other Violent Deaths	40	3	5	4	-	-	12	4	2	3	1	4	5	3	2	3	1	-
Other Causes	321	154	10	-	1	1	166	2	-	1	-	2	4	8	10	25	72	31
63.—EAST ASHFORD.																		
Mean Populn, 1861-71	6430	192	171	194	193	175	925	832	758	559	489	774	676	563	445	282	112	15
TOTAL DEATHS	1128	302	80	21	14	16	433	44	15	36	29	51	58	58	76	142	141	45
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Measles	13	2	6	1	-	1	10	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	32	5	6	6	3	3	23	7	1	1	-	-	-	-	-	-	-	-
Diphtheria	18	1	2	-	3	3	9	6	3	-	-	-	-	-	-	-	-	-
Whooping-cough	9	4	3	1	-	-	8	1	-	-	-	-	-	-	-	-	-	-
Typhus	56	-	1	1	2	2	6	5	8	9	4	5	2	4	7	8	3	-
Diarrhœa & Dysentery	36	27	2	1	-	-	30	-	-	-	-	-	-	-	1	2	2	1
Cholera	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
Other Zymotic Dis.	26	3	5	1	-	-	9	4	-	-	-	2	1	1	2	3	4	-
Cancer	11	-	-	-	-	-	-	-	-	-	-	-	-	3	6	2	-	-
Scrofula and Tabes	19	11	2	1	-	-	14	1	-	1	1	1	-	1	-	-	-	-
Phthisis	107	2	3	-	-	-	5	3	-	9	17	23	29	11	6	4	-	-
Hydrocephalus	19	7	7	-	1	1	16	3	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	125	43	9	2	-	1	55	3	2	6	1	4	4	3	7	25	15	-
Dis. of Heart & Dropsy	81	3	-	-	-	-	3	-	3	-	-	5	6	10	17	17	19	1
Dis. of Lungs	179	59	24	5	2	2	92	3	1	4	2	5	5	9	12	26	17	3
Dis. of Stom. and Liver	49	4	1	-	1	-	6	3	-	2	2	2	2	7	6	14	5	-
Dis. of Kidneys	23	-	1	-	-	-	1	2	-	-	1	-	2	1	4	9	3	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	6	2	-	-	-	-	2	-	-	1	-	-	1	-	-	2	-	-
Dis. of Skin	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	7	-	-	-	-	-	-	-	-	-	-	1	2	2	1	1	-	-
Other Violent Deaths	21	1	-	-	-	2	3	-	1	1	-	2	2	1	3	4	3	1
Other Causes	286	128	8	2	2	1	141	-	-	2	1	1	2	4	3	24	69	39
64.—BRIDGE.																		
Mean Populn, 1861-71	5672	157	135	170	136	154	752	680	613	528	409	730	582	535	426	278	119	20
TOTAL DEATHS	1046	248	59	25	14	11	357	45	22	25	24	50	60	62	87	133	127	54
Small-pox	6	-	1	-	-	-	1	-	-	-	2	2	1	-	-	-	-	-
Measles	5	2	3	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	24	1	8	2	2	3	16	7	1	-	-	1	-	-	1	-	-	-
Diphtheria	14	1	2	-	1	1	5	5	-	2	-	-	-	1	1	-	-	-
Whooping-cough	20	14	4	2	-	-	20	-	-	-	-	-	-	-	-	-	-	-
Typhus	38	-	2	-	1	3	6	6	4	6	1	1	4	1	6	3	-	-
Diarrhœa & Dysentery	32	14	4	2	1	-	21	1	-	-	-	2	-	-	1	4	3	-
Cholera	4	-	-	1	-	-	1	-	1	-	1	-	-	-	-	1	-	-
Other Zymotic Dis.	23	1	2	4	4	1	12	3	3	-	-	2	2	1	-	1	2	-
Cancer	11	-	-	-	-	-	-	-	1	-	-	-	1	1	4	4	-	-
Scrofula and Tabes	22	12	-	1	1	-	14	1	2	1	-	-	-	2	1	1	-	-
Phthisis	97	3	1	1	1	-	6	3	3	5	14	22	21	10	8	4	-	1
Hydrocephalus	17	9	2	2	1	-	14	2	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	106	22	9	3	1	-	35	6	-	1	1	5	6	4	9	24	14	1
Dis. of Heart & Dropsy	84	1	-	-	1	-	2	-	2	4	-	3	7	4	15	31	13	3
Dis. of Lungs	145	38	12	3	-	2	55	5	-	1	1	5	5	11	18	25	15	4
Dis. of Stom. and Liver	57	7	-	-	-	-	7	-	2	3	-	3	6	11	9	8	7	1
Dis. of Kidneys	19	-	-	-	-	-	-	-	-	-	-	1	-	4	-	7	5	2
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Dis. of Joints	11	1	-	-	-	-	1	-	-	1	2	2	2	2	1	-	-	-
Dis. of Skin	4	1	-	-	-	-	1	-	-	-	-	-	-	1	-	2	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	9	-	-	-	-	-	-	-	-	-	-	1	-	1	2	4	-	1
Other Violent Deaths	20	1	1	1	-	1	4	4	2	1	1	-	1	4	-	1	1	1
Other Causes	272	120	8	3	-	-	131	2	-	-	-	1	2	3	9	17	66	41

Mean Population, 1861-71, and **Deaths** in **Districts** during the **10 Years 1861-70.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
62.—WEST ASHFORD.																		
Mean Populn, 1861-71	7929	225	213	232	218	232	1120	987	911	716	644	1093	881	670	488	292	109	18
TOTAL DEATHS	1457	286	95	51	38	18	488	63	36	55	83	101	82	81	98	162	158	50
Small-pox	5	2	-	-	-	-	2	-	-	-	2	1	-	-	-	-	-	-
Measles	26	7	6	4	3	-	20	4	1	-	-	1	-	-	-	-	-	-
Scarlatina	79	3	3	17	10	7	40	23	7	2	2	5	-	-	-	-	-	-
Diphtheria	18	2	1	-	3	2	8	6	1	-	-	2	-	-	-	1	-	-
Whooping-cough	41	21	11	6	1	-	39	1	1	-	-	-	-	-	-	-	-	-
Typhus	71	3	2	1	3	2	11	6	7	12	12	5	3	5	1	6	3	-
Diarrhœa & Dysentery	39	23	2	1	-	-	26	-	-	-	-	1	1	2	-	2	4	3
Cholera	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
Other Zymotic Dis.	24	5	2	1	2	1	11	3	-	1	-	-	3	3	1	2	-	-
Cancer	40	-	-	-	-	-	-	-	-	-	1	1	6	7	10	7	7	1
Scrofula and Tabes	25	7	2	4	-	-	13	1	2	2	3	1	1	-	-	2	-	-
Phthisis	174	3	3	-	1	1	8	1	6	23	30	48	29	17	10	2	-	-
Hydrocephalus	23	10	5	2	2	1	20	3	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	174	40	13	5	6	2	66	2	4	5	7	6	11	8	18	25	18	4
Dis. of Heart & Dropsy	109	1	3	-	1	1	6	-	-	3	-	12	6	9	20	37	15	1
Dis. of Lungs	194	39	31	9	4	-	83	8	4	3	7	6	6	13	14	27	19	4
Dis. of Stom. and Liver	63	3	-	-	-	1	4	2	1	3	2	1	3	8	15	13	11	-
Dis. of Kidneys	16	-	-	-	-	-	-	2	-	-	4	1	4	1	1	1	2	-
Dis. of Gener. Organs	5	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	-	-
Dis. of Joints	5	-	1	-	-	-	1	-	-	-	1	-	-	1	-	1	1	-
Dis. of Skin	5	1	-	-	-	-	1	-	1	-	-	-	-	3	-	-	-	-
Childbirth and Metria	21	-	-	-	-	-	-	-	-	1	8	6	6	-	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-
Other Violent Deaths	14	6	-	-	1	-	7	-	1	-	-	-	-	3	-	1	2	-
Other Causes	281	110	10	1	1	-	122	-	-	-	3	2	3	1	5	32	76	37
63.—EAST ASHFORD.																		
Mean Populn, 1861-71	6221	197	167	190	163	184	901	854	703	518	463	798	646	533	421	254	106	19
TOTAL DEATHS	1070	177	71	28	24	14	314	56	33	35	48	87	76	60	82	111	114	54
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	11	2	3	2	-	2	9	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	30	3	4	1	7	1	16	10	2	1	-	1	-	-	-	-	-	-
Diphtheria	33	2	3	-	2	1	8	13	6	2	1	1	1	-	-	1	-	-
Whooping-cough	10	3	4	1	1	-	9	1	-	-	-	-	-	-	-	-	-	-
Typhus	46	2	5	1	1	1	10	6	3	3	4	6	2	3	4	4	1	-
Diarrhœa & Dysentery	35	15	1	1	-	-	17	-	-	2	1	-	2	-	-	2	7	4
Cholera	8	3	1	-	1	-	5	1	-	-	-	-	-	1	-	-	1	-
Other Zymotic Dis.	22	7	1	1	1	1	11	1	-	-	-	1	-	1	3	3	2	-
Cancer	28	-	-	1	-	1	2	-	-	-	1	-	2	8	10	3	2	-
Scrofula and Tabes	15	4	1	2	-	-	7	-	1	3	-	1	1	2	-	-	-	-
Phthisis	151	3	3	1	-	2	9	4	9	12	24	45	27	10	8	3	-	-
Hydrocephalus	18	6	3	3	2	-	14	4	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	131	28	13	4	3	2	50	4	4	2	4	4	8	9	12	22	11	1
Dis. of Heart & Dropsy	80	2	1	1	-	-	4	1	-	1	4	4	12	8	11	17	18	-
Dis. of Lungs	128	29	19	8	4	3	63	3	3	3	2	5	3	4	13	16	10	3
Dis. of Stom. and Liver	43	1	1	-	-	-	2	2	1	2	2	6	3	6	8	7	4	-
Dis. of Kidneys	6	-	-	-	-	-	-	-	-	-	1	1	1	-	2	1	-	-
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	-	1	1	1	3	-	1	-	-
Dis. of Joints	4	-	-	-	1	-	1	-	1	-	-	1	-	-	1	-	-	-
Dis. of Skin	6	1	-	-	1	-	2	-	-	-	-	-	1	1	1	1	-	-
Childbirth and Metria	16	-	-	-	-	-	-	-	-	1	2	6	7	-	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-
Other Violent Deaths	19	1	2	1	-	-	4	3	3	1	1	-	1	1	-	1	2	2
Other Causes	218	64	6	-	-	-	70	1	-	2	-	4	4	3	6	28	56	44
64.—BRIDGE.																		
Mean Populn, 1861-71	5556	151	151	149	138	135	724	689	592	442	424	726	616	540	401	272	113	17
TOTAL DEATHS	928	177	37	20	17	13	264	34	31	26	35	53	64	61	68	120	129	43
Small-pox	4	-	1	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-
Measles	12	4	3	1	3	-	11	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	20	1	1	6	1	3	12	4	3	1	-	-	-	-	-	-	-	-
Diphtheria	17	1	1	2	1	1	6	5	3	1	-	1	-	-	1	-	-	-
Whooping-cough	9	4	2	2	-	1	9	-	-	-	-	-	-	-	-	-	-	-
Typhus	30	-	1	1	-	2	4	4	5	3	3	2	1	4	1	3	-	-
Diarrhœa & Dysentery	35	18	4	-	1	-	23	1	-	1	-	1	1	3	-	3	1	1
Cholera	4	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-
Other Zymotic Dis.	21	2	2	1	2	1	8	1	1	-	1	-	-	2	3	2	3	-
Cancer	30	-	-	-	-	-	-	-	-	-	-	2	5	6	6	5	5	1
Scrofula and Tabes	16	8	1	-	1	-	10	1	2	-	1	1	-	-	-	1	-	-
Phthisis	115	1	-	-	-	-	1	1	8	12	22	27	21	11	8	4	-	-
Hydrocephalus	7	3	2	1	-	-	6	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	98	16	5	4	2	-	27	2	3	1	1	3	8	7	6	24	16	-
Dis. of Heart & Dropsy	83	1	-	-	1	-	2	1	1	2	-	3	9	6	19	23	16	1
Dis. of Lungs	108	20	6	1	3	2	32	6	1	4	3	1	7	5	9	19	15	6
Dis. of Stom. and Liver	49	3	2	-	2	1	8	2	-	-	-	2	4	7	8	10	8	-
Dis. of Kidneys	6	-	1	-	-	-	1	-	1	-	-	-	1	-	-	2	1	-
Dis. of Gener. Organs	8	-	-	-	-	-	-	-	-	-	1	1	1	1	2	2	-	-
Dis. of Joints	4	1	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-
Dis. of Skin	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-
Childbirth and Metria	11	-	-	-	-	-	-	-	-	-	2	4	4	1	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Violent Deaths	7	-	-	-	-	2	2	2	-	-	-	1	-	-	-	-	1	1
Other Causes	230	93	5	1	-	-	99	-	2	-	-	3	1	5	4	22	61	33

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
65.—CANTERBURY.																		
Mean Popul^{n}, 1861–71	8319	192	173	191	175	184	915	799	759	1002	1031	1323	934	652	481	295	114	14
TOTAL DEATHS	2067	445	118	68	42	38	711	74	40	55	87	173	188	145	155	214	187	38
Small-pox	33	5	1	5	2	2	15	7	–	2	1	3	4	1	–	–	–	–
Measles	34	6	16	6	3	1	32	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	50	–	5	10	6	9	30	17	2	–	–	1	–	–	–	–	–	–
Diphtheria	9	–	2	1	–	1	4	4	–	–	–	–	–	–	–	1	–	–
Whooping-cough	23	10	5	5	2	–	22	1	–	–	–	–	–	–	–	–	–	–
Typhus	69	–	1	5	2	3	11	6	8	5	13	8	6	2	2	6	2	–
Diarrhœa & Dysentery	77	50	6	1	–	1	58	–	–	–	1	–	1	3	–	7	6	1
Cholera	3	–	2	1	–	–	3	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	45	3	3	1	3	5	15	6	2	1	3	6	2	2	4	3	1	–
Cancer	27	–	–	–	–	–	–	–	–	1	–	3	4	6	4	5	3	1
Scrofula and Tabes	63	41	3	3	–	2	49	3	–	2	2	5	1	–	1	–	–	–
Phthisis	242	–	1	–	–	–	1	3	5	23	35	59	58	31	21	6	–	–
Hydrocephalus	27	7	7	5	4	1	24	–	2	1	–	–	–	–	–	–	–	–
Dis. of Brain	225	57	17	2	1	6	83	4	3	4	6	10	21	11	16	34	33	–
Dis. of Heart & Dropsy	148	–	–	1	–	1	2	6	3	5	5	16	14	20	23	39	14	1
Dis. of Lungs	274	60	31	11	13	2	117	6	4	1	4	17	19	14	27	34	27	4
Dis. of Stom. and Liver	125	5	1	2	–	1	9	–	2	–	6	14	21	19	20	21	13	–
Dis. of Kidneys	63	–	–	–	2	1	3	–	–	3	2	3	9	8	13	14	6	2
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Dis. of Joints	16	–	–	–	1	–	1	1	3	–	1	3	2	2	3	–	–	–
Dis. of Skin	5	1	–	1	–	–	2	1	–	–	–	1	–	1	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	18	–	–	–	–	–	–	–	–	–	2	4	3	4	2	3	–	–
Other Violent Deaths	59	2	3	1	–	2	8	5	5	4	1	11	6	7	6	5	1	–
Other Causes	431	198	14	7	3	–	222	2	1	3	5	8	17	14	13	36	81	29
66.—BLEAN.																		
Mean Popul^{n}, 1861–71	8311	254	230	244	240	229	1197	1153	1070	733	545	989	907	703	543	334	122	15
TOTAL DEATHS	1761	475	116	77	42	39	749	82	41	34	54	96	105	97	139	162	158	44
Small-pox	8	3	–	–	–	1	4	–	–	–	1	2	1	–	–	–	–	–
Measles	25	2	11	4	6	2	25	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	73	8	9	12	8	11	48	20	3	2	–	–	–	–	–	–	–	–
Diphtheria	11	4	–	1	1	–	6	1	3	–	–	1	–	–	–	–	–	–
Whooping-cough	52	26	14	8	2	–	50	2	–	–	–	–	–	–	–	–	–	–
Typhus	101	5	3	9	4	7	28	17	12	8	4	6	5	–	2	11	7	1
Diarrhœa & Dysentery	93	60	13	3	2	–	78	2	–	2	–	1	–	1	1	4	3	1
Cholera	8	3	–	–	–	–	3	1	–	–	1	–	–	1	1	–	1	–
Other Zymotic Dis.	58	8	4	6	4	4	26	5	3	1	–	3	–	3	3	7	5	2
Cancer	26	–	–	–	1	–	1	–	–	–	–	1	1	3	6	7	7	–
Scrofula and Tabes	43	17	7	7	–	–	31	5	2	–	1	1	1	2	–	–	–	–
Phthisis	174	2	3	–	1	–	6	4	2	12	32	36	29	23	16	8	1	–
Hydrocephalus	31	7	12	2	3	1	25	4	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	216	59	13	7	4	5	88	5	2	1	3	12	9	15	21	22	35	3
Dis. of Heart & Dropsy	107	5	–	–	–	–	5	3	1	–	1	5	5	7	31	28	17	4
Dis. of Lungs	236	62	18	11	4	4	99	5	4	4	4	11	18	14	18	30	26	3
Dis. of Stom. and Liver	94	11	–	1	–	1	13	4	2	–	1	5	14	13	17	17	6	2
Dis. of Kidneys	35	–	–	–	–	1	1	–	–	–	1	2	4	3	9	6	7	2
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Dis. of Skin	7	2	–	–	–	–	2	–	–	–	–	–	1	1	1	–	2	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	6	–	–	–	–	–	–	–	–	–	–	–	2	1	2	–	1	–
Other Violent Deaths	60	3	–	3	2	2	10	3	5	4	4	9	11	3	5	3	1	2
Other Causes	296	183	9	2	–	–	199	1	–	–	1	1	4	2	6	19	39	24
67.—FAVERSHAM.																		
Mean Popul^{n}, 1861–71	10446	315	306	319	270	305	1515	1346	1274	945	777	1406	1114	850	618	413	164	24
TOTAL DEATHS	2059	539	159	65	52	44	859	76	40	46	47	136	113	120	123	232	199	68
Small-pox	18	2	1	–	–	–	3	1	–	–	2	2	4	1	3	–	1	1
Measles	22	4	8	1	4	1	18	4	–	–	–	–	–	–	–	–	–	–
Scarlatina	54	6	5	4	9	10	34	12	5	–	1	2	–	–	–	–	–	–
Diptheria	33	2	5	4	8	3	22	5	3	1	2	–	–	–	–	–	–	–
Whooping-cough	62	27	15	10	8	–	60	1	–	–	–	–	–	–	1	–	–	–
Typhus	91	2	3	4	–	3	12	8	8	7	2	9	9	10	8	14	3	1
Diarrhœa & Dysentery	77	53	13	3	–	–	69	–	–	–	–	–	–	–	2	4	2	–
Cholera	13	1	2	1	–	–	4	1	–	1	1	1	1	3	–	1	–	–
Other Zymotic Dis.	55	4	5	2	6	7	24	7	2	1	1	3	1	5	2	5	4	–
Cancer	27	–	–	–	–	–	–	–	–	1	–	3	–	5	6	10	2	–
Scrofula and Tabes	35	13	8	–	3	3	27	–	4	–	1	1	1	1	–	–	–	–
Phthisis	190	7	6	1	1	1	16	4	2	20	18	59	24	24	15	8	–	–
Hydrocephalus	30	14	6	4	2	–	26	4	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	238	81	18	10	4	2	115	8	5	2	2	4	9	12	16	33	23	4
Dis. of Heart & Dropsy	159	1	3	1	–	4	9	5	4	1	1	8	11	15	28	49	25	3
Dis. of Lungs	212	75	30	10	1	1	117	6	–	2	5	8	9	11	13	28	11	4
Dis. of Stom. and Liver	75	7	–	1	1	1	10	1	2	3	1	3	12	5	5	20	11	4
Dis. of Kidneys	45	2	1	–	1	1	5	1	–	–	–	4	3	6	5	10	10	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	7	–	–	–	–	–	–	1	1	–	1	1	1	–	–	2	–	–
Dis. of Skin	10	3	1	1	–	–	5	–	1	–	–	–	–	2	–	–	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	12	–	–	–	–	–	–	–	–	–	–	1	2	3	4	2	–	–
Other Violent Deaths	108	5	2	2	4	5	18	5	3	6	9	23	21	8	8	3	2	–
Other Causes	486	230	27	6	–	2	265	2	–	1	–	4	5	9	7	43	99	5

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
65.—CANTERBURY.																		
Mean Popul^{n}, 1861–71	8257	191	193	183	198	168	933	843	764	805	787	1210	955	786	586	338	164	36
TOTAL DEATHS	1944	389	120	71	38	30	648	72	47	58	82	121	152	107	153	200	219	85
Small-pox	29	8	5	3	1	2	19	1	3	2	1	1	-	1	1	-	-	-
Measles	26	6	10	6	2	-	24	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	41	2	5	8	6	7	28	6	5	-	1	-	1	-	-	-	-	-
Diphtheria	15	1	1	3	2	1	8	6	-	-	1	-	-	-	-	-	-	-
Whooping-cough	39	14	10	8	1	3	36	3	-	-	-	-	-	-	-	-	-	-
Typhus	94	2	-	3	3	2	10	14	9	11	14	10	4	10	6	4	1	1
Diarrhœa & Dysentery	67	40	7	2	-	-	49	2	-	3	-	1	1	1	1	3	3	3
Cholera	2	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	42	8	3	6	4	2	23	7	1	1	1	1	2	-	3	1	2	-
Cancer	53	-	-	-	-	-	-	-	1	-	-	1	14	9	12	9	5	2
Scrofula and Tabes	64	27	13	1	2	1	44	5	1	3	4	-	4	-	2	1	-	-
Phthisis	189	4	-	1	-	1	6	2	3	22	34	53	40	16	7	6	-	-
Hydrocephalus	24	8	8	2	1	1	20	3	-	1	-	-	-	-	-	-	-	-
Dis. of Brain	213	38	11	4	1	4	58	2	2	4	2	10	16	14	22	36	41	6
Dis. of Heart & Dropsy	189	5	-	2	-	1	8	2	10	4	5	12	19	19	33	43	31	3
Dis. of Lungs	240	55	30	12	9	4	110	4	3	-	3	3	12	7	20	40	29	9
Dis. of Stom. and Liver	121	9	-	-	1	-	10	3	1	2	2	8	21	18	27	15	11	3
Dis. of Kidneys	17	-	-	-	1	-	1	1	-	-	1	2	4	1	2	4	1	-
Dis. of Gener. Organs	18	-	-	-	-	-	-	-	-	-	1	1	2	4	4	4	2	-
Dis. of Joints	8	-	-	-	-	-	-	-	3	1	-	1	-	1	1	1	-	-
Dis. of Skin	3	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-
Childbirth and Metria	20	-	-	-	-	-	-	-	-	2	6	9	3	-	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-
Other Violent Deaths	24	1	3	4	-	-	8	4	3	1	-	1	-	-	2	-	5	-
Other Causes	401	160	14	6	4	1	185	4	1	1	4	7	7	4	9	33	88	58
66.—BLEAN.																		
Mean Popul^{n}, 1861–71	8903	260	243	249	243	236	1231	1134	985	760	680	1196	1029	795	579	360	134	20
TOTAL DEATHS	1632	325	134	66	42	33	600	82	41	57	63	105	86	99	119	177	158	45
Small-pox	7	1	-	1	-	1	3	-	-	2	1	-	1	-	-	-	-	-
Measles	28	3	12	6	1	1	23	5	-	-	-	-	-	-	-	-	-	-
Scarlatina	74	5	8	14	11	7	45	19	5	-	3	2	-	-	-	-	-	-
Diphtheria	14	1	1	-	2	-	4	9	-	-	1	-	-	-	-	-	-	-
Whooping-cough	47	18	17	8	2	1	46	1	-	-	-	-	-	-	-	-	-	-
Typhus	99	3	4	3	2	9	21	15	8	14	5	5	4	8	4	9	5	1
Diarrhœa & Dysentery	65	39	14	1	1	-	55	1	-	1	-	1	-	1	-	1	5	-
Cholera	12	1	1	-	3	-	5	1	-	-	-	2	2	-	1	1	-	-
Other Zymotic Dis.	41	4	6	5	5	1	21	6	-	-	1	-	1	1	-	9	1	1
Cancer	39	-	-	-	-	-	-	-	-	-	1	-	8	6	8	12	3	1
Scrofula and Tabes	39	14	7	5	4	1	31	3	1	-	-	2	1	-	1	-	-	-
Phthisis	193	1	2	-	1	1	5	3	9	29	29	57	25	20	6	9	1	-
Hydrocephalus	17	5	8	1	-	-	14	1	2	-	-	-	-	-	-	-	-	-
Dis. of Brain	206	42	9	6	3	3	63	2	4	4	4	9	10	13	26	35	31	5
Dis. of Heart & Dropsy	98	2	-	1	-	-	3	2	2	3	4	1	9	14	20	27	11	2
Dis. of Lungs	200	43	27	9	4	7	90	4	2	1	4	4	6	12	25	28	22	2
Dis. of Stom. and Liver	86	11	1	2	-	-	14	3	2	-	-	8	2	13	18	16	6	4
Dis. of Kidneys	13	1	-	-	-	-	1	-	-	-	1	1	1	3	2	4	-	-
Dis. of Gener. Organs	11	-	-	-	-	-	-	-	-	-	-	1	3	3	-	3	1	-
Dis. of Joints	5	-	1	-	-	-	1	1	-	-	-	-	1	-	2	-	-	-
Dis. of Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Childbirth and Metria	18	-	-	-	-	-	-	-	-	-	4	6	8	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Violent Deaths	26	2	1	2	2	1	8	4	2	2	1	-	1	-	1	3	4	-
Other Causes	291	128	15	2	1	-	146	2	4	1	4	6	3	3	5	20	68	29
67.—FAVERSHAM.																		
Mean Popul^{n}, 1861–71	10161	316	292	297	280	270	1455	1327	1123	861	834	1412	1124	851	592	381	172	29
TOTAL DEATHS	1874	446	141	77	50	28	742	74	40	61	54	113	100	95	136	188	195	76
Small-pox	11	3	-	-	2	-	5	1	-	2	1	-	-	1	-	-	1	-
Measles	31	5	9	3	4	5	26	5	-	-	-	-	-	-	-	-	-	-
Scarlatina	62	1	8	13	6	5	33	17	5	2	2	1	-	2	-	-	-	-
Diphtheria	23	-	5	3	4	1	13	6	4	-	-	-	-	-	-	-	-	-
Whooping-cough	55	27	14	8	2	-	51	3	1	-	-	-	-	-	-	-	-	-
Typhus	99	3	4	6	6	2	21	12	11	10	5	8	5	6	7	7	6	1
Diarrhœa & Dysentery	73	42	13	-	3	3	61	2	-	-	-	1	-	-	2	3	3	1
Cholera	16	2	2	4	-	-	8	-	-	-	-	-	2	4	-	2	-	-
Other Zymotic Dis.	50	7	5	5	4	3	24	5	4	3	1	1	-	1	4	1	3	3
Cancer	48	-	-	-	-	-	-	-	-	-	-	2	4	11	19	7	5	-
Scrofula and Tabes	30	14	6	1	-	-	21	1	-	2	-	2	2	1	-	1	-	-
Phthisis	200	6	4	2	3	2	17	4	5	27	26	56	35	16	10	4	-	-
Hydrocephalus	22	9	4	5	1	-	19	2	-	1	-	-	-	-	-	-	-	-
Dis. of Brain	204	50	19	6	4	-	79	4	5	3	4	6	6	11	18	23	35	5
Dis. of Heart & Dropsy	142	2	-	-	-	-	2	1	1	4	1	6	10	10	30	51	25	1
Dis. of Lungs	183	54	27	11	5	2	99	4	1	2	2	7	9	3	17	24	13	2
Dis. of Stom. and Liver	102	12	-	3	2	1	18	4	2	1	3	4	5	17	14	22	11	1
Dis. of Kidneys	11	-	-	1	-	1	2	-	1	-	-	1	4	3	-	-	-	-
Dis. of Gener. Organs	12	-	-	-	-	-	-	-	-	-	-	2	1	4	2	2	1	-
Dis. of Joints	5	-	1	-	-	1	2	-	-	1	-	-	-	-	1	1	-	-
Dis. of Skin	7	3	-	-	-	-	3	-	-	-	1	1	-	-	1	1	-	-
Childbirth and Metria	31	-	-	-	-	-	-	-	-	1	5	9	15	1	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-
Other Violent Deaths	29	9	3	2	1	-	15	2	-	-	2	-	-	-	3	2	2	3
Other Causes	425	197	17	4	3	2	223	1	-	2	1	5	2	2	8	32	90	55

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
68.—MILTON.																		
Mean Popul^n, 1861–71	8617	296	257	261	272	249	1335	1163	943	787	695	1199	955	683	485	261	96	15
TOTAL DEATHS	1857	625	162	88	44	35	954	71	36	47	56	90	110	89	102	135	131	36
Small-pox	14	–	–	1	–	–	1	1	–	1	3	2	3	3	–	–	–	–
Measles	40	10	15	8	3	1	37	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	113	11	18	23	15	14	81	20	8	1	1	2	–	–	–	–	–	–
Diphtheria	11	1	–	1	2	1	5	4	–	1	–	1	–	–	–	–	–	–
Whooping-cough	45	25	13	4	1	2	45	–	–	–	–	–	–	–	–	–	–	–
Typhus	133	5	5	4	7	5	26	13	12	8	8	6	14	10	10	14	5	1
Diarrhœa & Dysentery	114	76	18	2	2	1	99	1	–	–	–	–	–	1	7	4	1	1
Cholera	28	9	6	2	–	–	17	1	–	1	1	1	3	3	1	–	–	–
Other Zymotic Dis.	42	6	4	7	2	2	21	7	–	–	3	2	2	3	2	–	2	–
Cancer	15	–	–	–	1	–	1	–	–	–	1	1	1	2	5	2	1	1
Scrofula and Tabes	59	31	10	7	–	1	49	1	1	1	2	–	1	2	–	1	1	–
Phthisis	119	2	1	1	–	–	4	1	3	12	14	33	28	16	5	3	–	–
Hydrocephalus	21	13	4	2	–	1	20	1	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	217	109	16	3	0	3	137	5	2	3	2	6	10	8	10	16	17	1
Dis. of Heart & Dropsy	78	3	1	–	–	–	4	2	1	5	1	13	12	6	12	14	7	1
Dis. of Lungs	242	90	36	13	3	2	144	3	1	1	3	6	15	11	11	26	18	3
Dis. of Stom. and Liver	53	7	1	2	–	–	10	–	1	2	–	4	6	7	8	8	7	–
Dis. of Kidneys	29	–	–	–	–	1	1	–	–	–	2	1	4	3	4	10	4	–
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Dis. of Joints	6	–	1	–	–	–	1	–	–	2	1	–	1	1	–	–	–	–
Dis. of Skin	2	–	–	1	–	1	2	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	8	–	–	–	–	–	–	–	–	–	1	1	1	2	1	1	1	–
Other Violent Deaths	85	10	4	3	1	–	18	7	7	9	12	7	7	6	6	2	4	–
Other Causes	332	217	9	4	1	–	231	1	–	–	1	4	2	4	14	34	63	28
69.—SHEPPEY.																		
Mean Popul^n, 1861–71	10279	288	265	238	234	228	1253	1039	865	1111	1311	1929	1254	818	431	193	64	11
TOTAL DEATHS	1928	580	178	111	76	40	985	98	30	47	57	148	115	100	129	108	95	21
Small-pox	26	2	1	1	1	2	7	2	1	2	3	7	2	2	–	–	–	–
Measles	38	5	13	11	5	1	35	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	99	5	17	17	13	10	62	28	7	1	–	1	–	–	–	–	–	–
Diphtheria	32	1	5	6	9	5	26	5	–	–	–	1	–	–	–	–	–	–
Whooping-cough	68	36	15	12	3	2	68	–	–	–	–	–	–	–	–	–	–	–
Typhus	58	1	5	6	1	3	16	12	5	4	1	7	5	3	5	–	–	–
Diarrhœa & Dysentery	122	83	15	8	1	2	107	1	–	–	–	3	–	3	1	3	4	–
Cholera	22	1	1	3	1	1	7	3	–	–	1	5	2	1	2	1	–	–
Other Zymotic Dis.	59	9	11	5	7	3	35	5	1	–	2	5	2	2	2	4	1	–
Cancer	12	1	–	–	–	–	1	–	–	1	–	1	–	4	2	1	2	–
Scrofula and Tabes	52	22	13	2	3	1	41	3	3	1	1	2	–	1	–	–	–	–
Phthisis	145	3	3	3	3	–	12	5	2	10	18	43	27	14	13	1	–	–
Hydrocephalus	51	23	18	6	1	–	48	2	–	1	–	–	–	–	–	–	–	–
Dis. of Brain	232	101	14	8	10	1	134	8	–	4	2	8	10	8	26	16	14	2
Dis. of Heart & Dropsy	110	2	–	1	3	1	7	4	1	1	3	16	15	18	21	20	3	1
Dis. of Lungs	246	83	25	16	6	3	133	5	1	6	3	9	22	16	25	21	5	–
Dis. of Stom. and Liver	53	11	1	2	3	–	17	1	2	1	2	5	4	4	10	4	3	–
Dis. of Kidneys	28	1	–	–	1	–	2	–	1	–	2	4	3	3	3	7	3	–
Dis. of Gener. Organs	2	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Dis. of Joints	7	–	1	–	1	–	2	–	1	2	1	–	–	–	1	–	–	–
Dis. of Skin	6	2	–	–	–	–	2	–	–	–	–	1	–	1	–	1	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
Other Violent Deaths	117	10	2	2	3	3	20	5	4	11	18	23	18	11	4	1	2	–
Other Causes	341	178	17	4	1	2	202	1	1	2	–	6	5	8	13	28	57	18
70.—THANET.																		
Mean Popul^n, 1861–71	16743	482	423	458	407	408	2178	2217	2322	1571	1219	2060	1654	1476	1111	660	238	37
TOTAL DEATHS	3871	846	201	113	76	61	1297	173	112	134	121	247	258	311	370	407	333	108
Small-pox	28	11	–	4	1	3	19	–	–	2	2	3	1	–	–	1	–	–
Measles	39	9	6	12	5	4	36	2	–	1	–	–	–	–	–	–	–	–
Scarlatina	111	8	14	19	18	10	69	32	6	2	1	–	–	–	1	–	–	–
Diphtheria	24	2	4	3	5	4	18	4	1	–	–	–	–	–	–	–	1	–
Whooping-cough	70	42	19	5	2	2	70	–	–	–	–	–	–	–	–	–	–	–
Typhus	96	5	6	8	3	3	20	19	7	9	9	10	2	8	7	1	3	1
Diarrhœa & Dysentery	196	155	17	1	1	1	175	2	–	2	–	–	–	3	2	6	4	2
Cholera	34	2	3	1	1	1	8	4	1	2	1	2	5	4	1	5	1	–
Other Zymotic Dis.	97	13	9	11	5	7	45	10	4	5	–	5	5	7	7	5	3	1
Cancer	45	–	–	–	–	–	–	1	–	1	–	1	1	12	20	6	3	–
Scrofula and Tabes	104	25	12	1	4	3	45	8	22	5	4	7	6	3	3	1	–	–
Phthisis	417	15	10	2	2	2	31	11	13	40	46	86	79	57	39	9	6	–
Hydrocephalus	72	20	14	9	7	4	54	10	7	1	–	–	–	–	–	–	–	–
Dis. of Brain	414	89	10	9	4	3	115	13	5	15	4	21	29	41	63	64	39	5
Dis. of Heart & Dropsy	275	8	–	1	1	3	13	1	6	3	6	19	28	36	50	72	38	3
Dis. of Lungs	447	89	42	15	11	3	160	19	6	1	8	17	19	34	59	63	47	14
Dis. of Stom. and Liver	210	26	5	4	–	–	35	7	5	5	7	19	19	29	35	37	12	–
Dis. of Kidneys	142	–	1	1	1	2	5	4	3	5	8	10	14	18	30	26	18	1
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Dis. of Joints	57	2	–	2	1	–	5	7	14	9	5	10	3	1	3	–	–	–
Dis. of Skin	18	2	–	–	–	–	2	–	1	2	1	–	1	1	3	1	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	24	–	–	–	–	–	–	–	–	–	1	2	5	6	6	4	–	–
Other Violent Deaths	187	17	6	3	2	3	31	10	5	22	15	25	27	24	11	10	4	3
Other Causes	768	306	23	7	2	3	341	9	5	2	3	10	14	27	30	96	153	78

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
68.—MILTON.																		
Mean Popul^{n}, 1861-71	8379	283	266	264	263	249	1325	1154	938	689	724	1183	902	652	447	251	95	19
TOTAL DEATHS	1582	458	158	73	42	37	768	63	33	31	44	121	101	59	88	133	100	41
Small-pox	10	2	1	-	1	1	5	1	-	-	2	1	-	1	-	-	-	-
Measles	24	8	8	2	3	-	21	1	-	2	-	-	-	-	-	-	-	-
Scarlatina	104	7	17	19	13	17	73	14	11	1	1	3	-	1	-	-	-	-
Diphtheria	14	2	2	1	1	1	7	4	1	1	1	-	-	-	-	-	-	-
Whooping-cough	59	27	19	8	2	1	57	2	-	-	-	-	-	-	-	-	-	-
Typhus	109	4	6	6	6	7	29	12	13	6	3	21	3	5	8	6	3	-
Diarrhœa & Dysentery	83	54	15	3	1	-	73	1	-	-	-	1	-	1	2	2	2	1
Cholera	28	11	7	2	-	-	20	3	-	-	2	1	1	-	-	1	-	-
Other Zymotic Dis.	36	5	6	1	7	2	21	1	1	-	1	-	2	1	2	4	1	2
Cancer	35	-	-	-	-	-	-	-	1	-	-	3	10	6	11	4	-	-
Scrofula and Tabes	42	23	10	1	-	-	34	4	-	1	-	2	1	-	-	-	-	-
Phthisis	148	7	4	-	2	1	14	2	-	11	18	46	31	15	8	3	-	-
Hydrocephalus	16	4	10	-	1	1	16	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	153	63	7	4	2	8	79	4	2	1	2	7	6	6	10	24	12	-
Dis. of Heart & Dropsy	72	1	-	-	-	1	2	2	2	3	3	1	8	9	12	21	8	1
Dis. of Lungs	160	49	26	17	-	2	94	3	1	-	1	3	8	3	12	15	18	2
Dis. of Stom. and Liver	64	9	2	-	-	-	11	1	-	3	3	4	8	6	9	15	4	-
Dis. of Kidneys	18	-	-	-	1	-	1	-	-	-	-	2	7	-	2	4	2	-
Dis. of Gener. Organs	10	-	-	-	-	-	-	-	-	-	-	2	3	1	-	3	1	-
Dis. of Joints	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	7	1	3	-	-	-	4	-	1	-	-	-	-	-	-	1	1	-
Childbirth and Metria	35	-	-	-	-	-	-	-	-	-	6	21	8	-	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-
Other Violent Deaths	24	3	4	3	2	-	12	3	-	2	-	-	1	-	2	2	-	2
Other Causes	327	178	11	6	-	-	195	4	-	-	1	2	3	4	9	28	48	33
69.—SHEPPEY.																		
Mean Popul^{n}, 1861-71	8251	277	260	251	262	253	1303	1049	863	708	741	1316	965	672	363	194	67	10
TOTAL DEATHS	1641	419	180	111	67	57	834	69	36	36	52	98	87	109	79	123	88	30
Small-pox	22	5	3	2	-	3	13	1	2	1	3	-	2	-	-	-	-	-
Measles	35	5	11	10	4	2	32	2	-	-	1	-	-	-	-	-	-	-
Scarlatina	99	3	10	23	18	11	65	24	7	2	1	-	-	-	-	-	-	-
Diphtheria	19	2	5	1	5	1	14	5	-	-	-	-	-	-	-	-	-	-
Whooping-cough	66	22	29	7	4	2	64	2	-	-	-	-	-	-	-	-	-	-
Typhus	54	1	4	3	1	4	13	8	6	3	2	6	3	6	5	2	-	-
Diarrhœa & Dysentery	116	64	24	6	-	3	97	1	-	-	1	2	-	4	4	5	1	1
Cholera	12	3	1	2	-	-	6	1	-	-	-	1	2	2	-	-	-	-
Other Zymotic Dis.	43	4	5	4	4	3	20	6	-	2	-	3	2	2	5	2	1	-
Cancer	25	-	-	-	-	1	1	1	-	-	-	1	4	10	4	4	-	-
Scrofula and Tabes	34	19	10	2	-	2	33	-	-	-	-	-	-	1	-	-	-	-
Phthisis	146	3	-	3	2	4	12	3	10	13	20	33	26	20	7	2	-	-
Hydrocephalus	39	20	6	5	2	3	36	1	1	1	-	-	-	-	-	-	-	-
Dis. of Brain	197	59	23	10	9	7	108	3	3	2	5	6	7	11	8	31	10	3
Dis. of Heart & Dropsy	107	4	-	5	-	1	10	3	3	3	4	12	14	19	19	14	6	-
Dis. of Lungs	178	64	26	18	11	8	127	-	-	-	1	8	6	6	12	8	10	-
Dis. of Stom. and Liver	57	8	3	4	1	1	17	2	-	1	1	5	3	9	6	11	2	-
Dis. of Kidneys	16	-	-	1	-	-	1	1	1	-	-	3	6	4	-	-	-	-
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	1	-	1	1	2	-	2	-	-
Dis. of Joints	6	-	2	-	-	-	2	-	-	1	-	-	-	3	-	-	-	-
Dis. of Skin	4	1	-	-	1	1	3	-	-	-	-	-	-	1	-	-	-	-
Childbirth and Metria	27	-	-	-	-	-	-	-	-	1	9	9	8	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Other Violent Deaths	24	2	2	1	5	-	10	2	3	3	-	2	1	2	-	-	1	-
Other Causes	306	130	16	4	-	-	150	3	-	2	4	6	2	7	9	40	57	26
70.—THANET.																		
Mean Popul^{n}, 1861-71	20252	511	415	448	404	437	2215	2160	2104	2038	1936	2855	2292	1915	1426	877	373	61
TOTAL DEATHS	3707	660	200	105	82	70	1117	143	118	127	115	269	220	278	314	413	429	164
Small-pox	19	4	1	1	4	1	11	3	1	1	1	-	1	1	-	-	-	-
Measles	46	8	24	7	5	1	45	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	112	3	18	23	12	10	66	25	10	3	2	3	1	1	1	-	-	-
Diphtheria	24	2	2	2	3	3	12	4	3	2	1	1	1	-	-	-	-	-
Whooping-cough	93	35	33	14	4	5	91	2	-	-	-	-	-	-	-	-	-	-
Typhus	129	3	1	6	4	12	26	16	17	13	11	11	9	11	6	8	1	-
Diarrhœa & Dysentery	199	126	24	5	3	1	159	2	-	1	1	4	3	4	7	5	9	4
Cholera	34	3	1	1	1	-	6	1	2	1	2	4	3	6	1	5	3	-
Other Zymotic Dis.	86	10	6	5	4	9	34	8	4	3	1	6	1	3	9	6	9	2
Cancer	141	-	-	-	-	-	-	-	-	1	1	3	11	40	26	35	19	5
Scrofula and Tabes	87	22	8	3	3	3	39	9	15	8	4	6	2	3	1	-	-	-
Phthisis	408	11	5	4	2	1	23	8	18	47	56	125	63	40	20	7	1	-
Hydrocephalus	62	18	6	9	7	7	47	9	6	-	-	-	-	-	-	-	-	-
Dis. of Brain	393	58	13	3	8	5	87	16	9	10	7	14	18	41	64	63	54	10
Dis. of Heart & Dropsy	282	3	2	1	3	2	11	6	4	5	3	16	23	33	53	77	46	5
Dis. of Lungs	406	96	33	10	6	3	148	12	3	5	5	9	23	27	36	58	67	13
Dis. of Stom. and Liver	213	15	1	1	2	3	22	6	6	6	-	16	22	38	44	39	12	2
Dis. of Kidneys	39	1	-	1	-	-	2	2	2	3	-	6	5	8	9	5	2	-
Dis. of Gener. Organs	36	-	-	-	-	-	-	-	1	-	1	4	5	11	6	5	3	-
Dis. of Joints	40	-	-	1	2	-	3	9	8	8	6	3	-	1	-	2	-	-
Dis. of Skin	13	6	-	-	-	-	6	-	-	-	-	-	2	-	-	2	2	1
Childbirth and Metria	45	-	-	-	-	-	-	-	-	2	9	24	9	1	-	-	-	-
Suicide	13	-	-	-	-	-	-	-	-	-	-	2	4	2	2	2	1	-
Other Violent Deaths	51	6	2	2	4	3	17	2	4	-	3	3	4	1	6	5	4	2
Other Causes	733	230	20	8	5	1	262	2	5	8	1	9	10	11	23	89	196	120

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 upwards
71.—EASTRY.																		
Mean Popul^n, 1861–71	13226	357	337	324	326	319	1663	1586	1396	1442	1155	1622	1405	1160	892	609	265	31
TOTAL DEATHS	2666	529	136	80	59	33	837	114	57	76	81	180	153	170	219	309	354	116
Small-pox	6	1	-	-	-	-	1	-	-	1	1	1	1	-	1	-	-	-
Measles	32	7	11	8	2	2	30	1	-	1	-	-	-	-	-	-	-	-
Scarlatina	101	2	11	9	26	12	60	25	9	3	2	2	-	-	-	-	-	-
Diphtheria	31	-	3	3	4	1	11	13	3	3	-	-	-	1	-	-	-	-
Whooping-cough	56	34	16	4	1	-	55	1	-	-	-	-	-	-	-	-	-	-
Typhus	118	2	5	7	2	2	18	23	9	10	9	9	9	8	9	9	5	-
Diarrhœa & Dysentery	78	49	3	1	-	-	53	1	1	-	-	2	1	-	1	5	10	4
Cholera	8	-	-	-	-	-	-	2	1	-	-	-	1	4	-	-	-	-
Other Zymotic Dis.	56	5	7	10	2	1	25	4	2	3	1	4	3	1	6	3	2	2
Cancer	29	-	-	-	-	-	-	-	1	-	-	2	1	4	7	9	4	1
Scrofula and Tabes	54	16	7	4	2	1	30	12	1	2	1	2	3	1	1	1	-	-
Phthisis	253	2	2	2	-	-	6	8	6	19	30	77	43	37	17	8	2	-
Hydrocephalus	41	16	10	6	5	-	37	4	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	334	65	6	7	6	5	89	8	6	4	8	18	16	27	30	73	50	10
Dis. of Heart & Dropsy	215	2	1	1	1	-	5	3	4	6	4	15	20	28	32	54	40	4
Dis. of Lungs	409	98	35	11	3	5	152	4	2	4	6	17	18	18	35	54	81	18
Dis. of Stom. and Liver	149	22	2	1	1	-	26	2	3	7	3	12	10	18	23	28	16	1
Dis. of Kidneys	74	-	-	1	1	1	3	2	1	-	5	5	7	6	15	13	15	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	8	1	-	1	-	-	2	-	-	-	-	-	1	2	3	-	-	-
Dis. of Skin	7	4	1	-	-	-	5	-	-	-	1	-	-	1	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	27	-	-	-	-	-	-	-	-	1	1	3	3	4	11	3	1	-
Other Violent Deaths	79	4	-	1	2	3	10	-	5	10	8	9	9	8	10	5	4	1
Other Causes	501	199	16	3	1	-	219	1	3	2	1	7	7	2	18	44	124	73
72.—DOVER.																		
Mean Popul^n, 1861–71	16920	436	391	394	385	378	1984	1742	1624	1776	1949	2912	1913	1320	943	535	198	24
TOTAL DEATHS	3529	837	250	129	64	51	1331	136	53	72	130	298	287	263	274	331	273	81
Small-pox	58	10	2	8	5	1	26	9	-	2	5	11	2	2	1	-	-	-
Measles	60	14	17	15	6	5	57	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	127	5	21	16	14	16	72	34	11	4	1	3	1	-	-	-	1	-
Diphtheria	24	1	4	4	4	3	16	6	1	-	-	-	-	1	-	-	-	-
Whooping-cough	70	35	23	6	4	-	68	2	-	-	-	-	-	-	-	-	-	-
Typhus	127	2	9	6	6	5	28	26	6	7	6	16	10	11	10	5	2	-
Diarrhœa & Dysentery	137	88	11	3	1	-	103	-	-	-	4	3	4	3	5	9	5	1
Cholera	13	2	2	1	-	1	6	-	-	-	-	-	2	3	1	-	1	
Other Zymotic Dis.	76	13	9	5	2	-	29	7	2	-	-	7	6	7	6	8	3	1
Cancer	39	-	-	-	-	-	-	-	-	-	-	2	2	8	6	12	8	2
Scrofula and Tabes	67	34	11	6	-	1	52	5	-	2	1	1	1	3	1	1	-	-
Phthisis	370	3	5	3	-	1	12	1	9	29	48	83	78	77	26	7	-	-
Hydrocephalus	70	29	21	7	3	3	63	6	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	442	133	23	9	9	6	180	9	3	2	7	19	29	31	34	66	49	13
Dis. of Heart & Dropsy	201	4	1	-	-	1	6	-	4	3	5	27	25	22	41	45	22	1
Dis. of Lungs	593	129	49	28	3	6	215	8	1	4	16	32	37	41	67	87	72	13
Dis. of Stom. and Liver	146	21	4	1	-	-	26	2	4	4	4	17	18	13	25	21	10	2
Dis. of Kidneys	79	-	-	-	1	-	1	3	-	1	1	6	14	7	13	15	16	2
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Dis. of Joints	8	-	-	1	-	-	1	-	1	-	1	1	1	1	-	2	-	-
Dis. of Skin	10	3	-	-	-	-	3	-	-	1	-	-	1	1	-	1	3	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	30	-	-	-	-	-	-	-	-	-	3	8	8	5	2	3	1	-
Other Violent Deaths	189	5	4	4	3	1	17	14	9	12	23	46	33	15	14	4	2	-
Other Causes	592	306	34	6	3	1	350	1	1	1	5	16	15	11	23	45	78	46
73.—ELHAM.																		
Mean Popul^n, 1861–71	15295	395	366	336	341	335	1773	1518	1273	1768	2463	2677	1546	989	690	425	154	19
TOTAL DEATHS	2534	627	181	88	44	32	972	102	40	58	95	238	191	154	166	227	224	67
Small-pox	30	5	1	-	1	3	10	4	4	1	3	2	3	1	1	1	-	-
Measles	38	10	15	8	1	1	35	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	104	7	13	18	12	13	63	30	3	3	4	1	-	-	-	-	-	-
Diphtheria	10	-	-	-	1	1	2	5	1	-	-	-	1	-	-	1	-	-
Whooping-cough	52	26	18	3	3	-	50	2	-	-	-	-	-	-	-	-	-	-
Typhus	67	1	1	3	1	2	8	7	6	7	9	10	6	3	5	4	2	-
Diarrhœa & Dysentery	103	62	13	5	1	-	81	3	-	1	-	2	2	1	4	4	3	2
Cholera	11	4	1	-	-	-	5	2	1	-	-	-	1	1	1	-	-	-
Other Zymotic Dis.	66	8	7	7	4	1	27	5	2	3	1	7	6	2	2	4	6	1
Cancer	18	-	-	-	-	-	-	-	1	-	-	-	1	3	5	5	3	-
Scrofula and Tabes	53	24	15	3	-	-	42	2	-	2	2	2	2	-	1	-	-	-
Phthisis	261	4	5	1	-	2	12	1	4	18	37	95	52	29	8	4	1	-
Hydrocephalus	43	12	11	10	5	2	40	2	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	330	106	16	10	3	5	140	10	3	2	6	18	20	16	31	41	34	9
Dis. of Heart & Dropsy	207	3	3	1	-	-	7	5	3	3	4	20	19	28	37	48	28	5
Dis. of Lungs	405	124	39	17	7	1	188	7	3	4	14	32	23	16	26	48	36	8
Dis. of Stom. and Liver	135	21	2	-	-	-	23	7	1	4	3	11	13	16	24	21	12	-
Dis. of Kidneys	64	-	-	-	1	-	1	3	3	1	2	7	7	10	6	14	6	4
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Dis. of Joints	10	-	-	-	-	-	-	1	-	1	-	4	-	2	1	1	-	-
Dis. of Skin	4	1	-	-	-	-	1	-	-	-	1	-	1	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	18	-	-	-	-	-	-	-	-	2	1	4	3	5	2	-	1	-
Other Violent Deaths	76	4	4	1	3	-	12	3	4	5	4	11	18	8	4	2	4	1
Other Causes	423	205	17	1	1	1	225	-	-	1	4	12	12	13	8	28	88	37

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
71.—EASTRY.																		
Mean Popul^n, 1861–71	13339	377	322	345	360	301	1705	1544	1388	1145	1052	1774	1501	1260	946	657	305	62
TOTAL DEATHS	2434	378	139	74	56	41	688	102	54	66	93	174	141	141	206	314	323	132
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	33	-	16	4	7	2	29	3	1	-	-	-	-	-	-	-	-	-
Scarlatina	91	2	15	6	17	14	54	23	7	1	4	2	-	-	-	-	-	-
Diphtheria	37	1	4	3	6	6	20	12	3	1	-	-	1	-	-	-	-	-
Whooping-cough	59	25	12	11	3	4	55	4	-	-	-	-	-	-	-	-	-	-
Typhus	113	2	4	5	4	-	15	13	15	9	12	15	12	3	9	4	6	-
Diarrhœa & Dysentery	73	42	6	1	1	1	51	1	-	-	-	1	2	2	-	7	5	4
Cholera	9	-	1	-	-	-	1	1	-	-	1	1	1	-	1	2	1	-
Other Zymotic Dis.	46	1	4	5	5	2	17	7	1	-	2	3	4	-	3	7	2	-
Cancer	72	-	-	-	-	-	-	-	-	-	-	2	6	19	20	16	7	2
Scrofula and Tabes	43	10	3	7	1	2	23	6	4	1	2	3	1	1	1	1	-	-
Phthisis	273	4	2	2	1	2	11	4	10	29	47	74	53	27	9	9	-	-
Hydrocephalus	24	13	6	3	-	-	22	2	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	302	39	16	11	4	-	70	4	2	10	4	14	6	20	41	65	53	13
Dis. of Heart & Dropsy	223	3	-	1	-	-	4	4	5	8	3	15	10	19	41	75	37	2
Dis. of Lungs	301	60	23	11	3	4	101	6	1	1	2	11	11	19	23	50	58	13
Dis. of Stom. and Liver	120	10	1	1	2	-	14	3	2	2	5	10	7	12	18	25	19	3
Dis. of Kidneys	41	-	1	-	1	1	3	-	1	-	-	2	5	5	12	6	6	1
Dis. of Gener. Organs	17	-	-	-	-	-	-	-	-	-	-	1	4	7	3	1	1	-
Dis. of Joints	7	1	-	-	-	-	1	2	-	1	-	2	1	-	-	-	-	-
Dis. of Skin	11	1	-	-	-	-	1	1	-	1	2	-	-	-	2	3	1	-
Childbirth and Metria	29	-	-	-	-	-	-	-	-	1	6	13	9	-	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	-
Other Violent Deaths	31	2	3	1	-	2	8	3	-	-	1	-	3	1	4	4	2	5
Other Causes	474	162	22	2	1	1	188	3	2	1	2	5	5	5	13	36	125	89
72.—DOVER.																		
Mean Popul^n, 1861–71	16493	447	393	426	388	390	2044	1702	1623	1514	1626	2541	1882	1495	1099	674	252	41
TOTAL DEATHS	3136	664	215	110	88	49	1126	119	66	111	108	228	190	214	240	349	288	97
Small-pox	42	11	5	4	3	2	25	4	1	4	-	3	3	2	-	-	-	-
Measles	61	7	24	15	10	1	57	2	-	2	-	-	-	-	-	-	-	-
Scarlatina	106	11	10	15	14	14	64	24	7	4	5	1	-	-	1	-	-	-
Diphtheria	27	1	4	3	4	4	16	6	3	-	-	-	-	1	-	1	-	-
Whooping-cough	66	29	17	12	5	1	64	2	-	-	-	-	-	-	-	-	-	-
Typhus	156	2	11	3	6	7	29	19	18	19	9	16	8	5	5	5	3	-
Diarrhœa & Dysentery	157	64	17	4	2	-	87	2	2	-	1	4	3	4	5	11	16	2
Cholera	4	-	-	-	-	1	1	-	-	-	-	-	1	1	1	-	-	-
Other Zymotic Dis.	85	15	4	11	6	3	39	11	2	2	1	5	3	2	5	10	4	1
Cancer	85	-	-	-	-	-	-	-	-	-	2	3	14	22	20	15	6	3
Scrofula and Tabes	70	23	11	2	1	1	41	7	6	3	2	6	1	2	2	-	-	-
Phthisis	327	3	2	-	-	1	6	6	13	46	58	87	59	38	12	2	-	-
Hydrocephalus	68	14	8	5	4	1	32	5	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	420	98	22	12	9	-	141	6	4	6	4	19	18	31	45	78	51	17
Dis. of Heart & Dropsy	188	3	-	1	-	-	4	4	2	5	5	12	18	24	42	49	22	1
Dis. of Lungs	478	118	41	16	14	6	195	8	2	6	3	12	20	23	43	78	71	17
Dis. of Stom. and Liver	167	9	3	1	1	3	17	4	-	7	2	13	11	28	30	38	17	-
Dis. of Kidneys	42	1	-	-	-	1	2	-	1	1	2	3	4	7	10	7	4	1
Dis. of Gener. Organs	19	-	-	-	-	-	-	-	-	-	-	2	4	4	4	3	2	-
Dis. of Joints	5	-	-	-	1	-	1	-	2	-	-	-	-	2	-	-	-	-
Dis. of Skin	9	3	-	1	-	-	4	-	-	-	-	-	-	2	2	1	-	-
Childbirth and Metria	58	-	-	-	-	-	-	-	-	5	8	29	14	2	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-
Other Violent Deaths	37	6	7	-	1	1	15	5	-	1	4	4	1	1	2	2	1	1
Other Causes	525	243	29	5	7	2	286	4	2	-	2	6	8	13	10	49	91	54
73.—ELHAM.																		
Mean Popul^n, 1861–71	13041	364	343	375	334	307	1723	1442	1334	1235	1357	2040	1469	1084	718	429	182	28
TOTAL DEATHS	2290	457	157	103	71	35	823	103	51	57	90	174	115	132	195	229	231	90
Small-pox	12	8	-	-	-	-	8	2	-	1	-	1	-	-	-	-	-	-
Measles	37	8	19	5	-	2	34	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	168	5	14	15	22	9	65	29	6	-	1	5	2	-	-	-	-	-
Diphtheria	21	-	4	2	1	4	11	9	2	1	1	-	-	-	-	-	-	-
Whooping-cough	73	31	15	16	7	3	72	1	-	-	-	-	-	-	-	-	-	-
Typhus	74	2	2	5	5	6	20	9	10	7	7	8	3	2	4	4	-	-
Diarrhœa & Dysentery	91	51	14	4	2	1	72	2	-	1	-	3	2	-	-	4	4	3
Cholera	5	2	-	-	-	-	2	-	1	-	-	-	1	-	-	1	-	-
Other Zymotic Dis.	61	4	7	7	9	-	27	4	1	4	3	3	2	3	7	3	3	1
Cancer	87	-	-	-	-	-	-	-	-	-	-	2	6	21	34	13	9	2
Scrofula and Tabes	67	25	11	5	5	2	48	5	-	2	1	6	1	2	2	-	-	-
Phthisis	229	3	2	2	1	-	8	4	7	21	37	74	38	22	12	5	1	-
Hydrocephalus	27	6	8	6	-	1	21	3	1	2	-	-	-	-	-	-	-	-
Dis. of Brain	284	72	11	10	10	1	104	8	3	3	6	5	13	17	34	41	44	6
Dis. of Heart & Dropsy	201	3	1	2	1	-	7	1	6	4	8	15	5	21	46	52	35	1
Dis. of Lungs	280	72	28	13	5	4	122	9	6	3	7	4	8	9	15	48	38	11
Dis. of Stom. and Liver	122	12	-	-	2	1	15	5	2	1	4	8	13	20	22	19	12	1
Dis. of Kidneys	38	-	-	-	-	-	-	2	2	-	4	8	6	4	4	5	3	-
Dis. of Gener. Organs	25	-	-	-	-	-	-	-	-	-	1	2	5	5	5	5	2	-
Dis. of Joints	9	-	-	1	-	-	1	1	2	1	-	2	-	-	-	1	1	-
Dis. of Skin	14	4	2	1	-	-	7	-	-	-	-	1	-	-	3	2	1	-
Childbirth and Metria	31	-	-	-	-	-	-	-	-	1	5	17	7	1	-	-	-	-
Suicide	7	-	-	-	-	-	-	-	-	1	2	4	-	-	-	-	-	-
Other Violent Deaths	31	3	2	2	1	-	8	4	2	2	1	2	-	1	1	4	3	3
Other Causes	353	116	17	7	-	1	171	2	-	2	2	4	3	4	6	22	75	62

Mean Population, 1861-71, and **Deaths** in **Districts** during the **10 Years 1861-70.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
74.—ROMNEY MARSH.																		
Mean Popul^n, 1861-71	3093	94	92	87	83	81	437	402	317	299	240	435	375	267	175	102	41	3
TOTAL DEATHS	553	112	35	27	7	13	194	26	13	21	16	27	40	40	48	68	46	14
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	8	–	2	3	–	1	6	–	2	–	–	–	–	–	–	–	–	–
Scarlatina	22	–	1	1	2	5	9	10	1	1	–	1	–	–	–	–	–	–
Diphtheria	4	–	–	–	–	1	1	2	–	1	–	–	–	–	–	–	–	–
Whooping-cough	9	2	8	2	1	–	8	1	–	–	–	–	–	–	–	–	–	–
Typhus	27	1	–	2	–	–	3	1	–	3	1	3	2	1	2	8	2	1
Diarrhœa & Dysentery	9	3	1	–	–	–	4	–	–	–	–	1	2	–	1	1	–	–
Cholera	2	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Other Zymotic Dis.	18	–	–	1	–	–	1	1	1	1	–	–	2	1	4	4	3	–
Cancer	4	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–
Scrofula and Tabes	19	9	3	3	–	–	15	2	–	2	–	–	–	–	–	–	–	–
Phthisis	49	1	–	–	–	–	1	–	–	6	5	13	11	9	4	–	–	–
Hydrocephalus	7	3	1	–	1	1	6	1	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	68	19	8	3	1	–	31	2	1	2	2	1	1	3	8	7	9	1
Dis. of Heart & Dropsy	29	–	–	1	–	1	2	1	1	2	2	1	3	4	3	5	2	3
Dis. of Lungs	107	15	7	7	–	2	31	1	2	1	3	2	6	12	14	15	18	2
Dis. of Stom. and Liver	37	4	–	–	1	1	6	2	1	–	1	2	3	3	5	13	–	1
Dis. of Kidneys	8	–	–	–	–	–	–	1	–	–	1	–	–	1	3	2	–	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Dis. of Skin	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	5	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	1	–
Other Violent Deaths	23	2	1	2	–	1	6	1	3	1	1	–	5	2	2	2	–	–
Other Causes	96	53	8	2	1	–	64	–	–	–	–	2	1	2	1	9	11	6
75.—RYE.																		
Mean Popul^n, 1861-71	6000	179	153	158	181	151	822	721	698	562	446	702	653	563	455	278	90	10
TOTAL DEATHS	1131	256	69	29	21	19	394	36	20	24	42	60	64	64	106	155	128	38
Small-pox	4	–	–	–	–	–	–	2	–	–	–	–	1	–	–	1	–	–
Measles	7	2	1	2	1	–	6	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	19	1	2	4	1	3	11	4	3	1	–	–	–	–	–	–	–	–
Diphtheria	7	–	–	1	1	2	4	1	–	2	–	–	–	–	–	–	–	–
Whooping-cough	22	11	6	2	1	1	21	1	–	–	–	–	–	–	–	–	–	–
Typhus	30	1	–	–	–	–	1	1	3	4	6	1	1	2	5	3	3	–
Diarrhœa & Dysentery	32	12	2	1	1	1	17	1	–	1	–	3	–	2	–	2	5	1
Cholera	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	27	3	3	1	3	3	13	6	2	2	–	–	–	–	1	3	–	–
Cancer	23	–	–	–	–	–	–	–	–	–	–	1	1	2	5	9	5	–
Scrofula and Tabes	18	3	6	2	–	–	11	–	1	–	4	–	1	–	1	–	–	–
Phthisis	116	2	1	1	1	2	7	1	3	6	18	29	16	15	17	4	–	–
Hydrocephalus	31	13	9	2	4	–	28	3	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	130	32	8	3	2	2	47	4	2	1	3	7	9	6	6	23	19	3
Dis. of Heart & Dropsy	89	–	2	–	–	–	2	1	–	2	2	2	3	10	18	30	17	2
Dis. of Lungs	166	33	14	7	4	3	61	3	–	–	1	5	13	8	24	29	18	4
Dis. of Stom. and Liver	61	11	1	–	1	–	13	2	2	1	4	3	4	6	14	8	4	–
Dis. of Kidneys	27	–	–	–	–	–	–	1	1	1	1	1	3	1	2	10	6	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	4	–	–	–	–	–	–	1	–	–	–	–	1	–	1	1	–	–
Dis. of Skin	3	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	9	–	–	–	–	–	–	–	–	–	–	1	3	1	2	–	1	1
Other Violent Deaths	49	5	2	2	1	2	12	2	3	3	2	7	7	5	3	3	1	1
Other Causes	256	125	12	1	–	–	138	–	–	–	1	–	1	6	7	29	49	25
76.—HASTINGS.																		
Mean Popul^n, 1861-71	13309	422	367	385	364	381	1919	1664	1422	1217	1083	1927	1489	1154	805	455	158	16
TOTAL DEATHS	3087	705	219	121	78	64	1187	95	87	74	116	269	276	252	255	271	200	55
Small-pox	23	4	5	3	1	–	13	2	–	–	–	2	2	1	–	2	1	–
Measles	54	11	19	10	9	2	51	2	1	–	–	–	–	–	–	–	–	–
Scarlatina	120	8	18	20	17	19	82	28	7	–	–	2	–	–	–	1	–	–
Diphtheria	20	1	2	4	4	1	12	2	3	–	2	1	–	–	–	–	–	–
Whooping-cough	64	32	19	4	4	2	61	3	–	–	–	–	–	–	–	–	–	–
Typhus	63	3	2	4	2	2	13	4	4	6	5	9	5	6	7	2	2	–
Diarrhœa & Dysentery	118	78	6	2	–	1	87	2	–	–	4	1	2	4	6	6	4	2
Cholera	8	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1
Other Zymotic Dis.	84	8	6	10	14	10	48	6	1	5	–	6	6	3	5	1	3	–
Cancer	39	–	–	–	–	–	–	–	–	–	2	1	1	7	11	11	6	–
Scrofula and Tabes	67	22	12	7	–	2	43	6	4	2	1	2	5	1	2	1	–	–
Phthisis	519	10	10	3	3	–	26	5	4	31	76	151	116	68	31	8	3	–
Hydrocephalus	91	34	15	17	8	11	85	4	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	373	103	23	8	5	2	141	10	3	7	3	13	20	46	42	52	31	5
Dis. of Heart & Dropsy	179	4	3	–	1	1	9	2	2	4	5	12	20	22	43	38	21	1
Dis. of Lungs	416	132	52	15	5	6	210	5	–	2	4	22	27	39	41	44	19	3
Dis. of Stom. and Liver	140	19	1	4	2	2	28	4	2	1	1	9	23	16	21	24	8	3
Dis. of Kidneys	98	3	–	2	–	–	5	3	1	3	–	12	15	12	13	26	8	–
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Dis. of Joints	10	–	–	–	–	1	1	–	1	4	–	1	1	1	–	1	–	–
Dis. of Skin	7	2	1	1	1	–	5	–	–	–	–	–	–	–	2	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	25	–	–	–	–	–	–	–	–	–	1	3	7	5	5	4	–	–
Other Violent Deaths	107	12	3	2	2	1	20	7	2	8	10	16	19	12	6	4	2	1
Other Causes	466	217	22	5	–	1	245	–	–	1	2	6	7	9	19	46	92	39

Mean Population, 1861-71, and **Deaths** in **Districts** during the **10 Years 1861-70.**

CAUSES OF DEATH.	All Ages.	Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
		AGES OF FEMALES.																
74.—ROMNEY MARSH.																		
Mean Popul^{n}, 1861-71	2801	80	71	88	86	87	412	381	316	233	218	370	320	243	164	94	44	6
TOTAL DEATHS	502	107	31	16	17	9	180	22	13	12	21	40	36	28	37	47	49	17
Small-pox	3	-	2	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-
Measles	7	-	2	2	1	-	5	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	17	2	1	1	3	1	8	5	1	-	2	1	-	-	-	-	-	-
Diphtheria	13	-	1	3	1	1	6	2	2	1	1	-	1	-	-	-	-	-
Whooping-cough	8	3	3	1	1	-	8	-	-	-	-	-	-	-	-	-	-	-
Typhus	17	2	-	-	-	-	2	3	2	2	1	3	-	2	2	-	-	-
Diarrhœa & Dysentery	13	6	1	1	-	-	8	-	-	-	-	1	1	-	2	-	1	-
Cholera	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
Other Zymotic Dis.	23	-	8	-	1	1	5	3	-	1	2	1	3	1	-	4	1	2
Cancer	11	-	-	-	-	-	-	-	-	-	-	1	-	3	2	2	3	-
Scrofula and Tabes	10	6	-	1	-	-	7	-	-	-	1	-	-	2	-	-	-	-
Phthisis	43	1	-	1	-	-	2	-	-	4	7	14	12	2	1	1	-	-
Hydrocephalus	10	1	3	1	2	2	9	-	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	74	28	5	2	4	-	39	1	1	3	2	1	5	2	8	6	5	1
Dis. of Heart & Dropsy	24	-	-	-	-	-	-	1	1	-	3	4	4	2	3	3	3	-
Dis. of Lungs	80	13	5	2	4	2	26	3	1	-	-	4	2	6	10	14	10	4
Dis. of Stom. and Liver	39	1	-	-	-	1	2	-	2	-	-	1	4	4	7	13	6	-
Dis. of Kidneys	2	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Dis. of Joints	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Dis. of Skin	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metria	8	-	-	-	-	-	-	-	-	-	1	5	2	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Other Violent Deaths	10	2	-	1	-	-	3	1	2	1	-	1	-	-	-	-	2	-
Other Causes	82	42	4	-	-	-	46	-	-	-	-	-	1	4	-	4	17	10
75.—RYE.																		
Mean Popul^{n}, 1861-71	5962	164	152	149	143	167	775	741	649	505	463	803	677	565	409	267	95	13
TOTAL DEATHS	1090	184	46	24	16	12	282	48	30	35	36	76	96	85	92	140	138	32
Small-pox	2	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Measles	8	1	1	-	2	1	5	2	-	-	-	1	-	-	-	-	-	-
Scarlatina	23	2	3	3	1	2	11	6	4	1	-	-	1	-	-	-	-	-
Diphtheria	12	1	1	-	-	-	2	5	2	1	1	1	-	-	-	-	-	-
Whooping-cough	23	14	7	5	-	-	26	-	-	-	-	-	-	-	-	-	-	-
Typhus	41	2	-	1	-	-	3	5	3	4	1	5	6	3	5	4	1	1
Diarrhœa & Dysentery	28	10	4	3	-	1	18	1	-	1	-	-	-	3	3	1	1	-
Cholera	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	27	1	1	-	3	3	8	4	3	-	1	-	2	3	4	1	1	-
Cancer	30	-	-	-	-	-	-	-	-	-	-	1	5	8	7	3	5	1
Scrofula and Tabes	20	7	3	-	-	-	10	4	1	1	-	2	2	-	-	-	-	-
Phthisis	145	1	1	1	1	-	4	4	8	12	25	37	26	21	5	3	-	-
Hydrocephalus	12	4	6	1	-	1	12	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	132	26	3	3	2	1	35	5	3	4	1	4	9	4	18	26	21	2
Dis. of Heart & Dropsy	106	2	-	1	1	2	6	-	1	2	1	7	10	19	13	33	12	2
Dis. of Lungs	118	27	7	4	2	-	40	5	-	2	1	5	6	5	12	24	18	-
Dis. of Stom. and Liver	59	4	-	-	1	-	5	3	1	2	2	4	3	8	10	13	8	-
Dis. of Kidneys	8	-	-	-	-	-	-	1	-	1	1	1	-	1	1	1	1	-
Dis. of Gener. Organs	12	-	-	-	-	-	-	-	-	-	-	1	3	1	3	3	1	-
Dis. of Joints	6	-	-	-	-	-	-	-	-	2	1	-	-	1	1	1	-	-
Dis. of Skin	3	2	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
Childbirth and Metria	16	-	-	-	-	-	-	-	-	1	-	7	8	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Other Violent Deaths	16	3	1	-	2	-	6	2	1	1	-	-	3	1	1	-	1	-
Other Causes	237	76	8	1	1	1	87	1	1	-	1	-	12	5	9	27	68	26
76.—HASTINGS.																		
Mean Popul^{n}, 1861-71	17828	389	356	350	350	352	1797	1649	1581	1861	2011	3101	2233	1591	1121	650	215	18
TOTAL DEATHS	3058	568	202	99	68	57	994	116	68	111	110	256	260	245	265	319	254	60
Small-pox	17	6	2	1	1	-	10	2	-	-	1	1	1	-	1	-	1	-
Measles	34	4	14	9	1	2	30	1	1	-	-	1	1	-	-	-	-	-
Scarlatina	108	9	9	14	9	18	59	37	6	3	-	2	-	1	-	-	-	-
Diphtheria	17	1	1	1	4	1	8	4	2	1	-	-	1	1	-	-	-	-
Whooping-cough	87	29	31	7	6	5	78	4	2	1	1	1	-	-	-	-	-	-
Typhus	91	-	5	3	4	2	14	12	7	12	4	16	11	4	6	2	3	-
Diarrhœa & Dysentery	115	75	16	2	-	-	93	1	1	-	-	2	2	2	2	2	8	2
Cholera	7	2	1	-	-	-	3	-	1	-	1	1	-	1	-	-	-	-
Other Zymotic Dis.	74	5	4	8	13	5	35	3	2	5	-	5	7	4	3	5	2	3
Cancer	122	-	-	1	-	-	1	-	1	-	-	2	19	34	31	26	6	2
Scrofula and Tabes	73	23	14	6	-	2	45	7	6	2	4	5	1	1	-	2	-	-
Phthisis	500	4	3	3	1	-	11	3	16	61	72	134	119	55	22	6	1	-
Hydrocephalus	87	33	22	9	6	4	74	6	7	-	-	-	-	-	-	-	-	-
Dis. of Brain	320	70	13	13	5	6	107	10	3	6	4	12	10	28	56	48	30	6
Dis. of Heart & Dropsy	221	4	1	1	2	-	8	2	2	3	7	6	27	36	47	60	23	-
Dis. of Lungs	360	78	39	11	8	5	141	10	2	4	-	12	22	25	38	58	44	4
Dis. of Stom. and Liver	180	15	2	-	2	1	20	6	5	5	1	14	12	24	35	37	20	1
Dis. of Kidneys	34	-	-	-	-	1	1	1	-	1	3	8	5	4	5	6	-	-
Dis. of Gener. Organs	24	-	-	-	-	-	-	-	-	2	-	5	3	5	3	5	1	-
Dis. of Joints	11	-	1	-	-	-	1	1	-	1	-	1	1	5	-	-	1	-
Dis. of Skin	9	2	-	-	-	-	2	-	1	-	-	3	1	-	2	-	-	-
Childbirth and Metria	41	-	-	-	-	-	-	-	-	1	8	17	11	4	-	-	-	-
Suicide	7	-	-	-	-	-	-	-	-	-	1	-	1	2	1	2	-	-
Other Violent Deaths	41	7	2	3	3	4	19	2	3	1	1	-	4	1	2	6	-	2
Other Causes	478	291	22	7	3	1	294	4	-	2	2	8	1	8	11	51	111	40

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
77.—BATTLE.																		
Mean Populn, 1861–71	6732	184	188	200	173	203	948	829	815	657	505	809	722	590	446	281	115	15
TOTAL DEATHS	1101	223	65	29	25	20	362	39	21	24	40	60	55	68	83	148	164	37
Small-pox	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-
Measles	12	3	5	1	-	1	10	1	-	1	-	-	-	-	-	-	-	-
Scarlatina	27	2	1	4	1	6	14	9	1	2	-	1	-	-	-	-	-	-
Diphtheria	9	-	2	3	2	-	7	1	1	-	-	-	-	-	-	-	-	-
Whooping-cough	19	10	2	3	3	-	18	1	-	-	-	-	-	-	-	-	-	-
Typhus	38	-	2	-	3	3	8	2	2	3	6	3	5	8	1	4	1	-
Diarrhœa & Dysentery	21	9	3	-	1	-	13	-	1	-	-	-	1	1	1	2	2	-
Cholera	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	28	-	1	5	2	3	11	4	2	-	-	-	-	2	2	4	3	-
Cancer	11	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	3	-
Scrofula and Tabes	20	6	3	-	-	-	9	-	2	1	1	3	-	1	2	1	-	-
Phthisis	76	2	1	-	-	-	3	2	1	4	12	21	16	6	5	5	1	-
Hydrocephalus	28	12	5	8	2	1	23	2	2	1	-	-	-	-	-	-	-	-
Dis. of Brain	133	27	4	2	1	1	35	5	2	1	3	8	7	7	7	29	25	4
Dis. of Heart & Dropsy	115	-	-	-	-	-	-	5	-	-	-	10	5	15	22	28	27	3
Dis. of Lungs	181	37	20	3	5	2	67	7	2	4	5	3	11	12	9	29	25	7
Dis. of Stom. and Liver	54	6	-	2	1	1	10	-	-	1	4	2	3	7	12	10	5	-
Dis. of Kidneys	27	-	-	-	-	-	-	-	-	2	-	3	1	5	5	4	4	3
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Dis. of Joints	4	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-
Dis. of Skin	8	3	1	1	-	-	5	-	-	-	-	1	-	-	-	-	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	7	-	-	-	-	-	-	-	-	-	1	1	-	1	2	2	-	-
Other Violent Deaths	37	6	1	1	2	2	12	-	3	4	5	1	3	1	2	4	2	-
Other Causes	241	100	14	1	2	-	117	-	-	-	2	2	2	4	7	24	63	20
78.—EASTBOURNE.																		
Mean Populn, 1861–71	6337	203	169	175	175	191	913	816	735	565	514	864	703	547	372	213	80	15
TOTAL DEATHS	1157	263	79	37	29	24	432	55	33	37	44	76	74	76	89	113	104	24
Small-pox	3	1	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-
Measles	15	4	8	2	-	-	14	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	70	5	10	5	11	8	39	23	6	1	1	-	-	-	-	-	-	-
Diphtheria	18	1	-	4	2	2	9	4	4	1	-	-	-	-	-	-	-	-
Whooping-cough	29	10	13	4	-	-	27	2	-	-	-	-	-	-	-	-	-	-
Typhus	50	-	1	1	3	-	5	10	3	3	3	7	4	7	3	4	1	-
Diarrhœa & Dysentery	44	29	2	2	-	-	33	-	-	-	-	-	-	-	4	3	4	-
Cholera	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	34	3	2	1	4	3	13	-	1	3	1	3	3	2	2	3	2	1
Cancer	10	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	1	-
Scrofula and Tabes	44	17	8	2	-	1	28	3	1	1	3	2	2	3	-	1	-	-
Phthisis	139	3	2	-	-	1	6	4	3	10	23	89	23	15	10	6	-	-
Hydrocephalus	23	8	5	5	1	2	21	1	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	120	36	4	3	2	1	46	2	1	2	1	5	9	9	11	19	11	4
Dis. of Heart & Dropsy	86	2	1	-	1	-	4	2	3	4	-	4	9	9	14	19	17	1
Dis. of Lungs	122	38	12	3	3	3	59	3	2	1	1	2	5	8	10	13	17	1
Dis. of Stom. and Liver	70	13	4	1	-	-	18	-	1	1	-	3	5	7	10	14	9	2
Dis. of Kidneys	34	-	1	-	-	1	2	-	1	1	-	1	4	6	7	7	5	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	6	-	-	-	1	-	1	-	2	-	1	-	1	1	-	-	-	-
Dis. of Skin	3	-	-	-	-	1	1	-	-	1	-	-	-	1	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	10	-	-	-	-	-	-	-	-	-	1	1	1	3	3	1	-	-
Other Violent Deaths	47	2	1	1	-	1	5	-	2	7	9	6	7	2	4	5	-	-
Other Causes	179	91	4	3	1	-	99	-	2	1	-	1	1	1	8	14	37	15
79.—HAILSHAM.																		
Mean Populn, 1861–71	6674	189	188	195	201	173	946	846	815	627	511	775	658	597	468	293	121	17
TOTAL DEATHS	1098	224	54	19	18	15	330	51	30	32	33	50	63	61	104	124	164	56
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	11	3	5	2	-	-	10	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	28	1	1	3	2	4	11	11	2	1	2	1	-	-	-	-	-	-
Diphtheria	19	1	1	1	-	3	6	6	5	1	-	-	-	-	-	1	-	-
Whooping-cough	16	10	6	-	-	-	16	-	-	-	-	-	-	-	-	-	-	-
Typhus	33	2	2	2	2	1	9	2	-	6	-	3	3	2	5	2	1	-
Diarrhœa & Dysentery	31	13	3	1	-	-	17	2	-	1	-	-	1	1	2	1	5	1
Cholera	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Other Zymotic Dis.	28	3	4	1	2	2	12	2	1	-	-	-	2	1	3	3	2	2
Cancer	12	-	-	-	-	-	-	-	-	-	-	-	1	3	2	3	3	-
Scrofula and Tabes	29	4	3	3	1	1	12	2	3	2	2	2	4	-	1	1	-	-
Phthisis	133	1	-	-	1	-	2	1	8	10	19	27	24	17	22	1	2	-
Hydrocephalus	29	15	8	1	2	-	26	1	1	-	1	-	-	-	-	-	-	-
Dis. of Brain	112	32	3	1	3	2	41	6	3	2	2	4	5	4	7	15	22	1
Dis. of Heart & Dropsy	97	-	-	1	-	-	1	2	1	1	-	1	6	9	17	28	27	4
Dis. of Lungs	109	25	10	1	2	2	40	5	1	4	4	4	4	11	7	10	18	1
Dis. of Stom. and Liver	75	7	-	1	2	-	10	3	2	2	1	2	6	4	18	18	9	1
Dis. of Kidneys	23	-	-	-	-	-	-	-	1	-	-	1	1	1	4	7	4	4
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	3	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-
Dis. of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	6	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	-	-
Other Violent Deaths	39	1	3	-	1	-	5	5	2	-	2	4	4	3	8	4	1	1
Other Causes	262	105	5	1	-	-	111	2	-	1	-	1	1	2	5	29	70	40

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
77.—BATTLE.																		
Mean Populn, 1861–71	6490	197	184	197	180	177	935	846	777	549	478	838	708	597	401	253	93	15
TOTAL DEATHS	1121	171	56	30	20	18	295	68	34	50	39	80	64	76	84	140	155	36
Small-pox	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Measles	10	3	2	3	–	1	9	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	25	–	–	2	3	4	9	10	3	–	–	–	2	1	–	–	–	–
Diphtheria	23	1	1	–	1	5	8	9	4	1	–	1	–	–	–	–	–	–
Whooping-cough	29	11	8	3	3	–	25	3	–	1	–	–	–	–	–	–	–	–
Typhus	54	1	2	2	2	1	8	10	7	7	2	6	4	5	3	2	–	–
Diarrhœa & Dysentery	27	8	5	2	–	–	15	–	–	–	–	2	–	–	–	4	4	2
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	29	1	1	–	4	2	8	8	1	–	1	–	–	4	3	4	–	–
Cancer	33	–	–	–	–	–	–	–	–	–	–	–	6	7	8	7	5	–
Scrofula and Tabes	18	3	–	7	–	1	11	1	–	4	–	1	–	1	–	–	–	–
Phthisis	138	2	–	–	1	–	3	4	5	18	25	32	23	16	9	3	–	–
Hydrocephalus	24	7	7	1	1	–	16	4	3	–	–	–	1	–	–	–	–	–
Dis. of Brain	125	18	8	2	–	1	24	2	2	6	2	3	3	12	14	27	25	5
Dis. of Heart & Dropsy	104	4	1	–	–	–	5	1	3	2	2	5	10	8	16	26	26	–
Dis. of Lungs	165	28	16	6	2	2	54	4	4	4	2	9	3	12	11	32	24	6
Dis. of Stom. and Liver	43	5	–	–	2	–	7	5	–	3	1	4	1	2	9	7	4	–
Dis. of Kidneys	10	1	–	–	–	–	1	–	1	–	–	–	–	1	2	5	–	–
Dis. of Gener. Organs	9	–	–	–	–	–	–	–	–	–	1	–	1	2	3	2	–	–
Dis. of Joints	8	–	–	–	–	–	–	1	–	1	–	2	–	1	1	2	–	–
Dis. of Skin	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Childbirth and Metria	17	–	–	–	–	–	–	–	–	1	1	9	5	1	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–
Other Violent Deaths	16	3	2	–	1	–	6	2	–	–	1	2	1	–	–	1	2	1
Other Causes	208	75	8	2	–	1	86	3	1	2	–	4	4	2	5	16	63	22
78.—EASTBOURNE.																		
Mean Populn, 1861–71	6886	210	173	187	177	172	919	813	703	678	625	1005	811	588	404	235	88	17
TOTAL DEATHS	1092	201	69	44	32	15	361	47	34	31	40	96	80	69	78	114	111	31
Small-pox	2	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
Measles	14	3	4	2	2	–	11	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	67	4	8	12	10	5	39	13	7	3	1	1	1	1	1	–	–	–
Diphtheria	18	1	2	3	–	–	6	6	3	–	–	2	1	–	–	–	–	–
Whooping-cough	19	11	3	4	1	–	19	–	–	–	–	–	–	–	–	–	–	–
Typhus	49	–	1	1	4	2	8	6	4	3	7	6	6	3	2	1	3	–
Diarrhœa & Dysentery	35	18	8	–	–	–	26	2	–	–	–	1	–	–	–	2	4	–
Cholera	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	40	3	5	4	4	4	20	3	1	1	1	4	1	1	4	2	2	–
Cancer	31	–	–	–	–	–	–	–	–	–	–	2	4	6	7	8	3	1
Scrofula and Tabes	37	15	11	–	–	–	26	3	2	1	1	2	–	1	1	–	–	–
Phthisis	125	3	2	1	–	–	6	1	4	14	16	44	23	10	4	3	–	–
Hydrocephalus	24	9	5	4	2	2	22	1	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	130	22	4	5	2	–	33	4	5	5	2	8	8	15	8	22	18	2
Dis. of Heart & Dropsy	88	–	–	–	–	–	–	1	2	–	3	7	11	8	19	22	12	3
Dis. of Lungs	115	31	7	7	3	2	50	2	–	1	1	3	3	3	10	22	18	2
Dis. of Stom. and Liver	65	12	1	–	3	–	16	1	1	1	–	5	7	9	10	11	4	–
Dis. of Kidneys	16	–	–	–	–	–	–	–	–	–	1	–	4	2	3	5	–	1
Dis. of Gener. Organs	7	–	–	–	–	–	–	–	–	–	–	–	–	3	3	1	–	–
Dis. of Joints	4	–	1	–	–	–	1	1	1	–	–	–	–	1	–	–	–	–
Dis. of Skin	6	3	–	–	–	–	3	–	–	–	1	–	–	–	–	–	2	–
Childbirth and Metria	19	–	–	–	–	–	–	–	–	–	3	7	8	1	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–
Other Violent Deaths	12	–	–	–	–	–	–	–	1	–	–	2	1	1	1	2	4	–
Other Causes	165	66	6	1	1	–	74	–	–	2	3	2	2	2	4	13	41	22
79.—HAILSHAM.																		
Mean Populn, 1861–71	6170	187	184	176	175	182	904	848	723	505	464	781	661	546	396	224	105	13
TOTAL DEATHS	1079	174	51	30	21	9	285	40	32	52	50	76	76	65	93	147	130	33
Small-pox	2	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Measles	8	–	2	3	1	–	6	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	27	1	3	2	3	2	11	7	6	2	1	–	–	–	–	–	–	–
Diphtheria	28	1	1	2	1	2	7	10	8	2	–	1	–	–	–	–	–	–
Whooping-cough	16	10	5	1	–	–	16	–	–	–	–	–	–	–	–	–	–	–
Typhus	28	–	–	–	2	–	2	9	4	3	–	2	5	–	2	–	1	–
Diarrhœa & Dysentery	28	12	1	2	1	–	16	1	–	–	–	1	1	1	–	5	2	1
Cholera	4	–	–	–	1	–	1	–	–	–	–	–	1	1	–	1	–	–
Other Zymotic Dis.	25	1	1	3	4	–	9	2	–	–	1	3	2	1	–	4	3	–
Cancer	25	–	–	–	–	–	–	–	–	–	–	–	1	9	7	5	3	–
Scrofula and Tabes	32	3	6	2	2	–	13	1	2	4	1	2	2	5	1	1	–	–
Phthisis	176	–	2	2	–	–	4	3	4	27	29	40	36	12	13	5	3	–
Hydrocephalus	11	5	4	1	1	–	11	–	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	111	26	7	4	–	–	37	2	3	3	1	4	2	5	15	21	17	1
Dis. of Heart & Dropsy	102	1	–	–	–	–	1	2	2	–	3	5	3	8	17	37	23	1
Dis. of Lungs	108	28	13	4	1	3	49	–	2	2	1	2	4	5	9	22	10	2
Dis. of Stom. and Liver	84	4	–	–	2	–	6	–	–	4	4	8	7	13	18	17	6	1
Dis. of Kidneys	7	–	–	–	–	–	–	1	–	1	–	1	1	–	3	–	–	–
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
Dis. of Joints	3	–	1	–	–	1	2	–	–	–	–	–	–	–	–	–	1	–
Dis. of Skin	4	1	–	–	–	–	1	–	–	1	–	–	–	–	–	1	1	–
Childbirth and Metria	22	–	–	–	–	–	–	–	–	–	6	5	10	1	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	–
Other Violent Deaths	16	7	–	2	1	1	11	–	–	–	–	–	–	1	–	2	2	–
Other Causes	206	73	5	2	1	–	81	–	1	3	1	1	1	2	6	26	57	27

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
80.—TICEHURST.																		
Mean Popul^n, 1861–71	7858	239	225	234	231	205	1134	1024	905	764	589	942	793	702	545	318	125	17
TOTAL DEATHS	1394	313	102	41	26	16	498	70	24	47	49	73	77	86	128	167	136	39
Small-pox	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Measles	18	6	6	3	–	–	15	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	43	2	3	6	2	4	17	19	4	3	–	–	–	–	–	–	–	–
Diphtheria	21	1	2	2	3	4	12	7	–	1	1	–	–	–	–	–	–	–
Whooping-cough	17	6	9	1	1	–	17	–	–	–	–	–	–	–	–	–	–	–
Typhus	54	2	1	–	–	–	3	3	3	6	5	2	4	9	7	5	5	2
Diarrhœa & Dysentery	46	21	5	1	3	–	30	2	–	1	–	1	–	1	4	5	1	1
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Other Zymotic Dis.	30	3	4	–	4	3	14	3	1	–	2	1	–	3	3	2	1	–
Cancer	32	1	–	1	–	–	2	–	–	–	–	2	2	3	9	10	4	–
Scrofula and Tabes	31	10	5	3	–	–	18	3	2	2	1	2	2	–	–	1	–	–
Phthisis	150	1	2	2	–	–	5	2	2	12	23	41	31	16	11	5	2	–
Hydrocephalus	32	8	13	2	4	1	28	4	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	178	40	9	3	–	2	51	3	4	2	3	4	6	15	23	36	25	3
Dis. of Heart & Dropsy	82	8	–	1	–	–	9	1	2	2	3	4	6	12	12	20	11	–
Dis. of Lungs	201	46	22	5	1	2	76	8	3	8	3	1	8	4	19	29	36	6
Dis. of Stom. and Liver	109	23	7	3	3	–	36	5	–	3	3	6	9	9	22	13	1	2
Dis. of Kidneys	41	–	–	–	–	–	–	2	–	–	–	4	2	3	9	12	9	–
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Dis. of Joints	5	–	–	1	–	–	1	–	–	–	1	1	–	1	1	–	–	–
Dis. of Skin	4	1	–	1	1	–	3	–	–	–	–	–	–	–	1	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	14	–	–	–	–	–	–	–	–	1	1	–	3	4	1	3	1	–
Other Violent Deaths	47	5	4	3	3	–	15	4	3	6	2	2	3	5	2	3	2	–
Other Causes	236	129	10	3	1	–	143	1	–	–	1	1	1	1	3	22	38	25
81.—UCKFIELD.																		
Mean Popul^n, 1861–71	9463	247	265	267	263	258	1300	1244	1112	953	732	1153	968	828	605	389	156	23
TOTAL DEATHS	1662	394	91	39	31	19	574	56	37	39	64	84	89	110	130	217	211	51
Small-pox	9	1	–	–	–	–	1	–	–	–	3	2	–	2	1	–	–	–
Measles	7	1	3	1	1	–	6	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	49	2	6	5	9	2	24	13	6	3	2	–	1	–	–	–	–	–
Diphtheria	26	1	3	2	4	2	12	8	3	2	–	–	1	–	–	–	–	–
Whooping-cough	26	15	6	2	1	1	25	1	–	–	–	–	–	–	–	–	–	–
Typhus	57	1	3	1	–	–	5	3	2	7	5	8	5	7	5	8	2	–
Diarrhœa & Dysentery	21	6	2	2	1	–	11	–	–	–	–	–	–	–	–	4	4	2
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	39	10	3	2	3	2	20	2	1	–	–	2	1	1	2	6	2	2
Cancer	22	–	–	–	–	–	–	–	–	–	–	–	1	3	9	6	3	–
Scrofula and Tabes	87	42	10	5	3	2	62	5	4	3	4	–	1	1	5	2	–	–
Phthisis	176	–	–	1	–	–	1	2	4	9	34	43	37	23	17	6	–	–
Hydrocephalus	38	12	8	4	3	1	28	7	2	–	–	1	–	–	–	–	–	–
Dis. of Brain	184	61	6	2	–	2	71	3	4	2	5	5	8	5	15	31	32	3
Dis. of Heart & Dropsy	152	3	1	–	–	–	4	2	2	3	1	5	8	22	21	48	33	3
Dis. of Lungs	221	57	21	4	1	2	85	5	1	2	–	7	6	14	20	43	34	4
Dis. of Stom. and Liver	97	9	5	1	–	2	17	2	–	2	3	1	9	17	18	18	8	2
Dis. of Kidneys	37	1	–	–	–	–	1	–	1	1	–	2	3	4	5	11	7	2
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	7	–	–	–	–	–	–	–	–	–	1	–	1	1	2	2	–	–
Dis. of Skin	5	1	1	–	–	–	2	–	1	–	–	1	–	–	–	–	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	12	–	–	–	–	–	–	–	–	–	1	3	2	2	2	2	–	–
Other Violent Deaths	54	2	3	3	3	3	14	1	6	5	4	3	4	5	4	3	3	2
Other Causes	336	169	10	4	2	–	185	1	–	–	1	1	1	3	4	27	82	31
82.—EAST GRINSTEAD.																		
Mean Popul^n, 1861–71	7816	237	213	221	219	236	1126	986	900	732	646	999	830	647	501	312	123	14
TOTAL DEATHS	1256	282	69	29	24	16	420	42	30	33	39	60	78	74	106	149	179	46
Small-pox	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Measles	20	6	9	1	–	–	16	3	1	–	–	–	–	–	–	–	–	–
Scarlatina	18	1	1	2	3	2	9	4	3	1	1	–	–	–	–	–	–	–
Diphtheria	19	–	2	1	2	2	7	5	7	–	–	–	–	–	–	–	–	–
Whooping-cough	23	12	5	1	2	1	21	2	–	–	–	–	–	–	–	–	–	–
Typhus	29	–	–	1	1	1	3	4	2	2	2	–	2	6	1	3	4	–
Diarrhœa & Dysentery	39	9	4	3	1	1	18	1	–	–	–	1	1	–	2	3	8	5
Cholera	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	43	7	5	2	4	–	18	5	2	3	–	2	1	2	3	4	3	–
Cancer	19	–	–	–	1	–	1	–	–	–	–	1	–	1	6	6	4	–
Scrofula and Tabes	32	7	5	1	1	–	14	3	1	2	2	2	2	4	–	1	1	–
Phthisis	136	1	1	1	–	–	3	2	1	10	18	28	30	18	19	5	2	–
Hydrocephalus	37	14	9	6	4	3	36	–	–	1	–	–	–	–	–	–	–	–
Dis. of Brain	163	42	3	5	–	1	51	3	1	3	3	3	7	12	17	26	33	4
Dis. of Heart & Dropsy	80	1	–	–	–	–	1	3	2	–	2	4	4	9	12	24	17	2
Dis. of Lungs	219	56	14	3	2	3	78	2	2	3	4	4	11	8	23	38	37	9
Dis. of Stom. and Liver	54	9	2	–	–	–	11	1	–	1	–	6	3	6	11	8	6	1
Dis. of Kidneys	37	–	1	–	–	–	1	–	2	1	1	–	–	2	3	12	13	2
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Dis. of Joints	7	–	–	–	–	–	–	–	–	2	–	1	3	1	–	–	–	–
Dis. of Skin	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	10	–	–	–	–	–	–	–	–	–	1	1	3	1	2	1	1	–
Other Violent Deaths	38	2	1	–	2	1	6	1	5	4	5	6	7	1	–	2	1	–
Other Causes	228	114	7	2	1	1	125	1	1	–	–	1	3	3	7	15	49	23

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
80.—TICEHURST.																		
Mean Populn, 1861–71	7814	223	230	227	214	242	1136	1002	864	673	645	1057	863	666	489	299	108	12
TOTAL DEATHS	1254	215	77	36	29	19	376	55	37	50	53	87	98	80	96	159	127	36
Small-pox	2	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Measles	13	2	4	–	2	1	9	3	–	–	–	–	1	–	–	–	–	–
Scarlatina	36	1	7	6	6	1	21	9	4	–	–	2	–	–	–	–	–	–
Diphtheria	23	–	3	1	2	4	10	9	4	–	–	–	–	–	–	–	–	–
Whooping-cough	33	20	8	1	1	1	31	2	–	–	–	–	–	–	–	–	–	–
Typhus	41	1	2	2	2	–	7	4	4	5	1	5	6	1	3	4	1	–
Diarrhœa & Dysentery	28	12	2	1	1	–	16	1	1	–	1	1	–	–	–	4	2	2
Cholera	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Other Zymotic Dis.	25	3	5	3	2	4	17	–	–	2	–	1	1	–	1	3	–	–
Cancer	43	–	–	–	–	–	–	–	–	–	–	–	12	10	9	12	–	–
Scrofula and Tabes	24	4	6	3	–	–	13	3	2	–	1	3	1	–	–	1	–	–
Phthisis	197	5	1	3	–	–	9	4	10	28	33	52	31	17	11	1	1	–
Hydrocephalus	32	8	8	1	7	1	25	5	1	1	–	–	–	–	–	–	–	–
Dis. of Brain	149	28	8	1	1	1	39	5	3	3	10	1	6	15	18	26	20	3
Dis. of Heart & Dropsy	98	4	1	2	–	1	8	2	1	2	–	2	4	10	20	28	19	2
Dis. of Lungs	162	28	7	4	3	3	45	4	3	4	–	5	6	5	13	34	36	7
Dis. of Stom. and Liver	79	11	2	2	–	–	15	2	2	2	1	4	5	13	9	21	4	1
Dis. of Kidneys	20	–	–	–	–	1	1	–	–	–	1	1	4	4	3	4	2	–
Dis. of Gener. Organs	12	–	–	–	–	–	–	–	–	–	–	1	5	2	2	2	–	–
Dis. of Joints	8	–	1	1	–	–	2	1	–	1	–	–	2	–	1	1	–	–
Dis. of Skin	5	2	–	–	–	–	2	–	–	–	1	–	–	–	–	1	–	1
Childbirth and Metria	21	–	–	–	–	–	–	–	–	–	2	7	12	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Other Violent Deaths	13	2	1	3	1	–	7	–	1	–	–	–	1	1	–	1	1	1
Other Causes	187	83	11	2	1	1	98	1	1	1	1	–	1	2	6	16	41	19
81.—UCKFIELD.																		
Mean Populn, 1861–71	8824	287	266	279	265	274	1371	1195	1052	718	670	1130	946	784	526	305	109	18
TOTAL DEATHS	1493	279	69	37	26	17	428	66	41	82	67	115	114	92	138	162	143	45
Small-pox	4	1	–	–	–	1	2	–	–	–	1	–	1	–	–	–	–	–
Measles	13	4	3	3	2	–	12	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	57	2	6	3	6	6	23	16	7	4	2	3	2	–	–	–	–	–
Diphtheria	36	–	3	–	2	4	9	14	8	3	2	–	–	–	–	–	–	–
Whooping-cough	25	11	6	5	3	–	25	–	–	–	–	–	–	–	–	–	–	–
Typhus	46	1	–	–	1	–	2	2	3	7	3	5	4	3	8	7	2	–
Diarrhœa & Dysentery	28	12	3	3	–	–	18	1	–	–	1	–	–	1	1	1	3	2
Cholera	3	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–
Other Zymotic Dis.	36	10	1	4	2	3	20	1	2	1	2	2	1	3	–	3	1	–
Cancer	36	–	–	–	–	–	–	–	–	1	–	2	6	9	7	7	4	–
Scrofula and Tabes	72	20	14	5	1	1	41	7	–	7	4	4	1	2	4	2	–	–
Phthisis	213	1	–	–	1	–	2	1	13	36	35	47	41	27	10	1	–	–
Hydrocephalus	24	12	1	2	2	–	17	7	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	137	22	6	1	2	–	31	6	2	6	3	5	7	14	15	23	17	8
Dis. of Heart & Dropsy	155	–	1	–	–	–	1	–	–	6	2	14	11	12	31	48	28	2
Dis. of Lungs	178	37	19	7	2	2	67	6	1	4	4	6	6	7	25	26	21	5
Dis. of Stom. and Liver	101	7	–	–	1	–	8	1	2	3	3	10	4	10	23	25	11	1
Dis. of Kidneys	11	–	–	–	–	–	–	–	1	–	1	1	3	–	2	2	1	–
Dis. of Gener. Organs	15	–	–	–	–	–	–	–	–	1	–	2	2	2	5	3	–	–
Dis. of Joints	2	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Dis. of Skin	3	1	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–	–
Childbirth and Metria	36	–	–	–	–	–	–	–	–	2	4	11	19	–	–	–	–	–
Suicide	5	–	–	–	–	–	–	–	–	–	–	–	1	–	4	–	–	–
Other Violent Deaths	19	6	2	2	1	–	11	1	1	–	–	1	–	1	1	2	1	–
Other Causes	238	131	4	2	–	–	137	–	1	1	–	1	5	1	2	9	54	27
82.—EAST GRINSTEAD.																		
Mean Populn, 1861–71	7384	230	203	227	224	205	1089	991	847	634	568	1010	825	602	433	258	109	18
TOTAL DEATHS	1227	233	65	39	26	21	384	58	31	50	54	95	86	65	91	152	122	39
Small-pox	4	1	–	–	–	1	2	–	–	–	–	–	1	1	–	–	–	–
Measles	17	2	9	1	–	1	13	2	–	1	–	–	–	1	–	–	–	–
Scarlatina	32	1	2	2	3	2	10	18	2	–	–	2	–	–	–	–	–	–
Diphtheria	25	1	5	1	1	3	11	7	3	2	–	–	1	–	1	–	–	–
Whooping-cough	25	13	7	3	2	–	25	–	–	–	–	–	–	–	–	–	–	–
Typhus	45	–	1	–	1	1	3	2	6	6	12	3	5	2	2	3	1	–
Diarrhœa & Dysentery	37	15	2	3	1	–	21	3	–	–	–	3	3	1	–	3	2	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	34	2	1	2	1	3	9	2	1	–	–	1	–	2	4	5	6	4
Cancer	34	–	–	–	–	–	–	–	–	–	–	5	4	7	11	7	–	–
Scrofula and Tabes	46	10	6	3	1	1	21	3	2	3	5	6	2	1	2	1	–	–
Phthisis	174	5	–	1	–	1	7	7	8	27	25	43	35	11	6	3	1	1
Hydrocephalus	18	6	2	2	4	–	14	3	–	1	–	–	–	–	–	–	–	–
Dis. of Brain	144	33	6	7	3	1	50	1	4	3	1	5	8	6	13	23	25	5
Dis. of Heart & Dropsy	91	–	–	–	1	1	2	–	3	–	–	5	7	8	18	32	14	2
Dis. of Lungs	184	49	13	8	3	–	73	7	–	1	2	6	3	7	13	38	28	6
Dis. of Stom. and Liver	59	4	1	–	1	2	8	1	–	3	–	2	6	7	11	16	5	–
Dis. of Kidneys	9	–	–	–	–	–	–	–	–	–	1	–	1	2	3	2	–	–
Dis. of Gener. Organs	7	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	1	1
Dis. of Joints	10	–	–	–	–	–	–	–	1	–	–	2	2	3	1	1	–	–
Dis. of Skin	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Childbirth and Metria	24	–	–	–	–	–	–	–	–	1	6	12	4	1	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
Other Violent Deaths	25	3	3	3	2	2	13	1	1	1	–	–	2	1	–	1	5	–
Other Causes	179	88	6	3	2	2	101	1	–	1	2	–	1	1	5	15	33	19

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
83.—CUCKFIELD.																		
Mean Populn, 1861–71	9634	259	245	245	245	266	1260	1232	1340	999	725	1181	957	801	626	356	138	19
TOTAL DEATHS	1555	351	67	45	24	40	527	55	37	29	58	93	85	101	136	200	180	54
Small-pox	5	2	–	–	–	–	2	1	–	1	–	–	–	–	1	–	–	–
Measles	17	5	6	3	–	–	14	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	46	–	4	9	6	9	28	9	6	2	1	–	–	–	–	–	–	–
Diphtheria	30	4	3	5	3	6	21	8	–	1	–	–	–	–	–	–	–	–
Whooping-cough	18	12	4	1	1	–	18	–	–	–	–	–	–	–	–	–	–	–
Typhus	40	1	–	1	–	1	3	2	8	2	2	5	2	5	6	4	1	–
Diarrhœa & Dysentery	41	21	1	–	–	2	24	1	–	1	–	2	1	1	3	2	6	3
Cholera	4	–	1	–	–	–	1	1	–	–	1	–	–	–	–	–	1	–
Other Zymotic Dis.	56	8	3	5	2	4	22	8	1	–	3	–	6	2	3	7	3	1
Cancer	14	–	–	–	–	–	–	–	–	–	–	1	–	1	7	5	–	–
Scrofula and Tabes	33	17	6	2	2	–	27	2	–	–	1	–	–	1	1	–	1	–
Phthisis	200	2	3	–	–	1	6	3	5	8	31	62	31	22	18	13	1	–
Hydrocephalus	36	19	5	3	2	2	31	5	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	186	54	4	5	1	1	65	–	1	3	4	3	8	14	19	44	18	7
Dis. of Heart & Dropsy	123	–	–	–	–	2	2	2	3	1	1	5	8	18	26	36	21	–
Dis. of Lungs	179	56	18	3	2	4	83	4	2	1	3	3	9	10	14	20	26	4
Dis. of Stom. and Liver	77	8	1	3	1	1	14	3	2	2	2	5	6	9	14	17	3	–
Dis. of Kidneys	31	–	–	–	1	–	1	–	2	3	3	1	5	–	5	6	7	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	6	1	–	–	–	–	1	–	2	–	1	1	–	–	–	–	1	–
Dis. of Skin	6	1	–	–	–	–	1	–	2	–	1	–	–	–	1	–	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	16	–	–	–	–	–	–	–	–	1	–	1	1	5	5	3	–	–
Other Violent Deaths	72	8	4	3	2	3	20	2	3	3	3	3	6	11	8	10	2	1
Other Causes	313	132	4	2	1	4	143	1	–	–	1	1	2	2	5	33	88	37
84.—LEWES.																		
Mean Populn, 1861–71	14325	427	382	404	337	380	1930	1768	1705	1347	1118	1821	1579	1300	930	583	222	22
TOTAL DEATHS	2963	552	158	81	58	36	885	98	65	92	125	234	242	247	251	361	284	79
Small-pox	7	1	–	–	–	–	1	–	–	–	–	2	2	1	1	–	–	–
Measles	24	3	7	4	4	1	19	5	–	–	–	–	–	–	–	–	–	–
Scarlatina	60	2	9	6	6	5	28	23	7	1	1	–	–	–	–	–	–	–
Diphtheria	32	3	2	2	5	4	16	10	1	2	–	1	–	1	1	–	–	–
Whooping-cough	55	26	17	9	2	1	55	–	–	–	–	–	–	–	–	–	–	–
Typhus	100	1	1	3	4	4	13	7	10	12	11	13	12	5	6	8	3	–
Diarrhœa & Dysentery	91	45	10	3	3	–	61	1	–	–	1	3	2	4	2	6	8	3
Cholera	8	–	1	–	–	–	1	–	–	–	–	1	–	3	–	3	–	–
Other Zymotic Dis.	76	9	5	10	2	4	30	4	3	8	1	6	3	5	2	6	4	4
Cancer	50	–	–	1	–	–	1	–	–	1	2	3	3	6	13	10	10	1
Scrofula and Tabes	94	36	11	7	4	2	60	6	8	4	3	2	5	1	4	1	–	–
Phthisis	389	8	4	–	2	1	15	6	9	26	68	91	62	63	25	21	3	–
Hydrocephalus	56	12	15	6	4	1	38	14	3	–	–	–	–	–	–	1	–	–
Dis. of Brain	607	102	24	10	7	4	147	6	3	7	16	47	67	65	76	98	61	14
Dis. of Heart & Dropsy	245	4	1	–	–	–	5	5	4	6	1	11	24	26	52	60	45	6
Dis. of Lungs	342	80	30	18	12	4	144	–	3	5	7	10	20	16	28	59	42	8
Dis. of Stom. and Liver	114	16	1	–	1	–	18	4	3	2	2	11	12	20	14	22	6	–
Dis. of Kidneys	55	–	–	–	–	1	1	–	1	–	1	6	4	4	2	22	10	4
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–
Dis. of Joints	8	–	–	–	–	–	–	–	1	1	–	–	–	1	3	2	–	–
Dis. of Skin	7	2	–	–	–	–	2	1	–	–	–	–	–	–	–	2	2	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	29	–	–	–	–	–	–	–	–	2	1	4	5	5	10	2	–	–
Other Violent Deaths	124	5	5	2	1	4	17	5	8	13	9	19	16	19	6	8	4	–
Other Causes	388	197	15	–	1	–	213	1	1	2	1	4	5	1	6	30	85	39
85.—BRIGHTON.																		
Mean Populn, 1861–71	36147	1111	941	966	918	907	4843	4404	4212	3395	2971	5159	4318	3188	2063	1170	386	38
TOTAL DEATHS	9256	2387	822	361	251	154	3975	320	158	179	281	553	748	722	812	843	559	106
Small-pox	103	19	9	6	6	5	45	24	5	2	6	8	7	3	2	–	1	–
Measles	163	26	68	39	17	4	154	6	3	–	–	–	–	–	–	–	–	–
Scarlatina	270	15	43	34	50	28	170	63	20	7	4	4	1	1	–	–	–	–
Diphtheria	91	4	7	12	17	12	52	24	7	2	2	4	1	2	–	–	–	–
Whooping-cough	250	103	90	28	16	7	244	5	–	–	–	–	–	–	–	1	–	–
Typhus	208	7	3	8	7	14	39	27	12	18	13	20	28	18	15	16	2	–
Diarrhœa & Dysentery	508	374	82	8	3	2	469	2	–	–	1	2	2	5	8	9	7	3
Cholera	16	4	1	–	1	1	7	–	1	–	–	1	2	2	1	2	–	–
Other Zymotic Dis.	206	21	24	22	21	14	102	19	8	–	4	14	9	14	11	19	5	1
Cancer	139	–	1	–	2	–	3	–	–	–	2	3	14	28	41	38	10	–
Scrofula and Tabes	185	57	34	19	6	7	123	19	6	6	6	9	1	6	6	3	–	–
Phthisis	1256	29	32	26	8	5	100	18	20	77	147	261	298	209	97	26	3	–
Hydrocephalus	250	89	65	26	20	16	216	28	4	–	–	–	–	–	1	1	–	–
Dis. of Brain	1081	346	86	29	15	13	489	20	10	15	15	43	66	78	122	153	68	5
Dis. of Heart & Dropsy	568	7	3	2	3	2	17	6	13	15	17	51	65	90	123	120	45	6
Dis. of Lungs	1391	552	151	59	36	13	611	24	12	5	14	35	76	95	155	167	82	25
Dis. of Stom. and Liver	394	46	6	3	2	2	59	3	9	8	8	29	56	64	89	49	17	3
Dis. of Kidneys	223	2	4	1	1	1	9	5	3	4	6	11	51	28	47	48	31	–
Dis. of Gener. Organs	3	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–
Dis. of Joints	53	–	1	–	1	–	2	6	9	3	5	7	8	4	5	4	–	–
Dis. of Skin	38	15	–	–	2	1	18	1	–	–	2	2	2	5	3	3	1	1
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	58	–	–	–	–	–	–	–	–	3	1	7	14	13	6	12	2	–
Other Violent Deaths	238	31	10	8	6	4	59	13	11	13	23	26	31	34	22	14	10	2
Other Causes	1628	840	102	31	11	3	987	7	5	1	5	16	36	21	58	157	275	60

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
83.—CUCKFIELD.																		
Mean Populn, 1861–71	9038	271	259	273	249	256	1308	1161	1021	784	745	1296	989	759	543	308	105	19
TOTAL DEATHS	1378	255	80	34	35	15	419	60	38	68	53	111	109	87	94	154	136	49
Small-pox	2	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Measles	14	-	5	2	2	-	9	4	1	-	-	-	-	-	-	-	-	-
Scarlatina	37	-	8	5	5	5	23	12	1	-	-	1	-	-	-	-	-	-
Diphtheria	33	1	3	3	2	1	10	7	7	2	1	2	3	1	-	-	-	-
Whooping-cough	25	13	5	3	-	1	22	2	1	-	-	-	-	-	-	-	-	-
Typhus	47	-	2	2	3	-	7	7	5	9	4	3	2	3	2	5	-	-
Diarrhœa & Dysentery	29	12	2	1	1	-	16	1	-	-	1	2	-	-	-	3	4	2
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Zymotic Dis.	51	6	4	-	7	2	19	5	-	3	1	2	3	2	5	8	3	-
Cancer	37	-	-	-	-	-	-	-	-	-	-	3	3	13	7	9	2	-
Scrofula and Tabes	31	11	4	1	1	-	17	3	2	1	1	3	1	1	1	-	-	1
Phthisis	207	3	5	2	1	2	13	5	10	35	29	45	47	14	7	2	-	-
Hydrocephalus	24	5	8	2	4	1	20	2	1	1	-	-	-	-	-	-	-	-
Dis. of Brain	165	29	6	5	1	-	41	4	3	3	4	11	10	16	19	24	25	5
Dis. of Heart & Dropsy	116	2	-	-	-	-	2	1	-	3	-	6	10	11	27	39	16	1
Dis. of Lungs	139	38	13	5	3	2	61	1	-	3	2	4	5	3	9	28	19	4
Dis. of Stom. and Liver	63	7	4	-	-	-	11	2	3	1	2	9	6	9	5	9	6	-
Dis. of Kidneys	11	-	-	-	-	-	-	-	-	-	1	-	-	3	4	2	1	-
Dis. of Gener. Organs	11	-	1	-	-	-	1	-	-	1	-	-	5	2	-	2	-	-
Dis. of Joints	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Dis. of Skin	7	1	-	-	-	-	1	1	-	1	-	1	-	-	-	1	2	-
Childbirth and Metria	28	-	-	-	-	-	-	-	-	2	3	13	9	1	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	1	-	-	2	-	-	1	-	-	-
Other Violent Deaths	30	2	-	-	3	1	6	1	1	2	3	2	2	3	3	5	1	1
Other Causes	264	124	10	2	2	-	138	2	2	1	1	2	3	3	3	17	57	35
84.—LEWES.																		
Mean Populn, 1861–71	14143	414	346	368	360	383	1871	1739	1565	1216	1167	1920	1655	1272	926	574	211	27
TOTAL DEATHS	2743	469	141	85	63	32	790	87	61	97	112	240	232	182	223	320	316	83
Small-pox	12	3	-	1	-	-	4	-	-	2	2	2	2	-	-	-	-	-
Measles	26	4	7	5	4	2	22	1	1	-	1	-	1	-	-	-	-	-
Scarlatina	60	2	5	16	7	2	32	15	3	3	3	2	1	-	-	-	1	-
Diphtheria	43	3	2	6	2	7	20	13	7	2	-	1	-	-	-	-	-	-
Whooping-cough	72	35	20	7	7	1	70	2	-	-	-	-	-	-	-	-	-	-
Typhus	77	1	2	4	1	1	9	14	9	10	3	6	7	6	4	7	2	-
Diarrhœa & Dysentery	79	37	7	1	-	-	45	1	1	-	3	1	1	2	4	8	7	6
Cholera	5	-	-	-	1	-	1	-	-	-	-	3	-	-	-	-	1	-
Other Zymotic Dis.	68	8	1	6	10	6	31	3	2	1	1	2	2	1	4	8	10	3
Cancer	80	-	-	-	-	-	-	-	1	-	-	5	15	17	20	18	4	-
Scrofula and Tabes	87	25	21	5	2	3	56	4	4	4	4	3	4	4	2	2	-	-
Phthisis	414	8	5	1	6	1	21	4	19	50	58	117	76	33	27	8	1	-
Hydrocephalus	38	12	3	11	4	-	30	3	4	-	-	-	1	-	-	-	-	-
Dis. of Brain	441	78	24	13	5	2	122	7	2	12	10	25	35	40	43	70	63	12
Dis. of Heart & Dropsy	261	1	2	-	-	1	4	4	4	2	6	15	30	29	52	73	36	6
Dis. of Lungs	297	55	23	7	7	1	93	9	3	1	3	11	14	12	24	52	61	14
Dis. of Stom. and Liver	133	12	2	1	1	1	17	3	1	5	7	13	13	23	19	24	7	1
Dis. of Kidneys	23	-	-	-	-	-	-	-	-	1	1	3	5	1	6	4	2	-
Dis. of Gener. Organs	17	-	-	-	-	-	-	-	-	-	2	2	3	3	3	3	1	-
Dis. of Joints	13	-	-	-	-	-	-	1	-	-	1	2	3	1	2	2	1	-
Dis. of Skin	3	1	-	-	1	-	2	-	-	-	-	-	-	1	-	-	-	-
Childbirth and Metria	34	-	-	-	-	-	-	-	-	2	6	17	9	-	-	-	-	-
Suicide	10	-	-	-	-	-	-	-	-	-	1	2	2	2	3	-	-	-
Other Violent Deaths	29	5	3	-	2	4	14	1	-	1	-	2	3	2	-	3	3	-
Other Causes	421	179	14	1	3	-	197	2	-	1	-	6	5	5	10	38	116	41
85.—BRIGHTON.																		
Mean Populn, 1861–71	47705	1085	955	966	939	936	4881	4459	4440	5065	5099	7834	5986	4540	3042	1700	578	81
TOTAL DEATHS	9207	1878	701	375	210	167	3331	332	173	226	288	635	690	691	826	1012	788	220
Small-pox	81	18	9	7	6	5	45	7	5	5	8	3	4	1	2	-	1	-
Measles	183	30	54	43	20	17	164	14	2	-	1	1	-	-	-	-	1	-
Scarlatina	256	8	28	46	43	29	154	66	16	5	5	4	4	2	-	-	-	-
Diphtheria	125	7	16	10	13	12	58	44	7	5	2	6	2	1	-	-	-	-
Whooping-cough	257	95	80	44	12	13	244	11	1	1	-	-	-	-	-	-	-	-
Typhus	236	7	8	14	8	12	49	25	16	22	21	33	19	20	11	14	5	1
Diarrhœa & Dysentery	479	340	65	5	2	1	413	2	1	3	1	2	4	6	12	14	16	5
Cholera	16	4	-	-	-	-	4	-	1	-	-	-	5	3	2	1	-	-
Other Zymotic Dis.	170	15	16	20	19	9	79	13	6	6	3	12	11	7	10	16	6	1
Cancer	268	-	-	1	-	-	1	2	-	1	1	29	51	87	111	59	21	5
Scrofula and Tabes	173	49	21	13	3	7	93	19	12	12	8	8	10	5	2	4	-	-
Phthisis	1213	16	22	16	8	1	63	33	41	102	140	290	281	171	73	17	2	-
Hydrocephalus	210	65	54	25	19	14	177	24	5	3	1	-	-	-	-	-	-	-
Dis. of Brain	1035	239	58	29	14	19	359	24	18	17	22	31	53	87	142	166	99	17
Dis. of Heart & Dropsy	605	9	3	3	1	1	17	4	11	11	13	46	57	77	139	157	67	6
Dis. of Lungs	1182	248	131	54	24	16	473	21	8	9	6	29	41	74	150	215	122	34
Dis. of Stom. and Liver	461	21	8	3	3	2	37	6	6	5	15	31	49	78	85	105	36	8
Dis. of Kidneys	114	-	3	1	1	-	5	1	2	4	9	20	24	17	11	12	9	-
Dis. of Gener. Organs	68	-	-	-	-	-	-	-	-	1	1	13	12	13	7	18	3	-
Dis. of Joints	36	1	1	1	-	1	4	1	6	2	4	1	4	7	3	3	1	-
Dis. of Skin	47	13	2	1	-	-	16	-	-	1	4	3	2	4	4	8	5	-
Childbirth and Metria	81	-	-	-	-	-	-	-	-	3	11	43	24	-	-	-	-	-
Suicide	21	-	-	-	-	-	-	-	-	2	2	3	3	7	3	1	-	-
Other Violent Deaths	114	26	5	7	5	4	47	12	5	4	1	5	11	2	9	7	9	2
Other Causes	1676	667	117	32	9	4	829	3	4	2	9	22	19	22	50	195	380	141

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
86.—STEYNING.*																		
Mean Popul^{n}, 1861–71	12542	331	310	319	326	302	1588	1515	1600	1296	1089	1725	1369	1049	728	414	153	16
TOTAL DEATHS	2200	521	163	68	45	41	838	84	62	69	72	113	132	155	173	260	190	52
Small pox	14	4	–	–	–	1	5	–	1	1	2	–	1	2	1	–	1	–
Measles	42	3	17	6	3	5	34	5	3	–	–	–	–	–	–	–	–	–
Scarlatina	80	9	13	13	9	6	50	19	7	1	2	1	–	–	–	–	–	–
Diphtheria	49	4	6	2	3	9	24	13	6	1	1	3	–	1	–	–	–	–
Whooping-cough	57	24	20	7	3	1	55	–	–	1	1	–	–	–	–	–	–	–
Typhus	71	2	3	2	3	2	12	4	8	4	10	6	10	5	4	6	2	–
Diarrhœa & Dysentery	110	79	13	1	1	2	96	2	–	–	–	–	–	–	2	4	5	1
Cholera	2	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	47	4	4	2	4	1	15	2	1	4	1	–	5	4	6	6	1	2
Cancer	40	–	–	–	–	–	–	–	–	–	–	–	5	8	8	12	6	1
Scrofula and Tabes	41	5	6	3	2	1	17	7	4	2	1	5	3	–	1	1	–	–
Phthisis	240	7	1	3	3	1	15	5	6	25	32	54	44	33	17	8	1	–
Hydrocephalus	60	25	20	8	3	2	58	1	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	283	99	11	6	4	2	122	9	7	5	5	3	12	15	29	37	36	3
Dis. of Heart & Dropsy	135	–	1	–	–	–	1	–	2	3	1	6	9	20	26	50	16	1
Dis. of Lungs	279	61	25	8	4	5	103	6	1	5	4	11	14	23	29	50	29	4
Dis. of Stom. and Liver	96	12	–	2	–	–	14	3	4	2	2	2	8	14	15	24	8	–
Dis. of Kidneys	57	–	2	–	–	–	2	2	–	1	–	3	1	11	15	16	3	3
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Dis. of Joints	14	–	–	–	–	1	1	1	2	–	1	2	–	5	1	1	–	–
Dis. of Skin	4	2	–	–	–	–	2	1	–	–	–	–	–	–	–	–	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	22	–	–	–	–	–	–	–	–	1	1	4	4	4	4	2	2	–
Other Violent Deaths	83	5	5	1	1	1	13	4	8	12	5	10	8	7	5	7	4	–
Other Causes	373	174	16	4	2	1	197	–	1	1	3	3	8	3	10	35	75	37
87.—HORSHAM.*																		
Mean Popul^{n}, 1861–71	8219	238	209	202	210	212	1071	1041	911	786	665	1096	917	744	523	326	125	14
TOTAL DEATHS	1508	284	89	44	35	20	472	76	33	41	35	79	92	97	137	200	196	50
Small-pox	8	1	–	–	–	–	1	–	1	1	–	–	1	1	–	2	1	–
Measles	9	3	1	3	1	–	8	–	–	1	–	–	–	–	–	–	–	–
Scarlatina	70	–	12	6	12	10	40	22	3	2	1	1	1	–	–	–	–	–
Diphtheria	25	1	–	2	3	1	7	12	1	3	1	–	–	–	–	1	–	–
Whooping-cough	16	4	10	1	–	1	16	–	–	–	–	–	–	–	–	–	–	–
Typhus	53	1	–	3	3	–	7	3	5	2	7	8	4	7	5	3	2	–
Diarrhœa & Dysentery	37	6	4	–	–	–	10	1	–	–	–	1	2	–	4	6	9	4
Cholera	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	40	8	1	3	5	1	18	3	1	1	1	1	2	2	5	4	2	–
Cancer	24	–	1	–	–	–	1	–	–	–	–	1	1	5	7	7	2	–
Scrofula and Tabes	23	6	4	–	3	1	14	3	1	–	–	3	1	–	–	–	1	–
Phthisis	145	2	1	3	–	1	7	5	8	16	13	28	34	15	11	8	–	–
Hydrocephalus	21	9	5	2	–	1	17	4	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	195	45	14	–	2	1	62	6	3	3	2	6	8	7	19	41	33	5
Dis. of Heart & Dropsy	96	–	–	–	–	–	–	2	2	3	3	6	10	9	16	28	17	–
Dis. of Lungs	288	65	20	12	4	2	103	6	3	2	2	4	12	21	35	36	53	11
Dis. of Stom. and Liver	92	7	4	1	–	–	12	4	2	1	1	8	6	13	18	18	8	1
Dis. of Kidneys	37	–	–	–	1	–	1	1	–	1	1	–	4	5	7	7	8	2
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	4	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	1	–
Dis. of Skin	7	–	–	–	–	–	–	1	–	–	1	–	–	–	–	3	2	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	7	–	–	–	–	–	–	–	–	1	–	2	–	1	1	1	1	–
Other Violent Deaths	46	3	2	5	–	–	10	–	2	3	2	9	2	6	5	2	5	–
Other Causes	234	123	10	3	1	1	138	1	1	1	–	1	3	4	4	33	51	27
88.—PETWORTH.*																		
Mean Popul^{n}, 1861–71	4964	136	128	129	121	123	637	574	537	502	427	633	525	446	355	235	84	9
TOTAL DEATHS	943	168	59	20	18	22	287	45	30	20	44	64	43	58	72	121	129	30
Small-pox	2	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Measles	11	2	2	1	2	1	8	2	–	–	1	–	–	–	–	–	–	–
Scarlatina	38	1	2	3	3	8	17	10	8	1	–	2	–	–	–	–	–	–
Diphtheria	20	–	1	–	3	2	6	6	4	–	1	1	2	–	–	–	–	–
Whooping-cough	21	6	8	3	1	–	18	3	–	–	–	–	–	–	–	–	–	–
Typhus	10	–	2	–	–	–	2	–	1	1	2	2	–	1	–	1	–	–
Diarrhœa & Dysentery	31	5	5	1	–	3	14	–	–	1	–	1	1	–	–	2	10	2
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Other Zymotic Dis.	24	4	1	1	1	–	7	2	1	2	1	1	1	–	3	5	1	–
Cancer	18	–	1	–	–	–	1	–	–	–	–	–	2	2	2	6	3	2
Scrofula and Tabes	14	5	1	–	–	–	6	2	1	–	1	1	–	2	–	1	–	–
Phthisis	91	–	–	–	–	–	–	–	4	4	23	30	8	12	6	3	1	–
Hydrocephalus	23	3	5	2	3	2	15	6	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	154	41	9	2	1	8	56	3	2	1	3	2	7	7	14	34	19	6
Dis. of Heart & Dropsy	65	1	–	–	–	–	1	1	–	1	1	4	4	5	13	20	15	–
Dis. of Lungs	117	15	16	2	2	1	36	5	2	1	3	2	8	7	9	17	23	4
Dis. of Stom. and Liver	59	4	1	–	–	1	6	–	1	2	3	5	2	6	13	14	7	–
Dis. of Kidneys	17	–	–	–	1	–	1	–	–	1	–	2	–	1	2	4	6	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–
Dis. of Skin	4	1	1	–	–	–	2	–	–	–	–	1	–	–	1	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	11	–	–	–	–	–	–	–	–	–	1	2	2	4	1	1	–	–
Other Violent Deaths	34	1	–	4	1	1	7	2	3	2	2	6	1	5	3	–	2	1
Other Causes	175	79	4	1	–	–	84	2	1	3	1	1	5	6	5	11	41	15

* Corrections have been made on account of changes in the limits of this District.

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
86.—STEYNING.*																		
Mean Popul^{n}, 1861–71	14687	325	318	305	311	285	1544	1504	1416	1560	1569	2394	1774	1345	877	499	177	28
TOTAL DEATHS	2196	433	150	77	43	36	739	95	51	62	83	151	160	170	199	204	214	68
Small-pox	4	1	1	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-
Measles	34	6	8	8	1	4	27	6	-	-	1	-	-	-	-	-	-	-
Scarlatina	78	7	14	8	15	5	49	18	3	1	2	3	2	-	-	-	-	-
Diphtheria	66	1	6	10	7	10	34	23	4	3	-	-	-	1	-	1	-	-
Whooping cough	53	20	19	5	5	-	49	4	-	-	-	-	-	-	-	-	-	-
Typhus	92	1	4	6	5	4	20	12	16	9	3	12	6	7	2	2	3	-
Diarrhœa & Dysentery	97	63	10	3	1	1	78	1	-	-	-	-	3	3	4	5	1	2
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	35	4	2	5	1	2	14	3	2	2	-	2	1	2	4	4	1	-
Cancer	82	-	-	-	-	-	-	-	-	-	-	6	5	21	21	23	6	-
Scrofula and Tabes	33	11	7	4	-	1	23	1	-	3	3	1	1	-	-	1	-	-
Phthisis	307	3	5	3	1	-	12	3	9	32	47	83	60	45	13	3	-	-
Hydrocephalus	46	21	13	4	3	-	41	5	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	265	79	14	5	3	3	104	7	7	3	2	7	15	19	29	35	32	5
Dis. of Heart & Dropsy	171	1	2	-	-	-	3	3	4	2	3	8	19	16	47	31	31	4
Dis. of Lungs	246	54	27	7	1	-	89	3	1	1	2	5	9	17	30	43	35	11
Dis. of Stom. and Liver	131	9	-	1	-	2	12	3	4	2	5	6	16	20	28	17	14	4
Dis. of Kidneys	32	-	-	1	-	1	2	-	-	-	2	3	8	5	11	-	1	-
Dis. of Gener. Organs	16	-	-	-	-	-	-	-	-	-	1	2	5	4	1	3	-	-
Dis. of Joints	5	-	-	-	-	1	1	-	-	1	-	1	-	-	1	1	-	-
Dis. of Skin	6	4	-	1	-	-	5	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metria	20	-	-	-	-	-	-	-	-	-	5	6	7	2	-	-	-	-
Suicide	7	-	-	-	-	-	-	-	-	1	-	2	-	3	1	-	-	-
Other Violent Deaths	29	6	-	2	-	1	9	1	1	1	3	3	-	1	1	4	5	-
Other Causes	341	142	18	4	-	1	165	2	-	1	2	1	3	4	6	31	84	42
87.—HORSHAM.*																		
Mean Popul^{n}, 1861–71	7780	237	215	218	213	214	1097	1010	890	706	608	1038	862	687	474	282	114	12
TOTAL DEATHS	1318	225	65	40	23	25	378	70	38	45	61	98	87	84	106	158	155	38
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Measles	13	3	2	2	-	1	8	2	1	-	-	-	1	1	-	-	-	-
Scarlatina	53	1	5	3	9	7	25	21	1	-	2	1	2	1	-	-	-	-
Diphtheria	34	3	2	4	5	2	16	10	4	-	1	1	-	1	1	-	-	-
Whooping-cough	23	11	7	4	-	1	23	-	-	-	-	-	-	-	-	-	-	-
Typhus	40	-	-	1	1	2	4	6	8	4	3	3	4	2	3	3	-	-
Diarrhœa & Dysentery	32	11	2	1	1	-	15	-	1	-	-	1	-	1	2	2	8	2
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	25	2	-	-	-	1	3	5	3	1	-	3	1	1	2	4	2	-
Cancer	30	-	-	-	-	-	-	-	-	-	-	4	7	6	1	9	3	-
Scrofula and Tabes	27	8	4	1	-	-	13	4	1	-	1	2	2	2	2	-	-	-
Phthisis	195	1	2	-	-	-	3	3	11	30	34	56	35	12	3	3	-	-
Hydrocephalus	16	6	3	2	-	3	14	2	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	145	31	7	3	3	1	45	3	2	-	2	7	6	8	21	23	23	5
Dis. of Heart & Dropsy	83	-	-	-	1	-	1	1	-	1	4	4	7	7	19	26	11	2
Dis. of Lungs	254	51	23	11	2	6	93	5	1	2	1	5	6	13	21	46	36	5
Dis. of Stom. and Liver	88	7	-	-	-	1	8	1	1	4	4	2	8	20	16	12	12	-
Dis. of Kidneys	14	-	-	-	-	-	-	2	1	2	-	2	1	-	2	8	1	-
Dis. of Gener. Organs	13	-	-	-	-	-	-	-	-	-	2	-	2	5	1	2	1	-
Dis. of Joints	5	-	-	-	-	-	-	2	1	-	-	1	-	-	-	1	-	-
Dis. of Skin	4	1	1	-	-	-	2	-	1	-	-	-	-	-	-	1	-	-
Childbirth and Metria	12	-	-	-	-	-	-	-	-	-	6	4	2	-	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-
Other Violent Deaths	17	4	1	4	-	-	9	1	-	1	-	-	1	-	-	1	3	1
Other Causes	210	85	6	4	1	-	96	2	1	-	1	2	1	1	6	22	55	23
88.—PETWORTH.*																		
Mean Popul^{n}, 1861–71	4554	124	125	133	111	122	615	606	502	393	345	572	517	399	317	198	80	10
TOTAL DEATHS	897	141	28	18	21	16	224	50	31	43	36	61	57	62	75	113	108	37
Small-pox	4	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-
Measles	8	1	1	1	2	1	6	1	1	-	-	-	-	-	-	-	-	-
Scarlatina	40	2	1	3	6	5	17	15	2	3	1	2	-	-	-	-	-	-
Diphtheria	28	1	-	2	4	2	9	11	7	-	-	-	1	-	-	-	-	-
Whooping-cough	12	8	3	1	-	-	12	-	-	-	-	-	-	-	-	-	-	-
Typhus	13	-	-	-	-	2	2	1	2	2	1	1	1	1	-	2	-	-
Diarrhœa & Dysentery	19	5	-	1	1	2	9	1	1	-	-	1	-	-	1	4	1	1
Cholera	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Other Zymotic Dis.	21	7	3	-	1	1	12	1	1	1	1	-	1	1	2	-	1	-
Cancer	22	-	-	-	-	-	-	-	-	1	-	-	3	6	9	1	2	-
Scrofula and Tabes	21	3	3	-	-	-	6	2	3	4	-	2	3	1	-	-	-	-
Phthisis	124	-	1	1	1	-	3	-	4	21	22	30	24	12	7	1	-	-
Hydrocephalus	20	6	3	1	2	1	13	3	1	-	1	1	1	-	-	-	-	-
Dis. of Brain	112	17	3	2	-	1	23	3	4	2	4	5	4	12	8	26	18	3
Dis. of Heart & Dropsy	73	2	-	-	-	-	2	1	3	3	-	5	5	5	15	22	10	2
Dis. of Lungs	102	15	5	3	2	1	26	4	2	2	2	5	5	6	11	19	17	3
Dis. of Stom. and Liver	52	3	-	-	-	-	3	1	-	2	1	3	5	7	12	14	4	-
Dis. of Kidneys	6	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	-	-
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-
Dis. of Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	7	-	-	-	-	-	-	-	-	-	-	5	1	1	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Other Violent Deaths	17	1	1	2	1	-	5	4	-	-	1	-	1	-	1	3	2	-
Other Causes	190	70	4	1	1	-	76	2	-	1	1	-	1	5	5	19	52	23

* Corrections have been made on account of changes in the limits of this District.

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
89.—THAKEHAM.*																		
Mean Popul^n, 1861-71	3917	103	102	104	95	99	503	504	445	380	296	481	424	370	262	172	73	7
TOTAL DEATHS	645	118	36	15	10	12	191	31	16	14	28	42	39	37	49	79	99	20
Small-pox	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Measles	5	-	2	1	-	2	5	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	16	-	2	-	1	1	4	7	2	1	-	1	-	1	-	-	-	-
Diphtheria	17	-	1	2	2	3	8	5	2	1	-	1	-	-	-	-	-	-
Whooping-cough	10	4	4	2	-	-	10	-	-	-	-	-	-	-	-	-	-	-
Typhus	11	-	-	-	-	-	-	1	2	1	3	-	1	-	2	1	-	-
Diarrhœa & Dysentery	31	8	4	-	1	2	15	2	-	-	-	-	1	1	1	4	6	1
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	21	3	2	1	1	-	7	1	-	1	-	1	1	-	-	5	3	2
Cancer	15	-	-	-	-	-	-	-	-	-	-	-	2	1	1	8	3	-
Scrofula and Tabes	11	2	3	1	-	-	6	1	-	1	1	-	-	1	1	-	-	-
Phthisis	83	-	4	-	-	-	4	3	2	7	15	26	11	6	8	-	1	-
Hydrocephalus	15	5	3	1	2	1	12	2	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	73	23	3	2	-	1	29	4	-	2	2	2	1	1	10	8	13	1
Dis. of Heart & Dropsy	45	1	-	-	-	-	1	-	1	-	-	1	3	6	7	12	13	1
Dis. of Lungs	83	21	5	3	2	-	31	1	-	-	3	3	3	6	9	10	14	3
Dis. of Stom. and Liver	30	6	2	-	1	1	10	-	-	-	-	1	6	3	2	4	4	-
Dis. of Kidneys	20	-	-	-	-	-	-	-	-	-	1	-	-	2	2	7	8	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	6	-	-	-	-	-	-	2	2	-	-	-	-	1	-	-	1	-
Dis. of Skin	3	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	10	-	-	-	-	-	-	-	-	-	1	1	2	1	2	2	1	-
Other Violent Deaths	27	5	-	2	-	1	8	-	3	-	2	4	2	2	2	2	2	-
Other Causes	112	40	1	-	-	-	41	2	-	-	-	1	6	3	1	16	30	12
90.—EAST PRESTON LATE WORTHING.*																		
Mean Popul^n, 1861-71	10126	295	251	273	277	236	1332	1271	1247	938	754	1262	1101	924	699	417	164	17
TOTAL DEATHS	1968	355	125	55	48	26	609	86	37	55	76	136	122	160	182	245	205	55
Small-pox	18	1	-	-	1	-	2	2	-	-	3	2	1	4	2	1	1	-
Measles	24	3	10	3	2	1	19	5	-	-	-	-	-	-	-	-	-	-
Scarlatina	74	6	4	8	12	8	38	21	10	1	2	1	-	1	-	-	-	-
Diphtheria	18	1	-	4	1	3	9	7	1	-	-	-	-	-	1	-	-	-
Whooping-cough	26	10	8	4	2	1	25	1	-	-	-	-	-	-	-	-	-	-
Typhus	60	1	-	3	2	1	7	5	9	5	9	7	3	3	2	5	5	-
Diarrhœa & Dysentery	48	26	5	1	2	-	34	2	-	-	-	-	-	1	2	1	6	2
Cholera	12	-	1	-	2	-	3	3	-	1	-	1	1	1	1	-	1	-
Other Zymotic Dis.	46	6	4	1	5	-	16	4	-	2	-	3	4	3	3	9	2	-
Cancer	36	-	-	-	-	-	-	1	-	-	-	-	2	3	14	10	6	-
Scrofula and Tabes	41	14	8	6	-	-	28	5	-	2	2	2	1	1	-	-	-	-
Phthisis	269	5	5	-	1	-	11	5	4	21	39	64	47	49	19	9	1	-
Hydrocephalus	32	12	9	4	2	-	27	4	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	277	63	13	7	2	1	86	6	4	4	5	11	14	17	39	53	30	8
Dis. of Heart & Dropsy	142	2	-	-	-	1	3	-	1	4	2	7	12	24	27	47	14	1
Dis. of Lungs	252	67	33	8	5	4	117	4	-	4	2	7	9	15	21	40	28	5
Dis. of Stom. & Liver	103	11	1	3	2	1	18	4	1	2	1	8	6	12	18	18	14	1
Dis. of Kidneys	54	-	-	-	-	1	1	2	-	1	-	5	4	5	10	17	6	3
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	6	-	-	-	1	-	1	-	1	-	-	1	1	1	1	-	-	-
Dis. of Skin	9	2	-	-	-	-	2	-	-	-	1	-	2	1	1	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	21	-	-	-	-	-	-	-	-	-	1	3	3	4	6	2	1	1
Other Violent Deaths	76	3	3	1	3	3	13	3	4	8	8	13	8	9	2	5	3	-
Other Causes	324	122	21	2	3	1	149	2	1	-	1	1	4	6	13	27	86	34
91.—WESTHAMPNETT.*																		
Mean Popul^n, 1861-71	7684	195	196	213	213	207	1024	946	886	665	544	903	838	744	590	371	150	2
TOTAL DEATHS	1374	237	65	31	22	18	373	57	34	38	46	85	80	104	123	191	171	72
Small-pox	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Measles	3	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	1
Scarlatina	33	-	4	4	4	4	16	9	4	2	-	1	-	-	-	1	-	-
Diphtheria	11	-	-	-	1	1	2	5	2	-	-	1	1	-	-	-	-	-
Whooping-cough	33	15	11	4	1	-	31	2	-	-	-	-	-	-	-	-	-	-
Typhus	25	1	-	1	1	2	5	4	2	1	1	2	2	2	1	4	1	-
Diarrhœa & Dysentery	46	21	4	1	1	1	28	1	1	1	1	1	2	1	-	3	6	-
Cholera	2	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Other Zymotic Dis.	42	2	3	2	1	1	9	4	-	1	1	1	1	3	8	8	6	-
Cancer	20	-	-	-	-	-	-	-	-	-	-	-	1	3	7	5	4	-
Scrofula and Tabes	36	9	6	3	-	-	18	6	2	2	2	1	2	2	-	1	-	-
Phthisis	180	4	4	-	-	1	9	5	6	18	27	41	26	28	12	7	1	-
Hydrocephalus	14	3	4	1	3	-	11	1	2	-	-	-	-	-	-	-	-	-
Dis. of Brain	183	68	5	6	2	3	84	4	-	4	1	3	10	11	14	22	24	-
Dis. of Heart & Dropsy	126	2	-	1	-	-	3	4	2	2	1	8	11	19	22	35	18	-
Dis. of Lungs	153	22	11	4	5	1	43	2	1	2	3	8	5	9	20	33	24	-
Dis. of Stom. and Liver	61	5	1	-	-	-	6	1	1	1	2	6	4	6	14	16	4	-
Dis. of Kidneys	23	-	-	-	-	-	-	1	-	1	-	-	3	-	7	7	4	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Dis. of Joints	9	-	-	-	-	-	-	1	-	-	2	1	2	3	-	-	-	-
Dis. of Skin	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	10	-	-	-	-	-	-	-	-	-	-	2	1	1	4	2	-	-
Other Violent Deaths	63	2	5	-	1	2	10	3	10	2	4	5	4	10	4	6	3	-
Other Causes	296	83	4	3	2	2	94	3	1	1	1	3	4	6	10	40	76	2

* Corrections have been made on account of changes in the limits of this District.

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
89.—THAKEHAM.*																		
Mean Popul^n, 1861–71	3742	103	109	111	110	111	549	481	442	284	271	486	408	345	240	159	68	9
TOTAL DEATHS	618	88	32	20	11	7	158	32	12	28	23	39	40	57	58	71	77	23
Small-pox	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Measles	4	1	2	–	–	–	3	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	12	2	1	1	–	2	6	5	–	1	–	–	–	–	–	–	–	–
Diphtheria	20	–	1	4	3	–	8	6	1	3	1	–	1	–	–	–	–	–
Whooping-cough	17	6	7	2	1	1	17	–	–	–	–	–	–	–	–	–	–	–
Typhus	22	–	–	–	–	–	–	1	3	4	1	5	1	3	1	3	–	–
Diarrhœa & Dysentery	12	3	1	1	1	–	6	–	–	–	–	–	1	–	3	1	1	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	23	5	4	1	1	–	11	2	–	–	–	1	1	1	–	4	3	–
Cancer	24	–	–	–	–	–	–	–	–	–	–	1	–	7	7	4	4	1
Scrofula and Tabes	12	1	–	1	–	–	2	–	–	3	1	1	2	1	1	1	–	–
Phthisis	86	4	2	–	1	–	7	4	1	7	8	22	14	17	6	–	–	–
Hydrocephalus	8	2	2	2	–	–	6	1	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	73	13	5	3	–	1	27	2	4	3	6	–	3	7	6	9	6	–
Dis. of Heart & Dropsy	53	–	–	–	1	–	1	2	1	–	1	1	5	7	7	17	10	1
Dis. of Lungs	68	14	2	1	1	–	18	5	–	3	1	1	1	2	5	11	17	4
Dis. of Stom. and Liver	42	–	1	1	1	1	4	1	–	1	–	3	3	8	10	8	3	1
Dis. of Kidneys	8	–	–	–	–	–	–	1	–	2	–	–	1	–	2	1	–	1
Dis. of Gener. Organs	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–
Dis. of Joints	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Dis. of Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	9	–	–	–	–	–	–	–	–	1	3	1	3	1	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Other Violent Deaths	14	2	2	1	1	1	7	1	–	–	–	–	–	–	1	2	3	–
Other Causes	103	30	2	2	–	1	35	–	–	–	–	2	4	2	7	8	30	15
90.—EAST PRESTON LATE WORTHING.*																		
Mean Popul^n, 1861–71	10999	263	247	259	277	258	1304	1186	1130	1014	977	1556	1259	1072	784	476	208	33
TOTAL DEATHS	1882	260	107	56	18	27	468	76	52	71	70	111	139	163	153	220	230	99
Small-pox	11	1	1	–	–	1	3	–	3	1	–	1	–	2	–	–	1	–
Measles	27	2	11	2	3	4	22	5	–	–	–	–	–	–	–	–	–	–
Scarlatina	67	2	12	8	4	9	35	20	8	1	1	2	–	–	–	–	–	–
Diphtheria	14	–	1	1	–	1	3	7	–	–	–	2	–	1	1	–	–	–
Whooping-cough	48	20	14	8	–	3	45	3	–	–	–	–	–	–	–	–	–	–
Typhus	71	–	–	3	–	3	6	9	8	14	6	3	5	13	2	3	2	–
Diarrhœa & Dysentery	46	20	7	2	1	–	30	–	–	–	–	–	1	1	–	4	5	5
Cholera	9	–	–	–	1	1	2	1	–	–	–	1	1	2	1	–	1	–
Other Zymotic Dis.	34	4	2	–	–	1	7	3	2	2	–	5	3	3	2	1	5	1
Cancer	70	–	–	–	–	–	–	–	–	–	–	–	12	21	18	11	5	3
Scrofula and Tabes	49	11	11	2	2	–	26	3	1	–	3	6	3	3	2	2	–	–
Phthisis	278	5	2	1	1	–	9	7	13	31	39	67	52	39	7	11	–	–
Hydrocephalus	25	8	5	3	2	1	19	4	1	–	–	–	–	–	1	–	–	–
Dis. of Brain	232	46	10	6	1	1	61	5	3	7	–	12	7	16	31	42	39	6
Dis. of Heart & Dropsy	157	–	1	1	–	–	2	2	3	3	5	4	13	19	30	45	27	4
Dis. of Lungs	216	37	20	10	1	2	70	1	4	2	–	4	9	13	20	36	42	12
Dis. of Stom. and Liver	93	3	–	2	1	–	6	2	1	2	5	6	9	13	19	14	13	3
Dis. of Kidneys	31	1	–	–	–	–	1	–	2	1	2	1	4	5	5	8	2	–
Dis. of Gener. Organs	12	–	–	–	–	–	–	–	–	–	–	–	1	3	4	4	–	–
Dis. of Joints	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Dis. of Skin	7	1	–	1	–	–	2	–	–	–	1	–	–	–	1	2	1	–
Childbirth and Metria	35	–	–	–	–	–	–	–	–	1	6	18	10	–	–	–	–	–
Suicide	7	–	–	–	–	–	–	–	–	–	–	2	1	2	2	–	–	–
Other Violent Deaths	21	6	2	3	1	–	12	–	1	1	1	3	–	–	1	–	1	1
Other Causes	321	93	8	3	–	–	104	1	2	2	1	4	7	7	6	37	86	64
91.—WESTHAMPNETT.*																		
Mean Popul^n, 1861–71	7472	212	200	205	180	209	1006	928	804	580	552	973	843	705	543	362	141	30
TOTAL DEATHS	1244	189	49	28	21	8	295	41	35	47	57	93	86	81	112	161	170	66
Small-pox	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	6	1	2	1	1	–	5	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	20	–	1	–	2	–	3	5	4	2	2	1	2	–	–	1	–	–
Diphtheria	20	–	–	1	4	–	5	6	7	1	–	–	–	–	1	–	–	–
Whooping-cough	24	12	7	2	1	–	22	2	–	–	–	–	–	–	–	–	–	–
Typhus	36	–	–	2	1	1	4	5	6	3	6	4	2	1	2	1	1	1
Diarrhœa & Dysentery	22	7	4	–	1	–	12	–	–	–	–	1	1	–	1	4	2	1
Cholera	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–
Other Zymotic Dis.	26	4	3	–	2	1	10	–	2	3	1	–	–	–	2	5	3	–
Cancer	40	–	–	–	–	–	–	–	–	–	–	1	5	9	18	3	4	–
Scrofula and Tabes	31	8	3	4	1	1	17	3	2	2	1	1	1	1	2	1	–	–
Phthisis	218	1	–	2	2	–	5	6	6	26	36	58	36	22	16	7	–	–
Hydrocephalus	16	8	4	1	–	1	14	2	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	141	49	3	2	2	–	56	4	3	4	2	4	9	7	11	19	19	3
Dis. of Heart & Dropsy	99	–	–	–	–	1	1	–	–	1	2	2	6	12	25	37	13	–
Dis. of Lungs	100	20	9	7	–	–	36	1	2	2	2	2	5	5	9	17	19	–
Dis. of Stom. and Liver	70	3	2	2	–	–	7	1	–	–	2	8	5	12	15	10	9	1
Dis. of Kidneys	10	–	–	–	–	–	–	–	1	–	1	–	2	2	1	–	3	–
Dis. of Gener. Organs	12	–	–	–	–	–	–	–	–	–	–	–	1	3	4	2	2	–
Dis. of Joints	5	1	–	1	–	–	2	–	–	–	–	1	2	–	–	–	–	–
Dis. of Skin	4	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	1	–
Childbirth and Metria	17	–	–	–	–	–	–	–	–	1	2	8	6	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Other Violent Deaths	23	2	–	1	2	1	6	4	1	–	–	1	–	3	–	3	4	1
Other Causes	299	72	11	2	2	2	89	1	–	1	–	1	2	3	5	49	89	59

* Corrections have been made on account of changes in the limits of this District.

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
92.—CHICHESTER.*																		
Mean Popul^n, 1861–71	6984	171	152	189	155	174	841	778	752	778	636	928	752	614	468	303	117	17
TOTAL DEATHS	1460	215	50	32	39	20	356	39	29	43	60	101	120	125	180	163	187	54
Small-pox	3	1	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-
Measles	11	-	6	3	1	-	10	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	23	2	1	1	5	2	11	6	3	-	1	1	1	-	-	-	-	-
Diphtheria	17	4	-	4	2	4	14	2	1	-	-	-	-	-	-	-	-	-
Whooping-cough	23	9	3	5	4	2	23	-	-	-	-	-	-	-	-	-	-	-
Typhus	51	1	-	1	5	3	10	4	2	6	6	3	6	3	5	3	3	-
Diarrhœa & Dysentery	45	13	3	1	1	-	23	-	-	-	-	1	-	2	2	6	9	2
Cholera	8	-	-	1	-	1	2	-	-	-	-	1	-	3	-	2	-	-
Other Zymotic Dis.	42	5	2	2	4	-	13	-	-	2	2	1	-	4	4	5	6	5
Cancer	32	-	-	-	1	-	1	-	-	-	-	2	2	5	14	2	6	-
Scrofula and Tabes	31	10	3	-	3	-	16	5	4	1	1	2	1	1	-	-	-	-
Phthisis	241	2	1	-	1	-	4	3	2	18	26	55	51	39	22	6	2	-
Hydrocephalus	31	10	7	3	7	2	29	2	2	1	-	-	-	-	-	-	-	-
Dis. of Brain	175	38	5	2	2	3	50	5	5	2	5	7	11	10	22	21	25	2
Dis. of Heart & Dropsy	107	1	-	-	-	-	1	-	-	1	2	5	8	15	31	26	16	2
Dis. of Lungs	189	35	12	6	1	1	55	2	-	3	3	3	6	10	30	24	33	11
Dis. of Stom. and Liver	68	6	-	1	-	-	7	1	2	3	2	3	6	8	18	13	5	-
Dis. of Kidneys	42	-	-	-	1	-	1	-	1	-	1	4	4	3	6	12	9	1
Dis. of Gener. Organs	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	8	1	-	-	-	-	1	3	-	1	-	1	-	1	-	1	-	-
Dis. of Skin	6	3	-	-	-	-	3	-	1	-	-	-	2	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	11	-	-	-	-	-	-	-	-	-	1	2	2	4	1	-	1	-
Other Violent Deaths	67	5	-	1	-	2	8	5	6	4	8	7	5	10	10	3	1	-
Other Causes	214	61	6	1	1	-	72	-	-	1	-	6	12	7	15	29	71	31
93.—MIDHURST.*																		
Mean Popul^n, 1861–71	6624	165	163	191	176	173	873	773	735	644	545	819	679	617	439	309	122	19
TOTAL DEATHS	1170	200	59	29	18	13	319	68	23	30	59	59	66	61	113	182	138	61
Small-pox	4	1	-	-	-	-	1	-	-	-	-	-	2	-	-	1	-	-
Measles	7	3	1	-	-	1	5	1	-	1	-	-	-	-	-	-	-	-
Scarlatina	43	1	2	6	2	3	14	26	3	-	-	-	-	-	-	-	-	-
Diphtheria	22	-	2	-	2	1	5	9	1	4	-	1	1	1	-	-	-	-
Whooping-cough	12	9	2	-	1	-	12	-	-	-	-	-	-	-	-	-	-	-
Typhus	28	-	-	2	1	-	3	5	3	2	3	3	-	1	1	4	2	1
Diarrhœa & Dysentery	23	5	1	1	-	1	8	1	-	-	-	1	-	-	3	4	5	1
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	28	2	4	2	1	-	9	3	1	1	4	1	-	-	3	4	2	-
Cancer	17	-	-	-	-	-	-	-	-	1	-	-	-	2	3	6	4	1
Scrofula and Tabes	22	5	3	1	2	-	11	4	1	3	-	-	1	1	1	-	-	-
Phthisis	125	1	-	-	-	-	1	1	2	9	24	36	21	13	8	9	1	-
Hydrocephalus	10	3	3	1	-	1	10	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	160	49	8	5	4	4	70	4	1	1	3	2	5	9	21	28	14	2
Dis. of Heart & Dropsy	126	-	-	1	1	1	3	2	1	4	4	2	13	5	27	38	26	1
Dis. of Lungs	115	28	11	3	2	-	44	3	3	-	2	2	8	11	21	34	12	3
Dis. of Stom. and Liver	52	6	2	-	-	-	8	2	2	2	5	1	3	10	7	9	5	-
Dis. of Kidneys	27	-	-	-	-	-	-	-	-	1	1	1	3	2	3	10	5	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	3	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-
Dis. of Skin	3	2	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	9	-	-	-	-	-	-	-	-	-	-	1	1	3	2	2	-	-
Other Violent Deaths	38	2	1	2	-	1	6	2	3	1	5	7	4	1	4	3	1	1
Other Causes	268	83	17	5	2	-	107	5	2	-	1	-	2	2	8	30	61	50
94.—WESTBOURNE.																		
Mean Popul^n, 1861–71	3556	104	85	87	95	97	468	459	377	332	224	455	393	317	280	170	69	12
TOTAL DEATHS	725	131	38	22	16	10	217	26	23	18	21	51	50	50	57	86	85	41
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Measles	6	1	5	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	39	3	4	8	3	2	20	10	5	2	-	2	-	-	-	-	-	-
Diphtheria	16	-	3	2	3	1	9	4	1	1	-	-	1	-	-	-	-	-
Whooping-cough	15	12	-	3	-	-	15	-	-	-	-	-	-	-	-	-	-	-
Typhus	14	-	-	-	2	1	3	-	-	1	-	1	-	2	4	3	-	-
Diarrhœa & Dysentery	31	13	6	2	1	1	23	1	1	-	-	-	1	-	-	3	-	2
Cholera	12	-	2	1	-	-	3	1	-	-	1	1	1	1	2	1	-	1
Other Zymotic Dis.	19	2	2	2	1	1	8	1	-	1	-	-	-	3	2	2	2	-
Cancer	14	-	-	-	-	-	-	-	-	1	-	1	-	3	3	3	2	1
Scrofula and Tabes	7	-	2	-	-	1	3	1	1	-	1	-	-	1	-	-	-	-
Phthisis	85	-	-	-	-	-	-	2	5	6	13	25	20	6	8	-	-	-
Hydrocephalus	3	-	1	-	1	1	3	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	84	27	5	-	1	1	34	2	1	1	1	4	4	8	3	12	11	3
Dis. of Heart & Dropsy	67	2	-	-	-	-	2	-	2	2	1	3	8	5	17	16	7	4
Dis. of Lungs	81	21	3	1	1	1	27	1	-	-	2	4	2	4	5	17	19	3
Dis. of Stom. and Liver	23	2	-	-	-	-	2	-	2	1	-	2	3	4	3	4	2	-
Dis. of Kidneys	16	-	-	-	-	-	-	-	-	-	-	1	3	4	2	4	2	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Dis. of Joints	7	-	-	-	-	-	-	1	3	-	-	1	-	-	2	-	-	-
Dis. of Skin	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-
Other Violent Deaths	26	2	-	1	3	-	6	2	2	1	1	5	1	4	-	2	1	1
Other Causes	147	46	5	2	-	-	53	-	-	1	1	1	4	3	4	18	37	25

* Corrections have been made on account of changes in the limits of this District.

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
92.—CHICHESTER.*																		
Mean Popul^{n}, 1861–71	7769	192	174	165	163	175	869	782	802	824	737	1074	853	754	561	353	137	23
TOTAL DEATHS	1306	169	64	29	28	16	306	38	31	70	61	128	111	101	126	192	170	62
Small-pox	6	1	-	-	-	-	1	-	-	1	1	1	-	1	1	-	-	-
Measles	20	3	11	3	2	-	19	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	24	1	4	5	2	3	15	5	-	2	-	2	-	-	-	-	-	-
Diphtheria	19	1	-	-	4	2	7	8	2	2	-	-	-	-	-	-	-	-
Whooping-cough	23	13	8	1	1	-	23	-	-	-	-	-	-	-	-	-	-	-
Typhus	75	-	1	1	5	3	10	6	6	8	6	10	11	6	2	7	3	-
Diarrhœa & Dysentery	29	24	5	-	-	-	29	1	-	1	-	-	2	-	-	2	2	2
Cholera	5	-	-	1	1	-	2	-	-	-	-	1	-	1	-	1	-	-
Other Zymotic Dis.	28	2	1	-	1	1	5	-	-	1	2	3	1	2	4	6	4	-
Cancer	64	-	-	-	-	-	-	-	-	1	1	4	13	12	14	14	5	-
Scrofula and Tabes	28	4	2	-	-	-	6	1	-	5	7	5	1	3	-	-	-	-
Phthisis	224	3	2	1	-	-	6	4	13	31	33	66	29	20	12	8	2	-
Hydrocephalus	16	5	4	1	2	1	13	2	-	-	-	-	1	-	-	-	-	-
Dis. of Brain	174	24	5	5	7	2	43	1	4	4	2	4	11	11	19	38	33	4
Dis. of Heart & Dropsy	91	-	-	-	-	-	-	-	1	2	2	6	6	9	22	25	16	2
Dis. of Lungs	172	19	12	6	2	1	40	4	2	4	2	2	11	12	20	30	29	16
Dis. of Stom. and Liver	101	7	-	2	-	2	11	1	1	5	2	8	10	16	16	24	7	-
Dis. of Kidneys	14	-	-	-	-	-	-	-	-	-	-	1	3	1	4	4	-	1
Dis. of Gener. Organs	8	-	-	-	-	-	-	-	-	-	-	-	1	1	4	2	-	-
Dis. of Joints	10	-	-	-	-	-	-	1	1	1	-	1	2	1	2	1	-	-
Dis. of Skin	6	3	-	-	-	-	3	-	-	-	-	-	-	-	-	1	1	1
Childbirth and Metria	11	-	-	-	-	-	-	-	-	-	2	6	3	-	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-
Other Violent Deaths	24	6	3	2	-	1	12	2	-	1	-	1	1	-	-	3	4	-
Other Causes	210	53	6	1	1	-	61	1	1	-	-	7	5	4	6	25	64	36
93.—MIDHURST.*																		
Mean Popul^{n}, 1861–71	6182	179	163	161	149	162	814	791	698	496	432	785	693	594	465	281	120	13
TOTAL DEATHS	1035	178	47	31	15	12	278	31	29	46	44	60	67	71	116	142	150	51
Small-pox	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Measles	8	-	3	2	1	-	6	1	1	-	-	-	-	-	-	-	-	-
Scarlatina	29	1	1	2	2	5	11	7	7	2	-	2	-	-	-	-	-	-
Diphtheria	13	1	-	1	2	3	7	4	3	2	-	-	-	-	-	-	-	-
Whooping-cough	24	10	8	3	1	-	22	2	-	-	-	-	-	-	-	-	-	-
Typhus	28	1	-	1	-	-	2	4	3	3	2	1	4	2	4	2	1	-
Diarrhœa & Dysentery	15	4	2	1	-	-	7	-	-	-	2	1	-	-	3	-	1	1
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	23	2	1	4	1	-	8	1	1	1	-	1	1	2	4	2	2	-
Cancer	28	-	-	-	-	-	-	-	-	-	1	1	4	1	8	8	5	-
Scrofula and Tabes	16	1	3	4	1	-	9	-	1	1	1	-	-	2	2	-	-	-
Phthisis	151	1	1	-	1	-	3	2	5	23	27	32	21	19	14	5	-	-
Hydrocephalus	10	1	1	2	1	1	6	3	-	1	-	-	-	-	-	-	-	-
Dis. of Brain	142	33	8	1	1	2	45	-	2	4	4	3	6	10	20	25	21	2
Dis. of Heart & Dropsy	110	2	1	-	-	-	3	2	1	3	1	4	8	13	19	32	21	3
Dis. of Lungs	106	26	8	6	2	1	43	2	1	1	1	1	5	5	14	17	14	2
Dis. of Stom. and Liver	73	6	1	-	-	-	7	-	1	3	1	4	6	8	17	17	9	-
Dis. of Kidneys	10	-	-	-	-	-	-	-	-	-	-	1	-	5	1	2	-	1
Dis. of Gener. Organs	10	-	-	-	-	-	-	-	-	-	-	1	3	2	1	3	-	-
Dis. of Joints	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Dis. of Skin	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	13	-	-	-	-	-	-	-	-	-	2	4	7	-	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	-	-
Other Violent Deaths	13	1	-	3	-	-	4	2	-	-	-	1	1	-	2	1	1	1
Other Causes	252	83	9	-	2	-	94	1	2	-	1	3	1	1	6	27	75	41
94.—WESTBOURNE.																		
Mean Popul^{n}, 1861–71	3532	109	101	106	101	93	510	449	394	251	266	488	380	317	237	158	70	12
TOTAL DEATHS	591	88	34	15	11	20	168	27	16	12	18	37	31	42	60	77	66	37
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	7	2	1	1	-	2	6	-	1	-	-	-	-	-	-	-	-	-
Scarlatina	39	3	6	2	2	9	22	12	3	-	1	1	-	-	-	-	-	-
Diphtheria	7	-	-	1	-	2	3	2	1	-	-	-	-	1	-	-	-	-
Whooping-cough	7	3	-	2	1	1	7	-	-	-	-	-	-	-	-	-	-	-
Typhus	15	1	1	1	1	-	4	3	1	-	1	2	-	1	2	1	-	-
Diarrhœa & Dysentery	22	11	7	-	-	-	18	1	-	-	-	-	-	-	1	1	1	-
Cholera	6	-	-	-	1	-	1	2	-	-	-	1	1	-	-	1	-	-
Other Zymotic Dis.	9	1	1	-	-	-	2	1	1	-	-	1	-	-	-	1	3	-
Cancer	20	-	-	-	-	-	-	-	-	-	-	1	1	3	6	6	2	1
Scrofula and Tabes	5	2	-	-	-	-	2	-	1	-	1	-	-	-	1	-	-	-
Phthisis	80	-	-	1	1	1	3	2	3	10	12	20	13	14	2	1	-	-
Hydrocephalus	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	67	13	6	2	2	1	24	1	3	-	1	2	3	4	6	14	5	4
Dis. of Heart & Dropsy	71	-	-	-	-	1	1	-	2	1	1	2	4	10	23	19	7	1
Dis. of Lungs	51	9	3	2	1	1	16	-	-	1	-	-	1	1	6	15	8	3
Dis. of Stom. and Liver	28	1	-	-	1	1	3	2	-	-	1	1	3	3	6	6	3	-
Dis. of Kidneys	4	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Dis. of Joints	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Dis. of Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metria	8	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Violent Deaths	8	2	2	1	1	-	6	-	-	-	-	-	-	-	-	-	2	-
Other Causes	129	38	7	2	-	1	48	1	-	-	-	-	1	3	3	12	33	28

* Corrections have been made on account of changes in the limits of this District.

Mean Population, 1861–71, and **Deaths in Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
95.—HAVANT.																		
Mean Popul^n, 1861–71	3661	110	106	116	86	85	503	458	426	339	248	443	406	332	260	162	71	13
TOTAL DEATHS	749	126	39	17	20	18	220	28	22	21	25	37	55	52	67	102	89	31
Small-pox	3	–	–	1	–	–	1	–	–	–	2	–	–	–	–	–	–	–
Measles	7	2	2	2	–	1	7	–		–	–	–	–	–	–	–	–	–
Scarlatina	40	2	5	6	3	8	24	7	5	1	1	–	1	1	–	–	–	–
Diphtheria	10	–	1	1	1	–	3	5	1	–	–	–	–	–	–	–	1	–
Whooping-cough	11	4	3	1	2	1	11	–	–	–	–	–	–	–	–	–	–	–
Typhus	16	1	–	–	–	1	2	1	1	2	–	1	–	3	2	3	–	1
Diarrhœa & Dysentery	26	15	–	–	–	–	15	1	–	–	1	–	–	–	2	4	1	2
Cholera	7	–	2	–	1	1	4	–	–	–	–	–	2	–	–	1	–	–
Other Zymotic Dis.	14	2	1	1	2	1	7	–	–	–	1	–	1	1	2	1	1	–
Cancer	8	–	–	–	–	–	–	–	–	–	–	–	–	1	4	–	2	1
Scrofula and Tabes	11	2	4	–	1	–	7	2	1	–	–	–	–	–	–	–	1	–
Phthisis	91	–	–	–	–	–	–	1	3	12	13	14	21	17	5	4	1	–
Hydrocephalus	12	4	2	–	2	–	8	2	1	1	–	–	–	–	–	–	–	–
Dis. of Brain	102	30	9	3	2	2	46	2	3	1	2	4	1	4	10	16	13	–
Dis. of Heart & Dropsy	56	1	–	–	–	–	1	–	–	–	–	2	6	5	13	21	8	–
Dis. of Lungs	114	19	7	1	4	–	31	2	–	–	2	7	7	4	13	24	19	5
Dis. of Stom. and Liver	39	5	–	–	–	–	5	2	–	2	–	2	4	5	6	9	3	1
Dis. of Kidneys	13	–	–	–	–	–	–	–	1	–	–	–	–	3	5	2	2	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Dis. of Skin	5	1	1	–	–	1	3	–	–	–	–	1	–	1	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–
Other Violent Deaths	39	2	1	1	1	2	7	2	5	2	3	5	7	4	3	1	–	–
Other Causes	121	36	1	–	1	–	38	1	–	–	–	1	3	2	2	16	37	21
96.—PORTSEA ISLAND.																		
Mean Popul^n, 1861–71	52953	1530	1394	1329	1331	1295	6879	5764	5000	5420	5999	9413	6329	4109	2304	1210	467	59
TOTAL DEATHS	11239	2802	1067	501	359	212	4941	462	172	236	335	858	897	818	783	823	714	200
Small-pox	120	26	13	8	9	11	67	14	4	4	7	15	8	1	–	–	–	–
Measles	217	34	74	44	36	14	202	12	–	1	1	–	1	–	–	–	–	–
Scarlatina	497	28	63	79	92	58	325	106	22	6	3	4	1	–	–	–	–	–
Diphtheria	70	4	14	8	13	4	43	20	2	1	1	1	–	1	1	–	–	–
Whooping-cough	176	78	61	16	9	4	168	8	–	–	–	–	–	–	–	–	–	–
Typhus	445	22	47	42	39	21	171	72	28	29	22	26	23	29	23	14	3	–
Diarrhœa & Dysentery	730	385	123	33	13	10	564	16	5	3	6	16	14	19	26	27	25	9
Cholera	96	12	5	4	2	3	26	10	6	3	2	13	10	10	9	3	4	–
Other Zymotic Dis.	208	28	26	23	23	8	108	15	7	5	6	16	18	11	12	8	2	–
Cancer	110	–	–	–	–	1	1	–	–	–	2	3	7	21	31	32	13	–
Scrofula and Tabes	216	77	50	27	8	4	166	18	5	7	5	6	5	2	–	1	–	1
Phthisis	1316	36	13	8	8	2	67	28	23	82	152	369	298	188	78	30	1	–
Hydrocephalus	225	89	53	33	14	10	199	21	3	–	–	2	–	–	–	–	–	–
Dis. of Brain	1449	501	105	58	24	11	699	38	11	14	28	53	91	88	132	162	120	13
Dis. of Heart & Dropsy	661	13	4	4	8	3	27	9	17	14	18	88	120	111	102	95	56	4
Dis. of Lungs	1821	474	238	79	41	27	859	28	6	12	20	92	123	133	184	197	137	30
Dis. of Stom. and Liver	385	53	7	3	3	2	68	7	6	5	14	23	48	64	61	56	25	3
Dis. of Kidneys	233	–	1	2	5	1	9	4	3	9	7	21	29	36	44	43	25	3
Dis. of Gener. Organs	2	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–
Dis. of Joints	55	1	2	1	2	–	6	7	7	7	4	2	4	9	2	4	3	–
Dis. of Skin	29	9	1	–	–	–	10	–	–	3	–	1	2	4	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	55	–	–	–	–	–	–	–	1	1	6	11	11	17	7	–	1	–
Other Violent Deaths	360	39	12	9	9	15	84	20	13	29	24	64	52	38	18	7	6	5
Other Causes	1802	893	150	20	5	3	1071	9	3	1	7	27	32	36	47	144	203	132
97.—ALVERSTOKE.																		
Mean Popul^n, 1861–71	12386	348	308	314	273	264	1507	1221	1034	1194	1679	2514	1486	828	513	289	108	13
TOTAL DEATHS	3078	565	222	106	58	30	990	84	36	123	239	478	346	230	187	166	151	48
Small-pox	34	4	1	3	4	2	14	4	2	1	2	4	4	2	–	1	–	–
Measles	60	9	23	15	6	4	57	2	–	–	1	–	–	–	–	–	–	–
Scarlatina	61	5	4	11	10	5	35	15	1	6	3	–	–	1	–	–	–	–
Diphtheria	29	–	10	5	2	2	19	6	1	1	–	1	–	–	1	–	–	–
Whooping-cough	23	14	8	5	1	–	28	–	–	–	–	–	–	–	–	–	–	–
Typhus	166	3	8	7	10	5	33	13	7	22	26	33	10	12	3	6	1	–
Diarrhœa & Dysentery	106	52	13	1	1	2	69	–	1	–	5	11	7	3	5	2	2	–
Cholera	31	15	3	2	1	–	21	1	–	2	1	2	–	2	–	2	–	–
Other Zymotic Dis.	74	5	7	10	3	4	29	2	1	4	2	9	8	10	4	3	2	–
Cancer	41	–	–	–	–	–	–	1	–	1	–	4	6	7	10	7	3	–
Scrofula and Tabes	51	9	11	4	2	–	26	7	3	3	2	6	2	1	–	–	–	–
Phthisis	607	14	6	–	–	1	21	5	4	46	112	190	141	53	26	7	2	–
Hydrocephalus	38	15	14	3	2	–	34	2	–	–	1	1	–	–	–	–	–	–
Dis. of Brain	335	98	26	5	6	4	139	8	3	5	10	22	30	29	37	33	32	–
Dis. of Heart & Dropsy	230	1	1	–	1	–	3	3	–	4	13	70	40	26	31	27	11	–
Dis. of Lungs	404	106	42	18	3	6	175	2	3	9	16	48	30	23	28	33	32	–
Dis. of Stom. & Liver	155	18	1	5	2	1	27	3	4	2	12	23	22	25	16	11	10	–
Dis. of Kidneys	48	–	1	1	1	–	3	–	2	3	4	7	6	4	3	6	8	–
Dis. of Gener. Organs	3	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Dis. of Joints	18	–	3	–	–	–	3	2	2	1	3	1	1	1	1	3	–	–
Dis. of Skin	6	2	–	–	–	–	2	–	–	–	–	1	1	1	–	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	7	–	–	–	–	–	–	–	–	–	1	1	3	1	–	1	–	–
Other Violent Deaths	119	11	6	4	2	1	24	6	2	9	19	22	19	9	6	2	1	–
Other Causes	407	184	34	7	1	2	228	2	–	4	5	22	15	20	16	21	47	5

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
95.—HAVANT.																		
Mean Popul^{n}, 1861–71	4017	91	94	103	97	104	489	478	410	382	343	535	465	359	278	193	75	10
TOTAL DEATHS	725	100	42	23	16	14	195	27	15	32	40	46	58	40	55	104	85	28
Small-pox	2	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Measles	11	1	5	1	1	2	10	1		–	–	–	–	–	–	–	–	–
Scarlatina	40	–	5	4	6	7	22	13	2	1	–	2	–	–	–	–	–	–
Diphtheria	6	–	2	–	–	1	3	2	–	–	–	–	–	–	1	–	–	–
Whooping-cough	11	6	3	1	–	–	10	1	–	–	–	–	–	–	–	–	–	–
Typhus	24	1	1	1	2	–	5	3	2	4	3	1	2	–	3	1	–	–
Diarrhœa & Dysentery	17	6	2	3	–	–	11	–	–	–	1	–	–	–	–	2	1	2
Cholera	5	–	–	–	–	–	–	–	1	–	1	1	–	2	–	–	–	–
Other Zymotic Dis.	12	2	–	1	3	1	7	2	–	–	–	–	–	1	–	–	2	–
Cancer	17	–	–	–	–	–	–	–	–	–	1	–	2	1	3	8	2	–
Scrofula and Tabes	9	3	1	–	–	–	4	–	1	1	1	–	2	–	–	–	–	–
Phthisis	114	1	1	4	–	–	6	–	1	15	19	24	24	12	8	3	2	–
Hydrocephalus	11	1	6	1	–	–	8	1	1	–	1	–	–	–	–	–	–	–
Dis. of Brain	74	17	4	4	–	–	25	–	2	2	1	1	4	3	6	20	9	1
Dis. of Heart & Dropsy	54	–	–	–	–	–	–	–	–	1	1	4	6	7	6	20	8	1
Dis. of Lungs	120	20	6	3	3	3	35	1	–	3	5	7	8	6	9	23	20	3
Dis. of Stom. and Liver	45	4	–	–	1	–	5	2	2	1	2	2	4	1	9	7	8	2
Dis. of Kidneys	5	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	–
Dis. of Gener. Organs	12	–	–	–	–	–	–	–	–	–	1	1	1	2	2	4	1	–
Dis. of Joints	3	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–
Dis. of Skin	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Childbirth and Metria	4	–	–	–	–	–	–	–	–	1	1	–	1	1	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
Other Violent Deaths	8	3	–	–	–	–	3	–	2	1	1	–	–	–	1	–	–	–
Other Causes	118	35	6	–	–	–	41	–	–	1	1	3	1	2	5	15	30	19
96.—PORTSEA ISLAND.																		
Mean Popul^{n}, 1861–71	51258	1531	1312	1361	1320	1298	6822	5802	5027	4529	4882	8330	6402	4419	2707	1620	622	96
TOTAL DEATHS	10855	2297	1022	496	319	231	4365	474	186	265	389	846	827	715	708	944	863	273
Small-pox	127	25	21	15	13	5	79	17	5	3	8	11	4	–	–	–	–	–
Measles	198	34	75	50	17	9	185	8	2	1	–	1	–	1	–	–	–	–
Scarlatina	505	30	65	72	76	66	309	146	29	7	6	3	5	–	–	–	–	–
Diphtheria	86	5	14	12	11	9	51	26	5	2	1	–	–	–	–	1	–	–
Whooping-cough	203	78	66	35	11	6	196	7	–	–	–	–	–	–	–	–	–	–
Typhus	471	15	43	49	34	35	176	78	27	24	26	33	35	25	21	21	4	1
Diarrhœa & Dysentery	639	303	133	19	9	9	473	14	2	2	9	21	10	18	15	33	32	10
Cholera	99	12	6	5	6	3	32	6	2	3	5	8	15	9	7	5	6	1
Other Zymotic Dis.	190	30	14	20	24	7	95	11	5	4	6	7	14	13	10	10	13	2
Cancer	286	–	–	–	1	–	1	–	–	–	–	22	49	79	59	60	13	3
Scrofula and Tabes	211	74	56	18	5	7	160	13	7	10	3	7	2	4	3	1	1	–
Phthisis	1343	30	13	6	5	10	64	35	46	135	200	378	275	126	62	19	3	–
Hydrocephalus	181	68	50	19	12	5	154	16	9	–	–	2	–	–	–	–	–	–
Dis. of Brain	1343	412	94	55	26	16	603	26	15	10	16	69	72	107	97	163	131	29
Dis. of Heart & Dropsy	639	9	5	2	2	2	20	12	9	19	20	49	90	87	120	135	69	9
Dis. of Lungs	1510	344	201	65	41	28	679	20	11	7	13	50	68	87	159	215	162	39
Dis. of Stom. and Liver	474	33	5	5	3	2	48	10	5	14	21	46	53	61	86	86	38	6
Dis. of Kidneys	112	1	–	–	2	2	5	–	2	3	4	16	25	23	17	8	7	2
Dis. of Gener. Organs	71	–	–	–	1	–	1	–	–	–	4	8	20	22	6	8	2	–
Dis. of Joints	22	1	1	–	–	–	2	3	1	3	–	2	1	4	3	1	1	1
Dis. of Skin	24	4	2	1	–	–	7	1	–	–	1	4	2	2	1	1	5	–
Childbirth and Metria	169	–	–	–	–	–	–	–	–	9	29	75	52	4	–	–	–	–
Suicide	18	–	–	–	–	–	–	–	–	1	–	3	3	9	1	1	–	–
Other Violent Deaths	147	29	7	13	6	6	61	16	3	2	3	8	11	13	8	8	11	3
Other Causes	1787	760	151	35	14	4	964	9	1	6	14	23	21	21	33	163	365	167
97.—ALVERSTOKE.																		
Mean Popul^{n}, 1861–71	10263	330	295	298	275	286	1484	1198	973	845	965	1710	1236	837	555	321	116	23
TOTAL DEATHS	2035	470	194	83	47	42	836	84	40	56	62	158	173	110	123	190	141	62
Small-pox	18	2	1	1	3	3	10	3	1	1	–	1	2	–	–	–	–	–
Measles	49	5	25	5	7	4	46	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	56	6	9	6	11	7	39	13	2	–	1	1	–	–	–	–	–	–
Diphtheria	22	2	2	3	1	3	13	5	1	–	2	–	1	–	–	–	–	–
Whooping-cough	41	12	16	8	–	1	37	4	–	–	–	–	–	–	–	–	–	–
Typhus	90	1	4	5	10	5	25	15	8	11	4	7	9	2	3	4	4	–
Diarrhœa & Dysentery	119	63	20	5	1	1	90	–	–	1	–	2	6	2	5	5	3	5
Cholera	24	11	3	–	–	–	14	3	1	–	–	3	–	1	1	1	–	–
Other Zymotic Dis.	52	7	4	6	4	–	21	3	3	3	1	5	2	4	4	4	2	–
Cancer	62	–	–	–	–	1	1	–	–	–	1	5	9	17	10	13	6	–
Scrofula and Tabes	35	18	9	2	–	–	29	1	–	2	1	–	–	1	–	–	1	–
Phthisis	229	9	5	4	2	3	23	4	5	22	27	61	59	19	7	2	–	–
Hydrocephalus	26	7	11	2	1	1	22	3	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	243	64	14	9	3	4	94	9	7	8	4	12	17	13	21	36	18	4
Dis. of Heart & Dropsy	138	4	–	1	–	1	6	3	5	1	3	15	14	15	26	34	12	4
Dis. of Lungs	270	66	43	11	3	2	125	5	2	1	2	7	16	10	16	44	33	9
Dis. of Stom. and Liver	95	10	1	1	–	–	12	4	2	1	2	8	14	11	13	15	12	1
Dis. of Kidneys	14	–	–	1	–	–	1	2	–	–	1	–	3	2	2	2	1	–
Dis. of Gener. Organs	12	–	–	–	–	–	–	–	–	–	1	1	3	3	1	2	–	1
Dis. of Joints	10	–	–	–	–	1	1	2	1	2	–	–	–	2	1	1	–	–
Dis. of Skin	15	10	2	–	–	–	12	–	–	–	–	1	–	–	2	–	–	–
Childbirth and Metria	29	–	–	–	–	–	–	–	–	1	3	16	9	–	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–
Other Violent Deaths	37	11	2	6	–	2	21	4	1	2	–	–	1	3	1	1	3	–
Other Causes	345	162	23	7	1	1	194	–	–	–	9	13	6	4	10	25	46	38

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
98.—FAREHAM.																		
Mean Popul^n, 1861-71	7940	218	186	192	179	184	959	904	836	751	695	1146	898	720	541	336	133	21
TOTAL DEATHS	1829	290	81	49	32	21	473	52	30	42	66	153	178	192	160	233	189	61
Small-pox	23	2	1	-	1	1	5	-	-	2	1	7	3	2	2	1	-	-
Measles	19	4	7	1	2	-	14	4	-	-	-	-	-	-	1	-	-	-
Scarlatina	38	2	1	5	6	1	15	15	9	1	-	-	-	-	-	-	-	-
Diphtheria	9	1	1	1	-	1	4	1	-	-	1	1	-	2	-	-	-	-
Whooping-cough	10	7	1	-	1	1	10	-	-	-	-	-	-	-	-	-	-	-
Typhus	55	3	2	6	4	2	17	4	2	6	2	10	5	4	4	1	-	-
Diarrhœa & Dysentery	59	22	5	4	-	-	31	1	-	2	1	-	7	2	5	3	4	3
Cholera	4	-	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-	-
Other Zymotic Dis.	25	5	2	4	2	1	12	3	1	1	-	-	2	3	1	1	-	1
Cancer	22	-	-	-	-	-	-	-	-	1	-	1	1	3	5	4	7	-
Scrofula and Tabes	27	7	6	3	1	1	18	2	2	3	-	-	-	1	1	-	-	-
Phthisis	205	3	-	1	-	-	4	-	5	13	33	59	33	36	15	6	-	1
Hydrocephalus	23	10	4	3	2	1	20	2	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	400	52	22	8	4	4	90	5	3	4	10	31	69	60	48	55	21	1
Dis. of Heart & Dropsy	112	-	1	1	-	1	3	3	1	3	2	6	11	16	14	30	17	3
Dis. of Lungs	216	48	17	6	6	2	79	2	2	-	4	16	9	20	22	31	23	8
Dis. of Stom. and Liver	106	8	1	-	-	1	10	1	-	-	5	6	14	17	20	25	8	-
Dis. of Kidneys	28	-	-	-	-	1	1	2	-	1	-	-	2	4	5	9	4	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Dis. of Joints	8	1	-	-	-	1	2	-	1	-	2	-	1	-	2	-	-	-
Dis. of Skin	4	1	2	-	1	-	4	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	10	-	-	-	-	-	-	-	-	-	-	3	2	2	3	-	-	-
Other Violent Deaths	56	4	-	3	-	-	7	3	3	-	7	7	9	8	4	4	1	1
Other Causes	369	112	8	3	2	2	127	1	-	3	-	5	8	9	10	62	101	43
99.—ISLE OF WIGHT.																		
Mean Popul^n, 1861-71	29339	846	726	766	756	744	3838	3444	3083	2895	2496	4293	3410	2556	1782	1073	416	53
TOTAL DEATHS	5368	1031	334	142	118	101	1729	207	124	159	221	458	429	362	454	534	524	167
Small-pox	23	6	-	1	2	1	10	1	1	1	1	5	1	2	-	-	1	-
Measles	65	8	28	11	10	2	62	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	214	7	25	24	27	32	115	66	26	4	3	2	3	1	-	-	-	-
Diphtheria	55	4	2	3	8	7	24	21	7	-	1	1	1	-	-	-	-	-
Whooping-cough	76	35	25	9	4	2	75	1	-	-	-	-	-	-	-	-	-	-
Typhus	237	12	6	6	10	9	43	22	11	29	30	28	13	16	28	8	9	-
Diarrhœa & Dysentery	141	76	17	6	3	2	104	2	1	1	-	3	3	5	-	11	10	4
Cholera	52	5	2	3	1	2	13	6	3	-	1	3	7	7	6	5	1	-
Other Zymotic Dis.	111	12	9	11	6	8	46	12	6	4	4	9	9	5	4	9	2	1
Cancer	64	-	-	-	-	-	-	-	-	-	1	-	5	8	18	22	9	1
Scrofula and Tabes	95	39	14	8	3	2	66	3	6	2	2	6	8	1	1	-	-	-
Phthisis	703	9	8	1	2	2	22	7	17	50	108	216	151	69	48	14	1	-
Hydrocephalus	83	29	20	6	9	5	69	11	3	-	-	-	-	-	-	-	-	-
Dis. of Brain	620	166	49	12	11	9	247	12	10	7	9	17	35	44	63	83	74	16
Dis. of Heart & Dropsy	379	1	1	-	2	-	4	4	11	6	10	26	49	35	77	91	60	6
Dis. of Lungs	711	188	72	18	8	5	291	9	2	13	11	37	36	43	65	92	89	23
Dis. of Stom. and Liver	268	24	6	3	-	1	34	6	4	15	2	21	32	32	53	41	23	2
Dis. of Kidneys	145	-	1	3	-	2	6	2	-	3	4	15	13	22	16	33	26	5
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Dis. of Joints	24	-	1	-	1	-	2	-	3	3	4	3	1	1	3	3	1	-
Dis. of Skin	28	12	-	-	-	-	12	-	2	2	1	1	1	3	2	2	1	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	28	-	-	-	-	-	-	-	-	-	3	3	1	10	10	-	1	-
Other Violent Deaths	242	18	6	4	8	4	40	15	13	11	20	40	35	30	18	9	5	3
Other Causes	1000	383	42	10	3	6	444	5	3	5	6	21	25	28	42	105	211	105
100.—LYMINGTON.																		
Mean Popul^n, 1861-71	5894	168	165	165	155	168	821	721	721	551	410	680	624	541	414	284	109	18
TOTAL DEATHS	1013	189	59	17	20	13	298	31	29	19	27	58	63	78	95	135	136	44
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	11	3	6	1	-	-	10	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	26	2	6	1	2	2	13	7	5	-	-	1	-	-	-	-	-	-
Diphtheria	6	-	-	1	1	-	2	4	-	-	-	-	-	-	-	-	-	-
Whooping-cough	12	10	1	-	1	-	12	-	-	-	-	-	-	-	-	-	-	-
Typhus	31	-	1	1	-	2	4	3	5	2	4	1	2	3	5	2	-	-
Diarrhœa & Dysentery	18	9	2	-	-	-	11	-	-	1	-	-	-	-	1	1	3	1
Cholera	3	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-
Other Zymotic Dis.	34	4	4	1	6	2	17	1	-	1	2	3	1	1	3	1	4	-
Cancer	21	-	-	-	-	-	-	1	1	-	-	1	1	3	-	9	4	1
Scrofula and Tabes	13	2	2	1	-	-	5	1	3	-	-	2	-	1	1	-	-	-
Phthisis	103	1	-	-	-	-	1	-	2	12	10	29	19	17	10	2	1	-
Hydrocephalus	9	2	5	-	-	-	7	1	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	133	32	6	4	4	-	46	5	2	-	4	5	5	13	12	18	23	-
Dis. of Heart & Dropsy	103	1	1	-	-	-	2	1	2	-	3	3	11	9	19	30	19	1
Dis. of Lungs	109	30	14	4	2	3	53	1	-	-	-	2	3	5	10	22	9	4
Dis. of Stom. and Liver	32	12	-	1	-	-	13	1	1	1	-	3	3	10	3	10	4	1
Dis. of Kidneys	29	-	1	-	-	-	1	-	-	-	2	2	4	5	8	5	2	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	3	-	-	1	-	-	1	1	-	-	-	-	1	-	-	-	-	-
Dis. of Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
Other Violent Deaths	42	4	1	-	2	2	9	1	6	2	1	4	8	5	6	-	-	-
Other Causes	250	76	9	1	2	2	90	1	1	-	1	-	1	5	13	35	67	36

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 upwards
98.—FAREHAM.																		
Mean Popul^{n}, 1861–71	7893	184	188	189	178	217	956	866	783	639	679	1116	924	767	591	377	166	29
TOTAL DEATHS	1756	243	75	36	41	23	418	46	29	41	65	154	164	147	181	220	226	65
Small-pox	8	1		1	2	–	4	1	1	–	–	–	2	–	–	–	–	–
Measles	12	–	7	2	3	–	12	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	42	1	2	4	8	6	21	13	3	2	1	2	–	–	–	–	–	–
Diphtheria	10	2	2	2	1	1	8	1	1	–	–	–	–	–	–	–	–	–
Whooping-cough	17	10	5	1	–	1	17	–	–	–	–	–	–	–	–	–	–	–
Typhus	46	–	1	4	3	3	11	7	6	4	2	6	4	1	2	3	–	–
Diarrhœa & Dysentery	44	12	6	1	2	1	22	–	–	1	2	1	1	1	4	5	5	2
Cholera	6	–	–	–	–	–	–	–	1	–	1	1	–	1	1	–	1	–
Other Zymotic Dis.	19	2	1	–	2	–	5	1	1	1	–	–	1	2	1	6	1	–
Cancer	48	–	–	–	–	–	–	–	–	1	–	3	4	16	8	10	6	–
Scrofula and Tabes	21	5	3	1	–	1	10	2	1	–	1	3	1	1	1	–	1	–
Phthisis	235	10	3	2	1	2	18	3	6	19	29	68	49	32	24	6	1	–
Hydrocephalus	16	5	2	2	4	2	15	1	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	320	53	17	6	4	3	83	6	4	6	6	27	38	27	41	49	29	4
Dis. of Heart & Dropsy	133	1	2	–	1	–	4	–	1	2	9	7	16	17	27	29	17	4
Dis. of Lungs	179	25	10	6	6	2	49	5	1	–	3	8	12	13	32	28	27	1
Dis. of Stom. and Liver	106	4	1	1	3	1	10	1	1	2	4	11	11	14	15	21	12	1
Dis. of Kidneys	22	1	–	–	–	–	1	1	–	–	1	1	1	4	4	6	3	–
Dis. of Gener. Organs	15	–	–	–	–	–	–	–	–	–	–	1	2	6	5	2	–	–
Dis. of Joints	5	–	–	–	–	–	–	1	–	–	–	1	–	1	1	1	–	–
Dis. of Skin	3	1	–	–	–	–	1	–	1	–	–	–	–	–	1	–	–	–
Childbirth and Metria	38	–	–	–	–	–	–	–	–	1	6	13	16	2	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–
Other Violent Deaths	16	4	1	1	–	–	6	1	–	–	–	–	–	–	–	3	5	1
Other Causes	371	106	12	2	1	–	121	2	1	2	–	1	1	8	14	51	118	52
99.—ISLE OF WIGHT.																		
Mean Popul^{n}, 1861–71	31451	808	752	808	691	708	3767	3501	3070	2979	2958	4875	3699	2351	2018	1195	467	71
TOTAL DEATHS	5073	829	306	154	125	95	1509	212	134	172	235	384	350	334	410	581	557	195
Small-pox	12	5	1	1	–	1	8	–	–	1	1	1	–	1	–	–	–	–
Measles	74	9	38	10	9	3	69	–	1	1	1	1	1	–	–	–	–	–
Scarlatina	236	20	28	32	37	29	146	55	18	8	5	4	–	–	–	–	–	–
Diphtheria	86	6	3	11	6	10	36	32	13	–	1	3	1	–	–	–	–	–
Whooping-cough	83	39	25	6	8	3	81	2	–	–	–	–	–	–	–	–	–	–
Typhus	246	9	9	7	8	7	40	27	29	32	24	23	18	16	21	11	4	1
Diarrhœa & Dysentery	132	66	15	4	2	–	87	1	–	1	1	4	–	–	4	14	15	5
Cholera	65	1	1	1	3	1	7	9	5	1	7	3	6	6	8	10	2	1
Other Zymotic Dis.	117	6	9	6	6	13	40	19	6	3	3	5	5	7	8	12	5	4
Cancer	146	–	–	–	–	–	–	–	–	2	–	9	22	30	41	30	12	–
Scrofula and Tabes	91	25	14	7	7	2	55	6	7	5	5	7	1	2	–	3	–	–
Phthisis	698	6	7	7	3	2	25	9	20	80	121	184	121	60	25	20	3	–
Hydrocephalus	51	10	13	7	6	1	37	11	2	1	–	–	–	–	–	–	–	–
Dis. of Brain	565	126	39	20	10	6	201	8	13	11	8	17	31	33	53	94	81	15
Dis. of Heart & Dropsy	410	1	3	1	1	–	6	2	6	5	3	18	34	61	65	122	76	12
Dis. of Lungs	599	138	58	23	9	7	238	16	2	6	5	16	28	32	65	90	83	18
Dis. of Stom. and Liver	227	16	1	1	–	–	18	3	3	6	8	12	20	30	50	45	28	4
Dis. of Kidneys	90	–	3	–	1	1	5	1	3	1	2	11	9	18	22	12	3	3
Dis. of Gener. Organs	23	–	–	–	–	–	–	–	–	–	–	2	5	8	5	3	2	–
Dis. of Joints	14	–	–	–	1	1	2	1	2	–	2	2	3	2	–	–	–	–
Dis. of Skin	12	4	1	–	–	–	5	–	2	–	–	1	–	1	1	1	1	–
Childbirth and Metria	94	–	–	–	–	–	–	–	–	3	23	39	27	2	–	–	–	–
Suicide	6	–	–	–	–	–	–	–	–	–	1	1	–	2	–	1	1	–
Other Violent Deaths	70	20	3	2	1	5	31	4	–	1	2	3	2	8	3	5	10	1
Other Causes	954	322	35	5	7	3	372	6	2	4	12	18	16	15	39	108	231	131
100.—LYMINGTON.																		
Mean Popul^{n}, 1861–71	6351	159	157	162	154	157	789	767	729	559	486	849	724	580	461	297	95	15
TOTAL DEATHS	1049	133	51	21	21	9	235	36	24	44	45	80	70	70	86	169	142	48
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	7	–	–	2	2	1	5	–	1	1	–	–	–	–	–	–	–	–
Scarlatina	22	3	4	2	3	3	15	6	1	–	–	–	–	–	–	–	–	–
Diphtheria	8	–	–	–	–	–	–	2	2	1	2	–	–	1	–	–	–	–
Whooping-cough	11	6	2	2	–	–	10	1	–	–	–	–	–	–	–	–	–	–
Typhus	28	–	–	–	1	–	1	4	2	4	4	6	–	2	1	3	1	–
Diarrhœa & Dysentery	26	5	3	–	–	–	8	2	–	1	–	–	–	1	3	7	3	1
Cholera	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Other Zymotic Dis.	25	5	5	2	–	–	12	1	–	–	–	1	–	1	3	5	2	–
Cancer	33	–	–	1	–	–	1	–	–	–	–	1	4	10	12	7	1	–
Scrofula and Tabes	14	2	3	1	1	–	7	–	–	–	2	2	–	3	–	–	–	–
Phthisis	159	1	–	–	3	–	4	3	5	27	26	47	28	12	6	1	–	–
Hydrocephalus	10	1	–	–	1	2	4	3	3	–	–	–	–	–	–	–	–	–
Dis. of Brain	118	13	10	3	3	–	29	3	2	5	1	4	6	5	16	26	17	4
Dis. of Heart & Dropsy	121	1	–	1	2	–	4	–	3	2	2	3	11	14	18	45	18	1
Dis. of Lungs	97	29	14	5	1	2	51	5	1	1	–	3	3	3	8	12	9	1
Dis. of Stom. and Liver	47	3	–	–	2	–	5	2	2	–	3	2	5	10	8	6	4	–
Dis. of Kidneys	7	–	–	–	–	–	–	1	–	–	–	–	–	2	–	3	1	–
Dis. of Gener. Organs	6	–	–	–	–	–	–	–	–	–	–	1	2	1	1	1	–	–
Dis. of Joints	3	–	1	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–
Dis. of Skin	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Childbirth and Metria	19	–	–	–	–	–	–	–	–	–	3	9	7	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Deaths	12	2	2	1	1	1	7	1	–	–	–	–	–	–	2	–	1	1
Other Causes	271	62	7	1	1	–	71	2	–	2	2	–	4	5	7	53	85	40

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
101.—CHRISTCHURCH.																		
Mean Popul^n, 1861–71	6109	174	146	155	166	149	790	754	668	607	498	848	690	551	360	243	91	9
TOTAL DEATHS	1180	226	66	25	27	11	355	46	33	34	64	128	72	82	95	140	99	32
Small-pox	3	1	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
Measles	5	-	1	1	3	-	5	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	44	2	7	4	4	3	20	13	3	3	2	2	-	1	-	-	-	-
Diphtheria	10	2	1	-	2	2	7	2	1	-	-	-	-	-	-	-	-	-
Whooping-cough	21	12	4	4	-	-	20	1	-	-	-	-	-	-	-	-	-	-
Typhus	23	-	-	1	1	-	2	4	4	-	4	-	1	1	1	5	1	-
Diarrhœa & Dysentery	19	8	1	2	-	-	11	2	-	-	1	3	-	-	1	1	-	-
Cholera	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	28	3	3	2	3	2	13	2	1	1	1	2	1	1	4	2	-	-
Cancer	25	-	-	-	-	-	-	-	1	-	-	-	2	5	3	10	4	-
Scrofula and Tabes	22	7	4	5	-	-	16	1	1	2	1	-	1	-	-	-	-	-
Phthisis	211	2	3	-	2	-	7	5	2	10	41	81	34	19	8	4	-	-
Hydrocephalus	16	5	5	1	2	1	14	-	1	1	-	-	-	-	-	-	-	-
Dis. of Brain	129	27	9	1	3	1	41	5	3	2	2	4	1	8	17	24	19	3
Dis. of Heart & Dropsy	77	1	-	-	1	-	2	1	3	-	-	5	6	9	12	26	11	2
Dis. of Lungs	166	33	15	2	3	2	55	4	-	3	3	14	6	15	16	30	18	2
Dis. of Stom. and Liver	68	11	2	1	-	-	14	2	2	1	1	6	6	9	11	12	4	-
Dis. of Kidneys	39	-	-	-	-	-	-	-	-	2	1	2	5	4	6	12	6	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	5	-	1	-	-	-	1	-	-	-	-	-	1	-	1	2	-	-
Dis. of Skin	9	3	-	-	-	-	3	-	-	-	-	-	1	1	2	-	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-
Other Violent Deaths	56	2	2	-	1	-	5	3	10	8	6	7	4	3	7	2	1	-
Other Causes	200	106	8	1	2	-	117	-	1	1	1	1	3	6	3	10	33	24
102.—RINGWOOD.																		
Mean Popul^n, 1861–71	2706	62	63	73	69	62	329	318	328	261	207	313	282	262	205	142	53	6
TOTAL DEATHS	461	72	23	13	10	6	124	18	5	12	19	27	21	30	50	56	84	15
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Measles	6	-	1	2	1	1	5	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	16	-	5	1	2	2	10	4	1	-	1	-	-	-	-	-	-	-
Diphtheria	4	-	-	1	1	-	2	1	-	-	-	-	-	-	1	-	-	-
Whooping-cough	2	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Typhus	11	-	-	-	-	-	-	-	-	2	3	1	1	1	-	1	2	-
Diarrhœa & Dysentery	6	3	-	-	-	-	3	1	-	-	-	1	-	-	-	1	-	-
Cholera	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	12	-	2	3	1	-	6	1	-	-	1	-	-	-	2	-	2	-
Cancer	10	-	-	-	-	-	-	-	-	-	-	-	1	1	4	3	1	-
Scrofula and Tabes	6	1	-	-	1	-	2	-	2	-	1	1	-	-	-	-	-	-
Phthisis	50	1	-	-	2	-	3	-	-	8	8	13	5	5	7	1	-	-
Hydrocephalus	7	2	3	-	-	-	5	2	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	61	9	2	1	1	2	15	2	-	-	-	5	2	7	9	8	11	2
Dis. of Heart & Dropsy	49	1	-	-	-	-	1	1	1	-	2	3	1	3	9	17	11	-
Dis. of Lungs	69	20	2	3	-	1	26	3	-	1	-	-	4	3	7	12	11	2
Dis. of Stom. and Liver	19	3	-	1	-	-	4	-	-	-	1	1	1	3	3	4	2	-
Dis. of Kidneys	12	-	-	-	-	-	-	1	-	-	-	1	1	2	3	-	4	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	5	-	2	-	-	-	2	-	-	1	1	-	-	-	-	1	-	-
Dis. of Skin	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-
Other Violent Deaths	9	2	-	-	-	-	2	1	1	-	1	-	1	2	1	-	-	-
Other Causes	100	30	3	1	1	-	35	-	-	-	-	-	3	3	3	6	30	11
103.—FORDINGBRIDGE.																		
Mean Popul^n, 1861–71	3252	93	81	102	91	98	465	414	379	327	219	366	314	313	249	137	63	6
TOTAL DEATHS	628	128	35	14	23	8	208	20	11	15	14	26	28	46	54	77	88	32
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	11	2	7	1	-	-	10	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	38	4	2	3	8	3	20	12	3	2	-	1	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	7	4	-	1	2	-	7	-	-	-	-	-	-	-	-	-	-	-
Typhus	11	-	1	-	1	1	3	-	1	1	-	1	2	-	1	2	-	-
Diarrhœa & Dysentery	13	2	-	1	-	1	4	1	1	-	-	-	-	-	1	1	3	2
Cholera	3	-	-	1	-	-	1	1	-	-	-	-	-	-	-	1	-	-
Other Zymotic Dis.	13	2	1	2	2	1	8	3	-	-	-	-	-	1	1	-	-	-
Cancer	9	-	-	-	-	-	-	-	-	-	-	-	-	5	2	2	-	-
Scrofula and Tabes	22	3	1	-	3	-	7	2	1	1	2	1	2	-	2	3	1	-
Phthisis	64	-	3	-	-	1	4	-	1	6	6	15	12	13	4	3	-	-
Hydrocephalus	17	7	6	2	1	-	16	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	80	31	4	2	2	1	40	-	1	1	-	1	2	3	9	12	11	-
Dis. of Heart & Dropsy	46	2	1	-	-	-	3	1	-	1	-	-	-	5	8	15	13	-
Dis. of Lungs	74	21	6	1	2	-	30	2	-	1	1	4	5	7	7	10	7	-
Dis. of Stom. and Liver	32	6	-	-	-	-	6	1	-	1	-	1	3	5	8	5	2	-
Dis. of Kidneys	10	1	-	-	-	-	1	-	1	-	-	-	-	-	3	4	1	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Dis. of Skin	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-
Other Violent Deaths	23	2	-	-	2	-	4	3	1	1	5	1	-	2	3	3	-	-
Other Causes	148	39	3	-	-	-	42	1	1	-	-	1	1	3	4	15	50	30

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
101.—CHRISTCHURCH.																		
Mean Populn, 1861–71	7279	163	148	160	147	156	774	723	683	767	794	1181	898	670	412	275	84	18
TOTAL DEATHS	1082	158	59	26	20	10	273	37	22	40	56	106	86	72	87	127	130	46
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	9	–	3	4	1	–	8	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	35	2	6	1	4	3	16	11	3	2	1	1	–	1	–	–	–	–
Diphtheria	5	–	–	1	–	–	1	1	–	1	–	1	–	1	–	–	–	–
Whooping-cough	18	11	3	2	1	–	17	1	–	–	–	–	–	–	–	–	–	–
Typhus	20	1	2	1	–	1	5	2	4	2	2	4	1	–	–	–	–	–
Diarrhœa & Dysentery	26	5	7	1	–	–	13	–	–	–	1	3	1	3	–	2	2	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	21	3	4	1	2	1	11	1	–	–	2	–	–	1	3	2	1	–
Cancer	35	–	–	–	–	–	–	–	–	–	–	2	4	8	8	10	3	–
Scrofula and Tabes	14	3	5	–	–	–	8	–	1	–	–	3	1	–	1	–	–	–
Phthisis	212	1	2	–	–	1	4	3	6	21	37	61	41	20	11	7	1	–
Hydrocephalus	12	3	2	1	1	–	7	2	3	–	–	–	–	–	–	–	–	–
Dis. of Brain	129	21	7	3	4	1	36	3	1	6	2	3	10	7	15	20	13	5
Dis. of Heart & Dropsy	84	–	–	–	2	–	2	–	–	2	1	6	8	9	18	30	8	–
Dis. of Lungs	144	26	7	7	2	–	42	5	1	2	2	6	6	10	15	25	26	4
Dis. of Stom. and Liver	48	11	1	–	–	1	13	–	–	1	1	3	3	4	10	6	7	–
Dis. of Kidneys	15	–	–	–	–	–	–	1	–	–	–	3	3	2	1	3	1	1
Dis. of Gener. Organs	7	–	–	–	–	–	–	–	–	–	–	1	3	1	2	–	–	–
Dis. of Joints	9	–	1	–	1	1	3	–	1	1	–	1	1	2	–	–	–	–
Dis. of Skin	8	2	–	–	–	–	2	–	–	–	–	1	1	2	–	2	–	–
Childbirth and Metria	14	–	–	–	–	–	–	–	–	–	5	6	3	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Deaths	17	2	1	1	2	1	7	2	2	1	2	1	–	–	–	–	2	–
Other Causes	200	67	8	3	–	–	78	4	–	1	–	–	–	1	–	20	61	35
102.—RINGWOOD.																		
Mean Populn, 1861–71	2671	67	61	68	71	61	328	325	318	249	209	334	286	252	184	128	50	8
TOTAL DEATHS	467	62	17	18	7	8	112	13	8	12	16	36	30	34	47	73	64	22
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	7	1	2	–	1	1	5	–	–	2	–	–	–	–	–	–	–	–
Scarlatina	9	1	2	1	–	–	4	4	1	–	–	–	–	–	–	–	–	–
Diphtheria	3	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–
Whooping-cough	4	4	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–
Typhus	5	–	–	–	–	–	–	1	–	–	2	–	2	–	–	–	–	–
Diarrhœa & Dysentery	5	–	2	1	–	–	3	–	–	–	–	–	–	1	–	1	–	–
Cholera	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	15	1	–	5	–	4	10	1	–	–	–	1	–	–	–	2	1	–
Cancer	16	–	–	–	–	–	–	–	–	–	–	–	4	3	5	2	1	1
Scrofula and Tabes	7	–	1	2	1	–	4	–	1	–	–	1	–	–	1	–	–	–
Phthisis	61	1	–	1	–	–	2	1	1	6	8	14	11	8	4	6	–	–
Hydrocephalus	3	1	–	–	1	–	2	–	–	–	1	–	–	–	–	–	–	–
Dis. of Brain	63	11	3	3	–	–	17	1	3	2	–	3	4	4	8	9	10	2
Dis. of Heart & Dropsy	55	2	1	–	–	–	3	–	1	–	–	6	3	8	9	16	9	–
Dis. of Lungs	67	15	4	2	2	3	26	1	–	–	2	5	1	1	7	9	13	2
Dis. of Stom. and Liver	35	2	1	2	–	–	5	–	–	–	–	2	1	5	6	12	4	–
Dis. of Kidneys	8	–	–	–	–	–	–	–	–	1	–	1	1	–	3	2	–	–
Dis. of Gener. Organs	4	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–
Dis. of Joints	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Dis. of Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	5	–	–	–	–	–	–	–	–	–	2	2	1	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Other Violent Deaths	7	1	–	1	2	–	4	1	1	–	–	–	–	1	–	–	–	–
Other Causes	85	22	1	–	–	–	23	–	–	1	–	–	2	1	2	13	26	17
103.—FORDINGBRIDGE.																		
Mean Populn, 1861–71	3157	96	82	91	70	94	433	379	353	255	242	394	364	313	221	142	56	5
TOTAL DEATHS	600	88	35	10	19	11	163	30	18	25	18	44	35	44	54	76	62	31
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	13	4	1	–	4	–	12	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	47	3	3	6	8	2	22	17	5	2	1	–	–	–	–	–	–	–
Diphtheria	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	5	1	3	1	–	–	5	–	–	–	–	–	–	–	–	–	–	–
Typhus	21	–	–	–	–	1	1	3	5	5	1	1	2	4	–	–	1	–
Diarrhœa & Dysentery	10	3	1	1	–	1	6	–	–	–	–	–	–	1	–	1	2	–
Cholera	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	12	1	–	–	1	2	4	1	–	1	1	–	1	1	3	–	–	–
Cancer	21	–	–	–	–	–	–	–	–	–	2	–	2	3	6	7	1	–
Scrofula and Tabes	16	4	1	1	1	–	7	2	–	1	1	1	2	–	1	1	–	–
Phthisis	80	1	1	–	–	–	2	–	4	10	10	22	12	8	10	2	–	–
Hydrocephalus	8	2	5	–	–	–	7	1	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	69	15	6	–	2	1	24	1	2	2	–	5	5	5	3	12	9	1
Dis. of Heart & Dropsy	48	–	1	–	–	1	2	–	–	–	–	2	4	6	14	17	1	2
Dis. of Lungs	61	14	5	–	2	–	21	1	1	1	–	4	1	7	7	12	6	–
Dis. of Stom. and Liver	16	–	–	1	–	1	2	1	1	1	–	–	2	3	4	2	–	–
Dis. of Kidneys	7	–	–	–	–	–	–	–	–	–	–	3	–	4	–	–	–	–
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Dis. of Joints	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Dis. of Skin	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Childbirth and Metria	11	–	–	–	–	–	–	–	–	1	1	5	4	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Deaths	7	1	1	–	–	1	3	1	–	–	1	1	–	–	–	–	1	–
Other Causes	140	39	4	–	1	–	44	–	–	1	–	–	–	1	4	21	41	28

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
104.—NEW FOREST.																		
Mean Popul^n, 1861–71	6789	178	168	171	159	195	871	854	835	662	491	791	729	620	485	310	124	17
TOTAL DEATHS	1178	230	50	26	22	9	337	48	20	32	32	81	66	68	104	176	157	57
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	10	1	2	2	1	1	7	2	1	–	–	–	–	–	–	–	–	–
Scarlatina	12	1	3	–	1	1	6	3	1	–	1	–	–	1	–	–	–	–
Diphtheria	7	–	1	–	–	1	2	4	–	–	–	–	–	–	1	–	–	–
Whooping-cough	9	5	2	–	1	–	8	1	–	–	–	–	–	–	–	–	–	–
Typhus	20	–	–	–	1	–	1	3	1	7	–	1	4	–	1	1	1	–
Diarrhœa & Dysentery	21	6	3	1	2	–	12	1	1	–	–	1	1	1	1	2	1	–
Cholera	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Other Zymotic Dis.	30	1	4	4	3	–	12	7	1	1	–	3	–	1	2	2	1	–
Cancer	16	–	–	–	–	–	–	–	–	–	–	1	–	1	4	5	5	–
Scrofula and Tabes	11	–	–	–	–	–	–	2	–	–	1	3	1	2	1	1	–	–
Phthisis	126	–	1	–	1	–	2	1	3	12	21	41	25	9	7	2	–	–
Hydrocephalus	22	11	3	4	2	1	21	1	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	142	41	4	3	1	1	50	4	3	1	3	6	5	11	14	24	21	–
Dis. of Heart & Dropsy	109	1	–	–	–	–	1	1	4	1	–	5	9	17	17	34	15	5
Dis. of Lungs	157	41	17	5	3	3	69	3	2	3	1	3	10	6	15	26	14	5
Dis. of Stom. and Liver	66	2	–	–	2	–	4	2	–	1	–	5	3	6	20	17	7	1
Dis. of Kidneys	21	–	–	–	–	–	–	–	–	–	1	1	2	4	2	10	1	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	7	1	1	–	–	–	2	–	1	–	1	–	1	1	–	1	–	–
Dis. of Skin	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–
Other Violent Deaths	49	4	1	2	1	–	8	8	2	6	2	5	3	3	7	4	1	–
Other Causes	336	115	8	5	3	1	132	5	–	–	1	2	–	4	10	46	90	46
105.—SOUTHAMPTON.																		
Mean Popul^n, 1861–71	21435	709	586	605	594	554	3048	2555	2299	2003	1875	3351	2646	1855	1078	535	167	23
TOTAL DEATHS	5378	1306	459	210	152	82	2209	211	107	100	181	481	518	483	420	378	231	59
Small-pox	28	8	1	1	–	–	10	3	3	3	2	2	5	–	–	–	–	–
Measles	135	32	47	20	11	11	121	10	–	–	2	1	1	–	–	–	–	–
Scarlatina	201	10	31	36	39	17	133	56	7	2	–	3	–	–	–	–	–	–
Diphtheria	18	2	1	3	9	–	15	3	–	–	–	–	–	–	–	–	–	–
Whooping-cough	73	26	23	16	4	3	72	1	–	–	–	–	–	–	–	–	–	–
Typhus	209	6	9	20	13	7	55	25	15	18	17	27	11	15	12	4	1	–
Diarrhœa & Dysentery	282	157	43	8	1	3	212	4	2	1	5	10	11	9	10	12	4	2
Cholera	63	3	6	2	4	1	16	10	5	1	2	5	8	9	6	1	–	–
Other Zymotic Dis.	139	16	15	13	15	6	65	16	2	3	8	9	6	6	16	4	4	–
Cancer	62	–	–	–	–	–	–	–	–	–	–	3	11	14	17	12	5	–
Scrofula and Tabes	63	20	9	2	3	1	38	4	10	1	2	2	1	2	3	–	–	–
Phthisis	774	41	25	8	6	2	82	15	18	40	85	202	161	108	46	15	2	–
Hydrocephalus	112	43	29	15	7	5	99	9	3	1	–	–	–	–	–	–	–	–
Dis. of Brain	390	167	50	14	11	7	249	13	8	5	11	31	50	51	60	62	37	7
Dis. of Heart & Dropsy	332	2	–	7	1	–	10	5	6	4	8	43	57	63	57	60	18	1
Dis. of Lungs	796	210	116	35	19	12	422	13	2	4	7	30	53	61	75	76	45	8
Dis. of Stom. and Liver	235	25	5	1	3	1	35	6	3	1	6	26	34	53	35	30	5	1
Dis. of Kidneys	131	–	1	–	–	2	3	3	2	2	2	21	28	23	21	16	9	1
Dis. of Gener. Organs	3	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–
Dis. of Joints	26	–	–	–	–	–	–	4	4	2	3	2	4	–	5	2	–	–
Dis. of Skin	21	7	1	–	1	–	9	–	1	–	–	1	3	1	–	2	4	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	26	–	–	–	–	–	–	–	–	2	3	1	6	5	4	2	–	–
Other Violent Deaths	240	15	10	7	5	1	38	9	13	7	16	43	45	39	19	7	2	2
Other Causes	828	486	37	2	–	–	525	2	3	2	2	13	21	21	34	73	95	37
106.—SOUTH STONEHAM.																		
Mean Popul^n, 1861–71	13745	467	398	386	395	401	2047	1784	1541	1241	1010	1906	1602	1219	785	438	156	16
TOTAL DEATHS	3086	658	200	94	64	44	1060	97	52	65	149	415	259	211	219	277	216	66
Small-pox	2	1	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Measles	57	13	18	11	5	4	51	5	–	–	–	–	1	–	–	–	–	–
Scarlatina	55	5	10	5	8	4	32	12	2	3	3	1	–	2	–	–	–	–
Diphtheria	11	–	–	2	2	1	5	3	1	–	–	–	1	–	1	–	–	–
Whooping-cough	45	22	11	10	1	–	44	1	–	–	–	–	–	–	–	–	–	–
Typhus	99	1	4	3	8	6	22	12	9	11	5	6	12	7	9	5	1	–
Diarrhœa & Dysentery	142	63	14	2	–	–	79	2	3	–	4	26	9	1	5	5	6	2
Cholera	10	1	1	1	–	–	3	1	–	–	–	2	–	1	3	–	–	–
Other Zymotic Dis.	89	13	10	4	12	7	46	10	2	2	1	4	4	2	3	5	1	–
Cancer	42	–	–	–	–	–	–	–	1	–	1	7	6	8	9	6	4	–
Scrofula and Tabes	41	7	3	4	3	2	19	6	2	–	7	2	3	–	1	1	–	–
Phthisis	456	2	2	–	–	1	5	10	7	25	74	195	78	39	16	7	–	–
Hydrocephalus	60	26	14	7	6	–	53	5	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	363	91	29	8	6	1	135	8	5	4	5	24	24	35	35	56	29	3
Dis. of Heart & Dropsy	290	5	5	1	1	3	15	3	5	2	13	48	36	27	55	38	26	2
Dis. of Lungs	374	121	43	25	8	7	204	6	3	5	6	23	29	26	21	37	18	5
Dis. of Stom. and Liver	162	19	4	3	1	2	29	5	2	2	10	26	19	16	25	20	8	–
Dis. of Kidneys	81	1	–	2	–	1	4	1	–	2	4	15	13	12	6	17	6	1
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
Dis. of Joints	13	–	–	–	–	–	–	2	1	–	2	3	–	2	1	1	1	–
Dis. of Skin	15	7	–	–	–	1	8	1	–	1	–	1	1	1	2	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	16	–	–	–	–	–	–	–	–	1	1	3	3	2	4	–	2	–
Other Violent Deaths	101	8	7	2	2	2	21	1	5	7	9	14	14	17	6	4	2	1
Other Causes	569	232	25	4	1	2	284	3	2	–	4	14	14	13	17	55	111	52

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
104.—NEW FOREST.																		
Mean Populn, 1861–71	6713	177	172	170	165	166	850	805	758	563	529	882	772	648	476	300	114	16
TOTAL DEATHS	1096	169	50	28	21	12	280	37	32	28	58	74	73	59	83	164	153	55
Small-pox	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Measles	5	–	1	1	1	–	3	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	22	2	2	3	3	4	14	5	2	–	1	–	–	–	–	–	–	–
Diphtheria	13	–	1	–	–	1	2	8	2	–	–	–	–	1	–	–	–	–
Hooping-cough	9	5	2	1	–	–	8	1	–	–	–	–	–	–	–	–	–	–
Typhus	33	–	–	–	2	2	4	1	8	3	3	3	3	1	1	5	1	–
Diarrhœa & Dysentery	10	3	1	4	–	–	8	–	–	–	–	–	–	–	1	1	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Other Zymotic Dis.	23	2	4	1	4	–	11	2	1	–	–	–	2	1	2	1	3	–
Cancer	35	–	–	–	–	–	–	–	–	–	–	2	2	8	9	11	3	–
Scrofula and Tabes	5	–	1	–	–	–	1	–	2	1	1	–	–	–	–	–	–	–
Phthisis	113	1	1	–	1	1	4	–	4	12	31	32	31	17	6	3	–	–
Hydrocephalus	14	3	6	1	1	1	12	1	1	–	–	–	–	–	–	–	–	–
Ds. of Brain	132	36	9	3	2	–	50	3	5	6	5	8	3	7	10	19	13	3
Ds. of Heart & Dropsy	103	1	–	–	–	–	1	1	1	2	1	7	8	11	17	42	11	1
Ds. of Lungs	119	25	8	6	6	–	45	1	–	1	1	4	6	2	18	20	15	3
Ds. of Stom. and Liver	50	2	–	–	–	1	3	4	–	–	3	4	6	9	4	15	2	–
Ds. of Kidneys	7	–	–	–	–	–	–	–	1	–	1	–	2	–	–	1	2	–
Ds. of Gener. Organs	9	–	–	–	–	–	–	1	–	–	1	–	–	1	3	2	1	–
Ds. of Joints	8	1	–	–	–	–	1	1	1	–	1	1	–	–	1	1	1	–
Ds. of Skin	2	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	22	–	–	–	–	–	–	–	–	1	4	9	8	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Other Violent Deaths	17	3	–	2	–	1	6	–	1	1	2	2	1	1	1	–	1	1
Other Causes	312	83	14	6	1	1	105	3	3	–	–	2	1	–	10	43	99	46
105.—SOUTHAMPTON.																		
Mean Populn, 1861–71	24300	687	606	593	593	582	3061	2633	2373	2290	2340	4018	3053	2116	1356	744	283	33
TOTAL DEATHS	4963	1006	377	206	141	91	1821	201	104	117	179	422	428	392	379	421	373	123
Small-pox	20	5	1	2	–	2	10	1	2	1	1	3	1	–	1	–	–	–
Measles	116	19	42	27	17	6	111	5	–	–	–	–	–	–	–	–	–	–
Scarlatina	184	13	18	24	28	25	108	52	16	1	2	3	–	2	–	–	–	–
Diphtheria	19	1	1	3	2	1	8	7	2	–	2	–	–	–	–	–	–	–
Hooping-cough	129	58	58	15	11	3	125	4	–	–	–	–	–	–	–	–	–	–
Typhus	247	2	10	7	21	11	51	37	21	22	19	30	20	13	20	11	3	–
Diarrhœa & Dysentery	243	124	32	6	3	3	178	8	2	1	2	6	7	7	5	8	14	3
Cholera	72	5	4	3	2	–	14	7	5	1	3	7	19	11	4	1	–	–
Other Zymotic Dis.	120	20	12	18	11	4	65	7	6	1	6	5	5	5	7	9	4	–
Cancer	143	–	–	–	1	–	1	1	–	–	–	6	23	43	38	22	8	1
Scrofula and Tabes	77	21	17	5	4	3	50	4	4	4	–	6	3	3	–	2	1	–
Phthisis	688	39	22	11	4	3	79	9	19	43	70	193	157	68	34	13	3	–
Hydrocephalus	75	27	18	10	7	4	66	6	3	–	–	–	–	–	–	–	–	–
Ds. of Brain	330	103	27	24	5	–	159	16	7	10	8	29	35	54	65	84	53	10
Ds. of Heart & Dropsy	370	4	1	3	–	1	9	11	5	12	9	33	43	60	57	82	42	7
Ds. of Lungs	644	140	83	31	19	15	288	10	3	8	7	19	31	48	63	86	65	16
Ds. of Stom. and Liver	258	21	1	2	3	2	29	7	3	2	16	16	39	42	41	28	13	2
Ds. of Kidneys	58	–	2	–	–	2	4	–	1	1	7	7	10	11	10	4	3	–
Ds. of Gener. Organs	20	–	–	–	–	–	–	–	1	–	1	3	4	6	3	–	1	1
Ds. of Joints	25	1	1	1	–	–	3	4	2	3	–	1	2	3	4	2	1	–
Ds. of Skin	20	6	–	1	–	1	8	1	–	1	1	1	1	–	3	3	–	1
Childbirth and Metria	69	–	–	–	–	–	–	–	–	4	9	40	16	–	–	–	–	–
Suicide	8	–	–	–	–	–	–	–	–	–	2	1	2	1	2	–	–	–
Other Violent Deaths	71	17	5	8	–	4	34	2	2	–	7	3	–	6	3	5	8	1
Other Causes	779	370	42	5	3	1	421	2	–	2	7	10	10	9	19	64	154	81
106.—SOUTH STONEHAM.																		
Mean Populn, 1861–71	15127	422	387	408	402	375	1994	1803	1583	1391	1319	2324	1832	1320	858	519	161	23
TOTAL DEATHS	2374	479	157	86	40	39	801	93	50	87	68	192	175	186	187	276	206	53
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	45	7	11	13	3	4	38	3	2	2	–	–	–	–	–	–	–	–
Scarlatina	56	2	6	7	6	4	25	18	8	1	2	2	–	–	–	–	–	–
Diphtheria	12	2	–	1	2	1	6	2	1	2	–	–	1	–	–	–	–	–
Hooping-cough	31	15	9	4	1	1	30	1	–	–	–	–	–	–	–	–	–	–
Typhus	87	–	2	5	2	2	11	14	11	10	7	13	3	10	2	5	1	–
Diarrhœa & Dysentery	80	40	9	4	–	1	54	2	–	2	1	–	5	2	2	6	5	1
Cholera	9	–	–	–	–	2	2	1	1	1	–	2	1	–	–	–	1	–
Other Zymotic Dis.	68	6	5	11	2	8	32	7	2	3	–	2	3	4	5	6	4	–
Cancer	75	–	–	1	–	–	1	–	–	–	–	2	11	18	22	15	5	1
Scrofula and Tabes	34	9	7	4	3	–	23	1	–	1	–	2	3	4	–	–	–	–
Phthisis	398	4	7	1	2	–	14	5	9	35	36	87	68	41	11	2	–	–
Hydrocephalus	39	16	9	3	2	2	32	7	–	–	–	–	–	–	–	–	–	–
Ds. of Brain	324	75	23	12	3	1	114	9	4	8	2	11	15	33	38	56	26	8
Ds. of Heart & Dropsy	235	3	4	1	1	1	10	4	7	4	5	12	22	32	49	59	28	3
Ds. of Lungs	264	78	32	13	8	6	137	8	4	7	3	9	8	9	13	43	18	3
Ds. of Stom. and Liver	115	5	2	–	1	1	9	2	–	6	4	10	7	16	23	21	11	1
Ds. of Kidneys	26	–	–	1	1	–	2	–	–	1	–	4	4	2	6	4	1	2
Ds. of Gener. Organs	21	–	–	–	–	–	–	–	–	–	–	1	4	6	4	5	1	–
Ds. of Joints	9	–	1	–	–	1	2	–	–	1	1	–	1	3	–	1	–	–
Ds. of Skin	13	6	2	–	1	–	9	–	–	1	–	–	1	–	1	1	–	–
Childbirth and Metria	50	–	–	–	–	–	–	–	–	2	5	27	14	2	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–
Other Violent Deaths	40	10	6	1	2	1	20	4	1	–	2	4	2	2	–	3	2	–
Other Causes	432	201	22	4	–	3	230	5	–	–	–	2	2	2	11	45	103	32

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
107.—ROMSEY.																		
Mean Popul^n, 1861–71	5382	151	162	142	150	147	752	693	645	496	376	650	612	488	340	232	88	10
TOTAL DEATHS	1064	216	69	32	27	22	366	62	36	30	30	61	53	70	82	120	120	25
Small-pox	-	-	-	-	-	-	-				-	-	-	-	-	-	-	-
Measles	6	2	2	-	1	1	6	-			-	-	-	-	-	-	-	-
Scarlatina	77	3	10	6	10	6	35	30	9	2	1	-	-	-	-	-	-	-
Diphtheria	17	2	1		3	3	9	7	1		-	-	-	-	-	-	-	-
Whooping-cough	14	8	3	2	1	-	14				-	-	-	-	-	-	-	-
Typhus	20	1	-	1	-	-	2	1	6	1	2	1	-	-	4	2	1	
Diarrhœa & Dysentery	28	18	4	1	-	-	23					-	-	-	1	1	2	1
Cholera	13	2	-	-	-	1	3	4	1	1		-	-	1	-	2	1	
Other Zymotic Dis.	22	7	-	3	2	1	13		2			1	-	-	-	1	5	-
Cancer	12	-	-	-	-	-	-		1		-	2	-	1	1	3	3	1
Scrofula and Tabes	13	4	3	2	-	-	9	1		1	-	-	1	1	-	-	-	-
Phthisis	111	1	4	2	-	-	7		1	8	18	30	23	11	8	2	-	-
Hydrocephalus	19	8	5	2	3	-	18	-		1	-	-	-	-	-			
Dis. of Brain	151	29	5	4	2	5	45	4	1	5	1	5	7	14	19	27	21	2
Dis. of Heart & Dropsy	81		-	-	-	1	1	1	4	2	2	8	4	11	8	27	12	1
Dis. of Lungs	147	37	12	6	2	2	59	3	1	2	-	7	5	11	18	22	16	3
Dis. of Stom. and Liver	47	6	1		-	-	7	1	1	4	2	4	3	4	8	9	4	-
Dis. of Kidneys	24		-	1	-	-	1	1	2		1	1		4	5	5	4	-
Dis. of Gener. Organs	1	-	-	-	-	-					-	-	-	1	-	-	-	-
Dis. of Joints	2	-	-		-	-	-		-	-	-	-	1	1	-	-	-	-
Dis. of Skin	2	1	-		-	-	1			-	-	-	-	-	1	-		-
Childbirth and Metria	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-
Suicide	6	-	-	-	-	-	-			-	-	-	-	1	2	1	1	1
Other Violent Deaths	41	2	5		3	1	11	7	2	1	2	2	5	5	2	4	-	-
Other Causes	210	85	14	2	-	1	102	2	1	2	1	-	4	4	5	14	59	16
108.—STOCKBRIDGE.																		
Mean Popul^n, 1861–71	3765	108	86	97	88	99	478	437	451	374	250	457	413	350	290	186	71	5
TOTAL DEATHS	662	115	36	17	7	7	182	15	19	15	15	41	31	49	79	99	96	21
Small-pox	1	-	-			-	-		-	-	-	-	-	1	-	-	-	-
Measles	6	2	3	-	1		6	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	14	1	3	2	1	2	9	4	1	-	-	-	-	-	-	-	-	-
Diphtheria	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Whooping-cough	8	6	-	1	1	-	8	-	-	-	-	-	-	-	-	-	-	-
Typhus	16	-	-	-	-	-	-	1	5	-	1	2	2	1	3	1	-	-
Diarrhœa & Dysentery	17	8	1	1	-	1	11	1	-	-	-	-	1	-	-	2	1	1
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	11	2	1	2	-	-	5	1	-	-	-	2	-	2	3	1	-	-
Cancer	12	-	-	-	-	-	-	-	-	-	-	-	1	1	4	5	1	-
Scrofula and Tabes	11	3	1	1	1	-	9	-	1	-	-	-	-	-	-	1	-	-
Phthisis	64	-	2	-	-	-	2	-	2	4	11	20	9	10	3	3	-	-
Hydrocephalus	8	1	4	1	-	-	6	2	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	105	23	4	1	-	1	29	-	3	2	-	6	2	6	15	24	16	2
Dis. of Heart & Dropsy	72	-	-	-	-	-	-	1	1	1	2	1	3	9	17	18	16	5
Dis. of Lungs	118	18	7	4	1	3	33	1	-	2	1	4	3	8	17	23	23	3
Dis. of Stom. and Liver	47	4	-	1	1		6	-	-	2	-	3	6	6	6	9	9	-
Dis. of Kidneys	12	-	-	-	-	-	-	-	-	1	-	-	-	1	2	4	3	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	3	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-
Dis. of Skin	4	-	1	-	-	-	1	-	1	1	-	-	-	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	20	-	1	2	-	-	3	1	3	2	-	-	4	1	3	2	1	-
Other Causes	108	47	5	1	1	-	54	2	-	-	-	2	-	2	6	5	26	11
109.—WINCHESTER.																		
Mean Popul^n, 1861–71	14176	355	314	362	315	322	1668	1499	1550	1616	1366	2093	1614	1230	845	486	183	26
TOTAL DEATHS	2712	477	170	76	58	44	825	109	46	53	95	225	239	211	262	296	267	84
Small-pox	9	1	-	2	-	-	3	2	-	1	-	2	1	-	-	-	-	-
Measles	45	12	15	5	5	5	42	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	147	2	12	21	24	19	78	50	12	2	2	2	-	1	-	-	-	-
Diphtheria	14	2	1	3	-	1	7	2	2	-	-	-	2	-	1	-	-	-
Whooping-cough	49	20	19	4	3	2	48	1	-	-	-	-	-	-	-	-	-	-
Typhus	72	1	4	-	5	3	13	10	3	7	3	8	7	4	6	8	2	1
Diarrhœa & Dysentery	97	52	12	1	1	-	66	3	-	2	-	1	-	4	4	10	4	3
Cholera	7	3	-	-	-	-	3	-	-	-	-	1	-	-	3	-	-	-
Other Zymotic Dis.	45	5	3	4	2	4	18	6	1	1	2	1	2	4	5	2	2	1
Cancer	49	-	1	-	-	-	1	-	-	-	-	2	9	6	14	9	8	-
Scrofula and Tabes	29	12	6	2	-	1	21	1	2	1	1	3	-	-	-	-	-	-
Phthisis	303	2	1	5	-	-	8	4	2	13	39	84	82	37	28	5	1	-
Hydrocephalus	23	8	7	2	2	-	19	2	2	-	-	-	-	-	-	-	-	-
Dis. of Brain	377	90	26	9	4	4	133	13	2	4	7	22	20	25	40	57	45	9
Dis. of Heart & Dropsy	239	1	-	-	1	-	2	2	4	3	5	27	29	30	44	60	28	5
Dis. of Lungs	451	87	30	9	7	3	136	5	3	3	10	22	27	47	48	67	67	16
Dis. of Stom. and Liver	152	15	4	3	-	1	23	-	3	4	3	13	17	21	28	26	10	4
Dis. of Kidneys	70	-	-	-	1	-	1	-	1	2	-	8	15	9	10	17	7	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Dis. of Joints	13	-	-	-	-	-	-	-	2	-	2	4	2	4	4	-	-	-
Dis. of Skin	4	-	2	-	-	-	2	-	-	-	-	-	1	-	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	19	-	-	-	-	-	-	-	-	1	2	2	6	1	5	2	-	-
Other Violent Deaths	114	9	4	4	2	1	20	6	6	7	16	18	9	11	10	5	5	1
Other Causes	377	155	23	2	1	-	181	-	-	2	3	5	9	6	12	28	87	44

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
107.—ROMSEY.																		
Mean Populn, 1861-71	5449	146	146	145	138	146	721	669	622	478	404	721	646	498	348	235	94	13
TOTAL DEATHS	1080	163	52	36	37	25	313	59	29	36	41	66	73	79	78	132	130	44
Small-pox	3	-	-	2	-	-	2	1	-	-	-	-	-		-	-	-	-
Measles	6	3	-	1	-	1	5	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	73	3	6	7	15	9	40	19	6	2	1	3	1	1	-	-	-	-
Diphtheria	16	1	1	-	1	1	4	6	5	1	-	-	-	-	-	-		-
Whooping-cough	13	7	2	3	1	-	13	-	-	-	-	-	-		-	-	-	-
Typhus	31	-	-	-	2	2	4	5	4	2	3	6	3	2	1	-	1	-
Diarrhœa & Dysentery	30	13	6	3	1	1	24	-	-	1	-	-	1	2	1	-	1	-
Cholera	9	1	1	1	2	-	5	-	1	-	-	1	-	1	-	-	1	-
Other Zymotic Dis.	23	2	3	2	3	2	12	4	1	-	-	-	1	-	4	1	-	-
Cancer	28	-	-		1	-	1	-	-	1	-	2	4	6	7	6	1	-
Scrofula and Tabes	9	3	2	-	-	1	6	-	1	1	1		-	-	-	-		-
Phthisis	110	1	1	2	1	-	5	2	4	21	20	26	19	10	2	1	-	-
Hydrocephalus	16	5	3	-	1	2	11	4	-	-	-		-	-	1		-	-
Dis. of Brain	143	21	5	5	2	3	33	2	1	2	6	5	9	18	11	26	23	4
Dis. of Heart & Dropsy	83	2	-	1	-	-	3	1	2	2	1	6	7	4	18	25	12	2
Dis. of Lungs	138	29	13	4	5	2	53	6	-	1	2	4	5	10	17	23	16	1
Dis. of Stom. and Liver	31	3	-	-	-	-	3	1	1	-	-	2	6	12	7	13	6	-
Dis. of Kidneys	14	1	1	-	-	-	2	1	-	-	-	1	4	1	4	1	-	-
Dis. of Gener. Organs	10	-	-	-	-	-	-	-		-	-	2	-	4	-	4	-	-
Dis. of Joints	6	-	-			-		1	2	1	-		1	-	-	1	-	
Dis. of Skin	4	1			-	-	1	-	-	-	-	-	1	1	-	1	-	-
Childbirth and Metria	18	-	-	-	-	-	-	-	-	-	3	7	8	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Other Violent Deaths	20	4	-	1	1	1	7	2	-	1	2	1	1	3	-	3	-	-
Other Causes	225	63	8	4	1	-	76	3	1	-	2	-	1	4	5	27	69	37
108.—STOCKBRIDGE.																		
Mean Populn, 1861-71	3537	99	99	93	90	104	485	449	395	285	250	455	396	342	267	159	50	4
TOTAL DEATHS	617	94	34	15	11	6	160	24	21	27	30	33	44	42	64	95	62	15
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	12	3	6	-	2	-	11	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	26	1	4	-	1	1	7	10	4	1	4	-	-	-	-	-	-	-
Diphtheria	7	-	1	-	-	-	1	1	1	2	1	-	-	-	-	1	-	-
Whooping-cough	9	3	1	2	-	-	8	1	-	-	-	-	-	-	-	-	-	-
Typhus	11	-	-	-	-	-	-	1	5	2	1	-	-	-	2	-	-	-
Diarrhœa & Dysentery	10	4	4	-	-	-	8	-	-	-	-	-	-	-	-	-	1	1
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	23	1	1	2	5	3	12	1	-	-	2	-	1	-	3	3	-	1
Cancer	11	-	-	-	-	-	-	-	-	-	-	-	1	1	4	4	1	-
Scrofula and Tabes	7	1	1	1	-	-	3	1	1	-	-	1	-	-	1	-	-	-
Phthisis	85	-	-	1	-	-	1	1	4	14	13	16	18	9	8	1	-	-
Hydrocephalus	6	1	3	1	1	-	6	2	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	88	18	1	1	-	-	20	-	1	2	1	3	2	10	10	22	13	4
Dis. of Heart & Dropsy	55	-	-	-	-	-	-	1	1	-	-	2	4	8	9	19	10	1
Dis. of Lungs	72	14	1	3	1	1	20	1	1	-	-	2	7	4	8	19	10	
Dis. of Stom. and Liver	32	2	1	-	-	1	4	1	-	-	2	2	4	4	7	5	4	-
Dis. of Kidneys	8	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	1	-
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	-	1	-	-	2	1	2	-	-
Dis. of Joints	5	-	-	-	-	-	-	-	1	1	-	2	-	-	-	1	-	-
Dis. of Skin	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-
Childbirth and Metria	12	-	-	-	-	-	-	-	-	3	3	4	2	-	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	15	2	2	-	1	-	5	2	1	1	1	-	1	1	2	-	1	-
Other Causes	111	42	8	4	-		54	-	-	1	1	1	4	3	5	11	20	8
109.—WINCHESTER.																		
Mean Populn, 1861-71	13761	370	302	328	304	314	1618	1519	1379	1261	1301	2028	1579	1324	947	542	232	31
TOTAL DEATHS	2493	425	139	80	47	37	728	163	53	90	102	188	164	164	212	298	310	81
Small-pox	5	2	-	-	-	-	2	2	-	1	-	-	-	-	-	-	-	-
Measles	40	5	14	6	7	-	32	5	2	-	-	1	-	-	-	-	-	-
Scarlatina	117	3	13	20	7	11	54	46	10	2	1	3	1	-	-	-	-	-
Diphtheria	16	3	-	1	2	3	9	3	4	-	-	-	-	-	-	-	-	-
Whooping-cough	43	19	11	9	2	1	42	1	-	-	-	-	-	-	-	-	-	-
Typhus	86	2	1	5	5	-	13	5	8	17	8	6	4	3	7	6	8	1
Diarrhœa & Dysentery	83	41	7	1	2	-	51	2	-	-	1	1	1	-	-	8	18	1
Cholera	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	55	5	6	5	2	6	24	3	2	3	3	-	3	1	3	7	4	2
Cancer	70	-	-	-	-	-	-		-	-	1	7	6	13	23	15	5	-
Scrofula and Tabes	26	9	4	-	-	-	13	3	-	5	1	2	-	1	1	-	-	-
Phthisis	291	3	1	-	1	1	6	5	13	42	41	74	55	35	11	5	1	-
Hydrocephalus	39	7	5	2	4	4	22	4	4	-	-	-	-	-	-	-	-	-
Dis. of Brain	398	77	24	6	6	5	118	2	3	3	5	20	14	24	34	49	49	7
Dis. of Heart & Dropsy	215	-	-	-	-	-	-	-	1	3	2	14	31	29	42	54	35	4
Dis. of Lungs	398	60	30	15	3	4	112	8	1	7	13	12	12	23	44	81	68	14
Dis. of Stom. and Liver	131	15	2	2	1	-	20	2	2	1	4	8	14	15	27	23	15	-
Dis. of Kidneys	27	1	-	-	-	-	1	5	-	-	2	4	4	6	2	2	1	-
Dis. of Gener. Organs	16	-	-	-	-	-	-	-	-	-	3	1	2	6	2	2	-	-
Dis. of Joints	10	-	-	-	1	-	1	-	1	1	2	2	1	1	1	-	-	-
Dis. of Skin	7	-	-	1	-	-	1	-	-	-	-	1	1	2	1	1	-	
Childbirth and Metria	41	-	-	-	-	-	-	-	-	2	7	23	9	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Other Violent Deaths	41	10	4	2	2	2	20	3	-	1	1	3	4	1	4	3	4	-
Other Causes	411	163	16	5	2	-	186	4	2	2	3	5	2	4	10	39	102	52

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
110.—DROXFORD.																		
Mean Populn, 1861–71	5633	147	137	151	149	150	734	711	664	540	394	623	600	555	423	256	117	16
TOTAL DEATHS	1009	222	66	24	23	14	349	36	21	17	20	60	58	63	97	116	126	46
Small-pox	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Measles	12	1	3	2	2	1	9	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	18	-	1	-	3	2	6	9	2	-	-	-	-	1	-	-	-	-
Diphtheria	9	1	1	2	-	4	8	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	29	17	9	2	1	-	29	-	-	-	-	-	-	-	-	-	-	-
Typhus	33	4	1	1	-	2	8	3	3	2	3	2	1	2	6	2	2	-
Diarrhœa & Dysentery	38	22	4	1	1	-	28	-	-	-	-	1	-	3	2	-	2	2
Cholera	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	19	-	2	1	1	-	4	2	2	1	-	-	2	5	1	1	1	-
Cancer	16	-	-	-	1	-	1	-	-	-	-	1	1	3	5	1	3	1
Scrofula and Tabes	14	2	2	-	-	2	6	-	1	1	1	3	1	1	-	-	-	-
Phthisis	101	2	3	-	-	-	5	2	3	8	8	32	22	3	12	5	1	-
Hydrocephalus	15	3	7	1	2	-	13	2	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	102	26	5	5	1	-	37	-	1	2	2	2	3	6	14	14	16	5
Dis. of Heart & Dropsy	100	1	-	-	-	-	1	2	1	-	-	1	9	13	18	27	28	-
Dis. of Lungs	159	42	18	4	6	1	71	6	1	-	-	5	4	12	10	17	26	7
Dis. of Stom. and Liver	56	10	2	-	1	1	14	1	1	-	3	3	3	4	9	15	3	-
Dis. of Kidneys	20	-	-	-		-	-	1	-	-	-	2	6	2	7	4	6	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	3	1	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-
Dis. of Skin	4	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	9	-	-	-	-	-	-	-	-	-	-	-	-	3	2	3	1	-
Other Violent Deaths	41	4	-	4	3	1	12	2	3	3	2	3	4	2	5	4	1	-
Other Causes	198	86	8	1	1	-	96	1	2	-	1	1	2	3	5	22	35	30
111.—CATHERINGTON.																		
Mean Populn, 1861–71	1329	41	39	37	35	38	190	168	155	126	93	143	148	115	97	65	26	3
TOTAL DEATHS	230	48	16	7	5	4	80	11	8	4	1	10	12	16	18	30	31	9
Small-pox	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Measles	1	-	1	-	-	-	1	-	-	-	-	-	-		-	-	-	-
Scarlatina	6	-	1	-	-	2	3	2	1	-	-	-	-	-	-	-	-	-
Diphtheria	4	1	-	-	1	-	2	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough	3	1	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
Typhus	11	-	-	1	2	1	4	1	3	1	-	1	1	-	-	-	-	-
Diarrhœa & Dysentery	12	5	2	1	-	-	8	2	-	-	-	-	-	-	-	2	-	-
Cholera		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-
Cancer	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Scrofula and Tabes	6	2	-	-	-	-	2	-	1	2	-	-	-	-	-	1	-	-
Phthisis	10	1	-	-	-	-	1	-	-	-	-	5	1	2	-	-	1	-
Hydrocephalus	5	2	1	1	-	1	5	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	34	8	1	-	-	-	9	-	-	-	-	2	-	4	6	5	7	1
Dis. of Heart & Dropsy	17	-	-	-	-	-	-	-	-	-	-	-	2	4	5	4	2	-
Dis. of Lungs	31	6	6	2	1	-	15	-	-	-	-	1	1	1	2	3	7	1
Dis. of Stom. and Liver	17	1	-	-	-	-	1	-	-	-	-	1	4	3	1	5	2	-
Dis. of Kidneys	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Dis. of Joints	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Dis. of Skin	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Other Violent Deaths	8	2	1	-	1	-	4	1	1	-	1	-	-	-	1	-	-	-
Other Causes	49	19	2	2	-	-	23	2	1	-	-	-	-	1	-	6	9	7
112.—PETERSFIELD.*																		
Mean Populn, 1861–71	4015	99	116	95	110	89	509	488	466	382	290	484	433	396	306	177	76	8
TOTAL DEATHS	714	134	51	16	15	11	227	31	13	27	26	38	38	41	58	100	85	30
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Measles	3	1	1	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	29	1	3	4	4	3	15	11	2	1	-	-	-	-	-	-	-	-
Diphtheria	9	-	-	1	2	1	4	3	-	1	-	1	-	-	-	-	-	-
Whooping-cough	15	11	3	1	-	-	15	-	-	-	-	-	-	-	-	-	-	-
Typhus	18	3	-	-	1	-	4	-	1	2	-	2	2	-	2	3	2	-
Diarrhœa & Dysentery	17	6	2	2	-	1	11	1	-	-	-	-	-	-	-	2	2	1
Cholera	3	1	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-
Other Zymotic Dis.	26	3	5	-	1	-	9	3	3	4	1	-	1	2	1	1	1	-
Cancer	7	-	-	-	-	-	-	-	-	-	-	-	-	1		5	-	-
Scrofula and Tabes	9	-	1	1	1	-	3	1	1	3	-	1	-	-	-	-	-	-
Phthisis	62	-	-	-	-	-	-	-	-	7	14	15	12	6	6	1	1	-
Hydrocephalus	14	7	2	-	-	2	11	3	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	79	13	7	-	1	2	23	1	2	-	1	2	5	5	10	17	12	1
Dis. of Heart & Dropsy	53	-	-	-	-	-	-	1	-	-	2	3	4	4	12	15	8	4
Dis. of Lungs	85	14	10	2	1	1	28	3	-	1	3	6	3	7	7	14	11	2
Dis. of Stom. and Liver	32	3	-	-	-	-	3	1	-	3	-	2	4	6	5	7	1	-
Dis. of Kidneys	19	-	-	-	-	-	-	-	-	-	-	1	1	5	2	6	3	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	4	-	-	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-
Dis. of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-
Other Violent Deaths	28	1	2	-	1	1	5	2	2	3	3	2	4	2	1	3	1	-
Other Causes	196	70	15	5	2	-	92	1	-	1	1	2	1	2	6	26	43	21

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
110.—DROXFORD.																		
Mean Popul^n, 1861–71	5575	148	143	170	149	145	755	718	621	473	375	691	634	551	393	230	113	21
TOTAL DEATHS	932	150	55	24	19	16	264	50	24	33	37	59	58	48	91	90	127	51
Small-pox	3	1	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-
Measles	8	1	5	-	1	-	7	-	-	1	-	-	-	-	-	-	-	-
Scarlatina	29	1	3	2	6	3	15	9	3	-	1	-	-	1	-	-	-	-
Diphtheria	19	-	-	3	-	2	5	8	3	2	-	-	-	-	-	-	1	-
Whooping-cough	23	10	8	1	3	1	23	-	-	-	-	-	-	-	-	-	-	-
Typhus	20	1	2	-	1	-	4	4	3	1	2	-	1	2	1	2	-	-
Diarrhœa & Dysentery	32	9	6	1	-	-	16	2	1	1	-	-	1	1	2	1	5	2
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	19	1	3	-	1	1	6	4	-	1	-	1	2	1	1	-	3	-
Cancer	32	-	-	-	-	-	-	-	-	-	-	1	4	5	8	5	9	-
Scrofula and Tabes	13	1	2	-	-	-	3	4	2	1	-	1	-	1	-	-	1	-
Phthisis	121	3	1	1	-	3	8	2	3	15	21	30	19	11	6	3	-	-
Hydrocephalus	9	2	2	-	1	-	5	1	3	-	-	-	-	-	-	-	-	-
Dis. of Brain	104	14	3	5	-	2	24	3	2	3	1	6	7	8	14	12	19	5
Dis. of Heart & Dropsy	90	-	-	-	1	-	1	1	1	1	-	3	8	6	23	24	18	4
Dis. of Lungs	105	23	8	6	3	3	43	6	1	2	1	3	1	1	12	11	17	6
Dis. of Stom. and Liver	52	2	-	-	-	-	2	2	1	2	2	3	1	8	13	16	3	2
Dis. of Kidneys	3	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	-	-	1	1	4	2	1	-
Dis. of Joints	6	1	-	-	-	-	1	-	-	1	1	-	1	-	1	-	1	-
Dis. of Skin	5	2	-	1	-	-	3	-	-	1	-	-	-	-	-	-	1	-
Childbirth and Metria	16	-	-	-	-	-	-	-	-	-	2	9	5	-	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	10	2	2	1	-	1	6	2	1	-	-	-	-	-	-	-	1	-
Other Causes	204	76	10	3	2	-	91	1	-	1	2	2	2	2	6	18	47	32
111.—CATHERINGTON.																		
Mean Popul^n, 1861–71	1304	37	33	38	34	36	178	169	133	114	93	174	152	127	89	56	16	3
TOTAL DEATHS	190	26	9	3	4	4	46	6	3	5	7	14	13	11	22	29	26	8
Small-pox	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Measles	4	-	2	-	1	-	3	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	6	-	1	2	-	-	3	1	-	1	1	-	-	-	-	-	-	-
Diphtheria	3	-	-	-	1	2	3	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Typhus	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Diarrhœa & Dysentery	6	3	-	-	1	-	4	1	-	-	-	-	-	-	-	1	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	8	-	-	-	-	-	-	1	-	1	1	-	-	1	2	1	1	-
Cancer	5	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-
Scrofula and Tabes	4	1	-	-	-	-	1	-	-	-	-	1	-	1	-	-	1	-
Phthisis	15	-	-	-	-	-	-	-	-	2	1	5	4	3	2	-	-	-
Hydrocephalus	3	2	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	30	2	2	-	-	-	4	-	-	-	1	-	-	1	5	8	9	2
Dis. of Heart & Dropsy	15	-	-	-	-	-	-	-	-	-	-	1	-	-	3	7	4	-
Dis. of Lungs	21	6	1	-	1	1	9	2	1	-	-	-	2	-	1	2	4	-
Dis. of Stom. and Liver	19	1	2	-	-	-	3	-	1	-	-	4	-	2	3	5	1	-
Dis. of Kidneys	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Dis. of Joints	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Dis. of Skin	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
Childbirth and Metria	7	-	-	-	-	-	-	-	-	-	-	2	5	-	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
Other Causes	29	11	1	-	-	-	12	-	1	-	-	-	1	1	1	3	4	6
112.—PETERSFIELD.*																		
Mean Popul^n, 1861–71	4042	111	116	112	114	98	551	502	479	330	327	496	449	381	262	175	79	11
TOTAL DEATHS	634	102	29	18	14	7	170	31	9	18	27	41	45	40	50	73	103	27
Small-pox	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Measles	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Scarlatina	22	1	-	1	7	2	11	10	1	-	-	-	-	-	-	-	-	-
Diphtheria	9	-	1	5	-	1	7	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough	21	13	4	2	1	-	20	1	-	-	-	-	-	-	-	-	-	-
Typhus	26	3	2	2	-	-	7	4	1	1	1	2	3	3	1	1	1	1
Diarrhœa & Dysentery	14	3	2	-	-	-	5	1	-	-	-	-	3	1	-	3	1	-
Cholera	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	17	1	1	1	1	-	4	3	-	-	2	3	-	-	-	3	1	1
Cancer	18	-	-	-	-	-	-	-	-	-	-	-	1	3	4	8	2	-
Scrofula and Tabes	5	3	-	-	-	-	3	1	-	1	-	-	-	-	-	-	-	-
Phthisis	77	-	-	-	-	-	-	1	2	7	15	24	9	10	5	4	-	-
Hydrocephalus	13	4	3	1	1	2	11	2	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	33	8	2	-	1	1	12	-	-	2	1	2	2	4	11	10	8	1
Dis. of Heart & Dropsy	47	-	-	-	-	-	-	1	1	-	-	1	3	4	7	16	13	1
Dis. of Lungs	76	14	9	2	2	1	28	2	-	5	1	4	2	7	6	9	8	4
Dis. of Stom. and Liver	32	4	-	1	-	-	5	-	2	2	2	3	2	4	4	2	5	1
Dis. of Kidneys	7	-	-	-	-	-	-	-	-	-	-	-	5	-	1	1	-	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Dis. of Skin	3	2	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	7	-	-	-	-	-	-	-	-	-	1	2	4	-	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
Other Violent Deaths	10	2	1	-	-	-	3	2	-	-	-	-	3	-	1	1	-	-
Other Causes	169	44	4	3	1	-	52	1	-	-	3	-	7	4	7	14	63	18

* Corrections have been made in the amounts of the mean populations of the Districts.

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Total under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
	AGES OF MALES.																	
113.—ALRESFORD.																		
Mean Popul^n, 1861–71	3669	88	97	87	82	104	458	462	406	349	281	429	399	355	268	180	72	10
TOTAL DEATHS	639	115	23	16	14	6	174	21	12	16	18	42	45	37	53	89	101	31
Small-pox	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-
Measles	4	1	1	1	1	-	4	-	-	-		-	-	-	-	-	-	-
Scarlatina	26	3	2	2	-	2	9	10	4	3			-	-	-	-	-	-
Diphtheria	2	-	-	-	1	-	1	-	-	-	-	-	1	-		-	-	-
Whooping-cough	6	3	3	-	-	-	6	-	-		-	-	-	-	-	-	-	-
Typhus	16	-	-	1	1	-	2	-	1	3	2	2	2	-	-	2	2	-
Diarrhœa & Dysentery	5	1	-	1	-	-	2	-	-	-	-	-	1	-	-	1	1	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	14	2	2	2	2	-	8	-	-	-		2	-	-	1		2	1
Cancer	11	-	-	-	-		-	-	-	-	-	-	1	1	2	5	2	-
Scrofula and Tabes	5	3	-	-	1	-	4	-	-	-	-	-	-	-	1	-	-	-
Phthisis	80	4	1	-	2	-	7	2	1	6	8	22	18	8	7	1	-	-
Hydrocephalus	6	2	1	2	-	-	5	1		-	-	-	-	-	-		-	-
Dis. of Brain	84	22	6	1	1	1	31	1	-	1	1	4	10	5	4	9	16	2
Dis. of Heart & Dropsy	68	2	-	-	1	1	4	3	-	-	1	1	4	3	15	19	17	1
Dis. of Lungs	68	16	4	4	-	1	25	2	-	1	2	4	2	7	7	11	6	1
Dis. of Stom. and Liver	30	4	-	-	1	-	5	1	1		1	1	1	3	6	9	1	1
Dis. of Kidneys	6	-	-	-	-	-	-	-	-	1	-	-	1	2	1	1	-	-
Dis. of Gener. Organs	-	-	-	-	-		-	-	-			-	-	-	-	-	-	-
Dis. of Joints	2	-	-	-	-	-	-	-	-	-	1	-	-		-	-	1	-
Dis. of Skin	2	1	-	-	-	-	1	-	-	-		1	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	7	-	-	-	-	-	-	-	1	-	-	-	1	-	1	3	-	1
Other Violent Deaths	18	1	-	-	1	-	2	-	3	1	1	3	2	4	1	1	-	-
Other Causes	176	50	3	2	2	1	58	1	1	-	-	2	-	4	7	26	53	24
114.—ALTON.*																		
Mean Popul^n, 1861–71	6273	177	167	171	161	172	848	739	728	610	491	800	670	569	416	277	110	15
TOTAL DEATHS	1229	253	79	38	15	21	406	41	32	40	34	60	69	83	122	150	143	49
Small-pox	10	-	-	-	-	-	-	-		1	2	1	2	1	-	1	2	-
Measles	14	2	4	2	-	2	10	3	1	-	-	-	-	-	-	-	-	-
Scarlatina	46	3	7	4	6	4	24	13	9	-	-	-	-	-	-	-	-	-
Diphtheria	7	-	-	1		2	3	2	1	1	-	-	-	-	-	-	-	-
Whooping-cough	18	9	6	2	-	-	17	1	-	-	-	-	-	-	-	-	-	-
Typhus	37	2	-	-	2	2	6	3	5	7	1	2	3	1	5	3	1	-
Diarrhœa & Dysentery	34	15	1	5	-	-	21	2	-	-	-	-	1	1	3	3	2	1
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	22	2	1	2	1	2	8	1	-	1	1	2	-	1	4	3	-	1
Cancer	24	-	-	-	-	-	-	-	-	-	-	1	1	4	9	2	5	2
Scrofula and Tabes	35	14	8	3	1	1	27	1	2	2	2	-	-	1	-	-	-	-
Phthisis	125	3	1	-	-	-	4	1	1	14	15	34	30	14	7	5	-	-
Hydrocephalus	17	7	4	3	-	3	17	-	-		-	-	-	-	-	-	-	-
Dis. of Brain	139	31	8	2	-	2	43	3	3	4	2	2	7	14	15	26	15	5
Dis. of Heart & Dropsy	83	-	-	-	1	-	1	2	1	1	-	5	7	11	17	20	14	4
Dis. of Lungs	228	48	25	6	2	2	83	1	1	3	3	3	12	14	22	42	33	11
Dis. of Stom. and Liver	62	6	1	-	1	-	8	1	3	1	5	2	3	4	14	14	7	-
Dis. of Kidneys	30	2	-	-	-	-	2	-	-	-	-	1	1	5	5	10	6	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	7	-	-	-	-	-	-	2	-	1	1	-	-	-	1	1	1	-
Dis. of Skin	5	-	1	1	-	-	2	-	-	-	-	-	-	1	1	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	8	-	-	-	-	-	-	-	-	-	1	-	1	1	2	3	-	-
Other Violent Deaths	39	1	-	3	1	1	6	3	5	3	1	7	-	7	7	-	-	-
Other Causes	239	108	12	4	-	-	124	2	-	1	-	-	1	3	10	17	56	25
115.—HARTLEY WINTNEY.*																		
Mean Popul^n, 1861–71	5940	159	156	162	156	164	797	779	708	554	413	705	630	537	407	278	118	14
TOTAL DEATHS	1072	213	60	28	19	14	334	50	21	17	29	60	62	77	89	148	139	46
Small-pox	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Measles	9	1	4	1	3	-	9	-	-		-	-	-	-	-	-	-	-
Scarlatina	39	4	5	3	5	6	23	11	3	2	-	-	-	-	-	-	-	-
Diphtheria	7	-	-	1	1	2	4	1	1	1	-	-	-	-	-	-	-	-
Whooping-cough	13	6	5	2		-	13	-	-	-	-	-	-	-	-	-	-	-
Typhus	29	1	-	1		2	4	7	-	1	1	2	-	2	-	3	-	-
Diarrhœa & Dysentery	27	13	3	1	-	-	17	1	1	-	-	-	-	-	1	3	2	2
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	26	5	3	-	1	1	10	6	1	-	-	-	-	4	1	1	2	1
Cancer	23	-	-	-	-	-	-	-		-	-	-	1	9	6	7	2	1
Scrofula and Tabes	26	12	4	4	-	-	20	-	1	1	-	2	-	1	1	-	-	-
Phthisis	98	1	3	-	-	-	4	-	4	7	13	30	19	9	7	5	-	-
Hydrocephalus	26	12	7	4	1	1	25	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	171	38	6	4	3	2	53	7	3	1	5	8	10	9	18	34	20	3
Dis. of Heart & Dropsy	89	2	1	-	-	-	3	1	2	2	1	3	5	15	11	32	12	2
Dis. of Lungs	143	32	9	5	2	-	48	4	2	1	2	4	12	9	12	24	22	3
Dis. of Stom. and Liver	55	6	1	1	1	-	9	4	-	-	1	3	5	8	10	11	4	-
Dis. of Kidneys	29	-	-	-	-	-	-	-	-	-	-	2	-	3	11	9	4	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	6	-	-	-	1	-	1	1	-	-	1	1	-	-	-	2	-	
Dis. of Skin	5	2	-	-	-	-	2	-	-	-	-	-	-	2	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-
Other Violent Deaths	32	3	1	-	-	-	4	1	2	1	3	4	6	4	5	-	2	-
Other Causes	220	75	8	1	1	-	85	5	1	-	1	1	4	2	3	16	68	34

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
113.—ALRESFORD.																		
Mean Popul^n, 1861-71	3557	98	88	99	91	85	461	424	423	297	282	469	404	329	234	154	70	10
TOTAL DEATHS	597	92	28	17	8	8	153	15	14	18	26	45	49	47	51	81	75	23
Small-pox	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Measles	6	1	2	2	1	-	6	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	20	1	1	4	3	3	12	4	3	-	1	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	8	4	2	1	1	-	8	-	-	-	-	-	-	-	-	-	-	-
Typhus	23	-	-	-	-	2	2	1	3	1	3	3	5	3	1	1	-	-
Diarrhœa & Dysentery	5	1	-	-	-	-	1	-	-	-	-	1	1	-	2	-	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	7	1	-	-	-	-	1	-	1	-	-	1	-	1	1	1	1	-
Cancer	18	1	-	-	-	-	1	-	-	-	-	2	1	4	6	2	2	-
Scrofula and Tabes	5	1	-	1	-	-	2	1	-	-	-	-	1	-	1	-	-	-
Phthisis	97	1	-	-	-	-	1	3	5	8	16	23	29	18	1	2	-	-
Hydrocephalus	10	-	4	4	1	1	10	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	72	18	7	-	-	-	25	4	-	4	3	-	4	3	12	9	8	-
Dis. of Heart & Dropsy	75	-	1	1	1	-	3	-	-	1	1	-	11	8	11	26	12	2
Dis. of Lungs	29	13	1	-	-	-	14	1	1	-	-	1	-	1	2	6	3	-
Dis. of Stom. and Liver	26	1	-	-	1	1	3	-	-	1	1	-	2	4	6	7	2	-
Dis. of Kidneys	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Dis. of Joints	4	-	1	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-
Dis. of Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	3	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Other Violent Deaths	11	3	3	-	-	1	7	1	-	-	-	1	1	1	-	-	-	-
Other Causes	170	46	6	4	-	-	56	-	-	2	-	8	1	2	7	26	17	21
114.—ALTON.*																		
Mean Popul^n, 1861-71	6244	178	167	180	172	151	848	777	726	540	515	822	678	555	410	264	94	15
TOTAL DEATHS	1172	228	53	33	32	20	366	50	35	47	53	83	75	65	96	119	122	31
Small-pox	5	1	-	1	-	-	2	-	-	2	-	-	1	-	-	-	-	-
Measles	20	3	5	-	6	-	14	5	1	-	-	-	-	-	-	-	-	-
Scarlatina	38	-	2	7	7	7	23	13	1	1	-	-	-	-	-	-	-	-
Diphtheria	19	-	2	1	4	1	8	4	5	-	-	-	2	-	-	-	-	-
Whooping-cough	17	11	5	1	-	-	17	-	-	-	-	-	-	-	-	-	-	-
Typhus	53	-	1	1	1	1	4	7	11	6	3	5	9	3	1	2	2	-
Diarrhœa & Dysentery	29	14	2	-	-	-	16	3	-	-	-	-	-	-	2	3	4	1
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Zymotic Dis.	29	3	-	2	3	4	12	4	2	1	1	1	-	1	2	3	2	-
Cancer	39	-	-	-	-	-	-	-	-	-	-	2	4	6	11	9	7	-
Scrofula and Tabes	28	11	2	5	1	1	23	-	1	1	1	-	2	-	-	-	-	-
Phthisis	149	2	-	2	1	1	6	1	3	20	31	46	21	13	6	2	-	-
Hydrocephalus	5	5	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	132	25	5	-	3	-	33	6	6	4	3	2	6	8	18	23	19	4
Dis. of Heart & Dropsy	81	-	2	-	-	-	2	2	1	2	2	4	8	9	16	25	8	2
Dis. of Lungs	188	41	11	4	3	3	62	3	3	6	2	6	6	7	19	41	26	7
Dis. of Stom. and Liver	61	7	2	1	-	1	11	-	-	1	-	2	4	11	13	12	7	-
Dis. of Kidneys	11	-	-	-	-	-	-	-	-	-	1	-	3	-	4	1	2	-
Dis. of Gener. Organs	11	-	-	-	-	-	-	-	-	-	-	1	2	3	2	2	1	-
Dis. of Joints	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-
Dis. of Skin	2	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	28	-	-	-	-	-	-	-	-	1	7	14	4	2	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Other Violent Deaths	14	5	1	2	1	-	9	1	-	-	1	-	-	1	-	-	2	-
Other Causes	208	96	13	5	2	1	117	1	1	1	1	-	3	-	1	24	42	17
115.—HARTLEY WINTNEY.*																		
Mean Popul^n, 1861-71	5794	147	158	163	149	145	762	736	668	472	450	741	664	545	369	251	117	19
TOTAL DEATHS	1061	171	53	34	28	10	296	47	38	23	36	78	52	70	71	164	139	47
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	6	1	-	3	-	-	4	1	1	-	-	-	-	-	-	-	-	-
Scarlatina	43	1	2	6	8	3	20	16	7	-	-	-	-	-	-	-	-	-
Diphtheria	16	1	1	-	3	2	7	5	2	-	-	1	1	-	-	-	-	-
Whooping-cough	11	6	2	2	-	-	10	1	-	-	-	-	-	-	-	-	-	-
Typhus	22	1	-	1	-	-	2	3	3	4	2	2	1	1	1	2	1	-
Diarrhœa & Dysentery	30	14	3	1	-	-	18	-	-	-	-	2	-	-	3	1	4	2
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Other Zymotic Dis.	28	5	6	3	1	2	17	2	-	1	1	-	-	1	1	2	3	-
Cancer	32	-	-	-	-	-	-	-	-	-	-	-	1	4	11	13	2	1
Scrofula and Tabes	28	11	5	1	1	1	19	4	2	-	-	2	-	1	-	-	-	-
Phthisis	151	-	1	2	-	-	3	-	10	10	23	40	25	17	2	1	-	-
Hydrocephalus	13	2	4	3	2	-	11	1	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	154	29	9	4	5	1	48	6	6	-	1	6	1	12	11	37	22	4
Dis. of Heart & Dropsy	96	-	-	-	2	-	2	1	1	1	-	2	5	15	21	31	15	2
Dis. of Lungs	115	20	16	2	1	-	39	-	2	1	4	4	3	4	8	20	17	3
Dis. of Stom. and Liver	64	7	-	-	2	1	10	2	1	1	3	2	5	6	8	15	9	2
Dis. of Kidneys	12	-	-	1	-	-	1	1	-	-	-	2	2	1	1	3	1	-
Dis. of Gener. Organs	10	-	-	-	-	-	-	-	-	-	-	2	-	3	2	2	1	-
Dis. of Joints	7	-	-	-	-	-	-	1	-	2	-	1	-	-	1	1	1	-
Dis. of Skin	3	1	2	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	16	-	-	-	-	-	-	-	-	1	1	8	6	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
Other Violent Deaths	17	2	-	1	2	-	5	1	2	-	-	2	2	-	-	2	3	-
Other Causes	204	70	2	4	1	-	77	2	-	2	-	2	-	4	1	23	60	33

* Corrections have been made on account of changes in the limits of this District.

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
116.—BASINGSTOKE.																		
Mean Popul^{n}, 1861–71	9090	239	254	259	233	245	1230	1132	1029	905	716	1097	932	829	635	419	152	14
TOTAL DEATHS	1772	353	102	50	40	29	574	74	30	44	39	107	104	123	166	218	232	61
Small pox	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Measles	21	3	6	2	5	1	17	2	2	–	–	–	–	–	–	–	–	–
Scarlatina	66	–	5	13	7	3	28	21	6	3	1	2	1	1	–	–	–	–
Diphtheria	13	1	1	2	4	2	10	2	–	–	1	–	–	–	–	–	–	–
Whooping-cough	17	5	6	3	1	1	16	1	–	–	–	–	–	–	–	–	–	–
Typhus	46	1	–	–	2	1	4	2	7	5	1	6	3	6	6	5	1	–
Diarrhœa & Dysentery	38	21	4	2	1	–	28	1	–	–	–	–	–	1	1	3	2	2
Cholera	2	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Other Zymotic Dis.	55	5	4	6	3	3	21	9	–	1	–	2	1	3	7	7	4	–
Cancer	30	–	–	–	–	1	1	–	–	1	1	–	3	4	7	11	2	–
Scrofula and Tabes	41	21	3	3	–	1	28	7	2	–	1	–	–	1	4	1	–	–
Phthisis	216	7	6	1	1	–	15	4	1	19	23	52	33	31	23	10	2	–
Hydrocephalus	30	6	8	2	4	6	26	4	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	193	54	5	3	4	2	68	1	6	5	5	10	9	10	25	30	21	3
Dis. of Heart & Dropsy	170	2	2	–	–	–	4	1	–	1	–	9	10	12	33	55	41	4
Dis. of Lungs	270	67	31	7	5	4	117	2	1	1	2	5	14	16	26	26	42	8
Dis. of Stom. and Liver	63	9	–	1	–	–	10	5	3	2	1	6	6	9	8	11	7	–
Dis. of Kidneys	49	1	–	–	1	1	3	–	–	1	1	5	5	7	7	11	8	1
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Dis. of Joints	5	–	–	–	–	–	–	1	1	–	–	1	–	1	1	–	–	–
Dis. of Skin	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	10	–	–	–	–	–	–	–	–	2	–	1	3	1	2	1	–	–
Other Violent Deaths	69	5	7	1	2	1	16	5	1	3	2	6	10	8	8	6	2	2
Other Causes	356	141	10	4	–	2	160	3	–	–	–	2	6	5	8	31	100	41
117.—WHITCHURCH.																		
Mean Popul^{n}, 1861–71	2835	69	70	70	74	76	359	360	322	305	198	333	298	258	213	128	52	9
TOTAL DEATHS	539	133	26	20	8	6	193	14	8	11	14	28	31	41	41	73	62	23
Small-pox	4	1	1	–	–	–	2	–	–	–	2	–	–	–	–	–	–	–
Measles	5	1	3	–	1	–	5	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	9	–	1	2	1	2	6	3	–	–	–	–	–	–	–	–	–	–
Diphtheria	3	1	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–
Whooping-cough	13	9	2	1	–	1	13	–	–	–	–	–	–	–	–	–	–	–
Typhus	20	–	2	3	1	–	6	1	1	–	2	1	1	3	3	1	1	–
Diarrhœa & Dysentery	11	3	–	4	–	–	7	–	–	–	–	–	–	–	–	–	4	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Other Zymotic Dis.	12	4	1	1	–	–	6	1	–	–	–	–	–	1	2	2	–	–
Cancer	7	–	–	–	–	–	–	–	–	–	–	1	1	2	–	3	–	–
Scrofula and Tabes	13	4	3	–	1	1	9	–	1	2	–	–	–	–	1	–	–	–
Phthisis	46	2	1	1	–	–	4	1	–	4	6	14	9	3	4	1	–	–
Hydrocephalus	5	2	1	1	–	1	5	–	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	72	25	4	3	2	–	34	–	–	–	2	–	1	5	6	17	7	–
Dis. of Heart & Dropsy	40	–	–	–	–	–	–	–	–	3	–	6	5	4	3	14	4	1
Dis. of Lungs	71	9	5	3	2	–	19	1	–	–	–	4	1	9	11	19	6	1
Dis. of Stom. and Liver	35	7	1	–	–	–	8	2	1	1	–	–	4	7	5	4	3	–
Dis. of Kidneys	10	–	–	–	–	–	–	–	–	–	–	–	4	2	2	2	–	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	4	–	–	–	–	–	–	1	–	–	1	–	1	–	–	1	–	–
Dis. of Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Deaths	18	–	–	–	–	1	1	2	2	–	1	2	2	3	–	1	2	5
Other Causes	140	65	1	1	–	–	67	2	3	1	–	–	–	2	4	7	35	10
118.—ANDOVER.																		
Mean Popul^{n}, 1861–71	8741	226	240	221	240	228	1155	1055	990	845	643	1047	989	825	611	407	160	1[illegible]
TOTAL DEATHS	1587	291	84	40	26	15	456	44	38	40	43	82	90	110	173	242	217	52
Small-pox	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	21	5	10	4	–	–	19	–	–	1	–	1	–	–	–	–	–	–
Scarlatina	27	1	4	4	2	3	14	5	5	1	1	–	1	–	–	–	–	–
Diphtheria	4	–	–	1	–	–	1	1	2	–	–	–	–	–	–	–	–	–
Whooping-cough	22	10	10	–	1	1	22	–	–	–	–	–	–	–	–	–	–	–
Typhus	50	–	–	2	4	2	8	10	6	6	5	5	1	3	5	1	–	–
Diarrhœa & Dysentery	28	19	1	1	–	–	21	1	–	–	–	1	–	1	–	1	2	2
Cholera	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Other Zymotic Dis.	42	8	1	2	1	2	14	3	1	2	1	1	–	1	6	7	5	5
Cancer	22	–	–	–	–	–	–	–	–	–	–	–	2	4	9	3	4	–
Scrofula and Tabes	15	3	1	1	1	–	6	2	4	–	–	1	1	1	–	–	–	–
Phthisis	151	–	–	–	–	–	–	2	4	15	19	35	39	22	10	4	1	–
Hydrocephalus	23	9	7	2	2	1	21	1	–	–	–	–	–	–	–	1	–	–
Dis. of Brain	201	41	7	1	5	1	55	2	–	3	5	7	6	16	27	45	28	[illegible]
Dis. of Heart & Dropsy	191	9	2	1	–	–	12	1	–	–	3	8	13	18	47	61	24	[illegible]
Dis. of Lungs	195	43	17	6	4	1	71	6	1	5	1	3	6	15	26	32	25	[illegible]
Dis. of Stom. and Liver	73	7	1	–	1	–	9	1	4	3	1	5	3	11	16	13	7	[illegible]
Dis. of Kidneys	41	–	–	1	–	–	1	–	–	1	2	6	4	3	5	11	6	[illegible]
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	[illegible]
Dis. of Joints	8	–	–	–	2	–	2	1	–	–	–	1	1	1	1	–	1	[illegible]
Dis. of Skin	8	2	–	–	–	–	2	–	–	–	1	–	1	1	–	3	–	[illegible]
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	[illegible]
Suicide	5	–	–	–	–	–	–	–	–	1	–	1	1	1	–	1	–	[illegible]
Other Violent Deaths	64	5	1	8	1	3	18	3	9	1	3	6	6	6	8	3	1	[illegible]
Other Causes	394	128	22	6	2	1	159	5	2	1	–	1	5	6	13	56	113	3[illegible]

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
116.—BASINGSTOKE.																		
Mean Popul^n, 1861–71	8677	251	208	240	232	210	1141	1080	982	723	724	1162	940	778	606	370	146	25
TOTAL DEATHS	1625	277	104	56	42	27	506	53	43	51	69	100	92	120	137	219	162	73
Small-pox	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	27	2	10	5	3	2	22	3	1	1	–	–	–	–	–	–	–	–
Scarlatina	64	1	5	6	13	9	34	13	10	1	3	1	–	2	–	–	–	–
Diphtheria	11	–	4	1	1	–	6	2	2	–	–	1	–	–	–	–	–	–
Whooping cough	26	11	7	3	1	3	25	1	–	–	–	–	–	–	–	–	–	–
Typhus	41	–	1	1	–	2	4	4	6	3	6	1	6	4	3	4	–	–
Diarrhœa & Dysentery	31	12	3	2	–	–	17	–	–	–	–	–	1	1	1	9	2	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	36	2	2	4	7	1	16	3	1	–	1	–	1	2	7	1	3	1
Cancer	52	–	–	–	–	–	–	–	–	–	–	1	4	14	12	14	6	1
Scrofula and Tabes	37	15	7	4	2	1	29	2	–	2	1	1	–	1	1	–	–	–
Phthisis	245	7	3	3	1	–	14	4	7	28	39	59	39	28	20	7	–	–
Hydrocephalus	31	13	9	2	1	2	27	1	3	–	–	–	–	–	–	–	–	–
Dis. of Brain	176	40	10	5	6	1	62	5	2	4	2	4	5	12	25	35	16	4
Dis. of Heart & Dropsy	146	2	–	1	–	–	3	1	2	6	2	5	5	16	30	47	27	2
Dis. of Lungs	229	51	30	11	3	1	96	6	1	2	4	5	10	15	14	38	30	8
Dis. of Stom. and Liver	66	6	–	3	1	1	11	3	1	3	2	3	4	9	15	8	7	–
Dis. of Kidneys	19	1	–	–	–	–	1	–	2	–	1	3	–	6	1	5	–	–
Dis. of Gener. Organs	5	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	–	–
Dis. of Joints	4	–	–	–	–	–	–	–	1	–	–	–	–	–	–	3	–	–
Dis. of Skin	5	3	–	–	–	–	3	–	–	–	1	–	1	–	–	–	–	–
Childbirth and Metria	28	–	–	–	–	–	–	–	–	1	5	10	10	2	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Other Violent Deaths	36	5	1	3	3	3	15	1	3	–	–	3	3	3	2	2	3	1
Other Causes	307	105	12	2	–	1	120	4	1	–	2	2	3	2	5	44	68	56
117.—WHITCHURCH.																		
Mean Popul^n, 1861–71	2729	81	72	71	75	69	368	307	307	227	185	334	327	279	197	135	54	9
TOTAL DEATHS	495	86	14	8	5	4	117	17	11	13	18	35	37	36	51	67	68	25
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	4	1	1	2	–	–	4	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	9	–	2	2	1	–	5	2	1	–	1	–	–	–	–	–	–	–
Diphtheria	1		–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Whooping-cough	7	3	2	–	–	2	7	–	–	–	–	–	–	–	–	–	–	–
Typhus	24	–	1	–	1	1	3	4	1	1	2	3	3	3	1	3	–	–
Diarrhœa & Dysentery	3	2	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	8	2	1	–	–	–	3	1	–	1	–	–	–	1	–	–	2	–
Cancer	11	–	–	–	–	–	–	–	–	–	–	–	1	1	4	3	2	–
Scrofula and Tabes	7	4	1	–	–	–	5	1	1	–	–	–	–	–	–	–	–	–
Phthisis	57	1	2	–	–	–	3	2	1	8	7	14	12	7	3	–	–	–
Hydrocephalus	2	1	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	69	15	1	1	–	1	18	1	3	1	2	5	5	6	6	11	11	–
Dis. of Heart & Dropsy	55	–	–	–	–	–	–	1	1	–	–	1	7	5	18	15	7	–
Dis. of Lungs	58	8	–	2	2	–	12	2	1	–	1	2	2	5	7	12	12	2
Dis. of Stom. and Liver	32	2	–	–	1	–	3	1	–	–	–	4	2	6	8	6	1	1
Dis. of Kidneys	4	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–
Dis. of Gener. Organs	4	–	–	–	–	–	–	–	–	–	1	1	–	–	–	2	–	–
Dis. of Joints	5	–	–	–	–	–	–	1	–	1	2	1	–	–	–	–	–	–
Dis. of Skin	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Childbirth and Metria	9	–	–	–	–	–	–	–	–	–	2	3	4	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Deaths	4	–	1	–	–	–	1	1	1	–	–	–	–	1	–	–	–	–
Other Causes	120	47	2	–	–	–	49	–	–	–	–	1	–	–	2	13	33	22
118.—ANDOVER.																		
Mean Popul^n, 1861–71	8620	223	235	231	221	216	1126	1066	968	716	616	1119	1012	808	594	412	165	18
TOTAL DEATHS	1494	230	75	31	34	19	389	40	27	40	57	81	125	97	140	231	210	57
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	18	5	7	2	1	1	16	1	1	–	–	–	–	–	–	–	–	–
Scarlatina	30	1	1	2	5	4	13	9	3	1	–	2	1	1	–	–	–	–
Diphtheria	3	–	2	1	–	–	3	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	29	12	8	1	5	1	27	2	–	–	–	–	–	–	–	–	–	–
Typhus	49	3	2	1	3	–	9	5	6	4	6	5	5	6	2	1	–	–
Diarrhœa & Dysentery	15	6	2	–	–	–	8	–	–	–	–	1	1	2	1	2	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	36	6	2	1	5	–	14	1	1	1	1	1	2	3	5	5	1	1
Cancer	37	–	–	–	–	–	–	–	–	–	1	–	2	12	9	8	5	–
Scrofula and Tabes	12	1	–	–	–	–	1	1	1	1	1	1	1	–	5	–	–	–
Phthisis	174	2	2	1	1	–	6	3	9	21	29	36	40	13	9	6	2	–
Hydrocephalus	14	3	5	3	–	3	14	–	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	188	29	5	5	5	2	46	5	1	3	5	6	15	15	20	48	22	2
Dis. of Heart & Dropsy	201	10	2	2	2	–	16	2	2	3	4	4	15	18	39	65	31	2
Dis. of Lungs	141	31	15	3	1	–	50	6	–	1	3	3	6	6	21	22	21	2
Dis. of Stom. and Liver	66	1	–	2	1	3	7	–	1	1	2	6	11	7	8	17	6	–
Dis. of Kidneys	8	–	–	–	1	–	1	–	–	1	–	1	1	1	2	–	1	–
Dis. of Gener. Organs	6	–	–	–	–	–	–	–	–	–	–	2	1	1	2	–	–	–
Dis. of Joints	7	–	–	–	–	–	–	–	1	–	1	2	1	1	1	–	–	–
Dis. of Skin	3	–	1	–	1	–	2	–	–	–	–	–	–	–	–	1	–	–
Childbirth and Metria	29	–	–	–	–	–	–	–	–	–	4	9	15	1	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Other Violent Deaths	14	2	–	1	1	3	7	2	–	2	–	–	–	–	–	–	2	1
Other Causes	412	118	21	6	2	2	149	3	1	1	–	2	8	8	16	56	119	49

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
119.—KINGSCLERE.																		
Mean Popul^n, 1861–71	4342	112	104	137	109	114	576	548	491	417	322	518	451	395	309	220	86	9
TOTAL DEATHS	868	195	42	21	18	14	290	41	24	20	32	39	43	43	68	103	135	30
Small-pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Measles	11	4	2	1	1	1	9	1	1	–	–	–	–	–	–	–	–	–
Scarlatina	28	–	5	2	4	5	16	6	6	–	–	–	–	–	–	–	–	–
Diphtheria	25	1	2	3	3	2	11	8	4	2	–	–	–	–	–	–	–	–
Whooping-cough	4	3	–	1	–	–	4	–	–	–	–	–	–	–	–	–	–	–
Typhus	24	1	–	–	–	–	1	4	3	3	2	1	2	3	2	3	–	–
Diarrhœa & Dysentery	18	10	2	–	2	1	15	1	–	–	–	–	–	–	–	1	1	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Other Zymotic Dis.	21	2	–	–	1	–	3	1	1	–	2	–	–	4	5	3	2	–
Cancer	12	–	–	–	–	–	–	–	–	–	–	–	–	3	3	3	3	–
Scrofula and Tabes	28	12	2	3	–	1	18	3	–	2	2	–	1	–	1	1	–	–
Phthisis	72	1	–	–	1	–	2	1	3	4	16	19	12	6	8	1	–	–
Hydrocephalus	10	3	2	1	–	1	7	–	2	1	–	–	–	–	–	–	–	–
Dis. of Brain	109	42	4	1	–	1	48	4	1	2	–	2	5	4	8	17	16	2
Dis. of Heart & Dropsy	59	1	–	–	–	–	1	3	–	–	1	3	2	7	10	17	13	2
Dis. of Lungs	156	47	13	7	3	1	71	3	1	3	6	4	10	5	9	21	20	3
Dis. of Stom. and Liver	52	3	–	–	–	1	4	3	–	–	–	7	2	6	6	16	8	–
Dis. of Kidneys	18	–	–	–	–	–	–	–	–	–	2	2	1	2	1	6	3	1
Dis. of Gener. Organs	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	3	1	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–	–
Dis. of Skin	2	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	5	–	–	–	–	–	–	–	–	–	–	–	2	–	3	–	–	–
Other Violent Deaths	30	4	–	2	1	–	7	2	2	1	–	1	4	3	4	1	4	1
Other Causes	178	60	8	–	2	–	70	1	–	–	1	–	2	–	6	13	64	21
120.—NEWBURY.																		
Mean Popul^n, 1861–71	9843	274	267	279	255	265	1340	1258	1216	877	678	1138	1066	919	694	462	172	23
TOTAL DEATHS	2126	470	136	47	45	27	725	71	46	46	68	113	124	143	190	293	248	59
Small-pox	8	2	2	–	–	–	4	1	1	–	–	–	1	–	–	1	–	–
Measles	31	7	12	2	4	2	27	4	–	–	–	–	–	–	–	–	–	–
Scarlatina	60	1	12	3	7	9	32	17	8	2	–	–	–	1	–	–	–	–
Diphtheria	12	1	2	–	–	1	4	6	1	1	–	–	–	–	–	–	–	–
Whooping-cough	25	18	2	2	1	1	24	1	–	–	–	–	–	–	–	–	–	–
Typhus	63	3	4	5	1	–	13	11	6	7	3	4	8	4	1	4	2	–
Diarrhœa & Dysentery	51	18	6	2	3	–	29	–	1	–	–	–	2	2	2	5	6	4
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	41	3	5	1	–	4	13	–	2	1	1	1	2	3	3	11	3	1
Cancer	30	–	–	–	–	–	–	–	–	–	–	–	4	3	6	15	2	–
Scrofula and Tabes	20	6	1	–	2	1	10	–	2	2	2	2	–	1	1	–	–	–
Phthisis	241	3	3	3	1	–	10	2	6	13	45	52	49	34	18	7	–	–
Hydrocephalus	27	9	6	4	3	2	24	3	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	258	80	16	4	4	1	105	2	5	–	4	6	8	21	23	43	31	5
Dis. of Heart & Dropsy	136	2	–	–	–	1	3	2	2	1	3	8	4	17	29	38	28	1
Dis. of Lungs	311	74	17	4	9	1	105	7	2	4	3	14	18	22	45	51	38	2
Dis. of Stom. and Liver	107	6	1	1	–	–	8	3	2	2	2	5	13	14	21	24	11	2
Dis. of Kidneys	43	–	2	–	1	–	3	–	–	1	1	6	2	2	6	11	11	–
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Dis. of Joints	4	–	–	–	–	–	–	–	1	1	–	1	–	–	–	1	–	–
Dis. of Skin	10	2	–	–	–	–	2	–	–	–	–	1	1	2	3	–	–	1
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	9	–	–	–	–	–	–	–	–	–	1	1	1	3	1	1	1	–
Other Violent Deaths	63	4	1	5	4	1	15	6	3	5	2	9	4	5	6	6	1	1
Other Causes	575	231	44	11	5	3	294	6	4	1	1	2	7	9	20	75	114	42
121.—HUNGERFORD.																		
Mean Popul^n, 1861–71	9817	250	265	268	240	252	1275	1265	1156	1035	667	1107	1051	895	710	477	162	17
TOTAL DEATHS	1902	438	117	48	33	29	665	57	41	38	44	108	91	123	171	271	235	58
Small-pox	10	2	–	–	–	–	2	–	1	–	2	1	–	2	2	–	–	–
Measles	33	4	12	5	2	3	26	5	2	–	–	–	–	–	–	–	–	–
Scarlatina	33	1	4	2	5	5	17	8	4	1	1	–	1	1	–	–	–	–
Diphtheria	10	3	1	–	1	–	5	1	2	–	–	1	–	–	1	–	–	–
Whooping-cough	23	15	7	–	1	–	23	–	–	–	–	–	–	–	–	–	–	–
Typhus	42	–	1	1	–	4	6	6	3	8	2	2	2	7	2	3	–	1
Diarrhœa & Dysentery	48	16	5	3	4	–	28	1	1	–	–	1	–	–	6	2	8	1
Cholera	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	54	12	3	5	5	2	27	4	–	2	–	1	3	4	4	8	1	–
Cancer	23	–	–	–	–	–	–	–	–	–	–	–	1	4	6	6	5	1
Scrofula and Tabes	40	18	7	1	1	–	27	3	5	–	–	2	–	–	2	1	–	–
Phthisis	174	6	2	–	1	1	10	3	5	14	24	56	27	17	14	4	–	–
Hydrocephalus	14	5	5	2	–	–	12	2	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	226	68	12	9	5	4	98	3	4	4	2	9	9	14	14	38	24	7
Dis. of Heart & Dropsy	150	3	1	–	–	–	4	3	2	–	1	6	11	11	32	54	22	4
Dis. of Lungs	341	93	27	6	4	5	135	5	2	3	5	11	10	29	43	55	39	4
Dis. of Stom. and Liver	101	11	1	–	–	1	13	2	1	1	–	5	13	17	12	26	10	1
Dis. of Kidneys	58	–	–	1	–	–	1	–	–	–	1	2	4	6	7	14	19	4
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
Dis. of Joints	4	–	1	–	1	–	2	–	2	–	–	–	–	–	–	–	–	–
Dis. of Skin	9	3	1	–	–	–	4	–	2	–	1	–	–	–	–	1	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	5	–	–	–	–	–	–	–	–	1	–	–	2	–	–	2	–	–
Other Violent Deaths	82	12	3	4	3	1	23	10	5	4	3	10	6	4	10	7	–	–
Other Causes	419	166	24	9	–	2	201	1	–	–	2	1	2	6	15	50	106	35

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
119.—KINGSCLERE.																		
Mean Popul^n, 1861–71	4205	132	115	107	120	111	585	549	510	319	297	536	464	384	289	192	69	11
TOTAL DEATHS	818	142	45	21	15	12	235	50	22	26	23	71	50	46	75	85	105	30
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	11	2	3	2	-	-	7	3	-	-	-	-	-	1	-	-	-	-
Scarlatina	24	-	1	4	1	3	9	11	2	1	-	1	-	-	-	-	-	-
Diphtheria	23	-	-	-	2	4	6	9	1	3	2	1	1	-	-	-	-	-
Whooping-cough	11	4	4	-	2	1	11	-	-	-	-	-	-	-	-	-	-	-
Typhus	27	-	1	-	-	1	2	2	4	2	1	4	3	1	6	1	1	-
Diarrhœa & Dysentery	14	5	2	1	-	-	8	1	-	-	-	-	-	-	1	2	2	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	19	1	2	1	-	1	5	3	-	-	-	2	3	2	1	1	2	-
Cancer	21	-	-	-	-	-	-	-	-	-	-	1	1	6	9	3	1	-
Scrofula and Tabes	30	12	5	1	1	-	19	2	3	2	1	-	2	-	-	1	-	-
Phthisis	77	-	-	-	-	-	-	2	3	2	9	32	13	11	3	2	-	-
Hydrocephalus	10	1	2	-	1	-	4	3	-	1	-	-	2	-	-	-	-	-
Dis. of Brain	99	17	5	2	2	1	27	-	-	2	1	3	4	4	17	19	20	2
Dis. of Heart & Dropsy	55	2	-	2	-	-	4	-	-	2	-	1	2	4	16	14	11	1
Dis. of Lungs	135	36	13	5	3	-	57	10	3	5	2	10	5	6	9	15	13	-
Dis. of Stom. and Liver	45	2	1	1	-	-	4	-	2	1	1	4	4	3	8	11	7	-
Dis. of Kidneys	5	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	1	-
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	-	1	2	1	1	-	1	-	-
Dis. of Joints	3	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-
Dis. of Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	18	-	-	-	-	-	-	-	-	1	3	6	8	-	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1	1	-
Other Violent Deaths	17	3	2	-	2	-	7	2	2	-	1	1	-	1	1	1	1	-
Other Causes	162	56	4	2	1	1	64	2	1	1	1	3	1	3	2	12	45	27
120.—NEWBURY.																		
Mean Popul^n, 1861–71	10478	282	252	269	263	244	1310	1242	1101	968	853	1400	1177	967	751	461	221	27
TOTAL DEATHS	2012	355	97	54	34	35	575	75	33	78	77	137	134	137	166	240	271	89
Small-pox	7	1	-	-	-	1	2	-	-	1	2	2	-	-	-	-	-	-
Measles	25	2	9	6	2	2	21	3	1	-	-	-	-	-	-	-	-	-
Scarlatina	51	4	7	5	5	5	26	17	2	2	2	2	1	-	2	-	-	-
Diphtheria	14	1	2	2	1	1	7	4	1	-	-	1	-	-	-	-	1	-
Whooping-cough	38	9	12	8	2	4	35	3	-	-	-	-	-	-	-	-	-	-
Typhus	84	1	3	1	1	2	8	10	4	15	8	9	6	8	5	8	3	-
Diarrhœa & Dysentery	43	15	2	2	-	-	19	2	-	-	-	1	2	3	3	6	5	2
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	38	1	-	2	4	2	9	4	4	2	1	-	4	7	3	1	3	-
Cancer	67	-	-	-	-	-	-	-	1	-	-	2	7	14	15	18	8	2
Scrofula and Tabes	24	6	5	1	2	-	14	-	-	2	-	3	1	1	1	2	-	-
Phthisis	262	3	2	1	1	1	8	6	8	33	44	65	48	30	15	4	1	-
Hydrocephalus	15	5	2	2	1	3	13	-	1	1	-	-	-	-	-	-	-	-
Dis. of Brain	222	59	10	4	5	4	82	5	2	4	3	1	12	15	19	38	32	9
Dis. of Heart & Dropsy	158	1	2	1	-	1	5	3	3	3	2	5	13	19	31	38	34	2
Dis. of Lungs	245	53	15	7	4	5	84	6	3	3	5	14	7	9	35	37	35	7
Dis. of Stom. and Liver	101	3	3	1	-	-	7	-	2	4	3	7	10	14	16	24	11	3
Dis. of Kidneys	16	-	-	-	-	-	-	-	-	3	-	2	3	2	-	2	3	1
Dis. of Gener. Organs	16	-	-	-	-	-	-	-	-	-	-	3	3	7	2	-	1	-
Dis. of Joints	4	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-
Dis. of Skin	9	3	-	-	-	-	3	-	-	-	-	-	-	-	1	4	1	-
Childbirth and Metria	33	-	-	-	-	-	-	-	-	2	6	15	10	-	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-
Other Violent Deaths	41	8	3	5	1	3	20	2	-	-	-	1	2	2	3	5	4	2
Other Causes	493	180	20	6	5	1	212	10	1	2	1	3	3	4	14	53	129	61
121.—HUNGERFORD.																		
Mean Popul^n, 1861–71	9799	241	279	270	263	259	1312	1274	1122	807	683	1249	1097	911	684	450	186	24
TOTAL DEATHS	1793	312	92	42	25	22	493	73	45	52	66	137	109	103	164	261	212	78
Small-pox	6	-	-	-	1	-	1	-	1	1	-	1	1	-	1	-	-	-
Measles	39	7	8	2	5	2	24	11	1	-	1	2	-	-	-	-	-	-
Scarlatina	35	3	4	4	4	3	18	11	5	1	-	-	-	-	-	-	-	-
Diphtheria	12	2	-	1	1	-	4	7	1	-	-	-	-	-	-	-	-	-
Whooping-cough	32	16	9	2	3	-	30	2	-	-	-	-	-	-	-	-	-	-
Typhus	47	-	4	1	1	1	7	7	6	4	4	6	4	5	1	3	-	-
Diarrhœa & Dysentery	51	11	3	6	-	1	21	5	1	1	-	4	-	-	3	6	8	2
Cholera	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	36	4	3	2	2	-	11	3	-	-	-	5	-	3	6	4	3	1
Cancer	45	-	-	-	-	-	-	-	-	-	2	1	6	8	12	9	5	2
Scrofula and Tabes	30	6	2	2	-	2	12	2	3	2	2	4	2	1	-	2	-	-
Phthisis	207	1	1	1	-	2	5	3	13	32	33	56	42	15	7	1	-	-
Hydrocephalus	12	5	4	1	1	1	12	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	207	46	4	6	3	2	61	6	2	2	5	6	10	15	31	45	19	5
Dis. of Heart & Dropsy	106	2	1	-	-	-	3	3	2	2	8	12	12	17	29	50	22	6
Dis. of Lungs	266	59	27	7	3	4	100	4	3	1	4	11	5	15	31	51	30	8
Dis. of Stom. and Liver	92	7	2	1	-	2	12	-	4	-	3	7	9	10	18	22	7	-
Dis. of Kidneys	20	-	1	-	-	-	1	-	-	-	-	3	2	4	5	4	1	-
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	1	2	2	-	1	2	1	-
Dis. of Joints	8	-	-	-	-	-	-	-	1	2	-	1	-	1	-	2	1	-
Dis. of Skin	5	2	-	-	-	-	2	-	-	-	-	-	-	-	-	3	-	-
Childbirth and Metria	22	-	-	-	-	-	-	-	-	3	2	10	6	1	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	-	-	2	2	-	1	-	-	-
Other Violent Deaths	22	6	-	1	1	-	8	3	-	-	1	1	1	1	2	2	2	1
Other Causes	418	135	19	5	-	2	161	5	2	1	-	3	5	7	13	55	113	53

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
122.—FARINGDON.																		
Mean Popul^n, 1861-71	7719	207	200	217	209	201	1034	928	887	747	615	942	803	715	571	338	126	13
TOTAL DEATHS	1680	409	100	38	33	22	602	78	36	54	54	83	86	113	145	184	188	63
Small-pox	12	1	–	1	–	–	2	–	–	1	–	–	2	1	2	3	1	–
Measles	14	6	3	3	–	1	13	–	1	–	–	–	–	–	–	–	–	–
Scarlatina	74	7	9	7	9	9	41	27	5	–	1	–	–	–	–	–	–	–
Diphtheria	6	–	–	1	–	1	2	3	1	–	–	–	–	–	–	–	–	–
Whooping-cough	14	10	3	1	–	–	14	–	–	–	–	–	–	–	–	–	–	–
Typhus	63	1	1	1	1	3	7	14	6	7	4	4	2	3	4	10	2	–
Diarrhœa & Dysentery	23	11	–	–	–	1	12	–	1	–	2	–	–	1	1	3	3	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	35	3	6	2	3	1	15	3	–	1	–	2	1	1	6	2	4	–
Cancer	16	–	–	–	–	–	–	–	–	–	–	–	–	5	5	3	3	–
Scrofula and Tabes	34	7	6	2	2	–	17	5	2	1	2	2	3	1	–	–	1	–
Phthisis	237	37	9	3	2	–	51	5	5	24	21	44	24	32	23	5	–	–
Hydrocephalus	11	3	2	2	2	–	9	2	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	147	44	3	2	1	1	51	5	2	4	3	4	11	8	17	17	20	5
Dis. of Heart & Dropsy	159	2	–	–	–	–	2	1	6	5	6	5	13	16	36	39	29	1
Dis. of Lungs	269	90	33	9	8	2	142	6	1	2	3	4	7	17	19	38	24	6
Dis. of Stom. and Liver	65	10	2	–	–	1	13	1	1	3	–	2	7	8	10	16	3	1
Dis. of Kidneys	37	–	–	–	–	–	–	–	1	–	1	4	1	5	7	14	3	1
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Dis. of Joints	5	–	1	–	–	–	1	–	–	–	1	–	1	–	–	2	–	–
Dis. of Skin	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	13	–	–	–	–	–	–	–	–	1	–	–	2	4	2	3	1	–
Other Violent Deaths	63	1	6	2	2	2	13	5	3	5	7	8	6	5	8	3	–	–
Other Causes	886	176	16	2	3	–	197	1	1	–	–	4	6	5	5	24	94	49
123.—ABINGDON.																		
Mean Popul^n, 1861-71	10306	293	267	262	254	262	1338	1292	1233	1026	775	1219	1115	941	729	460	162	16
TOTAL DEATHS	2372	504	140	61	33	44	782	73	50	51	75	139	167	175	251	269	261	79
Small-pox	8	1	–	1	–	–	2	1	1	–	2	–	–	1	1	–	–	–
Measles	13	2	6	1	1	–	10	2	–	1	–	–	–	–	–	–	–	–
Scarlatina	63	5	15	6	7	9	42	14	5	1	–	–	–	–	–	–	1	–
Diphtheria	10	1	2	1	–	3	7	1	–	1	–	1	–	–	–	–	–	–
Whooping-cough	20	11	4	3	1	1	20	–	–	–	–	–	–	–	–	–	–	–
Typhus	76	2	1	5	4	4	16	12	10	5	6	6	4	4	9	2	2	–
Diarrhœa & Dysentery	87	50	12	3	1	1	67	–	–	–	1	1	–	–	3	8	4	3
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Other Zymotic Dis.	37	7	1	5	1	3	17	1	1	1	–	–	4	7	1	3	1	1
Cancer	14	–	–	–	–	–	–	–	–	–	–	1	–	2	9	1	1	–
Scrofula and Tabes	48	17	5	3	–	1	26	6	6	2	3	1	–	2	1	–	1	–
Phthisis	233	2	3	2	–	1	8	3	5	19	39	61	39	31	20	8	–	–
Hydrocephalus	39	14	7	5	2	2	30	8	–	–	1	–	–	–	–	–	–	–
Dis. of Brain	427	67	17	6	4	2	96	6	9	7	8	38	65	41	56	48	46	7
Dis. of Heart & Dropsy	183	4	–	1	1	–	6	2	1	4	–	6	15	23	35	52	35	4
Dis. of Lungs	407	90	47	13	8	10	168	2	1	1	4	10	12	28	46	70	53	12
Dis. of Stom. and Liver	94	10	–	–	–	1	11	3	3	2	1	5	12	9	22	16	8	2
Dis. of Kidneys	58	1	–	–	–	–	1	1	1	–	1	2	2	12	12	16	9	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	9	1	–	–	1	–	2	–	1	1	–	1	2	–	–	2	–	–
Dis. of Skin	6	3	1	–	–	–	4	–	–	–	–	–	–	1	1	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–
Other Violent Deaths	83	3	3	3	2	3	14	8	6	6	8	5	6	3	14	7	6	–
Other Causes	453	213	16	3	–	3	235	3	–	–	1	1	6	10	19	35	94	49
124.—WANTAGE.																		
Mean Popul^n, 1861-71	8803	259	245	245	242	236	1227	1106	1038	888	664	980	923	814	621	389	140	13
TOTAL DEATHS	1723	393	119	53	38	22	625	58	39	40	60	84	86	108	141	245	196	41
Small-pox	3	1	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–
Measles	16	6	4	3	1	–	14	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	47	6	9	6	6	2	29	12	3	1	–	1	1	–	–	–	–	–
Diphtheria	5	–	1	–	1	–	2	1	1	1	–	–	–	–	–	–	–	–
Whooping-cough	24	12	8	2	1	–	23	1	–	–	–	–	–	–	–	–	–	–
Typhus	73	3	4	1	5	3	16	6	7	8	10	5	5	3	3	6	4	–
Diarrhœa & Dysentery	62	33	9	1	–	–	43	–	–	1	–	–	–	–	2	6	10	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Other Zymotic Dis.	50	5	8	4	5	4	26	5	1	–	–	–	2	1	3	8	4	–
Cancer	30	–	–	–	–	–	–	–	–	–	1	2	–	7	9	7	4	–
Scrofula and Tabes	26	4	6	1	1	4	16	–	3	–	2	–	2	3	–	–	–	–
Phthisis	219	11	7	4	2	2	26	8	5	13	31	49	26	28	21	11	1	–
Hydrocephalus	30	10	7	6	1	1	25	2	1	1	1	–	–	–	–	–	–	–
Dis. of Brain	210	57	3	7	3	1	71	4	2	6	5	3	9	13	15	43	34	5
Dis. of Heart & Dropsy	114	1	–	–	–	–	1	1	3	1	3	3	6	14	21	41	20	–
Dis. of Lungs	268	68	23	6	5	2	104	3	1	–	–	5	15	13	25	48	41	8
Dis. of Stom. and Liver	77	13	1	1	–	1	16	2	1	1	–	7	6	11	11	18	4	–
Dis. of Kidneys	45	1	–	–	–	–	1	1	1	–	2	2	2	4	9	13	9	1
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Dis. of Joints	10	1	–	–	–	–	1	1	1	–	1	1	–	–	1	3	–	1
Dis. of Skin	17	5	2	2	1	–	10	–	–	–	–	1	–	–	–	4	2	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	8	–	–	–	–	–	–	–	–	–	–	–	4	1	1	2	–	–
Other Violent Deaths	75	5	2	4	4	1	16	8	8	7	4	2	3	4	8	7	5	3
Other Causes	311	151	25	5	2	1	184	1	1	–	–	1	4	1	11	28	57	23

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
122.—FARINGDON.																		
Mean Popul^n, 1861–71	7670	209	205	212	183	207	1016	972	805	693	594	1019	848	726	523	317	141	16
TOTAL DEATHS	1600	352	94	53	23	28	550	60	42	59	43	102	103	83	128	182	182	66
Small-pox	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-
Measles	13	5	5	2	-	-	12	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	61	5	13	12	7	6	43	12	4	-	1	-	1	-	-	-	-	-
Diphtheria	10	2	1	-	1	-	4	5	1	-	-	-	-	-	-	-	-	-
Whooping-cough	17	4	4	5	-	2	15	2	-	-	-	-	-	-	-	-	-	-
Typhus	83	4	3	3	1	4	15	9	11	7	3	11	7	8	2	7	3	-
Diarrhœa & Dysentery	21	10	3	1	-	1	15	-	-	1	1	-	-	-	1	3	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	26	3	4	4	2	4	17	4	-	-	1	-	-	-	4	-	-	-
Cancer	34	-	-	-	-	-	-	-	-	1	-	1	4	6	10	10	2	-
Scrofula and Tabes	18	2	1	-	-	-	3	2	2	4	-	3	1	-	-	2	1	-
Phthisis	271	45	8	2	1	6	62	6	10	32	30	56	38	21	15	1	-	-
Hydrocephalus	9	4	2	2	-	1	9	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	148	25	11	2	3	2	43	4	5	5	3	6	7	4	19	27	22	3
Dis. of Heart & Dropsy	164	1	-	-	-	-	1	2	4	-	-	5	12	18	37	48	32	5
Dis. of Lungs	226	74	23	14	4	1	116	7	-	-	1	5	13	11	15	28	25	5
Dis. of Stom. and Liver	66	7	-	1	1	-	9	-	1	3	1	2	6	9	14	12	8	1
Dis. of Kidneys	14	-	-	-	1	1	2	-	-	1	1	-	2	-	3	2	2	1
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	3	1	-
Dis. of Joints	7	1	-	-	-	-	1	-	-	1	-	1	-	2	-	-	2	-
Dis. of Skin	6	1	-	-	-	-	1	-	-	1	-	-	1	-	-	3	-	-
Childbirth and Metria	18	-	-	-	-	-	-	-	-	2	1	7	8	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Other Violent Deaths	16	-	1	1	1	-	3	4	2	1	-	2	1	1	-	1	1	-
Other Causes	361	159	15	4	1	-	179	2	2	-	-	1	-	3	7	34	82	51
123.—ABINGDON.																		
Mean Popul^n, 1861–71	10905	286	263	300	271	279	1399	1259	1203	1021	928	1454	1192	1062	755	433	172	27
TOTAL DEATHS	2361	394	124	49	38	26	631	78	43	71	91	179	179	181	249	289	279	91
Small-pox	6	1	-	-	1	-	2	1	-	1	2	-	-	-	-	-	-	-
Measles	27	3	8	5	1	1	18	5	3	-	-	-	-	-	1	-	-	-
Scarlatina	59	3	5	9	9	8	34	18	2	-	-	4	1	-	-	-	-	-
Diphtheria	10	1	1	-	2	2	6	2	1	-	-	-	-	-	-	-	1	-
Whooping-cough	20	7	8	5	-	-	20	-	-	-	-	-	-	-	-	-	-	-
Typhus	98	-	4	4	2	2	12	17	10	11	10	9	13	8	5	1	2	-
Diarrhœa & Dysentery	66	30	12	-	1	1	44	1	-	-	-	1	1	3	3	3	8	2
Cholera	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-
Other Zymotic Dis.	44	6	5	2	3	1	17	3	-	-	2	1	3	3	8	5	2	-
Cancer	60	-	-	-	-	-	-	1	-	-	-	1	8	17	13	15	4	1
Scrofula and Tabes	31	8	3	3	1	1	16	1	3	3	2	2	1	1	2	-	-	-
Phthisis	295	3	1	1	1	-	6	2	12	26	48	94	49	33	20	4	1	-
Hydrocephalus	24	10	4	2	1	2	19	4	-	-	-	1	-	-	-	-	-	-
Dis. of Brain	362	53	8	-	4	1	66	4	3	11	14	24	38	39	58	52	45	8
Dis. of Heart & Dropsy	232	7	1	-	1	-	9	2	2	5	1	6	16	31	63	60	32	5
Dis. of Lungs	320	79	38	11	17	5	149	6	1	4	-	5	12	16	30	49	44	15
Dis. of Stom. and Liver	113	7	-	1	-	-	8	5	3	4	2	6	12	14	22	29	8	-
Dis. of Kidneys	9	-	-	-	-	-	-	-	-	2	-	1	1	2	2	-	1	-
Dis. of Gener. Organs	13	-	-	-	-	-	-	-	-	-	-	1	3	5	1	3	-	-
Dis. of Joints	9	-	-	-	-	-	-	1	1	-	-	2	1	-	2	2	-	-
Dis. of Skin	3	-	1	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-
Childbirth and Metria	36	-	-	-	-	-	-	-	-	3	7	14	12	-	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-
Other Violent Deaths	30	2	5	3	1	2	13	3	1	-	-	2	1	3	2	2	3	-
Other Causes	487	174	20	3	3	-	200	2	1	-	3	4	5	5	15	64	126	62
124.—WANTAGE.																		
Mean Popul^n, 1861–71	8530	254	227	246	244	246	1217	1134	1000	730	612	1040	938	765	575	357	139	23
TOTAL DEATHS	1642	297	114	42	24	23	500	72	33	55	56	111	115	94	119	215	196	76
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	24	3	9	4	2	2	20	2	1	1	-	-	-	-	-	-	-	-
Scarlatina	40	4	5	7	3	4	23	12	2	-	1	-	1	1	-	-	-	-
Diphtheria	8	-	-	1	1	1	3	2	-	-	-	1	1	-	-	1	-	-
Whooping-cough	33	13	9	5	3	2	32	1	-	-	-	-	-	-	-	-	-	-
Typhus	76	2	3	3	3	3	14	9	6	12	5	6	7	5	3	4	4	1
Diarrhœa & Dysentery	66	34	9	2	-	-	45	1	-	-	-	-	1	1	2	5	5	6
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Zymotic Dis.	43	3	5	3	4	5	20	8	2	1	-	1	1	1	3	1	4	1
Cancer	49	-	-	-	-	-	-	1	-	-	-	-	5	13	14	12	3	1
Scrofula and Tabes	27	8	5	1	1	-	15	2	1	3	3	-	-	2	1	-	-	-
Phthisis	248	5	11	4	-	1	21	9	14	30	32	49	47	24	15	6	1	-
Hydrocephalus	30	15	3	2	2	-	22	7	-	-	-	-	-	-	-	-	1	-
Dis. of Brain	169	30	15	2	2	2	51	3	4	2	3	13	10	8	14	30	28	3
Dis. of Heart & Dropsy	165	1	-	-	-	-	1	1	-	1	-	9	10	16	26	61	35	5
Dis. of Lungs	173	39	23	3	2	3	70	4	1	2	1	7	6	6	11	31	24	10
Dis. of Stom. and Liver	86	8	-	-	-	-	8	5	1	2	-	4	8	10	17	21	9	1
Dis. of Kidneys	17	1	-	1	-	-	2	-	-	-	1	3	1	2	3	3	2	-
Dis. of Gener. Organs	5	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-
Dis. of Joints	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
Dis. of Skin	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	2
Childbirth and Metria	35	-	-	-	-	-	-	-	-	1	7	13	14	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Other Violent Deaths	26	6	3	1	-	-	10	3	-	-	-	-	2	-	-	3	7	1
Other Causes	311	124	14	3	1		142	2	1	-	-	2	-	4	8	36	71	45

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
125.—WALLINGFORD.																		
Mean Popul^n, 1861-71	7097	197	179	189	190	193	948	907	856	654	523	854	733	629	532	328	121	12
TOTAL DEATHS	1356	282	83	41	23	15	444	40	35	30	40	61	104	85	124	175	176	42
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	23	4	6	7	2	–	19	4	–	–	–	–	–	–	–	–	–	–
Scarlatina	29	1	1	7	3	3	15	8	3	1	–	2	–	–	–	–	–	–
Diphtheria	12	1	2	1	2	–	6	3	2	–	–	–	–	–	1	–	–	–
Whooping-cough	22	13	6	2	–	–	21	1	–	–	–	–	–	–	–	–	–	–
Typhus	36	–	1	1	3	1	6	–	2	3	2	5	6	2	4	3	2	1
Diarrhœa & Dysentery	42	18	8	2	1	1	30	–	–	–	–	1	–	–	–	7	4	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Other Zymotic Dis.	44	7	2	5	2	1	17	3	–	–	2	–	7	1	2	3	7	2
Cancer	22	–	–	–	–	–	–	–	–	–	–	–	2	4	5	9	1	1
Scrofula and Tabes	23	8	3	1	1	–	13	1	3	1	1	2	–	–	2	–	–	–
Phthisis	147	5	6	1	1	1	14	–	6	11	17	32	36	21	6	4	–	–
Hydrocephalus	24	9	5	3	2	1	20	4	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	132	25	7	–	5	–	37	5	4	1	3	1	4	9	17	28	19	4
Dis. of Heart & Dropsy	132	6	2	–	–	–	8	1	1	5	3	3	9	13	25	34	25	5
Dis. of Lungs	191	40	19	9	1	5	74	1	2	–	6	4	8	8	30	28	28	2
Dis. of Stom. and Liver	60	8	–	1	–	–	9	5	2	–	1	3	10	7	9	9	5	–
Dis. of Kidneys	42	1	–	–	–	–	1	–	1	1	–	4	6	5	3	11	10	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	4	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–
Dis. of Skin	9	3	1	–	–	–	4	1	–	–	–	–	1	–	–	3	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–
Other Violent Deaths	59	4	3	1	–	1	9	2	9	6	4	3	6	6	6	4	4	–
Other Causes	299	129	11	–	–	1	141	1	–	1	1	1	5	8	13	31	70	27
126.—BRADFIELD.																		
Mean Popul^n, 1861-71	7990	197	211	227	213	189	1037	986	910	726	581	950	885	753	594	396	154	18
TOTAL DEATHS	1416	293	65	44	21	25	448	48	29	24	47	82	82	100	117	195	190	54
Small-pox	5	1	–	–	–	–	1	–	–	–	–	–	2	2	–	–	–	–
Measles	5	2	1	–	–	–	3	1	–	1	–	–	–	–	–	–	–	–
Scarlatina	39	4	3	7	4	8	26	10	1	–	1	1	–	–	–	–	–	–
Diphtheria	21	1	–	4	2	2	9	4	5	1	1	–	–	–	1	–	–	–
Whooping-cough	17	11	4	2	–	–	17	–	–	–	–	–	–	–	–	–	–	–
Typhus	34	–	1	1	1	1	4	4	6	–	3	3	4	2	2	4	2	–
Diarrhœa & Dysentery	40	16	7	4	1	–	28	–	–	–	–	–	1	3	3	3	2	–
Cholera	4	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	1	–
Other Zymotic Dis.	32	3	3	3	1	–	10	2	1	2	–	1	1	6	2	3	3	1
Cancer	20	–	–	–	–	–	–	–	–	–	–	1	2	3	3	8	2	1
Scrofula and Tabes	34	10	5	3	1	2	21	–	2	2	5	1	1	–	1	1	–	–
Phthisis	137	4	1	3	–	–	8	2	2	5	19	43	26	13	13	6	–	–
Hydrocephalus	9	3	1	1	–	1	6	3	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	165	38	6	7	2	1	54	4	4	2	1	3	9	17	14	29	25	3
Dis. of Heart & Dropsy	117	1	–	–	1	–	2	1	–	3	4	4	8	14	24	35	20	2
Dis. of Lungs	222	50	22	5	3	5	85	5	1	4	5	11	9	16	21	29	29	7
Dis. of Stom. and Liver	81	14	–	1	1	–	16	7	3	1	4	2	7	8	11	16	5	1
Dis. of Kidneys	34	–	–	–	–	–	–	–	1	–	1	2	3	4	11	8	3	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	4	–	–	–	–	–	–	–	–	1	–	1	–	–	–	2	–	–
Dis. of Skin	10	1	–	–	–	–	1	–	–	–	–	–	–	–	1	7	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	5	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	–	–
Other Violent Deaths	47	2	–	3	2	4	11	2	3	–	2	7	4	4	6	8	–	–
Other Causes	334	132	11	–	2	1	146	3	–	2	1	1	2	6	4	34	97	58
127.—READING.																		
Mean Popul^n, 1861-71	13919	445	384	389	374	381	1973	1649	1500	1361	1310	2099	1591	1148	729	409	135	15
TOTAL DEATHS	3343	820	288	142	84	58	1392	148	63	85	116	225	229	242	253	309	221	60
Small-pox	23	4	1	–	1	–	6	1	1	1	2	5	2	3	–	–	–	–
Measles	80	20	24	14	7	4	69	10	1	–	–	–	–	–	–	–	–	–
Scarlatina	208	12	36	26	30	18	122	64	6	8	3	4	–	1	–	–	–	–
Diphtheria	13	4	–	–	2	4	10	1	1	–	1	–	–	–	–	–	–	–
Whooping-cough	71	26	24	15	6	–	71	–	–	–	–	–	–	–	–	–	–	–
Typhus	90	3	9	1	5	4	22	13	6	7	8	10	7	6	7	2	2	–
Diarrhœa & Dysentery	182	119	26	7	2	2	156	3	–	–	–	2	–	3	4	3	9	2
Cholera	15	7	1	1	–	–	9	–	–	–	1	–	1	1	1	1	1	–
Other Zymotic Dis.	83	13	14	12	5	5	49	4	5	2	2	6	5	3	4	2	1	–
Cancer	50	–	–	–	–	–	–	–	–	1	–	3	4	13	11	16	2	–
Scrofula and Tabes	57	19	8	8	2	2	39	6	2	2	1	4	1	1	1	–	–	–
Phthisis	383	10	6	6	1	3	26	5	5	19	52	86	83	58	30	16	3	–
Hydrocephalus	77	31	26	4	3	4	68	4	3	1	–	–	1	–	–	–	–	–
Dis. of Brain	350	91	25	8	2	6	132	12	6	5	4	11	10	19	34	75	36	6
Dis. of Heart & Dropsy	254	3	3	1	–	–	7	1	4	3	6	21	33	40	46	57	33	3
Dis. of Lungs	482	145	64	22	8	2	241	3	1	8	6	15	21	22	43	62	44	16
Dis. of Stom. and Liver	147	29	2	2	2	2	37	4	5	4	2	5	18	19	19	22	11	1
Dis. of Kidneys	120	–	1	2	1	–	4	4	2	4	7	13	12	20	19	21	10	4
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	21	–	1	–	–	–	1	1	2	2	1	4	1	3	2	4	–	–
Dis. of Skin	23	6	2	–	–	–	8	–	2	–	1	–	2	3	2	3	2	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	13	–	–	–	–	–	–	–	–	–	–	2	5	3	1	–	2	–
Other Violent Deaths	176	15	4	10	7	2	38	11	10	18	14	26	19	14	17	3	4	2
Other Causes	425	263	11	3	–	–	277	1	1	–	5	8	4	8	12	22	61	26

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
125.—WALLINGFORD.																		
Mean Populn, 1861–71	7235	217	188	210	185	182	982	890	808	591	570	945	793	651	517	342	130	16
TOTAL DEATHS	1273	198	67	32	22	18	337	35	37	32	55	86	79	74	121	174	188	55
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	18	1	6	4	3	–	14	3	1	–	–	–	–	–	–	–	–	–
Scarlatina	32	3	2	4	3	3	15	9	3	2	2	–	–	–	1	–	–	–
Diphtheria	11	–	2	–	3	2	7	1	1	–	–	1	1	–	–	–	–	–
Whooping-cough	16	4	4	3	–	1	12	3	1	–	–	–	–	–	–	–	–	–
Typhus	31	2	–	–	1	–	3	3	4	5	5	3	3	1	2	2	–	–
Diarrhœa & Dysentery	29	11	6	–	–	–	17	–	–	–	1	2	1	–	1	1	3	3
Cholera	2	–	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	37	5	2	–	3	2	12	1	4	1	3	–	3	–	7	3	3	–
Cancer	41	1	–	–	–	–	1	–	–	–	1	1	6	7	12	11	2	–
Scrofula and Tabes	30	4	6	1	1	1	13	4	2	2	1	4	1	1	1	1	–	–
Phthisis	185	2	9	3	–	2	16	2	7	13	31	47	39	20	6	4	–	–
Hydrocephalus	14	1	4	1	2	2	10	2	1	1	–	–	–	–	–	–	–	–
Dis. of Brain	170	26	3	7	–	2	38	2	6	2	2	4	7	13	20	26	42	8
Dis. of Heart & Dropsy	138	5	1	1	2	–	9	–	1	1	2	1	4	9	30	45	31	2
Dis. of Lungs	158	34	11	7	2	2	56	2	1	1	1	4	3	11	16	31	26	6
Dis. of Stom. and Liver	61	4	1	–	–	1	6	–	2	1	1	4	2	7	11	13	12	2
Dis. of Kidneys	13	–	–	–	1	–	1	–	–	–	1	3	–	–	4	4	–	–
Dis. of Gener. Organs	6	–	–	–	–	–	–	1	–	–	–	–	1	–	–	3	1	–
Dis. of Joints	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–
Dis. of Skin	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
Childbirth and Metria	16	–	–	–	–	–	–	–	–	–	2	9	5	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Other Violent Deaths	27	5	3	1	–	–	9	1	2	–	–	2	–	2	5	1	5	–
Other Causes	232	90	5	–	1	–	96	1	1	2	2	1	3	3	3	27	59	34
126.—BRADFIELD.																		
Mean Populn, 1861–71	7822	227	212	232	199	218	1088	995	867	599	596	1015	886	735	529	357	133	22
TOTAL DEATHS	1370	232	78	37	13	15	375	48	30	42	54	98	110	87	103	173	178	72
Small-pox	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
Measles	17	2	5	1	1	2	11	4	1	–	–	1	–	–	–	–	–	–
Scarlatina	50	3	13	5	3	3	27	13	5	2	1	2	–	–	–	–	–	–
Diphtheria	16	–	–	2	2	3	7	5	3	1	–	–	–	–	–	–	–	–
Whooping-cough	17	10	6	1	–	–	17	–	–	–	–	–	–	–	–	–	–	–
Typhus	48	–	1	–	3	–	4	11	4	5	5	4	3	5	5	2	–	–
Diarrhœa & Dysentery	43	25	2	1	1	–	29	–	–	–	–	1	–	1	1	6	3	2
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	24	1	3	5	–	2	11	2	–	2	–	1	2	1	1	4	–	–
Cancer	40	–	–	–	–	–	–	–	–	–	–	–	2	14	11	11	2	–
Scrofula and Tabes	17	7	3	3	–	–	13	1	–	1	–	1	1	–	–	–	–	–
Phthisis	158	3	4	1	1	–	9	1	6	13	29	46	37	10	4	3	–	–
Hydrocephalus	12	5	3	1	–	1	10	2	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	132	18	9	1	–	–	28	3	1	1	3	5	7	9	25	20	27	3
Dis. of Heart & Dropsy	123	1	–	1	–	1	3	–	1	–	2	4	12	5	24	40	31	1
Dis. of Lungs	197	34	16	10	1	2	63	3	2	11	6	10	15	14	13	33	23	4
Dis. of Stom. and Liver	63	5	–	3	1	–	9	1	2	2	3	4	9	8	9	16	5	–
Dis. of Kidneys	16	–	–	–	–	–	–	–	1	–	1	2	2	3	3	4	–	–
Dis. of Gener. Organs	10	–	–	–	–	–	–	–	–	–	–	1	1	5	2	1	–	–
Dis. of Joints	4	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	1	–
Dis. of Skin	8	2	–	–	–	–	2	–	–	1	–	1	1	2	–	–	–	1
Childbirth and Metria	31	–	–	–	–	–	–	–	–	3	3	9	15	1	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–
Other Violent Deaths	14	2	1	2	–	–	5	1	1	–	–	1	1	1	1	–	2	1
Other Causes	320	114	12	–	–	1	127	1	3	–	–	3	1	5	4	33	83	60
127.—READING.																		
Mean Populn, 1861–71	15690	452	398	386	364	372	1972	1680	1549	1536	1506	2452	1863	1381	949	560	214	28
TOTAL DEATHS	3206	634	271	132	87	59	1183	131	69	78	119	207	208	218	257	343	298	95
Small-pox	21	4	3	1	–	1	9	2	2	2	3	2	–	–	1	–	–	–
Measles	79	11	35	20	8	4	78	–	1	–	–	–	–	–	–	–	–	–
Scarlatina	195	12	27	31	27	23	123	48	15	2	5	2	–	–	–	–	–	–
Diphtheria	26	2	5	2	1	4	14	9	–	1	1	–	–	–	–	1	–	–
Whooping-cough	91	39	27	17	4	1	88	3	–	–	–	–	–	–	–	–	–	–
Typhus	84	2	3	2	6	3	16	13	4	8	9	6	4	10	5	7	1	1
Diarrhœa & Dysentery	123	80	21	1	–	–	102	–	–	–	1	2	2	2	4	11	6	3
Cholera	11	6	–	1	–	–	7	–	–	–	–	–	–	–	2	2	–	–
Other Zymotic Dis.	78	14	8	4	7	4	37	6	3	1	2	6	4	3	2	3	9	2
Cancer	137	–	–	–	–	–	–	1	–	1	1	3	28	36	34	23	10	–
Scrofula and Tabes	55	18	8	5	–	4	35	7	1	3	2	3	2	1	–	1	–	–
Phthisis	359	7	7	5	3	–	22	7	21	34	51	93	77	32	12	7	–	–
Hydrocephalus	66	22	16	8	7	2	55	9	1	–	–	–	–	1	–	–	–	–
Dis. of Brain	324	64	16	11	4	5	100	7	4	3	5	9	10	21	41	62	55	7
Dis. of Heart & Dropsy	244	–	–	–	–	–	–	2	5	4	7	13	18	30	56	64	38	7
Dis. of Lungs	459	101	64	13	10	4	192	3	1	5	2	8	10	29	49	80	59	21
Dis. of Stom. and Liver	178	20	6	2	3	2	33	7	2	–	3	12	15	25	24	34	21	2
Dis. of Kidneys	62	–	4	–	2	1	7	–	3	3	4	8	11	8	8	7	3	–
Dis. of Gener. Organs	20	–	–	–	–	–	–	–	–	–	1	2	1	9	2	3	2	–
Dis. of Joints	17	1	–	1	1	–	3	–	3	2	1	2	–	2	2	2	–	–
Dis. of Skin	16	5	–	–	–	–	5	–	–	1	1	–	1	1	4	1	2	–
Childbirth and Metria	61	–	–	–	–	–	–	–	–	2	12	29	17	1	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
Other Violent Deaths	60	11	6	2	1	1	21	6	3	4	2	4	2	1	3	4	7	3
Other Causes	428	215	15	3	3	–	236	1	–	1	3	3	6	6	7	31	85	49

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
128.—WOKINGHAM.																		
Mean Populn, 1861–71	7694	215	215	202	212	202	1046	951	860	714	587	991	837	703	511	328	151	15
TOTAL DEATHS	1441	274	79	40	31	27	451	63	28	37	45	80	83	112	129	185	179	49
Small-pox	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Measles	14	2	4	4	3	–	13	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	61	5	6	2	13	8	34	17	5	3	2	–	–	–	–	–	–	–
Diphtheria	21	–	1	3	2	6	12	7	2	–	–	–	–	–	–	–	–	–
Whooping-cough	22	11	4	2	3	–	20	2	–	–	–	–	–	–	–	–	–	–
Typhus	44	1	1	2	1	–	5	7	6	1	6	9	5	4	1	–	–	–
Diarrhœa & Dysentery	63	29	10	1	2	1	43	–	1	1	1	2	2	1	4	4	2	2
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Other Zymotic Dis.	22	1	2	2	–	3	8	2	1	1	–	3	1	1	2	1	2	–
Cancer	23	–	–	–	–	–	–	–	–	–	1	–	6	5	3	6	2	–
Scrofula and Tabes	26	6	7	1	–	–	14	7	–	3	–	–	–	2	–	–	–	–
Phthisis	129	3	2	–	2	–	7	1	5	7	19	33	26	12	11	8	–	–
Hydrocephalus	16	5	2	1	2	1	11	1	1	1	1	1	–	–	–	–	–	–
Dis. of Brain	158	31	5	2	1	–	39	5	2	4	3	7	8	15	15	31	23	1
Dis. of Heart & Dropsy	95	2	–	–	–	1	3	1	2	2	1	5	10	12	24	26	9	–
Dis. of Lungs	266	52	26	14	–	2	94	5	2	2	6	10	10	25	27	47	32	6
Dis. of Stom. and Liver	82	15	–	–	–	1	16	2	1	2	1	2	3	12	11	19	13	–
Dis. of Kidneys	35	1	–	1	–	–	2	1	–	1	1	–	2	7	7	10	4	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	10	–	–	–	–	–	–	–	–	–	2	3	1	2	1	1	–	–
Dis. of Skin	5	1	–	–	–	–	1	–	–	–	–	–	–	1	–	1	2	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	13	–	–	–	–	–	–	–	–	–	–	–	–	4	8	1	–	–
Other Violent Deaths	55	4	3	5	2	3	17	4	–	8	1	3	5	7	4	3	2	1
Other Causes	278	105	6	–	–	1	112	–	–	1	–	2	3	2	9	27	83	39
129.—COOKHAM.																		
Mean Populn, 1861–71	6889	192	192	191	180	189	944	854	885	631	501	889	760	629	424	273	88	11
TOTAL DEATHS	1271	286	72	45	33	23	459	54	27	28	37	64	90	105	109	142	125	31
Small-pox	5	1	–	–	–	1	2	–	–	–	2	1	–	–	–	–	–	–
Measles	18	2	2	4	1	1	10	6	–	1	–	1	–	–	–	–	–	–
Scarlatina	37	1	5	4	5	5	20	8	6	1	–	1	–	–	–	1	–	–
Diphtheria	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	31	14	13	2	2	–	31	–	–	–	–	–	–	–	–	–	–	–
Typhus	30	2	1	3	3	2	11	4	2	3	1	3	4	–	2	–	–	–
Diarrhœa & Dysentery	52	35	9	2	–	–	46	–	–	–	–	–	–	–	1	4	1	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	42	4	1	4	7	1	17	2	3	2	2	2	–	1	5	2	5	1
Cancer	12	–	–	–	–	–	–	–	–	1	–	–	2	2	3	3	1	–
Scrofula and Tabes	19	4	2	–	2	–	8	3	–	1	1	3	2	–	1	–	–	–
Phthisis	149	3	4	1	–	–	8	4	2	11	14	29	30	30	14	5	2	–
Hydrocephalus	16	6	2	2	1	2	13	3	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	174	49	8	3	2	2	64	6	2	2	3	2	10	12	21	31	19	2
Dis. of Heart & Dropsy	77	–	–	1	–	–	1	–	–	1	1	6	8	12	17	21	9	1
Dis. of Lungs	186	39	12	7	4	4	66	4	1	2	4	5	13	21	18	28	23	1
Dis. of Stom. and Liver	65	10	–	3	1	2	16	1	1	–	1	2	8	10	9	11	6	–
Dis. of Kidneys	29	–	–	–	–	1	1	–	–	1	1	1	4	7	7	2	5	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	7	–	–	–	–	–	–	1	1	–	–	1	–	1	–	3	–	–
Dis. of Skin	5	1	–	–	–	–	1	–	1	–	–	–	–	1	–	2	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	6	–	–	–	–	–	–	–	–	–	2	1	–	–	1	2	–	–
Other Violent Deaths	52	10	2	2	2	1	17	8	7	2	2	4	4	2	3	2	1	–
Other Causes	258	105	11	6	3	1	126	4	1	–	3	2	5	6	7	25	53	26
130.—EASTHAMPSTEAD.																		
Mean Populn, 1861–71	4765	126	130	129	121	129	635	507	558	544	361	671	577	413	271	166	53	9
TOTAL DEATHS	815	146	40	26	15	12	239	42	17	24	25	55	75	61	70	102	81	24
Small-pox	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Measles	8	3	–	1	–	–	4	2	1	–	1	–	–	–	–	–	–	–
Scarlatina	36	1	6	2	4	4	17	13	5	1	–	–	–	–	–	–	–	–
Diphtheria	22	3	–	4	2	–	9	10	2	1	–	–	–	–	–	–	–	–
Whooping-cough	17	9	5	1	–	1	16	1	–	–	–	–	–	–	–	–	–	–
Typhus	21	–	–	2	1	1	4	2	1	2	2	2	5	1	2	–	–	–
Diarrhœa & Dysentery	23	12	3	–	–	–	15	–	–	1	1	–	–	1	–	1	4	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Other Zymotic Dis.	36	6	3	4	1	1	15	5	1	3	–	1	3	2	2	3	1	–
Cancer	12	–	–	–	–	–	–	–	–	–	–	1	2	2	4	2	1	–
Scrofula and Tabes	10	4	2	1	–	–	7	–	1	–	1	–	–	–	–	1	–	–
Phthisis	111	–	1	2	–	–	3	–	3	7	9	24	25	17	13	10	–	–
Hydrocephalus	8	3	3	–	1	–	7	1	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	93	12	3	3	2	–	20	–	1	4	4	5	12	4	5	15	20	3
Dis. of Heart & Dropsy	67	–	–	1	–	–	1	–	1	1	1	5	8	8	12	19	10	1
Dis. of Lungs	107	29	9	2	3	3	46	2	–	1	2	5	2	11	11	15	9	3
Dis. of Stom. and Liver	43	2	1	–	–	–	3	–	–	–	–	4	6	5	11	12	2	–
Dis. of Kidneys	25	–	1	–	–	–	1	–	–	–	–	2	3	2	3	10	4	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	4	–	–	1	–	–	1	–	–	–	–	2	1	–	–	–	–	–
Dis. of Skin	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	12	–	–	–	–	–	–	–	–	1	2	1	3	1	3	1	–	–
Other Violent Deaths	39	3	–	1	1	–	5	6	1	2	2	3	3	1	2	3	1	1
Other Causes	127	59	3	1	–	2	65	–	–	–	–	–	2	4	2	9	29	16

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
128.—WOKINGHAM.																		
Mean Popul^n, 1861–71	7635	202	179	204	183	186	954	962	817	603	610	1086	893	695	527	347	127	14
TOTAL DEATHS	1296	228	64	47	25	22	386	71	35	37	39	75	77	79	98	170	165	64
Small-pox	2	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Measles	10	1	2	1	1	1	6	4	-	-	-	-	-	-	-	-	-	-
Scarlatina	63	2	7	9	5	7	30	25	9	-	2	-	-	-	-	-	-	-
Diphtheria	23	-	1	3	5	3	12	5	3	2	-	-	-	-	1	-	-	-
Whooping-cough	21	9	7	4	1	-	21	-	-	-	-	-	-	-	-	-	-	-
Typhus	42	1	1	4	2	3	11	6	6	4	1	3	3	2	2	3	1	-
Diarrhœa & Dysentery	30	11	5	1	1	1	19	-	-	-	2	1	1	1	-	2	3	1
Cholera	3	1	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-
Other Zymotic Dis.	20	2	3	1	-	1	7	1	1	1	1	4	1	1	-	3	-	-
Cancer	51	-	-	-	-	-	-	1	-	-	-	1	4	13	15	10	7	-
Scrofula and Tabes	27	8	1	-	1	-	10	7	1	1	-	-	2	4	1	1	-	-
Phthisis	111	4	-	-	-	-	4	3	3	14	17	36	17	10	3	4	-	-
Hydrocephalus	6	1	1	1	1	-	4	2	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	148	23	8	12	1	2	46	3	4	1	2	3	8	11	21	24	23	2
Dis. of Heart & Dropsy	79	1	-	1	-	-	2	2	1	5	1	2	6	5	16	25	14	-
Dis. of Lungs	189	32	20	8	3	1	61	7	2	2	3	12	7	12	11	46	17	6
Dis. of Stom. and Liver	69	6	3	1	2	1	13	1	2	2	-	3	11	6	13	7	11	-
Dis. of Kidneys	15	1	1	-	-	-	2	-	-	-	1	2	3	2	2	2	1	-
Dis. of Gener. Organs	8	-	-	-	-	-	-	-	-	-	-	-	1	4	1	1	1	-
Dis. of Joints	4	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	2	-
Dis. of Skin	6	3	-	-	-	-	3	-	1	-	-	-	-	-	-	-	1	1
Childbirth and Metria	26	-	-	-	-	-	-	-	-	5	7	5	8	1	-	-	-	-
Suicide	6	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	-	-
Other Violent Deaths	20	2	1	1	1	2	7	3	1	-	-	-	1	-	1	3	4	-
Other Causes	314	119	3	-	1	-	123	1	-	-	1	2	2	4	9	38	80	54
129.—COOKHAM.																		
Mean Popul^n, 1861–71	7062	196	174	195	196	188	949	876	763	578	585	1005	834	654	451	250	103	14
TOTAL DEATHS	1216	214	76	43	24	23	380	37	39	37	39	59	91	71	106	160	140	57
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	12	2	2	5	1	-	10	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	33	-	5	4	3	3	15	9	7	2	-	-	-	-	-	-	-	-
Diphtheria	15	-	2	1	1	3	7	2	3	-	-	3	-	-	-	-	-	-
Whooping-cough	32	13	9	5	1	4	32	-	-	-	-	-	-	-	-	-	-	-
Typhus	30	1	1	1	-	2	5	4	5	3	5	2	3	1	2	-	-	-
Diarrhœa & Dysentery	44	31	8	1	-	-	40	-	-	-	-	1	-	1	-	1	1	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	23	1	-	2	3	3	9	2	1	3	-	2	-	1	1	1	3	-
Cancer	40	-	-	-	-	-	-	-	-	-	-	2	3	10	12	9	4	-
Scrofula and Tabes	17	2	4	-	2	-	8	2	3	3	-	-	1	-	-	-	-	-
Phthisis	125	1	2	1	1	3	8	-	9	14	21	20	36	8	5	4	-	-
Hydrocephalus	15	4	2	2	2	1	11	4	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	153	32	7	2	3	3	47	5	3	4	4	1	3	7	24	28	21	6
Dis. of Heart & Dropsy	95	-	1	1	-	-	2	1	3	2	1	4	11	9	16	31	14	1
Dis. of Lungs	136	22	19	8	4	1	51	3	-	2	-	4	7	10	15	21	16	4
Dis. of Stom. and Liver	108	5	1	1	1	-	8	-	3	1	3	9	9	13	20	26	13	3
Dis. of Kidneys	14	-	-	-	-	-	-	-	-	1	-	1	4	1	1	3	3	-
Dis. of Gener. Organs	10	-	-	-	-	-	-	-	-	-	1	1	-	3	1	4	-	-
Dis. of Joints	4	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-
Dis. of Skin	5	1	-	1	-	-	2	-	-	-	-	-	-	-	-	2	1	-
Childbirth and Metria	16	-	-	-	-	-	-	-	-	-	1	7	7	1	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Violent Deaths	25	5	3	3	-	-	11	1	2	-	1	-	-	-	3	4	1	2
Other Causes	263	94	10	5	2	-	111	1	-	1	1	1	7	5	6	26	63	41
130.—EASTHAMPSTEAD.																		
Mean Popul^n, 1861–71	4269	115	114	120	116	117	582	511	454	351	365	699	516	355	223	137	65	11
TOTAL DEATHS	656	115	41	19	13	14	202	32	15	20	18	40	44	43	55	87	64	33
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	8	1	4	1	-	-	6	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	11	-	1	1	3	1	6	6	-	1	-	-	1	-	-	-	-	-
Diphtheria	14	1	1	1	-	2	5	5	2	1	-	-	-	1	-	-	-	-
Whooping-cough	15	7	3	5	-	-	15	-	-	-	-	-	-	-	-	-	-	-
Typhus	21	-	-	1	1	1	3	5	2	5	-	5	1	-	-	-	-	-
Diarrhœa & Dysentery	16	10	2	-	-	-	12	-	1	-	-	-	-	-	-	2	-	1
Cholera	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	21	2	-	-	3	3	8	3	-	-	1	1	-	-	3	3	1	1
Cancer	22	-	-	-	-	-	-	-	-	-	-	-	1	11	6	3	1	-
Scrofula and Tabes	4	-	1	1	-	-	2	1	-	-	1	-	-	-	-	-	-	-
Phthisis	85	1	3	-	-	1	5	1	4	9	7	21	22	3	7	3	-	-
Hydrocephalus	4	-	2	1	-	-	3	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	63	7	4	2	-	1	14	1	3	1	-	2	4	9	12	12	9	1
Dis. of Heart & Dropsy	70	-	-	-	-	-	-	1	-	-	2	4	3	6	12	31	10	1
Dis. of Lungs	68	19	8	3	3	1	34	2	1	-	2	1	2	3	3	13	6	1
Dis. of Stom. and Liver	32	1	-	-	-	1	2	-	1	1	1	1	4	6	4	6	5	1
Dis. of Kidneys	7	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	3	-
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	1	-	-	1	-	-	2	2	1	-
Dis. of Joints	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
Dis. of Skin	5	1	1	-	1	-	3	-	-	-	-	-	-	-	1	1	-	-
Childbirth and Metria	9	-	-	-	-	-	-	-	-	-	3	1	4	1	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	1	-	-	1	2	1	-	-	-
Other Violent Deaths	8	1	-	1	-	3	5	1	-	-	-	-	-	-	-	1	1	-
Other Causes	119	63	11	2	2	-	78	2	-	-	-	-	1	-	2	9	27	30

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
131.—WINDSOR.																		
Mean Popul^n, 1861–71	11836	353	272	274	290	266	1455	1257	1231	1035	1226	1979	1441	996	675	392	132	17
TOTAL DEATHS	2432	465	149	83	48	28	773	73	36	51	71	196	251	199	263	277	187	55
Small-pox	31	2	–	1	2	–	5	3	3	2	1	7	7	3	–	–	–	–
Measles	33	6	10	4	5	2	27	4	1	–	–	1	–	–	–	–	–	–
Scarlatina	45	1	3	8	8	3	23	11	4	1	3	–	1	2	–	–	–	–
Diphtheria	13	2	1	2	2	1	8	3	–	–	–	1	–	1	–	–	–	–
Whooping-cough	42	20	13	8	1	–	42	–	–	–	–	–	–	–	–	–	–	–
Typhus	63	1	–	2	1	–	4	15	7	3	7	9	6	5	6	1	–	–
Diarrhœa & Dysentery	87	59	11	2	–	–	72	–	–	–	1	–	1	1	1	7	3	1
Cholera	6	2	–	2	–	1	5	–	1	–		–	–	–	–	–	–	–
Other Zymotic Dis.	60	6	5	9	6	4	30	3	2	3	–	6	1	3	5	4	3	–
Cancer	34	–	–	–	–	–	–	–	–	–	–	1	1	5	9	14	4	–
Scrofula and Tabes	44	13	8	6	1	1	29	2	1	4	2	1	1	1	–	3	–	–
Phthisis	354	3	5	6	1	3	18	7	3	19	27	82	102	50	40	4	2	–
Hydrocephalus	52	14	18	8	7	1	48	2	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	313	64	8	4	6	1	83	4	2	–	3	11	22	21	44	63	43	17
Dis. of Heart & Dropsy	206	–	–	1	1	–	2	–	2	6	3	13	26	30	51	39	31	3
Dis. of Lungs	388	97	38	13	6	7	161	3	–	1	9	20	25	27	43	61	31	7
Dis. of Stom. and Liver	116	12	1	1	–	–	14	2	1	1	4	10	16	16	17	26	8	1
Dis. of Kidneys	53	–	–	–	–	1	1	1	2	3	–	5	8	6	12	11	4	–
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Dis. of Joints	7	–	–	–	–	–	–	2	–	1	–	1	–	–	1	1	1	–
Dis. of Skin	7	5	–	–	–	–	5	–	–	–	–	–	–	–	1	–	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	18	–	–	–	–	–	–	–	–	–	–	2	5	2	5	4	–	–
Other Violent Deaths	119	3	1	3	–	2	9	9	4	7	11	18	17	14	17	6	6	1
Other Causes	340	155	27	3	1	1	187	2	1	–	–	8	12	12	10	33	50	25
132.—STAINES.																		
Mean Popul^n, 1861–71	9246	251	234	240	247	231	1203	1116	1494	831	685	1179	985	761	543	315	116	18
TOTAL DEATHS	1667	407	129	58	36	26	656	67	44	45	46	87	104	103	157	158	151	49
Small-pox	16	1	–	1	3	–	5	1	–	4	1	2	1	1	1	–	–	–
Measles	30	4	12	7	3	2	28	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	58	–	10	11	4	10	35	18	1	1	–	1	2	–	–	–	–	–
Diphtheria	7	–	1	2	–	–	3	2	–	–	–	–	2	–	–	–	–	–
Whooping-cough	29	15	8	3	3	–	29	–	–	–	–	–	–	–	–	–	–	–
Typhus	54	2	–	1	1	1	5	7	10	5	3	3	4	5	6	1	5	–
Diarrhœa & Dysentery	83	52	15	3	1	–	71	1	1	–	–	–	1	–	3	2	3	1
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Other Zymotic Dis.	32	5	2	2	4	1	14	2	2	3	2	1	–	2	2	4	–	–
Cancer	27	–	–	–	–	–	–	–	–	–	–	1	–	4	7	12	3	–
Scrofula and Tabes	45	22	6	9	4	–	41	2	–	–	2	–	–	–	–	–	–	–
Phthisis	154	3	3	–	–	1	7	1	7	13	18	43	31	15	13	5	1	–
Hydrocephalus	23	5	6	3	1	3	18	3	1	–	1	–	–	–	–	–	–	–
Dis. of Brain	214	84	15	4	2	1	106	5	4	4	2	4	10	7	25	33	11	3
Dis. of Heart & Dropsy	139	9	5	–	2	–	16	3	3	2	4	8	12	23	23	26	19	–
Dis. of Lungs	245	70	21	8	3	5	107	3	2	2	2	2	14	15	33	56	24	5
Dis. of Stom. and Liver	71	4	2	–	1	–	7	3	2	1	1	6	4	9	20	10	7	1
Dis. of Kidneys	30	1	–	–	–	1	2	1	2	3	1	2	4	5	4	4	2	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	14	–	–	–	–	–	–	2	2	1	1	2	1	1	1	1	2	–
Dis. of Skin	10	3	1	–	–	–	4	1	2	–	–	–	–	1	–	1	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	7	–	–	–	–	–	–	–	–	–	–	1	1	3	2	–	–	–
Other Violent Deaths	77	3	2	4	4	1	14	7	5	6	8	8	12	5	9	1	2	–
Other Causes	301	124	20	–	–	–	144	3	–	–	–	3	5	6	8	22	71	39
133.—UXBRIDGE.																		
Mean Popul^n, 1861–71	11899	342	291	316	300	299	1548	1568	1390	997	917	1589	1417	1131	759	409	154	20
TOTAL DEATHS	3161	575	188	78	51	40	932	105	47	65	89	271	391	329	348	305	216	63
Small-pox	35	9	2	–	2	–	13	–	1	5	6	2	4	4	–	–	–	–
Measles	36	5	17	7	3	2	34	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	57	2	6	8	11	10	37	16	4	–	–	–	–	–	–	–	–	–
Diphtheria	9	1	–	–	1	1	3	5	–	–	–	1	–	–	–	–	–	–
Whooping-cough	40	17	15	4	1	2	39	1	–	–	–	–	–	–	–	–	–	–
Typhus	108	1	4	6	4	5	20	20	8	11	10	9	6	7	8	5	4	–
Diarrhœa & Dysentery	119	70	21	3	2	–	96	2	–	–	1	2	1	–	5	3	5	4
Cholera	6	3	–	–	–	–	3	–	–	–	–	–	1	–	–	2	–	–
Other Zymotic Dis.	66	10	7	5	4	2	28	3	2	3	3	4	2	3	6	7	3	2
Cancer	31	–	–	–	–	–	–	–	–	–	–	–	–	5	11	12	3	–
Scrofula and Tabes	45	15	5	4	3	2	29	7	2	3	–	–	–	3	–	1	–	–
Phthisis	331	3	1	1	–	–	5	8	6	16	36	80	89	49	35	7	–	–
Hydrocephalus	38	15	12	5	–	1	33	5	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	838	110	11	9	2	3	135	10	5	6	14	84	208	130	123	89	30	4
Dis. of Heart & Dropsy	221	5	2	1	3	–	11	4	4	3	2	12	14	33	48	52	35	3
Dis. of Lungs	355	75	43	15	9	4	146	6	4	5	6	25	26	25	38	38	27	9
Dis. of Stom. and Liver	116	11	3	3	–	2	19	3	3	2	1	8	6	21	27	19	5	2
Dis. of Kidneys	43	1	–	–	2	–	3	1	–	–	–	4	5	5	9	11	5	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	17	2	1	–	–	–	3	1	2	2	–	5	1	–	2	1	–	–
Dis. of Skin	4	–	–	1	–	–	1	–	–	1	–	–	1	–	–	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	16	–	–	–	–	–	–	–	–	1	–	4	1	5	3	–	2	–
Other Violent Deaths	146	9	10	3	4	5	31	7	5	5	9	22	16	21	19	10	1	–
Other Causes	484	211	28	3	–	1	243	4	1	2	1	9	10	18	14	47	96	39

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
131.—WINDSOR.																		
Mean Popul^n, 1861–71	12178	321	289	287	285	269	1451	1270	1151	1093	1104	1980	1555	1129	782	477	159	27
TOTAL DEATHS	2277	394	160	82	73	33	742	99	42	62	89	146	155	153	195	300	210	84
Small-pox	26	6	3	1	–	2	12	2	1	2	2	4	2	1	–	–	–	–
Measles	40	2	15	10	6	3	36	3	–	–	–	–	–	–	1	–	–	–
Scarlatina	68	1	4	14	9	5	33	23	6	1	–	4	1	–	–	–	–	–
Diphtheria	11	–	–	–	3	3	6	1	–	1	–	1	–	1	–	1	–	–
Whooping-cough	50	24	7	8	4	1	44	6	–	–	–	–	–	–	–	–	–	–
Typhus	60	–	3	1	5	2	11	8	6	4	5	7	7	2	3	7	–	–
Diarrhœa & Dysentery	95	57	18	2	2	–	79	–	–	–	–	1	1	1	7	2	3	1
Cholera	3	1	–	1	–	–	2	1	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	51	5	3	4	4	1	17	7	1	3	1	3	1	4	5	5	3	1
Cancer	92	–	–	–	–	–	–	1	–	–	–	6	12	19	21	21	11	1
Scrofula and Tabes	38	11	12	1	2	–	26	7	–	1	–	2	–	1	–	–	1	–
Phthisis	297	5	3	3	5	1	17	7	5	26	51	65	63	27	25	10	1	–
Hydrocephalus	42	15	11	5	3	4	38	2	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	293	41	13	7	9	4	77	12	6	4	8	5	11	22	28	54	50	16
Dis. of Heart & Dropsy	197	–	1	–	–	–	1	–	6	4	3	14	15	19	41	59	32	3
Dis. of Lungs	326	72	37	14	16	1	140	7	3	2	5	5	10	21	28	63	37	5
Dis. of Stom. and Liver	119	8	1	1	1	1	12	1	1	5	2	8	15	14	21	34	4	2
Dis. of Kidneys	22	–	–	–	–	–	–	1	1	1	1	2	2	5	2	6	–	1
Dis. of Gener. Organs	18	–	–	–	–	–	–	–	1	2	–	4	4	4	1	2	–	–
Dis. of Joints	16	–	–	–	1	–	1	2	2	3	2	1	–	3	1	–	–	1
Dis. of Skin	9	3	–	–	–	–	3	–	–	–	–	–	–	–	–	6	–	–
Childbirth and Metria	22	–	–	–	–	–	–	–	–	1	5	10	4	2	–	–	–	–
Suicide	6	–	–	–	–	–	–	–	–	1	1	2	1	1	–	–	–	–
Other Violent Deaths	28	4	–	3	1	2	10	6	1	–	2	2	3	1	1	–	2	–
Other Causes	348	136	29	7	2	3	177	2	–	1	1	–	3	5	10	30	66	53
132.—STAINES.																		
Mean Popul^n, 1861–71	8841	267	227	233	251	213	1191	1095	922	701	733	1327	1037	785	568	334	127	21
TOTAL DEATHS	1514	293	129	46	40	26	534	60	22	40	49	109	85	102	117	174	163	59
Small-pox	3	–	–	–	1	–	1	1	–	–	–	–	1	–	–	–	–	–
Measles	22	2	11	2	2	3	20	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	54	1	13	9	7	8	38	11	4	–	–	–	1	–	–	–	–	–
Diphtheria	14	–	2	2	3	–	7	3	1	1	–	1	–	1	–	–	–	–
Whooping-cough	32	16	12	2	1	–	31	1	–	–	–	–	–	–	–	–	–	–
Typhus	70	1	4	2	6	3	16	9	5	1	5	6	5	6	8	5	4	–
Diarrhœa & Dysentery	75	35	19	1	1	–	56	–	–	–	–	4	1	–	4	3	4	3
Cholera	4	1	2	–	–	–	3	–	1	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	32	4	3	4	3	1	15	1	–	1	2	1	3	1	3	3	1	1
Cancer	49	–	–	–	–	–	–	–	–	–	–	3	5	13	10	14	4	–
Scrofula and Tabes	38	14	10	2	–	1	27	1	–	1	2	4	1	1	1	–	–	–
Phthisis	162	1	2	1	1	–	5	5	5	24	26	47	22	18	9	1	–	–
Hydrocephalus	10	4	–	1	1	1	7	2	–	1	–	–	–	–	–	–	–	–
Dis. of Brain	187	57	13	6	3	2	81	7	–	1	2	6	5	16	13	24	29	3
Dis. of Heart & Dropsy	125	3	3	1	1	2	10	3	4	–	2	5	9	15	21	34	21	1
Dis. of Lungs	188	48	22	7	6	3	86	6	–	2	1	5	6	10	17	26	25	4
Dis. of Stom. and Liver	71	9	1	–	–	1	11	2	–	2	1	5	6	14	10	13	6	1
Dis. of Kidneys	21	1	–	–	–	–	1	1	–	2	–	4	2	3	4	3	1	–
Dis. of Gener. Organs	6	–	–	–	1	–	1	–	–	–	–	–	–	1	2	1	–	1
Dis. of Joints	9	1	–	–	–	–	1	–	–	–	–	3	2	1	1	1	–	–
Dis. of Skin	9	4	1	–	1	–	6	–	–	–	–	–	–	1	2	–	–	–
Childbirth and Metria	32	–	–	–	–	–	–	–	–	2	7	13	10	–	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Other Violent Deaths	20	3	3	3	2	–	11	2	–	1	–	1	2	1	–	2	–	–
Other Causes	279	88	8	3	–	1	100	3	2	–	–	1	4	–	12	44	68	45
133.—UXBRIDGE.																		
Mean Popul^n, 1861–71	12448	345	279	314	301	314	1553	1471	1311	954	989	1813	1527	1225	870	515	189	31
TOTAL DEATHS	3026	446	166	79	59	45	795	107	54	84	73	270	295	292	309	369	288	90
Small-pox	17	5	2	3	2	1	13	1	–	1	1	–	–	1	–	–	–	–
Measles	26	–	11	8	2	2	23	1	–	1	1	–	–	–	–	–	–	–
Scarlatina	98	2	10	6	12	13	43	33	13	3	–	2	2	1	–	1	–	–
Diphtheria	8	–	1	2	1	–	4	3	–	–	1	–	–	–	–	–	–	–
Whooping-cough	50	24	13	8	3	1	49	1	–	–	–	–	–	–	–	–	–	–
Typhus	109	4	2	3	2	3	14	20	13	10	6	8	13	6	10	3	6	–
Diarrhœa & Dysentery	97	40	13	8	1	–	62	–	–	–	1	5	1	5	5	7	8	3
Cholera	10	1	2	–	–	–	3	–	–	1	–	–	–	1	4	1	–	–
Other Zymotic Dis.	36	3	6	3	1	3	16	3	2	1	2	1	–	–	2	6	2	1
Cancer	81	–	–	–	–	–	–	–	–	–	1	2	11	24	20	16	5	2
Scrofula and Tabes	41	20	2	2	3	–	27	3	1	–	2	1	1	2	2	–	2	–
Phthisis	404	1	3	1	2	2	9	8	13	38	34	110	72	68	39	8	4	1
Hydrocephalus	38	16	9	4	4	2	35	1	1	1	–	–	–	–	–	–	–	–
Dis. of Brain	679	76	21	9	6	5	117	6	2	12	13	70	71	97	90	90	91	77	13
Dis. of Heart & Dropsy	227	2	–	1	–	1	4	2	1	2	2	13	18	36	45	56	42	6
Dis. of Lungs	401	79	28	14	14	8	143	14	2	7	4	16	26	25	41	68	46	9
Dis. of Stom. and Liver	128	7	5	1	1	–	14	3	3	1	–	10	22	16	24	28	5	2
Dis. of Kidneys	33	–	–	–	–	–	–	–	–	1	–	1	6	4	11	9	–	1
Dis. of Gener. Organs	16	–	–	–	–	–	–	–	–	–	1	2	4	–	4	4	1	–
Dis. of Joints	5	–	–	–	–	–	–	–	–	–	–	1	–	2	–	2	–	–
Dis. of Skin	9	5	–	–	–	–	5	–	–	–	–	–	–	1	–	2	1	–
Childbirth and Metria	33	–	–	–	–	–	–	–	–	1	4	15	10	3	–	–	–	–
Suicide	10	–	–	–	–	–	–	–	–	–	–	2	2	3	2	1	–	–
Other Violent Deaths	52	8	3	2	2	2	17	4	3	4	–	6	5	2	4	5	2	–
Other Causes	418	153	35	4	3	2	197	4	–	–	–	4	5	2	6	61	87	52

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 upwards.
134.—BRENTFORD.																		
Mean Popul^{n}, 1861–71	28868	886	744	788	798	775	3991	3824	3652	2603	2342	4043	3210	2385	1588	887	314	29
TOTAL DEATHS	6329	1571	486	234	163	101	2555	234	139	102	179	363	475	516	558	622	462	124
Small-pox	54	11	3	4	6	1	25	3	1	4	1	10	3	2	2	2	1	-
Measles	105	19	42	21	12	5	99	6	-	-	-	-	-	-	-	-	-	-
Scarlatina	216	11	26	37	36	24	137	50	18	3	4	1	2	1	-	-	-	-
Diphtheria	29	4	-	2	3	4	13	10	1	-	1	1	1	1	1	-	-	-
Whooping-cough	115	46	28	21	9	4	108	6	1	-	-	-	-	-	-	-	-	-
Typhus	161	3	5	10	9	7	34	19	17	10	8	15	15	15	11	14	3	-
Diarrhœa & Dysentery	385	265	61	8	3	-	339	5	1		-	2	3	3	4	13	11	4
Cholera	31	20	1	1	2	1	25	1			1	1	1	4	2	-	-	-
Other Zymotic Dis.	151	21	14	11	12	6	64	11	6	1	3	5	12	14	11	16	5	-
Cancer	71	-	-	-	-	-	-	-	1	1	-	1	6	8	28	18	7	1
Scrofula and Tabes	145	56	33	15	4	3	111	15	2	5	3	6	3	-	-	-	-	-
Phthisis	668	12	8	3	3	1	27	9	25	41	93	158	149	96	56	13	1	-
Hydrocephalus	139	58	31	13	14	9	125	9	5	-	-	-	-	-	-	-	-	-
Dis. of Brain	800	217	49	17	13	8	304	19	10	7	12	27	50	84	95	110	72	10
Dis. of Heart & Dropsy	491	23	6	7	1	4	41	11	12	2	12	37	49	68	103	100	53	6
Dis. of Lungs	1040	256	99	43	20	13	431	19	6	3	13	37	71	98	111	142	97	12
Dis. of Stom. and Liver	275	55	10	2	3	3	53	9	6	2	6	10	27	42	57	40	22	1
Dis. of Kidneys	133	-	2	3	4	-	9	2	-	1	3	9	15	14	22	40	14	4
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Dis. of Joints	38	1	1	-	2	-	4	1	6	3	-	2	4	5	4	4	5	-
Dis. of Skin	30	15	1	-	-	-	16	-	-	-	-	2	1	2	3	4	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	46	-	-	-	-	-	-	-	1	1	1	8	11	12	6	5	1	-
Other Violent Deaths	236	27	8	6	2	5	48	21	14	17	15	22	33	32	13	11	10	-
Other Causes	962	468	56	10	5	3	542	5	6	1	3	9	16	19	29	88	158	86
135.—HENDON.																		
Mean Popul^{n}, 1861–71	13488	399	401	381	374	371	1926	1724	1610	1339	1080	1894	1564	1189	688	341	116	17
TOTAL DEATHS	2763	763	230	116	68	42	1219	98	63	64	70	174	191	200	246	215	181	42
Small-pox	12	4	2	-	3	1	10	1		-	-	-	-	-	1	-	-	-
Measles	58	13	23	11	5	2	54	2	2	-	-	-	-	-	-	-	-	-
Scarlatina	102	8	16	15	10	7	56	30	11	4	1	-	-	-		-	-	-
Diphtheria	39	1	9	7	7	4	28	6	2	1	1	-	1	-	-	-	-	-
Whooping-cough	64	32	20	4	6	-	62	2	-	-	-	-	-	-	-	-	-	-
Typhus	74	6	-	2	4	2	14	9	7	7	3	9	7	7	4	6	1	-
Diarrhœa & Dysentery	150	103	18	4	1	-	126	-	-	-	-	3	3	2	3	4	7	2
Cholera	8	2	2	-	-	-	4	1	-	-	-	-	-	-	1	2	-	-
Other Zymotic Dis.	89	14	7	12	3	5	41	2	4	2	1	5	4	4	8	7	11	-
Cancer	31	-	-	-	-	1	1	-	-	-	-	-	2	4	14	10	3	-
Scrofula and Tabes	48	14	11	6	2	-	33	3	5	3	1	-	-	1	1	-	1	-
Phthisis	299	8	8	4	2	2	24	4	2	11	29	77	60	56	21	13	2	-
Hydrocephalus	62	28	13	10	3	2	56	4	1	1	-	-	-	-	-	-	-	-
Dis. of Brain	341	125	22	6	7	5	165	9	6	1	7	10	16	19	42	38	21	4
Dis. of Heart & Dropsy	166	4	3	-	-	1	8	5	6	5	3	11	19	23	38	27	18	3
Dis. of Lungs	435	144	50	19	12	7	232	4	4	4	7	11	27	25	41	42	32	6
Dis. of Stom. & Liver	125	23	1	3	1	-	28	4	1	7	2	11	10	17	25	14	5	1
Dis. of Kidneys	68	2	-	1	-	-	3	1	2	3	1	9	9	7	8	13	12	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	11	2	-	-	-	-	2	1	2	-	1	-	-	1	-	3	1	-
Dis. of Skin	19	4	2	1	1	-	8	-	1	-	1	-	1	2	1	3	1	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	15	-	-	-	-	-	-	-	-	1	-	2	2	5	5	-	-	-
Other Violent Deaths	172	17	8	8	-	2	35	9	6	14	11	24	20	19	18	10	6	-
Other Causes	372	209	15	3	1	1	229	1	1	-	1	2	10	8	15	23	57	25
136.—BARNET.																		
Mean Popul^{n}, 1861–71	10524	280	243	243	262	251	1279	1249	1251	884	787	1563	1336	1019	633	376	133	14
TOTAL DEATHS	2840	343	113	78	34	29	597	88	48	48	111	329	420	368	318	283	193	37
Small-pox	7	1	-	-	-	-	1	1	-	1	-	2	1	-	1	-	-	-
Measles	26	4	10	6	3	2	25	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	93	4	13	21	7	12	57	29	4	2	-	1	-	-	-	-	-	-
Diphtheria	10	1	1	2	1	1	6	2	1	-	-	-	-	-	1	-	-	-
Whooping-cough	22	8	7	3	3	-	21	1	-	-	-	-	-	-	-	-	-	-
Typhus	51	-	1	2	2	1	6	8	5	3	3	6	3	3	5	5	4	-
Diarrhœa & Dysentery	77	42	9	5	1	-	57	-	-	1	-	2	5	2	1	1	7	1
Cholera	6	1	1	-	-	-	2	-	-	-	-	-	-	1	2	1	-	-
Other Zymotic Dis.	56	3	7	5	4	1	20	4	-	1	3	6	6	3	7	4	2	-
Cancer	30	-	-	-	-	-	-	-	-	-	-	1	1	9	8	9	2	-
Scrofula and Tabes	33	16	4	3	-	-	23	1	3	-	-	2	-	1	2	-	1	-
Phthisis	279	6	1	-	1	3	11	4	2	11	33	82	69	34	19	14	-	-
Hydrocephalus	40	15	11	3	2	2	33	6	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	1043	49	4	6	2	4	65	6	11	15	41	168	272	219	124	81	37	4
Dis. of Heart & Dropsy	158	-	1	-	1	-	2	3	3	3	5	14	12	20	43	31	19	3
Dis. of Lungs	297	53	17	12	6	-	88	11	1	5	11	15	21	28	37	50	27	3
Dis. of Stom. and Liver	125	15	2	2	-	-	19	1	3	-	3	3	8	16	31	35	6	-
Dis. of Kidneys	55	-	-	-	-	-	-	2	2	-	3	5	4	8	10	12	8	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Dis. of Joints	5	-	-	1	-	-	1	2	-	-	-	-	-	-	1	1	-	-
Dis. of Skin	8	2	3	-	-	-	5	1	-	-	-	-	-	-	1	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-
Other Violent Deaths	100	2	4	4	1	2	13	5	11	5	8	15	10	11	12	7	3	-
Other Causes	314	121	17	3	-	1	142	-	1	1	1	7	8	9	12	32	76	25

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
134.—BRENTFORD.																		
Mean Popul^n, 1861–71	32357	871	768	801	794	789	4023	3646	3375	2997	3128	5092	3806	2801	1875	1140	402	72
TOTAL DEATHS	5983	1350	460	225	136	115	2286	260	140	160	167	352	398	379	504	626	529	182
Small-pox	47	9	6	5	1	2	23	6	4	4	4	3	2	1	–	–	–	–
Measles	98	14	34	21	9	10	88	8	1	–	–	–	1	–	–	–	–	–
Scarlatina	222	17	27	39	37	27	147	52	11	3	4	5	–	–	–	–	–	–
Diphtheria	34	2	6	6	7	4	25	5	1	–	–	1	1	1	–	–	–	–
Whooping-cough	138	55	35	24	8	8	130	7	1	–	–	–	–	–	–	–	–	–
Typhus	179	3	7	7	7	8	32	30	22	15	11	12	21	15	8	9	3	1
Diarrhœa & Dysentery	358	237	59	12	1	3	312	4	1	–	–	1	4	3	4	10	15	4
Cholera	32	12	6	–	–	–	18	2	1	1	–	1	3	2	1	1	2	–
Other Zymotic Dis.	118	17	9	6	5	8	45	12	3	4	7	8	5	9	8	8	8	1
Cancer	191	–	–	–	–	–	–	–	1	2	1	10	22	44	54	38	15	4
Scrofula and Tabes	133	49	23	11	7	5	95	14	6	7	4	1	1	1	1	2	1	–
Phthisis	631	9	7	3	2	2	23	23	34	66	83	157	124	69	40	11	1	–
Hydrocephalus	101	41	26	7	4	3	81	16	4	–	–	–	–	–	–	–	–	–
Dis. of Brain	682	171	33	18	16	12	250	17	15	13	8	18	37	39	92	108	65	20
Dis. of Heart & Dropsy	444	12	1	1	1	2	17	8	13	13	7	28	43	55	83	116	55	6
Dis. of Lungs	914	203	108	41	18	14	384	27	7	8	10	24	38	56	91	136	114	19
Dis. of Stom. and Liver	296	25	6	4	2	1	38	7	7	6	8	16	31	45	53	57	24	4
Dis. of Kidneys	84	1	2	3	1	–	7	4	1	3	1	5	10	14	23	10	5	1
Dis. of Gener. Organs	27	–	–	–	–	–	–	–	–	1	2	9	5	5	1	2	2	–
Dis. of Joints	22	–	1	–	–	–	1	–	3	2	–	–	–	2	7	4	3	–
Dis. of Skin	27	6	5	1	1	1	14	–	–	1	–	–	–	–	2	6	4	–
Childbirth and Metria	78	–	–	–	–	–	–	–	–	–	12	36	27	3	–	–	–	–
Suicide	16	–	–	–	–	–	–	–	–	3	–	2	4	1	4	2	–	–
Other Violent Deaths	105	25	7	4	3	2	41	11	2	3	2	8	12	7	5	3	10	1
Other Causes	1006	442	52	12	6	3	515	7	2	5	3	7	7	7	27	103	202	121
135.—HENDON.																		
Mean Popul^n, 1861–71	14711	415	353	369	371	377	1885	1680	1480	1359	1424	2455	1833	1217	765	427	161	25
TOTAL DEATHS	2430	612	204	101	65	52	1034	91	57	41	64	157	154	145	179	223	219	66
Small-pox	6	2	1	–	–	–	3	–	1	1	–	–	1	–	–	–	–	–
Measles	47	9	21	6	3	6	45	1	–	–	–	–	1	–	–	–	–	–
Scarlatina	112	4	18	18	17	14	71	30	6	1	1	1	2	–	–	–	–	–
Diphtheria	33	–	5	8	6	5	24	5	3	1	–	–	–	–	–	–	–	–
Whooping-cough	73	25	27	12	7	2	73	–	–	–	–	–	–	–	–	–	–	–
Typhus	69	2	3	3	2	2	12	6	8	4	6	11	7	5	5	2	3	–
Diarrhœa & Dysentery	140	94	11	3	1	1	110	–	–	–	1	5	1	–	1	5	14	3
Cholera	14	4	1	1	1	–	7	1	–	–	–	–	2	1	2	–	1	–
Other Zymotic Dis.	77	8	6	7	12	4	37	6	5	1	3	4	4	7	3	1	5	1
Cancer	73	–	1	–	–	–	1	–	–	–	1	3	10	25	15	10	7	1
Scrofula and Tabes	35	15	10	1	1	3	30	1	2	–	–	1	–	–	–	1	–	–
Phthisis	225	8	10	1	1	–	20	6	10	19	18	63	42	18	17	12	–	–
Hydrocephalus	32	6	11	6	3	1	27	4	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	274	76	17	8	3	3	107	11	7	–	10	8	13	22	32	32	25	7
Dis. of Heart & Dropsy	152	7	–	–	1	–	8	–	3	3	7	12	14	18	26	38	20	3
Dis. of Lungs	390	117	38	18	3	7	183	14	3	3	5	12	16	22	34	51	42	5
Dis. of Stom. and Liver	129	13	4	1	2	3	23	1	2	2	2	9	10	14	21	30	14	1
Dis. of Kidneys	34	2	–	1	–	–	3	–	2	2	4	4	5	3	8	2	1	–
Dis. of Gener. Organs	10	–	–	–	–	–	–	–	–	–	–	1	2	2	3	1	1	–
Dis. of Joints	5	–	–	–	–	–	–	–	2	–	–	1	–	1	1	–	–	–
Dis. of Skin	10	1	–	–	–	–	1	–	–	–	–	2	–	1	1	2	1	2
Childbirth and Metria	37	–	–	–	–	–	–	–	–	1	5	15	16	–	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–
Other Violent Deaths	47	13	1	3	2	1	20	4	–	–	1	3	3	4	1	4	4	3
Other Causes	403	206	19	4	–	–	229	1	2	3	–	2	4	1	8	32	81	40
136.—BARNET.																		
Mean Popul^n, 1861–71	11624	270	238	257	252	227	1244	1170	1079	999	1068	1866	1561	1169	796	470	177	25
TOTAL DEATHS	2399	309	97	65	30	28	529	55	41	46	74	230	274	249	275	305	248	73
Small-pox	7	1	–	1	–	–	2	–	–	2	2	–	1	–	–	–	–	–
Measles	27	4	11	6	3	–	24	2	1	–	–	–	–	–	–	–	–	–
Scarlatina	72	4	7	10	9	11	41	21	6	2	–	–	1	1	–	–	–	–
Diphtheria	13	–	5	3	–	3	11	1	–	–	–	–	–	–	–	–	1	–
Whooping-cough	41	23	11	3	1	–	38	3	–	–	–	–	–	–	–	–	–	–
Typhus	50	1	1	5	2	3	12	6	12	3	2	4	2	–	4	3	2	–
Diarrhœa & Dysentery	69	41	7	–	–	–	48	–	–	–	–	–	2	4	7	2	3	3
Cholera	4	–	–	1	–	–	1	–	–	–	–	1	1	–	–	–	1	–
Other Zymotic Dis.	54	3	6	7	3	–	19	2	3	1	–	3	2	4	4	13	2	1
Cancer	85	–	–	–	–	–	–	–	–	–	–	3	15	18	25	13	10	1
Scrofula and Tabes	25	10	1	1	1	1	14	–	2	1	–	3	1	2	–	–	2	–
Phthisis	346	9	1	–	–	1	11	4	10	21	37	89	79	57	27	10	1	–
Hydrocephalus	26	9	8	6	–	1	24	2	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	598	41	7	5	2	2	57	2	3	8	15	73	104	85	99	90	53	9
Dis. of Heart & Dropsy	157	1	–	–	–	–	1	1	–	–	3	7	10	30	28	52	19	6
Dis. of Lungs	289	40	11	12	5	5	73	5	1	4	1	20	16	19	38	56	49	7
Dis. of Stom. and Liver	130	10	–	–	1	–	11	1	2	3	3	14	13	17	22	30	12	2
Dis. of Kidneys	12	–	–	–	–	1	1	–	–	–	–	–	2	3	3	8	–	–
Dis. of Gener. Organs	12	–	–	–	–	–	–	–	–	–	1	–	2	1	2	5	1	–
Dis. of Joints	8	–	–	–	–	–	–	1	–	–	1	–	1	–	4	–	1	–
Dis. of Skin	9	3	1	1	–	–	5	–	–	–	1	2	–	–	–	1	–	–
Childbirth and Metria	34	–	–	–	–	–	–	–	–	–	8	8	18	–	–	–	–	–
Suicide	7	–	–	–	–	–	–	–	–	1	–	1	1	3	1	–	–	–
Other Violent Deaths	28	5	6	2	–	–	13	4	–	–	–	–	2	2	1	2	3	1
Other Causes	296	104	14	2	3	–	123	–	1	–	–	2	1	3	10	25	88	43

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
137.—EDMONTON.																		
Mean Popul^n, 1861-71	33990	1088	948	966	898	942	4842	4298	3975	3126	2761	4901	3921	2858	1821	1067	378	42
TOTAL DEATHS	6830	1680	521	262	179	138	2780	299	131	126	172	417	450	517	611	658	539	130
Small-pox	68	18	1	4	2	4	29	3	1	6	2	13	4	9	1	–	–	–
Measles	135	26	51	23	19	6	125	9	1	–	–	–	–	–	–	–	–	–
Scarlatina	334	20	57	55	45	30	207	93	25	2	2	3	2	–	–	–	–	–
Diphtheria	47	2	7	5	4	6	24	13	2	2	2	–	1	2	1	–	–	–
Whooping-cough	161	78	43	18	8	6	153	8	–	–	–	–	–	–	–	–	–	–
Typhus	200	3	4	12	5	8	32	27	14	20	15	30	13	13	17	14	4	1
Diarrhœa & Dysentery	338	218	39	9	3	4	273	2	4	–	2	2	3	3	6	14	22	7
Cholera	24	8	1	1	–	–	10	1	1	2	1	2	2	2	2	–	1	–
Other Zymotic Dis.	206	15	26	14	23	15	93	22	10	8	5	8	18	13	13	11	2	3
Cancer	97	–	–	–	–	–	–	–	–	–	1	3	14	19	29	17	13	1
Scrofula and Tabes	159	70	30	5	11	7	123	11	10	1	4	4	2	2	2	–	–	–
Phthisis	680	23	11	6	1	2	43	7	17	32	65	177	145	102	69	20	2	1
Hydrocephalus	181	80	49	23	10	8	170	7	4	–	–	–	–	–	–	–	–	–
Dis. of Brain	869	247	40	17	11	17	332	13	7	4	8	26	41	68	113	147	93	17
Dis. of Heart & Dropsy	461	6	3	2	–	4	15	9	9	7	7	19	43	72	97	118	60	5
Dis. of Lungs	966	265	89	41	19	12	426	26	6	5	14	43	42	62	110	127	91	14
Dis. of Stom. and Liver	314	41	4	2	6	2	55	4	4	9	7	22	29	57	59	48	18	2
Dis. of Kidneys	128	1	1	1	–	1	4	3	3	1	2	7	12	22	26	27	20	1
Dis. of Gener. Organs	2	1	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Dis. of Joints	27	–	–	1	1	–	2	5	1	5	2	3	–	2	3	4	–	–
Dis. of Skin	24	11	–	1	–	–	12	2	2	–	1	1	–	1	1	1	3	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	49	–	–	–	–	–	–	–	–	1	6	4	13	14	10	–	1	–
Other Violent Deaths	307	31	13	7	5	3	59	29	9	20	21	43	45	37	24	12	5	–
Other Causes	1053	516	52	15	6	3	592	5	1	1	2	7	20	17	28	98	204	78
138.—WARE.																		
Mean Popul^n, 1861-71	8514	223	215	226	217	225	1106	1071	1065	928	661	1010	891	784	557	317	111	13
TOTAL DEATHS	1567	253	94	60	38	19	464	66	43	40	54	94	108	130	153	211	167	37
Small-pox	11	1	–	1	–	–	2	2	1	–	4	2	–	–	–	–	–	–
Measles	20	2	7	7	1	–	17	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	73	2	10	10	14	6	42	17	10	3	–	–	1	–	–	–	–	–
Diphtheria	10	3	–	1	1	1	6	2	1	–	–	–	–	–	–	–	–	1
Whooping-cough	15	7	4	4	–	–	15	–	–	–	–	–	–	–	–	–	–	–
Typhus	70	–	5	3	2	2	12	8	4	3	9	9	8	9	4	3	1	–
Diarrhœa & Dysentery	56	25	9	–	1	2	37	–	–	–	–	–	–	1	2	10	4	2
Cholera	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	47	–	3	8	2	3	16	5	1	1	1	4	1	6	4	6	2	–
Cancer	30	–	–	–	–	–	–	–	1	–	–	–	6	1	10	5	7	–
Scrofula and Tabes	15	4	2	2	–	–	8	1	2	–	1	1	1	1	–	–	–	–
Phthisis	149	1	4	–	–	–	5	1	2	13	21	30	33	27	12	3	2	–
Hydrocephalus	7	3	2	–	–	–	5	1	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	257	67	11	1	10	2	91	7	2	4	4	10	6	25	27	52	29	–
Dis. of Heart & Dropsy	87	–	1	2	1	–	4	3	6	–	1	9	9	5	18	20	12	–
Dis. of Lungs	233	43	20	11	5	1	80	1	5	2	1	4	13	20	38	47	19	3
Dis. of Stom. and Liver	69	6	1	1	–	–	8	2	–	2	1	4	11	13	8	8	10	2
Dis. of Kidneys	24	–	–	–	–	–	–	1	–	2	–	2	–	3	4	6	6	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	5	–	–	–	–	–	–	–	1	1	1	–	–	–	–	1	–	1
Dis. of Skin	5	1	–	–	–	–	1	–	–	–	–	–	–	2	1	–	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	13	–	–	–	–	–	–	–	–	–	–	3	4	3	1	2	–	–
Other Violent Deaths	98	2	4	4	–	1	11	8	5	8	9	13	12	9	13	8	2	–
Other Causes	272	85	11	5	1	1	103	4	1	1	1	3	3	5	11	40	72	28
139.—BISHOP STORTFORD.																		
Mean Popul^n, 1861-71	10437	299	275	294	286	282	1436	1294	1181	1036	785	1284	1110	941	738	460	159	13
TOTAL DEATHS	2111	435	126	64	41	33	699	90	44	59	67	101	126	155	207	281	215	67
Small-pox	11	2	1	–	–	–	3	–	–	3	1	2	–	2	–	–	–	–
Measles	22	2	7	4	3	1	17	4	1	–	–	–	–	–	–	–	–	–
Scarlatina	99	3	14	15	12	10	54	31	7	4	1	–	1	–	1	–	–	–
Diphtheria	20	–	4	2	5	2	13	5	–	1	–	1	–	–	–	–	–	–
Whooping-cough	41	25	5	6	4	1	41	–	–	–	–	–	–	–	–	–	–	–
Typhus	72	3	2	2	2	1	10	8	9	10	3	10	5	4	8	3	2	–
Diarrhœa & Dysentery	68	35	6	3	1	–	45	1	–	1	–	–	3	1	2	6	6	3
Cholera	18	7	–	1	–	–	8	–	–	–	–	3	–	–	2	3	2	–
Other Zymotic Dis.	69	6	2	6	1	2	17	9	7	2	–	5	2	2	5	14	6	–
Cancer	32	–	–	–	–	1	1	–	–	1	–	1	2	8	5	10	4	–
Scrofula and Tabes	39	13	7	–	1	–	21	3	1	3	1	1	3	1	2	1	2	–
Phthisis	218	3	3	–	1	1	8	2	5	17	40	45	38	37	20	6	–	–
Hydrocephalus	33	16	8	1	–	3	28	2	2	1	–	–	–	–	–	–	–	–
Dis. of Brain	274	63	11	8	2	4	88	3	5	5	7	1	12	15	24	61	47	6
Dis. of Heart & Dropsy	135	2	2	–	1	1	6	2	2	3	–	8	13	18	22	38	20	3
Dis. of Lungs	391	89	35	9	2	4	139	6	1	2	4	6	11	27	55	73	53	14
Dis. of Stom. and Liver	106	9	1	–	1	1	12	2	1	3	1	2	10	10	26	24	13	2
Dis. of Kidneys	44	–	–	–	–	–	–	1	–	–	2	3	4	4	10	9	9	2
Dis. of Gener. Organs	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Dis. of Skin	10	4	1	1	–	–	6	1	–	–	1	–	1	–	1	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	8	–	–	–	–	–	–	–	–	–	–	2	–	1	3	1	1	–
Other Violent Deaths	88	2	4	4	3	–	13	5	3	3	5	8	16	13	9	10	2	1
Other Causes	310	150	13	2	2	1	168	5	–	–	1	3	3	12	12	22	48	36

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
137.—EDMONTON.																		
Mean Populn, 1861–71	38094	1063	955	1000	952	909	4879	4293	3780	3629	3595	6060	4448	3228	2234	1352	517	79
TOTAL DEATHS	6537	1372	497	288	183	157	2497	286	119	132	211	416	384	405	542	693	616	236
Small-pox	59	16	4	4	4	2	30	4	–	1	8	8	5	3	–	–	–	–
Measles	131	22	37	29	16	12	116	14	–	–	–	1	–	–	–	–	–	–
Scarlatina	368	15	35	55	53	57	215	96	33	6	6	8	2	–	2	–	–	–
Diphtheria	64	4	6	8	13	12	43	13	3	–	1	–	1	1	1	1	–	–
Whooping-cough	202	80	71	27	12	7	197	5	–	–	–	–	–	–	–	–	–	–
Typhus	208	2	6	6	8	6	28	34	19	19	24	29	23	9	9	9	4	1
Diarrhœa & Dysentery	311	192	38	7	2	4	243	3	1	2	1	2	1	3	8	20	19	8
Cholera	17	4	3	1	–	1	9	–	1	–	–	–	3	–	2	2	–	–
Other Zymotic Dis.	162	19	15	27	12	11	84	16	1	6	3	3	9	9	16	10	4	1
Cancer	211	–	–	–	1	–	1	3	1	1	–	6	24	53	52	41	24	2
Scrofula and Tabes	140	59	22	17	6	4	108	12	1	4	3	5	2	1	4	–	–	–
Phthisis	662	17	16	9	3	2	47	14	17	52	98	181	112	74	47	16	3	1
Hydrocephalus	129	54	37	14	7	5	117	11	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	823	199	48	16	13	8	284	24	6	14	12	37	40	47	115	131	88	25
Dis. of Heart & Dropsy	500	9	1	2	2	3	17	6	13	5	13	28	49	67	90	129	72	11
Dis. of Lungs	836	202	94	46	15	11	368	18	3	6	8	17	15	49	76	130	104	33
Dis. of Stom. and Liver	307	24	5	4	2	2	37	3	4	2	6	20	34	48	51	62	34	6
Dis. of Kidneys	82	1	3	–	–	2	6	1	5	5	1	11	10	6	17	9	11	–
Dis. of Gener. Organs	39	–	–	–	–	–	–	–	–	–	–	9	10	10	7	3	–	–
Dis. of Joints	22	1	–	1	1	1	4	2	2	2	1	3	1	2	3	1	1	–
Dis. of Skin	23	7	–	1	1	–	9	1	1	–	1	1	4	2	1	1	2	–
Childbirth and Metria	81	–	–	–	–	–	–	–	–	2	18	35	23	3	–	–	–	–
Suicide	16	–	–	–	–	–	–	–	1	1	2	3	2	3	3	1	–	–
Other Violent Deaths	106	29	7	2	4	5	47	5	4	4	4	5	5	5	10	4	7	6
Other Causes	1038	416	49	12	8	2	487	1	2	–	1	4	9	10	28	111	243	142
138.—WARE.																		
Mean Populn, 1861–71	8474	246	207	223	231	227	1134	1010	970	700	669	1114	971	786	594	356	144	26
TOTAL DEATHS	1496	254	96	52	42	24	468	69	32	41	40	94	89	82	134	177	188	82
Small-pox	8	2	–	1	2	–	5	1	–	–	–	2	–	–	–	–	–	–
Measles	34	5	10	7	5	4	31	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	74	5	10	10	10	7	42	27	4	–	1	–	–	–	–	–	–	–
Diphtheria	5	–	1	1	–	–	2	2	–	1	–	–	–	–	–	–	–	–
Whooping-cough	34	16	8	4	2	2	32	2	–	–	–	–	–	–	–	–	–	–
Typhus	83	–	1	1	4	3	9	15	8	9	5	7	11	6	8	4	1	–
Diarrhœa & Dysentery	57	29	8	2	–	–	39	–	–	1	–	2	2	3	–	3	5	2
Cholera	4	2	1	1	–	–	4	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	44	5	1	8	3	3	20	5	1	–	–	2	2	2	6	2	4	–
Cancer	55	–	–	–	–	–	–	–	–	1	–	1	4	16	7	17	9	1
Scrofula and Tabes	6	1	1	–	–	–	2	–	3	–	–	–	–	–	–	–	1	–
Phthisis	154	3	–	1	1	2	7	1	5	17	16	45	33	16	10	4	–	–
Hydrocephalus	7	2	2	–	1	–	5	1	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	202	48	10	6	5	1	70	–	5	3	4	4	3	9	27	36	37	4
Dis. of Heart & Dropsy	113	1	1	–	–	–	2	5	4	2	4	9	9	8	23	21	19	4
Dis. of Lungs	162	26	20	6	4	2	58	3	–	3	1	7	3	6	19	37	17	8
Dis. of Stom. and Liver	61	5	–	–	–	–	5	1	1	3	1	6	2	6	18	14	4	–
Dis. of Kidneys	7	–	–	–	–	–	–	–	–	–	–	–	–	3	1	2	1	–
Dis. of Gener. Organs	11	–	–	–	–	–	–	–	–	–	–	1	1	2	6	1	–	–
Dis. of Joints	7	–	1	2	–	–	3	–	–	–	1	–	1	1	1	–	–	–
Dis. of Skin	5	2	–	–	–	–	2	–	–	–	–	1	–	1	–	1	–	–
Childbirth and Metria	26	–	–	–	–	–	–	–	–	–	6	3	16	1	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–
Other Violent Deaths	17	3	1	–	4	–	8	1	–	–	–	1	1	–	2	1	2	1
Other Causes	316	99	20	2	1	–	122	2	–	1	1	3	–	2	5	31	87	62
139.—BISHOP STORTFORD.																		
Mean Populn, 1861–71	10479	295	278	296	264	281	1414	1313	1172	894	855	1392	1144	963	689	445	168	30
TOTAL DEATHS	1856	347	109	42	55	28	581	82	54	54	63	104	124	95	150	230	236	83
Small-pox	10	1	2	–	3	–	6	1	1	–	1	–	–	–	–	–	1	–
Measles	27	2	11	2	3	4	22	4	1	–	–	–	–	–	–	–	–	–
Scarlatina	79	6	9	8	10	9	42	26	8	2	–	1	–	–	–	–	–	–
Diphtheria	18	2	1	–	1	1	5	8	5	–	–	–	–	–	–	–	–	–
Whooping-cough	48	19	17	7	2	1	46	2	–	–	–	–	–	–	–	–	–	–
Typhus	61	1	1	–	1	2	5	9	11	3	4	7	7	5	3	3	4	–
Diarrhœa & Dysentery	55	26	5	1	1	–	33	–	1	–	–	1	1	–	–	8	10	1
Cholera	12	8	1	–	–	–	9	–	–	–	–	1	1	–	–	–	1	–
Other Zymotic Dis.	59	4	4	3	4	2	17	3	2	5	2	3	2	2	5	10	7	1
Cancer	46	–	–	–	–	–	–	–	–	–	–	1	8	8	11	12	5	1
Scrofula and Tabes	42	11	3	5	–	1	20	3	3	2	4	1	1	4	3	1	–	–
Phthisis	172	4	4	2	1	–	11	2	5	20	25	37	39	16	12	5	–	–
Hydrocephalus	11	6	3	–	–	–	9	2	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	227	46	9	2	5	2	64	2	2	5	9	11	13	15	17	44	41	4
Dis. of Heart & Dropsy	142	2	1	1	–	–	4	2	4	2	2	6	11	11	31	37	29	3
Dis. of Lungs	274	58	26	4	11	2	101	6	3	7	2	8	10	10	20	48	38	21
Dis. of Stom. and Liver	119	10	2	–	3	–	15	5	1	3	1	4	10	12	24	29	14	1
Dis. of Kidneys	18	–	–	–	–	1	1	1	–	2	1	1	4	1	3	2	1	1
Dis. of Gener. Organs	16	–	–	–	–	–	–	–	–	–	1	1	–	4	3	7	–	–
Dis. of Joints	13	–	–	–	–	–	–	–	2	–	2	2	–	2	4	1	–	–
Dis. of Skin	15	3	–	–	1	–	4	–	–	2	–	–	–	–	2	3	3	1
Childbirth and Metria	34	–	–	–	–	–	–	–	–	1	5	16	11	1	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	–
Other Violent Deaths	28	3	1	4	4	2	14	2	1	–	–	–	1	1	–	2	4	3
Other Causes	326	135	9	3	5	1	153	4	4	–	4	3	3	3	12	17	77	46

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
140.—ROYSTON.																		
Mean Popul^n, 1861-71	13098	355	363	332	365	370	1785	1652	1520	1341	1010	1601	1337	1156	905	573	196	22
TOTAL DEATHS	2397	608	173	51	50	24	906	84	41	55	62	109	119	164	203	302	287	65
Small-pox	5	-	-	-	-	-	-	-	-	-	2	-	-	1	2	-	-	-
Measles	26	2	16	4	3	1	26	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	71	4	11	11	11	9	46	23	1	-	-	1	-	-	-	-	-	-
Diphtheria	14	4	-	1	4	2	11	3	-	-	-	-	-	-	-	-	-	-
Whooping-cough	37	21	9	2	-	1	33	4	-	-	-	-	-	-	-	-	-	-
Typhus	89	2	2	1	2	2	9	6	10	9	6	17	7	6	11	7	1	-
Diarrhœa & Dysentery	104	60	18	1	-	-	79	1	-	-	-	-	2	1	-	10	9	2
Cholera	9	2	-	-	1	-	3	-	-	1	-	-	-	1	2	1	1	-
Other Zymotic Dis.	48	4	2	7	6	3	22	6	-	3	1	2	2	2	2	5	2	1
Cancer	46	-	1	-	-	1	2	-	-	-	-	3	7	5	11	13	5	-
Scrofula and Tabes	39	16	7	1	3	1	28	3	2	-	1	1	3	-	1	-	-	-
Phthisis	223	2	3	3	1	-	9	4	1	22	34	49	34	36	27	7	-	-
Hydrocephalus	44	11	17	3	2	-	33	10	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	294	77	12	4	2	2	97	9	2	6	2	6	9	16	43	59	43	2
Dis. of Heart & Dropsy	165	2	1	-	-	-	3	2	2	3	3	8	10	24	32	44	32	2
Dis. of Lungs	321	98	44	8	8	1	159	2	2	1	2	5	13	26	24	56	27	4
Dis. of Stom. and Liver	120	17	-	1	-	1	19	2	4	4	3	5	10	26	18	26	3	-
Dis. of Kidneys	55	1	1	-	-	-	2	-	1	1	1	2	6	5	9	14	12	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	7	-	-	-	-	-	-	-	1	1	1	1	-	-	2	1	-	-
Dis. of Skin	8	6	-	1	-	-	7	1	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	10	-	-	-	-	-	-	-	-	-	1	-	4	-	1	4	-	-
Other Violent Deaths	97	8	3	2	6	-	19	6	14	4	4	8	6	7	12	13	4	-
Other Causes	565	271	26	1	1	-	299	2	-	-	1	1	6	8	6	42	148	52
141.—HITCHIN.																		
Mean Popul^n, 1861-71	12636	383	355	349	351	368	1806	1647	1534	1202	932	1549	1390	1123	805	482	152	14
TOTAL DEATHS	2596	728	185	105	45	34	1097	98	59	53	57	110	138	167	217	308	232	60
Small-pox	18	3	1	-	-	-	4	-	3	-	1	3	2	2	1	2	-	-
Measles	57	12	14	10	3	3	42	12	1	-	-	1	1	-	-	-	-	-
Scarlatina	137	10	22	22	16	13	83	33	13	5	2	-	1	-	-	-	-	-
Diphtheria	6	-	-	-	1	1	2	1	1	1	-	-	-	-	1	-	-	-
Whooping-cough	56	29	11	7	4	5	56	-	-	-	-	-	-	-	-	-	-	-
Typhus	54	1	3	1	2	5	12	9	5	6	4	6	4	1	4	2	1	-
Diarrhœa & Dysentery	145	96	20	6	-	-	122	1	-	-	-	2	2	1	6	5	5	1
Cholera	2	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Other Zymotic Dis.	79	20	10	7	2	1	40	6	3	3	-	4	3	3	10	5	2	-
Cancer	18	-	-	-	-	-	-	-	-	-	-	3	1	1	5	6	2	-
Scrofula and Tabes	51	18	8	6	2	-	34	3	3	3	2	3	1	1	1	-	-	-
Phthisis	217	4	2	-	-	-	6	4	6	17	28	45	48	40	21	2	-	-
Hydrocephalus	28	5	9	7	2	1	24	3	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	333	140	9	7	-	3	159	10	3	2	-	5	14	17	30	57	32	4
Dis. of Heart & Dropsy	203	4	2	1	-	-	7	3	7	1	4	9	11	24	45	62	29	1
Dis. of Lungs	294	60	22	12	8	2	104	6	1	2	6	11	11	22	39	53	32	7
Dis. of Stom. and Liver	106	7	1	1	2	-	11	1	5	3	3	6	8	19	19	23	8	-
Dis. of Kidneys	48	-	1	1	-	-	2	-	-	2	1	-	11	6	6	15	4	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Dis. of Skin	5	1	1	1	-	-	3	-	-	-	-	-	1	1	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	14	-	-	-	-	-	-	-	-	1	-	-	1	7	4	1	-	-
Other Violent Deaths	70	1	3	3	2	-	9	2	4	7	3	9	13	10	6	7	-	-
Other Causes	653	316	46	13	1	-	376	4	3	-	2	3	4	12	18	68	117	46
142.—HERTFORD.																		
Mean Popul^n, 1861-71	7946	215	186	204	200	180	985	1118	1038	752	605	950	846	696	522	316	104	14
TOTAL DEATHS	1487	280	98	46	42	28	494	65	33	30	45	82	107	105	143	171	170	42
Small-pox	29	3	4	-	2	1	10	5	2	1	3	2	5	1	-	-	-	-
Measles	40	9	10	4	7	2	32	6	1	-	1	-	-	-	-	-	-	-
Scarlatina	74	4	9	10	12	6	41	19	8	2	-	2	2	-	-	-	-	-
Diphtheria	4	-	-	-	-	1	1	1	-	2	-	-	-	-	-	-	-	-
Whooping-cough	21	9	5	1	3	3	21	-	-	-	-	-	-	-	-	-	-	-
Typhus	63	-	1	4	5	3	13	7	7	9	6	1	6	3	5	4	1	1
Diarrhœa & Dysentery	72	32	15	2	1	1	51	-	-	-	-	2	2	2	-	9	5	1
Cholera	5	3	-	-	-	-	3	-	-	-	-	-	-	-	1	1	-	-
Other Zymotic Dis.	37	4	1	6	2	2	15	5	2	1	3	1	1	-	4	5	-	-
Cancer	19	-	-	-	-	-	-	-	-	-	-	-	1	5	9	4	-	-
Scrofula and Tabes	14	5	2	4	-	-	11	1	-	1	-	1	-	-	-	-	-	-
Phthisis	152	2	-	-	1	-	3	1	1	11	17	38	42	27	11	1	-	-
Hydrocephalus	8	1	3	1	2	-	7	-	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	181	69	10	3	2	-	84	7	1	1	3	7	5	6	19	28	17	3
Dis. of Heart & Dropsy	111	2	-	1	-	-	3	-	1	-	2	5	11	19	25	28	17	-
Dis. of Lungs	195	36	15	4	4	4	63	1	-	-	2	7	8	17	31	35	27	4
Dis. of Stom. and Liver	59	3	1	1	1	-	6	5	2	-	2	3	8	7	12	11	3	-
Dis. of Kidneys	20	-	-	-	-	-	-	1	-	-	1	2	3	1	3	5	4	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Dis. of Skin	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-
Other Violent Deaths	64	5	2	2	-	3	12	4	7	1	3	8	8	10	7	2	2	-
Other Causes	310	93	20	3	-	2	118	2	-	1	1	2	3	7	12	37	94	33

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
140.—ROYSTON.																		
Mean Populn, 1861–71	12499	357	355	333	351	333	1729	1604	1469	1015	911	1566	1387	1156	848	555	228	31
TOTAL DEATHS	2320	483	137	66	47	34	767	81	60	68	84	139	120	147	199	275	279	101
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	26	9	10	2	2	–	23	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	77	8	8	12	16	9	53	17	5	1	–	1	–	–	–	–	–	–
Diphtheria	21	–	3	2	4	2	11	7	2	–	1	–	–	–	–	–	–	–
Whooping-cough	38	18	16	2	1	–	37	1	–	–	–	–	–	–	–	–	–	–
Typhus	87	2	2	2	1	2	9	13	18	8	4	9	7	7	2	5	5	–
Diarrhœa & Dysentery	100	50	20	7	–	–	77	–	–	–	2	–	1	–	–	8	10	2
Cholera	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Other Zymotic Dis.	50	3	6	4	5	6	24	4	1	1	1	3	2	1	2	6	3	2
Cancer	94	–	–	–	–	1	1	–	–	1	–	1	6	21	39	19	6	–
Scrofula and Tabes	45	10	9	3	–	2	24	4	1	3	3	3	5	2	–	–	–	–
Phthisis	249	–	3	1	–	1	5	9	9	37	44	61	36	32	12	4	–	–
Hydrocephalus	22	18	1	–	–	–	19	1	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	258	55	12	7	2	1	77	7	4	3	7	8	10	15	40	47	36	4
Dis. of Heart & Dropsy	191	1	2	–	–	–	3	4	2	4	7	5	12	26	41	58	26	3
Dis. of Lungs	278	82	31	14	8	7	142	4	9	3	1	5	8	14	18	43	28	3
Dis. of Stom. and Liver	114	11	1	–	3	–	15	2	2	1	2	11	10	10	27	21	13	–
Dis. of Kidneys	21	–	1	–	–	–	1	1	2	1	2	3	2	3	5	1	–	–
Dis. of Gener. Organs	16	–	–	–	–	–	–	–	–	–	1	4	2	4	–	3	2	–
Dis. of Joints	6	–	–	–	1	–	1	–	–	1	–	1	1	1	–	1	–	–
Dis. of Skin	10	4	1	1	–	–	6	–	1	–	–	–	–	1	–	1	1	–
Childbirth and Metria	43	–	–	–	–	–	–	–	–	2	8	20	13	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Deaths	25	6	1	3	3	–	13	–	1	–	1	2	2	–	–	2	4	–
Other Causes	547	205	10	6	1	3	225	4	1	2	–	2	3	10	13	53	145	87
141.—HITCHIN.																		
Mean Populn, 1861–71	13994	394	374	349	360	347	1824	1675	1540	1401	1248	1926	1538	1189	895	534	196	28
TOTAL DEATHS	2603	574	170	91	63	44	942	105	80	85	111	171	139	127	204	311	246	82
Small-pox	12	1	–	–	1	2	4	1	3	1	–	3	–	–	–	–	–	–
Measles	40	7	11	8	5	4	35	4	–	–	1	–	–	–	–	–	–	–
Scarlatina	167	13	25	25	19	17	99	42	23	2	–	1	–	–	–	–	–	–
Diphtheria	19	–	–	2	–	–	2	6	9	–	–	1	1	–	–	–	–	–
Whooping-cough	54	23	13	9	4	1	50	4	–	–	–	–	–	–	–	–	–	–
Typhus	71	–	1	–	4	5	10	7	7	15	6	13	2	4	5	1	1	–
Diarrhœa & Dysentery	140	66	25	8	2	3	104	–	1	1	1	1	1	1	6	10	9	5
Cholera	5	2	–	–	–	–	2	–	–	–	–	–	1	–	1	1	–	–
Other Zymotic Dis.	62	8	6	7	4	2	27	5	2	2	4	2	1	1	4	11	3	–
Cancer	57	–	–	–	–	–	–	–	–	–	1	5	12	16	9	13	1	–
Scrofula and Tabes	31	9	4	1	4	2	20	2	–	2	1	–	2	2	1	1	–	–
Phthisis	208	6	4	–	1	1	12	3	16	36	55	85	44	27	16	4	–	–
Hydrocephalus	21	9	4	2	1	1	17	2	1	1	–	–	–	–	–	–	–	–
Dis. of Brain	283	80	14	11	2	2	109	5	4	6	6	6	5	14	35	60	29	4
Dis. of Heart & Dropsy	205	–	–	–	1	–	1	5	6	5	7	13	20	16	51	59	22	–
Dis. of Lungs	268	62	23	7	7	3	102	5	3	4	5	8	14	14	26	55	29	3
Dis. of Stom. and Liver	109	8	–	–	2	–	10	4	1	4	6	6	8	13	23	20	7	2
Dis. of Kidneys	16	1	–	–	–	–	1	–	–	–	2	2	–	2	3	3	3	–
Dis. of Gener. Organs	20	–	–	–	–	–	–	–	–	–	1	3	3	2	8	3	–	–
Dis. of Joints	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Dis. of Skin	8	1	–	–	–	–	1	–	–	–	–	–	–	1	2	3	1	–
Childbirth and Metria	54	–	–	–	–	–	–	–	–	3	11	19	20	1	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Other Violent Deaths	26	3	5	1	3	–	12	3	1	1	1	1	1	1	–	2	3	–
Other Causes	634	275	35	10	3	1	324	7	3	2	3	–	4	6	14	65	138	68
142.—HERTFORD.																		
Mean Populn, 1861–71	7709	208	179	196	189	200	972	922	830	671	637	1041	889	720	551	330	132	14
TOTAL DEATHS	1433	234	109	53	37	26	459	54	27	39	31	86	92	99	136	179	178	53
Small-pox	24	6	5	2	1	1	15	1	1	–	–	4	3	–	–	–	–	–
Measles	35	2	12	6	6	4	30	4	1	–	–	–	–	–	–	–	–	–
Scarlatina	62	2	7	12	8	5	34	18	5	1	1	2	–	–	1	–	–	–
Diphtheria	10	–	–	–	2	4	6	3	–	–	1	–	–	–	–	–	–	–
Whooping-cough	31	13	13	3	2	–	31	–	–	–	–	–	–	–	–	–	–	–
Typhus	69	2	2	5	3	4	16	6	7	4	8	6	6	4	5	3	4	–
Diarrhœa & Dysentery	65	29	6	1	–	–	36	2	1	–	1	2	5	2	1	6	3	1
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Other Zymotic Dis.	23	2	–	3	3	2	10	–	2	–	–	1	–	3	1	3	2	1
Cancer	48	–	–	–	–	–	–	–	–	–	–	1	3	13	15	10	5	1
Scrofula and Tabes	11	2	2	1	–	–	5	1	–	2	1	–	–	2	–	–	–	–
Phthisis	127	3	3	–	–	–	6	1	3	16	4	40	27	17	10	2	1	–
Hydrocephalus	8	1	3	1	2	–	7	–	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	180	55	9	2	2	1	69	4	2	3	3	4	5	9	24	28	26	3
Dis. of Heart & Dropsy	104	–	1	1	–	–	2	1	2	4	4	9	10	12	23	26	11	–
Dis. of Lungs	181	25	29	8	5	4	71	5	–	–	3	2	13	8	21	28	23	7
Dis. of Stom. and Liver	82	6	1	–	1	–	8	–	1	5	2	4	5	19	18	17	3	–
Dis. of Kidneys	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–
Dis. of Gener. Organs	4	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–
Dis. of Joints	2	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–
Dis. of Skin	7	–	–	–	–	–	–	–	–	–	–	–	1	3	2	1	–	–
Childbirth and Metria	22	–	–	–	–	–	–	–	–	2	3	8	8	1	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Deaths	21	3	1	1	2	–	7	3	–	1	–	–	2	1	1	1	5	–
Other Causes	313	83	15	7	–	–	105	5	1	–	–	3	3	3	13	50	90	40

Mean Population, 1861-71, and **Deaths** in **Districts** during the **10 Years 1861-70.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
143.—HATFIELD.																		
Mean Popul^{n}, 1861-71	4279	117	123	126	106	111	583	529	488	413	320	519	486	404	304	170	55	8
TOTAL DEATHS	794	161	36	24	13	9	243	23	18	14	26	46	55	76	55	122	87	29
Small-pox	5	-	1	-	-	-	1	1	-	-	-	2	-	1	-	-	-	-
Measles	14	2	2	3	3	1	11	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	17	-	1	3	1	3	8	5	2	-	1	-	1	-	-	-	-	-
Diphtheria	5	-	-	1	2	-	3	1	-	-	-	-	-	1	-	-	-	-
Whooping-cough	8	3	5	-	-	-	8	-	-	-	-	-	-	-	-	-	-	-
Typhus	31	3	-	2	2	-	7	2	4	1	1	5	4	-	-	3	4	-
Diarrhœa & Dysentery	24	11	2	3	-	-	16	1	-	-	-	1	1	1	-	2	1	1
Cholera	3	1	1	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	26	5	1	2	1	1	10	-	-	2	2	1	2	4	2	1	2	-
Cancer	10	-	-	-	-	-	-	-	-	-	-	1	-	2	2	3	1	1
Scrofula and Tabes	6	2	1	1	1	-	5	-	-	-	-	1	-	-	-	-	-	-
Phthisis	74	-	-	-	-	-	-	-	4	6	14	14	18	13	3	2	-	-
Hydrocephalus	4	3	-	1	-	-	4	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	95	27	3	1	-	1	32	1	2	1	-	2	3	5	7	30	9	3
Dis. of Heart & Dropsy	55	2	-	1	-	-	3	1	2	-	1	2	3	14	11	13	5	-
Dis. of Lungs	125	27	14	4	3	1	46	1	-	2	2	5	9	11	13	21	14	1
Dis. of Stom. and Liver	44	5	1	-	-	1	7	4	-	-	-	6	1	4	5	10	7	-
Dis. of Kidneys	21	-	-	-	-	-	-	-	-	-	-	1	3	5	3	2	6	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	4	1	-	-	-	-	1	1	-	-	-	-	-	-	-	2	-	-
Dis. of Skin	4	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-
Other Violent Deaths	43	3	1	1	-	-	5	2	2	2	4	5	4	9	2	6	2	-
Other Causes	172	66	6	1	-	-	73	-	2	-	-	-	6	3	4	26	36	2
144.—ST. ALBANS.																		
Mean Popul^{n}, 1861-71	9320	273	254	258	250	229	1264	1181	1045	897	713	1227	1018	892	601	349	122	1
TOTAL DEATHS	1935	538	109	49	33	14	743	39	21	51	52	113	126	147	174	219	205	4
Small-pox	12	3	-	-	-	-	3	1	-	2	2	4	-	-	-	-	-	-
Measles	33	-	16	3	8	1	28	4	-	-	-	1	-	-	-	-	-	-
Scarlatina	33	5	5	4	4	3	21	7	1	4	-	-	-	-	-	-	-	-
Diphtheria	4	-	-	2	-	-	2	1	-	-	-	-	-	-	-	-	1	-
Whooping-cough	46	25	11	5	2	1	44	2	-	-	-	-	-	-	-	-	-	-
Typhus	65	4	-	-	3	4	11	1	1	6	8	11	8	7	7	4	1	-
Diarrhœa & Dysentery	88	62	8	-	1	-	71	-	-	-	-	1	1	-	3	3	7	1
Cholera	8	3	-	1	-	-	4	-	1	-	-	-	-	1	2	-	-	-
Other Zymotic Dis.	46	7	7	3	3	-	20	6	-	2	1	3	2	1	3	2	6	-
Cancer	22	-	-	-	-	-	-	-	-	-	1	1	2	2	6	7	3	-
Scrofula and Tabes	51	23	7	4	-	-	34	3	2	3	4	-	1	2	1	-	1	-
Phthisis	199	5	2	3	1	-	11	4	2	12	17	48	40	31	15	6	4	-
Hydrocephalus	19	9	3	4	2	-	18	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	308	110	9	5	1	1	126	2	3	4	2	11	12	28	24	44	43	1
Dis. of Heart & Dropsy	153	2	-	1	1	-	4	1	3	5	4	12	12	21	29	39	21	1
Dis. of Lungs	285	61	19	9	6	-	98	4	5	3	2	8	15	22	35	44	41	-
Dis. of Stom. and Liver	89	14	4	1	-	-	19	1	1	1	2	2	8	10	19	19	7	-
Dis. of Kidneys	27	-	-	-	-	-	-	-	-	-	-	1	3	1	6	7	9	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	4	1	-	-	-	-	1	-	-	1	-	-	-	-	2	-	-	-
Dis. of Skin	15	2	2	-	-	-	4	-	1	-	-	-	2	1	2	5	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	14	-	-	-	-	-	-	-	-	1	-	1	-	4	5	3	-	-
Other Violent Deaths	72	1	6	2	1	3	13	1	1	5	9	6	12	9	5	6	4	-
Other Causes	351	198	10	2	-	1	211	-	-	2	-	3	8	7	10	30	57	2
145.—WATFORD.																		
Mean Popul^{n}, 1861-71	11554	311	295	297	312	284	1499	1408	1341	1077	889	1595	1324	1044	776	437	146	1
TOTAL DEATHS	2316	563	160	73	41	39	876	81	55	43	42	120	176	174	207	294	197	5
Small-pox	9	3	-	1	1	-	5	-	2	-	-	1	1	-	-	-	-	-
Measles	30	6	9	3	1	5	24	5	1	-	-	-	-	-	-	-	-	-
Scarlatina	55	1	10	9	6	4	30	15	6	2	1	-	-	-	-	1	-	-
Diphtheria	27	2	6	2	2	3	15	6	2	-	-	2	1	1	-	-	-	-
Whooping-cough	56	31	16	7	1	-	55	1	-	-	-	-	-	-	-	-	-	-
Typhus	80	6	3	2	3	3	17	9	8	7	3	5	9	6	11	3	2	-
Diarrhœa & Dysentery	68	51	8	-	-	-	59	-	-	-	-	-	-	1	2	2	4	-
Cholera	2	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Other Zymotic Dis.	72	7	6	5	6	10	34	6	3	2	3	4	7	2	1	5	5	-
Cancer	30	-	-	-	-	-	-	-	1	-	-	1	4	2	10	7	5	-
Scrofula and Tabes	24	8	6	2	2	-	18	-	-	1	-	2	-	-	1	1	1	-
Phthisis	268	10	5	1	1	1	18	6	7	14	15	52	64	50	33	9	-	-
Hydrocephalus	42	19	11	4	4	1	39	2	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	326	108	17	10	1	4	140	5	5	2	2	10	14	16	32	65	29	-
Dis. of Heart & Dropsy	157	2	3	-	-	-	5	2	1	3	7	6	16	25	31	45	16	-
Dis. of Lungs	349	95	33	18	8	4	158	9	6	1	2	12	20	23	31	52	30	-
Dis. of Stom. and Liver	88	13	1	-	-	-	14	3	2	1	1	1	12	14	17	13	7	-
Dis. of Kidneys	59	-	-	-	1	1	2	-	1	-	-	6	4	6	16	15	7	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	10	-	-	-	-	-	-	2	1	1	-	1	1	1	2	1	-	-
Dis. of Skin	10	3	1	-	-	-	4	-	1	-	1	-	-	1	-	3	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	14	-	-	-	-	-	-	-	-	-	-	2	3	2	4	1	2	-
Other Violent Deaths	91	2	1	1	1	2	7	6	6	5	7	13	12	19	9	5	2	-
Other Causes	451	195	24	8	3	1	231	4	1	4	-	2	7	5	7	66	87	1

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
143.—HATFIELD.																		
Mean Popul^n, 1861–71	4236	109	101	101	108	117	536	527	465	363	341	601	476	385	279	183	70	10
TOTAL DEATHS	745	139	41	20	12	7	219	24	13	23	26	45	63	41	59	104	102	26
Small-pox	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Measles	17	5	3	-	-	3	13	2	1	-	-	1	-	-	-	-	-	-
Scarlatina	22	2	1	6	4	-	13	6	2	-	-	-	1	-	-	-	-	-
Diphtheria	3	-	1	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-
Whooping-cough	9	3	5	1	-	-	9	-	-	-	-	-	-	-	-	-	-	-
Typhus	34	1	-	1	-	-	2	4	2	5	5	3	5	2	2	3	1	-
Diarrhœa & Dysentery	28	14	6	-	-	-	20	1	-	-	-	1	-	-	1	-	4	1
Cholera	5	2	1	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-
Other Zymotic D.s.	15	1	1	3	1	2	8	1	-	1	-	1	-	-	1	2	1	-
Cancer	25	-	-	-	-	-	-	-	-	-	1	-	5	6	3	6	4	-
Scrofula and Tabes	4	1	-	-	-	-	1	1	-	1	-	-	-	-	1	-	-	-
Phthisis	70	1	1	-	-	-	2	2	1	7	11	20	17	6	4	-	-	-
Hydrocephalus	10	5	1	-	2	-	8	1	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	95	18	4	2	-	1	25	1	-	3	-	3	5	4	12	19	19	4
Dis. of Heart & Dropsy	64	-	-	-	-	-	-	2	1	2	2	2	5	9	14	18	9	-
Dis. of Lungs	100	28	7	3	1	-	39	2	2	1	-	4	7	4	7	22	9	3
Dis. of Stom. and Liver	39	4	-	-	-	-	4	1	1	-	-	-	7	4	8	7	6	1
Dis. of Kidneys	3	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	-	-	1	2	-	3	-	1	-
Dis. of Joints	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
Dis. of Skin	2	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Childbirth and Metria	12	-	-	-	-	-	-	-	-	2	3	4	3	-	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-
Other Violent Deaths	15	2	1	1	2	-	6	-	-	-	-	-	-	2	-	4	2	1
Other Causes	159	51	7	3	2	-	63	-	-	1	2	2	1	4	2	22	46	16
144.—ST. ALBANS.																		
Mean Popul^n, 1861–71	10683	266	238	257	254	261	1276	1181	1124	1025	1036	1544	1210	968	696	425	174	24
TOTAL DEATHS	1962	406	121	72	36	18	653	54	35	75	77	117	143	133	169	232	207	67
Small-pox	6	1	1	1	-	-	3	-	-	-	2	1	-	-	-	-	-	-
Measles	27	1	11	5	4	-	21	4	2	-	-	-	-	-	-	-	-	-
Scarlatina	48	2	7	10	3	7	29	12	6	-	-	-	1	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	56	23	12	10	3	2	53	3	-	-	-	-	-	-	-	-	-	-
Typhus	96	2	2	5	3	5	17	6	7	15	12	6	8	8	9	6	2	-
Diarrhœa & Dysentery	88	50	9	4	-	-	64	-	-	-	-	1	-	4	1	9	9	1
Cholera	4	1	-	-	-	-	1	-	-	-	-	1	-	1	-	1	-	-
Other Zymotic Dis.	34	5	4	-	3	-	12	3	3	2	1	3	-	2	1	4	3	-
Cancer	63	-	-	-	-	-	-	-	-	-	-	-	14	16	15	11	6	1
Scrofula and Tabes	49	21	12	2	-	1	36	2	2	2	-	1	-	1	-	-	-	-
Phthisis	214	3	-	-	1	1	5	3	6	35	35	41	39	21	10	5	9	2
Hydrocephalus	19	6	6	1	3	-	16	3	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	317	93	15	11	4	1	124	6	4	7	4	10	8	16	28	47	50	13
Dis. of Heart & Dropsy	173	2	1	-	-	-	3	4	3	3	6	6	14	21	32	58	22	1
Dis. of Lungs	273	47	26	11	8	1	93	2	1	2	7	13	11	19	31	44	37	13
Dis. of Stom. and Liver	94	5	-	2	2	-	9	-	-	2	4	5	7	13	26	16	10	2
Dis. of Kidneys	11	-	-	-	-	-	-	-	1	-	-	2	2	1	2	3	-	-
Dis. of Gener. Organs	17	-	-	-	-	-	-	-	-	-	-	2	5	4	4	2	-	-
Dis of Joints	5	-	2	-	-	-	2	-	-	-	-	1	1	-	-	1	-	-
Dis. of Skin	10	4	-	1	-	-	5	-	-	-	-	2	-	1	1	1	-	-
Childbirth and Metria	52	-	-	-	-	-	-	-	-	6	5	16	25	-	-	-	-	-
Suicide	6	-	-	-	-	-	-	-	-	-	-	-	4	1	1	-	-	-
Other Violent Deaths	22	2	4	3	1	-	10	4	-	1	-	-	2	1	2	2	-	-
Other Causes	283	135	9	6	1	-	151	2	-	-	1	3	2	3	6	22	59	34
145.—WATFORD.																		
Mean Popul^n, 1861–71	12210	317	272	301	293	285	1468	1482	1254	1048	1022	1799	1452	1139	831	505	182	28
TOTAL DEATHS	2113	466	139	72	56	36	769	81	51	54	54	133	116	136	191	255	194	79
Small-pox	12	2	3	2	1	-	8	1	-	-	1	-	1	-	1	-	-	-
Measles	23	3	8	2	3	4	20	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	67	4	10	10	14	3	41	19	7	-	-	-	-	-	-	-	-	-
Diphtheria	19	-	2	-	7	2	11	5	2	-	-	1	-	-	-	-	-	-
Whooping-cough	58	23	23	7	4	-	57	1	-	-	-	-	-	-	-	-	-	-
Typhus	76	2	1	6	2	3	14	9	7	10	2	5	8	10	7	2	2	-
Diarrhœa & Dysentery	75	55	10	-	1	-	66	-	-	-	-	1	-	-	2	-	5	1
Cholera	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Other Zymotic Dis.	54	8	6	6	5	3	28	4	2	2	2	2	2	4	2	5	1	-
Cancer	53	-	-	-	-	-	-	-	-	-	2	1	11	7	13	12	3	1
Scrofula and Tabes	15	7	2	-	1	-	10	1	3	-	-	-	-	1	-	-	-	-
Phthisis	247	12	4	5	3	1	25	5	13	31	28	70	34	29	10	2	-	-
Hydrocephalus	31	15	2	3	1	2	23	5	2	-	-	-	1	-	-	-	-	-
Dis. of Brain	283	90	13	7	2	5	117	5	-	4	3	8	7	17	31	52	29	7
Dis. of Heart & Dropsy	182	2	1	4	1	3	11	2	5	1	3	8	12	19	47	46	22	6
Dis. of Lungs	300	76	28	13	6	4	127	9	4	2	-	8	5	23	33	57	33	8
Dis. of Stom. and Liver	83	11	-	1	1	2	15	-	-	1	4	5	10	10	15	17	7	2
Dis. of Kidneys	15	-	-	-	1	-	1	-	1	-	-	1	3	1	3	5	-	-
Dis. of Gener. Organs	15	-	-	-	-	-	-	-	-	1	1	-	1	6	3	3	-	-
Dis. of Joints	14	1	-	-	-	-	1	3	2	1	-	2	1	2	-	2	-	-
Dis. of Skin	6	4	-	-	-	-	4	-	-	1	-	-	-	-	1	-	-	-
Childbirth and Metria	58	-	-	-	-	-	-	-	-	-	8	14	15	1	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
Other Violent Deaths	31	1	3	2	1	2	9	7	2	-	-	2	1	2	3	2	3	-
Other Causes	400	150	25	4	2	2	181	2	1	-	-	4	4	3	13	50	88	54

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
146.—HEMEL HEMPSTEAD.																		
Mean Popul^n, 1861–71	6792	209	182	196	181	181	949	878	785	706	549	841	718	623	415	238	81	9
TOTAL DEATHS	1479	394	101	58	37	20	610	66	24	32	12	90	94	110	122	131	120	32
Small-pox	19	4	-	1	-	1	6	1	2	1	2	1	1	3	1	1	-	-
Measles	12	2	6	1	1	1	11	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	61	2	7	10	12	7	38	21	3	2	-	-	-	-	-	-	-	-
Diphtheria	14	-	3	4	2	1	10	3	-	-	-	1	-	-	-	-	-	-
Whooping-cough	24	8	10	2	2	1	23	1	-	-	-	-	-	-	-	-	-	-
Typhus	54	2	1	3	3	1	10	7	4	2	2	7	8	4	3	3	4	-
Diarrhœa & Dysentery	63	37	12	-	-	1	50	-	-	-	1	1	1	-	2	4	2	2
Cholera	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	28	2	4	4	4	1	15	3	-	-	1	1	2	1	2	3	-	-
Cancer	20	-	-	-	-	-	-	-	-	-	2	-	-	7	8	2	1	-
Scrofula and Tabes	31	12	7	2	1	1	23	1	1	1	2	-	-	1	2	-	-	-
Phthisis	132	1	-	2	1	-	4	4	1	5	15	41	25	22	10	3	2	-
Hydrocephalus	16	6	1	4	2	2	15	-	-	1	-	-	-	-	-	-	-	-
Dis. of Brain	196	62	8	5	1	1	77	5	4	2	4	6	13	12	25	22	25	1
Dis. of Heart & Dropsy	92	-	-	-	1	-	1	-	-	2	2	4	5	16	20	28	13	1
Dis. of Lungs	217	63	21	13	4	-	104	6	1	4	2	9	9	20	20	26	16	-
Dis. of Stom. and Liver	61	12	3	2	1	-	18	1	3	1	1	6	9	8	4	5	5	-
Dis. of Kidneys	21	-	-	-	-	-	-	-	-	1	2	-	4	4	5	2	3	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Dis. of Joints	10	-	1	-	-	-	1	-	1	3	-	1	-	1	3	-	-	-
Dis. of Skin	5	1	-	-	-	-	1	-	-	2	-	1	-	-	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Other Violent Deaths	86	7	3	4	2	1	17	11	3	5	6	10	9	8	6	6	5	-
Other Causes	310	171	11	1	-	1	184	1	1	-	-	1	4	3	11	25	52	28
147.—BERKHAMPSTEAD.																		
Mean Popul^n, 1861–71	6392	193	187	168	185	170	903	843	773	634	483	802	681	552	407	236	71	7
TOTAL DEATHS	1362	407	97	63	38	28	633	49	29	20	21	60	75	78	109	144	118	26
Small-pox	7	1	1	-	-	-	2	-	2	-	-	-	2	-	1	-	-	-
Measles	7	1	3	1	2	-	7	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	76	5	7	11	14	14	51	19	3	-	1	2	-	-	-	-	-	-
Diphtheria	3	-	-	1	-	-	1	-	-	-	-	1	-	-	1	-	-	-
Whooping-cough	32	13	8	4	5	1	31	1	-	-	-	-	-	-	-	-	-	-
Typhus	41	-	3	2	1	1	7	9	1	1	4	4	6	1	3	3	1	1
Diarrhœa & Dysentery	75	45	13	6	2	-	66	-	-	-	1	-	1	1	1	3	2	-
Cholera	10	6	1	-	-	-	7	-	-	-	-	-	-	1	1	-	1	-
Other Zymotic Dis.	33	6	3	4	2	4	19	4	-	-	1	-	-	2	6	1	-	-
Cancer	13	-	-	-	-	-	-	-	-	1	-	1	1	3	3	2	1	1
Scrofula and Tabes	21	5	4	3	1	2	15	2	2	-	-	-	-	1	1	-	-	-
Phthisis	104	2	1	1	-	-	4	1	5	10	8	27	20	15	9	3	2	-
Hydrocephalus	31	14	7	3	-	1	25	4	2	-	-	-	-	-	-	-	-	-
Dis. of Brain	162	47	7	7	4	2	67	-	3	2	2	6	13	15	14	27	13	-
Dis. of Heart & Dropsy	88	3	1	-	-	-	4	-	1	1	1	4	4	13	18	33	8	1
Dis. of Lungs	196	64	22	15	3	1	105	1	3	2	-	2	9	11	16	26	17	4
Dis. of Stom. and Liver	45	8	-	-	1	-	9	1	1	-	2	2	4	3	12	6	5	-
Dis. of Kidneys	36	-	-	-	-	-	-	2	1	-	-	1	6	6	9	7	4	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Dis. of Joints	3	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-
Dis. of Skin	5	3	1	-	-	-	4	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	1	-
Other Violent Deaths	50	3	3	2	2	1	11	3	4	3	1	8	5	3	8	4	-	-
Other Causes	318	181	12	3	1	1	198	1	-	-	-	1	2	3	4	28	63	18
148.—AMERSHAM.																		
Mean Popul^n, 1861–71	8974	268	246	255	253	240	1262	1131	1092	846	676	1102	941	799	601	376	134	14
TOTAL DEATHS	1941	543	166	58	48	17	832	62	32	31	47	86	93	104	155	224	216	59
Small-pox	6	2	-	-	-	-	2	-	-	-	-	1	1	1	1	-	-	-
Measles	34	5	14	7	3	1	30	4	-	-	-	-	-	-	-	-	-	-
Scarlatina	50	4	4	2	9	4	23	19	6	2	-	-	-	-	-	-	-	-
Diphtheria	13	-	-	1	4	3	8	3	-	-	-	-	1	-	-	1	-	-
Whooping-cough	53	22	15	9	2	1	49	3	-	-	-	1	-	-	-	-	-	-
Typhus	50	3	1	-	1	-	5	5	3	2	6	6	9	2	8	3	1	-
Diarrhœa & Dysentery	70	36	14	3	1	1	55	1	-	-	-	-	1	-	2	5	6	-
Cholera	2	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Other Zymotic Dis.	58	5	12	4	6	1	28	8	3	2	-	-	2	2	3	7	2	1
Cancer	30	-	-	-	-	1	1	-	-	-	-	-	2	3	12	8	2	2
Scrofula and Tabes	57	28	12	2	2	1	45	2	1	3	-	1	2	2	1	-	-	-
Phthisis	162	3	1	2	1	-	7	5	3	10	25	35	23	23	17	8	1	-
Hydrocephalus	62	31	20	5	3	-	59	3	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	220	68	10	2	4	1	85	-	3	1	2	4	4	10	21	43	40	7
Dis. of Heart & Dropsy	139	-	2	-	-	-	2	1	-	1	1	3	4	13	27	44	37	6
Dis. of Lungs	284	85	32	13	7	1	138	2	3	2	4	13	12	11	28	35	32	4
Dis. of Stom. and Liver	101	23	1	2	1	-	27	1	4	2	3	5	11	16	11	13	6	2
Dis. of Kidneys	40	-	-	-	-	-	-	1	1	-	-	2	5	2	5	14	7	3
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Dis. of Joints	11	-	1	-	-	-	1	-	-	2	3	1	1	2	-	-	-	1
Dis. of Skin	10	3	2	-	-	-	5	-	-	-	-	-	-	-	2	1	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	6	-	-	-	-	-	-	-	-	-	-	2	1	1	2	-	-	-
Other Violent Deaths	55	8	4	1	-	1	14	1	4	4	2	9	6	2	3	6	4	-
Other Causes	427	217	20	5	4	1	247	3	1	-	1	2	8	9	11	36	76	33

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
146.—HEMEL HEMPSTEAD.																		
Mean Popul^{n}, 1861–71	7522	190	186	187	197	194	954	873	821	709	663	1126	876	674	463	251	99	13
TOTAL DEATHS	1365	310	89	41	45	17	502	43	24	42	63	91	105	100	100	148	121	26
Small-pox	15	2	2	–	–	–	4	1	–	3	–	2	–	4	1	–	–	–
Measles	12	1	6	2	3	–	12	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	53	5	5	12	10	3	35	15	3	–	–	–	–	–	–	–	–	–
Diphtheria	11	3	3	–	1	1	8	3	–	–	–	–	–	–	–	–	–	–
Whooping-cough	23	11	8	2	3	–	24	2	–	–	–	–	–	–	–	–	–	–
Typhus	60	–	–	1	6	6	13	5	3	7	4	5	11	4	2	4	2	–
Diarrhœa & Dysentery	55	34	10	4	1	–	49	–	–	1	–	–	1	–	–	2	1	1
Cholera	2	–	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	30	7	3	–	5	–	15	2	1	–	1	–	2	1	3	3	2	–
Cancer	38	–	–	–	–	–	–	–	–	–	–	3	6	4	13	8	4	–
Scrofula and Tabes	20	7	7	1	–	1	16	2	–	–	–	2	–	–	–	–	–	–
Phthisis	164	1	–	1	–	1	3	–	6	15	29	51	32	14	6	6	2	–
Hydrocephalus	13	6	4	–	1	–	11	2	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	142	31	6	4	2	2	45	4	3	1	2	4	6	13	19	31	11	3
Dis. of Heart & Dropsy	110	1	–	–	1	–	2	1	1	2	6	3	9	22	21	30	10	3
Dis. of Lungs	203	53	21	10	10	1	95	2	3	3	6	3	8	17	19	24	21	2
Dis. of Stom. and Liver	72	12	1	2	–	1	16	2	3	3	2	5	5	9	8	14	5	–
Dis. of Kidneys	18	–	–	–	–	–	–	–	–	2	3	1	2	5	2	1	2	–
Dis. of Gener. Organs	8	–	–	–	–	–	–	–	–	–	–	2	3	1	1	1	–	–
Dis. of Joints	7	–	–	–	–	–	–	–	–	2	1	1	2	1	–	–	–	–
Dis. of Skin	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Childbirth and Metria	25	–	–	–	–	–	–	–	–	1	7	7	10	–	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	–
Other Violent Deaths	19	7	1	2	1	1	12	2	–	1	–	1	1	1	–	–	–	1
Other Causes	256	128	10	–	1	–	139	–	1	–	2	1	6	3	4	24	60	16
147.—BERKHAMSTEAD.																		
Mean Popul^{n}, 1861–71	7259	193	204	166	189	171	923	840	798	722	646	1057	834	644	440	259	84	12
TOTAL DEATHS	1420	316	100	63	34	18	531	52	30	35	57	93	85	74	133	167	121	42
Small-pox	3	–	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–	–
Measles	11	3	6	1	1	–	11	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	71	5	10	14	8	4	41	18	8	–	–	3	–	1	–	–	–	–
Diphtheria	3	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–
Whooping cough	44	15	11	10	4	2	42	2	–	–	–	–	–	–	–	–	–	–
Typhus	48	–	1	–	1	1	3	3	7	11	4	6	6	5	3	–	–	–
Diarrhœa & Dysentery	80	46	14	2	1	1	64	–	–	–	1	–	1	3	3	3	4	1
Cholera	11	6	2	–	–	–	8	–	–	–	–	–	1	–	1	1	–	–
Other Zymotic Dis.	18	4	–	4	–	1	9	1	–	–	–	3	–	–	3	2	–	–
Cancer	36	–	–	–	–	–	–	1	–	–	–	4	4	10	8	9	–	–
Scrofula and Tabes	26	10	4	4	1	–	19	1	–	4	–	–	–	–	1	1	–	–
Phthisis	150	–	2	2	3	–	7	5	5	15	25	38	29	11	12	3	–	–
Hydrocephalus	22	7	5	4	2	2	20	2	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	143	35	3	5	1	2	46	7	4	–	4	5	3	12	19	27	14	2
Dis. of Heart & Dropsy	138	–	–	1	1	–	2	4	–	1	5	8	9	11	39	37	19	1
Dis. of Lungs	181	49	22	6	9	4	90	4	3	–	3	2	7	7	16	32	15	2
Dis. of Stom. and Liver	72	3	–	2	–	–	5	1	1	–	5	3	10	6	17	18	5	1
Dis. of Kidneys	23	–	1	–	–	–	1	1	–	1	2	4	3	4	5	1	1	–
Dis. of Gener. Organs	8	–	–	–	–	–	–	–	–	–	–	2	2	–	2	1	1	–
Dis. of Joints	3	–	1	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–
Dis. of Skin	3	–	2	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–
Childbirth and Metria	29	–	–	–	–	–	–	–	–	1	7	11	10	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Other Violent Deaths	13	4	2	1	–	–	7	–	1	–	–	1	–	–	–	1	2	1
Other Causes	285	129	14	7	1	–	151	1	1	–	–	1	–	2	4	31	60	34
148.—AMERSHAM.																		
Mean Popul^{n}, 1861–71	9401	292	244	257	249	252	1294	1118	1084	797	775	1214	1015	889	654	405	140	16
TOTAL DEATHS	1928	392	151	91	47	27	708	69	45	39	65	113	116	105	169	247	197	55
Small-pox	3	–	–	1	–	1	2	–	–	–	–	1	–	–	–	–	–	–
Measles	45	2	17	13	6	3	41	4	–	–	–	–	–	–	–	–	–	–
Scarlatina	60	3	5	15	9	5	37	19	4	–	–	–	–	–	–	–	–	–
Diphtheria	10	–	–	3	2	2	7	–	2	1	–	–	–	–	–	–	–	–
Whooping-cough	56	24	19	9	3	1	56	–	–	–	–	–	–	–	–	–	–	–
Typhus	55	1	–	5	3	1	10	5	8	3	7	6	7	3	5	1	–	–
Diarrhœa & Dysentery	60	24	12	3	1	–	40	2	1	–	–	3	–	3	1	4	6	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	55	6	9	9	5	1	30	5	–	2	1	–	1	1	6	5	4	–
Cancer	69	–	–	–	–	–	–	–	–	–	–	3	13	14	13	17	9	–
Scrofula and Tabes	46	11	5	3	1	2	22	4	3	3	3	4	3	2	–	2	–	–
Phthisis	198	2	3	1	2	–	8	5	14	18	27	52	32	15	17	7	3	–
Hydrocephalus	46	22	9	5	1	3	40	5	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	212	36	9	3	4	2	54	5	3	5	7	9	9	12	23	54	24	7
Dis. of Heart & Dropsy	129	–	1	–	1	1	3	–	1	1	2	4	13	13	25	37	28	2
Dis. of Lungs	249	65	32	9	6	3	115	6	2	1	2	2	3	6	28	46	35	5
Dis. of Stom. and Liver	111	7	2	1	2	–	12	6	1	1	2	5	9	18	29	24	4	–
Dis. of Kidneys	24	–	–	–	–	–	–	–	1	–	1	4	3	6	2	6	1	–
Dis. of Gener. Organs	18	–	–	–	–	–	–	–	–	1	1	1	6	4	5	–	–	–
Dis. of Joints	8	–	–	–	–	1	1	–	1	–	1	–	–	1	3	1	–	–
Dis. of Skin	3	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	1
Childbirth and Metria	35	–	–	–	–	–	–	–	–	2	6	15	12	–	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–
Other Violent Deaths	20	4	3	2	–	1	10	2	1	–	–	–	1	–	1	1	3	1
Other Causes	413	184	25	9	1	–	219	1	2	1	4	4	4	6	13	42	78	39

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
149.—ETON.																		
Mean Popul^{n}, 1861–71	11540	325	293	315	303	293	1529	1438	1424	1126	913	1515	1266	1007	736	430	138	18
TOTAL DEATHS	2282	530	129	66	40	27	792	86	45	50	76	128	150	179	233	274	212	57
Small-pox	18	3	1	-	-	-	4	-	2	-	3	6	3	-	-	-	-	-
Measles	36	7	12	7	3	-	29	7	-	-	-	-	-	-	-	-	-	-
Scarlatina	76	3	12	10	11	7	43	26	4	-	3	-	-	-	-	-	-	-
Diphtheria	7	1	1	2	-	-	4	1	1	1	-	-	-	-	-	-	-	-
Whooping-cough	23	11	6	-	2	1	23	-	-	-	-	-	-	-	-	-	-	-
Typhus	80	2	2	-	1	2	7	10	7	10	9	7	6	5	7	9	2	1
Diarrhœa & Dysentery	78	53	10	3	1	-	67	-	-	-	-	-	-	1	1	2	6	1
Cholera	4	3	1	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	61	9	4	2	7	4	26	4	1	-	2	2	4	4	8	8	2	-
Cancer	30	-	-	-	-	-	-	-	1	-	1	-	2	3	7	9	6	1
Scrofula and Tabes	34	16	5	2	1	-	24	1	1	1	1	1	1	1	3	-	-	-
Phthisis	279	7	-	5	2	-	14	4	4	13	33	62	70	45	28	5	1	-
Hydrocephalus	31	8	10	5	1	3	27	3	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	244	59	11	5	1	2	78	3	1	6	6	10	10	15	36	50	24	5
Dis. of Heart & Dropsy	151	9	-	1	-	1	11	2	2	5	4	6	14	20	39	32	17	2
Dis. of Lungs	351	82	30	11	4	2	129	14	4	2	4	12	10	32	37	55	42	10
Dis. of Stom. and Liver	127	14	4	3	-	-	21	2	7	1	1	6	9	19	27	20	12	2
Dis. of Kidneys	51	-	-	-	1	1	2	1	1	1	1	5	1	5	12	16	6	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	8	1	-	-	-	-	1	-	-	2	1	1	-	1	1	1	-	-
Dis. of Skin	3	1	-	1	-	-	2	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	15	-	-	-	-	-	-	-	-	-	1	-	1	6	3	2	2	-
Other Violent Deaths	95	9	9	4	4	2	28	5	7	8	5	6	11	12	7	4	1	1
Other Causes	477	229	11	5	1	2	248	3	1	-	1	4	8	10	16	61	91	34
150.—WYCOMBE.																		
Mean Popul^{n}, 1861–71	18205	586	525	512	510	493	2626	2335	2130	1843	1425	2361	1913	1475	1139	696	236	26
TOTAL DEATHS	3787	1099	306	170	89	50	1714	140	71	86	91	164	162	215	277	405	359	103
Small-pox	24	5	2	1	-	-	8	2	2	1	2	4	2	2	1	-	-	-
Measles	62	6	23	15	8	1	56	5	1	-	-	-	-	-	-	-	-	-
Scarlatina	136	12	18	24	20	10	84	38	8	2	-	3	-	1	-	-	-	-
Diphtheria	23	3	-	2	3	2	10	5	2	2	1	1	-	1	1	-	-	-
Whooping-cough	72	38	20	9	1	1	69	3	-	-	-	-	-	-	-	-	-	-
Typhus	132	3	5	9	5	4	26	16	15	18	12	13	7	5	6	10	4	-
Diarrhœa & Dysentery	110	80	21	8	1	2	112	-	-	1	-	-	-	6	2	10	9	-
Cholera	8	2	-	-	-	-	2	1	-	1	-	-	1	1	-	2	-	-
Other Zymotic Dis.	105	10	13	12	11	6	52	15	2	5	2	2	2	5	7	8	3	2
Cancer	42	-	-	-	-	1	1	-	-	1	-	-	2	14	5	13	5	1
Scrofula and Tabes	105	45	26	5	1	1	78	5	1	5	2	4	5	1	3	1	-	-
Phthisis	298	16	12	3	4	2	37	5	4	16	46	69	60	37	18	5	1	-
Hydrocephalus	56	23	9	14	2	2	50	5	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	113	119	41	12	8	3	183	7	7	5	7	15	15	16	54	63	31	7
Dis. of Heart & Dropsy	207	4	4	1	1	-	10	3	4	6	2	11	15	22	40	65	21	8
Dis. of Lungs	502	148	47	28	8	5	236	12	2	6	4	13	19	45	53	65	39	8
Dis. of Stom. and Liver	151	19	3	5	4	2	33	3	1	3	2	4	11	18	26	40	8	2
Dis. of Kidneys	58	-	1	1	-	-	2	-	-	3	3	3	7	4	13	7	12	4
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Dis. of Joints	12	-	-	-	1	-	1	1	1	1	1	3	2	-	2	-	-	-
Dis. of Skin	15	4	-	-	-	-	4	-	1	-	-	2	-	-	3	3	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	8	-	-	-	-	-	-	-	-	-	-	1	1	4	-	2	-	-
Other Violent Deaths	125	16	5	7	2	3	33	6	16	10	3	9	5	16	14	7	6	-
Other Causes	1092	546	53	14	9	5	627	8	3	-	4	7	8	16	29	104	215	71
151.—AYLESBURY.																		
Mean Popul^{n}, 1861–71	11750	346	322	311	303	321	1603	1429	1332	1144	879	1416	1208	1099	849	559	211	21
TOTAL DEATHS	2681	648	155	93	55	47	998	97	53	60	93	135	155	149	246	330	294	71
Small-pox	10	1	-	-	-	-	1	1	-	1	3	1	-	1	1	1	-	-
Measles	20	5	9	4	-	2	20	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	149	11	16	21	26	23	97	40	6	4	1	-	1	-	-	-	-	-
Diphtheria	11	6	-	-	1	-	7	2	-	2	-	-	-	-	-	-	-	-
Whooping-cough	45	28	10	3	3	1	45	-	-	-	-	-	-	-	-	-	-	-
Typhus	92	3	3	8	3	1	18	12	9	12	8	7	6	6	10	4	-	-
Diarrhœa & Dysentery	131	72	19	3	1	-	95	3	-	1	-	1	1	2	6	9	12	1
Cholera	14	7	1	-	-	1	9	-	-	-	-	-	1	2	1	-	-	1
Other Zymotic Dis.	68	9	1	7	5	5	27	1	3	3	2	3	1	2	12	10	4	-
Cancer	30	-	-	-	-	-	-	-	1	1	1	1	2	4	8	7	5	-
Scrofula and Tabes	58	31	2	2	1	-	36	7	4	-	-	3	-	3	-	4	1	-
Phthisis	244	13	3	2	-	1	19	2	5	16	44	63	44	28	15	7	1	-
Hydrocephalus	27	4	8	5	2	4	23	2	1	-	1	-	-	-	-	-	-	-
Dis. of Brain	325	60	3	2	3	4	72	7	1	6	11	22	32	22	32	66	50	4
Dis. of Heart & Dropsy	132	3	2	-	1	-	6	1	1	2	1	5	8	14	26	43	21	4
Dis. of Lungs	445	118	39	18	4	4	183	4	4	5	6	9	20	33	58	58	53	12
Dis. of Stom. & Liver	141	14	1	3	1	-	19	3	4	3	5	5	8	12	32	32	15	3
Dis. of Kidneys	71	-	-	-	2	-	2	-	-	1	2	2	4	4	11	24	17	4
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Dis. of Joints	12	-	-	-	1	-	1	-	2	-	1	2	2	1	1	1	1	-
Dis. of Skin	4	1	-	-	-	-	1	-	-	-	-	-	1	-	-	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	-	-
Other Violent Deaths	66	3	1	4	1	-	9	7	7	2	5	2	12	6	10	2	4	-
Other Causes	580	259	37	11	-	1	308	5	5	1	1	9	12	7	20	61	109	42

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
149.—ETON.																		
Mean Popul^n, 1861–71	12101	329	289	299	307	298	1522	1408	1291	1029	1068	1793	1426	1117	787	464	172	24
TOTAL DEATHS	2088	389	129	78	47	29	672	87	26	60	65	136	122	134	189	289	233	75
Small-pox	12	4	–	–	–	–	4	–	–	3	1	3	1	–	–	–	–	–
Measles	38	2	20	9	2	3	36	1	–	–	–	–	1	–	–	–	–	–
Scarlatina	65	3	7	9	8	6	33	22	1	6	2	1	–	–	–	–	–	–
Diphtheria	10	1	–	2	2	1	6	2	–	–	–	1	–	–	1	–	–	–
Whooping-cough	38	14	10	7	5	2	38	–	–	–	–	–	–	–	–	–	–	–
Typhus	89	1	4	6	4	3	18	9	7	9	7	9	8	6	7	4	5	–
Diarrhœa & Dysentery	81	49	12	4	–	–	65	2	–	–	–	1	1	–	1	4	6	1
Cholera	5	2	–	–	1	–	3	–	–	–	–	–	1	–	–	1	–	–
Other Zymotic Dis.	57	6	5	3	5	5	24	6	2	–	2	3	2	2	–	7	4	5
Cancer	71	–	–	1	–	–	1	–	–	–	–	3	11	20	15	17	2	2
Scrofula and Tabes	32	4	5	2	3	–	14	4	3	4	–	2	1	–	2	2	–	–
Phthisis	214	4	5	1	–	–	10	3	4	19	36	54	39	22	17	9	–	1
Hydrocephalus	25	9	4	7	1	–	21	3	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	250	61	17	7	2	1	88	9	1	5	3	4	12	17	25	49	32	5
Dis. of Heart & Dropsy	181	2	–	–	–	–	2	2	2	5	3	12	12	14	47	51	29	2
Dis. of Lungs	291	51	23	11	11	4	100	7	1	4	1	9	2	22	32	68	33	12
Dis. of Stom. and Liver	119	12	1	2	–	1	16	4	2	2	2	8	12	15	24	27	6	1
Dis. of Kidneys	13	–	–	–	–	–	–	–	–	–	–	3	1	1	3	3	1	1
Dis. of Gener. Organs	21	–	–	–	–	–	–	–	–	–	–	5	3	5	4	2	2	–
Dis. of Joints	8	1	–	–	–	–	1	–	–	1	–	3	–	2	–	–	1	–
Dis. of Skin	8	2	1	–	–	–	3	–	–	–	–	–	–	1	–	2	2	–
Childbirth and Metria	30	–	–	–	–	–	–	–	–	1	6	12	11	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Other Violent Deaths	41	4	2	5	1	2	14	9	1	–	–	2	2	3	1	5	3	1
Other Causes	388	157	13	2	2	1	175	4	1	1	2	1	2	3	10	38	107	44
150.—WYCOMBE.																		
Mean Popul^n, 1861–71	18547	578	537	551	537	509	2712	2333	2081	1673	1528	2551	1988	1555	1156	693	248	29
TOTAL DEATHS	3621	762	305	176	100	59	1402	124	63	105	105	205	207	208	295	435	365	107
Small-pox	21	2	2	3	2	–	9	2	1	4	3	2	–	–	–	–	–	–
Measles	48	7	11	14	7	4	43	4	1	–	–	–	–	–	–	–	–	–
Scarlatina	144	7	28	24	23	19	101	28	9	2	2	2	–	–	–	–	–	–
Diphtheria	16	3	–	1	2	1	7	6	1	–	–	1	–	1	–	–	–	–
Whooping-cough	63	30	20	8	3	–	61	2	–	–	–	–	–	–	–	–	–	–
Typhus	126	3	10	7	4	3	27	11	15	18	10	12	8	7	6	6	6	–
Diarrhœa & Dysentery	117	47	26	9	1	–	83	2	–	–	–	–	4	1	5	11	9	2
Cholera	13	3	2	1	–	1	7	–	–	–	–	–	1	3	2	–	–	–
Other Zymotic Dis.	98	14	9	13	13	13	62	11	4	–	–	1	2	2	6	6	4	–
Cancer	89	–	–	1	–	–	1	–	–	–	1	1	10	17	25	18	14	2
Scrofula and Tabes	96	38	27	12	6	1	84	3	1	4	1	1	1	1	–	–	–	–
Phthisis	386	13	11	5	1	1	31	13	8	45	46	108	67	43	19	6	–	–
Hydrocephalus	39	10	10	7	2	2	31	5	1	2	–	–	–	–	–	–	–	–
Dis. of Brain	373	79	28	11	11	2	131	6	7	3	6	10	21	23	52	65	39	7
Dis. of Heart & Dropsy	312	5	4	1	1	3	14	2	4	6	7	17	20	34	60	104	39	5
Dis. of Lungs	414	95	43	23	9	5	175	16	2	6	2	12	16	19	41	72	42	8
Dis. of Stom. and Liver	161	9	8	5	1	1	24	2	1	7	2	11	14	27	30	27	15	1
Dis. of Kidneys	19	2	2	–	–	–	4	–	–	–	–	1	2	2	4	3	1	2
Dis. of Gener. Organs	12	–	–	–	–	–	–	–	–	–	–	4	2	1	4	1	–	–
Dis. of Joints	10	–	–	–	–	–	–	–	–	1	1	1	3	2	1	1	–	–
Dis. of Skin	8	2	2	–	–	–	4	–	–	–	–	1	–	1	1	–	1	–
Childbirth and Metria	53	–	–	–	–	–	–	–	–	3	16	15	19	–	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–
Other Violent Deaths	57	8	7	8	3	3	29	6	4	2	1	1	2	1	–	3	7	1
Other Causes	942	385	55	20	11	–	471	5	4	2	7	3	14	21	36	112	188	79
151.—AYLESBURY.																		
Mean Popul^n, 1861–71	12359	338	325	340	302	324	1629	1539	1320	1094	980	1638	1365	1156	869	541	200	28
TOTAL DEATHS	2736	485	173	89	52	51	850	122	75	96	85	188	153	175	235	353	315	89
Small-pox	5	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	–	–
Measles	30	8	7	9	3	–	27	2	–	1	–	–	–	–	–	–	–	–
Scarlatina	154	4	37	18	14	20	93	46	8	2	2	1	1	–	1	–	–	–
Diphtheria	12	–	2	–	3	1	6	2	2	–	–	–	1	–	1	–	–	–
Whooping-cough	63	25	18	13	5	1	62	1	–	–	–	–	–	–	–	–	–	–
Typhus	126	3	3	5	5	7	23	20	16	19	11	14	9	2	6	5	1	–
Diarrhœa & Dysentery	119	47	19	4	–	1	71	–	–	–	–	–	2	1	8	15	17	5
Cholera	14	7	3	–	–	–	10	1	–	–	–	1	–	1	–	1	–	–
Other Zymotic Dis.	51	4	4	2	3	2	15	12	3	1	4	1	3	4	5	1	2	–
Cancer	58	–	–	–	–	–	–	–	–	–	–	1	2	24	11	13	5	2
Scrofula and Tabes	60	22	10	4	1	2	39	5	2	3	3	1	1	–	3	1	2	–
Phthisis	302	4	4	2	–	–	10	5	22	46	39	85	48	25	16	6	–	–
Hydrocephalus	29	12	4	4	2	1	23	3	3	–	–	–	–	–	–	–	–	–
Dis. of Brain	329	43	8	6	3	4	64	6	10	7	6	24	18	35	43	67	43	6
Dis. of Heart & Dropsy	192	3	–	–	–	1	4	3	1	2	2	5	9	18	41	68	35	4
Dis. of Lungs	365	74	29	11	8	5	127	3	3	2	1	13	15	19	38	73	60	11
Dis. of Stom. and Liver	146	19	–	2	1	1	23	5	1	4	4	10	12	25	18	31	11	2
Dis. of Kidneys	33	1	1	–	–	–	2	3	–	1	1	7	6	2	7	2	2	–
Dis. of Gener. Organs	20	–	–	–	–	–	–	–	–	–	–	2	4	5	6	–	3	–
Dis. of Joints	9	–	1	–	1	–	2	–	1	1	–	1	1	–	2	–	1	–
Dis. of Skin	6	1	–	1	–	–	2	1	–	–	–	–	–	–	1	1	1	–
Childbirth and Metria	46	–	–	–	–	–	–	–	–	2	11	17	13	3	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–
Other Violent Deaths	31	8	2	2	3	1	16	1	1	–	–	1	–	2	–	3	6	1
Other Causes	533	200	21	6	–	4	231	3	2	4	–	4	7	8	26	64	126	58

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
152.—WINSLOW.																		
Mean Popul^n, 1861–71	4518	119	137	127	117	125	625	578	577	427	332	494	467	413	317	198	85	5
TOTAL DEATHS	900	242	68	20	26	14	370	38	23	20	35	28	34	42	78	113	100	19
Small pox	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Measles	7	2	3	-	1	-	6	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	38	2	6	5	8	5	26	6	5	-	-	1	-	-	-	-	-	-
Diphtheria	9	-	2	1	1	-	4	2	1	-	-	-	-	1	-	1	-	-
Whooping-cough	8	3	-	1	2	1	7	1	-	-	-	-	-	-	-	-	-	-
Typhus	27	-	3	1	1	-	5	3	3	1	4	2	2	2	2	3	-	-
Diarrhœa & Dysentery	12	4	2	-	-	-	6	-	-	-	-	-	-	-	-	1	5	-
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Zymotic Dis.	30	6	4	2	2	1	15	2	-	1	-	1	1	-	3	4	2	1
Cancer	10	-	-	-	-	-	-	-	-	1	-	-	-	1	2	2	4	-
Scrofula and Tabes	12	3	4	1	1	-	9	1	-	2	-	-	-	-	-	-	-	-
Phthisis	99	5	1	-	-	1	7	6	4	9	22	14	17	12	6	1	1	-
Hydrocephalus	12	4	2	1	1	1	9	-	3	-	-	-	-	-	-	-	-	-
Dis. of Brain	107	28	7	5	1	3	44	4	2	2	4	2	3	6	14	18	8	-
Dis. of Heart & Dropsy	58	-	1	-	-	-	1	2	1	-	-	2	3	5	20	17	6	1
Dis. of Lungs	111	34	21	-	5	1	61	3	1	-	2	2	3	5	10	17	7	-
Dis. of Stom. and Liver	31	2	1	-	-	-	3	2	1	1	-	1	3	6	2	11	1	-
Dis. of Kidneys	13	-	-	-	-	-	-	-	-	-	-	-	-	1	5	4	2	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	4	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-
Dis. of Skin	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Violent Deaths	23	4	2	-	1	-	7	4	2	2	1	2	1	1	1	2	-	-
Other Causes	284	144	9	3	1	1	158	1	-	1	1	1	1	-	10	32	63	16
153.—NEWPORT PAGNELL.																		
Mean Popul^n, 1861–71	12489	383	352	356	326	346	1763	1589	1398	1162	996	1601	1335	1092	845	528	169	11
TOTAL DEATHS	2517	630	211	108	47	43	1039	87	41	60	67	118	116	125	199	334	273	58
Small-pox	9	2	1	-	-	-	3	-	1	1	-	1	-	2	-	-	1	-
Measles	56	11	27	11	4	3	56	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	39	3	10	5	5	4	27	9	3	-	-	-	-	-	-	-	-	-
Diphtheria	5	1	-	1	-	1	3	-	-	-	-	-	1	-	-	1	-	-
Whooping-cough	26	9	10	6	-	1	26	-	-	-	-	-	-	-	-	-	-	-
Typhus	87	2	4	7	5	4	22	10	5	10	9	10	3	4	4	8	2	-
Diarrhœa & Dysentery	77	28	22	2	-	-	52	-	-	1	-	-	-	2	6	9	7	-
Cholera	4	-	1	-	-	-	1	-	-	-	-	1	-	-	-	2	-	-
Other Zymotic Dis.	58	8	5	7	4	2	26	9	2	4	2	-	4	4	2	3	2	-
Cancer	24	-	-	-	-	-	-	-	-	-	-	1	1	3	8	7	3	1
Scrofula and Tabes	70	29	11	5	4	3	52	5	7	2	2	1	-	-	-	1	-	-
Phthisis	205	6	2	4	1	1	14	2	6	17	35	51	36	21	17	6	-	-
Hydrocephalus	41	12	8	9	3	4	36	4	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	337	93	18	12	5	4	132	7	3	8	4	10	7	16	41	63	39	4
Dis. of Heart & Dropsy	119	2	1	2	1	1	7	1	-	1	3	5	13	16	30	48	24	1
Dis. of Lungs	393	138	46	21	8	6	222	12	1	6	4	8	16	23	28	39	31	3
Dis. of Stom. and Liver	146	13	1	5	-	1	20	7	1	2	1	9	13	15	29	32	16	1
Dis. of Kidneys	58	-	-	-	1	-	1	1	2	1	1	4	3	7	7	16	13	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	7	-	-	-	-	-	-	1	-	2	-	1	1	-	1	1	-	-
Dis. of Skin	4	3	-	-	-	-	3	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	11	-	-	-	-	-	-	-	-	-	-	3	1	2	1	4	-	-
Other Violent Deaths	109	9	7	3	2	4	25	15	8	5	4	12	9	7	13	5	5	1
Other Causes	602	261	37	5	4	4	311	4	1	-	2	1	8	3	12	85	130	45
154.—BUCKINGHAM.																		
Mean Popul^n, 1861–71	6662	194	180	193	167	164	898	835	769	611	510	787	678	614	497	320	128	15
TOTAL DEATHS	1304	350	98	52	17	15	532	44	26	28	26	53	59	63	98	171	154	50
Small-pox	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
Measles	18	6	7	3	-	1	17	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	43	5	5	7	7	4	28	8	4	1	-	-	2	-	-	-	-	-
Diphtheria	5	1	1	-	-	-	2	3	-	-	-	-	-	-	-	-	-	-
Whooping-cough	22	10	9	1	1	-	21	1	-	-	-	-	-	-	-	-	-	-
Typhus	30	2	1	4	-	2	9	5	2	2	3	2	1	2	-	3	1	-
Diarrhœa & Dysentery	36	17	4	1	-	-	22	-	1	-	-	-	-	1	2	6	2	2
Cholera	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Other Zymotic Dis.	38	7	5	2	1	-	15	3	1	3	-	4	4	1	4	1	2	-
Cancer	31	-	-	-	-	-	-	-	-	-	-	-	3	4	9	11	3	1
Scrofula and Tabes	30	7	6	6	1	-	20	4	-	1	1	-	2	1	1	-	-	-
Phthisis	101	1	1	-	-	-	2	-	3	14	15	26	20	13	9	-	2	-
Hydrocephalus	39	9	12	8	1	3	33	5	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	98	24	4	4	-	1	33	3	3	1	-	4	6	9	10	19	9	1
Dis. of Heart & Dropsy	96	4	-	-	-	-	4	-	4	1	1	3	7	12	27	21	13	3
Dis. of Lungs	160	56	22	8	3	2	91	4	1	1	1	2	4	7	16	22	11	-
Dis. of Stom. and Liver	46	11	5	-	-	-	16	-	-	1	1	5	3	3	6	9	2	-
Dis. of Kidneys	29	1	-	-	-	1	2	1	2	1	2	4	2	2	5	5	3	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	5	-	-	-	-	-	-	-	2	1	-	1	-	1	-	-	-	-
Dis. of Skin	4	2	-	-	1	-	3	-	-	-	-	-	1	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
Other Violent Deaths	31	8	-	5	-	-	13	2	2	1	1	-	2	2	2	5	1	-
Other Causes	432	179	16	3	2	1	201	4	-	-	-	1	1	2	7	68	105	43

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
152.—WINSLOW.																		
Mean Popul^n, 1861–71	4655	134	123	135	111	120	623	584	516	441	398	579	520	413	295	200	76	10
TOTAL DEATHS	907	146	70	30	18	24	288	34	30	37	42	60	52	69	69	95	95	36
Small-pox	4	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	1	-
Measles	9	1	5	2	1	-	9	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	35	4	4	7	2	5	22	7	3	-	-	1	1	1	-	-	-	-
Diphtheria	10	1	-	-	2	-	3	1	2	1	2	1	-	-	-	-	-	-
Whooping-cough	15	6	3	3	2	1	15	-	-	-	-	-	-	-	-	-	-	-
Typhus	43	1	1	-	-	5	7	6	4	6	4	4	3	2	5	2	-	-
Diarrhœa & Dysentery	25	6	4	3	-	1	14	2	-	-	-	-	1	1	1	3	3	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	22	3	4	-	2	1	10	3	-	-	-	-	1	-	2	2	4	-
Cancer	14	-	-	-	-	1	1	-	-	-	-	1	-	4	2	4	1	1
Scrofula and Tabes	15	5	3	1	-	-	9	1	3	-	2	-	-	-	-	-	-	-
Phthisis	146	1	2	-	-	-	3	3	11	22	26	31	19	20	4	4	-	-
Hydrocephalus	8	3	1	2	-	-	6	2	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	99	15	8	2	3	3	31	2	1	4	2	2	5	8	17	11	14	2
Dis. of Heart & Dropsy	58	-	-	-	-	-	-	2	1	-	1	2	6	12	12	15	6	1
Dis. of Lungs	84	25	17	5	4	3	54	1	2	1	-	1	1	1	5	14	4	-
Dis. of Stom. and Liver	33	2	-	-	-	1	3	1	-	-	-	3	4	8	6	8	-	-
Dis. of Kidneys	11	-	-	-	-	-	-	-	1	1	1	3	-	4	1	-	-	-
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	1	-	-	2	2	1	-	-	-
Dis. of Joints	4	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-
Dis. of Skin	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	12	-	-	-	-	-	-	-	-	1	1	5	5	-	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	14	2	-	2	-	2	6	1	-	-	-	2	1	2	-	-	2	-
Other Causes	238	71	18	3	2	-	94	1	1	-	1	-	2	3	13	31	60	32
153.—NEWPORT PAGNELL.																		
Mean Popul^n, 1861–71	12872	359	336	340	354	343	1732	1546	1381	1137	1089	1759	1383	1142	873	571	229	30
TOTAL DEATHS	2527	531	176	90	59	32	888	78	55	95	80	153	127	129	182	332	309	90
Small-pox	12	1	-	-	-	-	1	3	-	-	3	1	1	1	2	-	-	-
Measles	49	11	13	7	10	5	46	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	43	1	7	8	11	4	31	10	-	1	1	-	-	-	-	-	-	-
Diphtheria	6	1	-	1	-	2	4	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough	44	17	11	8	5	3	44	-	-	-	-	-	-	-	-	-	-	-
Typhus	89	1	2	5	1	3	12	13	15	13	10	6	4	3	6	5	1	1
Diarrhœa & Dysentery	75	35	3	6	-	-	44	2	-	-	-	4	-	2	3	9	8	3
Cholera	7	2	1	1	-	-	4	-	-	-	-	-	1	-	2	-	-	-
Other Zymotic Dis.	49	5	9	4	4	2	24	7	1	1	-	1	1	2	5	4	2	1
Cancer	61	-	-	-	-	-	-	1	-	-	1	4	4	13	16	14	8	-
Scrofula and Tabes	64	22	12	3	5	-	42	3	5	5	2	1	-	3	1	1	1	-
Phthisis	292	5	6	4	1	-	16	3	13	48	50	76	41	21	15	5	1	-
Hydrocephalus	32	9	9	3	5	-	26	3	3	-	-	-	-	-	-	-	-	-
Dis. of Brain	296	78	14	11	3	3	109	4	2	11	4	10	14	16	21	59	44	2
Dis. of Heart & Dropsy	185	3	2	-	1	1	7	3	3	3	-	12	17	28	34	53	21	4
Dis. of Lungs	344	101	53	14	7	5	180	9	9	3	2	7	10	13	24	54	23	10
Dis. of Stom. and Liver	107	13	1	2	1	-	17	4	1	2	6	7	7	9	20	26	8	-
Dis. of Kidneys	23	-	-	-	-	-	-	-	1	-	-	1	4	5	4	7	1	-
Dis. of Gener. Organs	12	-	-	-	-	-	-	-	-	1	1	2	1	2	4	1	-	-
Dis. of Joints	5	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	1	-
Dis. of Skin	8	-	1	1	1	-	3	-	-	-	-	-	-	-	1	3	-	1
Childbirth and Metria	41	-	-	-	-	-	-	-	-	2	6	19	13	1	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-
Other Violent Deaths	32	4	-	3	1	3	11	6	-	-	-	-	1	1	3	2	5	3
Other Causes	648	222	32	9	3	1	267	2	2	2	3	2	7	5	20	88	185	65
154.—BUCKINGHAM.																		
Mean Popul^n, 1861–71	7033	189	178	194	164	179	904	831	754	623	588	923	772	656	518	328	124	12
TOTAL DEATHS	1412	285	82	45	30	9	451	48	31	61	55	94	91	88	127	163	156	47
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	21	3	6	9	-	-	18	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	39	3	4	7	11	1	26	10	2	1	-	-	-	-	-	-	-	-
Diphtheria	7	-	1	-	1	-	2	4	-	-	-	1	-	-	-	-	-	-
Whooping-cough	16	4	7	3	1	1	16	-	-	-	-	-	-	-	-	-	-	-
Typhus	49	3	3	1	-	2	9	7	1	7	1	9	6	3	4	1	1	-
Diarrhœa & Dysentery	42	15	8	-	-	-	23	-	-	1	1	-	2	1	2	10	1	1
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	31	8	5	3	3	2	21	3	1	-	-	1	-	1	2	2	-	-
Cancer	40	-	-	-	-	-	-	-	-	-	-	1	5	10	13	7	2	2
Scrofula and Tabes	35	4	9	7	-	-	20	1	3	2	2	1	3	1	1	1	-	-
Phthisis	189	-	-	2	-	-	2	3	12	31	35	42	33	19	7	5	-	-
Hydrocephalus	24	11	2	-	3	1	17	6	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	124	26	3	1	1	-	31	-	1	8	3	12	7	11	16	16	18	1
Dis. of Heart & Dropsy	108	1	-	-	-	-	1	-	2	3	4	6	9	19	32	22	8	2
Dis. of Lungs	120	45	13	8	7	-	73	4	-	3	2	-	4	7	12	10	5	-
Dis. of Stom. and Liver	70	6	4	-	2	1	13	2	5	2	-	4	11	11	13	3	1	-
Dis. of Kidneys	16	1	-	-	-	-	1	1	1	1	-	2	-	2	4	2	2	-
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-
Dis. of Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	6	1	2	-	-	-	3	-	-	1	1	-	-	-	1	-	-	-
Childbirth and Metria	26	-	-	-	-	-	-	-	-	-	5	12	9	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
Other Violent Deaths	15	5	-	2	1	-	8	2	-	1	-	-	-	1	1	2	-	-
Other Causes	427	118	15	2	-	1	166	3	1	-	-	1	1	2	19	76	117	41

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
155.—HENLEY.																		
Mean Popul^n, 1861–71	9146	250	228	241	219	267	1205	1178	1130	904	671	1110	932	820	619	391	167	19
TOTAL DEATHS	1774	344	111	53	41	27	576	68	37	35	49	87	97	112	155	264	219	75
Small-pox	5	1	-	-	-	-	1	1	-	-	-	1	-	-	2	-	-	-
Measles	33	5	11	6	5	3	30	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	85	5	11	12	11	7	46	26	7	3	1	-	2	-	-	-	-	-
Diphtheria	9	1	1	-	1	3	6	3	-	-	-	-	-	-	-	-	-	-
Whooping-cough	33	13	9	6	1	2	31	2	-	-	-	-	-	-	-	-	-	-
Typhus	39	-	2	2	1	1	6	2	3	4	7	3	3	1	1	4	5	-
Diarrhœa & Dysentery	71	31	15	2	1	1	50	-	-	-	2	1	-	1	-	7	8	2
Cholera	6	2	-	-	-	-	2	-	-	-	-	-	-	1	1	2	-	-
Other Zymotic Dis.	84	5	6	5	9	4	29	5	3	-	2	1	3	3	2	15	16	5
Cancer	30	-	-	-	-	-	-	-	-	-	-	2	2	4	5	11	6	-
Scrofula and Tabes	27	8	1	1	-	-	10	3	1	2	3	2	-	2	1	1	2	-
Phthisis	181	3	2	1	1	-	7	3	6	12	11	37	44	27	18	13	2	1
Hydrocephalus	20	5	6	1	2	-	14	3	2	-	-	1	-	-	-	-	-	-
Dis. of Brain	210	49	14	5	3	2	73	3	3	1	1	4	3	10	25	43	36	8
Dis. of Heart & Dropsy	157	2	-	-	-	-	2	-	3	4	2	3	5	12	32	57	32	5
Dis. of Lungs	271	63	24	8	3	1	99	5	-	5	3	6	15	23	29	45	44	6
Dis. of Stom. and Liver	92	11	1	-	-	2	14	1	2	2	2	4	4	8	19	21	7	5
Dis. of Kidneys	27	1	-	-	-	-	1	-	-	1	2	4	1	4	6	3	4	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	9	-	-	-	-	-	-	1	2	1	-	-	2	-	1	1	1	-
Dis. of Skin	7	2	1	-	-	-	3	2	-	-	-	-	-	-	1	-	-	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	6	-	-	-	-	-	-	-	-	-	-	1	-	-	4	1	-	-
Other Violent Deaths	85	5	2	3	3	1	14	3	4	-	11	12	10	11	10	8	2	-
Other Causes	287	132	5	1	-	-	138	3	-	-	2	5	3	5	7	29	54	41
156.—THAME.																		
Mean Popul^n, 1861–71	7539	204	199	217	197	207	1024	953	953	744	535	836	787	682	518	361	130	16
TOTAL DEATHS	1449	349	85	48	28	18	528	50	32	34	35	71	51	80	135	185	203	45
Small-pox	5	-	-	-	-	-	-	1	-	1	1	-	1	1	-	-	-	-
Measles	17	2	3	3	3	4	15	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	40	3	5	9	5	3	25	11	2	1	1	-	-	-	-	-	-	-
Diphtheria	5	3	-	-	-	-	3	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough	24	14	4	2	3	-	23	1	-	-	-	-	-	-	-	-	-	-
Typhus	30	1	1	4	-	-	6	12	6	7	4	4	3	-	5	2	1	-
Diarrhœa & Dysentery	23	13	2	1	3	-	19	-	-	-	-	-	1	-	1	1	1	-
Cholera	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	30	8	2	4	2	2	18	-	4	-	-	-	2	2	-	1	3	-
Cancer	9	-	-	-	-	-	-	-	-	-	1	-	-	-	6	1	-	1
Scrofula and Tabes	47	18	10	2	1	-	31	3	-	1	2	6	-	1	-	3	-	-
Phthisis	149	6	4	3	1	-	14	2	2	12	16	33	20	29	18	2	1	-
Hydrocephalus	16	6	2	3	-	2	13	2	-	1	-	-	-	-	-	-	-	-
Dis. of Brain	135	36	6	2	3	1	48	4	3	2	2	5	5	8	18	26	14	-
Dis. of Heart & Dropsy	71	-	1	-	-	-	1	1	-	1	-	2	3	6	12	30	14	1
Dis. of Lungs	201	38	24	8	2	2	74	3	2	2	1	5	6	8	26	42	30	2
Dis. of Stom. and Liver	69	7	1	1	-	2	11	3	5	-	2	4	2	5	18	16	3	-
Dis. of Kidneys	37	-	-	1	-	1	2	-	-	1	-	5	-	2	7	10	10	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	7	-	-	-	1	-	1	-	1	2	-	1	-	-	1	1	-	-
Dis. of Skin	7	4	-	1	-	-	5	-	-	-	-	-	-	-	-	2	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	6	-	-	-	-	-	-	-	-	1	-	-	1	2	1	1	-	-
Other Violent Deaths	49	1	3	1	3	1	9	1	5	2	4	-	4	10	8	6	-	-
Other Causes	451	189	17	3	1	-	210	2	1	-	1	6	3	6	14	41	126	41
157.—HEADINGTON.																		
Mean Popul^n, 1861–71	9270	264	271	261	266	231	1293	1155	1185	873	681	1160	974	801	615	391	123	19
TOTAL DEATHS	2315	494	138	60	47	27	766	79	52	63	63	152	187	190	213	283	217	50
Small-pox	11	2	-	-	1	-	3	1	-	-	2	4	-	1	-	-	-	-
Measles	30	7	11	2	5	2	27	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	69	6	9	11	10	9	45	18	3	2	-	1	-	-	-	-	-	-
Diphtheria	9	1	1	1	3	-	6	2	-	-	-	-	1	-	-	-	-	-
Whooping-cough	21	11	3	5	1	-	20	1	-	-	-	-	-	-	-	-	-	-
Typhus	79	3	3	3	2	3	14	5	11	2	6	12	4	10	3	10	-	2
Diarrhœa & Dysentery	117	78	15	4	-	-	97	1	1	-	-	1	-	1	3	6	6	1
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Zymotic Dis.	45	4	3	2	3	1	13	3	2	2	1	5	2	3	7	6	1	-
Cancer	40	-	-	-	-	-	-	-	1	-	-	2	6	11	10	7	2	1
Scrofula and Tabes	81	34	18	3	5	2	62	5	4	3	-	5	1	-	1	-	-	-
Phthisis	322	5	1	-	1	-	7	6	8	19	26	70	81	58	31	15	1	-
Hydrocephalus	26	6	3	4	2	1	16	8	1	1	-	-	-	-	-	-	-	-
Dis. of Brain	231	49	9	6	3	-	67	2	5	5	2	4	15	14	27	48	40	2
Dis. of Heart & Dropsy	141	2	-	-	-	1	3	2	2	4	3	7	15	16	28	46	13	2
Dis. of Lungs	273	62	38	9	6	4	119	6	2	1	2	7	16	23	25	36	34	2
Dis. of Stom. and Liver	122	9	2	2	-	1	14	4	3	8	-	7	13	17	28	23	5	-
Dis. of Kidneys	66	-	1	-	1	-	2	-	1	1	3	5	7	14	14	14	5	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Dis. of Joints	15	2	-	1	-	-	3	2	-	1	2	1	1	-	3	1	1	-
Dis. of Skin	12	5	-	-	-	1	6	-	1	-	-	-	-	2	1	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	16	-	-	-	-	-	-	-	-	2	1	-	4	2	4	2	-	1
Other Violent Deaths	131	5	1	5	4	1	16	7	7	12	15	17	17	19	13	12	4	1
Other Causes	456	203	20	2	-	1	226	3	-	-	-	4	4	8	14	55	104	38

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
155.—HENLEY.																		
Mean Popul^{n}, 1861–71	9412	253	226	262	246	269	1256	1109	1099	759	730	1254	1063	883	649	420	164	26
TOTAL DEATHS	1641	264	87	39	33	23	446	65	48	57	51	106	119	114	126	222	203	84
Small-pox	3	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–
Measles	21	5	5	4	3	1	18	2	1	–	–	–	–	–	–	–	–	–
Scarlatina	81	2	13	6	8	9	38	22	12	1	1	5	2	–	–	–	–	–
Diphtheria	5	–	–	–	1	–	1	3	1	–	–	–	–	–	–	–	–	–
Whooping-cough	46	16	16	5	1	2	40	4	2	–	–	–	–	–	–	–	–	–
Typhus	48	–	–	–	4	1	5	1	7	13	5	4	4	2	2	4	1	–
Diarrhœa & Dysentery	47	14	9	3	–	1	27	–	1	–	1	2	4	1	2	4	3	2
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	75	2	6	5	3	3	19	11	–	4	–	3	4	1	4	14	12	3
Cancer	53	–	–	–	–	–	–	–	–	1	–	2	7	12	16	11	4	–
Scrofula and Tabes	23	3	3	1	–	1	8	4	2	1	2	1	4	–	–	–	–	1
Phthisis	204	4	2	–	1	–	7	3	5	23	29	48	43	29	9	5	3	–
Hydrocephalus	18	6	3	1	3	1	14	3	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	209	24	3	2	3	1	33	5	5	5	4	9	10	14	24	57	37	6
Dis. of Heart & Dropsy	163	3	–	–	–	–	3	–	1	4	–	5	9	14	31	54	36	6
Dis. of Lungs	193	50	11	5	1	1	68	–	8	–	2	6	9	11	14	30	32	13
Dis. of Stom. and Liver	91	5	1	–	2	–	8	2	–	2	2	5	7	21	14	20	6	4
Dis. of Kidneys	17	1	–	–	–	–	1	–	–	–	1	3	3	2	1	3	2	1
Dis. of Gener. Organs	7	–	–	–	–	–	–	–	–	–	–	–	1	3	1	2	–	–
Dis. of Joints	7	–	–	–	–	–	–	–	–	1	–	2	–	–	3	–	1	–
Dis. of Skin	7	3	–	–	1	–	4	1	–	–	–	1	–	–	–	1	–	–
Childbirth and Metria	18	–	–	–	–	–	–	–	–	–	1	7	10	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Deaths	26	2	3	1	1	1	8	2	1	–	1	2	1	2	3	–	4	2
Other Causes	279	124	12	6	1	1	144	2	1	1	1	1	1	2	2	16	62	46
156.—THAME.																		
Mean Popul^{n}, 1861–71	7616	224	195	211	197	198	1025	966	896	656	567	968	835	715	511	330	129	18
TOTAL DEATHS	1469	272	80	47	30	28	457	42	25	47	64	90	86	104	120	192	186	56
Small-pox	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Measles	12	6	3	2	–	–	11	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	43	2	5	6	3	7	23	13	2	2	2	1	–	–	–	–	–	–
Diphtheria	8	1	1	3	1	–	6	–	1	1	–	–	–	–	–	–	–	–
Whooping-cough	26	8	10	3	1	1	23	3	–	–	–	–	–	–	–	–	–	–
Typhus	49	1	–	2	2	4	9	7	7	8	2	7	1	4	1	1	1	1
Diarrhœa & Dysentery	26	6	4	1	1	1	13	–	–	–	1	–	3	–	3	3	3	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	29	3	6	–	1	3	13	5	1	2	1	1	1	1	–	3	1	–
Cancer	55	–	–	–	–	–	–	–	–	–	2	1	4	16	9	17	5	1
Scrofula and Tabes	54	19	6	7	7	–	39	–	1	3	1	3	2	1	2	1	1	–
Phthisis	212	3	4	1	1	1	10	2	7	24	43	45	39	32	9	–	1	–
Hydrocephalus	8	1	–	1	1	3	6	1	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	136	24	4	5	3	–	36	4	–	2	–	5	6	9	21	32	21	–
Dis. of Heart & Dropsy	116	2	1	–	–	–	3	1	3	2	1	8	7	13	27	38	10	3
Dis. of Lungs	192	52	14	9	2	5	82	2	1	–	2	5	1	13	19	40	24	3
Dis. of Stom. and Liver	65	3	1	1	1	2	8	–	1	–	4	4	10	7	16	11	4	–
Dis. of Kidneys	6	–	–	–	–	–	–	–	–	–	–	1	2	–	2	–	1	–
Dis. of Gener. Organs	8	–	–	–	–	–	–	–	–	–	–	2	1	3	1	1	–	–
Dis. of Joints	4	–	–	1	–	–	1	1	–	1	–	–	–	–	–	–	1	–
Dis. of Skin	4	–	1	1	–	–	2	–	–	–	–	–	1	–	1	–	–	–
Childbirth and Metria	11	–	–	–	–	–	–	–	–	–	3	4	4	–	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–
Other Violent Deaths	14	–	3	–	3	1	7	1	–	–	–	1	–	–	–	–	4	1
Other Causes	386	141	17	4	3	–	165	1	–	2	1	1	4	5	8	44	108	47
157.—HEADINGTON.																		
Mean Popul^{n}, 1861–71	10166	250	244	244	248	240	1226	1173	1100	1021	905	1465	1118	908	644	410	167	29
TOTAL DEATHS	2121	390	141	69	39	37	676	82	58	55	75	142	154	117	193	262	226	81
Small-pox	4	1	–	–	–	–	1	1	–	–	–	1	1	–	–	–	–	–
Measles	28	3	8	8	3	3	25	2	–	–	1	–	–	–	–	–	–	–
Scarlatina	74	8	9	11	7	10	45	22	4	1	1	1	–	–	–	–	–	–
Diphtheria	18	–	2	1	3	1	7	7	4	–	–	–	–	–	–	–	–	–
Whooping-cough	20	9	8	1	1	1	20	–	–	–	–	–	–	–	–	–	–	–
Typhus	83	–	3	2	–	4	9	11	14	11	9	4	7	3	6	5	3	1
Diarrhœa & Dysentery	86	54	11	3	1	–	69	–	–	–	–	–	3	–	–	3	7	4
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	42	3	6	2	4	2	17	1	1	1	3	2	2	3	7	3	2	–
Cancer	64	–	–	–	–	–	–	–	–	1	–	2	8	20	16	14	2	1
Scrofula and Tabes	84	28	14	9	2	4	57	6	4	2	2	3	5	2	2	1	–	–
Phthisis	290	2	1	2	1	1	7	6	14	19	29	70	60	24	21	10	–	–
Hydrocephalus	26	6	7	7	1	3	24	2	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	211	32	11	10	2	3	58	3	5	3	2	10	9	7	38	46	29	1
Dis. of Heart & Dropsy	169	2	1	1	–	–	4	3	1	5	3	9	18	16	32	52	23	3
Dis. of Lungs	243	49	34	7	7	1	98	4	4	3	4	8	7	8	19	50	32	6
Dis. of Stom. and Liver	111	5	5	1	–	–	11	3	3	2	5	6	8	19	24	23	5	2
Dis. of Kidneys	29	1	1	–	1	–	3	–	1	1	1	2	4	4	4	7	2	–
Dis. of Gener. Organs	19	–	–	–	–	–	–	–	–	–	2	1	3	4	8	1	–	–
Dis. of Joints	7	–	–	–	1	–	1	1	1	1	–	–	2	–	1	–	–	–
Dis. of Skin	5	3	–	–	–	–	3	–	–	–	–	1	–	–	–	1	–	–
Childbirth and Metria	41	–	–	–	–	–	–	–	–	2	10	18	11	–	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Other Violent Deaths	50	4	5	1	5	3	18	6	1	1	2	2	1	–	5	4	6	4
Other Causes	445	180	15	3	–	1	199	4	1	2	1	2	4	6	10	42	115	59

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
158.—OXFORD.																		
Mean Popul^n, 1861–71	9823	239	247	267	247	250	1300	1126	1102	998	1030	1387	1112	822	584	273	81	8
TOTAL DEATHS	2000	504	180	60	54	27	825	92	40	37	74	140	147	168	160	188	111	18
Small-pox	10	5	1	–	–	–	6	2	–	1	–	1	–	–	–	–	–	–
Measles	32	13	10	4	3	–	30	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	75	4	16	6	12	8	46	22	4	1	–	2	–	–	–	–	–	–
Diphtheria	19	3	2	5	2	1	13	3	1	1	–	1	–	–	–	–	–	–
Whooping-cough	22	9	7	3	2	–	21	1	–	–	–	–	–	–	–	–	–	–
Typhus	66	1	5	5	3	–	14	15	8	3	7	5	7	2	1	3	1	–
Diarrhœa & Dysentery	112	79	22	2	–	–	103	1	–	–	1	–	–	–	–	6	1	–
Cholera	3	–	–	–	–	1	1	–	–	–	–	1	–	1	–	–	–	–
Other Zymotic Dis.	39	6	4	3	4	4	21	2	–	1	2	3	2	–	3	4	1	–
Cancer	26	–	–	–	–	–	–	1	–	–	–	1	2	6	5	7	4	–
Scrofula and Tabes	58	10	11	2	–	1	24	4	3	–	2	2	–	2	1	–	–	–
Phthisis	317	2	8	1	1	–	12	3	8	15	39	71	74	54	26	13	2	–
Hydrocephalus	48	16	13	5	3	2	39	8	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	183	58	15	4	7	3	87	2	2	3	3	9	5	11	23	21	12	2
Dis. of Heart & Dropsy	98	–	–	–	–	1	1	2	–	1	2	8	8	21	23	23	9	–
Dis. of Lungs	309	79	40	11	11	3	147	6	3	2	4	10	14	23	27	41	26	3
Dis. of Stom. and Liver	87	13	–	–	1	1	15	5	2	2	2	3	11	14	16	8	9	–
Dis. of Kidneys	52	1	1	–	–	–	2	–	–	1	1	5	5	11	12	12	3	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	12	1	–	–	–	–	1	–	2	2	1	1	–	–	2	–	1	–
Dis. of Skin	8	1	–	–	–	–	1	–	–	1	1	–	1	1	–	3	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	17	–	–	–	–	–	–	–	–	–	2	4	4	2	2	2	1	–
Other Violent Deaths	55	3	2	–	2	2	9	9	4	3	7	6	4	4	4	4	1	–
Other Causes	372	200	23	6	3	–	232	2	2	–	–	7	10	16	15	35	40	13
159.—BICESTER.																		
Mean Popul^n, 1861–71	7823	224	219	233	201	215	1092	990	907	743	545	921	861	699	560	358	134	13
TOTAL DEATHS	1621	423	96	42	28	23	612	54	28	36	43	76	76	92	128	212	206	58
Small-pox	8	–	–	1	1	–	2	–	–	–	2	–	1	–	2	1	–	–
Measles	22	5	7	2	2	2	18	4	–	–	–	–	–	–	–	–	–	–
Scarlatina	39	3	6	5	4	5	23	11	2	2	–	1	–	–	–	–	–	–
Diphtheria	7	–	1	1	1	1	4	1	–	1	1	–	–	–	–	–	–	–
Whooping-cough	39	23	8	5	1	–	37	2	–	–	–	–	–	–	–	–	–	–
Typhus	58	1	1	–	1	1	4	7	7	8	6	8	2	4	4	5	2	1
Diarrhœa & Dysentery	71	39	10	4	–	–	53	–	–	1	–	–	–	–	2	5	7	3
Cholera	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	34	9	2	2	5	1	19	4	1	–	1	–	1	1	2	3	2	–
Cancer	15	–	–	–	–	1	1	–	–	–	–	–	1	1	6	2	4	–
Scrofula and Tabes	38	16	8	3	2	1	30	2	1	1	1	1	–	–	1	1	–	–
Phthisis	127	–	2	–	–	1	3	6	4	13	20	33	18	13	10	7	–	–
Hydrocephalus	16	5	5	–	1	1	12	3	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	202	41	11	5	2	3	62	3	1	1	3	5	12	10	21	37	38	9
Dis. of Heart & Dropsy	112	1	1	–	–	–	2	1	1	1	2	2	5	14	25	36	20	3
Dis. of Lungs	245	73	19	6	3	3	104	1	2	1	1	9	12	18	20	35	35	7
Dis. of Stom. and Liver	90	15	–	1	1	–	17	2	2	1	3	6	3	8	10	29	9	–
Dis. of Kidneys	48	–	–	1	1	–	2	1	1	–	1	3	5	5	6	12	11	1
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Dis. of Joints	6	1	1	–	–	–	2	–	–	1	–	1	–	–	–	1	1	–
Dis. of Skin	3	2	1	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	7	–	–	–	–	–	–	–	–	–	–	1	1	3	2	–	–	–
Other Violent Deaths	56	3	2	4	2	1	12	4	4	4	1	3	7	6	7	3	4	1
Other Causes	376	186	10	2	1	2	201	2	1	1	–	3	8	9	10	35	73	33
160.—WOODSTOCK.																		
Mean Popul^n, 1861–71	6978	215	200	207	183	187	992	897	784	639	507	866	747	630	493	307	103	13
TOTAL DEATHS	1452	366	100	52	29	15	562	40	22	21	37	74	69	85	138	199	157	48
Small-pox	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	33	6	11	10	2	2	31	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	30	5	4	10	4	–	23	4	2	1	–	–	–	–	–	–	–	–
Diphtheria	14	1	2	1	3	1	8	4	–	–	1	–	1	–	–	–	–	–
Whooping-cough	27	13	3	8	1	1	26	1	–	–	–	–	–	–	–	–	–	–
Typhus	48	2	1	3	1	2	9	5	7	4	–	6	2	3	7	4	1	–
Diarrhœa & Dysentery	57	32	8	2	1	–	43	–	–	–	–	–	–	1	3	5	5	–
Cholera	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
Other Zymotic Dis.	29	7	3	1	2	2	15	3	–	–	3	–	1	1	2	1	3	–
Cancer	18	1	–	–	–	–	1	–	–	–	–	–	3	3	3	5	3	–
Scrofula and Tabes	28	11	7	2	1	–	21	1	1	–	–	–	1	–	2	2	–	–
Phthisis	139	3	4	1	1	–	9	2	5	7	20	33	23	17	16	2	–	–
Hydrocephalus	14	3	4	4	–	–	11	2	–	–	1	–	–	–	–	–	–	–
Dis. of Brain	157	41	8	–	3	2	54	2	2	1	3	4	4	16	22	22	21	6
Dis. of Heart & Dropsy	99	1	–	–	–	–	1	–	2	3	3	4	3	6	23	35	17	2
Dis. of Lungs	266	85	30	4	7	–	126	5	–	1	1	6	9	15	22	53	28	–
Dis. of Stom. and Liver	61	9	–	–	1	2	12	5	1	1	2	5	5	9	11	8	1	1
Dis. of Kidneys	34	–	–	–	1	–	1	–	–	–	–	2	3	7	2	11	7	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	5	–	–	–	–	–	–	–	–	–	–	2	–	1	1	1	–	–
Dis. of Skin	3	1	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	7	–	–	–	–	–	–	–	–	–	1	1	1	1	3	–	–	–
Other Violent Deaths	42	3	2	2	–	1	8	3	2	3	–	8	3	3	5	7	–	–
Other Causes	338	142	13	4	1	2	162	1	–	–	2	3	4	1	14	42	71	38

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
158.—OXFORD.																		
Mean Popul^{n}, 1861–71	10703	260	229	235	252	241	1217	1097	1055	1213	1094	1647	1259	974	644	364	123	16
TOTAL DEATHS	2072	446	187	91	56	30	810	73	40	47	57	138	158	130	164	233	169	53
Small-pox	13	5	1	–	1	–	7	2	1	1	1	–	1	–	–	–	–	–
Measles	29	3	9	8	4	1	25	3	–	–	–	1	–	–	–	–	–	–
Scarlatina	74	7	13	11	13	5	49	18	4	–	–	2	1	–	–	–	–	–
Diphtheria	15	–	1	1	4	1	7	3	2	–	1	1	1	–	–	–	–	–
Whooping-cough	33	9	9	9	2	2	32	1	–	–	–	–	–	–	–	–	–	–
Typhus	72	2	6	5	4	2	19	10	10	2	3	7	3	4	6	4	4	–
Diarrhœa & Dysentery	121	70	27	6	1	–	104	–	–	–	1	–	–	–	1	3	9	3
Cholera	3	–	–	1	–	–	1	–	–	–	–	–	–	1	–	1	–	–
Other Zymotic Dis.	43	7	5	7	1	5	25	2	–	1	1	2	2	3	2	3	2	–
Cancer	68	–	–	–	–	–	–	–	1	1	1	–	10	17	15	18	5	–
Scrofula and Tabes	29	8	5	3	2	1	19	3	1	1	1	2	–	–	2	–	–	–
Phthisis	318	6	6	–	2	1	15	9	12	29	30	83	77	38	20	4	1	–
Hydrocephalus	34	8	15	2	3	1	29	4	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	182	46	13	3	4	5	71	3	1	1	2	5	6	12	28	31	17	5
Dis. of Heart & Dropsy	129	–	1	1	2	–	4	1	2	2	4	11	16	16	27	33	13	–
Dis. of Lungs	316	74	51	26	8	5	164	7	1	3	1	3	5	14	26	54	30	8
Dis. of Stom. and Liver	87	5	3	2	–	–	10	–	3	1	1	3	12	14	16	18	8	1
Dis. of Kidneys	20	–	–	–	–	–	–	–	–	1	2	1	3	–	3	9	1	–
Dis. of Gener. Organs	18	–	–	–	–	–	–	–	–	–	–	3	2	4	5	4	–	–
Dis. of Joints	6	–	1	–	–	–	1	–	–	1	1	–	–	1	–	2	–	–
Dis. of Skin	3	–	–	1	–	–	1	–	–	–	–	1	1	–	–	–	–	–
Childbirth and Metria	25	–	–	–	–	–	–	–	–	1	6	9	9	–	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	–	–	2	–	1	–	1	–	–
Other Violent Deaths	26	5	2	1	2	–	10	4	–	2	1	1	2	–	–	2	3	1
Other Causes	404	191	19	4	3	–	217	3	1	–	–	1	7	5	13	46	76	35
159.—BICESTER.																		
Mean Popul^{n}, 1861–71	7746	233	192	215	208	220	1068	1000	833	613	584	1034	885	699	527	354	129	20
TOTAL DEATHS	1547	351	105	43	30	22	551	58	36	38	55	86	95	82	112	212	175	47
Small-pox	8	3	–	–	–	–	3	–	–	–	–	2	1	2	–	–	–	–
Measles	25	10	9	1	3	–	23	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	34	3	4	3	4	4	18	11	3	2	–	–	–	–	–	–	–	–
Diphtheria	4	–	–	–	–	–	–	3	–	–	–	–	–	1	–	–	–	–
Whooping-cough	35	13	15	3	2	1	34	1	–	–	–	–	–	–	–	–	–	–
Typhus	63	1	1	2	2	2	8	9	10	9	8	5	3	2	4	3	2	–
Diarrhœa & Dysentery	56	29	5	2	–	–	36	–	–	–	–	–	1	2	1	8	7	1
Cholera	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	39	4	2	7	5	3	21	3	–	–	1	1	5	–	2	3	2	1
Cancer	35	–	–	–	–	–	–	–	–	–	–	–	3	8	11	8	3	2
Scrofula and Tabes	48	23	5	2	1	2	33	3	3	2	1	3	1	1	1	–	–	–
Phthisis	181	3	1	2	–	1	7	3	9	17	28	45	30	20	15	6	1	–
Hydrocephalus	10	3	2	3	–	1	9	1	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	187	35	17	3	3	3	61	4	6	3	3	–	4	8	15	42	36	5
Dis. of Heart & Dropsy	137	2	–	1	–	–	3	2	2	1	3	2	9	13	20	47	31	4
Dis. of Lungs	197	48	23	9	8	2	90	3	1	–	1	10	10	9	16	32	21	4
Dis. of Stom. and Liver	70	15	1	1	–	1	18	3	–	1	3	4	10	10	6	11	4	–
Dis. of Kidneys	7	–	–	–	–	–	–	–	–	–	–	1	1	–	3	1	–	1
Dis. of Gener. Organs	5	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	–	–
Dis. of Joints	5	–	–	1	–	–	1	–	1	–	1	1	1	–	–	–	–	–
Dis. of Skin	5	2	1	–	–	–	3	–	–	–	1	–	–	–	–	–	1	–
Childbirth and Metria	20	–	–	–	–	–	–	–	–	–	4	8	8	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Other Violent Deaths	26	4	3	2	–	–	9	7	–	–	–	1	1	1	–	2	5	–
Other Causes	348	153	15	1	2	2	173	3	1	3	1	2	6	4	15	49	62	29
160.—WOODSTOCK.																		
Mean Popul^{n}, 1861–71	7175	198	192	195	193	206	984	863	751	613	569	997	808	655	491	308	119	17
TOTAL DEATHS	1346	270	75	36	23	20	424	40	29	40	47	82	79	89	126	184	170	36
Small-pox	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
Measles	22	3	3	5	2	3	16	4	1	–	–	1	–	–	–	–	–	–
Scarlatina	28	4	2	7	1	1	15	7	3	1	–	1	1	–	–	–	–	–
Diphtheria	8	–	–	–	2	–	2	3	–	–	–	–	–	2	1	–	–	–
Whooping-cough	26	9	8	4	3	2	26	–	–	–	–	–	–	–	–	–	–	–
Typhus	44	1	4	–	3	1	9	6	4	4	4	2	5	3	2	5	–	–
Diarrhœa & Dysentery	42	19	2	1	1	–	23	–	1	1	–	2	1	2	2	6	3	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	28	2	3	3	3	1	12	–	1	–	1	–	3	3	3	3	2	–
Cancer	33	–	–	–	–	–	–	–	–	–	–	5	3	7	12	4	2	–
Scrofula and Tabes	31	9	7	2	–	–	18	3	1	3	–	2	1	2	–	1	–	–
Phthisis	150	3	2	–	–	1	6	1	7	19	27	41	25	17	6	1	–	–
Hydrocephalus	6	2	3	–	–	1	6	–	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	162	22	7	3	3	5	40	5	3	2	2	5	6	15	20	41	23	–
Dis. of Heart & Dropsy	111	1	–	1	–	–	2	–	2	4	–	5	11	13	26	35	12	1
Dis. of Lungs	205	59	21	6	3	3	92	4	3	–	2	6	6	8	20	27	32	5
Dis. of Stom. and Liver	61	9	1	1	–	–	11	1	–	1	2	2	4	6	21	9	4	–
Dis. of Kidneys	13	–	–	1	–	–	1	1	1	–	1	1	3	1	1	3	–	–
Dis. of Gener. Organs	5	–	–	–	–	–	–	–	–	–	–	–	2	–	1	2	–	–
Dis. of Joints	7	3	–	–	–	–	3	–	–	–	–	1	–	1	–	1	1	–
Dis. of Skin	7	4	1	–	–	–	5	–	–	–	–	–	–	1	–	–	1	–
Childbirth and Metria	19	–	–	–	–	–	–	–	–	1	6	7	5	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Other Violent Deaths	11	2	–	–	1	1	4	4	–	1	–	–	–	1	1	–	–	–
Other Causes	324	118	11	2	1	1	133	1	2	3	2	1	2	6	10	45	90	29

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
161.—WITNEY.																		
Mean Popul^n, 1861–71	11523	348	302	307	315	316	1588	1470	1336	1101	817	1341	1182	1069	852	536	205	26
TOTAL DEATHS	2238	564	123	60	38	33	818	75	36	47	54	96	105	129	209	285	296	88
Small-pox	4	2	–	–	–	–	2	–	–	–	–	–	–	1	1	–	–	–
Measles	26	5	4	7	2	1	19	6	1	–	–	–	–	–	–	–	–	–
Scarlatina	67	8	9	9	10	8	44	14	5	1	–	2	–	1	–	–	–	–
Diphtheria	10	–	1	1	1	1	4	1	–	–	1	–	–	–	1	3	–	–
Whooping-cough	26	11	9	2	1	1	24	2	–	–	–	–	–	–	–	–	–	–
Typhus	75	1	2	3	1	6	13	10	14	8	3	4	7	7	3	3	2	1
Diarrhœa & Dysentery	52	21	10	2	–	–	33	–	–	–	–	1	1	1	3	7	6	–
Cholera	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	43	7	5	2	1	1	16	1	–	4	–	3	3	3	3	4	5	1
Cancer	46	–	–	–	–	–	–	1	–	–	–	–	2	9	15	14	4	1
Scrofula and Tabes	25	7	–	1	2	–	10	4	1	3	1	1	2	2	–	–	1	–
Phthisis	194	2	1	–	1	–	4	6	4	16	31	56	31	25	18	3	–	–
Hydrocephalus	33	13	10	2	3	–	28	4	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	266	58	12	7	2	1	80	3	3	4	5	7	10	13	34	52	48	7
Dis. of Heart & Dropsy	150	3	–	–	–	–	3	2	2	–	–	7	7	11	36	59	21	2
Dis. of Lungs	346	101	34	13	6	6	160	4	–	4	4	6	14	13	38	47	46	10
Dis. of Stom. and Liver	118	15	1	1	1	1	19	4	2	1	–	3	13	21	24	27	4	–
Dis. of Kidneys	58	1	–	–	–	–	1	–	–	2	1	–	5	10	11	13	14	1
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Dis. of Joints	7	–	1	–	1	–	2	2	–	–	–	–	1	1	–	–	1	–
Dis. of Skin	5	–	1	–	–	–	1	–	–	1	–	–	–	–	2	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	7	–	–	–	–	–	–	–	–	–	1	1	1	1	1	–	2	–
Other Violent Deaths	69	9	3	6	2	3	23	8	2	2	5	4	3	10	6	3	3	–
Other Causes	609	300	20	4	3	4	331	3	1	1	2	1	5	–	12	49	139	65
162.—CHIPPING NORTON.																		
Mean Popul^n, 1861–71	8858	262	232	260	226	236	1216	1075	1007	890	624	1100	939	803	650	384	151	19
TOTAL DEATHS	1712	459	96	44	32	25	656	69	36	35	40	76	98	94	142	206	206	54
Small-pox	4	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	2	–
Measles	11	2	4	2	2	1	11	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	43	2	4	5	11	2	24	16	1	1	–	–	–	–	–	1	–	–
Diphtheria	4	–	–	1	–	1	2	2	–	–	–	–	–	–	–	–	–	–
Whooping-cough	26	19	4	2	–	–	25	1	–	–	–	–	–	–	–	–	–	–
Typhus	54	1	3	–	2	7	13	10	6	3	4	4	6	4	2	2	–	–
Diarrhœa & Dysentery	41	18	4	1	–	–	23	–	–	1	1	–	–	1	5	4	5	1
Cholera	2	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
Other Zymotic Dis.	32	6	3	4	2	2	17	2	1	2	–	–	1	1	2	5	1	–
Cancer	28	–	–	–	–	–	–	–	–	–	–	–	4	3	7	9	4	1
Scrofula and Tabes	30	6	2	2	3	3	16	6	–	2	2	1	1	–	2	–	–	–
Phthisis	162	4	4	1	–	–	9	5	7	13	23	39	30	19	13	4	–	–
Hydrocephalus	23	13	4	–	1	1	19	2	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	169	54	9	1	4	3	71	8	2	2	1	7	6	14	14	22	21	1
Dis. of Heart & Dropsy	126	3	1	–	–	–	4	1	3	1	3	6	13	10	28	39	16	2
Dis. of Lungs	237	77	26	12	3	3	121	6	1	3	1	4	8	9	17	37	26	4
Dis. of Stom. and Liver	82	12	1	1	1	–	15	1	–	4	–	1	11	14	17	13	6	–
Dis. of Kidneys	30	–	–	1	–	–	1	–	–	–	1	3	7	2	6	5	4	1
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Dis. of Joints	7	–	–	–	–	–	–	–	–	–	1	–	3	–	2	1	–	–
Dis. of Skin	2	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–
Other Violent Deaths	59	4	3	3	–	1	11	5	10	2	1	7	3	6	4	6	4	–
Other Causes	536	236	24	8	3	1	272	4	2	1	2	3	4	8	21	58	117	44
163.—BANBURY.																		
Mean Popul^n, 1861–71	15272	454	395	414	400	408	2071	1915	1770	1465	1075	1938	1687	1386	1018	663	260	24
TOTAL DEATHS	3070	752	217	101	56	40	1166	120	54	58	56	152	159	189	266	398	364	88
Small-pox	10	2	–	–	–	–	2	–	–	1	–	2	1	1	2	1	–	–
Measles	48	10	20	7	2	3	42	6	–	–	–	–	–	–	–	–	–	–
Scarlatina	48	3	3	8	5	3	22	19	3	1	–	2	–	1	–	–	–	–
Diphtheria	41	2	5	6	1	9	23	11	3	2	–	–	1	–	–	–	1	–
Whooping-cough	43	23	10	7	1	1	42	1	–	–	–	–	–	–	–	–	–	–
Typhus	107	4	6	6	3	6	25	24	7	9	5	8	8	11	8	2	–	–
Diarrhœa & Dysentery	95	48	17	4	3	1	73	1	–	1	–	–	2	3	4	5	6	–
Cholera	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	78	10	7	9	9	4	39	6	2	2	2	5	3	4	4	8	3	–
Cancer	36	–	–	–	–	–	–	–	–	–	1	1	2	7	10	10	4	1
Scrofula and Tabes	70	30	5	6	2	1	44	5	3	7	4	1	3	–	1	2	–	–
Phthisis	255	13	5	2	1	–	21	7	6	12	35	52	50	33	23	13	3	–
Hydrocephalus	49	9	17	5	7	–	38	6	2	2	–	1	–	–	–	–	–	–
Dis. of Brain	388	117	28	12	5	4	166	7	7	4	2	11	11	26	24	72	52	6
Dis. of Heart & Dropsy	216	3	4	1	4	–	12	3	4	4	2	11	13	20	48	61	34	8
Dis. of Lungs	440	105	54	20	3	4	186	9	3	4	1	19	16	27	49	81	37	8
Dis. of Stom. and Liver	186	18	3	2	1	1	25	4	4	5	–	12	16	21	44	41	13	1
Dis. of Kidneys	53	–	–	1	–	–	1	–	–	–	–	5	6	6	7	16	12	–
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Dis. of Joints	7	–	–	–	–	–	–	1	–	–	–	3	1	1	1	–	–	–
Dis. of Skin	11	2	–	–	–	–	2	–	–	–	–	1	1	1	3	1	2	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	10	–	–	–	–	–	–	–	–	–	–	–	2	4	3	1	–	–
Other Violent Deaths	103	4	3	3	6	2	18	7	8	3	3	8	17	14	12	10	3	–
Other Causes	774	349	29	2	3	1	384	3	2	1	1	10	6	9	23	74	193	6

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
161.—WITNEY.																		
Mean Populn, 1861-71	11551	343	320	292	330	280	1565	1427	1248	998	874	1507	1268	1078	815	527	213	31
TOTAL DEATHS	2264	403	130	70	40	38	681	89	55	66	87	130	141	157	190	243	325	100
Small-pox	3	–	–	2	–	–	2	–	–	–	–	–	–	1	–	–	–	–
Measles	22	4	7	4	2	–	17	3	1	–	–	–	–	1	–	–	–	–
Scarlatina	55	–	6	11	5	11	33	18	4	–	–	–	–	–	–	–	–	–
Diphtheria	11	1	2	–	1	1	5	4	–	–	1	–	–	1	–	–	–	–
Whooping-cough	44	23	11	4	3	1	42	1	1	–	–	–	–	–	–	–	–	–
Typhus	105	4	–	5	2	7	18	18	13	11	8	6	7	4	5	10	4	1
Diarrhœa & Dysentery	66	29	5	2	1	1	38	–	–	–	1	2	–	–	5	9	11	–
Cholera	7	1	–	2	–	–	3	–	–	–	–	–	–	1	2	1	–	–
Other Zymotic Dis.	34	3	2	3	4	1	13	7	2	–	2	–	–	2	3	4	1	–
Cancer	56	–	–	–	–	–	–	–	–	–	–	1	10	14	16	8	5	2
Scrofula and Tabes	35	3	3	–	4	1	11	2	2	3	3	5	4	3	1	–	1	–
Phthisis	278	–	3	7	–	1	11	6	17	29	48	69	44	32	19	3	–	–
Hydrocephalus	23	10	4	4	–	1	19	2	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	236	46	12	2	7	4	71	6	1	4	4	5	10	14	32	45	34	10
Dis. of Heart & Dropsy	207	3	1	2	–	1	7	4	6	3	2	12	17	27	43	51	32	3
Dis. of Lungs	290	71	36	10	7	2	126	4	2	5	2	1	11	20	22	43	45	9
Dis. of Stom. and Liver	112	5	3	1	–	–	9	2	3	2	4	5	13	18	28	15	13	–
Dis. of Kidneys	24	2	–	–	1	–	3	1	1	1	1	6	5	2	2	1	1	–
Dis. of Gener. Organs	19	–	–	–	–	–	–	–	–	–	–	3	3	7	3	3	–	–
Dis. of Joints	7	–	–	–	–	–	–	1	–	1	2	–	2	1	–	–	–	–
Dis. of Skin	4	–	1	–	–	–	1	–	–	–	–	1	–	1	1	–	–	–
Childbirth and Metria	35	–	–	–	–	–	–	–	–	4	7	13	11	–	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–
Other Violent Deaths	34	7	3	4	2	2	18	5	–	–	–	–	2	1	–	1	4	3
Other Causes	553	191	31	7	1	4	234	5	–	3	2	1	2	7	7	47	173	72
162.—CHIPPING NORTON.																		
Mean Populn, 1861-71	8762	263	233	269	229	229	1223	1087	963	766	691	1156	954	803	590	376	130	23
TOTAL DEATHS	1600	307	91	54	34	20	506	70	45	58	66	124	84	87	119	186	192	63
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	14	3	4	2	–	2	11	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	40	4	3	6	5	2	20	13	3	1	–	2	1	–	–	–	–	–
Diphtheria	3	–	–	–	1	–	1	1	–	–	–	–	1	–	–	–	–	–
Whooping-cough	25	5	10	5	2	1	23	2	–	–	–	–	–	–	–	–	–	–
Typhus	67	1	3	2	1	–	7	16	13	5	5	9	5	4	1	2	–	–
Diarrhœa & Dysentery	28	9	1	1	2	–	13	1	1	1	1	–	2	1	1	4	3	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	32	9	1	4	3	3	20	2	–	2	2	–	1	2	–	2	1	–
Cancer	49	–	–	–	–	–	–	–	–	1	2	5	8	11	11	6	5	–
Scrofula and Tabes	28	7	4	2	1	–	14	5	2	2	1	1	–	1	1	–	1	–
Phthisis	210	1	3	4	2	2	12	4	17	28	39	57	23	18	11	1	–	–
Hydrocephalus	12	5	2	2	2	–	11	–	–	–	–	1	–	–	–	–	–	–
Dis. of Brain	140	22	7	2	4	3	38	3	1	2	4	5	4	9	22	28	20	4
Dis. of Heart & Dropsy	146	3	–	–	–	1	4	4	2	3	–	9	10	16	31	42	21	4
Dis. of Lungs	200	64	25	13	5	2	109	5	3	2	3	7	3	6	16	28	16	2
Dis. of Stom. and Liver	86	6	–	2	1	–	9	5	–	6	3	4	10	12	12	12	9	4
Dis. of Kidneys	10	–	1	–	–	–	1	1	–	–	–	1	3	1	1	2	–	–
Dis. of Gener. Organs	9	–	–	–	–	–	–	–	–	1	–	1	–	1	4	1	1	–
Dis. of Joints	7	1	–	–	1	1	3	1	1	–	–	–	1	1	–	–	–	–
Dis. of Skin	2	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Childbirth and Metria	32	–	–	–	–	–	–	–	–	–	5	19	8	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Other Violent Deaths	13	2	2	1	2	–	7	1	1	–	–	–	–	–	–	2	–	2
Other Causes	446	164	25	8	2	3	202	3	1	4	1	3	3	3	8	56	115	47
163.—BANBURY.																		
Mean Populn, 1861-71	15418	470	404	418	405	389	2086	1866	1728	1315	1189	2072	1760	1429	1041	651	250	31
TOTAL DEATHS	2980	595	185	106	70	67	1023	102	62	92	79	194	177	175	255	374	360	87
Small-pox	9	2	1	–	1	–	4	1	–	2	–	–	2	–	–	–	–	–
Measles	72	10	23	17	5	8	63	6	1	–	–	2	–	–	–	–	–	–
Scarlatina	57	4	5	6	6	14	35	16	2	2	–	1	1	–	–	–	–	–
Diphtheria	53	3	5	11	8	7	34	8	3	1	2	3	1	1	–	–	–	–
Whooping-cough	52	18	14	7	7	4	50	1	1	–	–	–	–	–	–	–	–	–
Typhus	115	4	3	5	1	2	15	17	18	17	12	12	8	5	5	4	2	–
Diarrhœa & Dysentery	73	34	6	7	1	–	48	3	2	1	–	1	3	1	4	3	6	1
Cholera	3	–	1	–	–	–	1	–	–	–	–	1	–	–	–	1	–	–
Other Zymotic Dis.	61	5	2	4	8	6	25	8	1	3	2	1	3	5	3	7	2	1
Cancer	76	–	–	–	–	–	–	–	–	–	1	3	8	21	16	20	7	–
Scrofula and Tabes	55	18	10	–	7	1	36	3	3	4	2	–	1	–	4	2	–	–
Phthisis	309	8	11	4	1	2	26	1	8	37	36	84	60	29	17	8	–	–
Hydrocephalus	38	13	7	2	–	3	25	6	4	1	–	–	1	–	1	–	–	–
Dis. of Brain	343	77	18	11	7	2	115	7	–	3	3		13	25	39	69	48	9
Dis. of Heart & Dropsy	214	6	4	4	1	–	15	3	6	4	3	12	22	37	57	61	22	2
Dis. of Lungs	375	83	46	17	5	12	163	10	1	2	8	15	11	12	46	63	39	5
Dis. of Stom. and Liver	161	10	1	2	1	–	14	5	6	5	3	13	18	22	40	26	9	–
Dis. of Kidneys	17	–	–	–	2	–	2	–	1	–	1	2	2	3	4	2	–	–
Dis. of Gener. Organs	11	–	–	–	–	–	–	–	–	–	–	1	4	1	2	3	–	–
Dis. of Joints	13	–	–	–	–	1	1	–	–	2	1	2	2	1	1	3	–	–
Dis. of Skin	8	–	2	–	–	–	2	–	–	–	–	2	–	1	–	2	1	–
Childbirth and Metria	40	–	–	–	–	–	–	–	–	3	3	20	13	1	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–
Other Violent Deaths	38	7	1	2	5	4	19	1	3	2	1	1	–	2	1	4	3	1
Other Causes	754	293	25	7	4	1	330	3	2	3	1	6	4	7	13	96	221	68

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
164.—BRACKLEY.																		
Mean Popul^n, 1861–71	6634	191	180	188	160	177	896	817	719	630	481	835	708	609	483	322	119	15
TOTAL DEATHS	1324	326	76	44	24	23	493	42	37	22	35	64	57	67	109	179	174	45
Small-pox	2	1	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Measles	23	8	11	3	2	1	25	1	–	1	–	1	–	–	–	–	–	–
Scarlatina	39	5	4	4	8	5	26	8	2	1	–	1	–	–	–	1	–	–
Diphtheria	7	–	1	1	1	1	4	2	1	–	–	–	–	–	–	–	–	–
Whooping-cough	10	5	1	2	–	–	8	1	1	–	–	–	–	–	–	–	–	–
Typhus	80	1	1	2	2	6	12	10	12	5	5	10	4	6	7	6	2	1
Diarrhœa & Dysentery	22	5	3	1	–	–	9	–	–	–	–	1	–	2	4	1	4	1
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Other Zymotic Dis.	28	7	2	4	2	–	15	2	1	3	–	1	–	1	2	1	2	–
Cancer	10	–	–	–	–	–	–	–	–	–	–	–	1	1	3	4	1	–
Scrofula and Tabes	33	18	3	3	–	1	25	2	1	–	–	1	–	–	2	1	1	–
Phthisis	96	–	2	–	–	1	3	2	7	2	21	24	18	13	5	1	–	
Hydrocephalus	35	13	7	5	3	2	30	4	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	185	37	5	7	4	1	54	–	–	3	3	5	6	7	17	44	40	[illegible]
Dis. of Heart & Dropsy	98	1	–	–	–	2	3	1	2	1	–	6	7	8	22	29	16	[illegible]
Dis. of Lungs	185	54	20	6	–	3	83	4	4	1	1	4	7	13	15	36	13	[illegible]
Dis. of Stom. and Liver	76	14	–	–	–	–	14	3	1	1	–	2	9	7	15	18	6	–
Dis. of Kidneys	14	–	–	–	–	–	–	–	–	–	2	–	1	–	2	3	6	–
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Dis. of Joints	6	–	–	–	–	–	–	–	1	–	1	2	–	–	1	1	–	–
Dis. of Skin	3	1	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	7	–	–	–	–	–	–	–	–	1	–	1	–	2	3	–	–	–
Other Violent Deaths	26	1	–	2	–	–	3	2	3	2	2	3	2	3	2	3	1	–
Other Causes	332	155	15	4	2	–	176	–	–	1	–	2	2	3	7	20	82	3[illegible]
165.—TOWCESTER.																		
Mean Popul^n, 1861–71	6373	180	171	159	158	155	823	778	721	605	459	828	714	566	458	306	102	1[illegible]
TOTAL DEATHS	1343	390	106	49	25	19	589	43	24	27	37	56	52	55	101	165	151	4[illegible]
Small-pox	23	4	–	2	–	–	6	1	–	4	5	1	4	1	–	1	–	
Measles	34	8	12	9	1	2	32	2	–	–	–	–	–	–	–	–	–	
Scarlatina	25	2	4	6	5	3	20	4	1	–	–	–	–	–	–	–	–	
Diphtheria	9	4	–	1	3	–	8	1	–	–	–	–	–	–	–	–	–	
Whooping-cough	21	15	5	–	1	–	21	–	–	–	–	–	–	–	–	–	–	
Typhus	21	–	1	1	–	1	3	3	2	2	–	3	–	1	3	2	2	
Diarrhœa & Dysentery	49	33	5	1	–	–	39	–	–	–	–	–	–	–	2	3	4	
Cholera	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	
Other Zymotic Dis.	30	4	1	4	5	2	16	3	2	–	–	–	–	2	1	4	2	
Cancer	13	–	–	–	–	–	–	–	1	–	–	–	–	2	4	5	1	
Scrofula and Tabes	23	8	5	–	–	–	13	3	1	–	2	2	–	–	1	1	–	
Phthisis	99	6	7	1	–	1	15	1	3	12	15	25	16	6	5	1	–	
Hydrocephalus	24	7	8	1	1	–	17	6	1	–	–	–	–	–	–	–	–	
Dis. of Brain	173	39	11	3	3	2	58	5	1	1	3	4	6	4	19	34	32	
Dis. of Heart & Dropsy	108	3	2	2	–	–	7	1	2	1	2	2	7	13	19	28	24	
Dis. of Lungs	218	78	27	7	3	3	118	2	–	–	5	4	5	8	17	32	25	
Dis. of Stom. and Liver	96	15	6	4	–	–	25	3	3	2	2	5	5	6	12	22	7	
Dis. of Kidneys	28	–	–	–	–	–	–	–	–	–	–	1	–	3	6	10	7	
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Dis. of Joints	5	–	–	–	–	–	–	–	–	–	1	2	–	1	1	–	–	
Dis. of Skin	5	1	–	–	1	–	2	–	–	–	–	–	1	–	–	1	1	
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Suicide	5	–	–	–	–	–	–	–	–	1	–	–	–	–	3	–	1	
Other Violent Deaths	50	3	1	2	1	3	10	4	7	4	2	7	7	5	3	–	–	
Other Causes	282	160	11	5	1	2	179	4	–	–	–	–	1	3	5	21	43	[illegible]
166.—POTTERSPURY.																		
Mean Popul^n, 1861–71	5966	184	143	147	157	150	781	688	685	645	578	804	618	504	368	219	67	[illegible]
TOTAL DEATHS	1087	334	94	42	22	10	502	38	17	27	32	42	52	69	79	113	90	[illegible]
Small-pox	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	
Measles	40	12	17	5	–	2	36	2	2	–	–	–	–	–	–	–	–	
Scarlatina	27	4	7	5	3	–	19	7	1	–	–	–	–	–	–	–	–	
Diphtheria	5	1	–	–	1	–	2	2	–	–	–	1	–	–	–	–	–	
Whooping-cough	20	11	6	1	1	1	20	–	–	–	–	–	–	–	–	–	–	
Typhus	37	1	3	3	2	2	11	7	4	3	–	2	4	–	3	2	1	
Diarrhœa & Dysentery	30	12	10	–	1	–	23	–	–	–	–	1	–	–	2	2	2	
Cholera	2	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	
Other Zymotic Dis.	24	5	6	1	3	–	15	1	–	–	–	2	–	2	1	2	1	
Cancer	12	–	–	–	–	–	–	–	–	–	–	–	1	3	3	2	3	
Scrofula and Tabes	20	10	3	–	–	–	13	1	–	2	1	1	–	–	1	1	–	
Phthisis	98	3	1	2	–	–	6	2	2	9	22	15	21	12	7	2	–	
Hydrocephalus	21	13	4	1	–	2	20	1	–	–	–	–	–	–	–	–	–	
Dis. of Brain	118	33	3	5	4	–	45	3	3	3	2	2	4	10	13	16	13	
Dis. of Heart & Dropsy	50	2	1	–	–	1	4	–	1	1	3	–	4	7	8	11	7	
Dis. of Lungs	139	56	21	10	3	–	90	2	–	1	–	3	5	10	15	20	12	
Dis. of Stom. and Liver	64	9	1	1	–	–	11	1	1	1	2	4	6	15	8	9	6	
Dis. of Kidneys	19	–	–	1	–	–	1	–	1	1	–	2	2	1	1	7	3	
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Dis. of Joints	6	–	–	–	–	–	–	2	–	1	–	–	–	2	1	–	–	
Dis. of Skin	7	2	–	–	–	–	2	1	–	–	–	–	1	1	–	1	1	
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Suicide	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	
Other Violent Deaths	45	4	–	2	4	–	10	4	2	4	2	7	3	5	4	3	1	
Other Causes	279	156	11	4	–	2	173	1	–	1	–	1	1	1	9	35	40	

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
164.—BRACKLEY.																		
Mean Populn, 1861–71	6858	203	187	176	190	165	921	831	729	586	540	888	773	638	515	320	106	11
TOTAL DEATHS	1317	247	80	42	25	18	412	39	35	45	47	86	95	64	126	166	167	35
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	32	3	10	4	5	4	26	2	–	2	–	–	2	–	–	–	–	–
Scarlatina	25	2	7	3	7	2	21	4	–	–	–	–	–	–	–	–	–	–
Diphtheria	8	–	–	2	1	–	3	4	–	1	–	–	–	–	–	–	–	–
Whooping-cough	23	10	7	6	–	–	23	–	–	–	–	–	–	–	–	–	–	–
Typhus	67	1	2	3	4	3	13	10	6	10	5	5	4	4	2	5	3	–
Diarrhœa & Dysentery	24	7	–	1	–	–	8	–	1	–	–	–	–	2	3	6	4	–
Cholera	3	–	–	–	1	–	1	–	–	–	–	–	–	–	–	2	–	–
Other Zymotic Dis.	28	3	6	3	–	3	15	2	1	1	1	1	1	1	3	2	–	–
Cancer	26	–	–	1	–	–	1	–	–	–	–	1	2	5	6	9	2	–
Scrofula and Tabes	32	14	5	3	–	1	23	–	2	2	1	–	1	1	1	1	–	–
Phthisis	172	2	1	1	–	1	5	1	15	19	25	46	40	10	9	1	1	–
Hydrocephalus	31	11	11	3	2	–	27	3	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	152	19	5	1	1	–	26	3	4	2	4	6	6	9	27	42	18	5
Dis. of Heart & Dropsy	123	3	–	–	–	–	3	1	–	2	3	6	9	18	25	31	23	2
Dis. of Lungs	135	37	17	7	2	1	64	4	–	3	1	2	5	4	13	18	20	1
Dis. of Stom. and Liver	77	5	1	1	–	2	9	1	3	2	–	8	9	9	20	12	4	–
Dis. of Kidneys	8	–	–	–	–	–	–	–	–	–	–	2	2	–	1	1	2	–
Dis. of Gener. Organs	4	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–
Dis. of Joints	4	–	–	–	–	–	–	1	–	–	–	–	–	1	1	1	–	–
Dis. of Skin	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–
Childbirth and Metria	20	–	–	–	–	–	–	–	–	–	3	6	11	–	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–
Other Violent Deaths	8	1	1	1	–	–	3	2	–	–	–	–	–	–	3	–	–	–
Other Causes	309	129	7	2	2	1	141	1	2	1	4	1	1	–	9	34	88	27
165.—TOWCESTER.																		
Mean Populn, 1861–71	6622	180	172	168	172	167	859	776	697	563	532	905	767	628	481	301	100	13
TOTAL DEATHS	1312	270	94	42	25	24	455	34	29	43	37	83	90	82	116	172	133	38
Small-pox	7	1	1	1	–	–	3	–	1	1	–	–	–	1	1	–	–	–
Measles	24	5	5	6	3	2	21	2	–	1	–	–	–	–	–	–	–	–
Scarlatina	20	1	3	4	2	6	16	3	1	–	–	–	–	–	–	–	–	–
Diphtheria	8	–	1	–	1	1	3	3	–	–	–	1	–	1	–	–	–	–
Whooping-cough	24	11	5	4	3	–	23	1	–	–	–	–	–	–	–	–	–	–
Typhus	40	–	1	1	1	1	4	5	7	7	1	2	9	2	–	1	2	–
Diarrhœa & Dysentery	26	13	4	2	1	–	20	–	–	–	–	–	–	1	–	2	3	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	31	5	6	5	2	1	19	3	–	1	–	–	1	1	3	3	–	–
Cancer	23	–	–	–	–	–	–	–	–	–	–	2	2	6	9	7	1	1
Scrofula and Tabes	29	5	6	1	2	2	16	–	2	4	1	2	1	1	2	–	–	–
Phthisis	137	4	6	–	–	1	11	3	5	16	15	34	32	10	7	4	–	–
Hydrocephalus	22	8	6	3	2	1	20	2	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	154	35	10	2	2	3	52	2	3	3	3	7	5	5	18	32	19	5
Dis. of Heart & Dropsy	112	–	3	–	–	–	3	2	1	3	1	4	10	13	19	31	21	4
Dis. of Lungs	220	47	19	10	2	4	82	4	5	1	7	7	4	14	20	38	35	3
Dis. of Stom. and Liver	115	12	4	1	2	–	19	2	1	3	4	10	7	18	23	17	10	1
Dis. of Kidneys	11	1	–	–	–	–	1	1	–	–	1	2	1	2	–	3	–	–
Dis. of Gener. Organs	12	–	–	–	–	–	–	–	–	–	–	1	3	3	3	1	1	–
Dis. of Joints	5	–	–	–	–	–	–	–	–	1	–	–	1	2	–	1	–	–
Dis. of Skin	4	2	–	–	–	–	2	–	–	–	–	–	–	–	–	2	–	–
Childbirth and Metria	22	–	–	–	–	–	–	–	–	–	2	9	10	1	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Other Violent Deaths	17	2	1	1	2	–	6	–	1	–	1	–	1	1	2	2	1	2
Other Causes	242	118	13	1	–	2	134	1	2	2	1	2	1	–	9	28	40	22
166.—POTTERSPURY.																		
Mean Populn, 1861–71	5708	179	147	160	139	131	756	702	590	525	496	806	645	535	356	217	69	11
TOTAL DEATHS	1111	269	73	35	27	16	420	30	21	29	40	66	70	70	98	131	101	35
Small-pox	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Measles	24	5	4	6	3	3	21	1	1	–	–	1	–	–	–	–	–	–
Scarlatina	26	–	5	5	6	4	20	4	2	–	–	–	–	–	–	–	–	–
Diphtheria	8	–	2	1	1	–	4	3	1	–	–	–	–	–	–	–	–	–
Whooping-cough	23	14	5	1	1	1	22	1	–	–	–	–	–	–	–	–	–	–
Typhus	44	2	6	2	2	1	13	9	3	3	3	3	2	1	5	2	–	–
Diarrhœa & Dysentery	31	17	3	1	1	–	22	–	–	–	1	1	–	–	–	4	2	1
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Other Zymotic Dis.	29	2	3	4	1	2	12	3	1	1	–	3	2	2	2	1	1	1
Cancer	32	–	–	–	1	–	1	–	–	–	1	1	4	5	12	8	–	–
Scrofula and Tabes	25	7	2	1	–	1	11	2	–	2	–	1	5	3	1	–	–	–
Phthisis	129	3	3	–	1	–	7	2	8	16	19	31	21	16	7	2	–	–
Hydrocephalus	21	10	6	2	2	1	21	–	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	108	24	4	5	1	–	34	–	–	1	4	5	3	7	10	22	20	2
Dis. of Heart & Dropsy	92	2	2	–	–	–	4	1	–	2	5	3	9	11	22	24	9	2
Dis. of Lungs	129	44	16	2	4	1	67	1	–	–	–	4	4	6	16	21	9	1
Dis. of Stom. and Liver	68	7	–	–	–	–	7	–	3	2	1	2	6	8	13	16	10	–
Dis. of Kidneys	8	1	–	–	–	–	1	–	–	–	–	–	2	4	1	–	–	–
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Dis. of Joints	3	–	–	–	–	1	1	–	–	–	–	–	–	–	–	2	–	–
Dis. of Skin	6	3	–	–	–	–	3	–	–	–	–	1	1	–	1	–	–	–
Childbirth and Metria	21	–	–	–	–	–	–	–	–	1	5	8	7	–	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–
Other Violent Deaths	12	2	2	1	1	1	7	1	2	–	–	–	–	–	–	1	–	1
Other Causes	264	126	10	4	2	–	142	2	–	1	–	1	4	4	7	26	50	27

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Males: Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
167.—HARDINGSTONE.																		
Mean Popul^n, 1861–71	5122	154	147	149	131	124	705	619	590	507	399	636	572	465	342	212	68	7
TOTAL DEATHS	1008	302	87	39	24	19	471	38	14	31	26	38	38	59	78	100	91	24
Small-pox	5	–	2	–	1	–	3	–	1	–	–	–	1	–	–	–	–	–
Measles	24	5	11	2	–	5	23	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	47	4	6	5	6	5	26	11	3	1	–	2	–	–	2	1	1	–
Diphtheria	6	–	1	–	1	–	2	3		–	–	1	–	–	–	–	–	–
Whooping-cough	11	9	1	1	–	–	11	–	–	–	–	–	–	–	–	–	–	–
Typhus	40	2	3	–	–	1	6	7	1	4	2	3	4	5	1	5	2	–
Diarrhœa & Dysentery	45	31	7	2	–	–	40	–	–	–	–	–	–	1	–	3	–	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	22	3	5	2	4	–	14	1	1	1	–	1	1	–	1	1	1	–
Cancer	4	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–
Scrofula and Tabes	11	4	2	1	–	–	7	–	1	2	–	–	1	–	–	–	–	–
Phthisis	84	5	1	3	1	1	11	–	1	12	15	21	10	8	4	2	–	–
Hydrocephalus	13	5	5	1	1	–	12	1	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	114	39	10	7	1	1	58	1	–	1	4	1	4	3	6	20	16	–
Dis. of Heart & Dropsy	65	4	1	1	1	–	7	1	1	1	1	2	10	13	8	12	8	1
Dis. of Lungs	150	55	20	7	4	2	88	2	–	1	–	1	2	6	23	14	12	1
Dis. of Stom. and Liver	34	5	–	–	1	–	6	3	3	2	1	1	2	6	6	1	3	–
Dis. of Kidneys	19	–	–	–	2	–	2	–	–	1	–	–	2	5	3	4	–	2
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	2	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
Dis. of Skin	4	3	–	–	–	–	3	–	–	–	–	–	–	–	1	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–
Other Violent Deaths	32	2	–	–	–	1	3	4	1	5	1	3	1	6	4	3	–	1
Other Causes	273	126	12	7	1	3	149	2	1	–	2	2	–	4	14	33	48	18
168.—NORTHAMPTON.																		
Mean Popul^n, 1861–71	22689	736	644	618	545	630	3173	2658	2355	2265	2101	3496	2690	1922	1227	608	173	21
TOTAL DEATHS	6109	1846	587	267	195	121	3016	269	113	121	187	371	346	368	482	477	298	61
Small-pox	140	34	12	16	25	10	97	14	–	1	6	11	6	4	1	–	–	–
Measles	184	41	83	38	13	7	182	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	303	26	63	49	56	42	236	116	25	4	3	2	4	2	1	–	–	–
Diphtheria	43	9	7	8	6	6	36	6	–	1	–	–	–	–	–	–	–	–
Whooping-cough	110	60	31	8	6	1	106	4	–	–	–	–	–	–	–	–	–	–
Typhus	167	9	9	9	11	7	45	20	6	13	17	17	9	12	11	13	4	–
Diarrhœa & Dysentery	421	277	65	10	3	4	359	4	–	2	1	7	3	5	10	21	9	–
Cholera	4	1	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–
Other Zymotic Dis.	123	19	18	11	10	6	64	5	6	4	9	2	6	9	11	4	3	–
Cancer	59	–	–	–	–	–	–	1	1	–	3	3	5	10	25	9	2	–
Scrofula and Tabes	85	36	13	9	1	–	59	1	4	–	6	5	3	5	2	–	–	–
Phthisis	625	24	18	10	5	1	68	11	17	46	72	160	110	83	51	11	1	–
Hydrocephalus	79	34	14	11	6	6	71	7	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	826	325	46	16	10	9	406	17	12	13	16	33	56	60	79	87	44	–
Dis. of Heart & Dropsy	270	–	2	4	1	–	7	14	6	3	13	23	34	39	51	58	22	–
Dis. of Lungs	823	255	120	45	23	11	454	17	7	8	10	34	30	44	86	89	39	–
Dis. of Stom. & Liver	201	36	2	4	3	4	49	4	3	3	7	17	21	23	36	28	9	–
Dis. of Kidneys	105	–	3	–	1	1	5	4	4	1	4	7	16	13	19	19	12	–
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Dis. of Joints	26	–	–	–	1	–	1	3	3	4	1	2	4	3	3	2	–	–
Dis. of Skin	10	1	–	1	2	–	4	–	–	2	–	–	–	1	2	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	32	–	–	–	–	–	–	–	–	–	2	7	3	7	8	5	–	–
Other Violent Deaths	214	12	6	6	9	3	36	16	15	15	14	27	25	20	28	12	5	–
Other Causes	1168	647	75	12	3	3	740	3	3	1	3	13	11	22	58	117	148	4
169.—DAVENTRY.																		
Mean Popul^n, 1861–71	10183	270	266	248	232	260	1276	1184	1116	953	868	1349	1140	928	722	455	171	2
TOTAL DEATHS	2004	497	117	60	43	24	741	74	38	39	53	99	111	107	186	245	255	5
Small-pox	16	2	1	2	1	–	6	–	1	1	–	1	3	2	2	–	–	–
Measles	24	5	3	2	5	–	20	3	1	–	–	–	–	–	–	–	–	–
Scarlatina	51	2	6	12	9	2	31	17	–	–	1	2	–	–	–	–	–	–
Diphtheria	18	1	1	2	4	2	10	6	–	1	–	–	–	1	–	–	–	–
Whooping-cough	20	16	3	–	–	–	19	1	–	–	–	–	–	–	–	–	–	–
Typhus	58	1	1	1	3	–	6	5	9	4	5	5	7	5	7	3	2	–
Diarrhœa & Dysentery	49	21	5	2	1	–	29	–	–	–	–	2	–	1	5	4	7	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	53	5	9	10	3	2	29	6	–	1	1	2	3	6	–	2	2	–
Cancer	25	–	–	1	–	–	1	–	–	–	–	–	3	5	7	6	3	–
Scrofula and Tabes	46	18	5	4	1	1	29	4	2	–	2	4	2	–	1	2	–	–
Phthisis	151	–	1	1	2	1	5	5	3	13	23	44	27	15	10	6	–	–
Hydrocephalus	46	25	12	2	1	1	41	4	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	234	54	9	1	3	5	72	4	6	2	4	3	4	12	32	51	40	–
Dis. of Heart & Dropsy	165	20	2	–	–	2	24	1	2	2	3	11	10	16	35	41	19	–
Dis. of Lungs	290	84	26	8	5	5	128	6	–	2	4	10	16	16	34	29	41	–
Dis. of Stom. and Liver	108	16	4	3	1	2	26	7	4	3	2	2	7	11	23	13	8	–
Dis. of Kidneys	37	–	–	–	–	–	–	1	1	–	2	2	3	3	7	14	3	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	7	–	1	–	–	–	1	–	–	–	1	–	3	–	1	–	1	–
Dis. of Skin	11	6	–	–	–	–	6	–	1	1	–	–	1	–	–	1	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	12	–	–	–	–	–	–	–	–	1	1	1	3	2	2	1	1	–
Other Violent Deaths	86	8	2	5	4	1	20	4	5	7	3	10	13	9	5	8	1	–
Other Causes	496	213	21	4	–	–	238	–	2	1	1	–	6	3	15	64	126	–

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
167.—HARDINGSTONE.																		
Mean Populn, 1861–71	5171	162	147	138	154	137	738	625	574	446	430	685	594	461	345	206	57	10
TOTAL DEATHS	1068	220	66	39	22	24	371	40	30	44	42	82	69	64	79	129	101	17
Small-pox	3	1	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–
Measles	23	5	8	5	2	1	21	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	54	3	7	7	7	8	32	12	5	1	1	–	–	–	–	2	1	–
Diphtheria	6	–	–	–	–	3	3	3	–	–	–	–	–	–	–	–	–	–
Whooping-cough	12	8	2	2	–	–	12	–	–	–	–	–	–	–	–	–	–	–
Typhus	39	3	1	3	1	2	10	5	3	2	7	3	3	4	2	–	–	–
Diarrhœa & Dysentery	35	21	6	1	–	–	28	–	1	–	1	–	1	1	–	–	3	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	18	3	1	4	2	–	10	2	–	1	–	–	1	1	2	1	–	–
Cancer	16	–	–	–	–	–	–	–	–	–	–	1	2	6	4	2	1	–
Scrofula and Tabes	15	7	3	1	–	–	11	2	–	1	–	–	–	1	–	–	–	–
Phthisis	181	8	3	1	3	2	17	3	13	27	26	41	29	11	8	5	1	–
Hydrocephalus	8	3	2	–	–	1	6	1	–	1	–	–	–	–	–	–	–	–
Dis. of Brain	83	27	3	–	–	–	30	2	2	1	–	6	4	4	13	20	6	–
Dis. of Heart & Dropsy	105	2	1	2	1	–	6	1	2	1	–	7	7	10	21	37	13	–
Dis. of Lungs	127	46	16	9	5	2	78	1	1	1	1	4	5	7	6	11	10	2
Dis. of Stom. and Liver	41	2	–	–	–	2	4	1	–	1	1	6	3	5	10	7	3	–
Dis. of Kidneys	10	–	–	–	–	–	–	–	–	–	–	4	2	2	1	1	–	–
Dis. of Gener. Organs	9	–	–	–	–	–	–	–	–	–	1	–	1	5	1	1	–	–
Dis. of Joints	9	1	–	–	–	–	1	–	1	1	–	–	–	2	1	3	–	–
Dis. of Skin	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Childbirth and Metria	18	–	–	–	–	–	–	–	–	3	3	5	7	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Other Violent Deaths	8	1	1	2	–	–	4	2	–	1	–	–	–	–	–	1	–	–
Other Causes	241	79	12	2	1	3	97	3	2	2	1	4	2	5	9	38	63	15
168.—NORTHAMPTON.																		
Mean Populn, 1861–71	23263	737	636	597	578	582	3130	2650	2487	2463	2243	3531	2635	1905	1259	707	222	31
TOTAL DEATHS	5465	1440	543	277	175	121	2556	254	103	171	178	362	324	285	381	442	324	85
Small-pox	128	32	18	19	15	11	95	16	1	5	4	5	2	–	–	–	–	–
Measles	152	26	63	31	12	6	138	11	–	1	–	1	1	–	–	–	–	–
Scarlatina	353	32	40	51	54	42	219	95	25	5	2	5	–	–	1	1	–	–
Diphtheria	52	5	7	11	7	8	38	9	2	–	2	–	1	–	–	–	–	–
Whooping-cough	138	66	50	13	6	3	138	–	–	–	–	–	–	–	–	–	–	–
Typhus	182	9	19	11	7	5	51	28	11	17	7	18	10	8	11	10	11	–
Diarrhœa & Dysentery	385	232	67	21	3	2	325	5	2	1	1	5	5	4	9	11	16	1
Cholera	5	1	1	–	–	–	2	–	–	–	–	–	–	1	–	1	1	–
Other Zymotic Dis.	98	17	17	9	14	7	64	3	4	–	1	5	4	3	9	2	2	1
Cancer	112	–	–	–	1	–	1	–	–	1	–	10	26	23	30	17	4	–
Scrofula and Tabes	52	19	7	5	2	4	37	1	3	2	1	3	2	1	1	–	1	–
Phthisis	656	34	19	11	5	3	72	16	21	78	92	166	106	72	26	7	–	–
Hydrocephalus	50	15	18	2	4	1	40	5	5	–	–	–	–	–	–	–	–	–
Dis. of Brain	605	197	41	24	11	8	281	18	5	8	17	23	35	41	62	64	41	10
Dis. of Heart & Dropsy	274	4	2	–	–	2	8	7	10	6	5	25	29	38	62	53	28	3
Dis. of Lungs	685	182	97	48	23	13	363	11	3	6	14	23	28	30	68	89	44	6
Dis. of Stom. and Liver	193	17	2	–	1	2	22	8	3	11	6	19	16	28	27	43	7	3
Dis. of Kidneys	52	–	–	1	–	–	1	3	1	6	1	11	12	5	5	6	1	–
Dis. of Gener. Organs	19	–	–	–	–	–	–	–	–	1	2	2	4	2	6	2	–	–
Dis. of Joints	19	–	1	–	–	–	1	2	2	2	2	1	3	3	1	2	–	–
Dis. of Skin	24	5	5	–	2	–	12	–	–	1	–	1	1	3	5	1	–	–
Childbirth and Metria	75	–	–	–	–	–	–	–	–	10	10	29	26	–	–	–	–	–
Suicide	8	–	–	–	–	–	–	–	1	–	1	1	4	–	1	–	–	–
Other Violent Deaths	64	7	5	6	3	2	23	7	2	3	5	1	4	7	5	2	3	2
Other Causes	1084	540	64	14	5	2	625	9	2	7	5	8	5	16	52	131	165	59
169.—DAVENTRY.																		
Mean Populn, 1861–71	9843	266	256	260	237	266	1285	1153	1068	836	757	1305	1103	970	720	455	172	19
TOTAL DEATHS	1904	342	105	62	28	21	558	65	42	71	83	141	119	122	161	243	238	61
Small-pox	9	1	–	1	1	1	4	–	–	–	1	1	–	2	–	–	–	1
Measles	14	2	7	3	2	–	14	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	39	1	5	9	7	4	26	11	–	1	1	–	–	–	–	–	–	–
Diphtheria	13	–	3	4	–	–	7	4	2	–	–	–	–	–	–	–	–	–
Whooping-cough	29	18	4	3	1	–	26	3	–	–	–	–	–	–	–	–	–	–
Typhus	76	–	2	2	1	3	8	11	12	12	7	8	5	1	5	4	3	–
Diarrhœa & Dysentery	43	14	6	–	–	–	20	–	–	1	1	2	3	–	8	3	9	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	46	11	4	5	3	2	25	2	2	2	–	2	2	1	5	2	3	–
Cancer	52	–	–	–	–	–	–	–	–	–	–	–	5	15	15	12	5	–
Scrofula and Tabes	43	21	3	1	1	–	26	4	2	2	2	2	–	2	–	3	–	–
Phthisis	215	5	2	–	–	2	9	7	5	28	38	62	40	17	8	1	–	–
Hydrocephalus	31	12	4	10	3	–	29	2	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	210	40	10	5	–	1	56	5	4	5	5	10	8	11	33	34	36	3
Dis. of Heart & Dropsy	186	16	1	1	2	–	20	–	3	7	7	16	10	20	32	48	21	2
Dis. of Lungs	246	52	34	9	4	4	103	11	3	4	5	7	11	15	19	35	29	4
Dis. of Stom. and Liver	121	15	4	4	1	–	24	1	1	3	4	8	15	21	15	20	8	1
Dis. of Kidneys	14	–	–	–	–	1	1	–	1	–	1	–	2	1	3	2	2	1
Dis. of Gener. Organs	21	–	–	–	–	–	–	–	–	2	1	1	3	2	5	6	1	–
Dis. of Joints	6	–	1	–	–	–	1	–	–	–	1	2	–	1	–	1	–	–
Dis. of Skin	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Childbirth and Metria	33	–	–	–	–	–	–	–	–	2	7	15	7	2	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–
Other Violent Deaths	20	1	1	2	2	1	7	2	3	–	–	2	1	1	1	1	2	–
Other Causes	431	132	14	3	–	2	151	2	4	2	2	3	6	8	16	70	119	48

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
170.—BRIXWORTH.																		
Mean Popul^n, 1861-71	7352	216	195	200	199	187	997	954	860	680	491	842	815	697	549	335	121	11
TOTAL DEATHS	1433	378	94	53	35	22	582	47	25	29	31	53	67	73	135	169	178	44
Small-pox	5	3	–	1	–	–	4	–	–	–	–	–	–	–	1	–	–	–
Measles	26	1	12	4	6	–	23	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	78	4	9	12	13	7	45	25	4	1	1	1	1	–	–	–	–	–
Diphtheria	7	–	1	–	–	–	1	1	1	–	–	1	1	–	1	1	–	–
Whooping-cough	20	11	6	1	–	2	20	–	–	–	–	–	–	–	–	–	–	–
Typhus	72	4	5	7	4	4	24	3	4	4	4	4	3	5	8	6	6	1
Diarrhœa & Dysentery	47	23	6	4	1	–	34	–	–	–	–	–	–	1	1	2	6	3
Cholera	3	1	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–
Other Zymotic Dis.	37	3	7	4	2	1	17	5	–	1	1	3	–	2	2	1	5	–
Cancer	22	–	–	–	–	–	–	–	–	1	–	1	–	2	9	6	3	–
Scrofula and Tabes	27	12	2	–	–	–	14	2	2	–	–	4	2	1	1	1	–	–
Phthisis	107	1	–	–	1	–	2	–	2	15	14	21	27	12	8	6	–	–
Hydrocephalus	16	4	3	3	–	2	12	1	3	–	–	–	–	–	–	–	–	–
Dis. of Brain	155	48	7	3	2	1	61	1	1	3	3	2	2	6	18	27	28	3
Dis. of Heart & Dropsy	89	–	–	–	–	–	–	–	2	–	1	2	5	12	26	30	11	–
Dis. of Lungs	210	68	17	12	3	4	104	3	1	3	1	4	5	13	19	25	24	8
Dis. of Stom. and Liver	70	11	1	–	–	–	12	1	1	–	1	1	11	4	17	16	4	2
Dis. of Kidneys	36	–	–	–	1	–	1	–	–	–	1	1	3	3	9	12	5	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
Dis. of Skin	4	2	1	–	–	–	3	–	–	–	–	–	–	1	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	14	–	–	–	–	–	–	–	–	–	–	2	2	3	4	3	–	–
Other Violent Deaths	43	5	2	1	–	–	8	2	4	–	1	5	5	3	7	4	4	–
Other Causes	343	177	15	1	2	1	196	–	–	–	2	1	–	4	4	28	82	26
171.—WELLINGBOROUGH.																		
Mean Popul^n, 1861-71	13138	433	377	364	370	352	1896	1604	1438	1240	1161	1769	1472	1141	782	468	157	10
TOTAL DEATHS	2855	947	240	132	56	53	1428	113	52	59	80	126	118	156	214	270	207	32
Small-pox	17	3	3	1	1	–	8	4	–	2	1	1	1	–	–	–	–	–
Measles	84	17	39	18	5	–	79	4	1	–	–	–	–	–	–	–	–	–
Scarlatina	104	4	20	19	10	14	67	25	6	3	1	2	–	–	–	–	–	–
Diphtheria	21	4	3	2	2	3	14	4	3	–	–	–	–	–	–	–	–	–
Whooping-cough	60	38	11	6	3	1	59	1	–	–	–	–	–	–	–	–	–	–
Typhus	114	2	3	7	6	5	23	18	9	12	9	12	5	7	10	6	3	–
Diarrhœa & Dysentery	121	81	19	2	2	–	104	–	–	–	–	1	–	1	4	5	5	1
Cholera	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Other Zymotic Dis.	67	12	10	8	6	2	38	6	3	–	1	3	2	5	6	1	1	1
Cancer	56	–	–	–	–	–	–	–	–	–	–	3	7	10	19	14	3	–
Scrofula and Tabes	41	15	5	8	–	2	30	3	2	–	1	2	–	2	1	–	–	–
Phthisis	281	25	12	7	–	3	47	12	9	17	42	53	43	34	18	4	2	–
Hydrocephalus	27	10	9	2	1	3	25	2	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	360	159	17	9	3	11	199	12	3	5	4	12	5	14	33	46	25	2
Dis. of Heart & Dropsy	151	5	3	5	1	1	15	4	3	6	3	10	6	19	22	51	12	–
Dis. of Lungs	438	160	50	27	11	3	251	5	3	4	2	12	15	18	41	49	36	2
Dis. of Stom. and Liver	124	16	4	3	1	1	25	–	–	3	7	4	15	18	24	18	9	1
Dis. of Kidneys	41	1	–	1	–	–	2	3	1	–	1	6	5	7	9	3	3	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	6	–	–	–	–	–	–	1	2	–	2	–	–	1	–	–	–	–
Dis. of Skin	8	3	–	1	–	–	4	2	–	–	1	–	–	–	1	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	8	–	–	–	–	–	–	–	–	–	1	–	1	3	2	1	–	–
Other Violent Deaths	82	7	5	2	3	3	20	6	7	6	4	3	8	10	9	8	–	1
Other Causes	642	385	27	4	1	1	418	1	–	1	–	2	5	7	14	63	108	23
172.—KETTERING.																		
Mean Popul^n, 1861-71	9758	318	277	263	263	263	1384	1166	1126	934	782	1267	1061	888	625	381	134	10
TOTAL DEATHS	2054	635	194	76	46	35	986	67	45	49	44	74	94	87	149	251	173	35
Small-pox	8	–	–	–	–	–	–	1	1	1	–	1	–	4	–	–	–	–
Measles	50	12	15	10	7	2	46	3	1	–	–	–	–	–	–	–	–	–
Scarlatina	108	13	22	18	8	12	73	25	9	1	–	–	–	–	–	–	–	–
Diphtheria	14	2	2	1	3	1	9	2	–	1	–	–	–	–	1	1	–	–
Whooping-cough	27	13	6	2	2	–	23	2	–	–	–	–	–	1	1	–	–	–
Typhus	89	5	6	3	4	5	23	6	5	8	12	7	11	4	6	5	2	–
Diarrhœa & Dysentery	78	43	13	2	1	1	60	–	–	–	1	–	1	–	3	8	5	–
Cholera	4	–	–	–	–	–	–	–	1	1	–	–	–	–	2	–	–	–
Other Zymotic Dis.	55	5	3	4	8	4	24	4	4	2	–	1	7	5	1	5	2	–
Cancer	38	–	–	–	–	–	–	–	–	1	–	–	5	7	11	8	6	–
Scrofula and Tabes	41	15	9	4	2	1	31	1	3	3	3	1	1	–	–	1	–	–
Phthisis	141	1	2	1	–	–	4	3	5	16	14	39	29	13	14	4	–	–
Hydrocephalus	64	24	23	8	3	2	60	3	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	223	73	7	3	1	1	85	5	2	3	1	3	7	13	18	49	34	3
Dis. of Heart & Dropsy	109	5	1	–	1	–	7	2	1	2	–	3	3	10	20	44	17	–
Dis. of Lungs	290	86	42	8	3	4	143	4	1	2	5	9	12	9	26	44	29	6
Dis. of Stom. and Liver	86	15	1	1	1	–	18	1	3	2	1	5	3	5	21	24	3	–
Dis. of Kidneys	34	–	–	1	–	–	1	1	2	–	–	–	4	6	5	9	6	–
Dis. of Gener. Organs	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	9	–	–	–	–	–	–	1	–	1	3	–	1	1	1	1	–	–
Dis. of Skin	7	5	–	–	1	–	6	–	1	–	–	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	5	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–	–
Other Violent Deaths	57	5	2	4	1	–	12	1	5	4	4	4	7	4	9	4	1	2
Other Causes	513	313	39	6	–	2	360	2	–	1	–	1	2	4	8	43	68	24

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
170.—BRIXWORTH.																		
Mean Populn, 1861-71	7260	189	190	204	176	188	947	927	792	577	529	944	870	706	513	323	122	10
TOTAL DEATHS	1371	261	78	37	29	26	431	67	34	43	45	66	92	80	111	181	181	40
Small-pox	4	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	2	–
Measles	22	7	10	2	1	–	20	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	63	4	6	5	9	11	35	16	9	–	1	1	–	–	–	1	–	–
Diphtheria	12	1	–	–	2	4	7	3	2	–	–	–	–	–	–	–	–	–
Whooping-cough	32	13	11	4	2	–	30	2	–	–	–	–	–	–	–	–	–	–
Typhus	91	8	3	7	1	3	22	17	8	9	5	7	7	3	2	10	1	–
Diarrhœa & Dysentery	40	18	1	2	–	–	21	1	–	–	1	–	2	1	1	3	9	1
Cholera	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Other Zymotic Dis.	24	3	3	2	1	3	12	3	2	–	–	–	2	2	1	1	1	–
Cancer	38	–	–	–	–	–	–	–	–	1	–	1	4	14	7	8	3	–
Scrofula and Tabes	17	3	3	1	–	1	8	2	1	4	–	1	–	–	–	1	–	–
Phthisis	131	1	–	–	1	–	2	2	5	17	23	28	29	14	9	1	1	–
Hydrocephalus	17	7	2	–	3	1	13	2	–	1	1	–	–	–	–	–	–	–
Dis. of Brain	129	26	7	2	2	–	37	3	1	2	1	6	7	13	14	17	25	3
Dis. of Heart & Dropsy	136	2	–	–	–	–	2	3	–	–	4	3	15	14	29	44	18	4
Dis. of Lungs	192	50	18	9	3	2	82	7	–	2	–	5	4	7	18	33	32	2
Dis. of Stom. and Liver	55	4	–	–	–	1	5	–	–	1	–	1	7	5	17	11	7	1
Dis. of Kidneys	11	1	–	–	–	–	1	–	–	–	2	1	3	–	–	3	1	–
Dis. of Gener. Organs	9	–	–	–	–	–	–	–	–	1	1	–	1	2	3	–	1	–
Dis. of Joints	3	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–
Dis. of Skin	3	1	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
Childbirth and Metria	19	–	–	–	–	–	–	–	–	1	3	9	5	1	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
Other Violent Deaths	15	1	–	–	–	–	1	3	–	3	–	–	1	–	–	2	4	1
Other Causes	304	109	14	3	4	–	130	1	4	1	2	2	3	3	10	44	76	28
171.—WELLINGBOROUGH.																		
Mean Populn, 1861-71	13474	403	388	369	368	337	1865	1689	1481	1324	1188	1877	1493	1099	804	482	153	19
TOTAL DEATHS	2761	681	244	98	64	52	1139	103	79	111	117	192	129	145	185	265	245	51
Small-pox	15	2	5	–	2	1	10	–	1	–	1	2	–	–	1	–	–	–
Measles	85	12	43	12	8	6	81	3	–	1	–	–	–	–	–	–	–	–
Scarlatina	103	7	12	14	17	7	57	24	15	2	1	2	1	–	1	–	–	–
Diphtheria	15	1	1	1	2	2	7	5	2	–	–	–	–	–	1	–	–	–
Whooping-cough	64	26	25	8	2	3	64	–	–	–	–	–	–	–	–	–	–	–
Typhus	124	1	6	7	5	6	25	15	15	10	11	26	9	2	3	6	1	1
Diarrhœa & Dysentery	103	51	17	4	–	–	72	2	–	1	2	2	2	1	3	8	8	2
Cholera	7	2	–	1	–	–	3	–	–	–	–	–	–	2	–	2	–	–
Other Zymotic Dis.	56	12	13	5	4	3	37	2	1	3	1	3	–	2	2	4	1	–
Cancer	86	–	–	–	–	–	–	–	1	–	–	7	11	21	25	17	4	–
Scrofula and Tabes	42	9	5	2	2	1	19	4	2	6	2	2	3	3	1	–	–	–
Phthisis	382	27	11	5	4	5	52	16	21	56	70	71	43	31	19	3	–	–
Hydrocephalus	24	12	4	2	–	–	18	3	3	–	–	–	–	–	–	–	–	–
Dis. of Brain	306	97	23	3	6	4	133	13	6	6	4	10	13	20	22	45	32	2
Dis. of Heart & Dropsy	165	4	1	3	1	–	9	2	2	6	4	13	14	17	34	48	14	2
Dis. of Lungs	340	94	34	21	11	10	170	8	4	7	4	17	6	10	28	43	40	3
Dis. of Stom. and Liver	121	8	–	1	–	1	10	4	2	6	3	7	11	20	24	25	9	–
Dis. of Kidneys	18	–	–	–	–	–	–	–	2	–	2	4	2	3	1	3	1	–
Dis. of Gener. Organs	13	–	–	–	–	–	–	–	–	1	2	2	1	5	1	–	1	–
Dis. of Joints	12	–	–	–	–	–	–	1	–	3	1	3	1	1	–	1	1	–
Dis. of Skin	4	4	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	36	–	–	–	–	–	–	–	–	1	8	17	10	–	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
Other Violent Deaths	28	8	4	3	–	1	16	1	1	1	–	1	–	2	2	1	–	3
Other Causes	610	304	40	6	–	2	352	–	1	1	1	2	2	5	17	59	132	38
172.—KETTERING.																		
Mean Populn, 1861-71	9796	290	278	277	258	248	1351	1156	1091	917	847	1296	1069	863	649	397	143	17
TOTAL DEATHS	2020	462	147	73	48	43	773	79	36	80	60	117	114	105	144	234	216	62
Small-pox	2	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Measles	57	6	14	18	6	7	51	6	–	–	–	–	–	–	–	–	–	–
Scarlatina	87	6	11	13	14	9	53	21	8	4	–	–	1	–	–	–	–	–
Diphtheria	18	3	1	4	2	3	13	3	–	–	1	–	–	–	1	–	–	–
Whooping-cough	32	17	11	3	–	–	31	1	–	–	–	–	–	–	–	–	–	–
Typhus	114	4	4	4	7	8	27	14	7	17	6	12	9	9	7	5	–	1
Diarrhœa & Dysentery	66	34	9	–	–	–	43	1	–	1	–	2	–	1	2	9	5	2
Cholera	4	2	–	–	–	–	2	–	–	–	–	–	1	1	–	–	–	–
Other Zymotic Dis.	52	5	6	4	4	5	24	6	2	1	3	1	2	2	1	9	1	–
Cancer	56	1	–	–	–	–	1	–	–	–	–	2	6	12	13	17	5	–
Scrofula and Tabes	44	19	8	2	3	–	32	2	1	4	1	1	–	–	1	1	1	–
Phthisis	222	2	4	1	–	1	8	2	9	35	35	52	47	26	7	1	–	–
Hydrocephalus	33	14	8	3	3	1	29	3	–	1	–	–	–	–	–	–	–	–
Dis. of Brain	206	53	11	–	1	1	66	5	1	5	4	6	8	12	26	43	27	3
Dis. of Heart & Dropsy	151	3	–	–	–	1	4	2	2	2	1	6	7	23	29	46	27	2
Dis. of Lungs	242	49	33	13	6	3	104	3	2	2	1	9	10	4	23	35	43	6
Dis. of Stom. and Liver	83	5	2	–	1	1	9	2	2	2	2	7	6	8	19	16	8	2
Dis. of Kidneys	19	–	–	–	–	–	–	1	–	–	–	3	3	2	5	4	1	–
Dis. of Gener. Organs	6	–	–	–	–	–	–	–	–	1	–	1	1	–	3	–	–	–
Dis. of Joints	2	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Dis. of Skin	2	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–
Childbirth and Metria	27	–	–	–	–	–	–	–	–	3	5	9	10	–	–	–	–	–
Suicide	5	–	–	–	–	–	–	–	–	1	–	2	–	1	1	–	–	–
Other Violent Deaths	20	3	3	2	–	1	9	3	2	–	–	1	1	1	–	2	–	1
Other Causes	470	234	22	5	1	1	263	4	–	1	1	3	2	3	6	45	97	45

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
173.—THRAPSTON.																		
Mean Popul^n, 1861-71	7123	223	183	204	188	186	984	936	778	700	553	951	761	602	463	295	91	9
TOTAL DEATHS	1465	464	119	48	35	21	687	52	25	25	43	59	62	63	133	155	136	25
Small-pox	4	1	1	–	–	–	2	–	–	–	1	–	–	–	1	–	–	–
Measles	31	9	10	5	5	1	30	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	39	–	4	3	6	6	19	11	4	1	–	2	1	1	–	–	–	–
Diphtheria	4	1	–	–	–	1	2	–	1	1	–	–	–	–	–	–	–	–
Whooping cough	39	23	11	3	2	–	39		–	–	–	–	–	–	–	–	–	–
Typhus	50	7	3	5	4	1	20	6	4	2	6	1	3	2	2	3	1	–
Diarrhœa & Dysentery	55	26	14	1	1	–	42	–	–	–	–	–	–	–	–	6	5	2
Cholera	3	1	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–	–
Other Zymotic Dis.	36	6	3	3	4	3	19	2	1	–	1	1	–	4	4	4	–	–
Cancer	29	–	–	–	–	–	–	–	–	1	–	–	2	7	11	5	3	–
Scrofula and Tabes	19	5	4	1	1	1	12	2	–	1	3	1	–	–	–	–	–	–
Phthisis	105	2	–	1	–	1	4	2	3	8	20	26	19	8	13	2	–	–
Hydrocephalus	15	5	6	–	1	1	13	2	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	162	48	14	6	4	3	75	7	3	2	2	3	6	10	12	19	22	1
Dis. of Heart & Dropsy	97	3	–	–	–	–	3	–	1	2	3	4	10	5	28	31	10	–
Dis. of Lungs	225	68	25	11	3	1	108	7	2	2	2	13	9	10	13	34	24	1
Dis. of Stom. and Liver	61	8	2	–	–	1	11	1	–	1	1	1	4	5	20	14	2	1
Dis. of Kidneys	19	–	–	–	1	–	1	1	–	–	–	1	2	3	3	6	2	–
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Dis. of Joints	6	–	–	–	–	–	–	1	1	–	2	–	–	–	1	–	1	–
Dis. of Skin	3	1	–	–	–	–	1	–	1	–	–	–	–	–	–	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Other Violent Deaths	42	2	1	1	–	–	4	5	2	2	2	6	5	3	5	4	4	–
Other Causes	418	218	21	8	3	1	281	4	2	2	–	–	1	4	18	21	62	20
174.—OUNDLE.																		
Mean Popul^n, 1861-71	7505	209	196	216	199	201	1021	921	917	741	537	872	802	691	536	330	124	13
TOTAL DEATHS	1443	388	78	44	27	20	557	72	32	37	28	67	68	87	123	170	164	38
Small-pox	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Measles	22	7	6	3	2	–	18	4	–	–	–	–	–	–	–	–	–	–
Scarlatina	48	3	3	4	3	7	20	20	3	5	–	–	–	–	–	–	–	–
Diphtheria	7	–	1	1	–	2	4	1	1	–	1	–	–	–	–	–	–	–
Whooping-cough	28	14	10	3	–	–	27	1	–	–	–	–	–	–	–	–	–	–
Typhus	54	–	1	3	1	2	7	4	7	8	4	7	3	5	2	5	2	–
Diarrhœa & Dysentery	29	12	1	–	1	–	14	–	–	1	–	1	–	1	2	5	3	2
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	37	8	1	2	4	–	15	6	1	2	–	1	–	5	3	4	–	–
Cancer	15	–	–	–	–	–	–	–	–	–	–	–	–	3	7	3	2	–
Scrofula and Tabes	11	1	1	–	–	–	2	3	–	1	–	2	1	1	1	–	–	–
Phthisis	113	5	1	2	1	–	9	1	2	6	16	33	18	14	11	3	–	–
Hydrocephalus	25	9	4	3	2	–	18	5	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	165	63	6	3	2	3	77	4	3	3	1	2	6	10	15	22	22	–
Dis. of Heart & Dropsy	123	7	–	–	–	–	7	3	1	2	3	5	17	19	27	27	14	1
Dis. of Lungs	162	50	13	8	4	–	75	5	1	3	1	6	9	7	16	24	13	2
Dis. of Stom. and Liver	67	10	2	1	–	1	14	3	4	1	–	2	3	7	13	13	7	–
Dis. of Kidneys	18	–	–	–	1	–	1	1	2	–	–	1	1	2	3	6	–	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Dis. of Skin	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	10	–	–	–	–	–	–	–	–	–	–	3	1	3	1	1	1	–
Other Violent Deaths	52	3	–	2	2	3	10	6	4	5	2	3	5	3	6	6	2	–
Other Causes	449	195	27	9	4	2	237	5	1	–	–	1	4	7	15	49	98	32
175.—PETERBOROUGH.																		
Mean Popul^n, 1861-71	17446	521	486	500	492	470	2469	2237	1899	1727	1416	2327	1943	1496	1051	634	224	23
TOTAL DEATHS	3717	1082	240	124	99	74	1619	182	86	99	86	173	200	233	283	387	306	65
Small-pox	31	6	–	–	–	4	10	6	1	3	3	3	2	1	–	2	–	–
Measles	66	11	18	14	10	7	60	6	–	–	–	–	–	–	–	–	–	–
Scarlatina	183	19	20	28	34	23	124	42	12	2	1	1	1	–	–	–	–	–
Diphtheria	56	5	10	6	7	6	34	13	5	2	–	1	–	1	–	–	–	–
Whooping-cough	55	32	15	4	3	1	55	–	–	–	–	–	–	–	–	–	–	–
Typhus	142	9	5	7	6	4	31	18	18	15	9	10	15	13	6	4	2	1
Diarrhœa & Dysentery	161	109	19	2	1	–	131	2	1	–	–	–	2	2	3	13	6	1
Cholera	3	–	–	–	1	–	1	–	–	–	–	–	1	–	1	–	–	–
Other Zymotic Dis.	73	16	3	8	6	6	39	8	3	2	–	3	–	5	4	5	4	–
Cancer	58	–	–	–	–	–	–	1	1	–	–	2	4	14	15	15	5	1
Scrofula and Tabes	64	20	8	5	2	–	35	6	3	3	1	4	3	2	2	4	1	–
Phthisis	322	12	8	–	1	3	24	4	5	29	43	81	64	40	23	8	1	–
Hydrocephalus	72	20	10	10	7	2	49	16	5	1	–	1	–	–	–	–	–	–
Dis. of Brain	298	157	19	7	1	5	189	12	6	7	1	10	16	18	38	61	37	3
Dis. of Heart & Dropsy	234	4	–	–	2	–	6	3	2	2	4	10	25	35	53	66	25	3
Dis. of Lungs	477	146	60	23	7	6	242	10	5	4	5	11	11	25	53	61	42	8
Dis. of Stom. and Liver	158	18	4	1	1	–	24	7	3	4	–	7	11	18	37	36	11	–
Dis. of Kidneys	66	–	–	–	–	–	–	2	–	1	–	4	5	6	10	18	17	3
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	23	1	–	–	1	1	3	6	1	2	2	3	1	2	2	1	–	–
Dis. of Skin	12	9	1	–	–	–	10	–	–	–	–	–	–	–	–	2	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	30	–	–	–	–	–	–	–	1	1	2	–	4	7	6	7	2	–
Other Violent Deaths	189	11	8	4	7	3	33	16	12	18	12	18	22	29	17	10	2	–
Other Causes	844	477	32	5	2	3	519	4	2	3	3	4	13	15	13	74	151	43

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
173.—THRAPSTON.																		
Mean Popul^{n}, 1861–71	7084	225	194	209	204	207	1039	913	771	615	581	984	754	585	460	281	89	12
TOTAL DEATHS	1359	326	89	53	30	17	515	52	26	54	49	87	79	60	107	154	132	44
Small-pox	3	1	–	1	–	–	2	–	–	–	1	–	–	–	–	–	–	–
Measles	29	5	11	3	4	1	24	2	1	1	1	–	–	–	–	–	–	–
Scarlatina	39	3	3	8	6	3	23	9	3	2	1	–	1	–	–	–	–	–
Diphtheria	7	–	–	–	2	1	3	3	1	–	–	–	–	–	–	–	–	–
Whooping-cough	30	14	9	3	2	–	28	2	–	–	–	–	–	–	–	–	–	–
Typhus	59	1	3	3	1	4	12	12	3	8	3	4	6	2	4	2	2	1
Diarrhœa & Dysentery	39	14	3	–	2	–	19	1	–	–	–	–	1	1	4	9	4	–
Cholera	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	16	3	2	2	2	1	10	–		2	–	3	–	–	–	1	–	–
Cancer	55	–	–	–	–	–	–	–	–	1	–	2	8	9	18	12	3	2
Scrofula and Tabes	24	4	4	2	2	–	12	3	–	1	2	1	3	–	1	1	–	–
Phthisis	158	1	–	1	–	1	3	2	10	26	24	37	28	15	9	4	–	–
Hydrocephalus	7	1	1	2	–	–	4	2	–	–	–	–	–	1	–	–	–	–
Dis. of Brain	156	46	11	11	1	2	71	8	1	4	3	4	2	6	15	27	14	1
Dis. of Heart & Dropsy	91	1	–	1	–	–	2	1	2	1	1	9	8	9	16	29	16	–
Dis. of Lungs	172	56	17	9	4	1	87	6	1	–	4	11	3	11	12	21	13	3
Dis. of Stom. and Liver	38	10	–	–	1	–	11	1	1	2	–	1	1	3	8	7	3	–
Dis. of Kidneys	8	–	–	–	–	–	–	–	–	1	1	1	–	–	2	1	2	–
Dis. of Gener. Organs	7	–	–	–	–	–	–	–	–	1	–	1	2	–	3	–	–	–
Dis. of Joints	4	–	2	–	–	–	2	–	–	1	–	1	–	–	–	–	–	–
Dis. of Skin	2	1	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	26	–	–	–	–	–	–	–	–	–	5	11	10	–	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	–	–	–	3	–	–	1	–	–
Other Violent Deaths	14	4	1	–	1	–	6	–	1	2	1	–	1	–	1	1	1	–
Other Causes	367	160	21	7	2	3	193	–	2	1	2	1	2	3	14	38	74	37
174.—OUNDLE.																		
Mean Popul^{n}, 1861–71	7536	213	203	196	199	195	1006	971	870	669	532	935	818	705	510	366	136	18
TOTAL DEATHS	1368	276	65	33	27	22	423	52	41	44	43	92	85	80	100	169	182	57
Small-pox	4	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–
Measles	16	4	5	2	3	1	15	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	60	4	11	5	8	7	35	19	3	1	2	–	–	–	–	–	–	–
Diphtheria	7	–	–	1	–	1	2	2	2	–	1	–	–	–	–	–	–	–
Whooping-cough	27	14	5	3	3	–	25	1	1	–	–	–	–	–	–	–	–	–
Typhus	43	–	3	4	–	3	10	6	8	3	1	5	3	2	2	3	–	–
Diarrhœa & Dysentery	34	7	2	1	–	1	11	–	–	2	2	2	2	2	2	4	5	2
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Other Zymotic Dis.	28	3	1	2	–	1	7	4	2	2	1	1	2	2	1	3	2	1
Cancer	27	–	–	–	–	–	–	–	–	–	–	–	4	12	8	3	–	–
Scrofula and Tabes	7	1	–	–	–	–	1	1	1	1	1	2	–	–	–	–	–	–
Phthisis	158	3	2	1	–	1	7	4	11	17	25	48	26	14	4	2	–	–
Hydrocephalus	17	9	3	–	1	1	14	1	–	2	–	–	–	–	–	–	–	–
Dis. of Brain	128	35	6	4	3	3	51	2	3	3	2	6	5	2	11	24	18	1
Dis. of Heart & Dropsy	128	5	3	1	2	–	11	1	4	3	2	7	14	14	31	27	13	1
Dis. of Lungs	134	28	11	4	6	–	49	1	3	1	2	4	5	12	16	20	18	3
Dis. of Stom. and Liver	65	2	–	–	–	1	3	3	–	4	2	5	8	10	9	16	4	1
Dis. of Kidneys	9	–	–	–	–	–	–	–	–	–	–	–	2	1	2	3	1	–
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Dis. of Joints	3	–	–	–	1	–	1	–	–	–	–	1	–	–	1	–	–	–
Dis. of Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	12	–	–	–	–	–	–	–	–	2	–	3	7	–	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Other Violent Deaths	17	1	3	1	–	1	6	–	1	1	1	1	–	2	1	2	2	–
Other Causes	439	160	10	4	–	1	175	6	1	1	1	7	3	5	11	62	119	48
175.—PETERBOROUGH.																		
Mean Popul^{n}, 1861–71	17753	544	481	509	484	483	2501	2243	1910	1642	1490	2478	1969	1472	1049	704	260	35
TOTAL DEATHS	3366	849	261	102	76	66	1354	176	84	109	119	206	172	185	207	324	335	95
Small-pox	13	4	2	1	–	2	9	2	–	1	–	–	–	–	1	–	–	–
Measles	61	11	27	11	7	1	57	4	–	–	–	–	–	–	–	–	–	–
Scarlatina	161	8	28	18	22	22	98	49	10	3	–	1	–	–	–	–	–	–
Diphtheria	79	10	5	4	7	11	37	25	8	2	5	–	1	1	–	–	–	–
Whooping cough	52	32	13	3	3	–	51	1	–	–	–	–	–	–	–	–	–	–
Typhus	176	5	10	9	6	3	33	26	22	22	19	20	10	7	8	4	4	1
Diarrhœa & Dysentery	158	82	21	6	3	–	112	–	2	1	–	2	5	3	8	10	15	–
Cholera	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–
Other Zymotic Dis.	68	16	4	7	5	3	35	5	2	2	–	2	1	4	9	5	3	–
Cancer	88	–	1	–	–	–	1	–	–	–	–	5	15	13	21	27	4	2
Scrofula and Tabes	57	22	11	5	1	–	42	1	4	1	3	2	–	1	2	–	1	–
Phthisis	370	7	6	1	3	3	20	11	15	49	58	98	65	33	16	5	–	–
Hydrocephalus	66	19	15	3	4	4	45	16	3	1	–	1	–	–	–	–	–	–
Dis. of Brain	364	115	17	5	6	4	147	10	5	8	5	12	14	26	34	50	45	8
Dis. of Heart & Dropsy	212	2	–	–	–	–	2	1	6	3	1	16	10	29	36	62	45	1
Dis. of Lungs	374	103	53	20	4	7	190	8	2	5	3	7	9	18	27	50	44	11
Dis. of Stom. and Liver	130	13	–	1	–	2	16	3	1	1	6	5	10	21	28	25	13	1
Dis. of Kidneys	30	–	–	–	–	–	–	2	1	–	6	2	6	5	1	4	3	–
Dis. of Gener. Organs	18	–	–	–	–	–	–	–	–	–	1	5	4	3	1	2	2	–
Dis. of Joints	12	1	1	–	1	–	3	1	–	1	2	1	1	2	1	–	–	–
Dis. of Skin	6	3	2	–	–	–	5	–	–	–	1	–	–	–	–	–	–	–
Childbirth and Metria	35	–	–	–	–	–	–	–	–	1	6	18	9	1	–	–	–	–
Suicide	8	–	–	–	–	–	–	–	–	1	–	–	1	1	3	1	1	–
Other Violent Deaths	40	5	5	2	1	3	16	6	2	2	1	3	2	2	–	3	2	1
Other Causes	785	388	37	6	3	1	435	4	1	5	2	6	9	15	11	75	152	70

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
176.—HUNTINGDON.																		
Mean Popul^n, 1861-71	10146	302	286	273	291	272	1424	1246	1217	1051	801	1188	1072	879	698	412	139	19
TOTAL DEATHS	2136	584	129	69	38	20	840	77	41	69	75	111	130	157	171	232	180	53
Small-pox	7	1	–	1	1	–	3	–	–	1	1	1	–	1	–	–	–	–
Measles	24	9	8	4	2	1	24	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	65	4	10	11	9	5	39	18	2	2	1	2	1	–	–	–	–	–
Diphtheria	22	2	2	2	3	1	10	3	5	1	3	–	–	–	–	–	–	–
Whooping-cough	42	23	13	5	–	–	41	1	–	–	–	–	–	–	–	–	–	–
Typhus	96	5	3	4	2	2	16	15	6	11	5	5	6	8	12	9	3	–
Diarrhœa & Dysentery	108	66	14	1	–	–	81	1	1	–	1	–	–	1	5	9	7	2
Cholera	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	3	–
Other Zymotic Dis.	42	7	4	1	3	2	17	4	1	3	–	2	2	4	2	5	2	–
Cancer	68	–	–	–	–	–	–	–	–	2	–	1	5	9	17	24	9	1
Scrofula and Tabes	45	12	8	1	1	1	23	8	3	1	2	5	2	–	1	–	–	–
Phthisis	233	12	3	4	–	–	19	1	3	23	44	57	45	38	12	10	1	–
Hydrocephalus	17	6	3	1	2	–	12	3	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	212	63	7	8	3	4	85	3	1	5	1	6	6	17	22	33	26	4
Dis. of Heart & Dropsy	106	2	1	1	1	–	5	1	1	2	–	6	11	12	25	27	13	3
Dis. of Lungs	297	85	28	10	4	2	129	8	1	3	6	6	17	23	27	40	32	5
Dis. of Stom. and Liver	74	7	–	1	1	–	9	2	1	2	1	2	8	13	14	16	5	1
Dis. of Kidneys	46	–	–	–	–	–	–	–	–	1	–	3	7	3	9	14	9	–
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Dis. of Joints	11	–	–	–	–	–	–	–	1	1	2	1	3	–	1	–	2	–
Dis. of Skin	9	3	–	–	1	–	4	–	–	–	–	–	–	1	–	1	2	1
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	10	–	–	–	–	–	–	–	–	–	1	–	2	2	2	2	1	–
Other Violent Deaths	120	5	9	10	3	1	28	9	13	9	7	9	10	17	11	4	2	1
Other Causes	457	272	16	4	2	1	295	–	–	2	–	4	4	8	11	35	63	35
177.—ST. IVES.																		
Mean Popul^n, 1861-71	9522	280	246	262	236	248	1272	1199	1140	973	685	1131	1005	843	660	425	167	22
TOTAL DEATHS	2090	525	125	59	46	24	779	104	53	53	67	102	109	142	144	265	224	48
Small-pox	4	1	–	–	–	–	1	–	–	–	–	1	–	2	–	–	–	–
Measles	21	7	10	1	1	1	20	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	37	3	5	6	8	3	25	7	4	–	1	–	–	–	–	–	–	–
Diphtheria	54	4	8	8	7	3	30	12	9	1	–	1	–	–	–	1	–	–
Whooping-cough	27	13	8	2	3	1	27	–	–	–	–	–	–	–	–	–	–	–
Typhus	63	2	1	2	2	–	7	16	4	7	2	8	7	3	5	4	–	–
Diarrhœa & Dysentery	79	38	6	–	–	–	44	–	–	–	–	–	3	2	2	11	15	2
Cholera	12	4	–	–	–	1	5	–	1	–	–	–	1	–	1	4	–	–
Other Zymotic Dis.	48	5	–	4	3	5	17	8	3	2	–	1	–	6	2	7	1	1
Cancer	36	–	–	–	–	–	–	–	–	–	–	–	5	9	10	7	5	–
Scrofula and Tabes	49	26	4	2	1	1	34	4	6	3	1	–	1	–	–	–	–	–
Phthisis	234	2	4	1	1	–	8	10	5	19	44	53	38	38	14	5	–	–
Hydrocephalus	35	16	4	3	1	4	28	6	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	231	61	14	4	6	2	87	11	4	7	2	6	9	12	19	42	29	3
Dis. of Heart & Dropsy	118	1	–	–	–	1	2	4	1	1	2	6	8	15	25	33	18	3
Dis. of Lungs	288	62	24	16	4	1	107	7	2	3	3	9	9	22	28	51	43	4
Dis. of Stom. and Liver	108	15	–	–	1	–	16	1	3	2	4	7	7	13	16	34	5	–
Dis. of Kidneys	29	–	–	–	–	–	–	–	–	–	4	3	2	3	4	9	4	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	5	–	1	–	–	–	1	–	1	1	–	1	1	–	–	–	–	–
Dis. of Skin	8	1	–	–	–	–	1	1	–	–	–	–	1	–	3	1	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	8	–	–	–	–	–	–	–	–	–	–	–	2	3	–	2	1	–
Other Violent Deaths	85	2	4	6	3	1	16	12	7	6	3	4	8	8	6	10	4	1
Other Causes	511	262	32	4	5	–	303	4	2	1	1	2	7	6	9	44	98	34
178.—ST. NEOTS.																		
Mean Popul^n, 1861-71	9091	258	249	256	243	261	1267	1210	1103	883	655	1069	955	811	597	390	140	11
TOTAL DEATHS	1801	489	106	61	39	34	729	72	48	44	50	67	89	99	160	229	168	46
Small-pox	5	1	–	–	–	–	1	–	–	–	–	2	1	–	–	1	–	–
Measles	31	6	11	3	7	2	29	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	54	5	3	8	6	5	27	18	6	1	–	2	–	–	–	–	–	–
Diphtheria	38	1	1	4	2	2	10	17	7	3	–	–	1	–	–	–	–	–
Whooping-cough	38	14	9	9	4	2	38	–	–	–	–	–	–	–	–	–	–	–
Typhus	54	–	1	1	3	3	8	7	2	9	2	4	7	9	1	4	–	1
Diarrhœa & Dysentery	89	56	14	–	1	1	72	–	–	1	–	–	–	–	3	7	6	–
Cholera	6	3	–	–	–	–	3	–	–	–	–	–	1	–	1	1	–	–
Other Zymotic Dis.	51	3	3	9	6	1	22	5	5	–	2	3	–	4	3	4	3	–
Cancer	41	–	–	–	–	–	–	–	–	–	–	1	4	6	14	12	4	–
Scrofula and Tabes	52	23	6	3	1	–	33	4	3	2	2	3	–	1	1	3	–	–
Phthisis	175	16	9	3	–	2	30	2	2	16	25	26	30	15	15	13	1	–
Hydrocephalus	31	11	7	4	1	4	27	1	2	1	–	–	–	–	–	–	–	–
Dis. of Brain	155	35	7	3	1	4	50	2	2	1	3	1	6	7	17	30	34	2
Dis. of Heart & Dropsy	102	1	–	1	–	1	3	1	3	2	2	6	8	13	21	33	8	2
Dis. of Lungs	219	49	16	7	2	2	76	3	2	1	3	5	12	16	29	42	23	7
Dis. of Stom. and Liver	106	19	–	–	3	–	22	1	1	2	1	1	6	15	23	26	7	1
Dis of Kidneys	40	–	–	–	1	–	1	1	1	–	–	2	3	4	8	10	9	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	9	–	–	–	–	–	–	1	2	–	–	–	1	1	4	–	–	–
Dis. of Skin	4	1	–	–	–	–	1	–	–	–	–	–	–	1	–	2	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	9	–	–	–	–	–	–	–	–	–	1	–	–	1	4	3	–	–
Other Violent Deaths	77	3	1	2	–	3	9	5	7	4	9	9	7	4	10	8	5	–
Other Causes	415	242	18	4	1	2	267	2	3	1	–	2	2	2	6	30	68	32

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
176.—HUNTINGDON.																		
an Popul", 1861-71	10469	293	282	285	293	278	1431	1328	1190	992	849	1325	1124	905	688	455	162	20
AL DEATHS	2018	433	142	70	33	21	699	97	45	68	83	120	114	116	131	251	222	72
-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
es	41	7	17	7	-	1	32	7	-	1	1	-	-	-	-	-	-	-
atina	66	7	12	9	7	9	44	18	1	3	-	-	-	-	-	-	-	-
theria	31	1	3	2	5	3	14	8	4	3	1	-	-	1	-	-	-	-
oping-cough	40	20	12	4	1	1	38	2	-	-	-	-	-	-	-	-	-	-
us	100	4	3	5	3	1	16	16	10	10	9	8	9	5	5	5	5	2
rhœa & Dysentery	102	48	18	9	-	1	76	-	1	1	-	-	1	1	3	10	7	2
ra	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Zymotic Dis.	42	6	2	4	3	1	16	3	1	1	1	2	4	-	6	6	1	1
r	100	-	-	-	-	-	-	-	1	-	1	3	16	21	21	26	10	1
ula and Tabes	32	7	5	1	2	-	15	6	2	2	2	5	-	-	-	-	-	-
sis	242	5	9	4	-	-	18	7	8	33	41	57	34	31	10	3	-	-
ocephalus	17	3	4	1	-	-	8	8	1	-	-	-	-	-	-	-	-	-
f Brain	199	43	9	5	3	-	60	5	4	4	3	2	8	16	12	38	43	4
f Heart & Dropsy	116	2	-	-	1	-	3	2	2	1	2	6	8	13	19	41	17	2
f Lungs	281	64	26	11	4	1	106	8	4	3	6	9	8	6	22	52	48	9
f Stom. and Liver	80	6	1	-	1	2	10	2	1	2	3	7	7	8	15	21	4	-
f Kidneys	22	-	-	-	1	-	1	1	-	-	2	-	7	3	3	5	-	-
f Gener. Organs	11	-	-	-	-	-	-	-	-	-	1	2	2	2	1	1	-	2
f Joints	7	-	1	-	-	-	1	1	-	-	3	-	1	1	-	-	-	-
f Skin	12	6	-	-	1	-	7	-	-	-	-	1	-	2	-	2	-	-
birth and Metria	30	-	-	-	-	-	-	-	-	2	6	13	9	-	-	-	-	-
de	3	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-
Violent Deaths	33	8	3	1	1	1	14	2	3	2	-	1	-	-	2	2	5	2
Causes	409	196	17	6	-	-	219	1	2	-	1	4	-	4	11	39	81	47
177.—ST. IVES.																		
an Popul", 1861-71	9717	279	258	265	262	230	1294	1159	1116	889	793	1234	1037	877	659	447	188	24
AL DEATHS	1957	408	134	69	44	45	700	85	57	72	78	129	96	115	143	204	209	69
l-pox	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
les	21	6	8	4	-	2	20	1	-	-	-	-	-	-	-	-	-	-
atina	47	3	5	6	15	5	34	9	3	-	1	-	-	-	-	-	-	-
theria	61	4	4	9	5	12	34	17	7	2	-	1	-	-	-	-	-	-
oping-cough	34	13	14	4	-	3	34	-	-	-	-	-	-	-	-	-	-	-
us	77	-	3	-	1	3	7	16	15	13	5	9	6	2	1	1	2	-
rhœa & Dysentery	62	26	6	2	-	1	35	-	1	1	1	1	1	1	3	4	11	3
era	7	4	1	-	-	-	5	-	-	-	-	1	-	-	-	1	-	-
r Zymotic Dis.	51	7	7	2	4	7	27	4	3	-	-	1	4	3	4	3	2	-
er	69	-	-	-	-	-	-	-	-	-	-	5	4	25	19	10	6	-
ula and Tabes	50	22	2	3	3	-	30	2	2	6	3	1	3	-	3	-	-	-
isis	271	5	3	2	1	-	11	9	11	35	48	73	38	30	11	5	-	-
rocephalus	22	6	5	1	2	2	16	5	1	-	-	-	-	-	-	-	-	-
of Brain	188	52	14	4	7	4	81	7	5	2	2	8	7	7	17	24	22	6
of Heart & Dropsy	129	2	1	-	-	-	3	2	2	3	5	2	7	15	27	40	22	1
of Lungs	229	43	23	15	2	4	87	5	2	2	3	7	7	14	27	38	27	10
of Stom. and Liver	86	4	1	2	1	1	9	3	1	5	4	2	6	8	17	23	7	1
of Kidneys	8	-	-	-	-	-	-	-	1	-	-	1	-	2	-	2	2	-
of Gener. Organs	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-
of Joints	8	-	1	-	-	-	1	2	2	1	-	1	-	1	-	-	-	-
of Skin	6	1	1	-	-	-	2	-	-	-	-	-	-	1	1	1	1	-
lbirth and Metria	23	-	-	-	-	-	-	-	-	1	5	9	8	-	-	-	-	-
ide	3	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-
r Violent Deaths	28	5	2	1	2	1	11	1	-	-	1	1	-	1	3	2	6	2
r Causes	472	205	33	14	1	-	253	2	1	1	-	5	3	4	8	49	100	46
178.—ST. NEOTS.																		
an Popul", 1861-71	9646	266	262	274	266	271	1339	1179	1053	873	765	1221	1046	865	667	443	169	26
TAL DEATHS	1782	360	123	55	35	24	597	63	54	58	83	92	98	106	144	219	208	60
ll-pox	6	2	1	-	-	-	3	1	-	-	-	1	-	1	-	-	-	-
sles	30	9	7	9	3	-	28	1	-	-	-	-	1	-	-	-	-	-
latina	53	4	6	7	7	4	28	19	5	1	-	-	-	-	-	-	-	-
ntheria	23	1	2	4	2	2	11	6	2	1	1	1	-	1	-	-	-	-
oping-cough	63	25	30	3	3	1	62	-	1	-	-	-	-	-	-	-	-	-
hus	78	-	2	3	2	4	11	12	18	4	8	8	6	3	2	6	-	-
rrhœa & Dysentery	85	30	18	3	-	-	51	-	-	1	1	-	3	1	1	9	14	4
lera	5	1	-	-	1	-	2	-	-	-	-	-	-	-	1	2	-	-
er Zymotic Dis.	53	6	7	2	2	3	20	1	3	2	5	1	2	5	7	4	2	1
cer	65	-	-	-	-	-	-	-	-	-	2	1	5	22	17	9	8	1
fula and Tabes	45	10	10	1	4	2	27	4	3	4	2	-	3	-	-	2	-	-
hisis	242	11	9	4	-	-	24	2	9	33	42	55	37	25	8	5	2	-
rocephalus	17	5	4	1	2	-	12	3	1	-	-	-	-	-	-	-	1	-
of Brain	147	24	2	1	2	1	30	5	3	4	3	2	3	7	27	28	31	4
of Heart & Dropsy	136	1	-	-	-	-	1	1	2	1	2	3	9	9	31	47	30	-
of Lungs	147	36	11	7	6	2	62	2	-	1	2	5	5	6	19	25	17	3
of Stom. and Liver	95	14	-	1	-	1	16	3	3	1	4	5	7	10	18	19	9	-
of Kidneys	22	-	1	1	-	-	2	1	-	-	-	1	4	4	2	7	1	-
of Gener. Organs	11	-	-	-	-	-	-	-	1	-	-	-	3	3	-	3	1	-
of Joints	5	-	-	2	-	-	2	-	1	-	-	-	1	-	1	-	-	-
of Skin	5	2	-	-	-	-	2	-	-	-	-	-	-	1	1	-	1	-
dbirth and Metria	19	-	-	-	-	-	-	-	-	2	4	6	6	1	-	-	-	-
cide	7	-	-	-	-	-	-	-	-	-	3	1	1	1	1	-	-	-
er Violent Deaths	27	5	-	5	-	1	11	-	-	1	4	-	-	2	-	1	7	1
er Causes	396	174	13	1	1	3	192	2	2	2	-	2	2	4	8	52	84	46

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
179.—BEDFORD.																		
Mean Populn, 1861–71	19267	540	532	518	501	534	2625	2425	2528	1959	1437	2335	2006	1677	1281	737	238	19
TOTAL DEATHS	3827	1034	252	123	86	51	1545	139	81	104	130	196	229	230	305	440	351	77
Small-pox	9	2	1	2	–	–	5	–	–	–	–	1	2	–	–	1	–	–
Measles	60	12	18	15	4	7	56	4	–	–	–	–	–	–	–	–	–	–
Scarlatina	122	7	15	22	15	7	66	35	13	7	–	–	1	–	–	–	–	–
Diphtheria	19	2	3	1	4	2	12	1	2	–	–	1	–	–	–	–	–	–
Whooping-cough	69	41	13	7	4	2	67	2	–	–	–	–	–	–	–	–	–	–
Typhus	162	5	7	4	10	6	32	21	11	11	14	17	11	16	9	15	2	–
Diarrhœa & Dysentery	182	99	20	7	–	2	128	1	–	1	–	1	1	5	12	15	13	5
Cholera	6	1	–	2	–	–	3	–	–	–	–	–	–	2	1	–	–	–
Other Zymotic Dis.	91	17	7	7	6	8	45	7	2	3	1	4	4	3	9	9	7	–
Cancer	63	–	–	–	–	–	–	–	–	–	–	1	8	11	16	17	8	2
Scrofula and Tabes	85	37	13	2	3	2	57	4	5	1	5	3	4	1	3	2	–	–
Phthisis	403	34	14	5	1	1	55	10	10	37	60	76	70	44	21	17	–	–
Hydrocephalus	49	17	13	4	5	–	39	6	4	–	–	–	–	–	–	–	–	–
Dis. of Brain	456	118	23	6	12	4	163	10	6	9	11	17	22	31	41	79	61	6
Dis. of Heart & Dropsy	222	5	–	1	1	–	7	4	4	4	4	21	22	19	48	62	26	1
Dis. of Lungs	514	150	59	22	11	6	248	11	2	1	8	12	23	36	57	63	45	8
Dis. of Stom. and Liver	184	21	6	4	2	1	34	3	2	5	6	12	18	20	24	43	15	2
Dis. of Kidneys	72	–	–	1	–	–	1	2	2	2	1	8	5	6	21	18	6	–
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Dis. of Joints	6	–	–	–	–	–	–	–	–	2	1	–	1	–	1	–	1	–
Dis. of Skin	15	5	1	–	1	–	7	2	–	–	–	–	–	–	2	–	3	1
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	16	–	–	–	–	–	–	–	–	1	1	2	1	6	4	1	–	–
Other Violent Deaths	165	11	6	4	2	1	24	7	11	18	15	15	23	17	14	11	6	1
Other Causes	853	449	33	7	5	2	496	6	1	2	3	5	13	13	19	86	158	51
180.—BIGGLESWADE.																		
Mean Populn, 1861–71	12957	408	366	372	372	367	1885	1655	1565	1230	981	1609	1394	1119	840	504	156	19
TOTAL DEATHS	2992	864	216	101	52	44	1277	97	43	51	87	162	202	203	254	309	249	58
Small-pox	7	2	–	–	1	–	3	–	–	2	–	–	1	–	1	–	–	–
Measles	40	12	17	7	3	–	39	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	111	8	20	23	16	9	76	30	2	1	2	–	–	–	–	–	–	–
Diphtheria	16	2	–	4	2	3	11	5	–	–	–	–	–	–	–	–	–	–
Whooping-cough	50	30	12	3	3	2	50	–	–	–	–	–	–	–	–	–	–	–
Typhus	97	6	5	4	2	6	23	14	8	9	7	6	11	5	6	5	3	–
Diarrhœa & Dysentery	212	143	31	5	3	1	183	–	1	–	–	1	2	2	5	8	8	2
Cholera	18	5	4	–	–	1	10	–	1	–	1	–	1	1	1	1	2	–
Other Zymotic Dis.	53	7	3	4	3	3	20	5	1	1	2	3	4	3	2	7	4	1
Cancer	34	–	–	–	–	–	–	–	–	1	–	2	2	8	12	8	1	–
Scrofula and Tabes	105	58	20	4	1	1	84	5	4	2	3	4	–	2	–	1	–	–
Phthisis	279	5	5	1	2	–	13	5	4	18	41	66	59	42	19	12	–	–
Hydrocephalus	37	11	10	4	3	3	31	4	1	–	–	1	–	–	–	–	–	–
Dis. of Brain	515	116	15	8	4	2	145	12	4	6	13	39	53	56	61	70	52	4
Dis. of Heart & Dropsy	158	1	1	1	1	–	4	1	2	2	1	7	12	21	39	45	24	–
Dis. of Lungs	388	102	50	19	6	8	185	1	–	2	2	8	17	14	39	55	59	6
Dis. of Stom. and Liver	145	13	1	2	–	1	17	3	1	–	3	6	12	20	32	35	13	3
Dis. of Kidneys	35	–	–	–	–	1	1	–	1	1	2	1	4	6	3	7	7	2
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Dis. of Joints	6	–	–	–	–	–	–	1	1	1	1	–	–	–	1	–	–	1
Dis. of Skin	10	3	–	–	1	–	4	–	2	–	–	–	–	–	1	2	–	1
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	9	–	–	–	–	–	–	–	1	–	–	–	2	2	2	2	–	–
Other Violent Deaths	106	10	2	3	–	3	18	7	8	5	7	11	15	14	11	5	2	3
Other Causes	560	330	20	9	1	–	360	3	1	–	2	6	7	7	19	46	74	35
181.—AMPTHILL.																		
Mean Populn, 1861–71	8283	253	247	223	244	233	1200	1099	1010	790	590	979	891	717	538	332	123	14
TOTAL DEATHS	1755	571	152	53	45	25	846	60	30	33	44	70	74	81	134	179	165	39
Small-pox	3	1	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–
Measles	31	4	14	3	5	3	29	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	48	2	7	4	11	6	30	15	3	–	–	–	–	–	–	–	–	–
Diphtheria	17	1	1	1	1	2	6	7	–	–	–	–	1	–	3	–	–	–
Whooping-cough	65	28	23	8	3	2	64	1	–	–	–	–	–	–	–	–	–	–
Typhus	59	1	1	2	2	1	7	7	4	6	9	8	8	2	4	2	2	–
Diarrhœa & Dysentery	88	39	20	3	2	–	64	–	–	–	–	–	2	1	2	8	11	–
Cholera	6	1	2	1	–	–	4	–	–	–	–	–	–	1	1	–	–	–
Other Zymotic Dis.	41	5	2	5	4	–	16	2	1	3	–	2	2	5	3	5	2	–
Cancer	23	–	–	–	–	–	–	–	–	–	–	1	2	4	10	9	2	–
Scrofula and Tabes	22	8	4	6	–	–	18	–	–	–	–	1	2	1	–	–	–	–
Phthisis	115	2	1	2	–	–	5	4	4	10	21	29	19	11	7	5	–	–
Hydrocephalus	29	12	10	–	3	2	27	2	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	223	106	13	2	3	2	126	4	5	3	1	7	5	7	13	34	19	4
Dis. of Heart & Dropsy	89	1	1	1	–	1	4	2	–	–	–	1	6	8	21	24	21	2
Dis. of Lungs	219	67	27	8	6	2	110	5	–	–	3	5	8	15	28	25	16	4
Dis. of Stom. and Liver	85	13	–	–	3	–	16	1	1	1	1	2	8	6	17	24	8	–
Dis. of Kidneys	36	–	–	–	1	–	1	–	1	–	–	2	2	8	7	8	7	–
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Dis. of Joints	10	–	–	–	–	–	–	3	1	2	2	–	–	–	1	1	–	–
Dis. of Skin	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–
Other Violent Deaths	56	4	2	–	–	2	8	4	10	4	4	9	4	3	6	2	2	–
Other Causes	474	276	24	7	1	2	310	1	–	4	1	2	4	7	9	32	75	29

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
179.—BEDFORD.																		
Mean Populn, 1861-71	20601	556	551	510	500	514	2631	2351	2265	2007	1840	2824	2291	1905	1337	814	298	38
TOTAL DEATHS	3993	821	266	149	87	66	1389	126	101	172	176	277	230	243	324	428	408	119
Small-pox	7	2	1	–	–	–	3	–	–	1	2	–	1	–	–	–	–	–
Measles	76	6	27	23	11	5	72	4	–	–	–	–	–	–	–	–	–	–
Scarlatina	95	6	8	15	13	13	55	22	11	3	1	3	–	–	–	–	–	–
Diphtheria	33	–	2	4	4	4	14	11	6	1	1	–	–	–	–	–	–	–
Whooping-cough	88	43	25	10	7	1	86	1	–	1	–	–	–	–	–	–	–	–
Typhus	227	4	9	12	12	6	43	25	24	36	25	22	16	11	11	11	3	–
Diarrhœa & Dysentery	198	77	32	11	2	–	122	1	1	1	1	3	1	6	7	21	27	7
Cholera	5	–	–	–	–	–	–	1	1	–	–	–	–	1	1	–	1	–
Other Zymotic Dis.	92	13	7	11	9	7	47	10	1	4	1	4	2	3	4	8	8	–
Cancer	103	–	–	–	–	–	–	–	1	–	1	10	14	23	30	18	5	1
Scrofula and Tabes	61	22	7	5	1	2	37	2	5	2	3	4	3	1	2	2	–	–
Phthisis	615	45	18	4	4	2	73	13	23	80	86	152	92	63	25	7	1	–
Hydrocephalus	22	7	7	2	–	2	18	2	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	396	93	15	9	8	4	129	7	5	12	7	11	14	28	42	79	53	9
Dis. of Heart & Dropsy	251	3	2	–	–	–	5	6	5	8	3	17	15	40	60	62	28	2
Dis. of Lungs	461	105	64	24	10	12	215	7	5	7	9	6	16	15	50	74	40	17
Dis. of Stom. and Liver	193	9	5	3	–	1	18	4	4	6	12	14	18	26	43	34	14	–
Dis. of Kidneys	57	–	1	–	–	1	2	–	1	2	2	2	3	4	4	4	3	–
Dis. of Gener. Organs	22	–	–	–	–	–	–	–	–	–	–	1	3	10	6	–	2	–
Dis. of Joints	14	–	–	1	1	–	2	1	1	1	4	1	2	1	–	1	–	–
Dis. of Skin	8	1	–	1	–	–	2	–	–	–	–	–	–	1	–	2	3	–
Childbirth and Metria	61	–	–	–	–	–	–	–	–	5	13	21	25	–	–	–	–	–
Suicide	6	–	–	–	–	–	–	–	–	1	1	–	–	1	3	–	–	–
Other Violent Deaths	62	8	2	4	3	3	20	7	3	1	2	4	1	2	3	6	11	2
Other Causes	867	377	34	10	2	3	426	2	2	–	2	2	4	7	33	99	209	81
180.—BIGGLESWADE.																		
Mean Populn, 1861-71	13682	416	387	339	377	342	1861	1623	1567	1268	1200	1883	1538	1169	863	517	168	25
TOTAL DEATHS	2858	692	191	85	41	39	1048	123	56	80	100	180	188	184	241	338	249	71
Small-pox	6	2	–	–	2	–	4	1	1	–	–	–	–	–	–	–	–	–
Measles	37	8	11	9	2	2	32	5	–	–	–	–	–	–	–	–	–	–
Scarlatina	100	3	15	16	14	10	58	33	7	–	2	–	–	–	–	–	–	–
Diphtheria	13	–	2	–	1	2	5	5	2	–	–	–	–	1	–	–	–	–
Whooping-cough	67	30	23	7	5	2	67	–	–	–	–	–	–	–	–	–	–	–
Typhus	133	5	7	9	2	4	27	31	11	10	10	15	4	7	8	6	4	–
Diarrhœa & Dysentery	174	96	24	7	1	2	130	3	–	–	2	1	2	6	4	12	13	1
Cholera	10	4	1	–	–	–	5	1	1	–	–	–	2	–	–	–	1	–
Other Zymotic Dis.	40	4	4	2	2	3	15	3	3	4	1	1	2	1	4	3	2	1
Cancer	73	–	–	–	–	–	–	–	–	–	1	2	4	16	34	9	7	–
Scrofula and Tabes	92	51	21	3	–	–	75	1	1	3	4	3	2	1	1	1	–	–
Phthisis	345	9	3	4	–	1	17	8	13	38	51	83	58	49	15	13	–	–
Hydrocephalus	22	10	5	1	–	–	16	5	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	449	81	11	3	4	1	100	6	4	9	8	17	48	33	65	90	55	14
Dis. of Heart & Dropsy	174	2	1	3	–	2	8	1	4	3	4	11	15	19	33	53	21	2
Dis. of Lungs	370	87	42	15	5	7	156	4	7	4	7	12	18	13	31	63	43	12
Dis. of Stom. and Liver	142	15	2	1	1	–	19	7	–	1	3	2	13	21	30	30	15	1
Dis. of Kidneys	19	1	1	–	–	1	3	–	–	–	–	1	1	3	3	6	2	–
Dis. of Gener. Organs	16	–	–	–	–	–	–	–	–	1	–	2	2	4	4	3	–	–
Dis. of Joints	6	–	–	–	–	–	–	2	–	–	–	1	–	2	–	–	1	–
Dis. of Skin	7	4	1	–	–	–	5	–	–	1	–	1	–	–	–	–	–	–
Childbirth and Metria	34	–	–	–	–	–	–	–	–	3	7	15	8	1	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Other Violent Deaths	30	2	2	2	1	1	8	5	–	3	–	4	1	2	1	2	4	–
Other Causes	498	278	15	3	1	1	298	2	1	–	–	9	8	4	8	47	81	40
181.—AMPTHILL.																		
Mean Populn, 1861-71	8965	265	254	225	253	239	1236	1099	983	851	796	1222	1000	758	549	341	115	15
TOTAL DEATHS	1900	462	144	57	46	24	733	66	52	61	74	125	106	90	156	212	173	52
Small pox	2	1	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Measles	28	9	5	6	4	1	25	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	43	3	10	5	10	4	32	10	4	2	–	–	–	–	–	–	–	–
Diphtheria	18	2	5	1	4	4	16	1	1	–	–	–	–	–	–	–	–	–
Whooping-cough	62	23	29	10	5	1	59	3	–	–	–	–	–	–	–	–	–	–
Typhus	77	2	3	1	2	1	9	12	12	13	9	12	3	4	2	1	–	–
Diarrhœa & Dysentery	70	25	17	3	–	1	46	–	1	–	–	1	1	2	3	5	8	3
Cholera	11	2	3	2	–	–	7	–	–	1	–	2	–	–	–	1	–	–
Other Zymotic Dis.	34	3	4	2	2	3	16	3	1	1	1	1	1	4	1	2	3	–
Cancer	49	–	–	–	–	–	–	1	1	–	1	2	2	9	15	12	6	–
Scrofula and Tabes	43	12	10	3	1	–	26	1	3	2	3	1	2	1	2	2	–	–
Phthisis	258	5	2	3	2	2	14	5	19	27	36	68	43	22	13	11	–	–
Hydrocephalus	16	5	3	2	3	–	13	3	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	192	65	9	4	1	1	80	7	2	3	4	9	12	6	24	31	12	2
Dis. of Heart & Dropsy	111	1	1	–	–	2	4	–	–	3	5	4	5	13	27	37	12	1
Dis. of Lungs	208	52	35	6	6	2	101	3	3	3	2	2	6	7	19	30	28	4
Dis. of Stom. and Liver	96	5	–	1	1	–	7	6	3	–	2	–	10	10	28	25	3	2
Dis. of Kidneys	13	1	1	–	–	–	2	–	–	1	–	1	4	–	2	2	–	1
Dis. of Gener. Organs	11	–	–	–	–	–	–	–	–	–	–	–	4	5	1	1	–	–
Dis. of Joints	7	–	1	–	–	–	1	1	–	1	1	–	–	2	–	1	–	–
Dis. of Skin	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Childbirth and Metria	37	–	–	–	–	–	–	–	–	4	8	18	7	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Deaths	19	2	–	–	1	2	5	2	–	–	–	1	–	–	1	6	4	–
Other Causes	488	242	14	8	4	–	268	5	2	–	2	2	5	5	18	45	97	39

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
182.—WOBURN.																		
Mean Popul^n, 1861–71	5523	157	150	149	149	163	768	718	680	528	396	617	574	504	392	247	93	6
TOTAL DEATHS	1144	327	66	42	27	19	481	48	26	38	26	56	41	53	91	130	128	26
Small-pox	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Measles	9	4	–	4	1	–	9	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	36	–	3	6	6	6	21	10	3	1	1	–	–	–	–	–	–	–
Diphtheria	12	1	1	1	1	–	4	5	–	1	–	–	–	–	1	–	1	–
Whooping-cough	29	13	11	1	1	2	28	1	–	–	–	–	–	–	–	–	–	–
Typhus	47	–	1	4	2	1	8	8	9	7	3	4	2	3	3	–	–	–
Diarrhœa & Dysentery	35	18	2	–	–	–	20	2	–	–	–	–	1	–	2	4	5	1
Cholera	2	1	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	28	3	–	–	2	1	6	1	2	2	1	3	1	1	1	6	3	1
Cancer	9	–	–	–	–	–	–	–	–	–	–	–	1	4	1	1	2	–
Scrofula and Tabes	20	7	3	1	1	2	14	1	–	–	1	1	1	1	–	1	–	–
Phthisis	94	4	1	–	1	–	6	–	1	14	13	28	16	5	10	–	1	–
Hydrocephalus	15	4	3	1	1	3	12	2	–	–	1	–	–	–	–	–	–	–
Dis. of Brain	140	50	7	3	3	1	61	4	4	3	1	1	4	6	11	18	22	2
Dis. of Heart & Dropsy	75	–	1	1	–	–	2	2	–	4	2	6	3	7	17	21	9	2
Dis. of Lungs	155	35	13	10	6	–	64	4	–	–	–	1	4	7	12	29	28	6
Dis. of Stom. and Liver	68	7	2	2	–	1	12	3	1	1	1	6	2	7	12	15	8	–
Dis. of Kidneys	21	–	–	–	–	–	–	–	–	–	–	1	1	6	5	6	1	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	8	–	1	–	1	–	2	–	2	1	–	1	1	–	1	–	–	–
Dis. of Skin	6	1	–	–	–	–	1	–	–	–	–	1	–	–	1	1	1	1
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	6	–	–	–	–	–	–	–	–	–	–	2	–	–	3	1	–	–
Other Violent Deaths	24	2	1	2	–	1	6	2	1	2	1	–	3	3	2	2	2	–
Other Causes	304	177	15	6	1	1	200	3	3	2	1	1	1	2	9	25	45	12
183.—LEIGHTON BUZZARD.																		
Mean Popul^n, 1861–71	8740	281	250	246	253	260	1290	1121	1061	847	701	1050	893	789	527	335	113	13
TOTAL DEATHS	1839	571	124	63	41	25	824	76	47	49	50	81	76	109	135	164	190	38
Small-pox	33	6	–	1	–	–	7	1	1	3	1	3	3	5	4	3	1	1
Measles	18	2	7	3	1	1	14	4	–	–	–	–	–	–	–	–	–	–
Scarlatina	66	4	10	11	15	3	43	16	4	1	1	1	–	–	–	–	–	–
Diphtheria	27	4	3	5	5	4	21	5	1	–	–	–	–	–	–	–	–	–
Whooping-cough	32	21	7	3	1	–	32	–	–	–	–	–	–	–	–	–	–	–
Typhus	102	8	8	3	2	1	22	18	10	9	9	12	3	8	3	2	5	1
Diarrhœa & Dysentery	63	46	9	2	–	–	57	2	–	–	–	–	–	–	2	1	1	–
Cholera	14	3	2	1	–	–	6	–	1	–	–	–	1	1	3	1	1	–
Other Zymotic Dis.	59	14	9	4	3	1	31	4	3	3	2	1	2	3	3	4	3	–
Cancer	17	–	–	–	–	–	–	–	–	1	–	1	1	4	4	1	5	–
Scrofula and Tabes	37	13	7	3	–	1	24	1	4	1	2	3	1	–	1	–	–	–
Phthisis	139	3	1	–	–	–	4	–	4	11	24	35	22	22	14	3	–	–
Hydrocephalus	19	6	5	2	–	1	14	4	–	–	–	1	–	–	–	–	–	–
Dis. of Brain	234	68	12	7	2	4	93	6	5	2	1	4	6	13	21	48	30	5
Dis. of Heart & Dropsy	99	1	1	1	–	1	4	1	4	2	2	3	6	9	13	26	26	3
Dis. of Lungs	240	70	21	9	8	1	109	1	3	3	4	4	11	14	29	26	34	2
Dis. of Stom. and Liver	73	7	1	2	1	3	14	4	2	2	–	1	8	11	17	11	2	1
Dis. of Kidneys	37	1	–	–	–	–	1	2	–	–	–	3	1	3	4	10	11	2
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Dis. of Joints	8	–	–	–	2	–	2	–	–	2	1	–	1	1	–	–	1	–
Dis. of Skin	9	4	1	–	–	–	5	–	–	–	–	–	–	2	–	1	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	6	–	–	–	–	–	–	–	–	–	–	1	–	1	3	1	–	–
Other Violent Deaths	61	5	4	1	–	1	11	5	4	8	3	5	9	4	7	2	3	–
Other Causes	445	285	16	5	1	3	310	2	1	1	–	3	1	8	7	23	66	23
184.—LUTON.																		
Mean Popul^n, 1861–71	14214	491	401	415	403	421	2131	1916	1675	1377	1096	1928	1593	1204	770	401	112	11
TOTAL DEATHS	3367	1235	312	128	78	50	1803	135	59	59	64	162	189	173	235	281	172	35
Small-pox	53	12	1	5	2	3	23	3	4	2	2	4	6	4	5	–	–	–
Measles	57	9	24	11	5	2	51	4	–	1	–	–	–	1	–	–	–	–
Scarlatina	143	17	19	21	23	15	95	34	10	3	–	1	–	–	–	–	–	–
Diphtheria	10	–	2	2	3	–	7	1	1	–	1	–	–	–	–	–	–	–
Whooping-cough	65	23	27	9	4	1	64	1	–	–	–	–	–	–	–	–	–	–
Typhus	131	2	7	5	3	3	20	20	8	12	11	13	16	10	14	6	1	–
Diarrhœa & Dysentery	235	182	33	4	–	–	219	–	–	–	–	–	2	1	4	2	5	2
Cholera	5	1	1	1	–	–	3	–	–	–	–	–	1	–	–	–	–	1
Other Zymotic Dis.	81	24	13	10	2	1	50	7	2	1	1	3	2	1	5	5	4	–
Cancer	28	–	1	–	–	–	1	–	–	–	–	8	1	8	8	6	1	–
Scrofula and Tabes	33	12	10	2	1	1	26	2	–	1	–	1	1	2	–	–	–	–
Phthisis	356	41	28	13	3	1	86	6	5	14	27	75	68	37	26	12	–	–
Hydrocephalus	74	30	21	8	3	4	66	7	–	–	–	1	–	–	–	–	–	–
Dis. of Brain	421	174	29	8	10	4	225	13	4	4	4	10	13	14	40	65	28	1
Dis. of Heart & Dropsy	184	9	5	–	2	–	16	7	5	1	4	7	27	17	37	47	16	–
Dis. of Lungs	423	161	58	20	11	6	256	12	5	4	1	11	14	32	27	40	20	1
Dis. of Stom. and Liver	150	36	4	–	1	–	41	3	1	5	1	11	12	12	30	26	6	2
Dis. of Kidneys	40	–	1	–	1	–	2	2	–	1	1	4	5	6	6	10	3	–
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Dis. of Joints	5	1	1	–	–	–	2	–	–	–	–	1	–	1	1	–	–	–
Dis. of Skin	8	3	1	–	–	–	4	–	1	–	–	–	–	–	1	2	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–
Other Violent Deaths	99	8	2	3	–	6	19	9	13	7	8	11	9	11	4	7	–	1
Other Causes	762	490	24	6	4	3	527	4	–	3	3	5	11	16	27	51	88	27

Mean Population, 1861-71, and **Deaths** in **Districts** during the **10 Years 1861-70.**

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
182.—WOBURN.																		
Mean Populn, 1861-71	6083	146	140	140	153	140	719	736	649	604	531	836	687	532	397	279	101	12
TOTAL DEATHS	1164	226	72	28	15	18	359	44	29	52	44	75	78	70	95	146	141	31
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	7	2	3	-	-	1	6	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	30	1	2	5	3	4	15	10	2	2	1	-	-	-	-	-	-	-
Diphtheria	8	-	1	1	1	2	5	3	-	-	-	-	-	-	-	-	-	-
Whooping-cough	33	14	11	3	2	2	32	1	-	-	-	-	-	-	-	-	-	-
Typhus	48	-	1	-	-	2	3	13	6	6	3	6	4	4	3	-	-	-
Diarrhœa & Dysentery	47	19	3	2	1	-	25	-	1	-	-	1	2	-	3	8	6	1
Cholera	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Other Zymotic Dis.	19	4	1	1	-	1	7	3	1	1	-	-	1	2	-	3	1	-
Cancer	32	-	-	-	-	-	-	-	-	-	-	1	4	7	11	4	4	1
Scrofula and Tabes	18	2	5	-	1	1	9	2	2	1	1	-	1	2	-	-	-	-
Phthisis	152	1	1	1	-	-	3	1	8	36	22	41	23	14	4	-	-	-
Hydrocephalus	5	-	3	-	-	1	4	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	118	31	6	5	1	-	43	2	2	-	2	1	5	10	14	23	15	1
Dis. of Heart & Dropsy	105	1	-	-	1	-	2	1	2	-	4	6	12	7	24	31	13	3
Dis. of Lungs	153	31	16	5	4	2	58	3	1	-	1	1	4	4	15	32	32	2
Dis. of Stom. and Liver	51	1	-	-	1	-	2	-	-	2	1	1	3	9	10	15	8	-
Dis. of Kidneys	14	-	-	-	-	-	-	-	2	1	2	3	1	2	1	2	-	-
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	-	-	-	2	3	1	1	-	-
Dis. of Joints	5	-	1	-	-	-	1	-	-	1	-	2	-	-	-	-	1	-
Dis. of Skin	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1
Childbirth and Metria	21	-	-	-	-	-	-	-	-	1	5	9	6	-	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	9	-	1	1	-	-	2	3	-	-	-	-	1	-	-	1	-	2
Other Causes	276	117	16	4	-	2	139	-	2	1	2	3	9	6	9	24	61	29
183.—LEIGHTON BUZZARD.																		
Mean Populn, 1861-71	9417	284	245	248	249	241	1267	1156	1029	959	902	1318	1031	805	523	313	101	13
TOTAL DEATHS	1844	389	160	71	38	28	686	82	43	64	72	136	121	109	122	209	147	53
Small-pox	13	4	-	-	-	-	4	1	1	-	-	2	2	2	-	1	-	-
Measles	27	4	13	5	3	-	25	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	56	3	7	11	10	6	37	13	3	1	2	-	-	-	-	-	-	-
Diphtheria	24	1	6	2	1	1	11	11	-	-	1	1	-	-	-	-	-	-
Whooping-cough	31	9	16	2	1	1	29	2	-	-	-	-	-	-	-	-	-	-
Typhus	120	1	11	7	3	5	27	22	10	15	9	8	9	5	5	4	6	-
Diarrhœa & Dysentery	87	44	10	4	-	3	61	1	2	-	1	-	2	2	1	7	6	4
Cholera	15	3	1	-	1	-	5	1	1	1	1	1	3	-	1	1	-	-
Other Zymotic Dis.	61	12	9	6	5	2	34	3	1	2	2	2	5	-	4	2	6	-
Cancer	44	-	-	-	-	-	-	-	-	-	-	4	7	11	9	10	3	-
Scrofula and Tabes	37	14	6	3	-	1	24	4	3	1	-	3	1	-	1	-	-	-
Phthisis	224	1	1	-	-	-	2	2	10	32	37	60	40	20	17	3	1	-
Hydrocephalus	9	3	5	-	-	-	8	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	208	46	21	2	1	3	73	3	-	2	4	3	5	11	20	49	28	10
Dis. of Heart & Dropsy	135	2	1	1	1	1	6	2	5	1	4	10	9	14	22	38	20	4
Dis. of Lungs	217	45	33	13	7	5	103	4	4	2	2	10	8	17	15	28	11	3
Dis. of Stom. and Liver	93	4	-	-	2	-	6	4	2	2	4	5	7	17	19	19	7	1
Dis. of Kidneys	15	-	-	-	-	-	-	1	-	-	1	3	2	1	1	4	2	-
Dis. of Gener. Organs	8	-	-	-	-	-	-	-	-	-	1	4	2	-	1	-	-	-
Dis. of Joints	8	-	1	-	1	-	2	-	-	2	-	1	-	-	1	1	1	-
Dis. of Skin	3	2	-	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	31	-	-	-	-	-	-	-	-	3	3	15	10	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Other Violent Deaths	18	4	-	3	1	-	8	1	1	-	-	-	-	2	-	4	1	1
Other Causes	358	187	19	11	1	-	218	4	-	-	-	4	8	7	4	28	55	30
184.—LUTON.																		
Mean Populn, 1861-71	18276	459	447	435	424	339	2164	1942	1911	2200	2087	2887	2077	1474	885	483	146	20
TOTAL DEATHS	3543	995	295	131	83	53	1557	133	67	139	141	249	233	215	242	293	228	46
Small-pox	53	15	7	3	2	1	28	6	1	4	5	2	3	3	-	1	-	-
Measles	61	10	22	14	6	3	55	5	-	-	-	1	-	-	-	-	-	-
Scarlatina	130	14	27	25	16	15	97	36	6	4	2	2	3	-	-	-	-	-
Diphtheria	20	3	3	1	1	1	9	4	2	1	-	4	-	-	-	-	-	-
Whooping-cough	89	41	25	11	7	2	86	3	-	-	-	-	-	-	-	-	-	-
Typhus	189	5	7	9	11	6	38	17	19	33	16	21	20	13	9	2	1	-
Diarrhœa & Dysentery	219	148	38	8	-	-	194	3	-	1	-	2	2	3	3	8	2	1
Cholera	3	1	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	69	14	4	10	3	3	34	7	2	2	1	4	3	5	4	4	3	-
Cancer	75	-	-	1	-	-	1	-	-	-	-	1	10	22	23	15	3	-
Scrofula and Tabes	30	12	6	3	1	1	23	-	-	-	-	2	1	1	2	-	1	-
Phthisis	478	35	24	8	2	3	72	8	13	61	60	107	75	43	25	13	1	-
Hydrocephalus	53	28	15	3	3	-	49	3	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	419	122	32	8	6	2	170	9	5	9	8	7	24	31	41	77	37	1
Dis. of Heart & Dropsy	272	10	2	3	2	2	19	6	6	6	15	19	33	32	53	60	20	3
Dis. of Lungs	373	114	39	16	16	7	192	10	3	5	5	15	15	16	36	41	34	1
Dis. of Stom. and Liver	157	17	5	1	2	-	25	3	5	2	7	20	17	23	19	23	11	2
Dis. of Kidneys	13	-	1	-	-	-	1	-	-	-	1	-	2	5	1	3	-	-
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	-	-	3	2	2	2	-	-
Dis. of Joints	9	-	-	-	-	1	1	-	1	1	2	2	1	1	-	-	-	-
Dis. of Skin	5	1	1	-	-	-	2	-	-	-	1	-	1	-	-	1	-	-
Childbirth and Metria	57	-	-	-	-	-	-	-	-	7	14	27	8	1	-	-	-	-
Suicide	6	-	-	-	-	-	-	-	-	-	-	1	1	1	3	-	-	-
Other Violent Deaths	43	11	7	3	2	1	24	4	1	-	1	3	-	3	2	3	2	-
Other Causes	691	394	30	4	3	4	435	8	2	3	3	9	11	10	19	40	113	38

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
185.—CAXTON.																		
Mean Popul^n, 1861–71	5825	174	174	169	184	163	864	705	728	573	470	693	595	480	375	241	89	12
TOTAL DEATHS	1101	322	66	36	16	16	456	37	26	30	23	54	39	42	86	139	131	38
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	8	1	2	2	-	2	7	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	36	7	7	4	5	2	25	7	1	-	-	-	-	-	-	-	-	-
Diphtheria	16	1	1	4	3	1	10	2	2	1	1	-	-	-	-	-	-	-
Whooping-cough	22	16	2	2	1	-	21	1	-	-	-	-	-	-	-	-	-	-
Typhus	47	-	-	-	-	1	1	2	4	9	1	12	5	3	7	2	-	1
Diarrhœa & Dysentery	77	45	13	2	1	1	62	1	-	-	-	-	1	-	2	5	5	1
Cholera	13	6	-	1	-	-	7	-	1	-	-	-	-	-	-	3	2	-
Other Zymotic Dis.	16	-	1	-	2	2	5	-	1	1	1	1	-	-	2	4	1	-
Cancer	9	-	-	-	-	-	-	-	-	-	-	1	-	2	1	4	1	-
Scrofula and Tabes	16	5	3	-	-	-	8	2	4	-	-	1	-	1	-	-	-	-
Phthisis	100	3	6	2	1	1	13	3	2	7	12	25	13	13	9	2	1	-
Hydrocephalus	11	5	1	3	-	-	9	2	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	112	35	3	3	1	1	43	2	2	1	2	2	2	2	15	18	20	3
Dis. of Heart & Dropsy	57	-	-	1	-	-	1	2	-	3	4	2	3	5	11	18	8	-
Dis. of Lungs	126	44	12	6	2	1	65	3	1	3	-	4	5	2	11	17	8	7
Dis. of Stom. and Liver	66	12	-	1	-	-	13	1	-	3	-	1	2	8	18	15	5	-
Dis. of Kidneys	20	-	-	-	-	-	-	-	1	-	-	-	1	2	3	7	6	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	4	1	-	-	-	-	1	-	-	1	-	-	-	-	-	2	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	46	2	1	2	-	3	8	7	6	1	2	4	5	3	5	4	1	-
Other Causes	301	139	13	3	-	1	156	1	1	-	-	1	2	1	2	38	73	26
186.—CHESTERTON.																		
Mean Popul^n, 1861–71	13373	394	379	395	342	348	1858	1656	1478	1345	1098	1705	1414	1155	855	572	211	26
TOTAL DEATHS	2799	723	197	84	48	38	1090	103	55	50	74	159	174	192	203	341	281	77
Small-pox	10	3	1	-	-	-	4	-	1	-	-	4	1	-	-	-	-	-
Measles	42	9	15	5	5	4	38	3	1	-	-	-	-	-	-	-	-	-
Scarlatina	84	3	11	16	12	11	53	22	7	-	1	1	-	-	-	-	-	-
Diphtheria	66	15	5	8	7	7	42	10	7	2	-	1	-	1	-	2	1	-
Whooping-cough	54	29	14	7	1	2	53	1	-	-	-	-	-	-	-	-	-	-
Typhus	81	2	2	2	3	1	10	16	9	2	8	7	2	9	3	14	1	-
Diarrhœa & Dysentery	129	73	16	3	-	-	92	1	-	1	-	1	1	3	4	12	12	2
Cholera	16	7	1	1	-	1	10	-	-	-	-	1	1	1	1	1	1	-
Other Zymotic Dis.	50	4	3	4	3	3	17	4	2	2	3	4	4	4	6	3	1	-
Cancer	43	-	-	1	-	-	1	-	-	-	-	-	4	9	11	14	4	-
Scrofula and Tabes	60	24	9	3	3	1	40	6	3	-	-	3	2	2	2	2	-	-
Phthisis	344	21	11	3	1	-	36	10	8	25	31	71	59	47	28	23	2	-
Hydrocephalus	33	7	12	6	-	4	29	3	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	321	56	8	2	2	1	69	4	1	7	7	21	40	36	34	48	50	4
Dis. of Heart & Dropsy	168	4	3	-	1	1	9	1	2	1	2	6	14	24	36	41	30	2
Dis. of Lungs	352	118	31	9	7	1	166	12	-	2	5	10	9	14	30	63	33	8
Dis. of Stom. and Liver	139	20	5	-	1	-	26	1	1	1	4	7	15	12	23	36	9	4
Dis. of Kidneys	55	-	1	1	-	-	2	-	1	2	-	3	6	6	8	19	6	2
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Dis. of Joints	9	-	-	-	-	-	-	1	-	1	-	2	-	-	2	2	1	-
Dis. of Skin	7	4	-	-	-	-	4	-	1	-	-	-	-	-	1	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	10	-	-	-	-	-	-	-	-	-	2	-	1	6	1	-	-	-
Other Violent Deaths	115	14	10	7	1	-	32	6	10	4	11	14	11	10	6	4	5	2
Other Causes	614	310	39	6	1	1	357	2	-	-	-	3	3	8	7	56	125	53
187.—CAMBRIDGE.																		
Mean Popul^n, 1861–71	13021	376	331	331	332	323	1693	1410	1396	1342	1420	1872	1396	1128	781	452	120	11
TOTAL DEATHS	3110	710	229	116	71	45	1171	90	51	73	117	231	230	280	285	300	229	44
Small-pox	18	6	1	1	-	-	8	2	1	1	-	5	-	1	-	-	-	-
Measles	71	11	31	21	5	3	71	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	102	9	18	18	19	15	79	20	2	1	-	-	-	-	-	-	-	-
Diphtheria	17	3	-	1	1	1	6	7	-	2	-	1	-	-	-	1	-	-
Whooping-cough	48	22	14	6	3	2	47	1	-	-	-	-	-	-	-	-	-	-
Typhus	59	1	-	4	3	2	10	8	5	5	9	7	6	4	2	2	1	-
Diarrhœa & Dysentery	143	91	23	7	3	1	125	1	2	-	3	1	-	-	3	6	2	-
Cholera	3	1	1	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-
Other Zymotic Dis.	66	5	5	8	4	3	25	7	5	1	4	4	4	7	2	3	4	-
Cancer	55	-	-	-	-	-	-	-	-	-	2	-	6	15	13	16	3	-
Scrofula and Tabes	88	30	12	4	7	4	57	8	6	4	3	2	1	3	-	3	1	-
Phthisis	505	9	9	2	3	1	24	3	7	27	52	133	97	98	51	13	-	-
Hydrocephalus	48	18	17	6	1	1	43	4	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	326	64	12	12	10	2	100	11	2	4	5	13	26	29	41	52	41	-
Dis. of Heart & Dropsy	176	2	1	-	-	2	5	4	1	4	2	13	20	28	38	38	22	-
Dis. of Lungs	413	124	55	17	7	4	207	7	2	3	4	5	18	25	45	58	33	-
Dis. of Stom. and Liver	167	16	3	2	2	-	23	2	4	6	8	12	16	30	28	25	11	-
Dis. of Kidneys	85	-	-	1	-	1	2	2	-	2	3	9	10	16	21	14	4	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	17	-	-	-	1	-	1	2	2	2	1	-	1	3	1	4	-	-
Dis. of Skin	14	4	-	-	-	-	4	-	1	-	4	-	1	-	3	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	11	-	-	-	-	-	-	-	-	-	3	2	1	3	1	1	-	-
Other Violent Deaths	127	9	3	1	1	1	15	10	9	10	14	19	19	9	8	10	4	-
Other Causes	551	225	24	5	1	2	317	-	1	1	-	4	4	8	28	54	102	3

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
185.—CAXTON.																		
Mean Popul^n, 1861–71	5488	158	172	156	152	157	795	746	636	469	408	699	571	476	361	228	83	16
TOTAL DEATHS	993	233	69	33	11	6	352	28	30	34	30	57	56	45	77	114	124	46
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	8	–	2	3	–	–	5	2	–	–	1	–	–	–	–	–	–	–
Scarlatina	31	6	9	6	–	2	23	4	3	–	1	–	–	–	–	–	–	–
Diphtheria	14	1	2	3	1	1	8	5	–	–	1	–	–	–	–	–	–	–
Whooping-cough	27	16	4	3	3	1	27	–	–	–	–	–	–	–	–	–	–	–
Typhus	45	–	2	–	–	1	3	6	10	7	2	4	4	2	4	2	1	–
Diarrhœa & Dysentery	42	21	8	1	–	–	30	–	–	–	–	–	1	2	5	1	2	1
Cholera	7	4	1	–	–	–	5	–	–	–	–	1	–	–	–	–	1	–
Other Zymotic Dis.	17	1	1	–	1	1	4	3	2	1	2	–	3	–	1	1	–	–
Cancer	23	–	–	–	–	–	–	–	–	–	–	1	3	4	10	3	2	–
Scrofula and Tabes	16	4	1	1	1	–	7	–	2	–	1	2	2	1	1	–	–	–
Phthisis	123	7	7	1	1	–	16	1	3	18	16	27	19	12	6	4	1	–
Hydrocephalus	7	4	1	1	–	–	6	1	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	95	18	1	7	–	–	26	2	4	3	–	6	1	8	4	18	19	4
Dis. of Heart & Dropsy	58	–	–	–	–	–	–	1	1	–	1	1	8	5	10	18	9	4
Dis. of Lungs	92	30	11	4	1	–	46	1	3	2	1	2	1	3	6	15	11	1
Dis. of Stom. and Liver	71	8	2	–	–	–	10	–	–	–	–	6	5	4	21	15	10	–
Dis. of Kidneys	12	1	–	–	–	–	1	–	–	1	–	2	1	–	1	3	3	–
Dis. of Gener. Organs	9	–	–	–	–	–	–	–	–	–	–	–	2	4	3	–	–	–
Dis. of Joints	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Dis. of Skin	2	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	13	–	–	–	–	–	–	–	–	–	2	3	5	3	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
Other Violent Deaths	20	6	1	–	3	–	10	2	1	–	–	–	–	1	–	–	1	–
Other Causes	257	104	16	3	–	–	123	–	1	–	1	–	–	2	–	5	27	62	36
186.—CHESTERTON.																		
Mean Popul^n, 1861–71	13143	388	356	377	369	346	1836	1624	1389	1052	1030	1761	1499	1167	901	594	247	43
TOTAL DEATHS	2593	558	189	70	55	53	925	126	60	99	91	155	169	148	173	265	276	106
Small-pox	4	–	–	–	1	–	1	–	–	3	–	–	–	–	–	–	–	–
Measles	33	6	8	6	6	2	28	5	–	–	–	–	–	–	–	–	–	–
Scarlatina	86	6	8	13	11	10	48	31	5	1	–	–	1	–	–	–	–	–
Diphtheria	90	14	4	2	11	10	41	31	7	4	1	1	1	1	2	1	–	–
Whooping-cough	53	32	14	3	2	1	52	–	1	–	–	–	–	–	–	–	–	–
Typhus	72	1	4	–	2	3	10	20	7	8	8	9	2	1	3	2	2	–
Diarrhœa & Dysentery	114	66	18	2	–	–	86	1	–	–	–	2	4	2	–	7	8	4
Cholera	9	5	–	–	–	–	5	–	–	–	–	–	1	–	–	2	1	–
Other Zymotic Dis.	54	6	5	4	5	4	24	6	5	5	1	–	–	1	2	3	6	1
Cancer	69	–	–	–	–	–	–	–	–	1	–	–	9	21	24	6	5	3
Scrofula and Tabes	49	10	12	5	–	2	29	4	1	1	1	9	1	2	–	1	–	–
Phthisis	382	20	9	2	1	1	33	9	16	47	46	85	52	47	20	20	7	–
Hydrocephalus	25	5	11	3	3	–	22	1	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	273	35	6	7	2	2	52	4	3	9	4	12	33	26	37	51	36	6
Dis. of Heart & Dropsy	149	3	–	–	1	1	5	–	3	2	5	6	10	12	31	45	27	3
Dis. of Lungs	283	79	39	18	5	9	150	5	1	2	2	5	8	11	18	44	32	5
Dis. of Stom. and Liver	124	12	2	–	2	2	18	2	3	4	4	9	12	11	16	29	14	2
Dis. of Kidneys	21	–	1	–	–	–	1	–	1	2	–	–	5	4	4	3	1	–
Dis. of Gener. Organs	14	–	–	–	–	–	–	–	–	–	1	–	6	4	1	2	–	–
Dis. of Joints	5	–	–	–	–	–	–	1	–	–	1	2	1	–	–	–	–	–
Dis. of Skin	5	2	–	–	1	–	3	–	–	–	–	–	–	–	2	–	–	–
Childbirth and Metria	51	–	–	–	–	–	–	–	–	5	13	13	20	–	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	1	–	1	–	1	1	–	–	–	–
Other Violent Deaths	38	7	6	–	–	2	15	1	1	5	–	–	–	1	1	7	5	2
Other Causes	586	249	42	5	2	4	302	5	3	–	3	2	2	3	12	42	132	80
187.—CAMBRIDGE.																		
Mean Popul^n, 1861–71	15199	374	327	317	335	326	1679	1485	1473	1748	1527	2268	1710	1349	1049	640	234	37
TOTAL DEATHS	2967	523	199	103	76	46	947	85	57	81	92	218	213	232	260	374	306	102
Small-pox	13	3	–	–	1	–	4	1	–	1	–	3	1	2	–	1	–	–
Measles	51	12	21	13	4	1	51	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	87	4	13	19	12	10	63	18	4	–	1	1	–	–	–	–	–	–
Diphtheria	23	2	1	4	1	–	8	7	4	1	1	–	1	–	1	–	–	–
Whooping-cough	73	27	21	12	8	4	72	1	–	–	–	–	–	–	–	–	–	–
Typhus	73	1	2	2	6	3	14	7	14	11	3	8	4	6	3	1	2	–
Diarrhœa & Dysentery	132	83	18	3	2	–	106	–	1	–	–	2	4	2	3	5	8	1
Cholera	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	70	3	6	5	7	5	26	5	3	–	3	9	7	5	5	5	1	1
Cancer	123	–	–	–	–	–	–	–	–	2	3	5	9	34	31	28	10	1
Scrofula and Tabes	77	20	14	8	4	2	48	5	6	6	2	4	2	1	–	2	1	–
Phthisis	399	7	10	2	2	1	22	6	7	37	49	106	89	52	21	10	–	–
Hydrocephalus	45	9	12	6	5	4	36	9	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	273	37	11	6	3	4	61	3	7	6	9	9	11	26	35	62	40	4
Dis. of Heart & Dropsy	222	–	–	–	–	–	–	3	4	5	3	10	22	25	51	63	31	5
Dis. of Lungs	410	83	43	14	17	9	166	3	3	8	1	11	15	24	40	80	52	7
Dis. of Stom. and Liver	169	10	1	1	1	1	14	8	1	3	4	21	17	25	32	29	13	2
Dis. of Kidneys	43	–	–	1	–	–	1	2	–	1	5	5	7	6	10	5	1	–
Dis. of Gener. Organs	19	–	–	–	–	–	–	–	–	–	–	3	4	6	4	2	–	–
Dis. of Joints	9	–	–	–	–	–	–	–	1	–	1	1	1	4	1	–	–	–
Dis. of Skin	11	4	–	–	–	–	4	–	–	–	–	1	1	1	1	1	2	–
Childbirth and Metria	23	–	–	–	–	–	–	–	–	–	4	12	9	1	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–
Other Violent Deaths	42	12	–	1	2	–	15	6	–	–	2	5	3	1	3	2	5	–
Other Causes	572	206	21	5	1	2	235	1	2	–	1	2	5	8	19	78	140	81

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
188.—LINTON.																		
Mean Popul^{n}, 1861–71	6748	189	188	199	181	188	945	876	808	683	511	746	661	585	471	325	124	13
TOTAL DEATHS	1336	306	86	41	37	25	495	56	27	40	39	55	63	77	102	173	163	46
Small-pox	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Measles	14	1	5	3	2	1	12	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	59	4	10	8	14	6	42	14	-	1	-	-	2	-	-	-	-	-
Diphtheria	9	-	2	-	1	3	6	1	1	-	-	-	-	-	-	1	-	-
Whooping-cough	32	16	10	3	1	1	31	-	1	-	-	-	-	-	-	-	-	-
Typhus	47	-	-	2	4	-	6	10	4	6	7	7	2	1	3	1	-	-
Diarrhœa & Dysentery	40	20	7	2	-	1	30	-	2	1	1	-	-	1	-	2	1	2
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Other Zymotic Dis.	36	4	5	1	4	-	14	4	-	1	1	1	-	2	2	4	7	-
Cancer	19	-	-	-	-	-	-	-	-	-	-	1	1	3	5	3	4	2
Scrofula and Tabes	15	6	-	1	-	-	7	1	1	1	-	2	1	-	1	-	1	-
Phthisis	134	3	2	2	1	2	10	-	3	15	22	24	25	11	16	6	2	-
Hydrocephalus	22	4	6	4	2	2	18	4	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	170	33	7	5	4	1	55	3	1	4	1	2	4	8	15	38	35	4
Dis. of Heart & Dropsy	111	3	3	-	-	1	7	2	2	-	3	3	2	12	24	39	14	3
Dis. of Lungs	188	53	22	2	2	3	82	3	1	2	-	-	14	12	17	34	18	5
Dis. of Stom. and Liver	60	6	-	-	-	2	8	3	3	3	-	3	7	7	8	10	8	-
Dis. of Kidneys	40	-	-	1	-	-	1	1	1	2	-	5	2	6	4	9	8	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Dis. of Joints	8	-	-	1	-	-	1	1	-	1	1	1	1	1	1	-	-	-
Dis. of Skin	6	4	-	-	-	-	4	-	-	-	-	-	-	1	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Other Violent Deaths	41	1	1	-	1	1	4	6	7	3	2	5	2	6	4	-	2	-
Other Causes	280	143	6	6	1	1	157	1	-	-	-	1	-	5	-	24	63	29
189.—NEWMARKET.																		
Mean Popul^{n}, 1861–71	14576	393	389	406	381	396	1965	1802	1694	1518	1175	1763	1463	1244	1022	660	233	37
TOTAL DEATHS	3021	736	246	87	45	52	1166	113	73	66	102	156	140	171	214	394	321	105
Small-pox	3	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
Measles	57	10	26	8	5	1	50	5	2	-	-	-	-	-	-	-	-	-
Scarlatina	60	2	9	7	6	8	32	20	6	1	-	1	-	-	-	-	-	-
Diphtheria	37	2	3	6	3	5	19	12	1	3	-	1	-	-	1	-	-	-
Whooping-cough	43	20	16	4	1	1	42	1	-	-	-	-	-	-	-	-	-	-
Typhus	103	3	6	3	-	8	20	17	11	9	7	8	5	5	10	9	2	-
Diarrhœa & Dysentery	133	61	23	4	3	2	93	1	1	1	1	1	1	6	4	12	7	5
Cholera	7	5	-	-	-	-	5	-	-	1	-	-	-	1	-	-	-	-
Other Zymotic Dis.	44	7	3	3	3	1	17	5	4	1	3	-	3	1	4	5	-	1
Cancer	67	-	-	-	-	-	-	-	-	-	-	2	7	9	17	23	8	1
Scrofula and Tabes	60	24	11	1	1	3	40	4	5	2	1	3	1	1	1	2	-	-
Phthisis	372	10	10	4	-	3	27	11	10	30	69	81	59	48	21	16	-	-
Hydrocephalus	33	10	13	3	1	1	28	3	2	-	-	-	-	-	-	-	-	-
Dis. of Brain	316	58	16	12	8	4	98	10	6	5	6	8	11	16	32	66	54	4
Dis. of Heart & Dropsy	193	6	3	1	-	2	12	3	6	-	2	7	5	22	30	63	37	6
Dis. of Lungs	446	147	46	16	7	7	223	12	4	4	4	13	11	18	42	63	45	7
Dis. of Stom. and Liver	152	17	1	-	1	-	19	1	6	-	1	10	15	18	27	35	18	2
Dis. of Kidneys	58	1	3	1	-	-	5	1	1	-	2	5	7	4	7	14	12	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	8	-	-	-	-	-	-	-	1	1	1	2	-	1	1	1	-	-
Dis. of Skin	8	5	1	-	-	-	6	-	1	-	-	-	-	1	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	8	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	1	-
Other Violent Deaths	82	3	6	4	3	4	20	5	5	7	3	6	8	10	2	11	4	1
Other Causes	731	345	49	10	3	2	409	2	1	-	1	7	7	8	13	72	133	78
190.—ELY.																		
Mean Popul^{n}, 1861–71	10860	332	286	309	306	286	1519	1285	1296	1074	824	1330	1174	1011	712	454	162	19
TOTAL DEATHS	2310	732	157	72	41	34	1036	93	48	78	66	111	103	124	154	212	224	61
Small-pox	6	1	-	1	-	-	2	-	-	-	1	2	-	1	-	-	-	-
Measles	28	8	9	7	1	-	25	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	53	5	6	9	7	7	34	14	4	-	-	-	-	1	-	-	-	-
Diphtheria	21	1	-	2	2	1	6	10	-	3	-	-	-	-	-	1	1	-
Whooping-cough	45	27	9	6	2	-	44	1	-	-	-	-	-	-	-	-	-	-
Typhus	87	2	2	4	1	1	10	13	9	11	6	10	6	4	8	3	5	2
Diarrhœa & Dysentery	86	48	9	3	2	1	63	-	-	2	-	1	2	2	3	6	6	1
Cholera	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-
Other Zymotic Dis.	54	7	7	1	3	8	26	7	2	3	-	2	3	1	5	4	1	-
Cancer	42	-	-	-	-	-	-	-	-	-	-	-	2	5	16	9	9	1
Scrofula and Tabes	44	17	6	3	3	-	29	4	2	2	2	1	-	3	-	1	-	-
Phthisis	231	17	9	-	2	1	29	7	11	22	36	51	24	27	15	8	1	-
Hydrocephalus	26	11	6	4	-	2	23	3	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	195	58	14	8	7	2	89	3	5	8	1	5	13	10	13	24	21	3
Dis. of Heart & Dropsy	116	3	1	-	1	1	6	1	-	1	-	9	11	15	20	23	24	1
Dis. of Lungs	271	91	27	6	4	5	133	8	4	6	3	9	12	13	19	32	27	5
Dis. of Stom. and Liver	102	17	-	1	1	-	19	-	1	3	-	3	11	8	24	21	11	1
Dis. of Kidneys	47	-	1	1	-	-	2	-	1	-	-	4	4	8	5	15	8	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	10	1	-	-	-	-	1	2	-	2	-	2	1	-	-	1	1	-
Dis. of Skin	8	3	3	-	-	-	6	-	-	-	-	-	1	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	11	-	-	-	-	-	-	-	-	-	-	-	2	4	2	2	-	1
Other Violent Deaths	112	6	7	6	2	3	24	13	5	12	15	10	6	12	8	3	4	-
Other Causes	710	409	41	10	3	2	465	5	3	3	2	2	4	10	15	51	104	46

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
188.—LINTON.																		
Mean Populn, 1861–71	6891	195	211	219	193	193	1011	903	777	568	518	846	716	590	491	324	126	21
TOTAL DEATHS	1227	202	69	32	23	23	349	51	33	56	44	70	85	77	95	146	150	71
Small-pox	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Measles	9	1	3	1	–	3	8	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	60	6	7	9	10	8	40	10	3	–	4	2	–	–	1	–	–	–
Diphtheria	9	–	–	2	–	1	3	4	2	–	–	–	–	–	–	–	–	–
Whooping-cough	27	14	9	1	–	1	25	2	–	–	–	–	–	–	–	–	–	–
Typhus	41	–	–	1	–	–	1	6	4	7	4	6	5	6	1	1	–	–
Diarrhœa & Dysentery	42	18	4	1	2	–	25	4	–	–	–	–	–	–	1	7	4	1
Cholera	4	1	–	–	–	–	1	–	–	–	–	–	–	2	1	–	–	–
Other Zymotic Dis.	31	2	3	3	1	1	10	2	3	2	–	–	–	3	3	4	4	–
Cancer	37	–	–	–	–	–	–	–	–	–	–	1	5	6	8	9	5	3
Scrofula and Tabes	18	5	1	–	–	–	6	1	1	3	1	–	3	2	–	1	–	–
Phthisis	210	2	5	3	1	2	13	6	9	34	26	34	39	21	15	9	1	–
Hydrocephalus	9	3	2	1	1	1	8	1	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	126	17	6	2	2	1	28	2	4	–	–	1	4	12	17	20	30	8
Dis. of Heart & Dropsy	98	3	3	–	–	–	6	–	2	3	–	8	6	6	17	26	19	5
Dis. of Lungs	161	38	13	4	4	3	62	5	–	4	3	3	4	5	20	30	21	4
Dis. of Stom. and Liver	53	5	–	–	–	–	5	1	2	–	2	5	4	6	3	18	7	–
Dis. of Kidneys	8	1	–	–	–	–	1	–	2	–	–	–	1	1	–	2	1	–
Dis. of Gener. Organs	7	–	–	–	–	–	–	–	–	–	–	1	2	1	2	1	–	–
Dis. of Joints	7	1	1	–	–	–	2	–	–	–	–	1	–	1	2	–	1	–
Dis. of Skin	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Childbirth and Metria	23	–	–	–	–	–	–	–	–	1	3	8	11	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Deaths	21	6	1	2	2	1	12	3	–	1	–	–	–	1	–	1	3	–
Other Causes	223	79	11	2	–	1	93	3	1	–	–	–	1	1	4	17	54	49
189.—NEWMARKET.																		
Mean Populn, 1861–71	14511	424	386	386	381	394	1971	1793	1659	1287	1168	1869	1604	1258	967	635	255	45
TOTAL DEATHS	2758	559	207	76	67	45	954	125	77	113	98	177	176	151	191	289	284	123
Small-pox	3	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–
Measles	49	5	17	10	5	2	39	7	2	–	–	–	1	–	–	–	–	–
Scarlatina	88	3	9	8	16	15	51	19	10	1	3	1	3	–	–	–	–	–
Diphtheria	33	–	3	1	6	4	14	15	3	1	–	–	–	–	–	–	–	–
Whooping-cough	52	23	17	5	5	1	51	1	–	–	–	–	–	–	–	–	–	–
Typhus	103	–	2	2	5	6	15	19	12	14	9	11	8	7	2	3	3	–
Diarrhœa & Dysentery	109	60	17	4	–	–	81	1	–	2	1	5	–	2	1	6	7	3
Cholera	5	4	–	–	–	–	4	–	–	1	–	–	–	–	–	–	–	–
Other Zymotic Dis.	49	2	2	5	3	2	14	1	5	2	1	1	4	6	7	3	3	2
Cancer	88	–	–	1	–	–	1	–	–	–	1	6	9	18	28	14	9	2
Scrofula and Tabes	61	17	8	1	1	1	28	3	5	5	5	4	6	3	1	1	–	–
Phthisis	400	13	5	5	1	–	24	12	14	57	59	95	65	43	21	10	–	–
Hydrocephalus	29	9	5	1	2	2	19	8	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	249	29	15	4	3	3	54	10	8	5	2	8	12	17	32	49	46	6
Dis. of Heart & Dropsy	190	2	4	2	–	–	8	3	6	8	2	6	12	18	33	58	32	4
Dis. of Lungs	336	98	52	14	8	4	176	9	2	4	4	9	9	7	14	57	33	12
Dis. of Stom. and Liver	134	4	1	2	4	1	12	5	4	5	2	7	15	20	30	20	12	2
Dis. of Kidneys	25	2	1	–	–	–	3	3	–	–	2	5	2	–	5	2	3	–
Dis. of Gener. Organs	15	–	–	–	–	–	–	–	–	–	2	1	6	3	1	2	–	–
Dis. of Joints	14	–	1	1	–	–	2	–	1	1	2	2	2	–	1	3	–	–
Dis. of Skin	12	3	2	–	1	–	6	–	1	–	–	–	1	1	–	2	1	–
Childbirth and Metria	31	–	–	–	–	–	–	–	–	1	2	12	16	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Other Violent Deaths	41	9	2	2	2	–	15	5	–	3	1	2	1	2	2	2	8	–
Other Causes	641	276	44	8	5	4	337	4	2	2	–	2	4	3	11	57	127	92
190.—ELY.																		
Mean Populn, 1861–71	11238	340	277	310	330	285	1542	1383	1263	1074	902	1396	1240	1012	703	489	197	37
TOTAL DEATHS	2194	551	154	57	37	27	826	85	55	63	72	135	116	132	152	234	240	84
Small-pox	4	2	–	–	–	–	2	–	–	–	1	1	–	–	–	–	–	–
Measles	35	8	13	6	3	–	30	2	3	–	–	–	–	–	–	–	–	–
Scarlatina	43	2	5	10	4	5	26	12	3	–	–	1	–	–	1	–	–	–
Diphtheria	29	–	2	2	5	4	13	7	3	2	3	1	–	–	–	–	–	–
Whooping-cough	49	33	8	6	1	1	49	–	–	–	–	–	–	–	–	–	–	–
Typhus	97	–	2	1	6	3	12	12	18	6	7	11	10	2	3	12	4	–
Diarrhœa & Dysentery	77	35	13	3	1	3	55	1	–	–	1	–	1	–	2	7	8	2
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Other Zymotic Dis.	37	9	4	2	1	2	18	4	–	1	–	1	1	1	3	2	4	2
Cancer	64	–	–	–	1	1	2	–	–	–	1	4	6	20	16	13	2	–
Scrofula and Tabes	44	12	5	–	1	1	19	7	1	4	3	3	4	3	–	–	–	–
Phthisis	285	18	8	2	2	2	32	11	20	29	38	70	39	28	11	7	–	–
Hydrocephalus	16	7	4	2	–	–	13	3	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	186	35	11	5	2	2	55	3	1	6	5	9	2	14	23	37	28	3
Dis. of Heart & Dropsy	124	2	–	–	1	–	3	2	2	4	1	7	11	19	21	32	22	–
Dis. of Lungs	251	61	30	4	4	1	100	10	–	4	2	2	11	10	30	40	36	6
Dis. of Stom. and Liver	113	8	2	–	–	–	10	–	1	3	3	7	5	16	27	30	10	1
Dis. of Kidneys	9	–	–	1	–	–	1	–	–	–	–	1	2	1	–	4	–	–
Dis. of Gener. Organs	8	–	–	–	–	–	–	–	–	–	2	–	–	2	3	–	–	1
Dis. of Joints	8	–	1	–	–	–	1	–	1	–	–	3	2	–	–	1	–	–
Dis. of Skin	5	3	–	–	–	–	3	–	–	–	–	–	–	1	1	–	–	–
Childbirth and Metria	27	–	–	–	–	–	–	–	–	–	5	10	11	1	–	–	–	–
Suicide	5	–	–	–	–	–	–	–	–	1	–	1	1	2	–	–	–	–
Other Violent Deaths	48	10	3	5	2	2	22	7	1	1	–	–	–	7	1	1	6	2
Other Causes	629	306	43	8	3	–	360	4	1	2	–	3	9	5	10	48	120	67

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
191.—NORTH WITCHFORD.																		
Mean Popul^n, 1861–71	7546	223	208	206	202	204	1043	946	852	778	585	892	784	682	525	323	121	15
TOTAL DEATHS	1574	418	153	59	28	20	678	77	30	34	42	70	66	78	140	181	142	36
Small-pox	10	1	–	2	–	–	3	–	–	2	1	2	–	2	–	–	–	–
Measles	50	10	16	11	3	2	42	6	2	–	–	–	–	–	–	–	–	–
Scarlatina	58	9	13	6	9	4	41	15	2	–	–	–	–	–	–	–	–	–
Diphtheria	16	2	1	1	2	3	9	5	–	1	–	–	1	–	–	–	–	–
Whooping-cough	17	9	7	1	–	–	17	–	–	–	–	–	–	–	–	–	–	–
Typhus	58	2	2	–	1	2	7	8	3	4	1	4	4	5	10	8	3	1
Diarrhœa & Dysentery	77	47	7	2	–	–	56	–	–	–	–	–	–	–	4	6	10	1
Cholera	10	3	–	–	1	–	4	–	–	–	–	–	2	–	2	1	1	–
Other Zymotic Dis.	40	3	2	4	1	2	12	11	–	1	–	1	3	–	4	3	3	2
Cancer	29	–	–	–	–	–	–	–	–	–	1	–	3	3	7	13	2	–
Scrofula and Tabes	21	6	7	2	–	–	15	1	2	–	1	1	–	–	–	1	–	–
Phthisis	121	4	4	–	–	–	8	5	2	11	20	25	21	15	10	3	1	–
Hydrocephalus	27	6	9	1	1	2	19	7	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	135	25	13	3	1	1	43	6	3	2	3	1	7	9	14	26	19	2
Dis. of Heart & Dropsy	89	1	3	–	–	–	4	1	2	1	1	9	7	10	23	17	14	–
Dis. of Lungs	263	87	32	17	4	2	142	6	2	5	4	12	6	9	25	40	10	2
Dis. of Stom. and Liver	63	9	2	1	1	–	13	1	3	3	–	2	2	6	15	8	9	1
Dis. of Kidneys	36	–	1	1	–	–	2	–	–	–	2	1	3	3	6	13	6	–
Dis. of Gener. Organs	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	7	–	–	1	–	–	1	–	1	3	1	–	1	–	–	–	–	–
Dis. of Skin	3	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	5	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	–	–
Other Violent Deaths	68	4	3	5	3	2	17	3	5	1	7	9	3	4	6	8	5	–
Other Causes	370	190	30	1	1	–	222	2	2	–	–	2	3	9	11	33	59	27
192.—WHITTLESEY.																		
Mean Popul^n, 1861–71	3389	109	92	101	93	97	492	439	417	317	225	364	369	303	246	154	55	8
TOTAL DEATHS	766	214	60	19	13	11	317	26	23	26	24	41	39	46	48	93	68	15
Small-pox	4	1	–	–	–	–	1	–	1	–	–	1	–	–	1	–	–	–
Measles	20	5	6	4	2	–	17	2	–	–	–	1	–	–	–	–	–	–
Scarlatina	24	1	3	4	2	2	12	11	1	–	–	–	–	–	–	–	–	–
Diphtheria	6	–	2	–	1	1	4	2	–	–	–	–	–	–	–	–	–	–
Whooping-cough	18	9	7	2	–	–	18	–	–	–	–	–	–	–	–	–	–	–
Typhus	33	1	1	3	1	–	6	3	5	4	1	3	1	3	2	4	1	–
Diarrhœa & Dysentery	40	33	2	–	–	–	35	–	1	–	–	–	–	–	–	4	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	12	3	3	–	–	–	6	–	–	–	–	–	–	–	2	1	2	1
Cancer	14	–	–	–	–	–	–	–	–	–	–	–	–	5	4	2	3	–
Scrofula and Tabes	13	8	1	–	–	–	9	1	–	–	1	1	–	1	–	–	–	–
Phthisis	91	3	1	–	1	1	6	1	2	13	16	21	13	11	4	3	1	–
Hydrocephalus	12	2	4	1	1	1	9	–	–	1	–	–	1	–	1	–	–	–
Dis. of Brain	75	21	2	1	2	2	28	3	3	1	1	3	1	4	8	11	11	1
Dis. of Heart & Dropsy	41	2	–	–	–	–	2	–	2	–	1	2	1	6	6	9	12	–
Dis. of Lungs	73	25	7	2	–	1	35	–	–	1	–	1	5	3	6	12	8	2
Dis. of Stom. and Liver	43	4	–	2	–	–	6	–	–	1	2	4	9	3	9	6	3	–
Dis. of Kidneys	11	–	–	–	–	–	–	–	1	–	–	–	–	1	–	4	4	1
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Dis. of Joints	3	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–
Dis. of Skin	3	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	7	–	–	–	–	–	–	–	–	–	–	–	1	3	1	2	–	–
Other Violent Deaths	36	1	2	–	3	2	8	2	5	3	2	2	6	2	–	6	–	–
Other Causes	186	95	19	–	–	1	115	1	–	1	–	1	1	4	4	26	23	10
193.—WISBECH.																		
Mean Popul^n, 1861–71	16257	478	442	434	397	408	2159	1982	1865	1636	1253	1960	1698	1526	1174	711	259	34
TOTAL DEATHS	3465	971	233	104	57	55	1420	144	77	90	89	169	161	219	246	406	342	102
Small-pox	22	5	3	1	1	–	10	–	–	2	2	3	1	2	2	–	–	–
Measles	51	6	17	11	3	8	45	4	1	–	–	1	–	–	–	–	–	–
Scarlatina	69	5	15	9	9	5	43	14	6	1	–	2	1	2	–	–	–	–
Diphtheria	60	3	1	3	8	7	22	25	5	6	–	1	1	–	–	–	–	–
Whooping-cough	47	22	15	4	4	1	46	1	–	–	–	–	–	–	–	–	–	–
Typhus	135	7	5	6	7	3	28	18	12	9	12	9	7	9	11	11	9	–
Diarrhœa & Dysentery	137	65	19	2	4	1	91	4	–	1	1	–	2	2	5	14	15	2
Cholera	8	2	1	2	–	–	5	–	–	–	–	–	–	1	1	1	–	–
Other Zymotic Dis.	59	7	–	5	3	1	16	6	2	2	4	1	5	3	4	8	8	–
Cancer	46	–	–	–	–	–	–	–	–	–	1	–	5	12	8	14	4	2
Scrofula and Tabes	60	27	5	–	1	1	34	5	5	2	2	1	4	3	1	2	1	–
Phthisis	241	3	2	1	–	2	8	9	9	16	37	68	38	27	21	6	1	1
Hydrocephalus	45	17	16	4	1	–	38	4	1	–	2	–	–	–	–	–	–	–
Dis. of Brain	385	132	29	8	1	7	177	6	8	6	1	9	13	18	30	55	53	9
Dis. of Heart & Dropsy	241	18	3	3	2	1	27	6	2	7	2	18	15	28	48	54	32	2
Dis. of Lungs	520	134	44	23	5	7	213	5	4	6	8	21	24	46	42	99	44	8
Dis. of Stom. and Liver	126	12	1	–	–	1	14	6	3	4	2	4	12	16	20	33	11	1
Dis. of Kidneys	61	–	–	1	–	1	2	3	2	–	–	3	1	13	10	11	14	2
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Dis. of Joints	7	2	–	–	–	–	2	–	–	1	–	–	–	1	1	2	–	–
Dis. of Skin	10	5	–	–	1	–	6	–	–	–	–	–	–	1	–	1	1	1
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	20	–	–	–	–	–	–	–	–	1	1	1	3	4	3	5	–	2
Other Violent Deaths	175	7	7	9	4	7	34	19	14	22	10	18	15	15	17	8	2	1
Other Causes	939	492	50	12	3	2	559	9	3	4	4	9	14	16	22	81	147	71

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
191.—NORTH WITCHFORD.																		
Mean Popul^n, 1861–71	7641	213	194	205	196	203	1011	937	809	762	638	992	825	705	494	331	119	18
TOTAL DEATHS	1531	356	121	55	30	22	584	62	33	64	57	92	108	67	108	156	157	43
Small-pox	3	–	–	1	–	–	1	–	1	–	–	–	–	–	1	–	–	–
Measles	45	8	16	13	4	2	43	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	48	–	8	9	8	7	32	13	2	1	–	–	–	–	–	–	–	–
Diphtheria	25	3	4	3	1	–	11	8	3	–	1	1	–	1	–	–	–	–
Whooping-cough	27	9	9	4	3	1	26	1	–	–	–	–	–	–	–	–	–	–
Typhus	72	2	2	2	3	2	11	10	9	14	4	5	7	3	4	4	1	–
Diarrhœa & Dysentery	66	31	12	–	–	–	43	–	–	–	1	3	2	–	–	8	6	3
Cholera	5	3	–	1	–	–	4	–	–	–	–	–	–	1	–	–	–	–
Other Zymotic Dis.	36	4	5	4	3	1	17	2	2	–	3	–	3	1	1	4	3	–
Cancer	50	–	–	–	–	–	–	–	–	–	1	2	9	7	11	13	6	1
Scrofula and Tabes	17	7	3	2	–	1	13	1	–	2	–	1	–	–	–	–	–	–
Phthisis	179	1	2	1	–	2	6	9	6	25	25	45	34	17	6	4	2	–
Hydrocephalus	23	6	7	3	1	–	17	5	–	–	1	–	–	–	–	–	–	–
Dis. of Brain	94	16	6	1	–	1	24	3	1	5	1	–	6	3	15	18	17	1
Dis. of Heart & Dropsy	97	5	–	–	–	–	5	–	2	4	2	5	9	8	22	25	12	3
Dis. of Lungs	242	79	27	7	3	4	120	2	2	6	9	11	8	6	13	30	31	4
Dis. of Stom. and Liver	79	5	2	–	–	–	7	1	1	3	2	7	7	9	17	15	10	–
Dis. of Kidneys	15	–	–	1	–	–	1	1	–	1	1	1	2	2	2	3	1	–
Dis. of Gener. Organs	12	–	–	–	–	–	–	–	–	–	–	1	6	–	3	1	1	–
Dis. of Joints	6	2	1	–	–	–	3	–	1	–	–	–	1	–	–	1	–	–
Dis. of Skin	6	1	2	1	–	–	4	–	–	–	–	–	2	–	–	–	–	–
Childbirth and Metria	16	–	–	–	–	–	–	–	–	–	4	4	7	1	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–
Other Violent Deaths	25	3	2	1	–	1	7	3	1	2	–	2	1	3	4	1	–	1
Other Causes	340	171	13	1	4	–	189	1	2	1	2	4	4	2	9	29	67	30
192.—WHITTLESEY.																		
Mean Popul^n, 1861–71	3594	106	97	98	96	91	488	422	413	319	269	440	386	341	254	179	74	9
TOTAL DEATHS	716	140	46	23	13	9	231	30	25	30	25	49	45	32	49	84	85	31
Small-pox	8	3	1	–	1	–	5	–	1	1	–	–	1	–	–	–	–	–
Measles	12	3	3	2	1	2	11	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	18	–	1	1	3	3	8	8	2	–	–	–	–	–	–	–	–	–
Diphtheria	7	–	–	–	–	–	–	4	2	–	–	1	–	–	–	–	–	–
Whooping-cough	27	16	5	3	1	2	27	–	–	–	–	–	–	–	–	–	–	–
Typhus	30	2	1	1	2	1	7	5	3	3	5	3	1	2	–	–	–	1
Diarrhœa & Dysentery	42	14	5	2	2	–	23	–	1	–	–	1	2	2	2	4	5	2
Cholera	2	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Other Zymotic Dis.	15	2	1	1	1	–	5	2	–	2	1	–	–	2	2	–	1	–
Cancer	21	–	–	–	–	–	–	–	–	–	–	3	5	5	2	5	1	–
Scrofula and Tabes	11	4	3	–	–	–	7	–	1	3	–	–	–	–	–	–	–	–
Phthisis	99	2	4	–	1	–	7	2	8	13	15	27	18	4	3	2	–	–
Hydrocephalus	11	2	1	2	1	1	7	2	1	1	–	–	–	–	–	–	–	–
Dis. of Brain	75	15	2	–	–	–	17	2	2	4	1	1	3	3	5	19	14	4
Dis. of Heart & Dropsy	45	–	–	–	–	–	–	2	1	–	–	1	5	9	10	13	2	2
Dis. of Lungs	63	18	8	3	–	–	29	–	1	–	–	1	1	–	9	13	8	1
Dis. of Stom. and Liver	27	1	–	–	–	–	1	1	1	–	1	1	1	2	8	6	3	2
Dis. of Kidneys	5	–	–	–	–	–	–	1	–	–	1	–	–	–	–	2	1	–
Dis. of Gener. Organs	5	–	–	–	–	–	–	–	1	–	–	–	1	–	2	–	1	–
Dis. of Joints	5	–	–	–	–	–	–	–	–	2	–	2	–	–	–	1	–	–
Dis. of Skin	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Childbirth and Metria	7	–	–	–	–	–	–	–	–	1	–	3	3	–	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–
Other Violent Deaths	15	1	–	2	–	–	3	–	–	–	–	2	3	–	1	2	3	1
Other Causes	162	57	10	6	–	–	73	–	–	–	1	2	1	1	4	16	46	18
193.—WISBECH.																		
Mean Popul^n, 1861–71	17509	450	436	466	432	426	2210	2057	1880	1643	1530	2274	1943	1631	1198	787	313	43
TOTAL DEATHS	3284	778	236	110	66	55	1245	139	76	100	117	192	147	171	255	338	368	136
Small-pox	16	3	1	1	2	–	7	1	1	–	–	5	1	–	1	–	–	–
Measles	32	9	15	11	5	2	42	6	1	1	1	–	–	–	1	–	–	–
Scarlatina	82	4	5	14	11	7	41	34	5	1	1	–	–	–	–	–	–	–
Diphtheria	76	2	6	8	6	9	31	24	11	3	3	1	–	1	1	1	–	–
Whooping-cough	73	31	29	6	3	2	71	2	–	–	–	–	–	–	–	–	–	–
Typhus	118	5	6	5	5	5	26	13	17	6	6	12	7	4	9	10	8	–
Diarrhœa & Dysentery	125	53	14	3	1	1	72	2	–	2	2	1	3	3	4	10	21	5
Cholera	5	3	–	–	–	–	3	–	–	–	–	–	–	1	–	1	–	–
Other Zymotic Dis.	61	4	4	6	1	2	17	7	7	7	3	7	–	3	4	4	1	1
Cancer	107	–	–	–	–	–	–	–	–	1	1	4	15	27	30	24	4	1
Scrofula and Tabes	37	13	6	3	3	–	25	3	–	1	1	2	1	2	–	2	–	–
Phthisis	287	5	2	3	–	–	10	3	10	45	67	72	46	23	9	1	1	–
Hydrocephalus	37	10	12	1	3	2	28	6	–	–	1	2	–	–	–	–	–	–
Dis. of Brain	326	88	29	10	3	7	137	6	5	4	3	4	8	20	37	47	48	7
Dis. of Heart & Dropsy	220	13	2	3	1	–	19	2	3	7	4	13	21	24	54	54	18	1
Dis. of Lungs	479	100	48	19	12	8	187	10	6	9	7	22	14	19	46	79	68	12
Dis. of Stom. and Liver	113	13	2	3	1	1	20	6	2	6	2	9	3	16	21	19	8	1
Dis. of Kidneys	20	–	–	–	–	–	–	2	1	1	2	2	1	1	4	4	1	1
Dis. of Gener. Organs	25	–	–	–	–	–	–	–	–	–	–	2	8	4	7	4	–	–
Dis. of Joints	5	1	–	1	–	–	2	–	–	–	1	–	–	–	–	1	–	1
Dis. of Skin	8	2	1	–	–	–	3	–	–	–	2	–	–	1	2	–	–	–
Childbirth and Metria	35	–	–	–	–	–	–	–	–	–	7	19	9	–	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–
Other Violent Deaths	64	10	3	5	5	7	30	7	3	1	2	2	2	4	3	5	2	3
Other Causes	910	499	51	8	4	2	474	5	4	5	1	12	8	18	20	72	188	103

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
194.—WEST HAM.																		
Mean Popul^n, 1861–71	38749	1286	1114	1152	1177	1111	5840	5336	4688	3246	3047	5848	4746	3200	1699	830	242	27
TOTAL DEATHS	8417	2260	882	403	289	204	4038	504	188	157	230	529	605	587	548	543	401	87
Small-pox	104	22	7	5	4	5	43	9	4	6	9	14	10	7	2	–	–	–
Measles	173	32	55	36	20	15	158	14	–	1	–	–	–	–	–	–	–	–
Scarlatina	480	29	76	82	78	60	325	130	17	5	1	1	1	–	–	–	–	–
Diphtheria	42	6	5	8	3	3	25	10	1	–	1	2	1	1	1	–	–	–
Whooping-cough	197	79	61	25	15	8	188	9	–	–	–	–	–	–	–	–	–	–
Typhus	301	5	12	8	16	13	54	52	37	27	21	29	29	22	19	8	3	–
Diarrhœa & Dysentery	432	296	71	9	4	2	382	11	–	1	–	1	1	3	5	13	11	1
Cholera	222	26	17	11	9	6	69	30	7	6	7	27	33	21	14	6	2	–
Other Zymotic Dis.	222	16	34	33	29	19	131	27	2	7	2	14	7	11	11	7	2	1
Cancer	86	–	–	–	–	–	–	–	–	–	–	–	11	16	27	21	11	–
Scrofula and Tabes	230	113	45	16	8	5	187	22	10	–	2	–	3	1	2	2	1	–
Phthisis	852	20	17	7	5	3	52	15	19	38	91	219	209	144	47	15	2	1
Hydrocephalus	193	82	50	19	9	7	167	21	5	–	–	–	–	–	–	–	–	–
Dis. of Brain	1025	326	75	34	22	18	475	29	14	9	12	33	41	76	92	128	102	11
Dis. of Heart & Dropsy	377	6	10	6	1	7	30	20	8	10	7	38	44	57	69	65	26	3
Dis. of Lungs	1423	368	230	67	39	20	724	40	11	6	19	40	81	90	135	142	114	21
Dis. of Stom. and Liver	263	47	5	4	2	3	61	5	11	3	8	22	31	42	45	27	8	–
Dis. of Kidneys	107	1	1	1	3	–	6	3	2	–	–	8	13	16	22	25	11	1
Dis. of Gener. Organs	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–
Dis. of Joints	30	–	–	2	–	–	2	11	4	2	3	1	1	3	1	1	1	–
Dis. of Skin	24	10	4	–	1	1	16	–	–	1	1	1	–	1	1	3	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	28	–	–	–	–	–	–	–	–	1	2	4	4	7	5	4	1	–
Other Violent Deaths	870	24	16	7	8	3	58	27	34	32	37	61	57	31	21	7	2	–
Other Causes	1233	752	91	23	13	6	885	16	2	2	7	13	28	35	29	68	103	43
195.—EPPING.																		
Mean Popul^n, 1861–71	9200	261	227	240	244	259	1231	1133	1109	862	665	1158	1044	840	615	374	154	15
TOTAL DEATHS	1704	340	111	51	38	37	577	71	36	47	57	85	101	129	135	231	180	55
Small-pox	20	2	–	1	2	–	5	1	1	2	5	1	4	1	–	–	–	–
Measles	20	2	7	1	5	3	18	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	62	5	10	8	6	8	37	18	5	–	1	1	–	–	–	–	–	–
Diphtheria	19	–	2	3	3	4	12	5	1	–	–	–	1	–	–	–	–	–
Whooping-cough	30	12	13	1	1	1	28	2	–	–	–	–	–	–	–	–	–	–
Typhus	55	–	2	3	–	3	8	7	3	7	6	3	5	6	4	4	2	–
Diarrhœa & Dysentery	74	41	9	1	–	–	51	–	–	2	1	–	1	4	2	4	8	1
Cholera	13	3	–	1	–	1	5	–	–	1	–	1	–	1	2	1	2	–
Other Zymotic Dis.	53	8	2	6	8	5	29	6	1	1	2	2	2	1	3	5	1	–
Cancer	27	–	–	–	–	–	–	–	–	–	–	–	1	3	10	7	6	–
Scrofula and Tabes	29	13	5	–	1	–	19	2	3	–	3	–	1	–	1	–	–	–
Phthisis	163	3	1	–	2	–	6	3	3	13	19	40	32	21	17	7	2	–
Hydrocephalus	21	5	6	3	1	2	17	3	–	–	1	–	–	–	–	–	–	–
Dis. of Brain	225	58	14	7	3	2	84	6	5	4	3	5	13	15	22	39	24	5
Dis. of Heart & Dropsy	137	3	–	–	–	1	4	2	2	4	4	4	10	24	17	41	22	3
Dis. of Lungs	210	54	26	11	4	2	97	4	–	1	3	3	5	11	17	45	23	1
Dis. of Stom. and Liver	83	8	–	2	–	–	10	3	2	1	2	6	7	10	10	24	8	–
Dis. of Kidneys	35	1	–	–	–	–	1	–	1	–	–	1	3	5	7	11	5	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	11	–	1	–	–	1	2	1	1	1	–	–	–	2	2	1	1	–
Dis. of Skin	6	–	–	–	–	–	–	–	–	1	–	–	–	–	2	2	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	12	–	–	–	–	–	–	–	–	1	1	2	3	2	1	1	1	–
Other Violent Deaths	75	2	2	–	2	3	9	6	6	7	5	11	6	12	9	2	2	–
Other Causes	324	120	11	3	–	1	135	–	2	1	1	5	7	11	9	37	72	44
196.—ONGAR.																		
Mean Popul^n, 1861–71	5985	150	158	159	156	146	769	736	711	566	485	717	629	545	432	278	104	13
TOTAL DEATHS	1078	237	40	27	22	13	339	44	26	35	28	67	59	65	90	139	153	33
Small-pox	10	–	–	1	–	1	2	2	–	–	1	2	1	1	–	1	–	–
Measles	10	3	1	1	–	2	7	2	1	–	–	–	–	–	–	–	–	–
Scarlatina	27	3	2	1	3	3	12	9	4	2	–	–	–	–	–	–	–	–
Diphtheria	13	2	1	1	2	–	6	3	2	–	1	–	–	1	–	–	–	–
Whooping-cough	22	9	7	3	2	–	21	1	–	–	–	–	–	–	–	–	–	–
Typhus	41	2	–	1	3	3	9	4	4	5	3	2	2	2	2	2	6	–
Diarrhœa & Dysentery	43	29	5	–	–	–	34	–	–	–	–	–	–	–	1	2	4	2
Cholera	2	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Other Zymotic Dis.	37	1	3	1	1	2	8	5	2	3	1	1	3	4	1	7	2	–
Cancer	16	–	–	–	–	–	–	–	–	–	–	–	1	–	5	8	2	–
Scrofula and Tabes	16	7	–	2	–	–	9	1	–	–	1	2	–	–	2	1	–	–
Phthisis	97	4	–	–	–	–	4	3	3	7	11	29	15	10	12	2	1	–
Hydrocephalus	10	5	3	–	1	–	9	–	–	1	–	–	–	–	–	–	–	–
Dis. of Brain	114	29	1	2	1	1	34	6	3	3	2	3	7	7	10	11	25	3
Dis. of Heart & Dropsy	70	1	–	1	1	–	3	1	1	5	3	2	5	5	21	15	9	–
Dis. of Lungs	172	45	11	6	2	–	64	1	1	4	3	9	4	16	9	33	25	3
Dis. of Stom. and Liver	44	3	–	–	–	–	3	2	–	2	–	2	3	7	10	7	8	–
Dis. of Kidneys	18	1	–	–	–	–	1	–	1	1	–	1	–	1	5	6	2	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	6	1	–	–	–	–	1	–	1	–	–	2	2	–	–	–	–	–
Dis. of Skin	6	2	–	–	–	–	2	–	–	–	–	–	–	1	1	2	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	5	–	–	–	–	–	–	–	–	–	–	–	3	–	1	–	1	–
Other Violent Deaths	47	1	2	3	4	–	10	1	3	1	2	8	5	7	3	3	3	1
Other Causes	252	89	4	3	2	1	99	3	–	1	–	3	8	3	7	39	65	24

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
194.—WEST HAM.																		
Mean Populn, 1861–71	40482	1240	1101	1145	1133	1074	5693	5377	4623	3498	3415	6280	4897	3237	1902	1103	396	61
TOTAL DEATHS	7780	1880	788	419	265	204	3556	399	212	175	201	481	529	492	477	602	497	159
Small-pox	80	26	10	5	–	1	42	8	1	9	4	11	3	1	–	1	–	–
Measles	150	17	51	40	17	16	141	7	2	–	–	–	–	–	–	–	–	–
Scarlatina	497	25	69	69	83	54	300	143	37	6	6	5	–	–	–	–	–	–
Diphtheria	52	–	2	11	4	8	25	16	4	1	3	–	2	1	–	–	–	–
Whooping-cough	236	81	85	34	14	8	222	13	1	–	–	–	–	–	–	–	–	–
Typhus	320	9	12	22	12	16	71	41	39	21	19	37	33	20	14	18	6	1
Diarrhœa & Dysentery	361	233	49	11	7	3	303	4	3	2	1	7	5	5	7	8	15	1
Cholera	219	21	11	11	4	9	56	13	11	6	16	32	34	24	11	15	1	–
Other Zymotic Dis.	214	25	44	28	25	24	146	15	6	3	2	4	5	7	4	11	8	3
Cancer	225	–	–	–	–	–	–	–	–	–	1	16	41	70	42	44	11	–
Scrofula and Tabes	214	78	60	20	17	2	177	20	5	3	1	3	3	–	2	–	–	–
Phthisis	722	24	15	8	2	7	56	12	40	66	83	196	147	85	30	7	–	–
Hydrocephalus	135	69	27	20	10	6	132	2	–	–	–	–	1	–	–	–	–	–
Dis. of Brain	912	257	66	42	19	11	395	29	13	9	12	24	33	49	81	118	124	25
Dis. of Heart & Dropsy	427	8	4	2	1	6	21	14	15	12	8	33	60	58	77	80	43	6
Dis. of Lungs	1240	337	182	65	32	23	639	33	13	13	11	24	37	67	95	174	105	29
Dis. of Stom. and Liver	291	18	3	1	2	1	25	7	7	5	10	28	46	36	66	37	19	5
Dis. of Kidneys	62	–	–	–	1	1	2	4	5	4	3	5	9	12	7	6	3	2
Dis. of Gener. Organs	42	–	1	–	–	–	1	–	1	1	–	1	8	14	7	5	4	–
Dis. of Joints	30	1	–	–	–	2	3	5	6	1	3	3	4	2	–	2	1	–
Dis. of Skin	20	6	2	1	–	–	9	1	–	–	–	–	1	1	2	2	2	2
Childbirth and Metria	95	–	–	–	–	–	–	–	–	3	9	39	40	4	–	–	–	–
Suicide	13	–	–	–	–	–	–	–	–	2	4	1	2	2	1	1	–	–
Other Violent Deaths	80	15	15	5	3	3	41	5	1	3	1	2	3	10	6	2	4	2
Other Causes	1143	630	80	24	12	3	749	7	2	5	4	10	12	24	25	71	151	83
195.—EPPING.																		
Mean Populn, 1861–71	9194	262	232	234	261	255	1244	1153	1000	764	719	1285	1034	823	597	402	146	27
TOTAL DEATHS	1534	282	80	40	22	28	452	60	45	43	51	99	83	104	115	201	194	87
Small-pox	17	5	2	–	1	1	9	1	–	1	–	–	4	2	–	–	–	–
Measles	20	4	6	3	–	2	15	4	1	–	–	–	–	–	–	–	–	–
Scarlatina	37	2	2	3	5	3	15	9	6	1	2	3	1	–	–	–	–	–
Diphtheria	9	–	1	–	1	2	4	3	–	1	1	–	–	–	–	–	–	–
Whooping-cough	35	15	10	2	1	5	33	1	–	–	–	1	–	–	–	–	–	–
Typhus	49	1	–	3	1	1	6	7	5	3	4	5	4	4	6	3	2	–
Diarrhœa & Dysentery	60	31	7	–	2	–	40	1	–	1	–	–	1	1	3	4	7	2
Cholera	12	2	–	1	1	–	4	3	–	–	–	1	–	3	–	–	–	1
Other Zymotic Dis.	42	7	3	7	2	1	20	6	2	1	2	–	1	2	2	5	–	1
Cancer	65	–	1	–	–	–	1	–	–	–	–	3	4	15	20	12	9	1
Scrofula and Tabes	24	7	2	–	1	–	10	5	1	2	1	–	1	1	1	1	1	–
Phthisis	155	2	1	–	1	–	4	4	7	19	20	49	25	15	4	6	2	–
Hydrocephalus	26	7	6	5	3	3	24	1	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	180	39	12	3	1	1	56	4	6	3	5	11	5	14	14	34	25	3
Dis. of Heart & Dropsy	165	7	1	1	–	1	10	–	2	1	5	5	14	19	23	51	23	12
Dis. of Lungs	204	56	17	10	1	6	90	3	5	3	4	5	5	10	14	38	24	3
Dis. of Stom. and Liver	87	7	2	–	–	1	10	2	2	–	1	3	7	13	17	20	11	1
Dis. of Kidneys	8	–	–	–	–	–	–	–	2	–	2	1	1	–	2	–	–	–
Dis. of Gener. Organs	4	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–
Dis. of Joints	4	–	–	–	–	–	–	1	2	–	–	1	–	–	–	–	–	–
Dis. of Skin	3	1	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–	–
Childbirth and Metria	19	–	–	–	–	–	–	–	–	2	2	9	6	–	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–
Other Violent Deaths	14	2	2	1	–	–	5	4	–	1	–	1	–	–	1	1	–	1
Other Causes	292	87	5	1	1	1	95	1	2	1	2	–	3	4	8	24	90	62
196.—ONGAR.																		
Mean Populn, 1861–71	5436	147	148	161	143	152	751	706	598	434	391	686	603	508	375	257	111	16
TOTAL DEATHS	1003	182	49	37	22	25	315	27	27	46	37	53	42	61	76	130	138	51
Small-pox	5	3	–	–	–	–	3	–	–	–	1	1	–	–	–	–	–	–
Measles	6	–	2	2	1	–	5	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	34	–	–	3	4	6	13	10	3	2	1	2	3	–	–	–	–	–
Diphtheria	21	1	–	4	3	3	11	5	2	1	–	–	1	–	–	1	–	–
Whooping-cough	19	7	6	4	1	1	19	–	–	–	–	–	–	–	–	–	–	–
Typhus	38	2	–	1	1	1	5	1	7	5	3	2	4	2	6	2	1	–
Diarrhœa & Dysentery	27	17	2	–	–	–	19	–	–	1	–	1	–	1	1	4	–	–
Cholera	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–
Other Zymotic Dis.	26	2	2	3	1	1	9	3	1	–	–	2	–	–	4	3	3	1
Cancer	22	–	–	–	–	–	–	–	–	–	–	–	3	7	6	5	–	1
Scrofula and Tabes	21	6	2	3	2	1	14	–	1	1	1	1	–	1	2	–	–	–
Phthisis	92	4	–	–	–	–	4	1	3	20	16	18	9	14	3	4	–	–
Hydrocephalus	16	8	2	1	1	1	13	–	2	1	–	–	–	–	–	–	–	–
Dis. of Brain	106	18	6	2	3	1	30	1	1	4	3	5	–	7	12	27	16	–
Dis. of Heart & Dropsy	89	3	–	–	1	1	5	2	1	2	3	6	7	8	12	28	14	1
Dis. of Lungs	136	27	19	10	4	5	65	–	2	6	4	6	4	7	8	18	14	2
Dis. of Stom. and Liver	55	5	–	–	–	1	6	–	2	–	2	4	5	6	9	9	10	2
Dis. of Kidneys	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Dis. of Gener. Organs	6	–	–	–	–	–	–	–	–	–	1	1	1	2	–	–	1	–
Dis. of Joints	4	1	–	–	–	–	1	–	–	–	1	1	–	–	–	1	–	–
Dis. of Skin	4	1	–	–	–	–	1	–	–	–	–	–	1	1	–	–	1	–
Childbirth and Metria	8	–	–	–	–	–	–	–	–	–	2	1	1	4	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Other Violent Deaths	12	3	2	1	–	2	8	–	–	–	–	–	–	–	–	2	2	–
Other Causes	250	74	6	3	–	1	84	3	1	1	–	2	–	3	13	24	75	44

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

Causes of Death	All Ages	Ages of Males: Under 1 Year	1	2	3	4	Under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards
197.—ROMFORD.																		
Mean Popul^n, 1861-71	14447	433	401	441	431	406	2100	1891	1668	1360	1130	1886	1596	1008	861	509	195	29
TOTAL DEATHS	3063	207	231	185	62	34	1249	117	51	69	86	175	170	200	261	356	281	80
Small-pox	22	4	1	1	-	-	7	-	2	-	3	4	1	2	-	-	-	-
Measles	49	14	24	9	2	1	49	4	-	-	-	-	-	-	-	-	-	-
Scarlatina	106	4	16	14	14	12	71	28	1	1	1	-	-	2	-	-	-	-
Diphtheria	29	1	2	4	2	4	13	7	3	-	-	-	-	-	-	-	-	-
Whooping-cough	40	17	18	3	1	2	40	1	-	-	-	-	-	-	-	-	-	-
Typhus	42	1	4	3	2	4	14	11	11	2	3	3	4	3	4	4	-	-
Diarrhœa & Dysentery	281	124	39	4	3	1	171	3	-	-	-	1	-	3	3	3	12	4
Cholera	14	1	3	1	-	-	5	3	-	-	-	-	1	3	-	-	-	-
Other Zymotic Dis.	40	4	20	7	3	2	32	1	1	2	2	2	2	2	3	3	1	1
Cancer	16	-	-	-	-	-	-	-	-	-	-	3	3	4	11	4	1	-
Scrofula and Tabes	77	15	26	2	1	1	47	7	3	2	1	3	1	1	3	1	-	-
Phthisis	277	1	1	3	1	-	7	1	5	18	37	47	42	46	32	9	1	-
Hydrocephalus	93	21	35	4	5	2	67	4	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	424	145	34	11	7	2	199	4	7	3	11	17	21	31	17	40	30	4
Dis. of Heart & Dropsy	200	-	2	1	-	-	3	3	-	1	4	4	24	31	43	36	34	3
Dis. of Lungs	476	107	40	18	3	4	174	6	1	-	3	17	17	31	43	79	36	20
Dis. of Stom. and Liver	187	13	2	7	2	-	27	7	1	4	3	-	17	23	26	24	11	-
Dis. of Kidneys	41	1	-	1	-	-	2	-	1	1	-	1	1	4	5	7	14	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Dis. of Joints	25	1	-	-	2	-	3	2	-	1	1	1	3	-	2	-	1	1
Dis. of Skin	20	2	-	-	-	-	2	1	1	-	-	-	-	-	2	2	1	-
Childbirth and Metra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	22	-	-	-	-	-	-	-	-	1	-	4	4	4	3	-	-	-
Other Violent Deaths	120	7	3	-	3	7	17	4	9	27	11	19	11	11	11	10	4	5
Other Causes	377	274	27	1	2	1	307	7	-	-	-	7	2	14	23	20	43	14
198.—ORSETT.																		
Mean Popul^n, 1861-71	6891	186	161	173	169	160	831	763	666	639	544	919	786	591	409	231	81	10
TOTAL DEATHS	1290	100	72	37	20	19	248	55	25	43	48	63	87	92	102	126	92	27
Small-pox	10	7	-	-	-	-	7	-	-	-	-	1	2	1	1	-	-	-
Measles	4	3	1	-	1	1	6	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	57	-	20	7	6	2	35	17	1	3	-	-	-	-	-	-	-	-
Diphtheria	20	3	-	1	1	3	8	3	-	1	-	3	-	1	-	-	-	-
Whooping-cough	37	20	12	3	2	1	38	1	-	-	-	-	-	-	-	-	-	-
Typhus	74	2	2	4	1	2	11	7	2	3	5	3	3	4	4	3	4	-
Diarrhœa & Dysentery	69	47	4	3	-	-	57	-	1	-	-	1	1	-	3	3	4	-
Cholera	4	-	1	-	-	-	2	-	-	1	1	-	1	1	2	-	-	-
Other Zymotic Dis.	50	6	2	3	-	3	21	6	-	3	2	2	-	4	3	3	3	2
Cancer	18	-	-	-	-	-	-	-	-	-	-	-	1	3	4	3	3	-
Scrofula and Tabes	32	4	3	-	-	3	10	2	1	1	-	1	-	1	2	1	-	1
Phthisis	105	3	1	-	1	4	14	1	3	12	9	23	20	22	20	3	-	-
Hydrocephalus	28	23	4	1	1	-	34	3	-	1	-	-	-	-	-	-	-	-
Dis. of Brain	38	12	3	4	3	1	23	1	4	2	3	3	4	7	4	14	11	3
Dis. of Heart & Dropsy	70	1	-	1	-	-	2	-	1	3	4	3	7	7	13	24	11	2
Dis. of Lungs	200	41	19	5	4	3	71	3	3	5	3	4	13	19	34	37	12	4
Dis. of Stom. and Liver	56	7	-	1	-	-	8	1	4	1	3	3	7	7	11	14	3	-
Dis. of Kidneys	22	-	-	1	-	-	2	-	-	1	-	3	1	1	3	4	4	3
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	3	-	1	-	-	-	1	2	-	1	-	1	-	-	-	-	-	-
Dis. of Skin	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	1
Childbirth and Metra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-
Other Violent Deaths	37	2	1	1	-	-	4	4	4	3	4	13	13	14	4	4	3	1
Other Causes	175	108	3	-	-	-	111	1	1	-	-	2	4	4	4	10	22	13
199.—BILLERICAY.																		
Mean Popul^n, 1861-71	3537	101	106	104	109	100	569	1007	944	837	856	1106	960	709	521	329	122	17
TOTAL DEATHS	1729	107	94	93	30	29	453	42	37	44	48	141	170	137	173	198	145	46
Small-pox	4	-	-	-	-	-	0	1	-	-	1	2	-	-	-	-	-	-
Measles	20	4	4	4	1	4	16	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	71	4	3	3	2	7	29	14	4	1	1	-	-	-	-	-	-	-
Diphtheria	20	1	3	-	2	-	8	-	1	-	-	1	-	-	-	-	-	-
Whooping-cough	17	13	2	1	-	1	18	1	-	-	-	-	-	-	-	-	-	-
Typhus	28	1	4	1	1	2	9	3	1	7	4	11	4	3	2	4	2	-
Diarrhœa & Dysentery	42	17	3	-	-	-	17	3	-	-	-	1	-	3	2	1	3	1
Cholera	7	1	-	-	-	-	1	3	-	1	-	-	-	2	-	1	-	-
Other Zymotic Dis.	46	3	4	4	2	2	23	7	-	3	-	4	3	3	7	9	2	1
Cancer	24	-	-	-	-	2	1	-	-	1	1	3	-	3	7	3	3	-
Scrofula and Tabes	29	4	4	1	1	3	13	3	1	1	4	3	1	1	1	-	-	-
Phthisis	173	-	1	-	-	1	2	-	1	3	22	42	37	26	26	3	1	-
Hydrocephalus	27	3	3	2	1	2	13	4	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	129	34	24	2	1	-	33	2	2	11	13	33	42	43	41	31	20	3
Dis. of Heart & Dropsy	109	1	-	1	-	-	4	2	-	4	3	10	10	13	24	27	13	1
Dis. of Lungs	261	40	18	5	2	3	69	4	1	1	4	7	17	23	35	42	31	6
Dis. of Stom. and Liver	37	4	2	-	-	-	6	-	-	4	2	3	4	4	11	14	2	1
Dis. of Kidneys	40	-	-	1	-	-	2	1	-	-	-	3	4	4	7	12	5	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	3	-	-	1	-	-	1	-	-	1	-	-	1	-	1	1	-	-
Dis. of Skin	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-
Childbirth and Metra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	10	-	-	-	-	-	-	-	-	-	-	4	2	2	1	1	-	-
Other Violent Deaths	65	4	1	3	3	3	18	3	3	3	4	9	11	3	3	4	1	-
Other Causes	208	120	3	3	3	3	140	3	3	1	3	6	4	5	13	23	40	34

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 upwards.
197.—ROMFORD.																		
Mean Populn, 1861–71	14530	463	407	396	411	416	2093	1900	1591	1206	1160	2005	1642	1255	888	547	211	32
TOTAL DEATHS	2714	644	229	118	76	51	1118	116	58	76	80	143	146	154	217	260	258	88
Small-pox	12	6	1	1	2	–	10	1	–	–	–	–	–	1	–	–	–	–
Measles	46	6	16	12	6	3	43	2	1	–	–	–	–	–	–	–	–	–
Scarlatina	122	10	16	21	19	14	80	27	10	4	–	–	–	1	–	–	–	–
Diphtheria	39	4	4	7	6	4	25	10	3	1	–	–	–	–	–	–	–	–
Whooping-cough	72	29	27	9	4	2	71	–	1	–	–	–	–	–	–	–	–	–
Typhus	89	1	4	2	2	5	14	12	7	15	13	9	5	6	2	4	2	–
Diarrhœa & Dysentery	189	101	48	5	3	–	157	3	–	–	–	2	–	2	3	8	13	1
Cholera	27	6	2	2	2	2	14	4	2	1	1	2	1	1	1	–	–	–
Other Zymotic Dis.	58	5	6	11	5	3	30	7	3	4	–	2	–	4	1	5	2	–
Cancer	87	–	–	–	–	–	–	–	–	–	1	4	12	18	33	13	5	1
Scrofula and Tabes	63	29	8	6	3	2	48	4	3	3	–	1	1	1	1	–	1	–
Phthisis	243	3	2	3	2	–	10	7	7	28	33	62	53	29	10	4	–	–
Hydrocephalus	39	17	10	2	1	1	31	4	4	–	–	–	–	–	–	–	–	–
Dis. of Brain	317	90	15	12	5	2	124	8	6	3	4	10	13	16	40	51	30	12
Dis. of Heart & Dropsy	163	3	2	1	–	–	6	4	3	3	4	11	12	19	31	44	24	2
Dis. of Lungs	338	95	39	14	11	6	165	7	1	3	6	4	17	15	38	54	43	15
Dis. of Stom. and Liver	132	13	2	4	2	2	23	3	5	3	5	7	9	17	32	18	8	2
Dis. of Kidneys	16	–	–	–	–	–	–	–	–	3	–	2	1	4	1	4	1	–
Dis. of Gener. Organs	15	–	–	–	–	–	–	–	–	1	1	4	1	4	3	1	–	–
Dis. of Joints	8	–	–	–	–	–	–	–	–	1	1	1	–	1	2	1	1	–
Dis. of Skin	8	–	2	–	–	1	3	–	–	–	–	–	1	–	1	3	–	–
Childbirth and Metria	42	–	–	–	–	–	–	–	–	3	11	13	14	1	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Other Violent Deaths	39	10	5	2	1	1	19	8	1	–	–	3	1	2	2	1	1	1
Other Causes	518	216	20	4	2	3	245	5	1	–	–	6	5	10	16	49	127	54
198.—ORSETT.																		
Mean Populn, 1861–71	5492	188	169	159	168	146	830	749	633	424	429	720	658	481	302	185	75	6
TOTAL DEATHS	1034	237	88	43	32	17	417	57	27	22	36	54	78	62	64	84	97	36
Small-pox	8	2	2	–	1	–	5	–	–	–	1	1	–	1	–	–	–	–
Measles	8	–	4	3	–	–	7	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	38	3	4	5	6	4	22	9	4	1	–	–	–	–	–	–	–	–
Diphtheria	12	2	–	1	–	1	4	6	1	–	1	–	–	–	–	–	–	–
Whooping-cough	47	22	16	2	3	2	45	2	–	–	–	–	–	–	–	–	–	–
Typhus	50	1	3	3	3	1	11	9	4	3	5	2	3	6	4	1	2	–
Diarrhœa & Dysentery	60	33	10	3	1	1	48	2	–	1	–	–	1	–	–	2	4	2
Cholera	2	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Other Zymotic Dis.	45	2	2	3	4	3	14	4	1	1	1	4	4	2	1	4	7	3
Cancer	25	–	–	–	–	–	–	–	–	–	–	–	2	7	6	7	3	–
Scrofula and Tabes	19	4	3	1	1	2	11	2	3	–	–	1	1	1	–	–	–	–
Phthisis	130	13	5	2	2	–	28	3	2	10	13	27	25	5	6	3	1	–
Hydrocephalus	22	4	3	3	2	–	19	2	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	97	15	3	5	1	–	24	3	–	2	2	4	4	6	15	12	21	4
Dis. of Heart & Dropsy	73	1	–	–	1	–	2	–	2	–	1	3	8	10	9	18	19	1
Dis. of Lungs	123	33	12	3	3	1	55	4	–	–	1	1	9	6	10	15	16	6
Dis. of Stom. and Liver	45	–	1	–	–	1	2	3	–	–	3	1	5	11	6	11	2	1
Dis. of Kidneys	9	–	–	1	1	–	2	1	–	–	–	1	2	1	1	–	1	–
Dis. of Gener. Organs	4	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–
Dis. of Joints	4	–	–	–	–	–	–	–	1	1	–	1	1	–	–	–	–	–
Dis. of Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	25	–	–	–	–	–	–	–	–	2	8	4	11	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Other Violent Deaths	20	3	3	2	2	1	11	5	–	–	–	–	–	1	2	–	1	–
Other Causes	168	89	12	4	1	–	106	1	1	–	–	3	1	3	4	11	19	19
199.—BILLERICAY.																		
Mean Populn, 1861–71	7919	197	213	186	205	208	1009	971	941	641	644	1075	947	748	514	306	109	14
TOTAL DEATHS	1485	221	71	49	35	17	393	56	39	46	50	98	122	133	139	193	165	51
Small-pox	4	–	–	1	–	1	2	–	–	1	–	–	–	–	1	–	–	–
Measles	22	3	6	3	1	2	15	6	1	–	–	–	–	–	–	–	–	–
Scarlatina	45	2	2	5	6	4	19	16	4	1	1	3	1	–	–	–	–	–
Diphtheria	14	1	4	2	1	2	10	2	1	1	–	–	–	–	–	–	–	–
Whooping-cough	38	17	6	5	5	3	36	2	–	–	–	–	–	–	–	–	–	–
Typhus	51	–	2	–	2	–	4	5	4	5	5	2	5	6	8	5	2	–
Diarrhœa & Dysentery	54	32	5	1	3	–	41	2	–	–	2	–	–	1	1	3	3	1
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Other Zymotic Dis.	33	1	3	3	3	2	12	3	2	–	–	2	4	3	2	3	1	1
Cancer	44	–	–	–	–	–	–	–	–	–	–	3	9	9	8	8	7	–
Scrofula and Tabes	20	5	1	1	2	–	9	–	4	1	–	–	1	1	3	–	1	–
Phthisis	182	1	2	1	–	–	4	3	8	11	23	35	23	15	7	3	–	–
Hydrocephalus	15	4	1	3	–	2	10	4	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	277	23	5	4	1	–	33	3	2	8	5	23	41	38	44	49	26	5
Dis. of Heart & Dropsy	109	1	2	2	1	–	6	2	3	4	2	6	4	16	23	25	9	2
Dis. of Lungs	175	28	15	8	5	1	57	4	5	2	2	4	7	13	15	33	23	10
Dis. of Stom. and Liver	63	6	2	2	–	–	10	1	2	2	2	5	8	6	7	8	11	1
Dis. of Kidneys	11	–	–	–	–	–	–	–	–	1	1	1	–	4	1	3	–	–
Dis. of Gener. Organs	10	–	–	–	–	–	–	–	–	1	–	1	3	4	–	1	–	–
Dis. of Joints	3	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–
Dis. of Skin	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	23	–	–	–	–	–	–	–	–	2	4	6	12	1	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	2	–	–	–	1	1	1	–	–
Other Violent Deaths	17	2	1	2	2	–	7	–	–	2	–	1	1	2	1	1	1	1
Other Causes	333	94	14	6	3	–	117	2	2	2	2	6	3	12	16	30	51	30

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
200.—CHELMSFORD.																		
Mean Popul^{n}, 1861–71	16608	467	429	445	432	457	2230	2091	1933	1615	1266	2029	1789	1543	1106	704	262	40
TOTAL DEATHS	3176	691	206	80	74	54	1105	148	72	72	91	168	188	232	268	401	342	89
Small-pox	13	1	1	–	–	–	2	–	–	–	2	4	2	2	1	–	–	–
Measles	20	4	8	2	3	–	17	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	95	7	8	8	11	13	47	34	10	1	2	–	–	–	1	–	–	–
Diphtheria	86	5	16	8	12	8	49	25	2	4	2	–	1	2	1	–	–	–
Whooping-cough	53	27	14	8	–	2	51	1	–	–	–	–	–	1	–	–	–	–
Typhus	108	1	3	1	2	1	8	10	7	12	9	14	13	13	13	5	2	2
Diarrhœa & Dysentery	96	45	14	6	6	1	72	2	1	–	–	–	2	1	4	10	4	–
Cholera	11	7	2	–	–	–	9	1	–	–	–	–	–	–	–	1	–	–
Other Zymotic Dis.	75	12	8	7	7	7	41	4	4	–	–	3	4	1	9	5	4	–
Cancer	34	–	–	–	–	–	–	–	–	–	–	3	–	8	7	10	5	1
Scrofula and Tabes	56	20	12	3	1	1	37	5	3	4	2	–	2	–	1	2	–	–
Phthisis	377	6	6	1	3	1	17	12	13	20	46	78	69	62	41	18	1	–
Hydrocephalus	67	28	13	2	6	4	53	12	1	–	–	–	–	1	–	–	–	–
Dis. of Brain	403	108	17	6	4	4	139	9	4	7	3	13	13	32	36	83	57	7
Dis. of Heart & Dropsy	278	4	1	2	2	4	13	6	8	6	6	11	24	28	51	79	44	2
Dis. of Lungs	408	114	43	12	10	3	182	5	3	4	2	16	13	23	41	61	48	10
Dis. of Stom. and Liver	131	20	3	3	2	1	29	1	5	4	5	4	11	21	16	27	8	–
Dis. of Kidneys	76	–	–	1	–	1	2	1	1	–	1	3	9	13	11	22	11	2
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	12	–	1	1	–	–	2	–	3	1	–	–	2	8	–	1	–	–
Dis. of Skin	16	4	–	–	1	–	5	1	–	1	1	–	1	2	1	2	2	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	8	–	–	–	–	–	–	–	–	–	–	2	1	2	1	2	–	–
Other Violent Deaths	97	3	5	3	3	2	16	13	5	5	8	12	13	6	8	7	4	–
Other Causes	656	275	31	6	1	1	314	3	2	3	2	5	8	11	25	66	152	65
201.—ROCHFORD.																		
Mean Popul^{n}, 1861–71	10369	282	255	267	282	254	1340	1191	1087	1025	995	1506	1201	922	652	330	104	16
TOTAL DEATHS	1955	510	135	71	36	35	787	75	46	38	45	116	124	141	156	209	174	44
Small-pox	12	1	2	–	–	1	4	–	1	1	–	3	1	2	–	–	–	–
Measles	21	5	8	2	3	1	19	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	50	3	9	5	3	9	29	16	5	–	–	–	–	–	–	–	–	–
Diphtheria	30	2	3	4	3	5	17	5	1	1	3	–	–	1	2	–	–	–
Whooping-cough	51	34	9	5	3	–	51	–	–	–	–	–	–	–	–	–	–	–
Typhus	83	3	3	4	2	1	13	6	8	5	4	13	10	10	9	3	2	–
Diarrhœa & Dysentery	98	63	14	5	1	1	84	3	–	–	–	–	3	–	3	2	3	–
Cholera	16	–	–	1	–	–	1	2	3	4	1	–	3	–	1	1	–	–
Other Zymotic Dis.	53	6	2	4	5	5	22	5	4	3	1	1	2	5	4	5	1	–
Cancer	16	–	–	–	–	–	–	–	1	–	–	–	1	1	6	4	3	–
Scrofula and Tabes	29	9	5	1	1	–	16	2	2	1	5	1	1	1	–	–	–	–
Phthisis	160	4	5	2	–	1	12	3	4	8	13	36	36	30	13	5	–	–
Hydrocephalus	22	11	3	2	3	–	19	2	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	232	81	21	14	5	2	123	9	2	–	1	7	19	11	15	30	14	1
Dis. of Heart & Dropsy	145	1	2	1	–	1	5	3	3	1	3	8	15	18	29	40	20	–
Dis. of Lungs	296	76	25	8	3	5	117	5	4	4	4	11	7	27	35	52	27	–
Dis. of Stom. and Liver	95	11	3	4	–	1	19	1	2	2	–	7	4	20	14	17	9	–
Dis. of Kidneys	34	–	–	1	–	–	1	1	–	–	1	3	2	2	5	11	6	2
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	3	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–
Dis. of Skin	4	1	–	–	1	–	2	–	–	–	–	–	–	–	–	2	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	6	–	–	–	–	–	–	–	1	–	1	–	1	1	–	1	1	–
Other Violent Deaths	99	3	4	2	2	1	12	8	4	8	6	17	16	8	9	7	4	–
Other Causes	400	196	17	6	1	1	221	2	–	–	2	5	3	3	10	29	84	41
202.—MALDON.																		
Mean Popul^{n}, 1861–71	11861	374	340	315	334	325	1688	1506	1377	1122	865	1395	1260	1133	838	490	170	17
TOTAL DEATHS	2249	526	159	74	55	33	847	79	55	63	54	110	124	160	198	285	219	55
Small-pox	15	3	2	1	–	–	6	1	–	1	2	1	3	–	–	–	1	–
Measles	25	3	9	5	3	2	22	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	49	3	2	3	10	7	25	15	6	2	–	1	–	–	–	–	–	–
Diphtheria	18	–	–	5	3	1	9	3	3	1	1	1	–	–	–	–	–	–
Whooping-cough	41	15	13	7	5	1	41	–	–	–	–	–	–	–	–	–	–	–
Typhus	90	2	2	5	–	3	12	4	11	11	9	6	10	7	14	5	1	–
Diarrhœa & Dysentery	82	54	12	4	–	2	72	–	1	–	–	–	–	–	3	4	2	–
Cholera	6	–	–	–	–	–	–	–	–	–	–	–	1	–	3	2	–	–
Other Zymotic Dis.	49	5	8	2	4	6	25	5	2	1	–	1	1	3	4	5	2	–
Cancer	21	–	–	–	–	–	–	–	–	–	1	–	3	5	7	7	–	1
Scrofula and Tabes	65	31	8	4	–	1	44	2	2	4	1	2	5	2	–	2	1	–
Phthisis	217	9	2	4	1	2	18	8	8	16	27	45	32	35	18	8	2	–
Hydrocephalus	62	32	16	7	1	1	57	4	–	–	–	–	–	–	–	1	–	–
Dis. of Brain	233	57	23	7	7	2	96	7	3	4	–	8	11	26	32	40	24	2
Dis. of Heart & Dropsy	162	3	–	2	1	1	7	2	3	4	3	8	14	20	27	55	18	1
Dis. of Lungs	284	72	34	8	8	2	124	9	2	4	3	15	15	31	38	27	15	1
Dis. of Stom. and Liver	85	8	1	1	2	1	13	4	1	4	–	4	6	13	14	21	5	–
Dis. of Kidneys	37	–	–	1	–	–	1	1	–	–	1	2	5	3	7	14	2	1
Dis. of Gener. Organs	2	1	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Dis. of Joints	6	1	1	–	–	–	2	–	–	1	1	–	–	1	–	1	–	–
Dis. of Skin	6	2	–	–	–	–	2	1	–	1	–	–	–	–	1	–	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	9	–	–	–	–	–	–	–	–	–	–	2	1	1	1	3	1	–
Other Violent Deaths	94	9	4	2	6	–	21	7	13	9	4	12	13	5	5	4	–	1
Other Causes	568	216	22	6	4	1	249	3	–	–	1	2	3	8	21	86	144	48

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	All Ages.	Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
		AGES OF FEMALES.																
200.—CHELMSFORD.																		
Mean Popul^n, 1861–71	16661	452	454	445	419	427	2197	2102	1900	1433	1284	2161	1857	1521	1105	726	322	53
TOTAL DEATHS	3165	532	184	105	62	40	923	140	82	110	120	187	186	193	275	389	405	155
Small-pox	9	1	1	–	–	–	2	–	3	–	2	1	1	–	–	–	–	–
Measles	30	2	10	6	5	2	25	4	–	–	–	–	–	–	–	1	–	–
Scarlatina	105	5	13	13	9	8	48	34	14	3	2	1	1	1	–	1	–	–
Diphtheria	84	2	12	9	12	6	41	28	10	3	–	1	–	1	–	–	–	–
Whooping-cough	87	44	23	12	5	2	86	1	–	–	–	–	–	–	–	–	–	–
Typhus	112	4	1	7	4	3	19	13	11	15	7	12	6	11	12	4	2	–
Diarrhœa & Dysentery	68	28	8	1	3	1	41	2	–	–	1	1	1	3	2	6	6	5
Cholera	15	8	3	2	–	–	13	1	–	–	–	–	–	1	–	–	–	–
Other Zymotic Dis.	40	2	4	1	5	2	14	6	1	1	–	2	2	–	8	5	1	–
Cancer	105	–	–	–	–	–	–	–	–	–	1	5	13	25	26	22	9	4
Scrofula and Tabes	58	20	8	6	1	1	36	7	1	4	3	2	1	–	2	2	–	–
Phthisis	408	8	2	3	3	2	18	6	19	62	67	91	67	45	24	9	–	–
Hydrocephalus	44	19	5	4	6	2	36	5	2	1	–	–	–	–	–	–	–	–
Dis. of Brain	362	74	23	10	1	4	112	7	3	4	7	8	17	23	50	67	59	5
Dis. of Heart & Dropsy	302	4	3	3	1	–	11	2	5	3	7	10	22	27	62	101	47	5
Dis. of Lungs	323	76	41	14	6	3	140	5	1	2	1	5	9	15	26	51	56	12
Dis. of Stom. and Liver	152	16	1	–	–	1	18	6	7	3	5	6	17	19	28	23	17	3
Dis. of Kidneys	33	–	–	–	–	–	–	2	2	2	2	1	5	7	2	5	4	1
Dis. of Gener. Organs	16	–	–	–	–	–	–	–	–	–	–	1	2	5	5	2	1	–
Dis. of Joints	13	–	–	–	–	1	1	2	–	3	–	–	1	1	3	2	–	–
Dis. of Skin	11	4	–	–	–	–	4	–	2	–	–	3	–	–	2	–	–	–
Childbirth and Metria	60	–	–	–	–	–	–	–	–	1	13	31	13	2	–	–	–	–
Suicide	5	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	–	–
Other Violent Deaths	39	7	5	4	–	–	16	2	–	1	–	4	1	1	1	3	8	2
Other Causes	684	208	21	10	1	2	242	7	1	2	2	–	6	5	21	85	195	118
201.—ROCHFORD.																		
Mean Popul^n, 1861–71	9062	282	275	269	248	241	1315	1164	984	814	764	1273	1003	755	547	306	118	19
TOTAL DEATHS	1664	398	119	68	55	34	674	74	39	43	52	89	117	103	115	160	150	48
Small-pox	9	3	–	1	2	–	6	–	–	–	1	1	1	–	–	–	–	–
Measles	24	2	7	4	3	2	18	3	1	–	1	–	1	–	–	–	–	–
Scarlatina	54	3	10	5	11	5	34	11	6	2	–	1	–	–	–	–	–	–
Diphtheria	31	1	1	3	5	5	15	11	1	2	1	–	–	1	–	–	–	–
Whooping-cough	48	25	14	1	5	2	47	1	–	–	–	–	–	–	–	–	–	–
Typhus	82	1	1	3	2	5	12	10	6	6	5	8	4	10	12	7	2	–
Diarrhœa & Dysentery	95	54	15	5	–	3	77	1	–	1	1	2	2	1	2	4	3	1
Cholera	17	1	1	1	1	1	5	2	–	1	1	–	2	2	–	2	1	1
Other Zymotic Dis.	45	6	2	4	4	2	18	4	3	2	–	1	4	2	6	4	1	–
Cancer	51	–	–	–	–	–	–	–	–	–	–	–	8	15	10	10	8	–
Scrofula and Tabes	27	11	4	3	–	–	21	1	–	3	–	–	–	1	–	–	1	–
Phthisis	138	3	4	2	–	1	10	4	6	17	22	33	24	12	7	3	–	–
Hydrocephalus	25	2	7	9	3	3	24	1	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	182	43	10	8	6	1	68	7	6	3	1	5	13	12	18	25	21	3
Dis. of Heart & Dropsy	110	4	–	1	2	–	7	–	2	2	3	8	18	12	22	25	10	1
Dis. of Lungs	200	47	25	9	7	2	90	8	2	1	4	4	8	11	15	33	21	3
Dis. of Stom. and Liver	66	4	–	–	2	–	6	2	1	1	5	4	10	13	10	11	1	2
Dis. of Kidneys	11	–	–	1	1	–	2	1	–	1	–	4	1	1	–	3	1	–
Dis. of Gener. Organs	12	–	–	–	–	–	–	–	–	–	1	–	3	7	–	1	–	–
Dis. of Joints	3	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–
Dis. of Skin	8	2	–	–	–	–	2	–	1	–	–	–	2	–	1	2	–	–
Childbirth and Metria	26	–	–	–	–	–	–	–	–	–	3	14	9	–	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–
Other Violent Deaths	23	7	1	3	–	–	11	4	1	–	–	–	–	–	2	1	2	2
Other Causes	371	176	17	5	1	2	201	2	3	1	2	3	6	2	9	29	78	35
202.—MALDON.																		
Mean Popul^n, 1861–71	11283	345	299	320	335	314	1613	1483	1270	996	871	1456	1265	1034	692	430	152	21
TOTAL DEATHS	2052	383	149	78	55	34	699	63	52	73	90	127	116	159	167	239	201	66
Small-pox	6	1	–	–	–	–	1	–	–	1	–	2	2	–	–	–	–	–
Measles	17	3	6	4	2	1	16	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	27	5	2	3	5	2	17	4	3	1	2	–	–	–	–	–	–	–
Diphtheria	30	–	–	4	8	6	18	9	2	–	–	–	1	–	–	–	–	–
Whooping-cough	51	17	13	10	6	3	49	2	–	–	–	–	–	–	–	–	–	–
Typhus	77	–	3	4	5	4	16	9	10	11	5	7	7	5	3	3	1	–
Diarrhœa & Dysentery	46	23	8	3	1	1	36	–	–	–	–	1	1	–	2	3	2	1
Cholera	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–
Other Zymotic Dis.	38	4	8	5	5	2	24	3	–	1	–	–	–	1	1	5	3	–
Cancer	58	–	–	–	–	–	–	–	–	–	2	3	4	22	13	12	2	–
Scrofula and Tabes	44	18	7	2	2	2	31	1	1	2	3	–	1	4	1	–	–	–
Phthisis	288	7	3	3	1	–	14	6	16	36	49	76	40	35	10	6	–	–
Hydrocephalus	31	11	7	5	1	1	28	2	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	225	51	22	13	3	3	92	10	3	6	4	5	13	16	28	29	14	5
Dis. of Heart & Dropsy	161	4	–	1	1	–	6	2	4	4	4	6	15	23	31	51	14	1
Dis. of Lungs	257	52	39	11	10	5	117	5	7	5	5	6	7	21	25	32	23	4
Dis. of Stom. and Liver	104	7	1	–	–	–	8	2	4	2	6	9	9	13	24	23	4	–
Dis. of Kidneys	9	–	–	–	–	–	–	1	–	–	2	1	1	1	–	1	2	–
Dis. of Gener. Organs	15	–	–	–	–	–	–	–	–	–	–	1	3	6	3	2	–	–
Dis. of Joints	4	–	–	–	–	–	–	–	–	1	–	–	2	–	1	–	–	–
Dis. of Skin	3	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–
Childbirth and Metria	23	–	–	–	–	–	–	–	–	–	7	8	8	–	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–
Other Violent Deaths	19	3	–	1	1	2	7	3	1	–	–	–	–	1	3	1	3	–
Other Causes	513	172	30	9	4	2	217	3	–	2	1	2	2	9	20	71	131	55

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
203.—TENDRING.																		
Mean Popul^n, 1861–71	14222	407	381	387	358	372	1905	1772	1695	1315	1003	1719	1558	1360	977	634	248	36
TOTAL DEATHS	2726	643	170	82	52	36	983	97	44	77	91	156	139	166	216	330	327	100
Small-pox	13	2	1	1	1	1	6	–	–	–	1	2	–	1	3	–	–	–
Measles	26	6	11	5	1	–	23	2	1	–	–	–	–	–	–	–	–	–
Scarlatina	50	6	7	6	9	4	32	10	5	1	–	2	–	–	–	–	–	–
Diphtheria	22	1	–	5	2	4	12	5	1	2	2	–	–	–	–	–	–	–
Whooping-cough	42	23	11	3	2	2	41	1	–	–	–	–	–	–	–	–	–	–
Typhus	89	1	4	5	7	4	21	14	1	13	9	11	7	3	5	4	1	–
Diarrhœa & Dysentery	110	58	11	2	3	2	76	3	–	2	1	1	3	3	3	17	25	6
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	57	7	5	6	6	6	30	4	1	2	2	4	1	6	2	4	1	–
Cancer	35	–	–	–	1	–	1	–	–	–	1	2	2	4	8	10	6	1
Scrofula and Tabes	51	21	8	5	2	2	38	1	3	–	–	2	3	–	3	1	–	–
Phthisis	284	7	6	1	–	–	14	11	5	32	43	73	36	41	24	4	1	–
Hydrocephalus	34	19	7	2	–	–	28	2	4	–	–	–	–	–	–	–	–	–
Dis. of Brain	316	90	19	13	7	3	132	9	6	2	6	13	18	26	29	50	47	8
Dis. of Heart & Dropsy	175	1	–	–	1	1	3	4	3	1	–	6	12	17	43	55	26	5
Dis. of Lungs	404	102	41	19	10	6	181	15	1	4	4	10	15	20	39	57	50	8
Dis. of Stom. and Liver	131	16	1	1	–	–	18	4	3	2	3	7	17	12	19	32	13	1
Dis. of Kidneys	66	1	–	–	–	–	1	2	2	2	2	2	7	5	12	17	12	2
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Dis. of Joints	6	–	–	–	–	–	–	1	1	–	1	–	–	1	1	–	1	–
Dis. of Skin	7	1	1	–	–	–	2	–	–	–	1	–	–	–	1	2	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	12	–	–	–	–	–	–	–	–	–	–	1	1	4	1	5	–	–
Other Violent Deaths	110	6	3	1	–	1	11	4	6	14	11	16	11	20	8	5	2	2
Other Causes	625	275	31	7	–	–	313	5	1	–	4	4	6	3	15	66	141	67
204.—COLCHESTER.																		
Mean Popul^n, 1861–71	12710	341	295	289	298	280	1503	1351	1182	1665	1380	2072	1457	919	646	392	125	18
TOTAL DEATHS	2759	673	225	106	55	50	1109	108	52	100	82	207	218	167	216	248	202	50
Small-pox	22	5	–	4	1	–	10	1	2	2	–	2	2	2	1	–	–	–
Measles	44	9	16	12	3	1	41	2	–	–	–	–	1	–	–	–	–	–
Scarlatina	102	5	12	17	7	15	56	32	10	2	1	–	1	–	–	–	–	–
Diphtheria	32	–	5	6	7	5	23	6	1	–	1	–	1	–	–	–	–	–
Whooping-cough	55	30	14	6	2	2	54	–	1	–	–	–	–	–	–	–	–	–
Typhus	103	1	1	8	5	2	17	11	7	16	7	13	7	7	8	8	1	1
Diarrhœa & Dysentery	109	53	23	2	4	–	82	2	–	–	–	2	4	1	3	6	9	–
Cholera	3	1	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	61	12	9	3	5	5	34	4	1	4	1	4	4	2	3	3	1	–
Cancer	20	–	–	–	–	–	–	–	–	–	–	–	3	2	8	4	3	–
Scrofula and Tabes	41	19	7	5	–	–	31	2	2	2	–	–	2	1	–	1	–	–
Phthisis	356	4	4	1	1	2	12	7	7	44	36	94	81	43	25	7	–	–
Hydrocephalus	48	17	16	4	4	4	45	3	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	319	97	24	9	4	2	136	12	5	6	5	13	17	29	21	50	21	1
Dis. of Heart & Dropsy	219	2	1	1	–	1	5	5	5	4	9	24	32	27	42	37	25	4
Dis. of Lungs	381	104	52	12	8	7	183	10	2	9	6	20	23	20	42	38	22	6
Dis. of Stom. and Liver	99	10	3	–	1	–	14	1	–	–	4	9	19	14	20	14	4	–
Dis. of Kidneys	49	–	–	–	–	1	1	–	1	–	1	3	6	6	7	18	6	–
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Dis. of Joints	16	–	–	–	–	1	1	1	2	5	2	–	–	1	1	2	1	–
Dis. of Skin	11	4	–	–	–	–	4	–	–	1	–	–	1	1	3	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	12	–	–	–	–	–	–	–	–	–	–	5	2	1	3	1	–	–
Other Violent Deaths	79	11	5	5	1	–	22	5	6	2	4	11	7	5	7	8	2	–
Other Causes	577	289	33	11	1	2	336	3	–	3	5	7	4	5	22	50	104	38
205.—LEXDEN.																		
Mean Popul^n, 1861–71	11539	355	354	341	331	324	1705	1624	1407	1038	786	1261	1141	1032	803	525	190	27
TOTAL DEATHS	2233	529	143	82	56	30	840	93	62	59	61	106	91	123	159	288	289	62
Small-pox	7	1	–	–	–	–	1	–	–	1	–	–	2	1	1	1	–	–
Measles	35	9	15	3	4	1	32	2	1	–	–	–	–	–	–	–	–	–
Scarlatina	76	5	6	10	16	8	45	23	5	–	2	1	–	–	–	–	–	–
Diphtheria	26	2	3	6	–	1	12	7	2	–	–	–	–	–	3	2	–	–
Whooping-cough	65	40	14	6	1	1	62	3	–	–	–	–	–	–	–	–	–	–
Typhus	85	1	2	5	4	1	13	8	9	10	5	7	9	6	4	10	4	–
Diarrhœa & Dysentery	68	37	4	4	2	2	49	2	–	1	–	1	1	2	1	5	4	2
Cholera	4	1	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–	1
Other Zymotic Dis.	66	4	4	4	8	1	21	9	9	2	2	5	1	2	5	4	5	1
Cancer	41	1	–	–	–	–	1	–	–	–	–	2	4	9	6	15	4	–
Scrofula and Tabes	26	2	5	3	2	2	14	2	3	1	1	2	1	1	1	–	–	–
Phthisis	196	9	5	2	1	2	19	5	5	20	27	52	25	18	19	6	–	–
Hydrocephalus	25	9	8	2	2	–	21	4	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	237	61	13	3	7	1	85	3	7	3	4	6	9	18	23	41	34	4
Dis. of Heart & Dropsy	163	1	–	–	–	–	1	3	4	3	3	8	9	13	34	58	23	4
Dis. of Lungs	333	94	37	12	7	5	155	9	1	–	1	11	11	22	18	43	57	8
Dis. of Stom. & Liver	116	9	5	2	1	1	18	1	3	3	3	3	10	13	18	27	17	–
Dis. of Kidneys	46	–	–	–	–	–	–	–	–	1	–	3	6	3	6	15	11	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	4	–	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–
Dis. of Skin	13	5	–	1	–	–	6	1	1	–	–	–	–	1	2	2	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	11	–	–	–	–	–	–	–	–	1	–	–	1	4	3	1	1	–
Other Violent Deaths	90	4	2	6	–	3	15	6	9	12	12	3	2	7	7	10	6	1
Other Causes	497	234	20	13	1	1	269	3	3	1	1	–	–	3	7	47	123	40

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
203.—TENDRING.																		
Mean Popul^n, 1861–71	13867	414	365	344	366	367	1856	1783	1524	1122	1033	1741	1518	1305	937	601	235	32
TOTAL DEATHS	2530	529	154	80	39	27	829	107	65	80	114	170	167	152	182	284	288	92
Small-pox	6	3	–	–	–	–	3	–	–	1	1	–	–	1	–	–	–	–
Measles	21	1	10	2	2	2	17	3	–	–	1	–	–	–	–	–	–	–
Scarlatina	50	3	4	12	6	7	32	6	6	3	1	2	–	–	–	–	–	–
Diphtheria	37	3	–	2	1	2	8	14	7	3	2	1	–	1	–	1	–	–
Whooping-cough	65	34	17	8	2	1	62	3	–	–	–	–	–	–	–	–	–	–
Typhus	97	1	2	4	6	2	15	13	11	13	10	14	3	12	2	2	2	–
Diarrhœa & Dysentery	123	52	19	3	2	–	76	3	2	–	1	1	4	–	3	10	21	2
Cholera	6	–	1	–	1	–	2	1	–	–	–	1	–	–	2	–	–	–
Other Zymotic Dis.	47	3	5	4	5	5	22	6	3	1	2	1	1	–	3	6	2	–
Cancer	66	–	–	–	–	–	–	–	–	–	1	2	11	16	17	17	1	1
Scrofula and Tabes	53	20	3	2	1	1	27	7	4	3	3	3	1	1	4	–	–	–
Phthisis	352	10	2	1	–	–	13	12	16	40	64	95	67	25	20	–	–	–
Hydrocephalus	23	5	6	8	1	–	20	2	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	265	54	10	11	5	–	80	10	4	4	11	8	9	18	25	44	44	8
Dis. of Heart & Dropsy	201	7	1	2	–	–	10	3	3	2	4	10	20	19	30	69	23	8
Dis. of Lungs	322	73	36	17	3	4	133	10	2	2	3	7	10	17	27	47	56	8
Dis. of Stom. and Liver	118	5	–	–	1	3	9	1	2	5	4	9	10	17	27	26	6	2
Dis. of Kidneys	17	–	–	–	–	–	–	2	2	–	–	1	5	2	5	–	–	–
Dis. of Gener. Organs	24	–	–	–	–	–	–	–	–	–	–	2	4	6	3	5	4	–
Dis. of Joints	6	–	–	–	–	–	–	1	–	–	–	2	3	–	–	–	–	–
Dis. of Skin	8	2	–	–	–	–	2	1	–	–	–	1	1	–	1	1	1	–
Childbirth and Metria	16	–	–	–	–	–	–	–	–	–	1	7	7	1	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–
Other Violent Deaths	24	2	4	–	–	–	6	5	2	–	2	–	1	1	1	1	4	1
Other Causes	530	251	34	4	3	–	292	4	–	3	3	2	10	14	11	55	124	62
204.—COLCHESTER.																		
Mean Popul^n, 1861–71	12370	349	300	282	292	290	1513	1286	1259	1303	1248	1853	1418	1048	747	497	171	27
TOTAL DEATHS	2513	492	170	91	58	41	852	118	61	89	89	167	169	171	207	276	239	75
Small-pox	10	2	–	1	–	–	3	–	–	3	1	2	1	–	–	–	–	–
Measles	37	7	10	6	3	5	31	6	–	–	–	–	–	–	–	–	–	–
Scarlatina	84	5	7	11	12	5	40	32	6	2	1	2	1	–	–	–	–	–
Diphtheria	30	3	2	2	10	1	18	8	1	–	–	1	1	1	–	–	–	–
Whooping-cough	72	32	21	8	5	2	71	1	–	–	–	–	–	–	–	–	–	–
Typhus	107	1	1	1	2	6	11	17	17	12	8	10	5	15	4	6	2	–
Diarrhœa & Dysentery	125	55	14	6	–	4	79	3	1	1	2	3	2	4	8	7	11	4
Cholera	5	1	1	–	–	–	2	–	–	–	1	–	–	–	1	1	–	–
Other Zymotic Dis.	39	7	1	7	2	–	17	6	1	1	1	3	3	1	–	5	1	–
Cancer	87	–	–	–	–	–	–	–	–	–	1	4	15	24	28	9	6	–
Scrofula and Tabes	38	9	8	7	2	–	26	3	3	2	1	1	–	–	–	1	1	–
Phthisis	326	5	3	4	1	–	13	5	15	40	45	80	69	41	12	6	–	–
Hydrocephalus	36	11	8	6	2	3	30	5	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	300	75	22	10	5	5	117	6	4	7	7	7	13	19	38	54	25	3
Dis. of Heart & Dropsy	205	–	–	–	1	2	3	3	4	3	6	14	17	24	41	65	25	–
Dis. of Lungs	295	71	32	10	9	6	128	14	4	4	3	7	16	14	33	35	28	9
Dis. of Stom. and Liver	93	1	2	–	–	–	3	–	–	4	–	5	9	16	20	22	13	1
Dis. of Kidneys	25	–	–	–	1	–	1	2	–	5	2	5	2	3	2	1	2	–
Dis. of Gener. Organs	17	–	–	–	–	–	–	–	–	–	–	5	6	–	4	2	–	–
Dis. of Joints	13	1	1	–	–	–	2	1	2	–	2	1	–	–	4	–	1	–
Dis. of Skin	7	–	2	1	–	–	3	–	–	1	1	1	–	–	1	–	–	–
Childbirth and Metria	17	–	–	–	–	–	–	–	–	1	3	6	6	1	–	–	–	–
Suicide	5	–	–	–	–	–	–	–	–	1	–	3	–	1	–	–	–	–
Other Violent Deaths	30	1	4	2	–	1	8	3	2	1	3	3	–	3	1	1	3	2
Other Causes	510	205	28	9	3	1	246	3	–	1	1	4	3	4	10	61	121	56
205.—LEXDEN.																		
Mean Popul^n, 1861–71	11991	349	312	345	334	351	1691	1572	1351	1011	925	1559	1327	1076	760	491	198	30
TOTAL DEATHS	2016	373	123	55	42	33	626	92	74	72	91	134	112	105	173	243	262	62
Small-pox	4	1	–	–	–	–	1	–	1	–	–	–	1	–	–	1	–	–
Measles	21	4	7	2	–	1	14	5	–	1	–	1	–	–	–	–	–	–
Scarlatina	77	3	11	5	13	10	42	21	10	1	1	1	1	–	–	–	–	–
Diphtheria	31	–	4	1	4	2	11	11	8	–	–	–	1	–	–	–	–	–
Whooping-cough	55	28	23	2	–	1	54	1	–	–	–	–	–	–	–	–	–	–
Typhus	89	2	2	3	4	3	14	18	7	7	3	11	5	2	10	8	4	–
Diarrhœa & Dysentery	78	29	9	5	3	–	46	2	–	2	–	1	2	3	3	2	16	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	63	8	6	6	–	4	24	8	2	1	4	2	2	–	5	7	7	1
Cancer	83	–	–	–	–	–	–	–	1	–	1	3	12	15	23	21	6	1
Scrofula and Tabes	47	6	5	2	3	1	17	1	2	6	6	6	5	1	2	–	1	–
Phthisis	278	7	4	3	–	1	15	9	15	36	57	64	44	29	12	6	–	–
Hydrocephalus	20	8	3	2	1	2	16	1	3	–	–	–	–	–	–	–	–	–
Dis. of Brain	207	36	13	6	6	–	61	2	3	7	2	11	7	10	29	43	27	5
Dis. of Heart & Dropsy	139	2	1	1	–	–	4	1	6	2	3	6	4	16	27	36	30	4
Dis. of Lungs	244	51	15	8	7	3	84	3	6	1	2	7	2	5	29	45	51	9
Dis. of Stom. and Liver	109	4	2	1	1	2	10	2	6	2	1	6	8	14	20	29	9	2
Dis. of Kidneys	20	–	–	–	–	–	–	2	–	–	–	–	4	5	2	5	2	–
Dis. of Gener. Organs	14	1	–	–	–	–	1	–	–	–	–	–	2	6	2	2	1	–
Dis. of Joints	7	–	–	–	–	–	–	–	2	–	–	–	–	1	1	2	1	–
Dis. of Skin	10	1	1	1	–	–	3	1	–	–	1	–	–	1	3	–	1	–
Childbirth and Metria	34	–	–	–	–	–	–	–	–	3	8	12	11	–	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
Other Violent Deaths	22	5	3	4	–	–	12	3	2	1	–	–	–	1	–	1	1	1
Other Causes	392	177	14	3	–	3	197	1	–	2	2	2	1	5	5	34	105	38

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
206.—WITHAM.																		
Mean Popul^n, 1861–71	7903	208	209	204	201	223	1045	1046	1000	739	524	889	868	738	543	359	137	15
TOTAL DEATHS	1721	336	117	62	34	37	586	79	50	51	46	78	103	97	161	222	195	53
Small-pox	8	1	2	–	–	–	3	–	–	2	1	–	–	2	–	–	–	–
Measles	35	8	13	5	1	2	29	4	2	–	–	–	–	–	–	–	–	–
Scarlatina	106	6	11	16	12	20	65	28	5	4	1	3	–	–	–	–	–	–
Diphtheria	18	–	–	1	2	4	7	8	2	–	–	–	1	–	–	–	–	–
Whooping-cough	52	22	17	8	1	2	50	2	–	–	–	–	–	–	–	–	–	–
Typhus	54	–	–	3	2	3	8	6	7	6	4	5	5	5	6	2	–	–
Diarrhœa & Dysentery	51	27	8	1	–	–	36	–	–	–	1	1	–	–	1	6	3	3
Cholera	3	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	33	3	2	3	3	1	12	5	3	1	–	2	1	1	4	2	2	–
Cancer	37	–	–	–	–	–	–	–	–	–	1	–	4	4	9	10	8	1
Scrofula and Tabes	47	17	6	2	1	–	26	8	1	2	1	4	2	2	1	–	–	–
Phthisis	198	5	2	1	–	1	9	2	8	23	26	38	39	33	16	4	–	–
Hydrocephalus	33	6	12	6	3	1	28	2	1	1	1	–	–	–	–	–	–	–
Dis. of Brain	193	24	6	5	3	1	39	4	4	6	2	5	8	10	23	57	29	6
Dis. of Heart & Dropsy	123	–	–	–	–	–	–	–	1	–	3	8	4	11	27	40	27	2
Dis. of Lungs	239	55	21	5	2	1	84	4	1	2	1	3	15	13	31	38	43	4
Dis. of Stom. and Liver	83	7	–	–	1	1	9	–	3	3	1	1	10	5	20	20	10	1
Dis. of Kidneys	28	1	–	–	1	–	2	–	1	–	–	–	4	2	5	5	8	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	7	1	–	–	–	–	1	–	1	–	–	1	–	1	1	2	–	–
Dis. of Skin	4	2	1	–	–	–	3	–	–	–	–	–	–	–	1	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–
Other Violent Deaths	59	2	3	2	–	–	7	3	9	1	2	7	6	5	8	6	3	2
Other Causes	307	149	13	4	2	–	168	1	–	–	1	–	4	1	8	30	61	33
207.—HALSTEAD.																		
Mean Popul^n, 1861–71	8664	261	228	255	225	240	1209	1098	1004	819	619	1029	946	815	595	380	139	11
TOTAL DEATHS	1783	460	120	69	44	23	716	74	49	42	61	95	77	72	128	209	204	56
Small-pox	7	1	–	–	1	–	2	–	–	1	1	1	1	1	–	–	–	–
Measles	33	6	11	6	4	3	30	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	84	2	8	16	14	6	46	21	13	1	3	–	–	–	–	–	–	–
Diphtheria	8	–	–	1	1	–	2	3	1	–	1	–	–	–	–	–	1	–
Whooping-cough	30	16	5	5	1	1	28	2	–	–	–	–	–	–	–	–	–	–
Typhus	55	1	4	2	3	3	13	5	7	7	4	6	3	1	2	3	4	–
Diarrhœa & Dysentery	60	31	8	1	–	–	40	–	–	–	–	–	–	2	–	4	10	2
Cholera	3	–	–	2	–	1	3	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	40	3	3	4	5	1	16	5	2	1	1	2	2	4	3	3	1	–
Cancer	14	–	–	–	–	–	–	–	–	–	–	–	1	–	3	5	5	–
Scrofula and Tabes	52	22	7	4	1	–	34	5	1	2	3	5	–	1	–	1	–	–
Phthisis	195	12	2	3	2	–	19	5	4	11	34	46	35	21	16	3	1	–
Hydrocephalus	41	15	14	2	3	2	36	4	–	–	–	1	–	–	–	–	–	–
Dis. of Brain	208	55	14	10	1	2	82	5	5	1	3	5	6	6	15	47	30	3
Dis. of Heart & Dropsy	163	10	3	–	–	–	13	2	2	4	3	10	5	12	37	39	29	7
Dis. of Lungs	232	55	24	8	5	3	95	5	4	5	1	6	8	4	20	46	32	6
Dis. of Stom. and Liver	73	8	–	1	1	1	11	2	2	3	3	4	7	6	15	14	6	–
Dis. of Kidneys	39	–	–	–	–	–	–	1	–	–	1	5	4	4	4	14	5	1
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
Dis. of Joints	7	–	–	1	–	–	1	1	2	2	–	1	–	–	–	–	–	–
Dis. of Skin	4	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–
Other Violent Deaths	45	5	6	1	2	–	14	4	6	2	1	1	4	4	1	6	1	1
Other Causes	384	218	11	2	–	–	231	1	–	1	2	–	1	3	6	24	79	36
208.—BRAINTREE.																		
Mean Popul^n, 1861–71	8214	233	212	239	206	219	1109	1021	973	781	599	927	906	794	595	356	142	11
TOTAL DEATHS	1805	448	120	60	42	26	696	75	43	33	56	76	80	116	161	222	199	48
Small-pox	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–
Measles	27	6	8	8	1	2	25	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	63	8	6	8	10	6	33	19	9	2	–	–	–	–	–	–	–	–
Diphtheria	12	1	–	1	2	1	5	4	–	3	–	–	–	–	–	–	–	–
Whooping-cough	42	20	16	3	1	1	41	1	–	–	–	–	–	–	–	–	–	–
Typhus	42	–	2	–	–	–	2	9	5	4	3	6	2	5	2	2	2	–
Diarrhœa & Dysentery	63	31	6	3	–	–	40	–	1	–	–	–	–	–	5	6	8	8
Cholera	2	1	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	44	8	4	3	5	4	19	6	–	–	1	–	1	3	4	8	2	–
Cancer	40	–	–	–	–	–	–	–	–	–	1	–	2	4	12	16	5	–
Scrofula and Tabes	47	17	7	5	1	–	30	4	5	2	1	2	1	1	–	–	1	–
Phthisis	208	7	6	4	1	1	19	3	5	9	36	44	30	30	17	13	2	–
Hydrocephalus	17	2	8	2	1	2	15	1	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	257	73	13	6	7	4	103	7	6	2	4	7	10	10	32	34	36	6
Dis. of Heart & Dropsy	124	3	–	–	2	–	5	4	3	2	1	2	3	12	28	38	20	6
Dis. of Lungs	279	87	30	13	3	1	134	6	1	–	1	6	14	14	21	45	30	7
Dis. of Stom. and Liver	85	16	–	1	1	1	19	5	–	–	–	2	5	12	23	13	6	–
Dis. of Kidneys	30	–	–	–	–	1	1	1	–	1	2	1	1	4	6	8	3	2
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	9	–	–	–	–	–	–	1	–	2	–	–	1	2	–	2	–	1
Dis. of Skin	5	3	–	–	–	–	3	–	–	–	–	–	–	–	–	1	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	11	–	–	–	–	–	–	–	–	–	1	–	2	4	1	–	2	1
Other Violent Deaths	61	–	3	1	6	–	10	2	6	6	5	5	7	7	6	4	3	–
Other Causes	334	175	11	2	–	2	190	–	1	–	–	1	1	8	4	29	78	22

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
206.—WITHAM.																		
Mean Populn, 1861–71	8191	234	204	213	216	224	1091	1022	949	715	643	1080	891	726	531	380	138	25
TOTAL DEATHS	1613	270	94	62	32	32	490	71	51	55	60	101	116	89	109	206	202	63
Small-pox	4	2	–	–	–	–	2	–	–	–	–	–	1	1	–	–	–	–
Measles	22	1	6	9	2	1	19	2	–	1	–	–	–	–	–	–	–	–
Scarlatina	75	1	4	13	14	12	44	17	12	1	–	1	–	–	–	–	–	–
Diphtheria	22	1	4	4	1	2	12	7	2	1	–	–	–	–	–	–	–	–
Whooping-cough	54	28	12	7	4	1	52	2	–	–	–	–	–	–	–	–	–	–
Typhus	56	–	–	–	–	4	4	4	8	7	7	9	5	3	4	3	1	1
Diarrhœa & Dysentery	59	23	8	2	1	–	34	–	1	1	–	–	2	–	2	7	7	5
Cholera	4	1	–	–	–	–	1	1	–	–	–	–	–	–	–	1	1	–
Other Zymotic Dis.	24	6	2	1	1	–	10	3	2	1	–	–	1	2	2	2	–	1
Cancer	50	–	–	–	–	–	–	–	–	–	–	3	5	14	9	10	7	2
Scrofula and Tabes	42	9	9	4	1	–	23	4	3	3	1	3	2	2	1	–	–	–
Phthisis	229	7	6	–	–	2	15	5	8	27	35	60	44	22	10	3	–	–
Hydrocephalus	24	6	5	2	–	2	15	7	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	171	19	5	6	3	2	35	5	5	1	4	5	7	11	20	38	36	4
Dis. of Heart & Dropsy	139	–	–	–	–	–	–	–	2	4	2	6	8	18	17	48	32	2
Dis. of Lungs	207	48	19	7	2	4	80	5	3	2	2	2	12	4	14	38	37	8
Dis. of Stom. and Liver	79	3	–	1	1	–	5	1	1	1	3	2	4	8	16	28	9	1
Dis. of Kidneys	21	–	–	2	–	–	2	1	–	3	2	1	7	–	3	2	–	–
Dis. of Gener. Organs	11	–	–	–	–	–	–	–	–	1	–	1	2	2	2	2	1	–
Dis. of Joints	8	–	–	–	–	–	–	–	–	–	–	2	3	–	2	1	–	–
Dis. of Skin	9	7	1	–	–	1	9	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	17	–	–	–	–	–	–	–	–	–	2	6	9	–	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–
Other Violent Deaths	22	4	4	–	1	–	9	5	1	1	–	–	–	–	–	–	5	1
Other Causes	261	104	9	4	1	1	119	2	1	–	2	–	1	2	7	23	66	38
207.—HALSTEAD.																		
Mean Populn, 1861–71	9803	256	260	253	245	255	1269	1149	1086	944	850	1375	1093	836	614	400	160	27
TOTAL DEATHS	1855	336	115	55	33	38	577	83	51	90	89	139	119	96	138	213	204	56
Small-pox	7	1	1	1	–	–	3	–	–	–	1	2	1	–	–	–	–	–
Measles	32	3	9	4	7	3	26	5	1	–	–	–	–	–	–	–	–	–
Scarlatina	76	2	4	10	9	15	40	28	6	–	2	–	–	–	–	–	–	–
Diphtheria	7	–	–	2	1	–	3	3	–	1	–	–	–	–	–	–	–	–
Whooping-cough	34	19	8	3	2	2	34	–	–	–	–	–	–	–	–	–	–	–
Typhus	77	1	3	–	–	2	6	13	9	8	4	8	9	2	9	6	3	–
Diarrhœa & Dysentery	47	19	5	1	–	1	26	2	–	–	1	–	–	1	–	5	9	3
Cholera	6	4	–	–	–	1	5	–	–	–	–	–	–	1	–	–	–	–
Other Zymotic Dis.	47	6	5	6	1	2	20	3	2	4	–	4	1	2	3	7	–	1
Cancer	50	–	–	–	–	–	–	–	–	1	–	2	9	15	11	9	2	1
Scrofula and Tabes	49	13	7	8	1	–	29	4	1	1	2	4	2	4	2	–	–	–
Phthisis	301	5	4	–	1	–	10	6	20	58	58	71	48	15	10	4	1	–
Hydrocephalus	13	8	1	–	1	–	10	2	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	228	36	20	5	3	4	68	4	1	3	5	7	9	13	26	41	48	3
Dis. of Heart & Dropsy	169	3	2	2	–	–	7	2	5	3	4	6	10	21	31	51	24	5
Dis. of Lungs	211	40	24	6	5	3	78	4	3	5	2	11	3	8	23	41	29	4
Dis. of Stom. and Liver	83	7	4	1	–	3	15	–	1	1	3	4	11	9	13	17	9	–
Dis. of Kidneys	21	–	–	–	–	–	–	1	1	–	2	4	5	2	3	3	–	–
Dis. of Gener. Organs	10	–	–	–	–	–	–	–	–	–	–	4	1	2	2	1	–	–
Dis. of Joints	8	–	–	–	–	–	–	1	–	2	1	–	–	–	1	2	1	–
Dis. of Skin	4	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	1	1
Childbirth and Metria	21	–	–	–	–	–	–	–	–	1	2	10	8	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Other Violent Deaths	19	2	4	–	1	2	9	3	–	1	–	2	–	–	–	–	2	2
Other Causes	331	167	14	5	1	–	187	1	–	1	2	–	2	1	4	26	74	36
208.—BRAINTREE.																		
Mean Populn, 1861–71	8943	260	220	212	220	206	1118	1012	970	899	790	1170	1006	820	594	379	160	25
TOTAL DEATHS	1798	329	120	59	33	33	574	57	48	83	64	130	112	106	121	202	228	73
Small-pox	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Measles	29	4	11	5	1	4	25	2	2	–	–	–	–	–	–	–	–	–
Scarlatina	47	5	6	9	3	9	32	12	3	–	–	–	–	–	–	–	–	–
Diphtheria	27	1	1	1	3	2	8	11	3	8	1	–	–	1	–	–	–	–
Whooping-cough	59	23	20	8	4	3	58	1	–	–	–	–	–	–	–	–	–	–
Typhus	47	–	1	2	1	3	7	6	7	7	4	3	2	6	4	–	1	–
Diarrhœa & Dysentery	66	24	8	2	3	–	37	–	–	–	–	1	–	2	1	8	11	6
Cholera	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	43	6	2	2	1	1	12	5	3	1	–	3	2	1	5	5	5	1
Cancer	65	–	–	–	–	–	–	–	–	1	1	4	8	13	21	10	6	1
Scrofula and Tabes	62	21	4	4	1	–	30	–	7	7	4	6	3	2	1	1	1	–
Phthisis	270	8	9	1	3	1	22	2	12	47	34	70	41	20	14	5	3	–
Hydrocephalus	12	4	1	2	1	1	9	2	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	230	33	16	10	5	3	67	8	3	5	3	6	4	16	19	53	41	5
Dis. of Heart & Dropsy	121	3	2	–	1	–	6	–	–	1	2	11	8	12	16	41	24	–
Dis. of Lungs	214	61	24	6	4	3	98	1	2	5	3	2	12	8	13	34	32	4
Dis. of Stom. and Liver	102	5	1	1	–	1	8	1	2	6	3	9	9	15	19	15	12	3
Dis. of Kidneys	11	–	–	–	–	–	–	–	1	–	1	2	3	1	2	1	–	–
Dis. of Gener. Organs	8	–	–	–	–	–	–	–	–	–	–	1	2	3	1	1	–	–
Dis. of Joints	10	–	1	–	–	–	1	–	1	–	1	1	2	1	2	–	1	–
Dis. of Skin	4	1	–	1	–	–	2	1	–	–	–	–	–	–	1	–	–	–
Childbirth and Metria	27	–	–	–	–	–	–	–	–	–	5	8	12	2	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Other Violent Deaths	25	4	2	3	1	1	11	4	–	–	–	–	1	1	1	–	5	2
Other Causes	314	125	11	2	1	1	140	1	1	–	2	2	–	2	1	28	86	51

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Males: Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
209.—DUNMOW.																		
Mean Popul^n, 1861-71	10157	259	263	262	270	255	1309	1249	1237	1077	683	1125	1050	969	760	506	173	19
TOTAL DEATHS	1960	398	122	38	48	16	622	92	46	44	59	107	90	117	184	286	254	59
Small-pox	7	1	-	1	-	-	2	1	-	-	-	2	-	1	-	1	-	-
Measles	16	1	5	5	5	-	16	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	63	3	6	4	11	12	26	26	5	2	1	1	1	1	-	-	-	-
Diphtheria	10	-	1	-	1	-	2	3	2	2	-	-	1	-	-	-	-	-
Whooping-cough	36	24	8	2	1	-	35	1	-	-	-	-	-	-	-	-	-	-
Typhus	56	1	1	1	2	4	9	15	4	7	4	2	5	5	2	2	1	-
Diarrhœa & Dysentery	59	24	7	1	2	-	34	1	2	-	-	1	-	-	3	6	11	1
Cholera	5	1	-	-	-	-	1	2	-	-	-	-	-	-	2	-	-	-
Other Zymotic Dis.	49	3	1	2	1	2	9	4	2	-	1	4	6	3	4	8	6	2
Cancer	42	-	-	-	-	-	-	-	-	1	-	-	1	6	11	14	7	2
Scrofula and Tabes	64	29	12	1	3	2	47	5	7	-	2	2	2	1	-	-	-	-
Phthisis	227	5	1	1	2	1	10	5	11	16	34	60	33	32	17	9	-	-
Hydrocephalus	33	14	13	2	2	-	31	1	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	234	54	18	6	1	-	79	4	3	3	2	6	7	14	33	53	29	1
Dis. of Heart & Dropsy	125	2	-	-	1	-	3	2	-	3	3	5	6	14	28	36	22	3
Dis. of Lungs	288	57	30	7	8	2	104	15	1	1	6	6	8	13	29	61	38	6
Dis. of Stom. and Liver	128	10	2	1	-	1	14	4	1	3	3	4	11	16	26	26	20	-
Dis. of Kidneys	37	1	1	-	-	-	2	1	1	1	-	4	-	4	7	8	7	2
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Dis. of Joints	6	-	-	-	-	-	-	-	-	2	2	-	-	-	1	1	-	-
Dis. of Skin	4	1	-	-	-	-	1	-	-	-	-	-	-	-	1	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	6	-	-	-	-	-	-	-	-	-	-	3	-	2	-	1	-	-
Other Violent Deaths	48	6	4	1	3	2	16	1	6	1	-	5	2	2	8	4	3	-
Other Causes	414	161	12	3	5	-	181	1	-	2	1	2	7	2	12	55	109	42
210.—SAFFRON WALDEN.																		
Mean Popul^n, 1861-71	9843	278	272	263	263	265	1341	1219	1176	985	688	1109	1007	913	720	478	183	24
TOTAL DEATHS	1941	441	110	53	34	19	657	75	50	42	54	95	89	112	197	264	237	69
Small-pox	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Measles	13	2	6	1	2	-	11	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	47	1	6	8	6	2	23	13	6	3	-	1	-	-	1	-	-	-
Diphtheria	28	2	2	4	3	-	11	9	4	2	-	1	-	-	-	1	-	-
Whooping-cough	41	24	10	3	4	-	41	-	-	-	-	-	-	-	-	-	-	-
Typhus	38	1	1	2	-	2	6	2	4	5	5	6	1	4	1	4	-	-
Diarrhœa & Dysentery	60	39	6	-	-	-	45	1	-	-	-	-	1	-	2	5	5	1
Cholera	4	-	-	-	-	-	-	1	1	-	1	-	-	-	-	1	-	-
Other Zymotic Dis.	36	6	-	6	2	1	15	4	-	-	1	-	2	2	5	4	3	-
Cancer	29	-	-	-	-	-	-	-	-	-	-	2	-	5	7	11	4	-
Scrofula and Tabes	30	4	3	3	-	2	12	2	5	2	-	2	3	2	2	-	-	-
Phthisis	226	2	1	1	1	-	5	9	5	17	34	42	41	31	32	10	-	-
Hydrocephalus	31	11	6	5	2	2	26	4	-	-	-	-	1	-	-	-	-	-
Dis. of Brain	263	70	18	5	4	1	98	6	4	3	2	8	8	6	29	44	48	7
Dis. of Heart & Dropsy	161	3	2	2	-	-	7	3	3	3	3	11	9	17	38	46	20	1
Dis. of Lungs	252	53	16	5	4	7	85	13	4	-	3	7	7	19	31	41	35	7
Dis. of Stom. and Liver	109	16	5	2	1	-	24	1	1	4	1	2	7	7	25	19	17	1
Dis. of Kidneys	39	-	1	-	-	-	1	1	3	-	-	2	-	5	4	12	10	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	4	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-
Dis. of Skin	6	2	1	-	-	-	3	-	-	-	-	-	-	-	-	3	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-
Other Violent Deaths	62	3	5	2	2	1	13	1	7	3	3	8	2	8	9	7	1	-
Other Causes	455	202	21	4	3	1	231	3	3	-	-	3	2	3	10	55	94	51
211.—RISBRIDGE.																		
Mean Popul^n, 1861-71	8904	284	254	274	251	255	1318	1200	1097	857	601	986	868	803	618	381	158	17
TOTAL DEATHS	1762	420	116	50	45	23	654	78	39	50	41	84	92	97	139	215	228	45
Small-pox	5	-	-	-	1	-	1	-	-	1	-	-	1	-	-	2	-	-
Measles	17	3	5	2	1	3	14	1	2	-	-	-	-	-	-	-	-	-
Scarlatina	73	3	8	7	11	4	33	21	10	3	-	4	1	-	-	-	1	-
Diphtheria	17	1	1	4	2	1	9	7	1	-	-	-	-	-	-	-	-	-
Whooping-cough	49	23	17	5	4	-	49	-	-	-	-	-	-	-	-	-	-	-
Typhus	68	1	4	1	5	2	13	8	6	12	4	6	2	5	6	3	3	-
Diarrhœa & Dysentery	80	37	6	5	2	-	50	2	-	1	1	1	2	4	5	7	6	1
Cholera	3	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-
Other Zymotic Dis.	41	5	4	1	2	3	15	5	2	3	1	1	3	1	4	3	3	-
Cancer	21	-	-	-	-	-	-	1	-	-	-	2	1	1	6	7	3	-
Scrofula and Tabes	53	16	8	3	2	1	30	5	1	2	-	7	3	1	1	2	1	-
Phthisis	150	1	3	-	-	1	5	4	6	12	19	33	38	23	8	2	-	-
Hydrocephalus	17	2	9	3	-	-	14	2	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	156	36	10	4	4	2	56	4	2	5	6	8	6	9	12	32	16	-
Dis. of Heart & Dropsy	87	4	1	-	1	-	6	1	1	1	-	3	4	11	12	25	22	1
Dis. of Lungs	246	51	23	7	7	1	89	5	2	4	4	6	16	17	29	41	28	5
Dis. of Stom. and Liver	81	9	1	-	-	1	11	2	1	1	1	7	8	11	20	12	7	-
Dis. of Kidneys	22	-	-	1	-	-	1	-	-	-	-	1	-	1	9	4	5	1
Dis. of Gener. Organs	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Dis. of Joints	10	-	-	-	-	-	-	-	1	-	-	3	1	-	3	2	-	-
Dis. of Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-
Other Violent Deaths	51	3	2	4	1	-	10	7	3	4	4	-	5	5	7	3	1	2
Other Causes	507	224	14	3	2	4	247	3	-	1	1	2	1	7	11	67	132	35

Mean Population, 1861-71, and **Deaths** in **Districts** during the **10 Years 1861-70.**

CAUSES OF DEATH.	All Ages.	Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
		AGES OF FEMALES.																
209.—DUNMOW.																		
Mean Populn, 1861-71	9572	280	262	285	245	241	1313	1241	1136	742	644	1144	1064	931	690	455	188	24
TOTAL DEATHS	1786	306	103	59	32	27	527	90	43	73	88	112	106	112	130	206	229	70
Small-pox	3	1	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-
Measles	21	4	4	4	4	2	18	2	-	1	-	-	-	-	-	-	-	-
Scarlatina	67	-	4	12	2	6	24	28	10	2	1	1	1	-	-	-	-	-
Diphtheria	17	1	-	2	3	2	8	7	-	1	-	1	-	-	-	-	-	-
Whooping-cough	31	14	6	5	4	1	30	1	-	-	-	-	-	-	-	-	-	-
Typhus	47	-	1	1	1	-	3	11	4	7	4	5	4	4	2	2	1	-
Diarrhœa & Dysentery	47	16	4	-	-	3	23	-	1	1	-	1	-	1	2	4	11	3
Cholera	3	1	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-
Other Zymotic Dis.	49	6	4	1	5	4	20	6	4	3	-	1	1	4	7	1	1	1
Cancer	59	-	-	-	1	-	1	-	-	-	2	2	5	14	16	12	4	3
Scrofula and Tabes	81	31	14	6	4	-	55	5	4	3	4	2	3	3	3	2	-	-
Phthisis	251	1	2	2	-	1	6	8	7	36	55	55	36	26	14	8	-	-
Hydrocephalus	15	5	7	2	-	1	15	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	198	29	12	9	2	-	52	7	4	2	5	10	2	14	25	40	35	2
Dis. of Heart & Dropsy	110	1	-	-	-	1	2	-	2	4	3	3	12	10	16	36	19	3
Dis. of Lungs	232	61	35	9	2	4	111	6	1	2	1	6	7	4	16	31	39	8
Dis. of Stom. and Liver	114	8	1	3	-	-	12	5	1	5	2	12	7	16	19	26	6	3
Dis. of Kidneys	15	-	-	-	1	-	1	-	1	-	1	2	3	4	1	2	-	-
Dis. of Gener. Organs	12	-	-	-	-	-	-	-	-	-	1	3	3	4	-	1	-	-
Dis. of Joints	10	-	-	-	-	-	-	-	-	-	1	2	1	3	1	2	-	-
Dis. of Skin	5	1	-	-	1	-	2	-	-	-	-	-	-	-	1	1	1	-
Childbirth and Metria	27	-	-	-	-	-	-	-	-	1	4	6	16	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Other Violent Deaths	21	2	3	1	2	1	9	-	3	1	1	-	2	-	-	2	3	-
Other Causes	347	121	6	2	-	1	133	4	1	1	3	-	2	5	7	36	108	47
210.—SAFFRON WALDEN.																		
Mean Populn, 1861-71	9783	269	273	264	244	260	1310	1212	1171	794	722	1230	1049	914	688	477	193	28
TOTAL DEATHS	1833	360	105	53	30	21	569	68	54	73	67	120	114	94	138	215	225	96
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	23	3	8	5	2	3	21	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	38	6	1	4	6	1	18	8	7	2	1	2	-	-	-	-	-	-
Diphtheria	22	-	2	4	2	2	10	7	4	1	-	-	-	-	-	-	-	-
Whooping-cough	33	18	8	4	1	2	33	-	-	-	-	-	-	-	-	-	-	-
Typhus	62	-	3	-	3	1	7	11	5	9	5	4	2	4	7	5	3	-
Diarrhœa & Dysentery	53	23	6	4	-	-	33	2	1	-	-	-	4	2	1	3	4	3
Cholera	5	1	-	-	-	-	1	1	-	-	1	-	1	1	-	-	-	-
Other Zymotic Dis.	31	4	4	3	-	3	14	1	-	1	1	2	5	2	1	2	2	-
Cancer	49	-	1	-	-	-	1	-	1	-	-	2	4	10	19	11	1	-
Scrofula and Tabes	31	6	2	3	1	1	13	3	5	1	2	5	4	-	-	1	-	-
Phthisis	253	4	5	2	1	1	13	4	15	33	36	56	49	25	15	6	1	-
Hydrocephalus	33	11	9	1	2	1	24	4	3	-	-	1	1	-	-	-	-	-
Dis. of Brain	220	57	14	4	4	1	80	5	2	6	4	2	8	14	25	29	37	8
Dis. of Heart & Dropsy	157	1	-	-	1	-	2	4	2	6	2	13	9	11	26	44	35	3
Dis. of Lungs	219	48	27	12	3	3	93	3	3	6	4	9	4	3	22	31	31	10
Dis. of Stom. and Liver	117	7	2	4	-	1	14	3	4	5	6	7	7	9	15	30	16	1
Dis. of Kidneys	15	-	-	-	-	-	-	1	-	1	-	1	4	2	3	1	2	-
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	-	-	-	-	5	-	2	-	-
Dis. of Joints	5	-	-	-	-	-	-	-	-	1	-	1	-	-	1	2	-	-
Dis. of Skin	6	3	-	-	-	-	3	2	-	-	-	-	-	1	-	-	-	-
Childbirth and Metria	26	-	-	-	-	-	-	-	-	1	4	13	8	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Other Violent Deaths	21	3	2	1	4	-	10	2	2	-	1	1	-	1	-	4	2	1
Other Causes	399	165	11	2	-	1	179	5	-	-	-	1	4	2	3	44	91	70
211.—RISBRIDGE.																		
Mean Populn, 1861-71	9021	280	251	260	241	251	1283	1164	1051	822	740	1098	962	758	542	389	188	24
TOTAL DEATHS	1742	343	108	53	43	27	574	76	51	72	83	117	85	112	111	183	207	71
Small-pox	3	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-
Measles	13	1	2	3	2	1	9	2	1	-	-	-	1	-	-	-	-	-
Scarlatina	63	2	4	11	10	7	34	20	3	5	-	1	-	-	-	-	-	-
Diphtheria	13	1	1	3	1	1	7	4	1	-	1	-	-	-	-	-	-	-
Whooping-cough	58	31	13	5	3	1	56	2	-	-	-	-	-	-	-	-	-	-
Typhus	78	2	1	1	6	3	13	6	10	11	9	9	3	9	5	1	1	1
Diarrhœa & Dysentery	62	22	13	-	1	1	37	4	-	1	2	2	-	1	1	6	6	2
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Zymotic Dis.	29	4	2	4	1	-	11	4	2	1	1	1	1	1	1	4	2	-
Cancer	39	-	-	-	-	-	-	1	-	-	-	-	4	15	11	4	4	-
Scrofula and Tabes	71	15	10	6	1	-	32	5	7	6	2	7	3	7	1	1	-	-
Phthisis	244	3	4	1	-	1	9	6	18	33	49	56	37	23	11	2	-	-
Hydrocephalus	15	1	8	-	2	2	13	1	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	118	27	5	4	3	-	39	3	3	2	3	4	3	8	17	18	15	3
Dis. of Heart & Dropsy	98	2	-	-	-	-	2	2	-	1	2	5	9	12	14	32	18	1
Dis. of Lungs	209	38	22	9	7	5	79	6	2	3	3	6	8	12	22	39	25	4
Dis. of Stom. and Liver	76	10	3	-	-	3	16	1	-	1	1	7	3	11	11	20	5	-
Dis. of Kidneys	5	-	-	-	-	-	-	1	-	-	1	1	-	-	-	2	-	-
Dis. of Gener. Organs	6	-	1	-	-	-	1	-	-	-	1	1	-	2	-	1	-	-
Dis. of Joints	7	1	-	-	-	-	1	-	-	-	1	-	-	1	3	-	1	-
Dis. of Skin	4	1	-	-	-	1	2	1	-	-	-	-	-	1	-	-	-	-
Childbirth and Metria	26	-	-	-	-	-	-	-	-	2	5	12	7	-	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-
Other Violent Deaths	18	4	1	-	1	-	6	5	-	-	1	1	-	2	1	-	1	1
Other Causes	482	177	18	6	5	1	207	2	2	6	1	4	5	5	11	52	128	59

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
212.—SUDBURY.																		
Mean Popul^{n}, 1861–71	15502	443	445	440	405	445	2178	1945	1823	1463	1091	1827	1667	1417	1080	721	262	28
TOTAL DEATHS	3212	748	192	92	82	49	1163	149	92	85	96	155	159	182	248	416	368	99
Small-pox	19	2	–	–	1	–	3	3	1	2	4	1	1	3	–	1	–	–
Measles	60	7	21	7	11	5	51	8	1	–	–	–	–	–	–	–	–	–
Scarlatina	175	8	14	13	25	15	75	47	39	5	4	4	1	–	–	–	–	–
Diphtheria	18	2	1	1	2	3	9	4	–	1	–	3	–	–	1	–	–	–
Whooping-cough	53	31	11	5	3	2	52	1	–	–	–	–	–	–	–	–	–	–
Typhus	90	3	3	6	2	1	15	14	5	12	4	7	7	7	8	8	3	–
Diarrhœa & Dysentery	123	59	13	2	–	–	74	1	1	–	–	1	1	2	6	18	15	4
Cholera	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Other Zymotic Dis.	77	5	5	9	6	4	29	9	3	5	2	3	2	3	3	11	6	1
Cancer	49	–	–	–	–	–	–	–	–	1	–	1	1	6	19	14	6	1
Scrofula and Tabes	60	14	13	4	8	2	36	2	3	2	4	3	1	2	6	1	–	–
Phthisis	321	15	3	3	2	–	23	8	6	37	50	69	60	38	23	7	–	–
Hydrocephalus	81	29	22	4	9	–	64	13	3	–	1	–	–	–	–	–	–	–
Dis. of Brain	411	75	27	8	5	6	121	13	9	4	4	19	9	23	38	94	64	13
Dis. of Heart & Dropsy	183	4	1	–	1	–	6	2	5	2	1	8	9	15	32	58	41	4
Dis. of Lungs	415	123	27	8	7	4	169	5	2	1	3	10	22	26	48	70	48	11
Dis. of Stom. and Liver	149	13	–	2	–	1	16	3	4	–	2	7	18	22	22	40	12	3
Dis. of Kidneys	68	1	–	1	–	–	2	3	1	1	1	2	5	7	8	24	13	1
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
Dis. of Joints	7	–	–	–	–	1	1	–	–	–	1	–	1	–	–	1	3	–
Dis. of Skin	14	3	–	–	–	1	4	–	–	–	–	–	–	3	2	3	2	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	13	–	–	–	–	–	–	–	–	–	–	1	1	5	3	3	–	–
Other Violent Deaths	127	7	3	8	1	4	23	10	6	9	11	15	13	13	14	5	8	–
Other Causes	696	347	28	11	4	–	390	3	3	2	4	1	7	7	15	57	146	61
213.—COSFORD.																		
Mean Popul^{n}, 1861–71	8641	258	233	239	247	251	1228	1067	1016	816	602	978	894	782	656	414	172	16
TOTAL DEATHS	1639	356	94	55	32	37	574	85	46	37	42	64	74	85	158	226	195	53
Small-pox	2	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Measles	27	3	5	6	4	3	21	5	1	–	–	–	–	–	–	–	–	–
Scarlatina	82	2	7	11	5	13	38	30	11	–	2	1	–	–	–	–	–	–
Diphtheria	25	–	3	–	2	3	8	19	6	2	–	–	–	–	–	–	–	–
Whooping-cough	42	23	10	6	–	1	40	2	–	–	–	–	–	–	–	–	–	–
Typhus	38	–	–	–	1	3	4	4	3	1	6	1	3	6	4	1	5	–
Diarrhœa & Dysentery	38	18	1	5	1	2	27	1	–	–	1	2	–	–	–	1	3	3
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Other Zymotic Dis.	39	1	–	2	3	4	10	8	2	2	–	–	2	3	3	5	4	–
Cancer	23	–	–	–	–	–	–	–	–	–	–	–	–	2	8	9	4	–
Scrofula and Tabes	50	13	6	5	2	–	26	4	1	4	3	1	2	3	5	–	1	–
Phthisis	127	3	1	2	–	–	6	2	3	11	20	29	21	16	15	3	1	–
Hydrocephalus	24	12	7	–	2	1	22	1	–	1	–	–	–	–	–	–	–	–
Dis. of Brain	152	20	12	2	1	3	38	4	2	2	2	2	7	5	25	42	21	2
Dis. of Heart & Dropsy	102	4	–	–	–	1	5	–	3	–	1	5	5	8	23	39	12	1
Dis. of Lungs	247	62	21	6	6	2	97	6	2	5	3	9	11	13	23	46	29	3
Dis. of Stom. and Liver	91	11	2	2	–	–	15	1	5	1	–	5	8	9	22	22	3	–
Dis. of Kidneys	68	–	–	1	1	1	3	1	2	4	1	3	5	9	8	24	6	2
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	9	–	–	1	–	–	1	2	1	–	–	–	1	1	–	1	2	–
Dis. of Skin	5	–	–	–	–	–	–	–	1	–	–	–	–	–	1	2	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	10	–	–	–	–	–	–	–	–	–	–	–	2	–	4	3	1	–
Other Violent Deaths	50	4	2	2	2	–	10	3	3	3	1	3	6	7	11	3	–	–
Other Causes	387	180	17	4	2	–	203	1	–	1	2	2	1	2	6	25	102	42
214.—THINGOE.																		
Mean Popul^{n}, 1861–71	8981	224	238	244	230	235	1171	1147	1073	908	662	969	919	841	678	429	162	22
TOTAL DEATHS	1554	395	77	26	24	22	544	56	35	43	53	92	69	89	122	198	185	68
Small-pox	7	2	–	–	–	–	2	–	–	–	–	–	3	–	–	2	–	–
Measles	11	3	3	–	–	2	8	1	–	1	–	–	–	1	–	–	–	–
Scarlatina	41	4	1	6	4	8	23	13	2	1	1	–	1	–	–	–	–	–
Diphtheria	13	2	2	–	2	4	10	5	2	–	–	1	–	–	–	–	–	–
Whooping-cough	25	21	4	–	–	–	25	–	–	–	–	–	–	–	–	–	–	–
Typhus	38	1	–	–	1	1	3	3	9	6	2	3	2	3	2	2	3	–
Diarrhœa & Dysentery	36	17	2	1	–	–	20	–	–	1	–	–	–	1	2	6	5	1
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Other Zymotic Dis.	28	3	3	5	5	1	17	5	1	–	–	1	–	–	2	2	–	–
Cancer	31	–	–	–	–	–	–	–	–	1	–	1	2	6	11	6	4	–
Scrofula and Tabes	36	10	5	–	3	–	18	2	2	4	2	3	3	1	–	1	–	–
Phthisis	187	11	4	–	–	–	15	3	6	13	33	55	30	17	9	6	–	–
Hydrocephalus	41	11	15	4	4	1	35	5	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	175	30	7	1	–	–	38	3	4	5	5	6	3	7	21	35	39	9
Dis. of Heart & Dropsy	124	1	–	–	–	1	2	4	1	3	1	3	2	11	26	41	29	1
Dis. of Lungs	187	45	11	4	3	2	65	4	–	1	4	3	5	14	17	37	26	11
Dis. of Stom. and Liver	74	16	1	–	1	1	19	–	1	1	2	5	5	9	12	9	9	2
Dis. of Kidneys	42	–	–	–	–	–	–	–	1	1	–	2	4	5	2	13	12	2
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	4	–	–	–	–	–	–	1	–	1	–	1	–	–	–	1	–	–
Dis. of Skin	6	1	–	–	–	–	1	–	–	1	–	–	–	2	–	2	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	13	–	–	–	–	–	–	–	–	–	–	–	5	2	3	2	1	–
Other Violent Deaths	45	1	3	1	–	–	5	6	5	3	2	5	3	5	7	3	–	1
Other Causes	384	216	16	4	1	1	238	1	–	–	1	3	1	5	7	30	57	41

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
212.—SUDBURY.																		
Mean Popul^{n}, 1861–71	16102	453	414	413	428	412	2120	1962	1761	1459	1332	2098	1805	1444	1078	683	304	56
TOTAL DEATHS	3150	569	191	81	72	55	968	148	100	114	131	222	214	177	220	355	342	159
Small-pox	12	3	–	–	1	–	4	–	1	3	1	1	1	–	1	–	–	–
Measles	60	14	17	9	7	3	50	7	3	–	–	–	–	–	–	–	–	–
Scarlatina	169	12	15	15	17	19	78	50	26	6	4	1	2	–	1	1	–	–
Diphtheria	30	1	1	–	2	4	8	9	6	–	1	3	1	2	–	–	–	–
Whooping-cough	75	39	16	8	2	4	69	5	–	1	–	–	–	–	–	–	–	–
Typhus	105	2	4	8	6	2	22	13	14	9	6	9	12	9	5	4	1	1
Diarrhœa & Dysentery	127	40	15	5	2	3	65	2	–	1	4	2	3	3	9	15	13	10
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Other Zymotic Dis.	69	7	7	3	1	3	21	6	1	2	3	4	7	10	4	4	4	3
Cancer	119	–	–	–	1	–	1	–	–	–	–	4	19	23	35	25	12	–
Scrofula and Tabes	58	10	12	–	2	1	25	5	3	2	6	3	1	2	5	5	1	–
Phthisis	437	14	11	1	3	1	30	13	23	65	68	123	65	30	14	5	1	–
Hydrocephalus	38	9	6	4	6	3	28	7	3	–	–	–	–	–	–	–	–	–
Dis. of Brain	307	44	14	7	11	2	78	11	3	5	1	11	23	18	26	69	49	13
Dis. of Heart & Dropsy	150	2	2	–	1	–	5	3	1	4	5	11	17	15	38	54	34	3
Dis. of Lungs	326	74	33	14	2	5	128	5	3	3	6	9	10	15	30	54	47	16
Dis. of Stom. and Liver	182	9	3	2	1	4	19	6	1	6	10	10	10	29	25	47	14	5
Dis. of Kidneys	30	–	–	–	1	–	1	1	2	–	1	3	5	2	6	6	3	–
Dis. of Gener. Organs	17	–	–	–	–	–	–	–	1	–	–	1	3	5	4	3	–	–
Dis. of Joints	17	–	1	–	1	–	2	–	2	1	1	–	4	2	2	2	1	–
Dis. of Skin	7	1	–	–	–	–	1	–	–	–	1	–	2	–	1	1	1	–
Childbirth and Metria	53	–	–	–	–	–	–	–	–	3	9	23	18	–	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	1	–
Other Violent Deaths	22	3	–	2	1	1	7	3	2	–	1	–	2	–	–	2	3	2
Other Causes	695	285	34	3	4	–	326	2	5	3	2	4	8	11	14	57	157	106
213.—COSFORD.																		
Mean Popul^{n}, 1861–71	8594	230	228	241	231	227	1157	1040	955	708	680	1083	969	763	596	428	189	26
TOTAL DEATHS	1697	297	81	45	30	26	479	64	56	62	61	124	99	103	130	193	228	98
Small-pox	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Measles	20	–	9	4	2	2	17	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	62	5	5	9	9	9	37	12	4	4	1	2	1	–	–	1	–	–
Diphtheria	33	–	5	–	1	3	9	10	8	3	2	–	1	–	–	–	–	–
Whooping-cough	33	17	9	5	–	2	33	–	–	–	–	–	–	–	–	–	–	–
Typhus	42	–	1	1	2	1	5	5	8	1	4	4	6	4	1	3	1	–
Diarrhœa & Dysentery	33	16	7	1	–	–	24	–	1	–	1	–	1	–	3	2	1	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Other Zymotic Dis.	25	1	2	3	2	–	8	3	2	2	–	–	1	3	1	2	3	–
Cancer	47	–	–	–	–	–	–	–	–	–	–	3	7	13	10	10	3	1
Scrofula and Tabes	50	16	3	–	1	–	20	1	3	3	2	8	3	4	3	1	2	–
Phthisis	218	1	–	1	1	1	4	7	19	29	36	60	34	20	9	–	–	–
Hydrocephalus	9	1	1	3	2	–	7	1	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	174	15	4	4	2	4	29	2	5	7	3	13	9	14	34	35	20	3
Dis. of Heart & Dropsy	109	2	–	–	–	1	3	–	1	2	1	6	9	5	18	34	27	3
Dis. of Lungs	237	49	23	10	5	3	90	8	2	5	7	6	16	15	11	42	29	6
Dis. of Stom. and Liver	96	4	1	–	1	–	6	3	2	2	3	3	6	16	18	24	11	2
Dis. of Kidneys	19	–	–	–	–	–	–	1	–	1	1	4	–	3	6	1	2	–
Dis. of Gener. Organs	13	–	–	–	–	–	–	–	–	–	–	2	–	4	4	2	1	–
Dis. of Joints	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–
Dis. of Skin	3	2	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–	–
Childbirth and Metria	11	–	–	–	–	–	–	–	–	2	–	6	3	–	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	–
Other Violent Deaths	16	4	–	2	1	–	7	4	–	–	–	1	–	–	2	–	2	–
Other Causes	438	164	11	2	1	–	178	4	–	–	–	4	1	1	8	34	125	83
214.—THINGOE.																		
Mean Popul^{n}, 1861–71	8938	263	239	242	210	247	1201	1132	1023	738	660	1114	967	846	632	424	175	26
TOTAL DEATHS	1564	291	70	38	31	9	439	57	48	79	76	106	86	77	119	209	191	77
Small-pox	2	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Measles	15	4	4	4	1	1	14	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	39	2	2	9	5	1	19	11	5	–	1	2	–	1	–	–	–	–
Diphtheria	38	–	1	3	7	2	13	9	9	1	1	1	2	1	1	–	–	–
Whooping-cough	32	19	8	3	1	–	31	–	1	–	–	–	–	–	–	–	–	–
Typhus	41	–	1	2	1	–	4	8	3	6	3	4	3	3	6	1	–	–
Diarrhœa & Dysentery	25	9	1	–	2	–	12	–	–	–	–	–	1	–	–	3	6	3
Cholera	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	25	1	2	3	2	3	11	2	–	–	1	–	1	1	1	5	1	2
Cancer	63	–	–	–	–	–	–	–	–	–	–	3	11	6	18	17	8	–
Scrofula and Tabes	20	1	3	–	–	–	4	3	1	4	5	1	1	–	–	1	–	–
Phthisis	256	7	4	1	1	–	13	8	17	42	43	60	30	25	11	6	1	–
Hydrocephalus	25	9	6	2	2	–	19	3	3	–	–	–	–	–	–	–	–	–
Dis. of Brain	167	21	4	4	1	–	30	4	3	10	4	5	6	8	23	41	22	11
Dis. of Heart & Dropsy	147	2	–	–	–	–	2	1	2	4	4	6	3	12	26	46	37	4
Dis. of Lungs	188	37	17	4	3	1	62	3	1	1	3	3	9	7	9	39	30	12
Dis. of Stom. and Liver	87	14	1	–	1	–	16	3	1	3	3	8	5	7	12	18	10	1
Dis. of Kidneys	16	1	–	–	1	–	2	–	–	1	2	–	1	1	4	4	1	–
Dis. of Gener. Organs	6	–	–	–	–	–	–	–	–	–	–	–	3	1	–	2	–	–
Dis. of Joints	9	–	1	–	–	–	1	–	–	–	–	–	3	–	1	2	2	–
Dis. of Skin	6	3	–	–	–	–	3	–	–	–	–	1	–	1	–	1	–	–
Childbirth and Metria	22	–	–	–	–	–	–	–	–	1	4	11	5	1	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Other Violent Deaths	17	2	1	–	3	–	6	–	1	3	–	–	1	–	1	2	2	1
Other Causes	316	157	14	3	–	1	175	1	–	3	2	1	1	1	6	21	62	43

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
215.—BURY ST. EDMUNDS.																		
Mean Popul^n, 1861–71	6464	163	158	166	176	164	827	826	812	663	451	803	697	607	414	260	91	13
TOTAL DEATHS	1753	394	103	45	20	29	591	70	29	54	54	123	118	143	174	195	159	43
Small-pox	18	5	–	–	–	–	5	2	2	–	2	1	3	1	1	–	1	–
Measles	55	13	18	12	3	3	49	5	1	–	–	–	–	–	–	–	–	–
Scarlatina	46	3	6	4	7	6	26	13	3	3	–	1	–	–	–	–	–	–
Diphtheria	10	–	1	2	–	3	6	1	–	3	–	–	–	–	–	–	–	–
Whooping-cough	32	19	7	3	1	–	30	1	1	–	–	–	–	–	–	–	–	–
Typhus	43	1	2	3	–	3	9	5	3	3	2	3	3	4	5	4	2	–
Diarrhœa & Dysentery	64	37	6	–	1	–	44	–	–	–	1	–	–	1	3	3	11	1
Cholera	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Other Zymotic Dis.	33	6	4	2	2	2	16	1	–	–	–	2	2	3	2	2	4	1
Cancer	23	–	–	–	1	–	1	–	–	–	1	–	1	4	8	7	1	–
Scrofula and Tabes	32	10	4	–	–	–	14	2	4	3	1	3	–	1	4	–	–	–
Phthisis	244	5	4	4	–	1	14	7	4	23	24	64	52	29	18	9	–	–
Hydrocephalus	44	15	15	4	–	2	36	7	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	229	54	8	5	1	5	73	6	3	3	3	8	10	13	28	46	30	6
Dis. of Heart & Dropsy	121	–	–	–	–	–	–	2	–	3	2	9	12	17	22	32	20	2
Dis. of Lungs	216	45	12	3	2	–	62	5	1	2	3	7	12	13	40	31	32	8
Dis. of Stom. and Liver	85	6	1	–	–	1	8	2	1	2	6	5	6	20	15	13	6	1
Dis. of Kidneys	49	1	3	1	–	–	5	1	–	2	2	2	3	3	8	14	7	2
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	12	–	1	–	1	–	2	1	1	1	–	4	1	–	2	–	–	–
Dis. of Skin	11	2	–	–	–	–	2	–	–	–	–	–	–	5	1	2	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	9	–	–	–	–	–	–	–	–	–	1	1	1	5	1	–	–	–
Other Violent Deaths	79	4	2	1	–	3	10	6	3	6	4	10	6	12	10	12	–	–
Other Causes	296	168	9	1	1	–	179	3	1	–	2	3	6	12	5	19	44	22
216.—MILDENHALL.																		
Mean Popul^n, 1861–71	4655	127	129	118	132	127	633	575	560	468	337	511	472	447	336	216	88	12
TOTAL DEATHS	913	224	63	26	15	8	336	45	20	32	27	42	38	57	61	110	114	31
Small-pox	4	1	–	1	–	–	2	–	–	1	–	–	–	1	–	–	–	–
Measles	14	1	7	1	3	1	13	–	1	–	–	–	–	–	–	–	–	–
Scarlatina	33	–	1	5	6	3	15	11	4	2	1	–	–	–	–	–	–	–
Diphtheria	9	1	1	2	–	–	4	1	–	1	–	1	–	1	1	–	–	–
Whooping-cough	15	9	3	2	–	–	14	1	–	–	–	–	–	–	–	–	–	–
Typhus	20	–	1	2	–	–	3	6	1	–	3	3	–	1	1	2	–	–
Diarrhœa & Dysentery	15	6	1	–	1	–	8	–	–	–	–	–	–	1	–	3	3	–
Cholera	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	10	–	1	–	–	–	1	3	–	2	–	–	–	1	–	2	–	1
Cancer	10	–	–	–	–	–	–	–	–	–	–	–	1	4	1	3	1	–
Scrofula and Tabes	16	1	1	2	–	–	4	–	1	4	1	2	3	–	1	–	–	–
Phthisis	105	5	6	–	–	–	11	5	5	14	15	17	16	10	8	3	1	–
Hydrocephalus	8	2	1	2	–	–	5	1	1	–	–	–	–	1	–	–	–	–
Dis. of Brain	91	21	3	2	1	–	27	2	–	1	2	6	3	8	12	19	8	3
Dis. of Heart & Dropsy	77	1	2	1	–	–	4	2	1	2	–	4	4	9	10	25	13	3
Dis. of Lungs	105	32	11	2	–	1	46	5	–	2	–	1	4	4	9	19	14	1
Dis. of Stom. and Liver	46	13	3	–	1	–	17	1	–	–	1	1	1	3	7	12	3	–
Dis. of Kidneys	20	–	–	–	–	–	–	–	–	–	1	–	2	3	2	3	9	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Dis. of Skin	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Deaths	31	4	1	1	–	2	8	2	4	3	3	3	–	3	3	1	1	–
Other Causes	280	127	20	3	3	1	154	4	1	–	–	4	4	7	6	17	60	23
217.—STOW.																		
Mean Popul^n, 1861–71	10361	315	276	284	271	277	1423	1271	1208	1039	744	1205	1070	973	718	478	205	27
TOTAL DEATHS	2001	489	112	47	46	28	722	80	38	54	81	104	103	113	161	223	243	79
Small-pox	5	1	–	–	1	–	2	1	–	–	1	–	–	–	1	–	–	–
Measles	20	6	6	3	2	1	18	1	–	1	–	–	–	–	–	–	–	–
Scarlatina	45	1	5	8	9	7	30	12	3	–	–	–	–	–	–	–	–	–
Diphtheria	23	1	5	–	4	4	14	3	1	2	2	1	–	–	–	–	–	–
Whooping-cough	42	19	15	4	3	–	41	1	–	–	–	–	–	–	–	–	–	–
Typhus	67	1	–	–	1	2	4	9	3	8	11	4	7	5	7	4	5	–
Diarrhœa & Dysentery	53	23	4	1	1	–	29	–	–	1	–	1	1	1	4	5	7	4
Cholera	3	2	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	–
Other Zymotic Dis.	36	8	2	2	1	–	13	1	5	2	–	–	1	–	4	7	2	1
Cancer	23	–	–	–	–	–	–	–	–	–	–	–	1	2	9	7	2	2
Scrofula and Tabes	67	23	10	2	2	–	37	5	5	2	4	1	7	4	2	–	–	–
Phthisis	229	4	2	1	1	1	9	8	8	16	40	66	49	22	10	1	–	–
Hydrocephalus	31	9	2	3	9	1	24	4	1	2	–	–	–	–	–	–	–	–
Dis. of Brain	190	27	12	7	3	5	54	11	2	3	8	5	4	10	27	36	27	3
Dis. of Heart & Dropsy	140	1	–	–	–	–	1	–	1	5	3	8	7	21	25	40	25	4
Dis. of Lungs	227	64	25	5	2	2	98	6	2	3	2	2	9	8	24	42	29	2
Dis. of Stom. and Liver	104	13	4	2	–	2	21	2	2	3	2	4	7	20	19	21	3	–
Dis. of Kidneys	40	1	–	–	–	–	1	1	–	1	1	2	4	2	7	11	10	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	9	–	–	–	–	–	–	3	1	1	–	1	–	–	–	1	2	–
Dis. of Skin	11	4	–	–	–	–	4	–	1	–	–	1	–	2	1	2	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	5	–	–	–	–	–	–	–	–	–	1	–	–	1	1	2	–	–
Other Violent Deaths	61	2	4	3	4	1	14	6	3	4	5	5	4	6	8	2	1	3
Other Causes	570	279	16	6	3	2	306	6	–	–	1	3	2	9	12	41	130	60

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
215.—BURY ST. EDMUNDS.																		
Mean Popul", 1861-71	7659	182	178	165	154	161	840	807	804	851	721	1084	845	694	519	336	140	18
TOTAL DEATHS	1566	308	101	41	38	16	504	65	25	44	52	77	108	104	135	185	209	58
Small-pox	9	1	-	-	-	-	1	-	2	1	1	1	3	-	-	-	-	-
Measles	39	7	14	7	3	-	34	5	-	-	-	-	-	-	-	-	-	-
Scarlatina	38	4	5	5	6	2	22	9	4	-	-	2	-	-	1	-	-	-
Diphtheria	12	-	2	-	2	2	6	4	-	-	1	-	-	-	1	-	-	-
Whooping-cough	49	15	20	6	4	-	45	4	-	-	-	-	-	-	-	-	-	-
Typhus	51	-	3	2	2	1	8	3	4	1	3	4	6	3	3	9	7	-
Diarrhœa & Dysentery	61	31	7	1	-	-	39	-	-	-	-	-	-	2	-	4	13	3
Cholera	4	1	-	-	1	-	2	-	-	-	-	1	-	-	-	-	1	-
Other Zymotic Dis.	34	1	6	-	2	1	10	9	2	-	1	1	-	1	1	7	2	-
Cancer	59	-	-	-	-	-	-	-	-	2	-	1	10	18	16	9	3	-
Scrofula and Tabes	22	11	3	2	-	-	16	-	2	-	-	2	1	1	-	-	-	-
Phthisis	212	5	6	7	1	-	19	8	6	21	33	39	42	25	12	6	1	-
Hydrocephalus	19	6	1	-	3	4	14	2	3	-	-	-	-	-	-	-	-	-
Dis. of Brain	193	25	6	1	2	2	37	6	-	3	3	6	2	10	25	51	41	9
Dis. of Heart & Dropsy	128	3	-	1	-	-	4	6	-	4	2	3	12	15	25	27	26	4
Dis. of Lungs	200	50	14	6	4	2	76	4	-	3	-	5	8	8	21	30	39	6
Dis. of Stom. and Liver	80	8	1	-	1	-	10	-	1	3	3	3	9	9	19	15	7	1
Dis. of Kidneys	17	-	-	-	-	-	-	-	-	-	1	1	3	-	3	3	5	1
Dis. of Gener. Organs	14	-	-	-	-	-	-	-	-	2	-	-	1	6	2	3	-	-
Dis. of Joints	4	-	-	-	1	-	1	-	-	-	-	-	1	-	-	2	-	-
Dis. of Skin	7	2	-	-	-	1	3	-	-	-	-	-	-	-	1	1	2	-
Childbirth and Metria	20	-	-	-	-	-	-	-	-	1	3	6	9	1	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Violent Deaths	23	4	1	-	-	1	6	2	1	2	1	2	-	-	2	-	5	2
Other Causes	270	133	12	3	3	-	151	3	-	1	-	-	1	5	2	18	57	32
216.—MILDENHALL.																		
Mean Popul", 1861-71	4754	122	133	132	130	121	638	615	577	420	352	584	509	418	336	205	85	15
TOTAL DEATHS	915	185	52	11	19	11	278	38	27	37	35	64	59	55	60	105	116	41
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	12	4	2	1	1	1	9	2	-	-	1	-	-	-	-	-	-	-
Scarlatina	30	4	7	-	6	3	20	5	3	1	1	-	-	-	-	-	-	-
Diphtheria	10	-	-	1	1	2	4	5	2	1	1	-	-	-	-	-	-	-
Whooping-cough	18	12	3	1	-	-	16	2	-	-	-	-	-	-	-	-	-	-
Typhus	41	2	1	-	-	1	4	4	4	5	7	2	3	6	1	2	2	1
Diarrhœa & Dysentery	14	5	4	-	-	-	9	-	-	-	-	1	-	-	-	1	3	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	11	1	-	1	-	-	2	3	1	2	-	1	-	2	1	1	1	-
Cancer	35	-	-	-	-	-	-	-	1	-	-	-	4	7	12	8	3	-
Scrofula and Tabes	12	1	-	-	-	1	2	-	1	2	1	-	2	2	-	1	1	-
Phthisis	132	8	1	-	2	1	12	2	8	15	16	38	23	8	5	4	1	-
Hydrocephalus	5	3	-	1	-	-	4	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	75	14	1	1	-	-	16	7	-	2	1	3	1	6	9	12	14	4
Dis. of Heart & Dropsy	90	3	2	1	1	-	7	-	2	5	-	7	9	11	18	21	9	1
Dis. of Lungs	72	20	7	1	3	-	31	4	1	2	-	2	5	3	3	12	7	2
Dis. of Stom. and Liver	44	5	2	1	2	-	10	1	2	-	2	4	2	3	6	11	3	-
Dis. of Kidneys	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-
Dis. of Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	13	-	-	-	-	-	-	-	-	-	1	4	8	-	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	16	2	2	1	2	1	8	-	-	1	-	1	1	-	-	2	2	1
Other Causes	272	100	20	1	1	1	123	2	2	-	4	1	1	5	4	28	70	32
217.—STOW.																		
Mean Popul", 1861-71	10591	307	276	294	283	283	1443	1302	1238	929	857	1343	1135	927	695	481	207	34
TOTAL DEATHS	1997	372	120	47	31	33	603	74	49	76	78	164	115	117	151	206	268	96
Small-pox	7	1	-	-	-	1	2	-	-	2	-	-	1	-	-	-	2	-
Measles	19	4	7	1	2	2	16	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	61	2	5	8	7	11	33	20	5	-	-	2	-	-	-	1	-	-
Diphtheria	26	2	2	2	3	2	11	7	4	1	1	-	-	-	1	1	-	-
Whooping-cough	48	25	13	5	4	1	48	-	-	-	-	-	-	-	-	-	-	-
Typhus	86	4	1	4	4	-	13	8	3	10	8	12	7	8	7	6	4	-
Diarrhœa & Dysentery	59	25	5	1	1	1	33	2	-	-	-	4	-	1	2	6	9	2
Cholera	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Other Zymotic Dis.	22	6	3	2	1	3	15	2	-	1	-	1	-	-	1	1	1	-
Cancer	70	-	-	-	-	-	-	-	-	1	-	4	6	20	20	10	8	1
Scrofula and Tabes	61	17	10	3	1	2	33	3	4	3	2	7	-	4	4	1	-	-
Phthisis	274	6	3	2	-	3	14	8	12	41	47	77	35	27	11	2	-	-
Hydrocephalus	12	1	5	3	1	-	10	2	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	191	16	10	4	1	1	32	7	9	3	3	10	9	9	19	40	43	7
Dis. of Heart & Dropsy	145	5	-	-	-	-	5	-	2	4	7	8	15	9	26	42	24	3
Dis. of Lungs	195	47	20	6	3	3	88	5	6	4	-	3	10	9	16	26	24	4
Dis. of Stom. and Liver	118	12	1	-	1	1	15	2	1	4	1	11	7	12	22	20	17	6
Dis. of Kidneys	17	-	-	-	-	1	1	-	-	1	1	4	2	1	2	3	1	1
Dis. of Gener. Organs	19	-	-	-	-	-	-	-	-	-	-	1	7	5	2	2	1	1
Dis. of Joints	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Dis. of Skin	7	-	-	-	-	-	-	-	-	-	2	-	-	-	2	2	1	-
Childbirth and Metria	28	-	-	-	-	-	-	-	-	-	4	16	7	1	-	-	-	-
Suicide	6	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	-	-
Other Violent Deaths	27	-	3	5	1	1	10	2	1	1	1	2	1	4	1	2	1	1
Other Causes	496	109	23	1	1	-	224	3	2	-	1	1	7	6	12	38	132	70

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	2
218.—HARTISMERE.																		
Mean Popul^n, 1861–71	8585	248	231	227	227	239	1172	1089	1070	839	608	922	858	789	630	406	177	25
TOTAL DEATHS	1787	448	113	59	31	25	676	66	50	42	51	73	76	102	134	205	224	88
Small-pox	3	1	1	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–
Measles	17	5	3	5	1	1	15	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	52	4	5	11	5	7	32	10	4	3	2	1	–	–	–	–	–	–
Diphtheria	36	1	1	4	4	5	15	13	5	1	1	–	–	–	1	–	–	–
Whooping cough	30	17	8	4	–	1	30	–	–	–	–	–	–	–	–	–	–	–
Typhus	45	–	–	1	3	–	4	4	4	7	5	6	3	5	3	2	2	–
Diarrhœa & Dysentery	29	12	4	1	–	–	17	–	–	–	–	–	1	1	2	3	4	1
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Other Zymotic Dis.	35	5	4	4	2	2	17	2	4	1	–	–	3	1	–	4	3	–
Cancer	28	–	–	1	–	–	1	–	–	–	–	2	1	5	7	6	5	1
Scrofula and Tabes	53	31	4	3	4	–	42	–	1	2	2	–	3	–	2	1	–	–
Phthisis	201	5	7	2	–	–	14	7	4	15	27	38	35	21	28	6	3	–
Hydrocephalus	32	11	7	5	1	2	26	5	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	189	63	11	4	1	1	80	4	5	3	1	2	5	10	15	31	28	2
Dis. of Heart & Dropsy	102	3	1	–	–	1	5	2	2	–	1	4	7	7	19	34	20	1
Dis. of Lungs	253	65	30	8	6	3	112	3	1	1	4	6	5	17	21	41	35	7
Dis. of Stom. and Liver	88	14	5	1	1	–	21	1	4	1	1	2	5	9	14	18	10	2
Dis. of Kidneys	51	–	–	–	–	–	–	1	3	–	1	4	4	8	6	14	8	2
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	6	–	–	–	–	–	–	1	–	–	–	–	–	2	–	2	1	–
Dis. of Skin	10	3	2	–	–	–	5	1	–	–	–	–	–	1	–	2	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	11	–	–	–	–	–	–	–	–	1	1	1	1	2	1	2	2	–
Other Violent Deaths	61	7	5	–	2	1	15	8	10	5	5	3	–	6	5	2	2	–
Other Causes	451	201	15	5	1	1	223	2	2	2	–	3	3	3	10	34	100	72
219.—HOXNE.																		
Mean Popul^n, 1861–71	7318	229	211	213	209	197	1059	948	877	686	494	761	746	644	546	373	157	27
TOTAL DEATHS	1350	354	92	29	24	14	513	45	17	35	43	56	58	57	96	177	192	61
Small-pox	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
Measles	12	3	5	–	–	1	9	2	–	–	–	–	1	–	–	–	–	–
Scarlatina	17	–	2	2	2	2	8	9	–	–	–	–	–	–	–	–	–	–
Diphtheria	32	1	3	1	3	4	12	10	4	1	1	–	2	1	–	1	–	–
Whooping-cough	21	9	6	2	1	1	19	1	–	–	–	–	–	–	1	–	–	–
Typhus	31	1	–	1	2	–	4	–	3	5	6	1	1	3	3	5	–	–
Diarrhœa & Dysentery	41	18	5	1	1	–	25	–	–	–	–	1	1	–	1	2	7	4
Cholera	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
Other Zymotic Dis.	35	5	4	3	2	–	14	4	–	–	2	–	2	1	2	6	4	–
Cancer	15	–	–	1	–	–	1	–	–	–	–	–	2	–	4	6	2	–
Scrofula and Tabes	35	10	7	2	–	–	19	2	1	2	1	2	3	1	3	1	–	–
Phthisis	117	8	4	1	2	1	16	4	3	9	27	30	17	6	3	2	–	–
Hydrocephalus	47	21	16	2	2	1	42	4	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	156	36	5	3	3	1	48	3	1	4	2	4	8	7	15	34	27	3
Dis. of Heart & Dropsy	75	2	2	–	–	–	4	–	–	2	–	2	2	3	12	28	19	3
Dis. of Lungs	201	52	17	8	3	1	81	–	1	5	–	7	8	12	18	28	36	5
Dis. of Stom. and Liver	75	9	–	–	–	–	9	1	–	1	1	–	4	10	16	18	13	2
Dis. of Kidneys	47	–	1	–	–	–	1	–	–	1	1	4	2	2	7	16	10	3
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	6	–	1	–	–	–	1	–	–	2	1	–	–	–	1	1	–	–
Dis. of Skin	7	–	2	–	–	–	2	–	–	–	–	–	–	1	–	2	1	1
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	1	–
Other Violent Deaths	45	1	2	2	3	2	10	4	3	2	1	3	4	6	3	2	7	–
Other Causes	326	178	10	–	–	–	188	1	–	1	–	1	–	3	6	22	64	40
220.—BOSMERE.																		
Mean Popul^n, 1861–71	8002	223	205	195	216	223	1082	1012	956	804	537	906	881	733	587	397	149	18
TOTAL DEATHS	1533	360	109	30	27	24	550	49	33	44	49	94	62	96	121	183	202	50
Small-pox	5	–	–	–	–	–	–	–	1	1	–	1	1	1	–	–	–	–
Measles	18	2	10	4	–	–	16	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	39	1	1	7	6	3	18	11	4	4	1	1	–	–	–	–	–	–
Diphtheria	18	1	1	1	2	5	10	2	1	1	2	1	1	–	–	–	–	–
Whooping-cough	38	17	16	2	2	1	38	–	–	–	–	–	–	–	–	–	–	–
Typhus	50	4	1	–	2	2	9	5	1	4	5	6	6	3	5	3	3	–
Diarrhœa & Dysentery	59	25	2	2	1	–	30	1	–	1	–	3	–	4	3	2	12	3
Cholera	2	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Other Zymotic Dis.	31	1	1	–	2	2	6	3	1	3	–	2	1	2	3	6	4	–
Cancer	19	–	–	–	–	–	–	–	–	–	–	–	2	4	3	7	3	–
Scrofula and Tabes	43	18	7	2	–	2	29	2	3	3	2	–	–	1	–	3	–	–
Phthisis	172	8	7	–	–	1	16	2	7	11	22	60	21	19	7	6	1	–
Hydrocephalus	15	3	5	2	2	1	13	1	–	–	–	–	1	–	–	–	–	–
Dis. of Brain	143	22	9	3	1	–	35	9	8	4	3	4	5	7	15	28	24	6
Dis. of Heart & Dropsy	112	3	1	–	1	–	5	–	–	5	1	3	5	14	25	32	21	1
Dis. of Lungs	226	65	29	5	3	4	106	4	1	2	1	2	6	16	21	32	27	8
Dis. of Stom. and Liver	85	5	1	–	–	–	6	1	4	–	5	5	3	7	18	23	12	1
Dis. of Kidneys	41	–	–	–	–	–	–	–	1	2	1	2	1	3	5	9	15	2
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Dis. of Joints	5	–	–	–	–	–	–	–	–	–	3	–	–	2	–	–	–	–
Dis. of Skin	10	2	1	–	–	–	3	–	1	–	–	–	–	–	–	3	3	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	6	–	–	–	–	–	–	–	–	–	–	–	1	3	1	1	–	–
Other Violent Deaths	12	1	1	1	2	1	6	4	4	2	2	2	1	8	7	3	2	1
Other Causes	353	182	16	1	3	2	204	1	1	1	–	2	6	2	8	25	75	28

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 upwds.
218.—HARTISMERE.																		
Mean Popul^n, 1861–71	8619	245	225	233	227	230	1160	1050	983	756	642	1039	905	800	613	419	210	42
TOTAL DEATHS	1698	346	93	38	24	25	526	73	48	57	79	100	94	79	123	175	235	109
Small-pox	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	22	4	8	1	2	2	17	3	–	–	–	1	1	–	–	–	–	–
Scarlatina	29	1	2	2	2	2	9	14	6	–	–	–	–	–	–	–	–	–
Diphtheria	47	6	1	2	–	10	19	18	5	2	–	1	2	–	–	–	–	–
Whooping-cough	34	18	6	5	1	2	32	2	–	–	–	–	–	–	–	–	–	–
Typhus	55	–	–	1	4	–	5	5	8	7	5	4	7	4	3	3	3	1
Diarrhœa & Dysentery	29	16	1	1	–	–	18	–	–	–	1	–	1	–	1	3	4	1
Cholera	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Other Zymotic Dis.	38	5	4	6	2	2	19	1	1	–	–	2	1	–	4	4	6	–
Cancer	47	–	–	–	–	–	–	–	–	–	1	3	3	12	8	11	8	1
Scrofula and Tabes	48	12	7	1	1	–	21	6	2	4	3	3	2	2	3	2	–	–
Phthisis	251	11	9	–	1	1	22	5	15	27	48	58	37	21	16	1	1	–
Hydrocephalus	27	9	9	2	3	–	23	4	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	155	19	5	4	1	1	30	5	3	7	3	3	7	7	17	28	37	8
Dis. of Heart & Dropsy	107	–	–	–	–	–	–	1	2	2	2	9	8	7	17	38	20	1
Dis. of Lungs	214	52	26	6	2	2	88	3	2	1	4	5	5	9	20	32	37	8
Dis. of Stom. and Liver	97	11	3	–	2	1	17	2	2	1	6	3	4	9	17	20	16	–
Dis. of Kidneys	16	–	–	–	–	–	–	–	–	1	–	–	2	5	–	5	3	–
Dis. of Gener. Organs	13	–	–	–	–	–	–	–	–	–	–	1	2	2	4	3	1	–
Dis. of Joints	5	–	–	–	–	–	–	–	1	1	1	–	–	–	2	–	–	–
Dis. of Skin	8	2	2	1	–	–	5	–	–	1	–	–	1	–	1	–	–	–
Childbirth and Metria	18	–	–	–	–	–	–	–	–	1	3	6	8	–	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Other Violent Deaths	21	1	–	3	2	1	7	2	1	1	1	1	–	–	2	2	3	1
Other Causes	412	177	10	3	1	1	192	2	–	1	1	–	2	1	7	22	96	88
219.—HOXNE.																		
Mean Popul^n, 1861–71	7231	203	231	186	199	197	1016	937	818	583	535	856	760	667	503	353	175	28
TOTAL DEATHS	1357	265	83	30	26	21	425	75	35	45	50	87	82	65	88	155	168	82
Small-pox	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Measles	12	3	2	3	2	1	11	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	20	–	4	–	1	3	8	9	2	–	–	1	–	–	–	–	–	–
Diphtheria	49	2	3	5	3	5	18	25	2	–	2	1	–	1	–	–	–	–
Whooping-cough	35	12	12	3	4	2	33	2	–	–	–	–	–	–	–	–	–	–
Typhus	38	–	–	1	1	2	4	2	6	6	3	4	4	3	2	1	3	–
Diarrhœa & Dysentery	41	19	5	–	1	–	25	2	1	–	–	2	–	–	1	3	5	2
Cholera	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	38	7	4	1	4	–	16	4	5	–	–	–	3	1	1	4	3	1
Cancer	39	–	–	–	–	–	–	–	–	–	–	2	3	12	9	10	3	–
Scrofula and Tabes	27	5	3	2	1	1	12	2	3	1	3	1	1	1	1	2	–	–
Phthisis	173	8	3	–	1	–	12	3	10	21	29	44	29	15	8	2	–	–
Hydrocephalus	39	18	7	5	2	1	33	6	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	112	15	8	1	2	–	26	4	1	4	3	2	2	8	7	29	21	5
Dis. of Heart & Dropsy	100	1	–	–	–	1	2	–	–	1	2	4	5	2	20	33	24	7
Dis. of Lungs	151	29	17	4	3	2	55	4	1	7	1	3	7	5	8	22	28	10
Dis. of Stom. and Liver	88	8	–	–	–	1	9	5	–	1	–	4	8	10	14	22	12	3
Dis. of Kidneys	12	1	–	–	–	–	1	–	–	2	–	1	–	1	1	2	4	–
Dis. of Gener. Organs	15	–	1	–	–	–	1	–	–	–	1	–	4	1	3	4	–	1
Dis. of Joints	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Dis. of Skin	5	1	–	–	–	–	1	–	1	–	–	–	–	1	–	1	–	1
Childbirth and Metria	29	–	–	–	–	–	–	–	–	–	4	15	10	–	–	–	–	–
Suicide	5	–	–	–	–	–	–	–	–	1	–	–	1	2	1	–	–	–
Other Violent Deaths	23	3	1	1	–	1	6	2	3	1	–	–	2	–	1	3	4	3
Other Causes	300	133	13	4	1	–	151	4	–	–	1	3	2	2	10	17	61	49
220.—BOSMERE.																		
Mean Popul^n, 1861–71	7910	216	203	227	223	205	1074	980	891	655	580	990	902	728	542	376	161	31
TOTAL DEATHS	1508	261	86	41	28	15	431	57	44	63	62	106	111	84	106	180	190	74
Small-pox	2	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Measles	13	2	5	–	1	2	10	2	1	–	–	–	–	–	–	–	–	–
Scarlatina	39	–	5	10	5	3	23	9	4	2	1	–	–	–	–	–	–	–
Diphtheria	11	–	1	2	1	1	5	3	1	1	–	–	–	1	–	–	–	–
Whooping-cough	26	12	4	4	4	1	25	1	–	–	–	–	–	–	–	–	–	–
Typhus	57	4	3	–	–	1	8	7	3	9	5	7	6	1	5	1	4	1
Diarrhœa & Dysentery	47	14	6	2	3	–	25	2	–	–	1	1	–	1	–	7	5	5
Cholera	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Other Zymotic Dis.	42	3	2	–	2	–	7	3	–	–	–	2	–	5	12	8	5	–
Cancer	39	–	–	–	–	–	–	–	–	–	–	–	4	13	12	6	4	–
Scrofula and Tabes	55	13	7	7	2	2	31	4	5	1	1	1	4	5	1	1	1	–
Phthisis	224	1	7	2	2	–	12	5	15	31	34	43	46	19	12	5	2	–
Hydrocephalus	12	4	1	1	1	–	7	1	3	1	–	–	–	–	–	–	–	–
Dis. of Brain	170	11	7	–	1	–	19	3	5	8	3	13	5	8	14	27	21	4
Dis. of Heart & Dropsy	111	1	–	–	–	–	1	2	1	–	1	7	11	9	20	37	20	2
Dis. of Lungs	182	47	18	9	3	3	80	5	2	6	4	9	8	4	8	22	25	9
Dis. of Stom. and Liver	84	7	–	–	1	2	10	1	2	1	1	4	10	8	10	30	5	2
Dis. of Kidneys	12	–	–	–	–	–	–	–	–	–	1	2	–	2	3	2	2	–
Dis. of Gener. Organs	12	–	–	–	–	–	–	–	–	–	–	1	3	–	2	4	1	1
Dis. of Joints	6	–	2	–	–	–	2	1	–	–	–	–	–	2	–	–	1	–
Dis. of Skin	5	–	1	–	–	–	1	–	–	–	–	–	–	–	1	–	2	1
Childbirth and Metria	37	–	–	–	–	–	–	–	–	–	8	14	13	2	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
Other Violent Deaths	28	3	4	3	2	–	12	6	1	1	1	–	–	1	–	1	2	3
Other Causes	330	137	13	1	–	–	151	2	–	2	1	1	1	3	5	28	90	46

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
221.—SAMFORD.																		
Mean Popul^n, 1861–71	6408	178	159	169	193	164	863	858	755	576	423	717	695	622	472	305	107	15
TOTAL DEATHS	1203	260	71	37	18	26	412	46	35	42	32	59	43	77	100	174	146	37
Small-pox	7	–	–	1	–	–	1	1	–	–	2	–	–	1	1	1	–	–
Measles	5	1	1	2	–	1	5	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	41	2	4	5	7	6	24	9	5	1	1	–	–	1	–	–	–	–
Diphtheria	34	2	1	2	2	6	13	10	6	3	–	2	–	–	–	–	–	–
Whooping-cough	18	10	4	–	2	1	17	–	1	–	–	–	–	–	–	–	–	–
Typhus	52	1	2	3	–	–	6	3	3	6	6	3	5	5	5	6	4	–
Diarrhœa & Dysentery	36	22	4	–	–	1	27	–	–	–	–	–	–	1	1	6	1	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Other Zymotic Dis.	16	4	–	1	3	1	9	–	–	–	–	–	–	1	2	3	1	–
Cancer	11	1	–	–	–	–	1	–	–	–	–	–	–	2	4	2	2	–
Scrofula and Tabes	13	2	3	–	–	–	5	–	–	4	–	–	–	1	3	–	–	–
Phthisis	130	7	1	–	–	1	9	1	1	15	15	29	18	13	23	5	1	–
Hydrocephalus	11	2	2	3	–	–	7	4	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	120	19	12	6	–	1	38	4	6	2	1	3	1	8	9	29	18	1
Dis. of Heart & Dropsy	60	3	–	–	–	–	3	–	4	1	1	3	2	7	9	20	9	1
Dis. of Lungs	185	45	20	8	–	4	77	6	–	3	1	6	5	15	18	38	12	4
Dis. of Stom. and Liver	51	1	–	–	–	2	3	–	1	1	1	2	1	11	6	15	9	1
Dis. of Kidneys	28	–	–	–	–	–	–	–	–	2	1	1	2	3	5	9	5	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
Dis. of Skin	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Other Violent Deaths	53	2	1	2	1	2	8	3	8	4	3	6	8	2	3	6	–	2
Other Causes	324	136	16	4	3	–	159	5	–	–	–	3	1	3	10	32	83	28
222.—IPSWICH.																		
Mean Popul^n, 1861–71	18817	621	498	499	508	537	2663	2266	2178	1762	1552	2505	2204	1720	1053	645	239	30
TOTAL DEATHS	4437	1148	383	191	80	78	1880	178	90	113	137	244	293	330	344	386	351	91
Small-pox	29	6	3	1	–	–	10	2	2	1	3	6	3	1	1	–	–	–
Measles	36	6	12	9	2	3	32	3	–	–	–	1	–	–	–	–	–	–
Scarlatina	154	5	22	24	15	18	84	50	12	4	1	2	–	1	–	–	–	–
Diphtheria	28	3	4	4	1	2	14	10	–	1	–	1	–	1	–	–	1	–
Whooping-cough	81	37	23	15	4	1	80	–	1	–	–	–	–	–	–	–	–	–
Typhus	106	1	3	4	10	4	22	14	8	10	7	10	7	13	6	6	3	–
Diarrhœa & Dysentery	198	125	29	6	3	1	164	2	1	1	–	2	3	2	5	3	13	2
Cholera	2	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–
Other Zymotic Dis.	81	2	3	12	1	5	23	5	3	5	2	1	11	9	11	8	3	–
Cancer	50	–	–	–	–	–	–	–	–	–	–	2	3	7	8	20	8	2
Scrofula and Tabes	120	46	19	5	4	2	76	9	6	5	6	8	2	1	4	3	–	–
Phthisis	539	11	5	4	4	3	27	7	13	37	76	119	123	81	36	19	1	–
Hydrocephalus	71	13	24	11	3	8	59	5	5	–	1	1	–	–	–	–	–	–
Dis. of Brain	550	141	58	28	8	10	245	26	12	10	2	14	31	37	60	66	40	7
Dis. of Heart & Dropsy	250	1	1	1	1	2	6	5	8	8	8	19	20	46	50	48	31	1
Dis. of Lungs	684	174	103	42	15	8	342	9	5	5	8	17	25	62	57	91	52	11
Dis. of Stom. & Liver	194	19	2	2	1	1	25	10	5	3	4	13	26	27	40	21	19	1
Dis. of Kidneys	83	–	2	–	1	–	3	2	1	2	1	7	9	14	17	18	9	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	9	–	–	–	–	–	–	2	2	–	–	2	2	–	–	1	–	–
Dis. of Skin	10	2	–	–	1	–	3	1	–	–	–	–	2	–	2	1	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	23	–	–	–	–	–	–	–	–	–	3	5	2	2	6	3	2	–
Other Violent Deaths	147	11	7	8	2	3	31	7	6	18	11	11	16	17	13	12	2	3
Other Causes	992	545	63	15	4	6	633	9	–	3	4	3	8	9	28	66	165	64
223.—WOODBRIDGE.																		
Mean Popul^n, 1861–71	11062	297	277	287	283	289	1433	1320	1262	1033	724	1256	1238	1120	827	563	245	41
TOTAL DEATHS	2295	465	127	50	37	20	699	70	54	67	75	101	132	175	218	284	315	105
Small-pox	2	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Measles	22	4	9	3	2	1	19	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	29	3	1	1	4	5	14	9	4	2	–	–	–	–	–	–	–	–
Diphtheria	15	1	4	1	2	1	9	3	–	2	1	–	–	–	–	–	–	–
Whooping-cough	36	20	8	2	2	–	32	3	1	–	–	–	–	–	–	–	–	–
Typhus	58	–	3	1	2	–	6	5	10	5	–	3	9	2	5	8	5	–
Diarrhœa & Dysentery	79	30	3	3	1	–	37	–	–	2	1	–	4	1	7	8	11	8
Cholera	3	–	–	1	–	1	2	–	–	–	–	–	–	–	–	1	–	–
Other Zymotic Dis.	54	10	3	2	4	1	20	7	3	1	2	1	1	6	5	6	1	1
Cancer	37	–	–	–	–	–	–	–	–	–	–	–	3	5	9	15	4	1
Scrofula and Tabes	56	18	4	3	4	1	30	1	2	1	2	7	4	3	4	2	–	–
Phthisis	226	15	6	–	–	1	22	4	9	21	39	40	35	24	27	5	–	–
Hydrocephalus	21	3	7	3	1	–	14	6	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	366	35	15	4	3	2	59	8	8	8	14	19	31	45	47	67	54	6
Dis. of Heart & Dropsy	119	1	–	1	–	–	2	–	1	2	1	5	9	17	34	27	18	3
Dis. of Lungs	372	84	29	15	6	4	138	3	1	6	2	6	15	23	28	61	79	10
Dis. of Stom. and Liver	91	14	2	1	2	–	19	4	2	3	–	4	6	13	11	11	16	2
Dis. of Kidneys	48	–	–	–	–	–	–	–	–	2	–	1	2	6	8	19	8	2
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Dis. of Joints	7	–	–	–	–	–	–	1	–	3	1	–	–	1	–	–	1	–
Dis. of Skin	9	3	–	–	–	–	3	2	1	–	1	–	–	1	–	–	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	15	–	–	–	–	–	–	–	–	–	–	2	–	4	4	1	3	1
Other Violent Deaths	96	5	5	3	2	2	17	5	10	7	8	9	5	11	10	9	5	–
Other Causes	533	218	28	6	2	1	255	6	1	2	3	4	8	12	19	44	108	71

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
221.—SAMFORD.																		
Mean Popul^n, 1861–71	6151	162	163	174	167	162	828	777	705	461	438	795	724	578	439	279	109	18
TOTAL DEATHS	1192	209	64	31	32	19	355	40	46	46	42	75	73	76	104	123	159	53
Small-pox	3	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–
Measles	7	1	4	–	–	1	6	–	–	–	1	–	–	–	–	–	–	–
Scarlatina	39	1	2	6	7	5	21	6	6	4	–	1	–	1	–	–	–	–
Diphtheria	23	1	–	2	2	1	6	7	6	2	–	–	–	–	–	–	1	1
Whooping-cough	18	7	5	2	3	1	18	–	–	–	–	–	–	–	–	–	–	–
Typhus	58	–	1	1	3	3	8	7	7	4	3	6	7	6	1	3	4	2
Diarrhœa & Dysentery	33	16	2	2	2	–	22	–	–	–	–	1	–	–	1	3	2	4
Cholera	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Other Zymotic Dis.	21	1	–	3	3	2	9	2	1	1	1	–	–	–	3	2	2	–
Cancer	26	–	–	–	–	–	–	1	–	–	–	1	3	9	5	4	3	–
Scrofula and Tabes	21	3	3	1	–	–	7	–	4	1	1	2	4	–	2	–	–	–
Phthisis	171	4	5	2	1	–	12	1	11	26	24	36	29	13	11	7	1	–
Hydrocephalus	8	4	1	2	–	–	7	–	–	–	–	–	–	–	1	–	–	–
Dis. of Brain	101	11	6	2	1	2	22	5	1	1	1	4	3	9	20	15	15	5
Dis. of Heart & Dropsy	73	1	1	–	–	–	2	–	–	2	1	3	5	10	19	22	9	–
Dis. of Lungs	156	29	16	5	3	–	53	5	1	1	1	3	7	11	13	29	28	4
Dis. of Stom. and Liver	56	4	1	–	–	1	6	–	2	–	2	3	3	6	14	10	10	–
Dis. of Kidneys	7	–	–	–	–	–	–	1	2	–	–	1	–	1	1	1	–	–
Dis. of Gener. Organs	7	–	–	–	–	–	–	–	–	–	–	–	2	1	2	2	–	–
Dis. of Joints	5	–	1	–	–	–	1	1	–	–	1	1	–	–	1	–	–	–
Dis. of Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	15	–	–	–	–	–	–	–	–	–	3	6	6	–	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
Other Violent Deaths	16	–	1	1	1	2	5	2	2	–	1	–	–	1	2	1	2	–
Other Causes	324	126	15	2	6	1	150	2	3	4	1	6	3	7	7	22	82	37
222.—IPSWICH.																		
Mean Popul^n, 1861–71	21543	568	505	517	480	516	2586	2309	2160	2167	2051	3177	2582	1964	1312	861	322	52
TOTAL DEATHS	4476	983	335	139	106	72	1635	171	117	132	166	286	321	308	338	442	422	138
Small-pox	32	6	2	1	1	–	10	7	3	1	1	2	1	5	1	–	1	–
Measles	37	6	12	3	5	3	34	1	–	1	–	–	–	1	–	–	–	–
Scarlatina	150	1	14	23	24	22	84	42	20	–	2	2	–	–	–	–	–	–
Diphtheria	43	3	4	2	4	8	21	11	4	3	1	1	1	1	–	–	–	–
Whooping-cough	96	33	26	12	15	7	93	3	–	–	–	–	–	–	–	–	–	–
Typhus	108	2	1	3	4	3	13	15	12	10	8	9	11	9	6	12	2	1
Diarrhœa & Dysentery	203	121	20	2	1	1	145	2	1	3	2	2	5	2	5	13	18	5
Cholera	4	1	–	–	–	–	1	1	–	–	–	–	–	–	1	1	–	–
Other Zymotic Dis.	61	6	1	4	8	4	23	5	5	1	4	3	6	4	5	7	–	1
Cancer	143	–	–	–	–	–	–	–	–	–	1	9	23	42	38	23	7	–
Scrofula and Tabes	101	37	24	6	2	1	70	6	3	6	1	1	4	5	2	3	–	–
Phthisis	616	7	13	1	5	2	28	13	27	73	100	161	127	58	26	3	–	–
Hydrocephalus	51	16	12	7	3	1	39	10	1	1	–	–	–	–	–	–	–	–
Dis. of Brain	512	90	40	22	11	6	169	20	12	9	10	17	24	37	58	90	56	10
Dis. of Heart & Dropsy	310	4	2	1	–	2	9	3	12	3	9	16	24	43	59	67	60	5
Dis. of Lungs	633	145	100	30	17	7	299	17	4	6	5	16	23	29	60	92	70	12
Dis. of Stom. and Liver	176	15	3	2	1	–	21	2	6	3	2	8	14	23	37	39	20	1
Dis. of Kidneys	43	1	1	–	–	–	2	1	–	1	2	4	5	9	7	9	2	1
Dis. of Gener. Organs	46	–	–	–	–	–	–	–	–	1	1	6	9	17	6	5	1	–
Dis. of Joints	11	–	1	1	–	–	2	1	–	1	1	1	–	1	3	–	1	–
Dis. of Skin	10	2	1	1	–	–	4	–	–	–	–	–	–	3	1	2	–	–
Childbirth and Metria	47	–	–	–	–	–	–	–	–	1	8	18	20	–	–	–	–	–
Suicide	8	–	–	–	–	–	–	–	–	–	2	1	–	3	–	1	1	–
Other Violent Deaths	51	12	5	2	1	–	20	4	3	3	–	1	4	2	2	3	5	4
Other Causes	981	475	53	11	4	5	548	7	4	5	6	8	20	14	21	72	178	98
223.—WOODBRIDGE.																		
Mean Popul^n, 1861–71	11547	281	288	297	299	289	1454	1402	1259	936	861	1451	1319	1120	834	600	265	46
TOTAL DEATHS	2374	362	107	44	33	23	569	67	61	87	77	171	177	200	208	315	314	128
Small-pox	7	2	–	–	1	–	3	1	–	–	–	–	–	1	1	–	1	–
Measles	18	1	9	3	–	2	15	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	24	3	2	3	3	1	12	7	1	3	–	1	–	–	–	–	–	–
Diphtheria	24	–	–	–	2	3	5	9	4	1	1	–	3	–	–	1	–	–
Whooping-cough	42	18	13	7	2	–	40	2	–	–	–	–	–	–	–	–	–	–
Typhus	66	1	2	–	1	–	4	5	5	4	8	8	8	5	6	7	6	–
Diarrhœa & Dysentery	77	25	4	4	2	–	35	–	1	1	1	3	2	4	8	5	12	5
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	45	12	3	2	4	3	24	2	–	–	1	–	4	–	5	6	3	–
Cancer	69	–	–	–	–	–	–	–	–	–	–	1	6	13	18	18	12	1
Scrofula and Tabes	50	8	3	3	1	1	16	3	8	3	2	6	3	5	4	–	–	–
Phthisis	328	11	6	3	–	2	22	3	18	45	43	85	49	41	13	9	–	–
Hydrocephalus	16	3	5	–	1	1	10	3	3	–	–	–	–	–	–	–	–	–
Dis. of Brain	322	29	17	4	5	2	57	9	7	10	9	24	23	37	32	55	50	9
Dis. of Heart & Dropsy	170	1	–	–	–	–	1	3	4	4	1	7	16	20	27	49	34	4
Dis. of Lungs	336	59	23	7	6	5	100	6	2	6	1	5	19	29	31	53	58	26
Dis. of Stom. and Liver	126	9	–	–	–	1	10	4	1	3	5	7	14	14	22	24	19	3
Dis. of Kidneys	11	–	–	–	–	–	–	–	–	–	–	1	1	1	6	1	1	–
Dis. of Gener. Organs	26	–	–	–	–	–	–	–	–	–	1	1	4	3	5	7	4	1
Dis. of Joints	9	–	1	–	–	–	1	1	2	–	1	–	1	–	2	–	1	–
Dis. of Skin	5	2	–	–	–	–	2	–	–	–	–	–	1	–	–	2	–	–
Childbirth and Metria	27	–	–	–	–	–	–	–	–	1	3	9	11	3	–	–	–	–
Suicide	8	–	–	–	–	–	–	–	–	–	–	1	1	3	2	1	–	–
Other Violent Deaths	26	8	2	1	3	–	14	2	3	1	–	2	–	–	–	2	2	–
Other Causes	542	170	17	7	2	2	198	4	2	5	–	10	11	21	26	75	111	79

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
224.—PLOMESGATE.																		
Mean Popul^n, 1861 71	10242	287	273	290	268	278	1396	1239	1289	979	715	1117	1032	932	770	510	226	37
TOTAL DEATHS	1910	444	99	45	24	32	644	64	42	42	45	115	89	120	165	218	258	108
Small-pox	3	1	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-
Measles	18	7	4	2	2	2	17	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	34	3	4	5	4	6	22	5	3	3	-	1	-	-	-	-	-	-
Diphtheria	9	-	1	1	-	1	3	5	-	-	-	1	-	-	-	-	-	-
Whooping-cough	24	11	7	1	1	-	20	1	-	-	-	-	-	-	-	-	-	-
Typhus	35	-	-	3	3	3	9	7	2	2	-	5	2	1	1	3	2	1
Diarrhœa & Dysentery	45	9	2	-	-	-	11	1	-	-	1	4	1	2	5	7	8	5
Cholera	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Other Zymotic Dis.	50	5	-	7	2	7	21	5	-	1	2	-	1	-	5	7	7	1
Cancer	28	-	-	-	-	-	-	1	-	-	-	1	1	4	13	4	4	-
Scrofula and Tabes	45	17	6	6	3	1	33	1	2	2	1	2	1	1	-	2	-	-
Phthisis	220	7	3	1	1	-	12	7	10	22	29	54	38	26	17	5	-	-
Hydrocephalus	29	13	8	2	-	2	25	3	-	-	1	-	-	-	-	-	-	-
Dis. of Brain	191	30	6	2	2	5	45	7	4	2	1	9	4	13	23	32	39	12
Dis. of Heart & Dropsy	108	-	1	-	1	-	2	1	1	1	1	2	4	12	19	34	25	6
Dis. of Lungs	326	83	29	5	3	4	129	5	2	2	2	8	12	16	33	45	55	17
Dis. of Stom. and Liver	125	18	1	2	-	1	22	4	3	1	-	6	7	20	24	21	13	4
Dis. of Kidneys	45	-	1	1	-	-	2	-	5	-	-	2	2	8	4	15	7	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	5	-	-	-	-	-	-	-	1	-	-	2	-	-	1	-	1	-
Dis. of Skin	7	1	1	-	-	-	2	-	1	1	-	-	-	-	2	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	11	-	-	-	-	-	-	-	-	-	-	1	1	5	2	2	-	-
Other Violent Deaths	63	9	2	1	1	-	13	3	8	3	4	10	7	6	2	3	4	-
Other Causes	490	225	23	6	-	-	254	7	-	2	1	7	8	6	14	37	93	61
225.—BLYTHING.																		
Mean Popul^n, 1861–71	13207	394	358	386	363	374	1875	1657	1562	1276	920	1443	1353	1193	959	656	277	36
TOTAL DEATHS	2474	557	140	61	48	31	837	96	61	67	91	107	117	139	206	308	333	112
Small-pox	7	-	-	-	-	-	-	-	-	-	-	1	3	1	2	-	-	-
Measles	21	4	2	4	6	2	18	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	54	6	4	7	8	6	31	11	5	4	1	2	-	-	-	-	-	-
Diphtheria	38	4	2	3	1	3	13	14	7	1	-	-	1	1	-	-	1	-
Whooping-cough	55	25	17	4	3	2	51	3	1	-	-	-	-	-	-	-	-	-
Typhus	68	2	-	-	1	3	6	6	4	8	3	8	11	9	5	6	1	1
Diarrhœa & Dysentery	66	32	6	2	-	-	40	2	-	-	-	-	-	-	5	6	11	2
Cholera	3	1	1	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-
Other Zymotic Dis.	61	7	1	5	3	2	18	6	6	1	2	2	3	3	5	10	4	1
Cancer	35	-	-	-	-	-	-	-	-	-	-	-	2	7	9	11	6	-
Scrofula and Tabes	55	16	5	4	3	1	29	8	1	2	6	2	1	1	1	4	-	-
Phthisis	272	7	4	4	1	4	20	8	5	29	53	44	33	31	22	6	1	-
Hydrocephalus	38	12	10	2	5	-	29	8	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	219	52	13	9	5	3	82	4	5	3	5	7	10	8	25	33	31	6
Dis. of Heart & Dropsy	171	-	1	-	3	-	4	2	1	2	4	2	11	13	37	54	40	1
Dis. of Lungs	365	101	36	10	2	2	151	4	8	5	3	8	14	28	31	57	46	10
Dis. of Stom. and Liver	126	11	2	2	3	1	19	4	6	1	2	10	9	19	27	21	7	1
Dis. of Kidneys	70	-	-	-	1	-	1	-	-	1	-	4	4	6	14	22	15	3
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	8	1	-	-	-	-	1	1	-	2	2	1	-	-	-	1	-	-
Dis. of Skin	4	-	-	-	-	-	-	1	-	1	-	-	-	1	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	11	-	-	-	-	-	-	-	-	-	1	3	2	-	-	5	-	-
Other Violent Deaths	88	1	1	3	3	2	10	9	10	7	9	12	10	7	6	6	2	-
Other Causes	659	275	35	2	-	-	312	2	1	-	-	1	3	4	17	64	168	87
226.—WANGFORD.																		
Mean Popul^n, 1861–71	6714	205	186	188	199	177	955	822	822	622	471	762	673	622	475	332	135	23
TOTAL DEATHS	1320	302	63	34	24	20	443	48	33	47	50	69	60	81	91	161	181	56
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	7	3	2	1	1	-	7	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	26	2	1	7	2	3	15	8	1	-	1	1	-	-	-	-	-	-
Diphtheria	24	-	2	2	1	3	8	6	4	4	-	-	1	-	1	-	-	-
Whooping-cough	18	11	3	2	1	1	18	-	-	-	-	-	-	-	-	-	-	-
Typhus	52	-	2	2	2	2	8	5	3	5	1	7	6	4	4	6	3	-
Diarrhœa & Dysentery	48	26	3	1	1	-	31	-	-	-	-	-	-	2	1	7	7	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	20	2	2	-	1	-	5	3	-	1	-	-	3	3	1	2	2	-
Cancer	20	-	-	-	-	-	-	-	-	-	-	-	2	5	2	8	2	1
Scrofula and Tabes	56	24	7	6	1	1	59	5	4	2	1	3	-	1	-	1	-	-
Phthisis	152	1	3	-	2	1	7	3	6	16	62	27	20	18	12	8	3	-
Hydrocephalus	24	7	5	1	1	1	15	6	2	-	-	1	-	-	-	-	-	-
Dis. of Brain	135	32	7	1	1	-	41	1	3	6	2	5	6	6	11	23	29	2
Dis. of Heart & Dropsy	87	1	-	1	-	1	3	3	-	-	2	3	1	10	15	27	19	4
Dis. of Lungs	184	42	16	8	5	2	73	-	1	2	1	5	8	9	13	28	32	12
Dis. of Stom. and Liver	71	10	-	-	1	-	11	-	2	3	1	2	7	6	12	16	10	1
Dis. of Kidneys	57	2	-	-	-	-	2	-	2	2	1	5	1	8	6	11	16	3
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	8	1	-	-	-	-	1	-	2	1	-	2	1	-	-	-	1	-
Dis. of Skin	5	1	1	-	-	-	2	-	1	-	-	-	-	-	1	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	8	-	-	-	-	-	-	-	-	-	1	2	1	-	2	2	-	-
Other Violent Deaths	49	4	2	1	4	4	15	7	1	5	5	5	2	4	2	2	1	-
Other Causes	269	133	7	1	-	1	142	1	1	-	2	1	1	5	8	26	55	33

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
224.—PLOMESGATE.																		
Mean Popul^n, 1861–71	10477	295	235	247	270	266	1313	1243	1123	939	839	1309	1146	997	755	518	244	51
TOTAL DEATHS	1873	296	84	44	27	19	470	74	45	65	88	151	97	115	157	234	254	123
Small-pox	2	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Measles	10	5	2	1	-	-	8	1	-	-	-	1	-	-	-	-	-	-
Scarlatina	37	3	1	7	2	2	15	17	3	1	1	-	-	-	-	-	-	-
Diphtheria	14	1	1	1	-	1	4	6	3	-	-	-	-	-	1	-	-	-
Whooping-cough	26	11	10	4	-	-	25	1	-	-	-	-	-	-	-	-	-	-
Typhus	38	1	1	1	-	1	4	7	8	4	1	3	-	3	3	4	11	-
Diarrhœa & Dysentery	43	13	3	1	-	1	18	1	-	1	-	4	2	2	4	1	7	3
Cholera	3	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	35	5	1	2	1	2	11	3	-	-	1	-	-	2	3	9	5	1
Cancer	70	-	-	-	-	-	-	-	-	-	1	1	6	15	19	15	10	3
Scrofula and Tabes	26	5	2	2	1	2	12	5	1	1	2	3	-	2	-	-	-	-
Phthisis	329	2	5	1	4	1	13	7	17	44	57	86	44	38	16	5	2	-
Hydrocephalus	16	6	5	1	3	-	15	-	-	-	1	-	-	-	-	-	-	-
Dis. of Brain	181	20	8	8	4	4	44	7	3	2	1	5	12	7	22	40	32	9
Dis. of Heart & Dropsy	123	1	1	-	1	-	3	-	1	-	1	7	7	11	24	36	27	6
Dis. of Lungs	270	50	26	11	4	2	93	4	4	6	7	7	6	10	22	42	51	18
Dis. of Stom. and Liver	112	11	-	-	2	-	13	4	2	2	1	11	4	9	18	29	16	3
Dis. of Kidneys	20	1	-	-	1	-	2	-	-	-	2	4	1	2	3	4	2	-
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	2	-	2	2	2	-	1	-
Dis. of Joints	10	-	-	-	-	-	-	-	-	1	1	-	1	2	2	2	-	1
Dis. of Skin	5	-	1	-	-	-	1	-	-	-	-	-	-	1	1	2	-	-
Childbirth and Metria	26	-	-	-	-	-	-	-	-	-	5	12	8	1	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-
Other Violent Deaths	26	4	3	1	1	3	12	1	-	-	1	1	-	1	2	3	2	3
Other Causes	435	157	13	3	3	-	176	7	3	2	3	6	3	5	14	42	93	76
225.—BLYTHING.																		
Mean Popul^n, 1861–71	13429	373	346	358	338	368	1783	1646	1484	1113	1018	1652	1472	1295	942	662	296	66
TOTAL DEATHS	2490	430	130	73	50	31	714	100	73	91	101	171	144	133	156	280	372	155
Small-pox	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Measles	31	5	12	5	3	1	26	4	-	-	-	1	-	-	-	-	-	-
Scarlatina	61	2	5	6	15	4	32	14	6	3	1	1	3	1	-	-	-	-
Diphtheria	55	2	2	6	4	4	18	19	11	1	1	-	3	1	-	1	-	-
Whooping-cough	53	27	18	5	-	-	50	3	-	-	-	-	-	-	-	-	-	-
Typhus	44	-	-	-	-	4	4	1	7	2	5	3	6	5	3	3	4	1
Diarrhœa & Dysentery	68	26	7	2	2	-	37	1	1	-	-	-	1	1	4	6	10	7
Cholera	6	-	-	2	-	-	2	3	-	-	1	-	-	-	-	-	-	-
Other Zymotic Dis.	50	7	10	2	1	5	25	8	2	1	1	2	-	-	5	3	3	-
Cancer	92	-	-	-	-	-	-	-	-	1	-	2	14	20	25	21	7	2
Scrofula and Tabes	39	9	6	3	-	-	18	-	3	2	2	5	3	-	4	1	1	-
Phthisis	401	7	4	4	1	5	21	9	26	56	65	99	58	34	19	12	2	-
Hydrocephalus	26	7	5	3	4	-	19	3	1	3	-	-	-	-	-	-	-	-
Dis. of Brain	237	32	12	4	7	2	57	8	4	6	4	13	10	14	17	47	50	7
Dis. of Heart & Dropsy	138	2	1	-	-	-	3	1	1	5	2	6	11	17	26	38	25	8
Dis. of Lungs	291	72	22	16	7	3	120	11	3	6	5	6	10	13	10	61	41	5
Dis. of Stom. and Liver	115	10	1	-	1	2	14	2	4	3	-	7	5	12	18	26	21	3
Dis. of Kidneys	22	1	-	-	-	-	1	-	1	-	-	1	6	5	4	3	1	-
Dis. of Gener. Organs	16	-	-	-	-	-	-	1	-	-	1	2	2	2	4	3	1	-
Dis. of Joints	7	-	1	-	-	-	1	-	-	2	-	-	2	-	1	1	-	-
Dis. of Skin	6	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	2	-
Childbirth and Metria	33	-	-	-	-	-	-	-	-	-	9	17	6	1	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Other Violent Deaths	34	3	-	6	2	-	11	8	2	-	1	3	-	-	2	-	5	2
Other Causes	662	218	24	9	3	1	255	2	1	-	3	3	4	7	12	52	198	125
226.—WANGFORD.																		
Mean Popul^n, 1861–71	7114	193	162	169	166	164	854	786	740	660	610	925	799	685	515	349	161	30
TOTAL DEATHS	1282	265	34	30	23	12	364	32	31	58	51	79	84	86	94	150	176	77
Small-pox	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Measles	12	4	3	-	-	1	8	4	-	-	-	-	-	-	-	-	-	-
Scarlatina	24	-	1	5	5	4	15	5	2	-	-	-	1	-	-	1	-	-
Diphtheria	20	-	1	3	3	2	9	3	4	-	-	1	2	-	1	-	-	-
Whooping-cough	17	6	6	5	-	-	17	-	-	-	-	-	-	-	-	-	-	-
Typhus	48	-	1	-	1	-	2	3	9	7	5	3	7	2	3	5	2	-
Diarrhœa & Dysentery	40	18	3	1	-	-	22	1	-	-	-	1	-	1	1	4	8	2
Cholera	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
Other Zymotic Dis.	21	3	1	3	1	1	9	1	-	1	-	2	-	3	1	2	2	-
Cancer	58	-	-	1	-	-	1	-	-	-	-	2	7	14	8	17	7	2
Scrofula and Tabes	58	32	3	4	2	1	42	1	-	2	2	5	3	1	-	1	1	-
Phthisis	193	2	1	-	1	-	4	3	7	39	25	41	28	25	10	7	1	-
Hydrocephalus	14	7	1	1	1	-	10	4	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	126	13	1	1	1	1	17	2	2	2	3	7	8	12	20	21	25	7
Dis. of Heart & Dropsy	101	2	-	-	-	-	2	-	3	2	2	-	3	9	18	35	25	2
Dis. of Lungs	160	32	5	3	7	1	48	1	1	-	-	-	7	5	12	26	44	16
Dis. of Stom. and Liver	60	7	-	-	-	-	7	1	-	-	4	4	4	7	11	12	9	1
Dis. of Kidneys	16	-	-	-	-	-	-	-	1	2	2	-	1	2	2	4	1	1
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	1	1	2	2	2	-	-	1
Dis. of Joints	3	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-
Dis. of Skin	5	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	1	-
Childbirth and Metria	20	-	-	-	-	-	-	-	-	1	4	6	8	1	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	19	4	2	1	1	1	9	2	1	-	2	1	-	-	1	1	-	2
Other Causes	254	133	5	2	-	-	140	1	-	2	-	1	1	1	3	16	49	43

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
227.—MUTFORD.																		
Mean Popul^n, 1861–71	13231	404	386	379	385	381	1935	1696	1475	1263	1092	1718	1419	1164	799	466	180	24
TOTAL DEATHS	2520	766	166	73	54	40	1099	120	53	64	93	146	144	141	189	209	181	81
Small-pox	30	8	1	3	2	-	14	3	1	3	1	4	2	1	-	1	-	-
Measles	45	8	11	7	7	3	36	9	-	-	-	-	-	-	-	-	-	-
Scarlatina	96	6	14	10	14	14	58	31	5	1	-	-	1	-	-	-	-	-
Diphtheria	28	3	-	3	3	-	9	10	2	1	1	2	1	1	1	-	-	-
Whooping-cough	45	22	17	4	-	-	43	1	-	1	-	-	-	-	-	-	-	-
Typhus	84	4	6	5	-	3	18	8	6	4	6	5	9	6	9	8	4	1
Diarrhœa & Dysentery	132	112	8	-	-	-	120	1	-	-	-	2	1	1	-	2	5	-
Cholera	9	1	-	-	-	-	1	-	1	1	1	-	2	-	1	1	1	-
Other Zymotic Dis.	54	9	5	7	3	4	28	2	2	2	1	2	3	1	6	4	3	-
Cancer	31	1	-	-	-	-	1	-	-	-	-	2	2	2	9	11	2	2
Scrofula and Tabes	62	28	10	3	2	1	44	7	2	1	1	-	3	2	2	-	-	-
Phthisis	228	10	-	1	-	1	12	2	3	17	34	66	39	23	20	10	2	-
Hydrocephalus	21	11	3	2	2	1	19	1	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	241	63	20	6	4	3	96	9	6	4	7	5	9	14	28	33	22	8
Dis. of Heart & Dropsy	157	9	1	-	3	1	14	5	1	2	5	11	17	16	31	29	22	4
Dis. of Lungs	274	72	30	8	8	2	120	8	3	3	7	8	16	17	29	33	21	9
Dis. of Stom. and Liver	103	27	4	2	1	1	35	2	2	2	3	6	3	16	12	15	7	-
Dis. of Kidneys	76	-	3	-	-	1	4	1	-	1	2	2	5	11	12	19	17	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	12	-	1	1	-	-	2	2	2	-	2	-	1	-	1	2	-	-
Dis. of Skin	13	7	-	1	-	-	8	1	-	-	1	-	1	-	-	2	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	10	-	-	-	-	-	-	-	-	-	-	1	4	3	2	-	-	-
Other Violent Deaths	151	5	5	4	2	3	19	13	12	17	17	21	21	16	11	2	1	1
Other Causes	618	360	27	6	3	2	398	4	4	4	4	9	4	11	15	37	74	54
228.—YARMOUTH.																		
Mean Popul^n, 1861–71	14900	466	419	403	397	385	2070	1766	1627	1389	1267	2106	1733	1300	899	537	183	23
TOTAL DEATHS	4058	1306	296	133	92	65	1892	112	53	77	102	231	299	281	284	349	299	79
Small-pox	27	5	2	2	1	1	11	6	-	3	4	1	1	1	-	-	-	-
Measles	69	16	22	11	6	4	59	10	-	-	-	-	-	-	-	-	-	-
Scarlatina	143	11	18	31	22	22	104	25	8	2	1	1	2	-	-	-	-	-
Diphtheria	17	1	3	1	2	3	10	4	2	-	-	-	1	-	-	-	-	-
Whooping-cough	52	20	20	6	2	3	51	1	-	-	-	-	-	-	-	-	-	-
Typhus	117	9	6	7	2	2	26	10	10	9	9	9	7	13	9	11	4	-
Diarrhœa & Dysentery	340	255	26	11	1	3	296	3	1	1	1	2	1	5	7	13	9	1
Cholera	3	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-
Other Zymotic Dis.	74	14	11	3	4	-	32	6	2	1	-	2	6	6	8	8	3	-
Cancer	43	-	-	-	-	-	-	1	-	-	-	-	4	7	11	14	5	1
Scrofula and Tabes	235	175	40	9	8	3	235	5	2	3	1	4	1	-	2	-	2	-
Phthisis	356	6	5	2	1	2	16	5	4	26	35	95	83	51	28	10	2	1
Hydrocephalus	52	20	20	4	5	-	49	2	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	511	108	32	9	8	7	164	13	3	6	7	44	59	43	54	67	46	5
Dis. of Heart & Dropsy	219	4	1	1	1	-	7	3	2	4	4	8	29	28	48	52	32	2
Dis. of Lungs	541	198	68	25	24	5	320	4	3	3	8	18	13	37	36	52	34	13
Dis. of Stom. and Liver	137	16	-	1	-	1	18	2	2	2	6	4	13	26	22	30	12	-
Dis of Kidneys	84	1	-	-	1	-	2	1	1	2	2	3	13	7	15	18	15	5
Dis. of Gener. Organs	2	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Dis. of Joints	7	-	-	-	-	1	1	1	-	2	1	-	-	-	1	1	-	-
Dis. of Skin	8	3	-	-	-	-	3	-	-	-	-	-	-	1	2	2	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	20	-	-	-	-	-	-	-	-	-	1	5	5	7	1	1	-	-
Other Violent Deaths	184	9	7	2	-	7	25	7	11	10	18	30	43	20	13	3	3	1
Other Causes	797	434	15	8	3	1	461	3	1	3	4	5	17	29	26	67	131	50
229.—FLEGG.																		
Mean Popul^n, 1861–71	4474	135	141	133	138	124	671	577	533	414	296	506	470	417	293	200	82	15
TOTAL DEATHS	818	260	38	23	17	13	351	36	16	26	20	27	28	38	52	86	103	35
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	5	-	3	1	1	-	5	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	10	-	1	2	1	1	5	3	1	-	-	1	-	-	-	-	-	-
Diphtheria	26	3	-	2	2	2	9	9	5	1	2	-	-	-	-	-	-	-
Whooping-cough	10	6	3	-	1	-	10	-	-	-	-	-	-	-	-	-	-	-
Typhus	32	1	1	-	1	3	6	3	2	5	2	3	-	3	4	2	2	-
Diarrhœa & Dysentery	38	27	1	-	1	1	30	-	-	-	-	-	-	1	-	3	3	1
Cholera	6	1	-	1	-	-	2	-	1	-	-	-	-	-	1	2	-	-
Other Zymotic Dis.	18	3	2	2	2	-	9	2	-	1	-	-	2	-	-	3	-	1
Cancer	18	-	-	-	-	-	-	-	-	-	-	2	2	1	2	7	4	-
Scrofula and Tabes	10	6	1	1	-	-	8	-	-	1	-	-	1	-	-	-	-	-
Phthisis	66	-	1	-	-	-	1	1	4	9	12	14	10	9	4	2	-	-
Hydrocephalus	4	-	2	-	1	-	3	-	-	1	-	-	-	-	-	-	-	-
Dis. of Brain	80	20	4	4	2	-	30	5	2	1	1	-	3	4	9	9	13	3
Dis. of Heart & Dropsy	47	3	-	-	-	1	4	1	-	-	-	1	3	4	8	10	14	2
Dis. of Lungs	124	33	11	7	4	1	56	5	-	-	-	-	2	7	10	22	18	4
Dis. of Stom. and Liver	36	14	-	-	-	-	14	1	-	-	-	-	2	1	9	3	6	-
Dis. of Kidneys	19	-	-	-	-	-	-	2	-	1	-	1	-	2	-	5	6	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	4	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-
Dis. of Skin	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Other Violent Deaths	28	1	-	1	1	3	6	3	1	4	1	4	3	3	1	2	-	-
Other Causes	232	140	8	2	-	1	151	1	-	1	1	1	-	2	3	14	37	21

Mean Population, 1861-71, and **Deaths** in **Districts** during the **10 Years 1861-70.**

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
227.—MUTFORD.																		
Mean Popul^n, 1861-71	14476	407	375	395	404	372	1953	1742	1514	1334	1310	2059	1636	1279	848	545	216	40
TOTAL DEATHS	2413	635	120	96	69	44	964	94	55	56	78	156	144	145	161	223	220	117
Small-pox	19	6	–	3	2	1	12	2	1	–	2	2	–	–	–	–	–	–
Measles	41	7	15	7	2	3	34	5	1	–	–	1	–	–	–	–	–	–
Scarlatina	118	11	11	20	20	13	75	25	9	–	1	7	1	–	–	–	–	–
Diphtheria	82	4	1	2	5	5	17	3	5	3	–	1	–	1	1	1	–	–
Whooping-cough	39	20	9	4	5	1	39	–	–	–	–	–	–	–	–	–	–	–
Typhus	84	4	1	2	3	4	14	13	11	4	6	11	10	3	6	3	3	–
Diarrhœa & Dysentery	122	85	10	4	3	–	102	1	–	–	–	1	1	–	5	4	7	1
Cholera	3	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–
Other Zymotic Dis.	56	6	3	10	10	1	30	5	6	1	1	3	3	–	1	4	2	–
Cancer	89	–	–	–	–	–	–	–	–	–	–	1	17	22	24	17	6	2
Scrofula and Tabes	41	21	3	3	1	–	28	4	1	2	1	–	3	2	–	–	–	–
Phthisis	271	2	1	1	2	1	7	2	9	28	47	75	46	35	17	5	–	–
Hydrocephalus	19	8	2	3	–	1	14	2	1	1	–	–	–	–	–	1	–	–
Dis. of Brain	222	35	15	7	6	4	67	7	3	4	2	7	14	12	25	41	33	7
Dis. of Heart & Dropsy	148	5	1	1	–	1	8	5	4	1	2	7	6	21	26	47	20	1
Dis. of Lungs	267	76	22	15	5	4	122	5	1	4	3	8	14	16	24	39	22	9
Dis. of Stom. and Liver	105	16	2	1	2	1	22	2	–	4	3	13	5	17	13	14	11	1
Dis. of Kidneys	26	–	1	1	–	–	2	–	1	1	–	3	7	3	5	2	2	–
Dis. of Gener. Organs	16	–	–	–	–	–	–	1	–	–	2	–	2	5	4	2	–	–
Dis. of Joints	5	–	–	–	–	–	–	2	–	–	1	–	–	–	–	1	1	–
Dis. of Skin	9	4	–	–	1	–	5	–	–	–	1	–	–	–	1	2	–	–
Childbirth and Metria	22	–	–	–	–	–	–	–	–	1	4	10	6	1	–	–	–	–
Suicide	6	–	–	–	–	–	–	–	–	1	–	1	1	1	–	1	1	–
Other Violent Deaths	30	6	4	4	1	1	16	4	–	–	–	–	2	–	2	3	2	1
Other Causes	623	319	19	8	1	3	350	5	2	1	2	5	6	6	6	36	109	95
228.—YARMOUTH.																		
Mean Popul^n, 1861-71	17852	447	393	384	396	370	1990	1826	1658	1767	1700	2752	2225	1676	1152	757	295	54
TOTAL DEATHS	3792	968	259	135	96	62	1520	135	61	73	108	228	251	233	295	368	374	146
Small-pox	26	7	1	3	1	2	14	2	2	–	2	4	2	–	–	–	–	–
Measles	67	11	19	15	9	4	58	8	–	–	1	–	–	–	–	–	–	–
Scarlatina	153	9	15	26	26	17	93	44	10	–	3	3	–	–	–	–	–	–
Diphtheria	22	4	1	4	1	5	15	5	1	–	–	1	–	–	–	–	–	–
Whooping-cough	81	33	22	16	8	1	80	1	–	–	–	–	–	–	–	–	–	–
Typhus	161	6	8	9	8	7	38	19	15	17	5	18	14	8	7	12	6	2
Diarrhœa & Dysentery	294	191	30	2	2	2	227	–	–	–	2	7	6	4	11	12	20	5
Cholera	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	60	6	4	3	8	4	25	6	4	3	–	5	2	4	5	4	2	–
Cancer	113	–	–	–	–	–	–	1	–	–	2	8	15	22	38	18	8	1
Scrotula and Tabes	193	121	32	14	3	–	170	8	2	1	–	5	2	2	–	3	–	–
Phthisis	379	3	6	2	2	–	13	2	8	33	50	105	71	62	24	10	1	–
Hydrocephalus	39	9	12	4	4	3	32	4	2	1	–	–	–	–	–	–	–	–
Dis. of Brain	370	74	17	11	5	4	111	14	8	5	8	14	21	28	43	70	38	7
Dis. of Heart & Dropsy	182	6	–	1	1	–	8	1	2	1	4	7	19	23	38	50	28	1
Dis. of Lungs	509	125	63	20	16	8	232	12	2	3	10	6	21	21	47	75	70	10
Dis. of Stom. and Liver	180	15	1	2	–	2	20	1	–	1	7	12	28	26	38	26	18	3
Dis. of Kidneys	35	–	–	–	–	–	–	–	1	–	1	2	8	6	7	8	2	–
Dis. of Gener. Organs	27	–	–	–	–	–	–	–	–	–	–	3	10	5	5	3	1	–
Dis. of Joints	15	–	–	–	–	1	1	–	2	1	1	1	2	2	3	–	2	–
Dis. of Skin	6	2	–	–	–	–	2	–	–	1	–	–	–	–	1	2	–	–
Childbirth and Metria	50	–	–	–	–	–	–	–	–	4	11	19	16	–	–	–	–	–
Suicide	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–
Other Violent Deaths	48	4	4	–	–	1	9	5	2	2	1	4	2	6	5	3	7	2
Other Causes	776	341	24	8	2	1	371	2	–	–	–	4	9	13	22	71	169	115
229.—FLEGG.																		
Mean Popul^n, 1861-71	4533	127	106	118	120	127	598	578	492	367	368	598	521	415	284	193	101	18
TOTAL DEATHS	767	215	26	13	21	13	288	37	18	24	30	50	44	43	44	72	75	42
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	4	1	2	–	1	–	4	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	24	–	1	3	5	1	10	8	2	–	1	2	–	–	1	–	–	–
Diphtheria	22	–	–	–	1	2	3	10	4	2	2	–	–	–	1	–	–	–
Whooping-cough	6	5	1	–	–	–	6	–	–	–	–	–	–	–	–	–	–	–
Typhus	25	–	1	2	–	3	6	5	–	3	1	3	–	3	3	1	–	–
Diarrhœa & Dysentery	52	37	1	1	–	–	39	–	–	–	–	1	1	–	–	4	6	1
Cholera	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
Other Zymotic Dis.	10	2	–	–	3	–	5	1	–	1	–	–	–	1	–	–	1	1
Cancer	28	–	–	–	–	–	–	–	–	–	–	1	3	10	9	4	1	–
Scrofula and Tabes	17	9	1	–	–	2	12	1	1	2	–	–	1	–	–	–	–	–
Phthisis	99	–	–	1	2	–	3	2	3	8	19	29	16	13	2	4	–	–
Hydrocephalus	4	3	–	–	1	–	4	–	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	66	16	2	–	4	–	22	1	2	3	1	1	4	3	5	11	9	4
Dis. of Heart & Dropsy	35	–	–	–	–	–	–	1	1	–	–	3	1	5	6	10	8	–
Dis. of Lungs	107	29	5	5	3	3	45	5	2	1	–	1	2	4	9	21	14	3
Dis. of Stom. and Liver	41	8	–	–	–	–	8	2	–	1	2	5	7	–	4	7	4	1
Dis. of Kidneys	6	–	1	–	–	–	1	1	–	–	1	–	–	1	1	–	–	1
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Dis. of Joints	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Skin	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	10	–	–	–	–	–	–	–	–	–	2	4	3	1	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Other Violent Deaths	12	2	1	1	–	1	5	–	1	–	–	–	–	1	–	1	1	3
Other Causes	192	102	10	–	1	1	114	–	1	3	–	–	3	1	3	8	31	28

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
230.—SMALLBURGH.																		
Mean Populn, 1861–71	7231	209	182	201	199	202	993	924	815	696	500	846	718	649	550	369	153	18
TOTAL DEATHS	1389	356	62	34	25	18	495	67	34	48	50	63	50	65	86	173	197	61
Small-pox	5	2	–	–	–	–	2	–	–	1	–	1	1	–	–	–	–	–
Measles	7	1	3	2	–	1	7	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	40	2	2	6	3	2	15	13	7	2	1	1	1	–	–	–	–	–
Diphtheria	33	–	1	1	6	4	12	10	4	5	1	1	–	–	–	–	–	–
Whooping-cough	21	15	3	2	1	–	21	–	–	–	–	–	–	–	–	–	–	–
Typhus	24	1	–	1	–	–	2	2	1	8	3	1	2	–	3	1	1	–
Diarrhœa & Dysentery	52	24	1	4	–	–	29	1	–	1	–	–	–	–	3	7	10	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	31	6	1	4	3	3	17	4	1	1	–	1	2	1	–	3	1	–
Cancer	14	–	–	1	–	–	1	–	–	–	–	–	1	3	4	2	2	1
Scrofula and Tabes	32	10	2	1	–	3	16	5	1	–	1	4	1	1	1	2	–	–
Phthisis	152	9	3	2	–	2	16	10	5	20	26	35	14	14	8	3	1	–
Hydrocephalus	23	7	6	2	1	–	16	4	1	2	–	–	–	–	–	–	–	–
Dis. of Brain	116	23	5	2	3	–	33	4	6	1	1	5	3	8	10	24	17	4
Dis. of Heart & Dropsy	62	1	–	–	–	–	1	–	–	–	1	1	7	9	5	20	15	3
Dis. of Lungs	148	28	9	4	2	2	45	2	–	2	4	1	5	8	15	35	28	3
Dis. of Stom. and Liver	63	6	1	–	1	–	8	–	1	1	1	1	4	8	13	19	7	–
Dis. of Kidneys	39	1	–	–	–	–	1	1	1	1	2	1	4	2	4	15	7	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	8	–	–	–	–	–	–	2	–	–	1	3	–	2	–	–	–	–
Dis. of Skin	7	3	1	–	–	–	4	–	–	–	–	1	1	–	–	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Other Violent Deaths	54	3	5	–	2	–	10	6	4	2	6	3	2	7	5	3	5	1
Other Causes	456	214	19	2	3	1	239	3	2	1	2	3	2	1	15	37	103	48
231.—ERPINGHAM.																		
Mean Populn, 1861–71	9920	273	274	261	253	245	1306	1206	1126	946	676	1126	1089	938	748	517	210	32
TOTAL DEATHS	2103	559	100	62	44	34	799	79	52	62	59	95	84	106	145	245	263	114
Small-pox	6	1	1	1	–	1	4	–	–	1	–	1	–	–	–	–	–	–
Measles	21	4	3	6	2	2	17	1	1	1	–	–	1	–	–	–	–	–
Scarlatina	74	5	6	11	9	9	40	22	5	3	1	2	–	1	–	–	–	–
Diphtheria	49	5	5	5	5	2	22	11	11	2	1	–	1	1	–	–	–	–
Whooping-cough	31	21	3	3	4	–	31	–	–	–	–	–	–	–	–	–	–	–
Typhus	58	3	3	3	3	4	16	7	6	7	2	2	4	2	5	5	2	–
Diarrhœa & Dysentery	52	30	4	1	–	–	35	–	–	–	–	1	–	1	4	4	5	2
Cholera	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	52	15	3	6	1	1	26	1	–	1	2	–	1	–	4	10	6	1
Cancer	31	–	–	–	–	–	–	–	–	–	–	–	3	3	9	10	6	–
Scrofula and Tabes	43	18	3	1	1	–	23	3	1	5	2	3	2	1	1	1	1	–
Phthisis	222	12	5	–	1	–	18	13	9	30	32	48	26	17	19	8	2	–
Hydrocephalus	17	4	1	5	3	2	15	2	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	213	58	15	3	2	4	82	5	5	2	4	5	7	15	21	45	38	14
Dis. of Heart & Dropsy	126	1	3	1	1	1	7	–	2	–	3	6	9	15	18	37	26	3
Dis. of Lungs	255	62	23	5	9	2	101	1	4	3	4	5	10	15	21	42	40	9
Dis. of Stom. and Liver	77	8	–	1	1	1	11	–	1	–	1	5	7	12	19	11	10	–
Dis. of Kidneys	61	–	–	–	–	–	–	–	–	1	2	3	7	9	9	19	9	2
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Dis. of Joints	4	–	–	–	–	–	–	–	2	–	–	–	–	2	–	–	–	–
Dis. of Skin	7	1	–	–	–	–	1	–	–	–	–	1	–	–	–	2	3	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	11	–	–	–	–	–	–	–	–	1	–	1	–	1	2	5	1	–
Other Violent Deaths	66	2	2	4	–	4	12	6	3	5	5	11	4	7	4	6	2	1
Other Causes	595	308	20	6	2	1	337	7	2	–	–	1	2	3	9	40	112	82
232.—AYLSHAM.																		
Mean Populn, 1861–71	9178	252	240	229	261	244	1226	1135	1062	916	619	1042	943	824	711	488	189	23
TOTAL DEATHS	1791	435	72	55	37	25	624	77	48	64	60	88	89	79	120	238	227	77
Small-pox	6	1	–	–	–	–	1	–	–	–	1	1	3	–	–	–	–	–
Measles	6	2	1	2	–	–	5	–	–	–	1	–	–	–	–	–	–	–
Scarlatina	72	3	5	11	9	5	33	20	8	5	3	3	–	–	–	–	–	–
Diphtheria	45	1	3	6	2	5	17	14	6	1	1	2	1	1	1	1	–	–
Whooping-cough	26	16	2	5	1	1	25	1	–	–	–	–	–	–	–	–	–	–
Typhus	52	1	–	–	1	1	3	7	2	10	2	4	6	4	4	7	3	–
Diarrhœa & Dysentery	40	16	1	1	1	2	21	–	1	–	–	1	–	8	1	3	8	2
Cholera	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–
Other Zymotic Dis.	50	9	1	4	7	1	22	3	1	–	–	1	4	2	5	9	3	–
Cancer	9	–	–	–	–	–	–	–	–	–	–	1	2	–	2	2	1	1
Scrofula and Tabes	39	20	1	2	–	–	23	2	4	5	–	2	1	1	1	–	–	–
Phthisis	207	1	1	1	–	–	3	6	7	25	37	47	30	19	15	16	2	–
Hydrocephalus	19	6	2	2	2	3	15	2	1	–	–	1	–	–	–	–	–	–
Dis. of Brain	194	44	10	7	2	2	65	12	4	2	4	4	7	8	13	37	30	8
Dis. of Heart & Dropsy	137	3	–	–	–	1	4	–	1	2	–	6	6	19	22	51	24	2
Dis. of Lungs	209	49	15	7	7	3	81	2	3	7	1	5	9	7	19	40	28	7
Dis. of Stom. and Liver	79	10	1	–	1	1	13	1	2	1	3	3	5	5	11	23	10	2
Dis. of Kidneys	39	–	–	–	–	–	–	–	–	1	–	1	5		8	13	7	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
Dis. of Skin	9	2	–	–	–	–	2	–	1	–	–	1	–	1	2	–	1	1
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	8	–	–	–	–	–	–	–	–	–	2	–	–	1	3	2	–	–
Other Violent Deaths	55	1	3	2	3	–	9	4	6	3	4	5	8	3	6	7	–	–
Other Causes	485	250	26	5	1	–	282	3	1	1	1	–	2	1	7	26	103	53

Mean Population, 1861–71, and **Deaths in Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
230.—SMALLBURGH.																		
Mean Popul^n, 1861-71	7231	202	184	183	184	191	944	875	749	570	561	961	816	666	509	378	166	36
TOTAL DEATHS	1356	294	58	23	19	19	413	45	30	54	65	95	72	80	92	141	191	78
Small-pox	2	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Measles	8	2	2	1	-	1	6	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	43	5	4	1	7	3	20	11	10	-	-	1	-	1	-	-	-	-
Diphtheria	26	1	4	-	2	3	10	5	-	3	2	1	1	2	1	1	-	-
Whooping-cough	29	14	6	5	1	3	29	-	-	-	-	-	-	-	-	-	-	-
Typhus	38	2	1	-	1	-	4	4	4	6	6	1	3	3	5	1	1	-
Diarrhœa & Dysentery	39	18	1	1	-	1	21	2	-	-	-	1	1	2	1	5	5	1
Cholera	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	22	6	-	3	-	1	10	2	2	-	-	2	-	1	-	3	2	-
Cancer	46	-	-	-	-	-	-	-	-	-	-	2	5	14	14	4	7	-
Scrofula and Tabes	25	8	4	1	1	1	15	-	1	2	1	2	4	-	-	-	-	-
Phthisis	212	6	3	-	-	1	10	5	8	31	42	58	33	11	10	4	-	-
Hydrocephalus	11	1	2	-	1	2	6	4	-	1	-	-	-	-	-	-	-	-
Dis. of Brain	111	22	8	3	2	2	37	1	1	4	-	3	5	6	12	20	16	6
Dis. of Heart & Dropsy	74	-	-	-	-	-	-	1	-	1	4	5	9	9	9	15	20	1
Dis. of Lungs	104	19	5	2	3	-	29	3	1	2	1	6	1	9	10	18	21	3
Dis. of Stom. and Liver	57	1	1	-	1	-	3	1	2	-	1	2	4	9	14	16	5	-
Dis. of Kidneys	10	2	1	-	-	-	3	-	-	-	1	-	-	3	1	1	1	-
Dis. of Gener. Organs	10	-	-	-	-	-	-	-	-	-	-	1	-	-	3	5	1	-
Dis. of Joints	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-
Dis. of Skin	4	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-
Childbirth and Metria	18	-	-	-	-	-	-	-	-	-	4	9	4	1	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Violent Deaths	21	4	1	2	-	1	8	2	-	3	-	1	-	1	1	1	3	1
Other Causes	440	181	15	4	-	-	200	2	1	1	2	-	1	6	8	45	108	66
231.—ERPINGHAM.																		
Mean Popul^n, 1861-71	10437	267	224	252	258	251	1252	1158	1080	904	799	1370	1229	1019	774	560	251	41
TOTAL DEATHS	2010	423	83	52	36	43	637	86	59	75	67	147	124	111	126	210	252	116
Small-pox	10	3	-	-	-	1	4	3	-	1	-	-	2	-	-	-	-	-
Measles	18	4	5	2	1	1	13	4	-	-	1	-	-	-	-	-	-	-
Scarlatina	75	5	5	13	11	13	47	19	4	3	1	1	-	-	-	-	-	-
Diphtheria	55	5	3	4	5	6	23	14	8	1	3	5	-	1	-	-	-	-
Whooping-cough	39	21	6	4	2	4	37	2	-	-	-	-	-	-	-	-	-	-
Typhus	75	4	1	1	4	3	13	8	8	11	1	12	6	3	3	7	3	-
Diarrhœa & Dysentery	40	12	1	2	1	1	17	2	-	1	-	2	2	2	1	5	4	4
Cholera	6	1	-	-	-	1	2	2	2	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	41	11	3	1	2	1	18	1	3	-	2	3	2	2	4	4	2	-
Cancer	46	-	-	-	-	1	1	-	-	-	-	2	3	9	14	12	4	1
Scrofula and Tabes	42	19	6	2	-	-	27	2	2	1	-	3	3	1	1	1	1	-
Phthisis	313	8	3	2	-	3	16	9	19	46	38	81	56	30	16	2	-	-
Hydrocephalus	16	5	-	2	2	2	11	2	2	1	-	-	-	-	-	-	-	-
Dis. of Brain	190	41	7	6	1	-	55	2	1	2	3	4	11	11	16	33	44	8
Dis. of Heart & Dropsy	113	2	-	-	-	1	3	-	1	1	3	3	8	14	21	29	26	4
Dis. of Lungs	221	50	19	6	1	4	80	4	2	2	3	3	3	11	16	42	40	15
Dis. of Stom. and Liver	95	8	1	-	1	-	10	1	1	4	1	4	5	17	18	21	10	3
Dis. of Kidneys	21	-	-	1	-	-	1	1	1	1	-	-	-	3	4	2	5	3
Dis. of Gener. Organs	15	-	-	-	-	-	-	-	-	-	-	2	3	3	4	3	-	-
Dis. of Joints	3	1	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-
Dis. of Skin	4	1	-	-	1	-	2	-	-	-	-	1	-	-	-	-	1	-
Childbirth and Metria	39	-	-	-	-	-	-	-	-	-	8	16	15	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
Other Violent Deaths	26	4	1	1	2	1	9	5	3	-	-	2	2	2	1	1	1	-
Other Causes	505	218	22	5	2	-	247	5	2	-	2	3	3	2	6	46	111	78
232.—AYLSHAM.																		
Mean Popul^n, 1861-71	9405	249	225	243	249	252	1218	1116	986	782	677	1209	1032	905	707	493	226	54
TOTAL DEATHS	1801	365	60	48	28	25	526	89	50	53	68	116	89	85	131	219	242	133
Small-pox	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Measles	10	1	4	1	-	2	8	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	79	4	4	12	4	9	33	32	6	2	2	3	-	-	1	-	-	-
Diphtheria	53	2	2	-	8	4	16	21	7	2	3	1	1	2	-	-	-	-
Whooping-cough	33	16	10	3	2	1	32	1	-	-	-	-	-	-	-	-	-	-
Typhus	65	2	-	-	2	2	6	6	6	5	5	8	6	5	10	7	1	-
Diarrhœa & Dysentery	52	18	3	1	-	-	22	1	-	1	-	2	1	3	1	3	14	4
Cholera	2	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Other Zymotic Dis.	39	5	2	1	1	1	10	2	2	1	2	-	3	-	5	6	5	3
Cancer	58	-	-	-	-	-	-	-	-	-	-	2	7	9	19	14	6	1
Scrofula and Tabes	23	4	-	2	-	1	7	2	3	1	2	2	1	1	2	1	-	1
Phthisis	225	-	1	-	-	-	1	3	17	27	33	62	42	21	8	11	-	-
Hydrocephalus	12	5	3	2	-	-	10	1	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	188	40	8	2	2	-	52	5	3	2	3	7	4	7	17	39	34	15
Dis. of Heart & Dropsy	103	1	-	1	-	1	3	-	-	1	3	4	7	14	20	29	21	1
Dis. of Lungs	189	31	10	10	5	4	60	8	2	4	2	5	1	5	15	40	36	11
Dis. of Stom. and Liver	85	10	2	-	-	-	12	-	2	1	3	3	7	9	14	19	12	3
Dis. of Kidneys	19	-	-	-	-	-	-	-	-	1	3	1	-	2	4	7	1	-
Dis. of Gener. Organs	15	-	-	-	-	-	-	-	-	-	-	2	2	3	6	2	-	-
Dis. of Joints	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Dis. of Skin	6	1	-	-	-	-	1	1	-	-	-	-	-	-	1	2	1	-
Childbirth and Metria	27	-	-	-	-	-	-	-	-	3	7	10	6	1	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Other Violent Deaths	21	3	-	4	1	-	8	1	-	-	-	-	-	-	2	4	5	1
Other Causes	492	222	11	8	2	-	243	3	1	1	-	3	1	3	5	33	106	93

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
233.—ST. FAITHS.																		
Mean Popul^n, 1861–71	5444	137	147	138	145	129	696	686	632	543	402	607	555	504	422	272	104	21
TOTAL DEATHS	1075	290	53	25	13	7	388	40	18	23	42	43	59	44	77	164	121	56
Small-pox	4	1	–	1	–	–	2	–	–	–	–	1	1	–	–	–	–	–
Measles	16	2	6	2	1	–	11	5	–	–	–	–	–	–	–	–	–	–
Scarlatina	27	4	3	4	3	1	15	7	3	1	–	–	1	–	–	–	–	–
Diphtheria	16	–	5	2	1	–	8	4	1	1	2	–	–	–	–	–	–	–
Whooping-cough	21	16	4	–	–	–	20	1	–	–	–	–	–	–	–	–	–	–
Typhus	35	–	–	–	–	1	1	4	2	–	9	3	3	3	1	7	2	–
Diarrhœa & Dysentery	19	7	2	–	1	–	10	–	–	–	1	–	–	2	2	8	1	–
Cholera	3	–	–	–	–	1	1	–	–	–	–	–	–	–	1	1	–	–
Other Zymotic Dis.	15	–	1	2	1	1	5	2	–	–	–	–	3	–	–	4	–	1
Cancer	10	–	–	–	–	–	–	–	–	–	–	–	1	1	1	5	2	–
Scrofula and Tabes	14	4	2	–	–	–	6	4	2	–	1	–	–	–	–	1	–	–
Phthisis	123	3	–	1	–	–	4	4	3	13	20	31	23	12	8	5	–	–
Hydrocephalus	9	2	2	1	2	1	8	1	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	125	37	5	2	–	–	44	1	–	3	2	3	6	4	11	31	19	1
Dis. of Heart & Dropsy	59	–	–	–	–	–	–	2	–	–	–	1	4	8	9	22	11	2
Dis. of Lungs	136	38	11	3	3	2	57	2	1	1	4	3	4	5	17	24	14	4
Dis. of Stom. and Liver	35	8	1	–	–	–	9	–	1	–	1	–	2	–	5	13	3	1
Dis. of Kidneys	37	–	–	–	–	–	–	–	1	–	–	–	2	2	7	14	7	4
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	4	–	–	–	–	–	–	–	1	–	–	–	1	–	1	1	–	–
Dis. of Skin	8	1	–	–	–	–	1	–	–	–	1	–	1	2	–	1	2	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–
Other Violent Deaths	24	–	1	2	1	–	4	1	1	4	1	–	1	2	3	6	1	–
Other Causes	332	167	10	5	–	–	182	2	1	–	–	1	6	3	9	26	59	43
234.—NORWICH.																		
Mean Popul^n, 1861–71	35246	1093	937	975	926	900	4831	4187	3858	3272	2704	4714	4119	3239	2283	1508	477	54
TOTAL DEATHS	9433	2698	701	373	230	138	4140	368	157	199	234	411	527	604	758	1078	791	166
Small-pox	52	12	8	2	5	2	29	8	1	1	5	4	1	2	1	–	–	–
Measles	151	39	49	39	18	6	151	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	336	23	40	55	48	44	210	95	19	5	2	4	1	–	–	–	–	–
Diphtheria	70	4	8	9	10	6	37	25	4	–	1	–	2	1	–	–	–	–
Whooping-cough	169	90	48	12	12	4	166	3	–	–	–	–	–	–	–	–	–	–
Typhus	340	19	18	21	30	18	106	55	25	18	20	26	24	19	21	21	5	–
Diarrhœa & Dysentery	592	396	62	15	4	1	478	4	2	–	–	3	9	6	24	33	28	5
Cholera	13	2	2	–	–	–	4	2	–	1	–	–	1	1	2	1	1	–
Other Zymotic Dis.	169	16	16	24	15	13	84	11	3	3	3	10	6	9	16	14	8	2
Cancer	116	–	–	1	–	1	2	1	1	–	–	2	11	19	37	31	11	1
Scrofula and Tabes	173	72	27	11	5	1	116	18	12	6	2	7	3	3	4	2	–	–
Phthisis	928	21	11	7	4	3	46	16	24	95	125	194	173	138	84	33	–	–
Hydrocephalus	98	43	22	14	3	3	85	8	3	1	–	1	–	–	–	–	–	–
Dis. of Brain	1138	323	57	31	13	5	429	26	9	10	11	29	68	91	115	216	123	11
Dis. of Heart & Dropsy	433	12	5	2	2	–	21	9	9	5	6	24	38	54	84	117	56	10
Dis. of Lungs	1268	313	165	82	43	17	620	28	8	11	11	27	45	79	117	191	120	11
Dis. of Stom. and Liver	403	41	7	4	4	2	58	13	7	11	8	15	42	57	71	81	34	3
Dis. of Kidneys	229	–	1	–	–	–	1	7	4	2	7	15	25	18	52	59	35	4
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
Dis. of Joints	28	–	1	1	1	–	3	3	7	1	2	2	2	2	1	2	3	–
Dis. of Skin	48	18	1	1	1	1	22	1	–	–	3	1	3	2	6	8	2	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	58	–	–	–	–	–	–	–	–	3	1	6	9	15	10	13	1	–
Other Violent Deaths	297	12	11	10	6	5	44	24	17	23	23	27	29	40	37	25	7	1
Other Causes	2320	1242	142	32	6	6	1428	9	2	3	4	14	34	48	76	227	357	118
235.—FOREHOE.																		
Mean Popul^n, 1861–71	6159	166	159	145	161	159	790	765	744	590	411	657	647	594	493	338	111	19
TOTAL DEATHS	1259	331	55	31	26	16	459	42	29	33	38	52	61	76	105	159	147	58
Small-pox	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Measles	9	–	2	3	–	1	6	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	27	1	–	7	4	4	16	8	2	–	–	1	–	–	–	–	–	–
Diphtheria	22	1	–	–	5	3	9	4	3	2	1	1	1	1	–	–	–	–
Whooping-cough	24	16	1	3	1	–	21	3	–	–	–	–	–	–	–	–	–	–
Typhus	52	1	–	–	4	3	8	4	7	7	4	4	7	3	3	3	2	–
Diarrhœa & Dysentery	37	22	3	–	–	–	25	–	–	–	–	–	1	–	1	3	5	2
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Other Zymotic Dis.	31	4	2	1	1	–	8	1	1	3	–	1	1	3	4	6	2	1
Cancer	10	–	–	–	–	–	–	1	–	–	–	–	–	1	4	2	2	–
Scrofula and Tabes	14	2	2	2	–	–	6	1	1	1	1	–	–	2	1	–	1	–
Phthisis	116	3	1	–	1	–	5	2	3	14	23	26	20	14	7	2	–	–
Hydrocephalus	7	2	3	1	–	1	7	–	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	137	35	8	2	4	1	50	2	1	–	3	1	8	7	14	24	23	4
Dis. of Heart & Dropsy	57	8	–	–	–	–	3	1	2	–	–	1	7	4	12	14	11	2
Dis. of Lungs	148	26	12	5	3	1	47	4	–	–	1	5	3	15	16	34	15	8
Dis. of Stom. and Liver	50	7	1	2	–	–	10	–	1	–	1	2	4	11	6	12	2	1
Dis. of Kidneys	33	1	–	–	–	–	1	–	–	1	1	–	2	2	7	17	5	2
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	4	–	–	–	–	–	–	–	1	–	–	–	–	–	2	1	–	–
Dis. of Skin	3	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	11	–	–	–	–	–	–	–	–	–	1	1	1	2	2	3	1	–
Other Violent Deaths	39	1	2	1	1	–	5	3	4	3	1	3	3	5	5	4	2	1
Other Causes	421	206	18	4	2	2	232	8	3	2	1	6	3	5	20	34	75	37

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 upwards.
233.—ST. FAITHS.																		
Mean Populn, 1861-71	5656	147	132	145	131	145	700	642	590	482	472	767	643	537	398	284	122	19
TOTAL DEATHS	1085	237	41	29	16	18	341	45	26	40	42	79	64	59	67	116	143	63
Small-pox	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Measles	11	1	1	3	3	–	8	–	1	–	1	–	–	1	–	–	–	–
Scarlatina	33	3	3	4	1	1	12	15	3	1	2	–	–	–	–	–	–	–
Diphtheria	27	–	–	2	2	3	7	8	7	2	–	1	–	1	–	1	–	–
Whooping-cough	16	8	6	–	–	1	15	1	–	–	–	–	–	–	–	–	–	–
Typhus	39	1	1	–	2	2	6	6	2	6	4	5	2	1	3	2	2	–
Diarrhœa & Dysentery	24	9	1	3	1	–	14	–	–	–	–	–	1	–	2	3	3	1
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Other Zymotic Dis.	14	4	1	1	1	2	9	2	–	–	1	–	–	–	1	1	–	–
Cancer	35	–	–	–	–	–	–	–	–	–	–	1	6	10	4	9	5	–
Scrofula and Tabes	18	8	–	3	1	2	14	–	2	–	–	1	1	–	–	–	–	–
Phthisis	163	1	–	1	1	–	3	3	4	23	22	47	23	17	11	6	1	–
Hydrocephalus	4	–	1	–	1	–	2	1	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	110	23	6	2	–	–	31	2	–	3	2	3	1	5	9	26	21	7
Dis. of Heart & Dropsy	71	1	–	–	–	–	1	4	1	–	–	3	8	6	14	16	13	5
Dis. of Lungs	135	37	12	5	2	4	60	3	1	1	5	2	3	7	6	22	22	3
Dis. of Stom. and Liver	34	2	–	1	–	–	3	–	1	–	–	2	4	3	6	8	6	1
Dis. of Kidneys	5	–	–	–	1	–	1	–	–	–	–	–	1	1	–	1	1	–
Dis. of Gener. Organs	8	–	–	–	–	–	–	–	–	–	1	1	2	1	2	1	–	–
Dis. of Joints	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Dis. of Skin	3	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–
Childbirth and Metritis	17	–	–	–	–	–	–	–	–	–	1	8	8	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Other Violent Deaths	11	–	1	1	–	2	4	–	1	–	1	–	–	–	3	–	1	1
Other Causes	303	139	8	3	–	1	151	–	2	1	–	4	4	5	4	19	68	45
234.—NORWICH.																		
Mean Populn, 1861-71	42393	1076	914	978	943	897	4808	4251	4045	4184	3887	6230	5167	3943	2863	2066	828	121
TOTAL DEATHS	9420	2119	660	373	235	155	3542	318	165	239	257	593	572	557	728	1080	1032	337
Small-pox	53	12	8	6	2	2	30	6	3	5	–	5	3	1	–	–	–	–
Measles	166	17	79	36	16	7	155	10	–	1	–	–	–	–	–	–	–	–
Scarlatina	314	13	33	52	45	39	182	84	23	8	4	12	1	–	–	–	–	–
Diphtheria	94	6	6	15	17	9	53	22	11	2	1	3	–	2	–	–	–	–
Whooping-cough	179	87	46	24	16	4	177	2	–	–	–	–	–	–	–	–	–	–
Typhus	361	10	15	30	21	19	95	68	26	30	23	29	29	18	17	19	6	1
Diarrhœa & Dysentery	517	301	62	12	4	2	381	6	–	1	4	9	10	3	23	31	41	8
Cholera	6	2	–	–		1	3	–	–	–	–	–	1	–	2	–	–	–
Other Zymotic Dis.	165	19	15	23	14	11	82	8	4	3	2	7	9	7	19	18	5	1
Cancer	203	–	–	–	–	–	–	–	–	1	3	19	55	78	72	57	15	3
Scrofula and Tabes	139	56	24	11	9	3	103	12	7	6	2	7	3	12	2	4	1	–
Phthisis	1042	17	10	5	3	3	38	18	40	117	134	293	217	100	62	19	3	1
Hydrocephalus	58	21	15	10	1	3	50	6	1	–	–	1	–	–	–	–	–	–
Dis. of Brain	1021	242	55	25	22	14	358	14	15	12	12	37	41	76	116	182	139	19
Dis. of Heart & Dropsy	596	16	4	4	4	3	31	9	7	12	15	31	40	67	119	166	90	9
Dis. of Lungs	1232	256	157	78	43	18	552	23	3	6	6	16	39	65	122	221	143	36
Dis. of Stom. and Liver	361	34	1	1	4	5	45	7	5	7	8	24	31	44	71	75	39	5
Dis. of Kidneys	85	–	–	–	1	–	1	2	5	2	2	4	9	14	21	14	10	1
Dis. of Gener. Organs	72	–	–	–	–	–	–	–	–	1	–	10	15	19	12	11	4	–
Dis. of Joints	20	–	2	1	–	1	4	–	1	3	1	1	3	5	1	–	1	–
Dis. of Skin	35	7	2	–	–	2	11	–	3	2	–	2	–	4	3	7	2	1
Childbirth and Metritis	133	–	–	–	–	–	–	–	–	8	31	56	36	2	–	–	–	–
Suicide	16	–	–	–	–	–	–	–	–	1	2	3	3	4	–	2	1	–
Other Violent Deaths	116	11	5	7	2	4	29	8	4	4	3	8	5	10	4	15	20	6
Other Causes	2516	992	121	33	11	5	1162	13	7	7	4	16	22	26	62	239	512	216
235.—FOREHOE.																		
Mean Populn, 1861-71	6403	150	148	168	165	143	774	750	654	560	465	830	724	616	504	341	159	26
TOTAL DEATHS	1270	254	59	24	20	22	379	54	27	40	49	93	80	60	93	131	187	77
Small-pox	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	12	2	5	1	–	1	9	1	–	1	–	–	–	1	–	–	–	–
Scarlatina	41	2	4	6	4	6	22	13	3	1	–	1	1	–	–	–	–	–
Diphtheria	38	1	5	2	2	5	15	11	5	1	2	1	–	–	–	–	–	–
Whooping-cough	25	9	7	5	2	–	23	1	1	–	–	–	–	–	–	–	–	–
Typhus	60	1	1	1	2	1	6	6	6	11	7	8	8	–	3	2	3	–
Diarrhœa & Dysentery	32	12	1	2	–	1	16	–	1	–	1	–	–	1	–	6	6	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	18	–	2	1	3	1	7	3	–	–	–	–	–	2	3	2	–	1
Cancer	36	–	–	–	–	–	–	–	–	–	–	3	5	8	10	7	2	1
Scrofula and Tabes	12	3	1	1	–	1	6	–	2	–	1	1	–	2	–	–	–	–
Phthisis	167	3	1	–	–	–	4	3	6	20	31	51	26	13	7	6	–	–
Hydrocephalus	3	2	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	116	23	6	–	1	2	32	2	–	1	–	2	8	3	18	19	25	6
Dis. of Heart & Dropsy	76	–	1	–	–	–	1	–	–	–	–	4	5	9	15	22	19	1
Dis. of Lungs	134	22	12	4	2	2	42	5	–	1	1	4	4	9	10	24	25	9
Dis. of Stom. and Liver	49	3	–	–	–	–	3	–	3	2	2	2	7	2	9	11	7	1
Dis. of Kidneys	6	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	1
Dis. of Gener. Organs	6	–	–	–	–	–	–	–	–	–	–	–	3	–	–	2	1	–
Dis. of Joints	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Dis. of Skin	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Childbirth and Metritis	18	–	–	–	–	–	–	–	–	–	2	10	5	1	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Deaths	16	1	–	1	1	1	4	3	–	–	–	1	–	1	2	2	3	–
Other Causes	402	169	13	–	3	1	186	2	–	2	2	3	7	7	15	26	96	56

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
236.—HENSTEAD.																		
Mean Popul^n, 1861-71	5455	145	135	132	143	137	692	671	608	538	368	596	579	534	444	288	118	19
TOTAL DEATHS	1024	242	31	26	16	15	330	39	26	39	31	39	42	57	82	144	139	56
Small-pox	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
Measles	6	1	2	1	-	2	6	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	23	1	3	4	6	2	16	6	1	-	1	-	-	-	1	-	-	-
Diphtheria	11	-	-	1	2	1	4	2	1	3	-	-	1	-	-	-	-	-
Whooping-cough	10	6	2	1	-	1	10	-	-	-	-	-	-	-	-	-	-	-
Typhus	44	-	-	2	2	2	6	6	8	3	3	3	2	5	4	4	-	-
Diarrhœa & Dysentery	20	10	2	-	-	-	12	-	-	-	-	-	-	-	-	4	4	-
Cholera	12	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
Other Zymotic Dis.	14	-	1	2	-	-	3	-	-	-	1	-	2	2	1	5	-	-
Cancer	15	-	-	-	-	-	-	-	-	-	-	-	1	-	8	2	4	-
Scrofula and Tabes	33	19	3	1	-	-	23	2	1	-	-	2	1	2	1	-	1	-
Phthisis	100	-	1	-	-	-	1	6	3	22	17	21	12	4	9	2	-	-
Hydrocephalus	5	-	3	-	1	-	4	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	91	17	2	3	1	1	24	1	-	3	1	-	4	9	10	18	15	6
Dis. of Heart & Dropsy	57	1	-	-	-	-	1	-	2	1	1	-	2	10	15	13	11	1
Dis. of Lungs	143	38	6	3	1	2	50	5	1	2	1	1	4	11	6	38	21	3
Dis. of Stom. and Liver	45	5	1	-	-	-	6	3	1	-	-	2	3	8	7	11	4	-
Dis. of Kidneys	31	-	-	-	-	-	-	-	-	-	-	2	2	3	6	11	6	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Dis. of Joints	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	5	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	2	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	10	-	-	-	-	-	-	-	-	-	1	1	3	1	3	-	-	1
Other Violent Deaths	42	1	-	4	2	2	9	5	7	3	4	3	3	1	4	1	2	-
Other Causes	311	142	5	4	1	2	154	1	-	2	-	1	2	1	5	33	69	43
237.—BLOFIELD.																		
Mean Popul^n, 1861-71	5656	154	160	139	155	144	752	695	626	525	401	665	602	524	419	311	118	18
TOTAL DEATHS	1241	258	45	23	17	12	355	45	25	42	35	73	105	100	92	170	144	55
Small-pox	4	1	-	-	-	-	1	-	-	1	1	-	-	-	1	-	-	-
Measles	11	3	3	2	-	1	9	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	24	2	1	3	4	5	15	6	3	-	-	-	-	-	-	-	-	-
Diphtheria	22	-	1	2	4	-	7	10	2	2	-	-	1	-	-	-	-	-
Whooping-cough	18	15	2	1	-	-	18	-	-	-	-	-	-	-	-	-	-	-
Typhus	30	1	-	-	1	-	2	5	5	4	3	4	1	6	-	-	-	-
Diarrhœa & Dysentery	20	11	4	1	1	-	17	-	-	-	-	-	-	-	1	2	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	15	1	-	1	2	1	5	-	1	1	1	-	1	-	1	2	2	1
Cancer	12	-	-	-	-	-	-	-	-	-	-	-	-	2	4	5	1	-
Scrofula and Tabes	21	5	3	1	1	-	10	2	2	2	1	1	1	1	1	-	-	-
Phthisis	118	6	4	1	-	1	12	3	1	17	17	23	20	17	8	-	-	-
Hydrocephalus	3	1	-	-	2	-	3	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	212	18	7	3	-	-	28	4	2	5	6	18	38	32	23	30	23	3
Dis. of Heart & Dropsy	79	2	1	-	1	-	4	1	2	2	2	3	7	9	11	24	11	3
Dis. of Lungs	155	33	6	4	-	2	45	4	1	-	-	9	8	15	17	37	13	6
Dis. of Stom. and Liver	68	5	1	2	-	-	8	2	1	2	-	5	14	7	9	18	2	-
Dis. of Kidneys	24	-	-	-	-	-	-	-	-	1	-	-	2	2	6	8	5	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Dis. of Skin	6	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	6	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	1	-
Other Violent Deaths	46	3	1	1	-	1	6	3	3	4	1	5	9	3	4	4	3	1
Other Causes	346	151	11	1	1	1	165	3	1	1	2	3	1	2	5	39	83	41
238.—LODDON.																		
Mean Popul^n, 1861-71	6815	189	163	194	170	185	901	797	787	624	487	746	710	662	540	377	160	24
TOTAL DEATHS	1265	310	48	19	7	21	405	41	32	40	38	67	48	67	92	167	195	73
Small-pox	3	1	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-
Measles	5	1	2	2	-	-	5	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	26	-	3	3	1	4	11	9	4	-	1	-	1	-	-	-	-	-
Diphtheria	32	4	-	2	-	6	12	6	6	2	-	4	-	1	1	-	-	-
Whooping-cough	13	8	2	1	1	-	12	1	-	-	-	-	-	-	-	-	-	-
Typhus	39	2	-	1	-	-	3	5	5	6	2	8	1	2	2	4	1	-
Diarrhœa & Dysentery	37	23	2	1	-	1	27	1	-	-	1	-	-	-	2	2	4	-
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Other Zymotic Dis.	13	-	1	2	1	1	5	1	-	-	1	-	-	1	2	1	1	1
Cancer	24	-	-	-	-	-	-	-	-	-	-	1	2	4	3	12	-	2
Scrofula and Tabes	32	16	4	-	-	-	20	2	2	1	2	2	1	1	-	1	-	-
Phthisis	114	-	2	-	-	2	4	1	1	13	22	32	18	14	3	6	-	-
Hydrocephalus	19	9	3	2	-	2	16	3	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	97	26	7	1	-	2	36	1	4	2	-	-	-	6	10	16	19	3
Dis. of Heart & Dropsy	83	1	-	-	-	-	1	-	1	1	1	1	3	8	17	28	18	4
Dis. of Lungs	175	42	13	1	3	2	61	2	3	3	5	5	5	3	17	33	31	7
Dis. of Stom. and Liver	63	9	-	1	-	-	10	1	-	2	2	3	2	8	9	15	11	-
Dis. of Kidneys	39	2	-	-	-	-	2	2	1	1	-	2	3	6	5	9	7	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-
Dis. of Skin	8	1	-	-	-	-	1	1	-	1	-	-	-	-	2	3	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	10	-	-	-	-	-	-	-	-	-	1	-	1	3	3	1	1	-
Other Violent Deaths	53	2	5	2	-	1	10	2	5	7	-	5	5	5	4	7	3	-
Other Causes	376	163	4	-	1	-	168	3	-	-	-	3	4	5	12	27	99	55

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
236.—HENSTEAD.																		
Mean Popul^{n}, 1861–71	5553	148	134	136	138	135	691	630	586	454	448	718	646	526	432	290	110	22
TOTAL DEATHS	1033	215	45	17	20	21	318	31	22	30	45	73	61	62	86	111	132	62
Small-pox	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	9	1	1	2	1	2	7	1	1	–	–	–	–	–	–	–	–	–
Scarlatina	23	–	12	4	2	3	11	7	2	1	–	1	1	–	–	–	–	–
Diphtheria	17	–	–	–	3	2	5	7	1	–	1	–	–	2	1	–	–	–
Whooping-cough	15	6	7	1	1	–	15	–	–	–	–	–	–	–	–	–	–	–
Typhus	46	2	2	1	3	2	10	4	2	3	8	2	5	4	6	2	–	–
Diarrhœa & Dysentery	19	9	2	–	–	–	11	–	–	–	–	1	–	–	2	2	2	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	16	2	–	1	1	2	6	–	2	2	–	1	–	2	–	2	1	–
Cancer	32	–	–	–	–	–	–	–	–	–	–	1	6	6	14	4	1	–
Scrofula and Tabes	27	14	3	1	–	1	19	–	1	–	1	3	1	–	1	1	–	–
Phthisis	146	3	1	–	–	2	6	5	9	18	24	34	23	15	9	3	–	–
Hydrocephalus	3	2	1	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	90	20	5	2	1	2	30	2	–	1	–	3	4	6	6	13	21	4
Dis. of Heart & Dropsy	61	1	–	–	–	–	1	–	1	1	1	3	4	6	14	18	7	5
Dis. of Lungs	129	22	11	4	3	3	43	3	1	–	2	–	3	7	12	30	24	4
Dis. of Stom. and Liver	54	6	1	–	–	2	9	1	2	–	1	7	2	3	14	9	5	1
Dis. of Kidneys	8	1	–	–	–	–	1	–	–	–	–	1	1	2	2	1	–	–
Dis. of Gener. Organs	8	–	–	–	–	–	–	–	–	–	–	1	1	4	1	–	1	–
Dis. of Joints	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Dis. of Skin	3	–	–	1	–	–	1	–	–	–	–	–	1	–	–	1	–	–
Childbirth and Metria	24	–	–	–	–	–	–	–	–	1	6	10	6	1	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Other Violent Deaths	11	1	2	–	4	–	7	–	–	–	–	1	–	–	1	1	1	–
Other Causes	289	125	7	–	–	–	132	1	–	3	–	4	2	4	3	24	69	47
237.—BLOFIELD.																		
Mean Popul^{n}, 1861–71	5768	151	133	143	134	140	701	676	604	444	448	792	718	540	418	288	119	20
TOTAL DEATHS	1201	212	43	23	20	14	312	40	24	43	52	84	109	65	119	154	147	52
Small-pox	4	1	–	–	–	–	1	–	–	2	1	–	–	–	–	–	–	–
Measles	12	6	3	2	–	1	12	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	24	–	2	3	4	2	11	4	1	5	–	1	1	1	–	–	–	–
Diphtheria	26	1	2	1	1	2	7	12	2	1	1	2	1	–	–	–	–	–
Whooping-cough	19	8	7	3	–	1	19	–	–	–	–	–	–	–	–	–	–	–
Typhus	46	–	–	–	2	1	3	8	5	8	4	6	4	1	4	2	1	–
Diarrhœa & Dysentery	26	11	2	–	–	–	13	–	–	–	–	–	1	1	1	6	4	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	17	3	–	–	1	–	4	1	1	–	–	–	–	3	2	3	3	–
Cancer	24	–	–	–	2	–	2	–	–	–	–	1	3	4	6	5	3	–
Scrofula and Tabes	18	8	3	1	–	–	12	–	2	–	1	1	–	–	2	–	–	–
Phthisis	191	4	3	1	3	–	11	5	9	19	37	40	37	18	11	4	–	–
Hydrocephalus	2	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	179	24	4	1	2	3	34	1	1	1	2	16	25	14	34	30	21	–
Dis. of Heart & Dropsy	73	–	–	–	–	–	–	1	2	1	–	3	8	5	18	17	16	2
Dis. of Lungs	122	21	7	5	1	1	35	5	–	1	1	4	9	5	9	25	23	5
Dis. of Stom. and Liver	48	2	–	–	–	1	3	2	–	1	–	2	7	9	11	11	2	–
Dis. of Kidneys	10	1	–	–	–	–	1	–	–	1	–	1	2	–	3	2	–	–
Dis. of Gener. Organs	11	–	–	–	–	–	–	–	–	1	1	–	1	2	2	3	1	–
Dis. of Joints	5	–	–	–	–	–	–	1	1	–	–	–	–	–	2	1	–	–
Dis. of Skin	5	1	–	–	–	–	1	–	–	–	–	–	–	–	2	1	1	–
Childbirth and Metria	12	–	–	–	–	–	–	–	–	1	2	3	5	1	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–
Other Violent Deaths	17	3	3	4	1	2	13	–	–	–	–	–	1	–	1	1	1	–
Other Causes	307	116	7	2	3	–	128	–	–	1	2	4	2	–	11	43	71	45
238.—LODDON.																		
Mean Popul^{n}, 1861–71	7140	180	169	166	168	169	852	858	748	617	538	917	844	689	532	348	160	37
TOTAL DEATHS	1241	228	39	21	12	14	314	42	33	47	63	88	74	70	110	155	172	73
Small-pox	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	2	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	19	3	–	2	2	3	10	4	3	1	–	–	–	–	1	–	–	–
Diphtheria	40	1	2	3	5	4	15	11	4	2	2	–	2	–	3	1	–	–
Whooping-cough	17	11	3	1	1	1	17	–	–	–	–	–	–	–	–	–	–	–
Typhus	50	–	–	1	–	1	2	7	8	7	3	4	4	4	4	4	3	–
Diarrhœa & Dysentery	38	13	3	1	–	–	17	2	1	–	–	1	1	–	5	6	4	1
Cholera	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	21	2	1	1	1	–	5	1	–	–	1	–	3	1	5	2	3	–
Cancer	43	–	–	–	–	–	–	–	–	–	–	1	6	9	18	6	3	–
Scrofula and Tabes	28	14	3	4	–	–	21	2	–	3	–	1	–	1	–	–	–	–
Phthisis	188	1	1	–	–	–	2	3	5	26	41	49	32	19	10	1	–	–
Hydrocephalus	11	2	3	–	–	1	6	2	1	2	–	–	–	–	–	–	–	–
Dis. of Brain	107	17	3	2	1	–	23	1	3	1	1	6	5	6	10	33	16	2
Dis. of Heart & Dropsy	80	–	–	–	–	–	–	2	2	–	2	2	2	4	19	22	19	6
Dis. of Lungs	155	36	16	3	1	2	58	2	2	3	1	7	3	7	12	27	28	5
Dis. of Stom. and Liver	56	5	–	–	1	1	7	–	1	–	2	1	5	5	14	16	5	–
Dis. of Kidneys	13	1	–	–	–	–	1	–	1	–	1	4	–	1	2	2	1	–
Dis. of Gener. Organs	11	–	–	–	–	–	–	–	–	–	3	1	3	3	–	1	–	–
Dis. of Joints	4	–	–	–	–	–	–	–	1	–	1	1	–	1	–	–	–	–
Dis. of Skin	5	1	–	–	–	–	1	–	1	–	1	–	–	1	1	–	–	–
Childbirth and Metria	16	–	–	–	–	–	–	–	–	–	3	6	6	1	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Other Violent Deaths	11	2	–	–	–	1	3	2	–	–	1	–	–	1	–	3	1	–
Other Causes	322	116	4	3	–	–	123	2	–	2	–	4	2	5	6	30	89	59

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
239.—DEPWADE.																		
Mean Popul^n, 1861–71	12123	356	300	326	305	328	1615	1533	1383	1176	868	1326	1227	1139	931	610	270	45
TOTAL DEATHS	2491	606	117	57	52	41	873	114	55	73	81	120	95	119	205	303	326	127
Small-pox	9	1	–	–	–	–	1	1	–	2	1	–	1	2	1	–	–	–
Measles	15	4	6	2	1	–	13	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	49	2	4	11	8	8	33	14	1	–	–	1	–	–	–	–	–	–
Diphtheria	95	4	5	5	10	11	35	36	11	8	3	2	–	–	–	–	–	–
Whooping-cough	40	20	13	1	2	2	38	2	–	–	–	–	–	–	–	–	–	–
Typhus	73	–	–	2	2	3	7	11	9	5	8	3	6	9	5	7	2	1
Diarrhœa & Dysentery	55	29	2	1	–	–	32	–	1	–	1	1	–	1	2	5	10	2
Cholera	2	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
Other Zymotic Dis.	66	3	2	4	5	2	16	4	–	1	–	1	5	4	7	16	11	1
Cancer	44	–	–	–	–	–	–	–	–	–	–	1	5	7	12	17	2	–
Scrofula and Tabes	75	37	11	3	1	1	53	5	5	4	1	3	–	4	–	–	–	–
Phthisis	254	13	5	2	1	2	23	5	9	29	46	65	28	19	17	11	2	–
Hydrocephalus	20	5	4	4	2	–	15	4	–	–	–	–	–	–	1	–	–	–
Dis. of Brain	235	40	12	6	1	2	61	6	4	3	5	6	6	10	35	47	44	8
Dis. of Heart & Dropsy	161	3	–	–	–	–	3	3	2	5	1	5	8	15	35	51	32	1
Dis. of Lungs	299	80	32	9	9	3	133	8	–	3	4	10	11	11	27	44	68	10
Dis. of Stom. and Liver	121	15	1	–	1	1	18	3	1	2	2	7	8	10	29	24	15	2
Dis. of Kidneys	61	–	–	–	–	–	–	2	2	3	3	1	4	3	8	15	17	3
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Dis. of Joints	9	1	–	–	1	–	2	–	1	2	2	–	–	–	1	1	–	–
Dis. of Skin	10	3	1	–	–	–	4	–	1	–	–	1	–	–	–	2	2	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	10	–	–	–	–	–	–	–	–	1	–	–	1	4	1	3	–	–
Other Violent Deaths	66	2	3	3	5	5	18	5	5	4	–	8	6	7	4	3	6	–
Other Causes	721	344	16	4	3	1	368	3	2	1	4	5	6	11	20	57	145	99
240.—GUILTCROSS.																		
Mean Popul^n, 1861–71	5682	143	153	147	145	164	752	727	658	550	385	617	558	524	440	300	144	27
TOTAL DEATHS	1135	279	54	21	19	18	391	39	33	23	43	48	50	48	84	157	144	75
Small-pox	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Measles	8	1	2	3	–	1	7	–	1	–	–	–	–	–	–	–	–	–
Scarlatina	18	1	2	2	2	2	9	3	4	–	–	2	–	–	–	–	–	–
Diphtheria	39	1	3	2	4	4	14	15	4	2	–	1	2	1	–	–	–	–
Whooping-cough	15	9	4	2	–	–	15	–	–	–	–	–	–	–	–	–	–	–
Typhus	25	–	–	1	–	1	2	2	4	5	3	3	1	–	1	1	2	1
Diarrhœa & Dysentery	13	3	1	1	–	–	5	–	–	–	1	–	–	1	–	2	2	2
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Other Zymotic Dis.	24	–	2	3	1	1	7	1	2	1	–	1	1	5	1	4	1	–
Cancer	11	–	–	–	–	–	–	–	–	–	–	–	–	1	6	1	3	–
Scrofula and Tabes	35	16	3	–	1	–	20	1	2	–	1	1	1	1	1	6	1	–
Phthisis	107	2	1	1	–	1	5	6	6	9	29	24	12	8	8	–	–	–
Hydrocephalus	11	4	4	1	–	–	9	1	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	97	20	2	–	–	2	24	–	4	–	2	3	5	4	15	21	16	3
Dis. of Heart & Dropsy	60	3	–	–	–	–	3	–	–	1	1	2	4	3	15	24	7	–
Dis. of Lungs	150	31	11	2	5	3	52	6	1	–	1	2	10	10	16	28	19	5
Dis. of Stom. and Liver	50	6	1	1	–	–	8	–	–	1	1	1	2	2	9	18	8	–
Dis. of Kidneys	22	–	–	–	–	–	–	–	–	3	1	–	2	1	2	10	2	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–	–	–
Other Violent Deaths	33	3	3	2	3	2	13	1	2	–	2	3	2	3	2	3	2	–
Other Causes	410	179	15	–	3	1	198	3	1	1	1	4	6	7	7	39	80	63
241.—WAYLAND.																		
Mean Popul^n, 1861–71	5602	143	156	163	142	148	752	683	650	535	377	617	619	544	409	274	121	21
TOTAL DEATHS	1143	297	68	30	19	18	432	35	18	32	34	41	49	67	77	164	140	54
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	7	1	3	3	–	–	7	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	30	2	3	6	2	3	16	8	3	1	1	1	–	–	–	–	–	–
Diphtheria	17	–	1	2	3	–	6	7	2	–	–	–	1	–	–	–	1	–
Whooping-cough	23	12	3	3	2	3	23	–	–	–	–	–	–	–	–	–	–	–
Typhus	41	1	–	–	2	2	5	4	4	5	3	–	6	3	2	8	1	–
Diarrhœa & Dysentery	26	8	–	2	2	–	12	2	–	–	–	–	–	–	1	3	8	–
Cholera	4	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	–
Other Zymotic Dis.	16	2	1	–	–	–	3	2	1	3	–	–	–	1	1	3	2	–
Cancer	15	–	–	–	–	–	–	–	–	–	1	1	–	4	3	4	2	–
Scrofula and Tabes	21	2	4	–	3	3	12	3	–	1	–	2	1	1	1	–	–	–
Phthisis	116	6	9	1	1	–	17	–	2	12	23	20	18	16	5	3	–	–
Hydrocephalus	4	–	4	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	108	17	7	3	1	–	28	–	–	–	1	3	2	8	14	29	20	3
Dis. of Heart & Dropsy	53	–	–	–	–	–	–	2	–	–	–	–	3	6	13	22	7	–
Dis. of Lungs	158	37	10	5	1	5	58	5	1	–	2	1	2	8	12	36	28	5
Dis. of Stom. and Liver	66	6	1	1	–	–	8	1	2	1	1	2	4	6	9	25	7	–
Dis. of Kidneys	20	–	–	–	–	–	–	–	1	–	–	1	–	2	4	7	4	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	3	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
Dis. of Skin	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Other Violent Deaths	42	1	–	–	–	1	2	1	2	4	1	3	6	8	4	7	3	1
Other Causes	371	202	22	4	2	1	231	–	–	4	–	5	6	3	5	16	57	44

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
239.—DEPWADE.																		
Mean Popul^n, 1861–71	12637	313	312	324	335	315	1599	1497	1399	1125	973	1577	1335	1210	922	639	296	65
TOTAL DEATHS	2528	470	129	57	37	42	735	142	88	108	81	161	142	130	169	275	321	176
Small-pox	2	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Measles	19	5	7	2	–	–	14	4	1	–	–	–	–	–	–	–	–	–
Scarlatina	44	3	5	6	4	6	24	12	3	4	–	–	1	–	–	–	–	–
Diphtheria	137	2	3	10	11	11	37	51	23	7	1	6	4	3	2	–	–	–
Whooping-cough	48	28	12	7	1	–	48	–	–	–	–	–	–	–	–	–	–	–
Typhus	70	1	1	–	1	4	7	11	11	7	3	8	8	3	3	6	–	–
Diarrhœa & Dysentery	57	21	1	–	–	2	24	3	–	–	1	2	–	–	2	11	10	4
Cholera	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	63	7	6	3	3	2	21	5	2	3	–	3	3	4	5	9	6	2
Cancer	76	–	–	–	–	–	–	–	–	1	–	3	16	14	16	16	8	2
Scrofula and Tabes	76	26	6	3	1	2	38	6	11	3	3	5	3	4	2	1	–	–
Phthisis	324	6	4	1	2	3	16	11	23	50	53	81	45	24	14	7	–	–
Hydrocephalus	19	4	4	2	2	1	13	4	1	1	–	–	–	–	–	–	–	–
Dis. of Brain	236	29	15	3	–	2	49	6	1	9	2	7	8	17	30	54	42	11
Dis. of Heart & Dropsy	163	1	1	–	1	–	3	–	3	1	3	8	14	14	36	48	29	4
Dis. of Lungs	264	56	31	12	6	3	108	10	4	6	6	5	7	13	20	40	39	6
Dis. of Stom. and Liver	113	6	3	1	1	1	12	4	2	7	–	9	9	16	13	23	17	1
Dis. of Kidneys	27	–	–	–	–	–	–	2	–	1	–	3	4	4	5	5	3	–
Dis. of Gener. Organs	17	–	–	–	–	–	–	–	–	2	1	3	4	1	4	1	1	–
Dis. of Joints	12	–	1	1	–	–	2	–	2	2	1	–	1	1	3	–	–	–
Dis. of Skin	5	–	1	–	–	–	1	–	–	–	–	–	–	2	1	1	–	–
Childbirth and Metria	29	–	–	–	–	–	–	–	–	1	4	13	9	2	–	–	–	–
Suicide	5	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	–	–
Other Violent Deaths	31	3	3	2	2	1	11	2	1	–	–	–	1	1	–	6	4	5
Other Causes	690	272	25	4	2	3	306	4	–	3	2	5	5	7	11	44	162	141
240.—GUILTCROSS.																		
Mean Popul^n, 1861–71	5717	140	147	149	150	161	747	703	626	464	419	701	628	545	412	306	142	24
TOTAL DEATHS	1123	211	55	32	18	20	336	46	35	43	49	82	49	56	65	121	161	80
Small-pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Measles	12	–	6	1	1	1	9	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	19	–	2	3	2	–	7	9	1	–	–	2	–	–	–	–	–	–
Diphtheria	33	2	1	4	4	4	15	14	9	6	1	2	3	3	–	–	–	–
Whooping-cough	22	8	7	3	1	–	19	2	1	–	–	–	–	–	–	–	–	–
Typhus	34	–	2	1	–	–	3	1	4	6	4	4	2	1	2	2	3	2
Diarrhœa & Dysentery	11	3	–	–	–	–	3	1	–	–	–	2	1	–	–	2	1	1
Cholera	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–
Other Zymotic Dis.	20	2	–	1	–	2	5	2	–	2	1	–	–	–	4	3	3	–
Cancer	29	–	–	–	–	–	–	–	–	–	1	3	3	7	3	7	4	1
Scrofula and Tabes	33	11	4	4	–	–	19	–	1	–	2	2	–	3	2	2	2	–
Phthisis	141	–	–	–	–	–	–	3	11	25	26	40	21	11	4	–	–	–
Hydrocephalus	6	–	1	2	–	1	4	1	–	–	–	–	–	1	–	–	–	–
Dis. of Brain	81	12	3	1	2	1	19	2	5	–	–	7	2	3	5	18	14	6
Dis. of Heart & Dropsy	74	–	3	–	–	–	3	3	1	1	2	3	–	6	19	17	17	2
Dis. of Lungs	117	13	8	4	4	5	34	–	–	1	2	2	2	7	13	27	25	4
Dis. of Stom. and Liver	35	3	–	–	–	1	4	–	–	1	–	4	4	3	5	6	5	1
Dis. of Kidneys	6	–	–	–	–	–	–	–	–	–	–	1	–	–	–	3	2	–
Dis. of Gener. Organs	5	–	–	–	–	–	–	–	–	–	–	1	–	3	1	–	–	–
Dis. of Joints	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Skin	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Childbirth and Metria	20	–	–	–	–	–	–	–	–	–	7	5	7	1	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Other Violent Deaths	23	–	–	5	3	2	10	2	1	1	–	1	–	–	2	3	2	1
Other Causes	378	157	18	3	1	3	182	2	1	–	3	1	4	6	4	30	83	62
241.—WAYLAND.																		
Mean Popul^n, 1861–71	5726	146	129	154	145	147	721	687	620	497	420	719	675	553	393	280	131	30
TOTAL DEATHS	1099	216	55	17	20	20	328	53	31	39	37	79	66	49	84	124	148	61
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	7	2	1	–	–	2	5	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	31	2	3	2	4	4	15	9	4	2	1	–	–	–	–	–	–	–
Diphtheria	29	–	2	3	3	2	10	8	5	1	–	2	1	–	2	–	–	–
Whooping-cough	23	10	6	1	4	2	23	–	–	–	–	–	–	–	–	–	–	–
Typhus	41	1	–	4	1	2	8	8	4	2	3	5	4	1	1	3	2	–
Diarrhœa & Dysentery	21	1	–	–	2	–	3	2	–	–	–	1	–	2	2	5	4	2
Cholera	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	19	1	2	1	1	1	6	1	–	1	1	1	1	–	1	1	5	1
Cancer	19	–	–	–	–	–	–	–	–	–	–	1	4	3	8	2	1	–
Scrofula and Tabes	19	5	1	1	–	–	7	1	1	2	1	–	5	–	1	1	–	–
Phthisis	144	6	1	1	1	1	10	2	8	21	25	39	19	10	8	2	–	–
Hydrocephalus	8	3	3	1	–	–	7	–	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	101	12	3	–	1	2	18	1	3	2	–	2	8	4	15	25	20	3
Dis. of Heart & Dropsy	70	–	–	–	–	–	–	–	1	1	–	3	3	6	19	18	17	2
Dis. of Lungs	148	32	10	2	1	–	45	5	2	3	1	6	2	5	9	32	30	8
Dis. of Stom. and Liver	33	–	1	–	–	1	2	1	–	1	–	5	5		9	15	6	1
Dis. of Kidneys	5	–	–	–	–	–	–	1	–	1	–	1	–	1	–	–	1	–
Dis. of Gener. Organs	7	–	–	–	–	–	–	–	–	1	–	–	–	3	2	1	–	–
Dis. of Joints	4	–	–	–	–	–	–	1	1	–	–	1	–	1	–	–	–	–
Dis. of Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	25	–	–	–	–	–	–	–	–	–	5	10	9	1	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Other Violent Deaths	17	–	1	–	1	1	3	5	–	1	–	1	–	1	1	3	2	–
Other Causes	305	111	21	1	1	2	166	6	–	–	–	1	4	3	5	16	60	44

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards
242.—MITFORD.																		
Mean Popul^n, 1861–71	13663	361	349	343	349	347	1749	1643	1575	1344	996	1507	1496	1288	1011	717	295	42
TOTAL DEATHS	2663	684	124	57	36	37	938	114	50	71	72	141	99	132	229	334	353	130
Small-pox	6	2	-	-	-	-	2	-	1	1	-	1	1	-	-	-	-	-
Measles	21	7	6	4	1	2	20	-	-	1	-	-	-	-	-	-	-	-
Scarlatina	63	2	8	10	4	8	32	16	7	3	1	1	1	2	-	-	-	-
Diphtheria	49	3	4	1	3	6	17	20	6	2	1	1	1	-	1	-	-	-
Whooping-cough	36	23	10	1	1	1	36	-	-	-	-	-	-	-	-	-	-	-
Typhus	74	1	2	2	5	2	12	12	2	9	4	7	7	7	5	7	2	-
Diarrhœa & Dysentery	41	23	4	1	1	1	30	1	-	1	-	-	1	-	4	1	6	-
Cholera	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Other Zymotic Dis.	41	4	2	2	5	5	18	4	4	1	-	1	3	-	3	3	4	-
Cancer	37	-	-	-	-	-	-	-	-	1	-	1	1	6	11	10	5	2
Scrofula and Tabes	48	16	7	3	1	-	27	5	1	1	1	2	4	3	2	2	-	-
Phthisis	299	21	7	3	2	1	34	10	9	23	46	77	32	35	22	11	-	-
Hydrocephalus	22	4	3	2	-	-	9	10	2	1	-	-	-	-	-	-	-	-
Dis. of Brain	265	61	14	7	5	2	89	8	2	4	4	12	7	17	27	52	38	5
Dis. of Heart & Dropsy	138	3	-	-	-	-	3	1	2	2	2	7	1	14	27	53	25	1
Dis. of Lungs	320	80	30	13	3	3	129	7	2	4	6	5	8	14	28	57	52	8
Dis. of Stom. and Liver	102	11	-	-	-	1	12	4	-	3	1	7	5	10	28	16	14	2
Dis. of Kidneys	74	-	-	-	-	-	-	-	-	3	-	5	8	6	13	25	13	1
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-
Dis. of Joints	8	-	-	-	-	-	-	-	-	1	1	2	-	-	2	1	1	-
Dis. of Skin	7	3	1	-	-	-	4	-	-	-	-	-	-	-	2	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	14	-	-	-	-	-	-	-	1	1	-	-	1	4	5	-	2	-
Other Violent Deaths	70	-	1	2	2	2	7	4	4	6	4	5	8	7	15	7	2	1
Other Causes	919	420	25	6	3	3	457	12	7	3	1	5	10	6	33	86	189	110
243.—WALSINGHAM.																		
Mean Popul^n, 1861–71	9837	270	256	271	269	250	1316	1242	1121	895	667	1074	1043	925	779	535	206	34
TOTAL DEATHS	2215	523	127	80	50	48	828	130	57	85	70	104	101	105	172	249	242	72
Small-pox	10	4	1	1	-	-	6	-	-	1	3	-	-	-	-	-	-	-
Measles	26	4	12	7	3	-	26	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	127	9	14	20	15	17	75	41	8	1	-	-	2	-	-	-	-	-
Diphtheria	65	5	4	6	4	5	24	16	13	5	1	2	1	2	1	-	-	-
Whooping-cough	36	22	8	4	-	-	34	2	-	-	-	-	-	-	-	-	-	-
Typhus	77	3	4	3	2	6	18	13	7	9	7	5	4	3	4	4	3	-
Diarrhœa & Dysentery	35	16	3	5	1	-	25	1	-	-	-	1	-	-	2	4	2	-
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Zymotic Dis.	46	7	1	2	3	3	16	12	4	2	-	-	2	1	5	2	2	-
Cancer	25	-	-	-	-	-	-	-	-	-	-	-	4	3	6	9	3	-
Scrofula and Tabes	48	21	3	3	1	2	30	4	2	3	1	2	1	2	1	1	1	-
Phthisis	249	7	6	-	-	-	13	7	5	35	44	56	45	22	19	3	-	-
Hydrocephalus	28	9	8	4	2	-	23	5	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	213	55	12	6	4	4	81	6	3	6	2	6	4	10	18	43	29	5
Dis. of Heart & Dropsy	123	5	2	-	1	1	9	1	1	1	2	7	8	12	32	35	14	1
Dis. of Lungs	204	50	16	8	6	6	86	5	1	3	4	5	4	14	22	40	16	4
Dis. of Stom. and Liver	78	2	-	1	-	-	3	-	1	2	1	1	7	18	22	18	5	-
Dis. of Kidneys	50	-	-	-	1	-	1	3	-	1	1	7	3	6	13	7	8	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	7	-	-	-	-	-	-	-	1	1	-	2	-	1	-	2	-	-
Dis. of Skin	4	1	-	-	-	-	1	1	1	-	-	-	-	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Other Violent Deaths	76	1	2	1	6	1	11	6	10	12	4	6	9	4	10	3	1	-
Other Causes	686	302	31	9	1	3	346	7	-	2	-	4	7	7	16	77	158	62
244.—DOCKING.																		
Mean Popul^n, 1861–71	8565	224	214	229	224	225	1116	1075	1020	820	599	982	910	801	654	415	153	20
TOTAL DEATHS	1834	521	101	43	35	22	722	76	59	56	60	94	68	70	150	224	178	77
Small-pox	11	4	-	2	-	-	6	-	-	-	4	1	-	-	-	-	-	-
Measles	12	-	7	3	1	-	11	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	30	3	1	2	4	3	13	14	3	-	-	-	-	-	-	-	-	-
Diphtheria	46	4	4	4	10	3	25	10	6	4	-	-	-	-	1	-	-	-
Whooping-cough	41	21	11	8	-	1	41	-	-	-	-	-	-	-	-	-	-	-
Typhus	54	-	1	2	4	3	10	4	6	9	5	6	3	2	4	4	-	1
Diarrhœa & Dysentery	37	24	3	1	1	-	29	-	1	-	-	-	-	-	1	5	1	-
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Other Zymotic Dis.	51	6	3	6	7	1	23	3	1	2	1	4	3	2	4	6	2	-
Cancer	12	-	-	-	-	1	1	-	-	-	-	-	3	1	5	1	1	-
Scrofula and Tabes	19	3	2	1	-	-	6	4	3	3	-	3	-	-	-	-	-	-
Phthisis	172	1	-	2	-	1	4	10	11	24	34	46	21	10	11	1	-	-
Hydrocephalus	14	4	3	1	1	2	11	1	1	1	-	-	-	-	-	-	-	-
Dis. of Brain	166	63	8	2	1	2	76	6	1	2	3	5	4	6	16	32	12	3
Dis. of Heart & Dropsy	93	6	1	-	-	-	7	3	5	2	2	4	7	10	18	23	9	3
Dis. of Lungs	162	36	9	2	2	2	51	4	3	1	5	11	6	12	19	34	13	3
Dis. of Stom. and Liver	72	5	-	-	-	-	5	2	2	1	1	3	5	8	18	18	8	1
Dis. of Kidneys	43	2	-	-	-	1	3	-	3	-	-	-	2	5	7	15	6	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	12	-	3	-	-	-	3	3	1	-	1	-	1	-	2	1	-	-
Dis. of Skin	5	2	-	-	-	-	2	-	2	-	-	1	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-
Other Violent Deaths	58	5	2	1	1	1	10	3	7	4	4	8	4	4	5	6	3	-
Other Causes	720	332	43	6	3	1	385	8	3	3	-	2	9	9	37	77	123	64

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
242.—MITFORD.																		
Mean Popul^{n}, 1861–71	14131	354	323	370	363	356	1766	1654	1574	1178	1066	1790	1590	1337	1016	766	331	63
TOTAL DEATHS	2561	481	108	55	29	38	711	119	94	88	90	188	145	140	181	281	363	161
Small-pox	4	1	-	-	-	-	1	-	-	-	2	-	-	1	-	-	-	-
Measles	13	4	4	2	1	-	11	1	-	1	-	-	-	-	-	-	-	-
Scarlatina	71	2	9	8	7	16	42	15	9	3	-	1	1	-	-	-	-	-
Diphtheria	57	3	3	2	2	5	15	28	6	3	-	2	1	-	1	1	-	-
Whooping-cough	36	13	11	5	1	2	32	4	-	-	-	-	-	-	-	-	-	-
Typhus	72	1	1	1	1	2	6	11	10	7	5	10	4	7	4	5	3	-
Diarrhœa & Dysentery	47	23	3	2	-	1	29	1	1	1	-	-	1	-	3	4	4	3
Cholera	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Other Zymotic Dis.	50	2	5	3	2	4	16	2	6	-	2	1	2	3	7	5	5	1
Cancer	99	-	-	1	-	-	1	1	-	-	1	2	13	17	20	33	11	-
Scrofula and Tabes	33	11	5	-	-	-	16	5	2	1	1	6	-	1	-	1	-	-
Phthisis	382	8	9	1	1	2	21	5	34	52	53	108	55	36	14	4	-	-
Hydrocephalus	15	5	5	1	-	-	11	4	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	247	49	16	7	1	-	73	8	8	5	8	9	8	17	30	40	37	4
Dis. of Heart & Dropsy	149	1	1	-	2	-	4	2	6	2	1	6	12	19	25	45	23	4
Dis. of Lungs	256	59	15	11	7	5	97	12	3	3	-	10	7	7	29	41	87	10
Dis. of Stom. and Liver	99	6	2	2	-	-	10	3	3	4	1	7	10	9	16	23	13	-
Dis. of Kidneys	13	-	-	-	-	-	-	-	-	2	1	1	1	3	3	2	-	-
Dis. of Gener. Organs	18	-	-	-	-	-	-	-	-	-	-	2	3	3	4	3	3	-
Dis. of Joints	2	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
Dis. of Skin	7	1	-	-	1	-	2	1	1	-	-	-	-	-	2	-	1	-
Childbirth and Metria	48	-	-	-	-	-	-	-	-	3	10	17	17	1	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-
Other Violent Deaths	32	2	1	2	1	-	6	7	2	1	1	-	-	2	2	1	8	2
Other Causes	806	290	18	7	1	1	317	9	3	-	3	4	10	13	20	72	218	137
243.—WALSINGHAM.																		
Mean Popul^{n}, 1861–71	10747	267	246	261	257	280	1311	1223	1136	958	863	1395	1186	1011	801	560	256	47
TOTAL DEATHS	2220	445	106	73	44	48	716	113	65	81	80	128	113	113	152	238	277	144
Small-pox	10	2	-	-	1	-	3	-	1	2	2	-	1	1	-	-	-	-
Measles	28	9	8	5	2	1	25	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	104	7	7	18	15	11	58	39	6	-	-	1	-	-	-	-	-	-
Diphtheria	60	1	2	5	4	10	22	23	8	2	2	1	1	1	-	-	-	-
Whooping-cough	47	24	11	6	1	2	44	3	-	-	-	-	-	-	-	-	-	-
Typhus	94	2	2	7	7	7	25	17	14	7	11	5	2	4	7	2	-	-
Diarrhœa & Dysentery	40	18	4	-	-	-	22	1	-	-	1	1	2	4	-	4	3	2
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Zymotic Dis.	45	10	4	4	2	-	20	3	2	2	1	2	2	3	3	3	4	-
Cancer	62	-	-	-	-	-	-	-	1	-	-	3	10	14	13	16	4	1
Scrofula and Tabes	45	10	1	1	1	2	15	4	5	2	4	3	3	4	2	3	-	-
Phthisis	292	4	3	-	1	1	9	9	14	51	44	72	40	25	21	2	2	-
Hydrocephalus	11	3	3	1	1	1	9	-	2	-	-	-	-	-	-	-	-	-
Dis. of Brain	187	40	10	6	4	1	61	2	1	3	3	5	6	12	20	41	29	4
Dis. of Heart & Dropsy	151	7	3	3	-	-	13	-	3	1	1	5	10	16	30	44	23	5
Dis. of Lungs	145	32	15	4	4	7	62	5	-	1	3	4	3	5	16	25	17	4
Dis. of Stom. and Liver	93	5	1	1	-	-	7	1	3	3	3	5	7	11	21	20	8	4
Dis. of Kidneys	10	-	-	-	-	1	1	-	-	-	-	1	3	2	2	-	1	-
Dis. of Gener. Organs	13	-	-	-	-	-	-	-	-	-	-	3	6	2	1	1	-	-
Dis. of Joints	8	-	-	1	-	-	1	-	2	1	-	1	1	1	-	1	-	-
Dis. of Skin	3	1	1	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	29	-	-	-	-	-	-	-	-	2	3	10	13	1	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Other Violent Deaths	18	2	2	2	-	1	7	1	1	1	1	-	-	-	1	1	4	1
Other Causes	722	268	29	9	1	3	310	2	2	3	1	6	3	6	12	72	182	123
244.—DOCKING.																		
Mean Popul^{n}, 1861–71	8884	253	209	214	215	233	1124	1048	960	744	688	1159	1040	841	617	445	186	32
TOTAL DEATHS	1847	438	94	38	38	32	640	109	61	61	61	113	91	107	109	195	212	88
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	16	5	4	2	-	-	11	5	-	-	-	-	-	-	-	-	-	-
Scarlatina	44	1	4	4	4	3	16	20	4	2	-	-	-	1	1	-	-	-
Diphtheria	51	5	2	3	2	5	17	14	13	1	1	2	2	-	-	1	-	-
Whooping-cough	55	26	16	3	6	1	52	2	-	1	-	-	-	-	-	-	-	-
Typhus	66	3	1	-	5	5	14	14	7	7	4	9	1	5	-	5	-	-
Diarrhœa & Dysentery	34	25	2	-	-	-	27	2	-	-	-	1	-	1	1	1	1	-
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Other Zymotic Dis.	43	5	3	2	3	6	19	6	-	1	1	3	3	2	2	4	2	-
Cancer	38	-	-	-	-	-	-	-	-	-	1	2	4	13	9	4	5	-
Scrofula and Tabes	13	4	2	-	2	-	8	2	2	1	-	-	-	-	-	-	-	-
Phthisis	198	-	1	2	-	-	3	11	24	32	30	46	27	15	7	3	-	-
Hydrocephalus	11	1	1	1	2	1	6	3	1	-	1	-	-	-	-	-	-	-
Dis. of Brain	176	40	7	7	1	-	61	7	3	3	3	6	5	14	27	24	19	4
Dis. of Heart & Dropsy	121	1	2	1	-	-	4	3	-	2	3	4	11	14	22	44	14	-
Dis. of Lungs	131	29	14	7	3	3	56	7	-	5	4	5	9	10	13	15	6	1
Dis. of Stom. and Liver	62	4	1	-	1	2	8	1	1	2	-	8	5	11	11	7	3	-
Dis. of Kidneys	7	-	1	-	-	-	1	-	-	-	-	2	1	-	3	-	-	-
Dis. of Gener. Organs	14	-	-	-	-	-	-	-	-	1	-	1	4	4	2	2	-	-
Dis. of Joints	4	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-
Dis. of Skin	10	1	-	1	-	-	2	2	1	-	-	-	1	1	1	1	1	-
Childbirth and Metria	40	-	-	-	-	-	-	-	-	3	9	17	10	1	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Other Violent Deaths	25	1	2	2	3	2	10	4	2	-	2	-	1	1	-	2	1	2
Other Causes	685	281	31	3	6	4	325	6	3	-	2	5	7	12	9	80	155	81

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
245.—FREEBRIDGE LYNN.																		
Mean Popul^n, 1861–71	6684	176	155	193	175	184	883	840	764	671	517	778	684	616	507	293	117	14
TOTAL DEATHS	1297	372	75	40	27	20	534	56	34	31	27	66	49	74	92	161	136	37
Small-pox	7	1	1	–	–	–	2	1	1	–	1	–	1	–	1	–	–	–
Measles	21	4	11	5	1	2	23	–	–	–	–	–	1	–	–	–	–	–
Scarlatina	34	2	3	8	6	5	24	5	5	–	–	–	–	–	–	–	–	–
Diphtheria	12	–	4	1	2	–	7	1	1	1	2	–	–	–	–	–	–	–
Whooping-cough	36	24	4	4	2	1	35	1	–	–	–	–	–	–	–	–	–	–
Typhus	45	1	1	2	4	1	9	6	4	5	–	6	4	5	2	3	1	–
Diarrhœa & Dysentery	44	24	6	–	–	–	30	–	1	–	–	2	1	1	1	3	5	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	41	7	3	–	2	5	17	7	3	–	–	1	–	3	3	3	4	–
Cancer	14	–	–	–	–	–	–	–	–	–	–	–	–	1	6	6	1	–
Scrofula and Tabes	24	10	3	1	2	1	17	1	3	–	1	–	2	–	–	–	–	–
Phthisis	131	9	3	1	1	–	14	5	3	14	17	35	15	13	5	10	–	–
Hydrocephalus	8	3	1	1	1	–	6	1	–	–	–	1	–	–	–	–	–	–
Dis. of Brain	127	50	4	–	3	3	60	8	3	2	–	1	5	5	9	19	14	1
Dis. of Heart & Dropsy	67	7	–	–	–	–	7	1	2	5	1	2	2	8	9	19	10	1
Dis. of Lungs	135	37	13	5	2	1	58	2	–	1	–	3	3	11	18	21	10	5
Dis. of Stom. and Liver	46	5	1	–	–	–	6	4	2	1	–	–	1	9	7	11	5	–
Dis. of Kidneys	21	2	–	–	–	–	2	1	–	–	–	4	2	2	3	4	2	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	4	–	–	–	–	–	–	1	1	–	1	–	1	–	–	–	–	–
Dis. of Skin	3	–	–	1	–	–	1	–	1	–	–	–	–	–	–	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	7	–	–	–	–	–	–	–	–	–	–	2	–	1	2	2	–	–
Other Violent Deaths	52	4	–	2	–	–	6	5	3	1	3	8	5	6	7	6	2	–
Other Causes	415	182	17	9	1	1	210	6	1	1	1	1	6	9	19	50	82	29
246.—KING'S LYNN.																		
Mean Popul^n, 1861–71	7629	190	191	191	189	180	941	942	885	761	574	912	826	757	534	354	126	17
TOTAL DEATHS	1881	438	137	64	40	28	707	70	38	55	53	85	117	131	208	212	161	44
Small-pox	2	1	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–
Measles	49	6	22	8	6	2	44	4	1	–	–	–	–	–	–	–	–	–
Scarlatina	70	7	12	12	6	7	44	23	2	1	–	–	–	–	–	–	–	–
Diphtheria	19	2	1	4	–	4	11	5	1	–	1	1	–	–	–	–	–	–
Whooping-cough	46	19	19	5	3	–	46	–	–	–	–	–	–	–	–	–	–	–
Typhus	51	6	–	6	5	2	19	2	6	1	2	2	3	4	4	4	4	–
Diarrhœa & Dysentery	46	30	2	–	1	–	33	–	–	–	–	1	2	–	6	2	2	–
Cholera	15	10	–	1	–	–	11	–	–	–	–	–	1	–	1	–	2	–
Other Zymotic Dis.	49	4	6	4	6	3	23	3	2	2	–	–	2	4	6	6	1	–
Cancer	25	–	–	–	–	–	–	–	1	1	–	–	1	4	9	7	1	1
Scrofula and Tabes	46	18	5	3	1	1	31	3	4	3	1	1	1	1	1	–	–	–
Phthisis	178	1	1	–	–	–	2	3	5	18	27	38	35	25	17	6	2	–
Hydrocephalus	18	8	2	5	1	1	17	–	–	1	–	–	–	–	–	–	–	–
Dis. of Brain	261	87	18	6	1	2	114	8	1	4	3	4	9	12	40	32	30	4
Dis. of Heart & Dropsy	148	2	–	–	–	1	3	2	2	5	1	8	27	21	31	29	18	1
Dis. of Lungs	213	41	34	4	3	1	83	1	1	3	4	8	8	15	29	36	19	6
Dis. of Stom. and Liver	97	12	–	–	1	–	13	4	1	1	3	3	6	17	18	20	11	–
Dis. of Kidneys	50	–	–	–	–	–	–	3	1	–	–	1	3	8	10	12	10	2
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	7	–	–	–	–	–	–	–	1	–	1	1	–	1	1	1	1	–
Dis. of Skin	5	2	–	–	–	–	2	–	–	1	–	–	1	1	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	10	–	–	–	–	–	–	–	–	–	1	1	1	2	3	2	–	–
Other Violent Deaths	104	7	–	2	1	2	12	7	8	13	8	12	13	10	11	5	3	2
Other Causes	372	175	15	4	2	1	197	2	1	1	1	4	4	6	21	50	57	28
247.—DOWNHAM.																		
Mean Popul^n, 1861–71	10120	301	289	238	279	278	1435	1295	1197	1008	707	1119	1055	937	709	447	185	26
TOTAL DEATHS	2005	606	134	53	49	38	880	93	37	49	53	82	90	96	173	200	181	71
Small-pox	6	–	–	–	1	–	1	–	1	–	1	2	1	–	–	–	–	–
Measles	39	4	16	6	4	4	34	3	1	–	1	–	–	–	–	–	–	–
Scarlatina	74	5	5	6	13	11	40	23	5	1	2	3	–	–	–	–	–	–
Diphtheria	39	5	1	4	4	4	18	14	3	3	1	–	–	–	–	–	–	–
Whooping-cough	50	31	12	5	2	–	50	–	–	–	–	–	–	–	–	–	–	–
Typhus	68	4	2	1	1	–	8	5	6	5	3	9	8	5	10	5	4	–
Diarrhœa & Dysentery	69	43	7	1	–	1	52	1	–	–	–	–	–	–	3	6	4	3
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	33	6	3	2	4	2	17	1	–	2	1	–	1	5	2	2	2	–
Cancer	32	1	–	–	–	–	1	–	–	–	–	–	1	3	9	13	5	–
Scrofula and Tabes	45	20	8	1	1	2	32	5	2	1	1	3	–	–	–	1	–	–
Phthisis	197	17	10	3	3	3	36	4	4	17	20	38	28	22	17	10	1	–
Hydrocephalus	13	8	1	2	–	–	11	1	–	1	–	–	–	–	–	–	–	–
Dis. of Brain	222	72	13	4	3	2	94	10	1	4	4	3	5	7	22	33	20	10
Dis. of Heart & Dropsy	136	11	3	1	1	–	16	3	–	2	1	1	9	11	28	35	23	7
Dis. of Lungs	288	84	23	8	4	6	130	1	–	1	2	6	5	16	25	45	41	13
Dis. of Stom. and Liver	93	17	5	1	1	–	24	4	1	2	4	3	11	7	16	9	8	4
Dis. of Kidneys	50	–	–	–	–	–	–	1	–	–	2	1	4	4	3	14	19	2
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Dis. of Joints	11	–	–	–	–	–	–	1	1	–	1	1	2	–	3	2	–	–
Dis. of Skin	5	2	–	1	–	–	3	–	1	–	–	–	–	–	–	–	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	6	–	–	–	–	–	–	–	–	–	–	1	1	–	3	1	–	–
Other Violent Deaths	103	5	6	3	4	1	19	12	10	7	8	10	10	8	9	4	6	–
Other Causes	425	271	14	4	3	2	294	4	1	3	1	1	4	8	22	20	35	32

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
245.—FREEBRIDGE LYNN.																		
Mean Populn, 1861-71	6779	182	173	180	171	179	885	878	728	555	517	894	755	605	476	327	136	23
TOTAL DEATHS	1332	327	78	46	24	22	497	64	34	32	44	69	77	76	79	116	142	72
Small-pox	9	2	1	–	1	1	5	–	–	–	1	2	–	1	–	–	–	–
Measles	20	1	9	3	4	1	18	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	33	4	1	7	5	5	22	9	1	–	–	1	–	–	–	–	–	–
Diphtheria	17	–	1	3	–	–	4	7	2	–	–	2	1	1	–	–	–	–
Whooping-cough	34	19	11	4	–	–	34	–	–	–	–	–	–	–	–	–	–	–
Typhus	49	–	2	1	1	2	6	13	7	3	2	8	1	3	4	–	2	–
Diarrhœa & Dysentery	35	19	–	1	1	–	21	1	1	2	–	2	–	–	1	4	3	–
Cholera	4	2	–	–	–	–	2	–	–	–	–	1	–	–	–	–	1	–
Other Zymotic Dis.	42	8	4	4	3	2	21	8	3	1	2	1	–	–	2	2	2	–
Cancer	38	–	–	–	–	–	–	–	–	–	–	1	2	9	9	15	1	1
Scrofula and Tabes	26	8	3	1	–	1	13	2	–	–	3	–	2	–	–	3	–	–
Phthisis	170	5	5	3	–	1	14	3	12	18	27	30	35	22	6	2	1	–
Hydrocephalus	13	5	3	–	1	1	10	3	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	118	43	3	4	–	1	51	2	2	1	–	2	6	8	7	17	19	3
Dis. of Heart & Dropsy	32	7	1	–	–	–	8	5	–	3	2	7	5	9	17	18	15	3
Dis. of Lungs	113	24	10	3	2	4	43	2	1	–	1	2	5	6	11	23	17	2
Dis. of Stom. and Liver	49	1	1	2	–	–	4	–	1	1	2	1	3	4	9	16	7	1
Dis. of Kidneys	10	–	1	–	1	–	2	1	–	1	–	1	2	–	1	1	1	–
Dis. of Gener. Organs	7	–	–	–	–	–	–	–	–	–	–	–	2	2	2	1	–	–
Dis. of Joints	2	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Dis. of Skin	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Childbirth and Metria	17	–	–	–	–	–	–	–	–	1	3	5	7	1	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Other Violent Deaths	20	1	–	3	–	1	5	2	1	1	–	1	1	2	–	4	3	–
Other Causes	414	177	22	7	5	2	213	3	3	–	1	1	5	8	9	40	69	62
246.—KING'S LYNN.																		
Mean Populn, 1861-71	9287	206	170	196	190	187	949	945	917	1001	812	1266	1139	918	678	452	177	33
TOTAL DEATHS	1911	340	112	65	44	28	589	63	41	53	57	110	137	127	171	225	253	85
Small-pox	4	–	1	1	–	1	3	–	–	–	–	–	1	–	–	–	–	–
Measles	43	8	16	9	6	2	41	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	61	4	10	8	13	11	46	15	3	–	–	–	–	–	–	–	–	–
Diphtheria	16	–	1	3	1	2	7	4	1	1	1	1	–	–	–	–	1	–
Whooping-cough	48	17	8	17	3	2	47	1	–	–	–	–	–	–	–	–	–	–
Typhus	61	1	6	4	5	5	21	4	1	8	1	7	4	4	6	3	7	–
Diarrhœa & Dysentery	56	21	3	2	–	–	29	1	–	–	1	–	1	2	2	6	10	4
Cholera	9	7	–	–	–	–	7	–	–	–	–	–	–	1	–	1	–	–
Other Zymotic Dis.	32	1	5	3	2	1	12	2	1	2	1	1	1	2	4	3	3	–
Cancer	85	–	–	–	–	–	–	–	–	–	–	7	14	27	16	15	5	1
Scrofula and Tabes	27	8	9	2	1	–	20	2	–	–	–	3	1	1	–	–	–	–
Phthisis	191	2	–	1	–	–	3	–	17	24	31	43	35	21	11	5	1	–
Hydrocephalus	18	2	6	3	3	1	15	2	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	257	72	12	4	2	1	91	7	1	3	4	8	17	8	32	43	39	4
Dis. of Heart & Dropsy	157	–	–	–	2	–	2	5	6	5	1	11	9	23	36	41	16	2
Dis. of Lungs	229	52	16	8	3	1	60	4	1	1	2	4	12	13	25	45	47	15
Dis. of Stom. and Liver	76	7	–	–	–	–	7	2	3	2	1	1	9	9	14	17	10	1
Dis. of Kidneys	18	–	–	–	1	–	1	1	–	–	2	3	5	3	1	–	2	–
Dis. of Gener. Organs	34	–	–	–	–	–	–	–	–	3	2	5	9	6	6	2	1	–
Dis. of Joints	13	–	1	–	–	–	1	–	4	2	2	2	1	1	–	–	–	–
Dis. of Skin	10	2	–	–	–	–	2	–	1	–	–	1	–	2	1	2	1	–
Childbirth and Metria	27	–	–	–	–	–	–	–	–	3	3	10	11	–	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
Other Violent Deaths	36	6	1	–	2	–	9	5	–	–	1	1	2	1	2	4	8	3
Other Causes	398	147	17	–	–	1	165	6	1	4	3	2	5	3	15	37	102	55
247.—DOWNHAM.																		
Mean Populn, 1861-71	10305	273	253	286	259	277	1348	1294	1151	937	819	1286	1161	926	666	479	197	41
TOTAL DEATHS	2041	484	120	47	46	32	729	101	67	77	76	112	95	122	121	230	219	92
Small-pox	7	1	–	1	–	–	2	–	–	2	2	1	–	–	–	–	–	–
Measles	23	8	1	4	5	2	20	1	2	–	–	–	–	–	–	–	–	–
Scarlatina	62	1	4	5	13	7	30	19	5	2	4	–	1	1	–	–	–	–
Diphtheria	74	1	4	4	8	7	24	29	15	3	1	1	–	–	–	1	–	–
Whooping-cough	50	22	19	5	2	1	49	1	–	–	–	–	–	–	–	–	–	–
Typhus	70	3	2	1	1	2	9	11	7	12	2	7	3	8	3	6	2	–
Diarrhœa & Dysentery	61	28	5	1	1	–	35	–	–	–	–	–	–	1	3	10	10	5
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	39	8	4	–	4	1	17	5	5	1	–	–	–	3	1	4	3	–
Cancer	72	–	–	–	–	–	–	–	–	–	1	5	9	19	13	19	5	1
Scrofula and Tabes	43	20	9	2	–	–	31	3	1	–	3	2	–	2	1	–	–	–
Phthisis	287	22	8	3	1	1	35	11	18	36	37	53	36	25	21	12	–	–
Hydrocephalus	14	3	4	4	–	–	11	3	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	205	37	13	4	2	1	57	3	6	6	4	12	5	21	19	33	35	4
Dis. of Heart & Dropsy	142	6	2	–	1	–	9	2	–	2	3	6	8	10	16	42	34	10
Dis. of Lungs	229	46	18	4	4	6	78	3	–	3	1	5	8	7	16	45	42	21
Dis. of Stom. and Liver	110	9	3	–	2	2	16	3	1	3	2	5	10	18	10	19	17	6
Dis. of Kidneys	13	–	1	–	–	–	1	–	–	2	2	–	2	2	3	1	–	–
Dis. of Gener. Organs	8	–	–	–	–	–	–	–	–	–	–	1	2	2	2	1	–	–
Dis. of Joints	10	–	–	–	–	–	–	–	1	1	1	2	2	–	1	2	–	–
Dis. of Skin	6	2	–	–	–	–	2	–	1	–	–	–	–	2	–	–	–	1
Childbirth and Metria	23	–	–	–	–	–	–	–	–	1	9	7	6	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Other Violent Deaths	29	5	2	1	1	2	11	4	3	1	1	3	–	–	2	1	1	2
Other Causes	460	262	21	8	1	–	292	3	2	2	3	2	3	1	7	34	69	42

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
248.—SWAFFHAM.																		
Mean Popul^n, 1861–71	6784	180	158	177	159	182	856	866	812	674	508	750	700	644	509	320	128	17
TOTAL DEATHS	1340	339	63	35	28	22	487	50	30	34	40	60	63	74	108	181	158	55
Small-pox	6	2	–	–	1	–	3	2	–	–	1	–	–	–	–	–	–	–
Measles	9	1	3	2	–	1	7	1	–	–	–	–	1	–	–	–	–	–
Scarlatina	52	–	4	5	11	6	26	15	7	1	1	–	–	–	2	–	–	–
Diphtheria	19	1	1	1	2	2	7	8	3	–	–	1	–	–	–	–	–	–
Whooping-cough	20	9	5	3	–	1	18	2	–	–	–	–	–	–	–	–	–	–
Typhus	51	1	1	–	1	–	3	7	5	3	1	7	5	6	6	6	1	1
Diarrhœa & Dysentery	38	13	3	–	–	–	16	–	–	–	–	–	1	–	1	6	11	3
Cholera	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	–
Other Zymotic Dis.	29	5	1	1	1	2	10	–	1	2	1	–	–	2	5	5	3	–
Cancer	18	–	–	–	–	–	–	–	–	–	–	–	–	3	5	6	4	–
Scrofula and Tabes	44	22	5	4	2	1	34	–	1	2	2	1	–	–	–	4	–	–
Phthisis	112	2	1	–	–	1	4	2	3	11	20	28	18	13	6	7	–	–
Hydrocephalus	8	4	2	1	–	1	8	–	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	125	21	5	7	–	4	40	2	3	1	1	6	7	3	15	21	17	6
Dis. of Heart & Dropsy	93	–	–	–	–	–	–	–	2	4	3	1	3	8	17	30	21	1
Dis. of Lungs	195	51	18	8	7	–	84	3	–	1	3	3	6	16	15	36	20	8
Dis. of Stom. and Liver	65	6	1	1	1	1	10	1	–	3	2	2	8	8	14	9	7	1
Dis. of Kidneys	39	2	1	–	1	–	4	1	–	2	–	3	2	5	5	10	6	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	6	1	–	1	–	–	2	–	–	1	2	–	1	–	–	–	–	–
Dis. of Skin	5	1	–	–	–	–	1	–	1	–	–	1	–	–	1	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–
Other Violent Deaths	33	1	–	–	1	1	3	4	3	1	1	3	5	3	4	5	1	–
Other Causes	364	193	12	1	–	1	207	2	1	2	2	4	5	6	12	28	61	31
249.—THETFORD.																		
Mean Popul^n, 1861–71	9138	250	238	243	241	226	1198	1067	1044	921	648	1088	973	891	697	428	159	24
TOTAL DEATHS	1941	466	103	42	45	33	689	87	51	59	75	90	92	106	168	233	227	64
Small-pox	10	–	–	–	–	–	–	–	1	–	2	4	2	–	1	–	–	–
Measles	15	4	2	3	2	1	12	2	1	–	–	–	–	–	–	–	–	–
Scarlatina	75	3	3	5	12	13	36	21	6	8	2	1	–	1	–	–	–	–
Diphtheria	28	1	2	4	5	–	12	8	2	2	3	1	–	–	–	–	–	–
Whooping-cough	36	26	4	4	2	–	36	–	–	–	–	–	–	–	–	–	–	–
Typhus	37	1	1	1	2	–	5	6	2	5	4	4	1	1	6	3	–	–
Diarrhœa & Dysentery	52	18	8	1	4	1	32	4	–	1	1	–	–	2	5	2	5	–
Cholera	7	2	–	–	2	–	4	1	–	–	–	–	–	1	1	–	–	–
Other Zymotic Dis.	32	1	2	2	1	1	7	8	2	2	1	3	2	–	1	3	3	–
Cancer	21	–	–	–	–	–	–	–	–	–	–	–	1	–	9	4	4	3
Scrofula and Tabes	19	6	2	–	2	1	11	5	2	–	–	–	–	–	–	1	–	–
Phthisis	235	6	9	1	1	2	19	7	11	25	38	47	31	32	16	9	–	–
Hydrocephalus	21	10	4	1	2	–	17	3	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	163	37	6	2	–	2	47	3	4	3	3	3	5	18	19	38	18	2
Dis. of Heart & Dropsy	128	2	–	1	–	–	3	2	4	4	4	6	8	11	27	36	20	3
Dis. of Lungs	297	93	29	8	8	7	145	4	3	2	4	4	14	15	35	43	26	4
Dis. of Stom. and Liver	86	10	1	1	–	–	12	3	3	1	3	3	7	10	18	18	8	–
Dis. of Kidneys	56	1	–	1	–	–	2	2	2	–	1	3	5	2	10	20	7	2
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
Dis. of Joints	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
Dis. of Skin	3	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	5	–	–	–	–	–	–	–	–	–	–	–	1	3	–	1	–	–
Other Violent Deaths	82	3	3	3	1	2	12	4	6	5	5	8	11	4	12	7	8	–
Other Causes	529	211	27	4	1	3	276	4	–	1	4	1	4	8	8	46	127	50

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
248.—SWAFFHAM.																		
Mean Populn, 1861-71	6894	185	151	186	172	164	858	815	768	582	566	900	760	662	464	334	154	31
TOTAL DEATHS	1314	271	72	34	18	16	411	56	32	44	50	90	87	69	79	138	179	79
Small-pox	2	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
Measles	16	2	8	4	1	–	15	–	–	1	–	–	–	–	–	–	–	–
Scarlatina	45	1	9	7	4	6	27	13	3	–	1	–	–	–	1	–	–	–
Diphtheria	11	–	–	2	1	4	7	1	–	1	1	1	–	–	–	–	–	–
Whooping-cough	19	9	6	1	1	–	17	2	–	–	–	–	–	–	–	–	–	–
Typhus	60	1	–	1	1	1	4	10	10	5	5	9	5	7	2	2	1	–
Diarrhœa & Dysentery	33	13	1	–	–	–	14	–	–	2	1	–	–	–	1	4	9	2
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	20	1	–	1	3	–	5	2	1	2	–	–	6	–	1	1	2	–
Cancer	40	–	–	–	–	–	–	–	–	–	–	2	4	2	11	12	7	2
Scrofula and Tabes	38	24	3	2	–	–	29	3	–	1	1	2	–	1	1	–	–	–
Phthisis	151	2	2	2	–	2	8	8	10	17	25	37	28	12	5	1	–	–
Hydrocephalus	9	–	5	–	1	–	6	2	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	123	17	–	1	1	–	19	1	2	5	2	7	7	7	8	25	35	5
Dis. of Heart & Dropsy	92	–	–	–	–	–	–	2	1	–	2	3	9	6	20	34	14	1
Dis. of Lungs	178	40	19	7	3	2	71	4	3	2	1	7	10	11	9	21	33	6
Dis. of Stom. and Liver	65	1	–	–	–	–	1	2	–	2	2	3	5	10	10	14	12	4
Dis. of Kidneys	14	–	–	–	1	–	1	–	–	–	–	2	–	4	1	5	1	–
Dis. of Gener. Organs	7	–	–	–	–	–	–	–	–	–	–	1	1	3	1	–	1	–
Dis. of Joints	4	1	–	–	–	1	2	–	–	–	–	–	1	–	1	–	–	–
Dis. of Skin	4	2	–	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–
Childbirth and Metria	33	–	–	–	–	–	–	–	–	3	8	13	9	–	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
Other Violent Deaths	15	–	1	2	–	–	3	2	1	1	–	1	1	–	1	1	3	1
Other Causes	333	157	18	4	1	–	180	4	–	2	–	2	1	5	3	17	61	58
249.—THETFORD.																		
Mean Populn, 1861-71	9269	245	241	232	235	240	1193	1065	981	830	740	1218	1045	885	663	431	185	33
TOTAL DEATHS	1908	367	96	54	36	29	582	87	56	61	67	130	123	115	146	198	233	110
Small-pox	5	1	–	–	–	–	1	1	–	1	1	–	–	1	–	–	–	–
Measles	12	2	5	2	2	–	11	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	72	3	9	13	9	9	43	17	11	–	–	1	–	–	–	–	–	–
Diphtheria	35	1	1	2	2	4	10	13	7	1	–	–	2	2	–	–	–	–
Whooping cough	25	13	4	7	–	–	21	1	–	–	–	–	–	–	–	–	–	–
Typhus	36	–	2	1	–	–	3	9	7	2	3	6	3	2	–	1	–	–
Diarrhœa & Dysentery	43	11	9	1	1	–	25	1	1	–	–	2	1	1	1	4	6	1
Cholera	2	–	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Other Zymotic Dis.	42	5	1	5	2	1	14	3	1	4	–	–	3	4	6	4	3	–
Cancer	66	–	–	–	–	–	–	–	–	–	–	8	7	13	16	15	6	1
Scrofula and Tabes	24	6	3	1	2	1	13	1	–	1	2	–	2	2	1	2	–	–
Phthisis	318	9	4	1	–	3	17	17	22	40	43	71	42	35	21	10	–	–
Hydrocephalus	16	7	–	4	2	1	14	2	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	181	32	7	3	3	1	46	3	3	2	4	7	10	17	19	43	22	5
Dis. of Heart & Dropsy	130	6	–	–	–	1	7	2	–	1	3	7	14	6	30	31	23	6
Dis. of Lungs	224	71	26	6	8	4	115	8	2	4	1	5	7	13	22	25	16	6
Dis. of Stom. and Liver	90	7	1	3	1	3	15	4	1	2	2	4	14	7	12	18	10	1
Dis. of Kidneys	10	–	1	–	–	–	1	1	–	–	–	1	1	1	4	–	1	–
Dis. of Gener. Organs	13	–	–	–	–	–	–	–	–	–	–	4	2	1	5	1	–	–
Dis. of Joints	5	1	–	–	–	–	1	–	–	2	–	1	–	–	1	–	–	–
Dis. of Skin	7	–	–	–	–	–	–	–	–	1	–	–	1	1	2	2	–	–
Childbirth and Metria	29	–	–	–	–	–	–	–	–	–	6	11	10	2	–	–	–	–
Suicide	5	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	1	–
Other Violent Deaths	16	2	–	1	1	–	4	2	–	–	1	1	–	–	–	3	3	2
Other Causes	502	187	23	3	3	1	217	1	1	–	1	–	2	7	4	39	142	88

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
250.—HIGHWORTH.																		
Mean Popul^n, 1861–71	11576	368	318	313	323	303	1625	1441	1223	1234	1109	1638	1212	970	626	348	126	24
TOTAL DEATHS	2070	578	170	82	43	36	909	71	45	53	69	113	97	145	168	185	154	61
Small-pox	12	4	–	–	–	–	4	–	–	–	2	1	1	3	1	–	–	–
Measles	52	9	21	11	7	–	48	4	–	–	–	–	–	–	–	–	–	–
Scarlatina	82	5	11	13	10	13	52	17	9	2	–	1	–	–	1	–	–	–
Diphtheria	15	3	4	1	1	1	10	4	–	–	–	1	–	–	–	–	–	–
Whooping-cough	27	15	7	3	–	–	25	2	–	–	–	–	–	–	–	–	–	–
Typhus	104	5	5	4	2	2	18	16	7	8	12	10	6	9	11	7	–	–
Diarrhœa & Dysentery	49	22	6	1	–	–	29	2	–	–	–	–	1	–	1	2	3	2
Cholera	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Other Zymotic Dis.	46	4	4	3	1	3	15	4	1	3	2	3	5	7	2	4	–	–
Cancer	24	–	–	–	–	–	–	1	–	1	–	3	1	2	7	8	1	–
Scrofula and Tabes	51	20	10	2	3	4	39	2	1	1	1	4	–	–	2	1	–	–
Phthisis	193	7	7	2	1	1	18	2	3	21	29	49	25	30	9	6	1	–
Hydrocephalus	39	23	6	5	–	1	35	–	2	2	–	–	–	–	–	–	–	–
Dis. of Brain	237	79	13	7	3	1	103	5	7	2	7	4	11	6	28	31	21	9
Dis. of Heart & Dropsy	120	–	–	–	–	–	–	2	2	2	1	5	8	25	30	21	18	3
Dis. of Lungs	367	128	41	18	7	4	201	3	1	4	5	9	19	24	26	37	30	8
Dis. of Stom. and Liver	94	14	2	1	1	1	19	1	2	–	3	7	3	8	22	18	8	3
Dis. of Kidneys	51	–	–	–	–	1	1	–	–	–	–	4	4	7	12	17	6	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	7	–	–	–	–	–	–	1	1	1	2	–	–	1	1	–	–	–
Dis. of Skin	3	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	12	–	–	–	–	–	–	–	–	1	1	1	1	3	4	1	–	–
Other Violent Deaths	90	14	2	8	5	2	31	5	8	5	4	6	5	13	5	3	2	3
Other Causes	402	225	28	3	2	2	260	–	1	–	–	5	4	7	5	24	63	33
251.—CRICKLADE.																		
Mean Popul^n, 1861–71	5813	180	170	163	170	175	858	724	708	533	407	648	588	533	422	255	121	16
TOTAL DEATHS	1152	280	79	26	19	25	429	46	27	30	33	56	53	60	111	129	118	60
Small-pox	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Measles	10	1	3	4	1	1	10	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	44	2	8	3	2	5	20	18	4	1	1	–	–	–	–	–	–	–
Diphtheria	9	1	2	–	–	3	6	–	1	1	–	–	–	–	–	1	–	–
Whooping-cough	7	3	2	1	1	–	7	–	–	–	–	–	–	–	–	–	–	–
Typhus	42	–	–	1	1	2	4	5	4	5	3	3	5	3	5	3	2	–
Diarrhœa & Dysentery	25	16	3	–	2	1	22	–	–	–	–	–	–	–	1	–	1	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	37	6	4	6	2	2	20	1	–	–	–	1	–	4	1	9	–	1
Cancer	18	–	–	–	–	–	–	1	–	–	1	–	2	2	4	6	2	–
Scrofula and Tabes	21	7	1	–	–	–	8	2	3	2	1	3	–	–	1	1	–	–
Phthisis	99	1	1	1	–	1	4	2	5	12	14	29	12	8	9	4	–	–
Hydrocephalus	8	2	3	1	1	–	7	1	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	133	52	6	–	2	5	65	3	3	3	3	2	4	2	8	22	14	4
Dis. of Heart & Dropsy	77	–	2	–	–	–	2	1	–	–	1	5	3	11	18	22	14	–
Dis. of Lungs	192	70	23	4	5	2	104	3	–	3	6	2	6	10	22	20	12	4
Dis. of Stom. and Liver	86	10	–	2	–	–	12	2	–	1	1	3	12	13	17	13	8	4
Dis. of Kidneys	24	–	–	–	–	–	–	–	–	–	–	1	1	1	7	6	7	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	4	–	–	1	–	–	1	–	1	–	–	–	–	–	2	–	–	–
Dis. of Skin	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	6	–	–	–	–	–	–	–	–	–	1	1	–	1	3	–	–	–
Other Violent Deaths	53	7	5	2	2	3	19	6	5	1	–	4	4	4	6	3	–	1
Other Causes	254	102	16	–	–	–	118	1	1	–	–	2	3	1	7	19	58	44
252.—MALMSBURY.																		
Mean Popul^n, 1861–71	7196	211	189	218	197	196	1011	906	833	673	515	859	745	628	524	345	144	13
TOTAL DEATHS	1340	310	83	37	30	21	481	48	36	29	30	57	69	62	124	172	179	53
Small-pox	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Measles	24	3	14	2	2	1	22	1	1	–	–	–	–	–	–	–	–	–
Scarlatina	41	1	6	6	6	6	25	12	3	–	–	–	–	1	–	–	–	–
Diphtheria	5	–	–	–	1	1	2	2	–	–	–	1	–	–	–	–	–	–
Whooping-cough	19	10	4	2	2	1	19	–	–	–	–	–	–	–	–	–	–	–
Typhus	23	–	1	1	–	4	6	2	1	3	2	1	4	–	3	–	1	–
Diarrhœa & Dysentery	28	9	2	3	1	–	15	1	1	–	1	–	1	–	1	5	3	–
Cholera	4	2	–	–	–	–	2	–	–	–	–	–	–	1	–	1	–	–
Other Zymotic Dis.	57	11	2	4	4	3	24	8	2	2	2	2	1	1	5	7	3	–
Cancer	26	–	–	–	–	–	–	–	–	–	–	–	3	2	7	6	7	1
Scrofula and Tabes	34	15	4	2	–	–	21	1	2	3	1	1	2	–	2	1	–	–
Phthisis	110	4	–	–	–	–	4	1	7	8	17	27	22	8	11	4	1	–
Hydrocephalus	37	13	9	2	5	–	29	5	3	–	–	–	–	–	–	–	–	–
Dis. of Brain	131	29	13	4	1	–	47	–	1	4	1	5	6	13	13	22	19	–
Dis. of Heart & Dropsy	83	2	–	–	–	–	2	2	2	1	1	2	10	6	18	26	12	1
Dis. of Lungs	222	75	15	4	4	2	100	3	1	2	–	4	8	10	21	40	26	7
Dis. of Stom. and Liver	93	15	2	2	–	2	21	1	2	2	1	6	8	10	17	16	7	2
Dis. of Kidneys	36	–	–	–	–	–	–	–	–	–	–	3	2	–	8	11	10	2
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Dis. of Joints	5	–	–	–	–	–	–	1	1	–	–	–	–	–	2	1	–	–
Dis. of Skin	7	2	–	–	–	–	2	–	1	–	–	–	–	–	1	2	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–
Other Violent Deaths	64	12	3	2	3	1	21	6	6	3	1	2	2	6	5	7	3	2
Other Causes	285	107	8	3	1	–	119	2	2	1	3	1	–	2	9	22	86	38

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
250.—HIGHWORTH.																		
Mean Populn, 1861-71	10882	342	336	340	312	321	1651	1444	1198	941	877	1522	1245	896	592	357	139	20
TOTAL DEATHS	1946	456	171	78	45	23	773	67	49	63	80	129	129	112	128	189	161	66
Small-pox	7	3	–	–	1	–	4	–	1	1	–	1	–	–	–	–	–	–
Measles	49	7	23	10	6	1	47	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	68	4	8	13	12	6	43	18	4	2	–	–	1	–	–	–	–	–
Diphtheria	12	1	3	–	2	–	6	2	1	–	1	2	–	–	–	–	–	–
Whooping-cough	39	12	14	7	3	2	38	1	–	–	–	–	–	–	–	–	–	–
Typhus	97	5	3	4	2	3	17	13	17	8	11	10	6	6	4	3	2	–
Diarrhœa & Dysentery	59	28	7	4	–	2	41	–	–	1	–	1	3	2	2	2	7	–
Cholera	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	46	3	5	7	6	5	26	5	1	–	–	3	4	3	2	1	1	–
Cancer	50	–	–	1	–	–	1	–	–	–	–	1	16	11	11	9	1	–
Scrofula and Tabes	87	14	11	4	1	–	30	2	–	1	–	1	–	2	1	–	–	–
Phthisis	228	6	8	2	1	–	17	5	6	31	42	55	43	18	9	2	–	–
Hydrocephalus	21	8	5	2	–	–	15	4	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	183	58	11	5	1	1	76	3	2	4	5	6	10	9	20	26	17	5
Dis. of Heart & Dropsy	155	1	–	–	–	–	1	1	6	2	5	14	10	22	36	39	15	4
Dis. of Lungs	299	78	43	16	7	2	146	3	5	3	5	7	8	10	18	46	38	10
Dis. of Stom. and Liver	95	12	4	–	2	–	18	2	1	1	3	7	7	16	13	21	6	–
Dis. of Kidneys	16	–	–	–	–	–	–	1	1	–	–	1	2	1	2	5	3	–
Dis. of Gener. Organs	12	–	–	–	–	–	–	–	–	–	–	2	–	6	1	1	2	–
Dis. of Joints	7	1	–	–	–	–	1	–	–	1	–	2	1	2	–	–	–	–
Dis. of Skin	7	2	–	–	–	–	2	–	–	–	–	–	–	–	–	3	1	1
Childbirth and Metria	38	–	–	–	–	–	–	–	–	4	6	16	12	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Other Violent Deaths	35	11	2	2	1	1	17	3	–	3	–	–	3	–	3	3	3	–
Other Causes	384	202	24	1	–	–	227	1	2	1	1	–	3	4	6	28	65	46
251.—CRICKLADE.																		
Mean Populn, 1861-71	5986	163	168	171	161	160	823	761	675	546	461	761	652	518	400	258	114	17
TOTAL DEATHS	1090	189	73	40	26	19	317	43	22	33	40	72	56	62	80	137	141	57
Small-pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Measles	16	3	4	4	3	1	15	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	45	2	10	8	7	2	29	12	2	–	1	1	–	–	–	–	–	–
Diphtheria	7	–	–	1	–	1	2	3	–	–	1	1	–	–	–	–	–	–
Whooping-cough	15	4	7	2	–	–	13	1	1	–	–	–	–	–	–	–	–	–
Typhus	33	–	–	2	3	4	9	4	5	4	4	1	1	–	3	1	1	–
Diarrhœa & Dysentery	20	7	–	2	–	–	9	–	–	3	–	2	–	1	–	3	1	1
Cholera	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	34	4	7	4	3	2	20	1	–	2	–	1	–	1	2	2	5	–
Cancer	29	–	–	–	–	–	–	–	–	–	1	–	4	3	8	8	4	1
Scrofula and Tabes	22	2	1	2	2	2	9	2	1	1	2	–	3	1	1	2	–	–
Phthisis	122	–	1	–	1	–	2	4	5	16	20	37	16	14	7	1	–	–
Hydrocephalus	8	2	3	–	1	–	6	2	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	129	26	7	2	2	2	39	1	4	–	1	8	4	7	17	31	14	3
Dis. of Heart & Dropsy	83	1	–	1	–	–	2	1	2	1	2	3	8	13	15	19	15	2
Dis. of Lungs	158	45	18	10	2	4	79	6	1	4	2	–	5	5	6	26	20	4
Dis. of Stom. and Liver	68	4	1	–	2	–	7	–	–	1	1	8	2	10	12	21	6	–
Dis. of Kidneys	8	–	–	1	–	–	1	2	–	–	1	1	1	1	1	–	–	–
Dis. of Gener. Organs	7	–	–	–	–	–	–	–	–	–	–	–	2	2	3	–	–	–
Dis. of Joints	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
Dis. of Skin	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
Childbirth and Metria	21	–	–	–	–	–	–	–	–	1	4	8	8	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Other Violent Deaths	10	3	–	–	–	1	4	1	–	–	–	1	–	1	–	1	1	1
Other Causes	248	85	14	1	–	–	100	2	–	–	–	–	2	2	3	20	74	45
252.—MALMSBURY.																		
Mean Populn, 1861-71	7438	208	196	201	198	207	1010	937	848	657	581	927	803	665	522	329	135	24
TOTAL DEATHS	1259	198	69	41	39	19	366	49	25	48	44	73	76	77	107	153	182	59
Small-pox	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	23	4	8	5	3	1	21	1	1	–	–	–	–	–	–	–	–	–
Scarlatina	36	4	6	5	5	7	27	7	2	–	–	–	–	–	–	–	–	–
Diphtheria	4	–	–	1	–	1	2	2	–	–	–	–	–	–	–	–	–	–
Whooping-cough	28	4	13	7	1	1	26	2	–	–	–	–	–	–	–	–	–	–
Typhus	39	1	–	1	4	–	6	6	3	3	1	6	5	1	1	3	4	–
Diarrhœa & Dysentery	27	11	3	–	–	–	17	–	–	–	–	–	1	2	–	2	3	2
Cholera	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–
Other Zymotic Dis.	35	5	–	3	5	–	13	5	1	4	–	2	2	1	–	4	3	–
Cancer	46	–	–	–	–	–	–	–	–	–	–	3	5	12	15	7	4	–
Scrofula and Tabes	34	9	4	–	3	–	16	4	–	3	4	2	1	2	2	–	–	–
Phthisis	141	–	1	2	1	2	6	1	6	27	22	22	24	19	11	3	–	–
Hydrocephalus	23	4	2	2	3	2	13	6	2	2	–	–	–	–	–	–	–	–
Dis. of Brain	120	21	3	2	4	1	31	3	1	1	2	7	7	7	16	22	22	1
Dis. of Heart & Dropsy	115	–	–	1	–	–	1	1	2	2	1	5	7	9	25	35	21	3
Dis. of Lungs	157	32	20	5	8	–	65	4	2	1	1	6	3	7	17	29	16	6
Dis. of Stom. and Liver	70	9	1	1	–	–	11	3	–	3	2	4	12	9	9	10	5	2
Dis. of Kidneys	11	–	–	–	–	–	–	–	–	–	1	–	2	3	4	–	1	–
Dis. of Gener. Organs	8	–	–	–	–	–	–	–	–	–	–	2	–	1	3	1	1	–
Dis. of Joints	8	–	–	–	–	–	–	–	1	–	2	3	1	–	1	–	–	–
Dis. of Skin	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Childbirth and Metria	23	–	–	–	–	–	–	–	–	1	8	10	4	–	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
Other Violent Deaths	25	7	–	–	1	4	12	2	2	–	–	–	1	1	2	2	2	1
Other Causes	279	83	8	6	1	–	98	2	2	1	–	–	1	2	1	35	93	41

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
253.—CHIPPENHAM.																		
Mean Popul^n, 1861-71	10747	315	284	297	273	295	1464	1327	1270	1071	785	1288	1171	974	729	449	190	29
TOTAL DEATHS	2060	421	118	65	36	20	660	82	46	53	60	110	129	141	198	250	247	84
Small-pox	4	2	–	–	–	–	2	1	–	–	1	–	–	–	–	–	–	–
Measles	31	8	8	4	2	2	24	6	–	1	–	–	–	–	–	–	–	–
Scarlatina	41	–	4	8	8	3	24	14	3	1	–	–	–	–	–	–	–	–
Diphtheria	22	3	6	1	2	–	12	2	2	1	1	1	–	1	1	1	–	–
Whooping-cough	35	21	6	3	2	3	35	–	–	–	–	–	–	–	–	–	–	–
Typhus	39	4	4	2	1	1	12	18	12	9	8	10	6	7	7	9	1	–
Diarrhœa & Dysentery	55	30	3	3	1	1	38	2	1	–	–	–	1	–	3	6	4	–
Cholera	4	–	–	–	–	–	–	1	–	–	–	–	–	–	1	2	–	–
Other Zymotic Dis.	41	4	5	6	1	2	18	4	1	1	–	2	3	3	4	2	3	–
Cancer	28	–	–	–	–	–	–	–	–	–	–	–	4	2	8	7	7	–
Scrofula and Tabes	34	9	5	6	–	–	20	1	3	1	3	1	1	2	1	1	–	–
Phthisis	239	3	5	1	1	–	10	5	3	16	32	63	43	28	33	5	1	–
Hydrocephalus	26	8	9	3	2	–	22	2	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	254	51	15	8	1	2	77	8	2	6	3	4	13	24	27	47	33	10
Dis. of Heart & Dropsy	136	1	1	2	1	1	6	1	3	1	2	7	6	19	31	39	17	2
Dis. of Lungs	275	76	30	13	6	2	127	3	–	7	1	8	10	15	30	40	28	6
Dis. of Stom. and Liver	85	8	1	–	–	–	9	2	3	3	1	3	12	13	16	14	8	1
Dis. of Kidneys	42	–	–	–	1	–	1	2	–	–	2	1	4	2	10	12	7	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	14	–	–	1	1	–	2	1	2	2	–	–	2	1	2	2	–	–
Dis. of Skin	3	1	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	12	–	–	–	–	–	–	–	–	–	1	–	2	3	4	2	–	–
Other Violent Deaths	99	7	3	–	4	3	17	6	8	4	5	9	15	16	10	6	2	1
Other Causes	481	185	13	4	2	–	204	2	–	–	–	1	7	5	8	55	136	63
254.—CALNE.																		
Mean Popul^n, 1861-71	4391	130	114	121	125	113	603	516	564	404	312	493	470	395	307	216	98	13
TOTAL DEATHS	818	178	41	15	11	12	257	39	21	21	24	39	53	50	67	101	107	3
Small-pox	3	–	–	–	1	–	1	–	1	–	1	–	–	–	–	–	–	–
Measles	14	5	4	2	1	–	12	–	–	1	–	–	–	1	–	–	–	–
Scarlatina	23	–	4	1	2	3	10	6	6	–	–	–	–	1	–	–	–	–
Diphtheria	5	–	–	–	–	–	–	3	–	–	1	–	–	–	1	–	–	–
Whooping-cough	20	14	1	4	–	–	19	1	–	–	–	–	–	–	–	–	–	–
Typhus	24	–	–	1	–	4	5	5	1	5	1	2	1	2	–	1	1	–
Diarrhœa & Dysentery	21	10	3	–	–	1	14	–	–	–	–	–	–	–	1	1	4	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	19	4	1	–	1	2	8	1	1	3	–	–	2	–	3	–	1	–
Cancer	12	–	–	–	–	–	–	–	–	–	–	–	–	2	3	4	2	1
Scrofula and Tabes	23	2	3	–	4	1	10	2	2	2	1	1	5	–	–	–	–	–
Phthisis	65	1	3	–	–	–	4	4	1	1	12	13	20	7	3	–	–	–
Hydrocephalus	19	8	5	2	1	1	17	1	–	1	–	–	–	–	–	–	–	–
Dis. of Brain	101	20	3	–	–	–	23	5	1	2	1	3	3	14	14	16	16	5
Dis. of Heart & Dropsy	67	–	–	–	–	–	–	3	1	2	1	3	1	5	11	22	16	5
Dis. of Lungs	131	40	8	4	1	–	53	1	1	1	1	3	5	8	16	19	18	1
Dis. of Stom. and Liver	40	3	–	–	–	–	3	1	1	–	2	5	8	6	6	7	1	–
Dis. of Kidneys	22	–	–	–	–	–	–	–	–	–	–	2	3	2	2	7	6	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	3	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–
Dis. of Skin	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
Other Violent Deaths	40	6	2	–	–	–	8	6	4	3	1	3	3	–	5	3	3	–
Other Causes	163	65	4	1	–	–	70	–	1	–	1	1	2	2	2	20	38	2
255.—MARLBOROUGH.																		
Mean Popul^n, 1861-71	5124	120	118	127	117	124	606	609	800	723	352	535	487	414	315	203	73	[illegible]
TOTAL DEATHS	964	217	55	27	18	16	333	44	26	32	26	44	46	61	85	133	105	2
Small-pox	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
Measles	16	7	3	4	–	1	15	–	1	–	–	–	–	–	–	–	–	
Scarlatina	54	1	5	3	5	9	23	15	7	6	2	–	–	1	–	–	–	
Diphtheria	7	1	–	3	–	–	4	1	1	1	–	–	–	–	–	–	–	
Whooping-cough	22	11	3	1	4	1	20	2	–	–	–	–	–	–	–	–	–	
Typhus	33	–	–	1	–	1	2	4	3	3	1	4	4	4	3	5	–	
Diarrhœa & Dysentery	16	6	2	1	–	–	9	–	–	–	–	1	1	–	1	2	1	
Cholera	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	
Other Zymotic Dis.	17	2	2	1	1	1	7	1	1	2	–	–	–	2	2	1	1	
Cancer	11	–	–	–	–	–	–	–	–	1	–	–	–	2	4	1	3	
Scrofula and Tabes	32	7	3	1	3	–	14	6	1	1	3	2	1	–	4	–	–	
Phthisis	77	–	1	–	–	–	1	5	2	6	13	21	13	8	8	–	–	
Hydrocephalus	20	7	8	2	–	–	17	3	–	–	–	–	–	–	–	–	–	
Dis. of Brain	100	26	4	2	3	–	35	1	2	1	1	2	4	5	11	22	12	
Dis. of Heart & Dropsy	56	–	–	1	–	–	1	1	–	2	–	2	2	12	9	20	7	
Dis. of Lungs	143	34	9	2	1	2	48	1	–	1	–	6	10	7	22	26	19	
Dis. of Stom. & Liver	66	5	2	–	–	–	7	–	1	3	2	2	5	8	12	23	2	
Dis. of Kidneys	19	–	–	–	–	–	–	1	–	1	1	1	1	3	4	5	2	
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Dis. of Joints	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	
Dis. of Skin	2	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
Other Violent Deaths	47	10	3	3	1	1	18	3	6	2	2	2	2	5	3	3	1	
Other Causes	221	100	10	2	–	–	112	–	1	1	1	1	1	2	1	24	57	

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
253.—CHIPPENHAM.																		
Mean Popul^n, 1861–71	11184	288	305	304	278	302	1477	1340	1240	943	875	1450	1284	1054	769	506	213	33
TOTAL DEATHS	2061	322	103	60	32	31	518	68	49	69	73	154	139	129	170	274	282	106
Small-pox	5	3	–	–	–	–	3	–	–	1	–	–	1	–	–	–	–	–
Measles	27	3	12	4	2	2	23	3	1	–	–	–	–	–	–	–	–	–
Scarlatina	51	2	3	14	8	6	33	10	3	1	2	1	1	–	–	–	–	–
Diphtheria	19	1	1	1	1	3	7	10	2	–	–	–	–	–	–	–	–	–
Whooping-cough	39	23	7	4	1	1	36	2	1	–	–	–	–	–	–	–	–	–
Typhus	114	–	5	2	4	4	15	13	14	7	8	13	11	5	8	16	4	–
Diarrhœa & Dysentery	41	26	3	–	1	–	30	–	–	1	1	–	–	2	2	3	3	2
Cholera	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	45	12	4	6	2	4	28	1	–	–	1	2	2	1	1	2	6	1
Cancer	60	–	–	–	–	–	–	–	–	–	–	4	10	9	14	16	7	–
Scrofula and Tabes	33	6	4	–	2	1	13	3	3	4	4	4	1	1	–	–	–	–
Phthisis	269	2	4	–	–	–	6	2	9	34	33	81	54	31	17	2	–	–
Hydrocephalus	23	6	5	4	2	1	18	4	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	271	49	18	10	2	2	81	9	6	9	6	4	7	15	32	55	38	9
Dis. of Heart & Dropsy	158	1	–	–	–	1	2	2	2	–	6	9	9	23	37	40	27	1
Dis. of Lungs	267	60	23	10	5	2	100	3	4	3	2	6	10	10	30	56	37	6
Dis. of Stom. and Liver	103	5	1	–	–	–	6	1	–	2	3	9	14	24	16	16	12	–
Dis. of Kidneys	12	1	–	–	–	–	1	–	–	–	–	1	5	1	2	1	1	–
Dis. of Gener. Organs	9	–	–	–	–	–	–	–	–	–	–	2	1	2	2	1	1	–
Dis. of Joints	8	–	–	–	–	–	–	1	–	2	–	1	–	–	2	1	1	–
Dis. of Skin	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Childbirth and Metria	28	–	–	–	–	–	–	–	–	–	5	13	10	–	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
Other Violent Deaths	30	10	4	3	2	1	20	2	2	1	2	1	–	–	1	1	–	–
Other Causes	441	111	8	2	–	3	124	2	1	4	–	3	3	5	5	64	143	87
254.—CALNE.																		
Mean Popul^n, 1861–71	4513	132	111	118	107	102	570	545	470	379	321	586	528	436	333	232	103	10
TOTAL DEATHS	815	123	47	20	15	10	215	19	21	23	35	47	55	47	83	97	138	35
Small-pox	8	3	–	1	–	–	4	–	1	1	–	2	–	–	–	–	–	–
Measles	13	2	4	3	1	1	11	1	1	–	–	–	–	–	–	–	–	–
Scarlatina	24	1	4	4	1	4	14	8	1	–	–	–	–	1	–	–	–	–
Diphtheria	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Whooping-cough	15	10	2	–	3	–	15	–	–	–	–	–	–	–	–	–	–	–
Typhus	11	–	–	–	–	–	–	1	6	2	–	1	–	–	2	1	1	–
Diarrhœa & Dysentery	17	10	2	1	–	1	14	–	–	–	–	–	1	–	–	1	–	1
Cholera	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
Other Zymotic Dis.	15	2	1	3	3	–	9	–	1	–	–	–	2	1	–	1	1	–
Cancer	28	–	–	–	–	–	–	–	–	–	–	–	7	7	8	3	3	–
Scrofula and Tabes	22	3	7	–	–	–	10	–	1	1	3	3	2	–	–	2	–	–
Phthisis	83	–	–	–	–	1	1	–	5	14	20	22	13	6	2	–	–	–
Hydrocephalus	12	2	5	2	–	1	10	1	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	108	12	2	–	4	–	18	2	1	–	4	4	3	9	10	27	25	5
Dis. of Heart & Dropsy	89	–	–	–	–	–	–	1	1	2	–	1	6	6	22	26	20	4
Dis. of Lungs	105	19	13	2	–	1	35	1	–	1	1	5	8	1	16	10	22	5
Dis. of Stom. and Liver	37	3	–	–	–	–	3	1	–	1	–	1	2	10	11	4	4	–
Dis. of Kidneys	14	–	–	1	–	–	1	1	–	–	2	1	1	3	3	1	1	–
Dis. of Gener. Organs	4	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–
Dis. of Joints	3	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–
Dis. of Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	22	–	–	–	–	–	–	–	–	1	5	7	9	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Other Violent Deaths	16	3	1	1	2	1	8	1	–	–	–	–	–	–	1	3	2	1
Other Causes	162	53	6	2	1	–	62	–	–	–	–	–	1	1	3	17	59	19
255.—MARLBOROUGH.																		
Mean Popul^n, 1861–71	4756	112	123	125	119	122	601	575	539	472	395	632	543	416	296	196	78	13
TOTAL DEATHS	905	168	55	28	16	18	285	33	22	27	36	50	58	64	64	137	92	37
Small-pox	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	17	5	5	3	2	2	17	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	33	–	2	2	4	5	13	15	2	2	–	1	–	–	–	–	–	–
Diphtheria	9	–	1	1	2	–	4	3	1	1	–	–	–	–	–	–	–	–
Whooping-cough	7	4	–	1	1	1	7	–	–	–	–	–	–	–	–	–	–	–
Typhus	24	–	–	–	–	–	–	1	3	4	5	3	3	2	2	1	–	–
Diarrhœa & Dysentery	11	5	2	–	–	1	8	–	–	–	–	–	–	–	1	1	–	1
Cholera	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	16	2	4	1	–	3	10	–	–	2	–	–	1	1	1	–	1	–
Cancer	22	–	–	–	1	–	1	–	–	–	–	–	3	8	5	4	1	–
Scrofula and Tabes	38	11	6	5	1	1	24	3	2	2	1	3	1	1	1	–	–	–
Phthisis	109	1	1	4	1	1	8	2	8	10	14	26	25	13	2	1	–	–
Hydrocephalus	15	5	4	3	1	–	13	1	–	–	–	–	–	–	–	1	–	–
Dis. of Brain	92	18	3	1	1	–	23	–	3	2	5	4	1	7	11	26	8	2
Dis. of Heart & Dropsy	76	2	–	–	–	–	2	3	–	1	3	2	7	9	14	29	6	–
Dis. of Lungs	131	21	14	3	1	2	41	1	3	1	1	4	4	8	9	38	18	3
Dis. of Stom. and Liver	50	3	–	1	–	–	4	3	–	–	1	1	8	8	11	11	3	–
Dis. of Kidneys	5	–	–	–	–	–	–	–	–	–	1	–	–	1	2	1	–	–
Dis. of Gener. Organs	3	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–
Dis. of Joints	4	–	–	–	–	–	–	–	–	1	1	–	1	1	–	–	–	–
Dis. of Skin	4	2	1	–	–	–	3	–	–	–	–	–	–	–	–	–	1	–
Childbirth and Metria	11	–	–	–	–	–	–	–	–	–	3	5	3	–	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
Other Violent Deaths	15	7	–	2	1	1	11	1	–	1	–	–	–	–	–	–	2	–
Other Causes	209	80	12	1	–	1	94	–	–	–	–	–	–	4	4	24	52	81

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
256.—DEVIZES.																		
Mean Popul^n, 1861–71	10474	259	260	261	275	273	1328	1294	1203	1064	747	1211	1157	1024	782	461	184	19
TOTAL DEATHS	2237	377	113	50	29	26	595	76	35	67	67	158	193	174	228	318	263	63
Small-pox	10	2	–	–	–	1	3	–	–	2	2	2	1	–	–	–	–	–
Measles	26	5	8	4	5	1	23	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	50	1	–	8	6	6	21	17	5	4	1	–	–	2	–	–	–	–
Diphtheria	9	1	1	2	–	1	5	3	–	1	–	–	–	–	–	–	–	–
Whooping-cough	31	17	10	1	1	1	30	1	–	–	–	–	–	–	–	–	–	–
Typhus	50	–	1	1	1	3	6	9	3	8	5	4	4	–	2	7	2	–
Diarrhœa & Dysentery	53	17	5	4	–	3	29	–	1	–	2	2	2	2	3	4	8	–
Cholera	3	1	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–
Other Zymotic Dis.	37	3	1	6	4	–	14	–	1	3	2	–	2	3	3	7	2	–
Cancer	28	–	–	–	–	–	–	–	–	–	–	–	3	3	7	7	6	2
Scrofula and Tabes	42	9	1	3	1	–	14	3	2	6	3	3	3	5	2	–	1	–
Phthisis	263	1	7	1	–	1	10	6	2	20	31	61	61	33	29	10	–	–
Hydrocephalus	25	7	9	1	2	1	20	4	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	411	75	15	9	2	4	105	9	5	5	6	33	47	43	42	69	41	3
Dis. of Heart & Dropsy	170	2	1	–	–	1	4	3	1	1	5	9	11	19	35	52	28	2
Dis. of Lungs	342	61	33	4	5	2	105	4	2	8	5	12	13	20	53	64	55	6
Dis. of Stom. and Liver	116	12	–	1	1	–	14	–	–	5	4	7	15	15	18	21	13	1
Dis. of Kidneys	51	–	–	–	–	–	–	1	1	–	1	2	5	10	9	17	5	–
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
Dis. of Joints	6	–	–	–	–	–	–	1	–	2	–	1	–	–	1	1	–	–
Dis. of Skin	11	5	–	–	–	–	5	–	1	1	–	–	–	1	2	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	15	–	–	–	–	–	–	–	–	–	–	2	5	–	4	3	1	–
Other Violent Deaths	92	7	2	1	1	1	12	10	10	5	–	16	7	8	7	10	7	–
Other Causes	388	151	19	4	–	–	174	2	–	1	–	1	11	9	11	40	90	49
257.—MELKSHAM.																		
Mean Popul^n, 1861–71	8278	250	227	226	208	208	1119	983	1008	827	626	981	864	718	575	406	154	17
TOTAL DEATHS	1950	439	127	78	49	23	716	83	28	49	48	104	118	107	155	262	222	58
Small-pox	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Measles	48	11	20	13	3	–	47	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	96	8	11	17	13	8	57	33	3	1	1	–	1	–	–	–	–	–
Diphtheria	6	2	–	1	–	–	3	2	1	–	–	–	–	–	–	–	–	–
Whooping-cough	41	25	8	5	1	2	41	–	–	–	–	–	–	–	–	–	–	–
Typhus	63	2	4	3	3	3	15	7	7	9	4	3	8	5	1	2	2	–
Diarrhœa & Dysentery	60	39	6	2	1	–	48	–	–	–	–	–	1	–	1	3	6	1
Cholera	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	49	8	2	2	5	–	17	5	1	3	1	3	2	2	3	5	5	2
Cancer	23	–	–	–	1	–	1	–	–	1	–	–	–	2	5	7	6	1
Scrofula and Tabes	43	14	9	3	1	–	27	5	–	2	3	2	1	1	2	–	–	–
Phthisis	179	1	1	–	–	–	2	2	2	10	18	50	44	33	13	5	–	–
Hydrocephalus	20	4	2	4	3	3	16	3	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	262	63	11	9	7	1	93	9	2	5	6	8	8	8	23	64	39	3
Dis. of Heart & Dropsy	143	–	1	–	–	–	1	1	1	4	3	10	17	22	27	34	20	3
Dis. of Lungs	349	96	29	11	6	3	145	4	1	5	4	3	15	14	30	66	49	11
Dis. of Stom. and Liver	122	23	–	–	1	–	24	1	3	3	2	13	11	7	19	27	11	1
Dis. of Kidneys	54	–	–	–	–	–	–	–	–	1	1	2	3	5	7	17	13	5
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	11	–	1	–	–	–	1	–	1	2	–	2	–	–	2	1	2	–
Dis. of Skin	3	2	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	9	–	–	–	–	–	–	–	–	–	1	2	–	2	2	1	1	–
Other Violent Deaths	82	14	3	4	2	1	24	9	5	3	2	4	5	4	10	11	5	–
Other Causes	285	121	19	4	2	1	147	1	–	–	2	2	2	2	7	19	72	31
258.—BRADFORD.																		
Mean Popul^n, 1861–71	5012	128	133	136	145	126	668	626	634	454	338	544	544	457	378	256	104	9
TOTAL DEATHS	973	163	58	29	17	13	280	25	21	17	30	49	54	72	93	159	134	39
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	10	2	7	–	–	1	10	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	29	2	7	5	6	5	25	2	1	–	–	1	–	–	–	–	–	–
Diphtheria	5	1	–	–	1	1	3	1	1	–	–	–	–	–	–	–	–	–
Whooping-cough	12	7	1	2	1	–	11	1	–	–	–	–	–	–	–	–	–	–
Typhus	27	–	1	1	1	1	4	1	2	3	3	1	1	3	3	5	1	–
Diarrhœa & Dysentery	27	16	1	1	1	–	19	–	–	–	–	–	–	–	1	5	2	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	24	2	1	4	–	–	7	2	2	–	–	1	1	1	4	3	3	–
Cancer	12	–	1	–	–	–	1	–	–	–	–	–	–	2	1	3	5	–
Scrofula and Tabes	24	3	4	1	1	–	9	3	2	1	3	3	2	1	–	–	–	–
Phthisis	86	–	2	–	–	–	2	2	2	5	14	22	19	14	3	3	–	–
Hydrocephalus	7	1	1	–	2	1	5	2	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	114	19	4	2	1	1	27	2	3	2	2	3	4	8	8	29	23	3
Dis. of Heart & Dropsy	90	–	–	–	–	–	–	1	1	1	1	7	2	9	18	32	14	4
Dis. of Lungs	170	41	12	8	2	1	64	3	–	2	2	2	6	13	23	34	17	4
Dis. of Stom. and Liver	80	3	–	1	–	–	4	1	1	2	2	5	12	13	15	17	8	–
Dis. of Kidneys	18	–	–	1	–	–	1	–	–	–	–	–	–	1	4	4	6	2
Dis. of Gener. Organs	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	6	–	–	–	–	–	–	–	1	–	1	1	–	–	–	1	2	–
Dis. of Skin	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	6	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	–	–
Other Violent Deaths	42	4	2	2	–	–	8	4	5	1	1	3	5	3	7	1	4	–
Other Causes	182	62	14	1	1	1	79	–	–	–	1	–	1	3	5	19	48	26

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
256.—DEVIZES.																		
Mean Popul^n, 1861–71	10991	268	250	238	244	261	1311	1356	1166	945	816	1395	1275	1097	821	550	226	33
TOTAL DEATHS	2288	295	81	27	35	27	465	86	41	64	77	160	177	170	255	347	340	106
Small-pox	4	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	1	–
Measles	20	2	9	2	3	4	20	7	1	–	1	–	–	–	–	–	–	–
Scarlatina	35	1	9	4	6	6	26	22	3	2	1	1	–	–	–	–	–	–
Diphtheria	7	–	1	1	–	1	3	1	–	3	–	–	–	–	–	–	–	–
Whooping-cough	51	30	8	4	5	2	49	2	–	–	–	–	–	–	–	–	–	–
Typhus	61	–	–	1	1	4	6	18	8	8	2	7	4	–	4	3	1	–
Diarrhœa & Dysentery	37	10	2	–	–	2	14	1	–	1	–	2	1	1	4	6	6	1
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Other Zymotic Dis.	31	5	2	–	2	1	10	2	–	1	2	–	2	1	3	5	5	–
Cancer	74	–	–	–	–	–	–	–	–	–	–	1	6	21	20	20	6	–
Scrofula and Tabes	41	1	6	–	1	4	12	4	2	–	2	7	4	1	4	4	1	–
Phthisis	380	1	2	1	1	–	5	8	14	29	31	65	69	43	24	9	–	–
Hydrocephalus	16	3	4	1	2	1	11	–	2	3	–	–	–	–	–	–	–	–
Dis. of Brain	384	50	5	8	5	–	68	11	3	5	8	26	20	35	60	76	65	7
Dis. of Heart & Dropsy	213	3	–	–	–	–	3	1	2	4	4	6	15	24	43	67	39	5
Dis. of Lungs	322	52	20	4	6	–	82	3	–	1	7	13	11	20	42	76	57	10
Dis. of Stom. and Liver	100	10	–	–	1	1	12	1	1	2	3	8	12	8	22	20	9	2
Dis. of Kidneys	23	–	–	–	–	1	1	–	1	1	1	4	2	2	3	6	2	–
Dis. of Gener. Organs	11	–	–	–	–	–	–	–	–	–	–	2	1	2	2	4	–	–
Dis. of Joints	12	–	–	–	–	–	–	2	2	–	1	1	1	4	–	1	–	–
Dis. of Skin	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Childbirth and Metria	33	–	–	–	–	–	–	–	–	1	4	14	16	1	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Other Violent Deaths	32	6	1	–	1	–	8	–	2	–	–	1	2	1	7	3	5	3
Other Causes	444	120	12	1	1	–	134	3	–	3	4	2	11	6	16	44	143	78
257.—MELKSHAM.																		
Mean Popul^n, 1861–71	9547	246	229	207	244	215	1141	1080	976	974	857	1273	1097	838	667	454	175	15
TOTAL DEATHS	1949	317	139	67	44	24	582	71	37	54	54	114	126	103	179	300	254	66
Small-pox	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Measles	45	9	18	10	4	1	42	1	–	–	–	1	1	–	–	–	–	–
Scarlatina	107	5	17	11	18	10	61	31	8	5	1	1	–	–	–	–	–	–
Diphtheria	10	1	–	1	2	1	5	2	2	1	–	–	–	–	–	–	–	–
Whooping-cough	42	21	10	6	4	–	41	1	–	–	–	–	–	–	–	–	–	–
Typhus	61	3	–	2	2	4	11	10	9	12	8	3	6	2	2	1	–	–
Diarrhœa & Dysentery	59	39	4	2	–	–	45	1	–	2	–	–	–	–	–	6	3	2
Cholera	4	1	–	–	–	–	1	–	–	–	–	–	1	–	–	1	1	–
Other Zymotic Dis.	34	6	4	2	1	–	13	2	1	2	1	–	3	3	–	5	4	–
Cancer	30	–	–	–	–	–	–	–	–	–	–	–	10	8	10	17	5	–
Scrofula and Tabes	21	7	5	1	1	–	14	–	1	2	1	1	1	–	–	–	1	–
Phthisis	268	3	3	2	–	1	9	2	6	22	33	61	35	21	14	4	–	–
Hydrocephalus	12	3	5	2	–	1	11	1	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	270	59	11	4	4	2	71	10	2	3	1	10	12	16	35	53	49	8
Dis. of Heart & Dropsy	163	2	–	–	–	1	3	1	–	–	3	4	19	17	38	55	23	–
Dis. of Lungs	350	56	36	16	5	2	115	4	1	–	–	10	12	14	48	93	47	6
Dis. of Stom. and Liver	99	5	2	–	1	1	9	3	2	2	1	8	9	15	15	17	17	1
Dis. of Kidneys	15	–	–	–	–	–	–	–	–	–	–	1	2	1	4	6	1	–
Dis. of Gener. Organs	11	–	–	–	–	–	–	–	–	–	–	1	2	2	3	2	1	–
Dis. of Joints	7	–	1	–	1	–	2	–	1	–	2	–	1	–	1	–	–	–
Dis. of Skin	7	4	–	–	–	–	4	–	–	–	–	1	1	–	–	–	1	–
Childbirth and Metria	21	–	–	–	–	–	–	–	–	–	2	11	8	–	–	–	–	–
Suicide	5	–	–	–	–	–	–	–	–	2	–	1	–	–	–	1	1	–
Other Violent Deaths	34	11	2	1	–	–	14	2	2	–	–	–	2	1	3	1	5	4
Other Causes	301	91	12	7	1	–	111	–	2	–	1	–	–	3	6	38	95	45
258.—BRADFORD.																		
Mean Popul^n, 1861–71	5549	135	128	132	124	129	648	676	577	517	410	683	639	543	414	306	119	17
TOTAL DEATHS	1078	139	45	31	26	20	261	39	20	42	34	65	72	64	97	154	183	47
Small-pox	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Measles	12	2	5	2	–	1	10	–	–	–	–	1	1	–	–	–	–	–
Scarlatina	31	1	2	7	5	2	17	10	–	2	–	1	1	–	–	–	–	–
Diphtheria	9	–	–	2	1	2	5	2	–	–	1	1	–	–	–	–	–	–
Whooping-cough	19	8	2	1	3	2	16	3	–	–	–	–	–	–	–	–	–	–
Typhus	36	–	–	1	2	2	5	7	6	5	2	3	1	2	1	1	3	–
Diarrhœa & Dysentery	28	13	1	–	1	–	15	–	–	–	–	–	–	2	–	4	7	–
Cholera	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	16	–	–	4	1	1	6	1	1	2	1	–	–	1	–	2	2	–
Cancer	28	–	–	–	–	–	–	–	1	–	–	–	4	7	6	7	2	1
Scrofula and Tabes	20	1	1	–	–	1	3	2	–	3	1	6	2	1	1	1	–	–
Phthisis	91	–	3	1	–	–	4	–	7	12	17	28	13	5	4	1	–	–
Hydrocephalus	10	4	–	2	1	3	10	–	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	137	19	4	1	2	–	26	6	–	5	4	3	7	11	12	27	33	3
Dis. of Heart & Dropsy	101	–	2	–	1	–	3	2	–	2	1	3	10	6	18	30	23	3
Dis. of Lungs	167	15	14	6	4	3	42	2	1	1	–	3	8	10	22	40	33	5
Dis. of Stom. and Liver	92	4	–	–	–	–	4	1	1	4	2	5	13	15	20	16	10	1
Dis. of Kidneys	8	–	–	–	1	–	1	–	–	–	–	1	–	1	1	3	1	–
Dis. of Gener. Organs	15	–	–	–	–	–	–	–	–	–	–	1	2	2	6	4	–	–
Dis. of Joints	4	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–
Dis. of Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	15	–	–	–	–	–	–	–	–	–	4	7	4	–	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Other Violent Deaths	22	2	–	1	2	2	7	3	2	3	–	1	2	1	1	–	1	1
Other Causes	212	70	10	3	2	1	86	–	–	–	–	–	3	–	4	18	68	33

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
259.—WESTBURY.																		
Mean Popul^n, 1861-71	5702	155	137	151	154	152	749	717	640	544	412	643	596	532	443	293	121	12
TOTAL DEATHS	1204	276	64	41	12	19	412	46	28	35	32	46	68	67	92	174	162	42
Small-pox	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
Measles	18	3	8	4	1	1	17	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	46	5	6	8	2	3	24	17	5	-	-	-	-	-	-	-	-	-
Diphtheria	4	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-
Whooping-cough	6	5	1	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-
Typhus	21	-	1	1	1	-	3	1	3	3	3	-	5	2	-	1	-	-
Diarrhœa & Dysentery	34	27	3	1	-	-	31	1	-	-	-	-	-	1	-	-	1	-
Cholera	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	17	1	2	3	2	2	10	1	-	-	-	1	1	1	1	1	1	-
Cancer	21	-	-	-	-	-	-	-	-	-	-	-	1	2	5	10	2	1
Scrofula and Tabes	21	4	2	2	-	-	8	2	1	5	2	2	1	-	-	-	-	-
Phthisis	93	-	-	-	-	-	-	1	2	11	10	22	19	15	9	4	-	-
Hydrocephalus	13	2	4	3	1	1	11	2	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	130	26	6	2	-	4	38	3	3	3	3	-	7	8	11	28	24	2
Dis. of Heart & Dropsy	116	1	-	-	-	-	1	1	3	3	1	4	10	9	23	47	14	-
Dis. of Lungs	175	50	18	12	3	2	85	3	-	2	2	4	8	8	14	27	20	2
Dis. of Stom. and Liver	74	4	1	-	-	2	7	-	1	2	3	4	3	10	17	18	9	-
Dis. of Kidneys	36	1	-	-	-	1	2	1	2	3	1	1	3	1	5	8	5	4
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	5	-	-	1	-	-	1	-	1	-	-	-	1	1	-	-	1	-
Dis. of Skin	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-
Other Violent Deaths	63	15	1	3	2	2	23	4	6	1	5	7	5	4	3	3	2	-
Other Causes	302	132	11	1	-	1	145	3	1	2	-	1	2	2	4	27	83	32
260.—WARMINSTER.																		
Mean Popul^n, 1861-71	7605	213	181	190	201	199	984	964	934	790	509	839	800	710	560	356	141	18
TOTAL DEATHS	1410	280	82	37	23	20	442	37	25	33	44	76	82	91	121	208	204	47
Small-pox	3	2	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-
Measles	18	3	7	3	-	2	15	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	24	-	1	5	4	4	14	5	1	1	1	1	-	1	-	-	-	-
Diphtheria	6	2	-	-	2	1	5	-	-	1	-	-	-	-	-	-	-	-
Whooping-cough	12	4	5	1	1	1	12	-	-	-	-	-	-	-	-	-	-	-
Typhus	21	-	-	-	-	1	1	4	-	4	3	1	1	3	2	2	-	-
Diarrhœa & Dysentery	18	4	1	-	2	1	8	-	-	-	-	1	-	-	2	1	4	2
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	40	4	5	6	2	1	18	3	4	2	-	2	3	2	2	3	1	-
Cancer	25	-	-	-	-	-	-	-	-	-	-	-	1	6	5	7	5	1
Scrofula and Tabes	46	8	10	1	2	2	23	-	5	3	3	4	-	1	1	6	-	-
Phthisis	142	1	-	-	1	-	2	3	2	9	23	42	31	23	6	1	-	-
Hydrocephalus	30	9	8	4	-	-	21	7	2	-	-	-	-	-	-	-	-	-
Dis. of Brain	170	37	10	3	2	2	54	1	2	1	2	5	9	14	16	30	34	2
Dis. of Heart & Dropsy	142	-	-	-	-	-	-	-	-	2	3	7	9	12	32	47	27	3
Dis. of Lungs	242	57	22	5	3	1	88	4	-	3	2	2	7	13	25	51	40	7
Dis. of Stom. and Liver	101	9	2	2	2	1	16	4	3	3	1	5	11	7	10	24	17	-
Dis. of Kidneys	34	-	-	-	-	-	-	-	1	1	1	2	4	3	4	9	6	3
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	3	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-
Dis. of Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-
Other Violent Deaths	61	11	3	4	2	2	22	1	5	2	3	2	5	3	8	4	6	-
Other Causes	266	128	8	3	-	1	140	2	-	-	-	1	1	3	4	23	63	29
261.—PEWSEY.																		
Mean Popul^n, 1861-71	6147	160	177	175	173	165	850	765	734	614	442	699	622	558	453	289	111	10
TOTAL DEATHS	1210	269	81	28	25	18	421	54	30	28	37	55	56	73	99	163	158	36
Small-pox	2	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Measles	15	3	4	2	1	-	10	2	1	1	-	-	-	-	-	-	-	-
Scarlatina	44	2	3	3	6	7	21	17	4	-	-	1	-	1	-	-	-	-
Diphtheria	7	1	1	1	-	-	3	4	-	-	-	-	-	-	-	-	-	-
Whooping-cough	24	12	7	2	3	-	24	-	-	-	-	-	-	-	-	-	-	-
Typhus	33	-	1	1	-	2	4	6	3	1	6	2	2	5	4	-	-	-
Diarrhœa & Dysentery	36	17	2	-	1	-	20	2	-	-	2	-	-	1	1	4	6	-
Cholera	3	1	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-
Other Zymotic Dis.	29	2	1	1	3	1	8	3	2	2	-	-	3	2	-	6	3	-
Cancer	10	-	-	-	-	-	-	-	-	-	-	1	1	3	1	2	1	1
Scrofula and Tabes	17	3	4	-	4	-	11	-	2	1	-	1	1	1	-	-	-	-
Phthisis	124	4	-	1	-	-	5	4	-	11	20	25	23	12	14	2	7	1
Hydrocephalus	28	10	9	4	2	2	27	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	134	23	5	1	2	1	32	5	4	1	3	6	2	13	12	31	23	2
Dis. of Heart & Dropsy	92	-	-	-	-	-	-	1	2	1	1	3	8	9	19	37	9	2
Dis. of Lungs	201	59	23	4	1	2	91	2	-	3	1	5	6	6	25	32	25	5
Dis. of Stom. and Liver	47	9	1	2	-	1	13	1	1	-	1	1	2	6	5	13	4	-
Dis. of Kidneys	24	-	-	-	-	-	-	-	-	-	1	-	2	2	6	7	6	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	5	-	-	-	-	-	-	1	1	1	-	1	-	-	-	1	-	-
Dis. of Skin	7	1	1	-	-	-	2	-	1	-	-	-	-	-	2	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Violent Deaths	74	10	1	2	1	2	16	4	9	5	2	4	6	11	6	7	3	1
Other Causes	253	111	16	4	1	-	132	-	-	-	-	4	-	-	3	20	70	24

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
259.—WESTBURY.																		
Mean Popul^n, 1861–71	5936	163	144	167	136	156	766	734	647	510	443	726	667	589	435	292	112	15
TOTAL DEATHS	1194	197	66	32	21	15	331	50	24	39	47	48	77	85	105	186	157	15
Small-pox	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	10	2	3	1	2	-	8	1	1	-	-	-	-	-	-	-	-	-
Scarlatina	41	-	6	5	4	6	21	14	2	3	1	-	-	-	-	-	-	-
Diphtheria	11	-	-	-	1	1	2	7	1	1	-	-	-	-	-	-	-	-
Whooping-cough	16	5	7	3	1	-	16	-	-	-	-	-	-	-	-	-	-	-
Typhus	28	-	-	3	1	1	5	5	5	3	-	4	3	-	2	1	-	-
Diarrhœa & Dysentery	28	17	5	1	1	-	24	-	-	-	-	-	1	1	-	1	1	-
Cholera	2	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Other Zymotic Dis.	21	1	2	6	-	1	10	3	-	-	-	1	1	-	2	2	2	-
Cancer	60	-	1	-	-	-	1	-	-	-	-	1	9	12	17	13	4	3
Scrofula and Tabes	9	3	-	-	1	-	4	1	1	1	1	-	1	-	-	-	-	-
Phthisis	95	-	1	-	-	-	1	1	3	15	25	20	15	7	6	2	-	-
Hydrocephalus	12	2	1	2	1	-	6	2	1	3	-	-	-	-	-	-	-	-
Dis. of Brain	148	18	9	1	-	1	29	3	-	2	9	3	7	12	19	41	21	2
Dis. of Heart & Dropsy	132	-	-	-	-	-	-	-	3	3	1	2	7	22	24	53	17	-
Dis. of Lungs	152	25	14	6	5	4	54	2	-	1	3	3	10	9	15	29	24	2
Dis. of Stom. and Liver	79	5	1	-	3	1	10	4	4	2	2	5	5	9	11	18	8	1
Dis. of Kidneys	13	-	-	-	-	-	-	1	-	2	-	-	2	2	2	4	-	-
Dis. of Gener. Organs	8	-	-	-	-	-	-	-	-	-	-	-	1	4	1	2	-	-
Dis. of Joints	9	-	-	-	-	-	-	1	2	2	-	1	1	2	-	-	-	-
Dis. of Skin	2	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	19	-	-	-	-	-	-	-	-	-	4	6	9	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Other Violent Deaths	19	5	1	2	1	-	9	3	-	1	-	-	2	-	-	1	3	-
Other Causes	278	113	13	1	-	-	127	2	1	-	1	2	2	4	6	19	77	37
260.—WARMINSTER.																		
Mean Popul^n, 1861–71	7996	191	193	194	187	193	958	933	895	733	589	1009	910	801	572	426	146	24
TOTAL DEATHS	1428	177	68	45	28	15	333	41	32	38	48	86	104	100	138	230	217	61
Small-pox	6	3	-	-	-	-	3	-	-	-	-	2	1	-	-	-	-	-
Measles	31	8	9	2	5	2	26	5	-	-	-	-	-	-	-	-	-	-
Scarlatina	26	2	2	4	3	2	13	10	1	1	1	-	-	-	-	-	-	-
Diphtheria	5	-	2	-	-	-	2	2	-	-	-	-	1	-	-	-	-	-
Whooping cough	16	6	7	2	1	-	16	-	-	-	-	-	-	-	-	-	-	-
Typhus	28	-	-	1	2	3	6	2	3	5	3	1	4	2	1	-	1	-
Diarrhœa & Dysentery	21	6	2	-	-	1	9	-	-	-	-	-	3	-	1	3	5	-
Cholera	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Other Zymotic Dis.	28	3	3	3	4	2	15	3	1	1	-	2	-	-	2	2	2	-
Cancer	51	-	-	-	-	-	-	-	-	-	-	2	5	12	9	11	10	2
Scrofula and Tabes	42	8	2	4	5	1	20	-	2	3	1	3	3	2	4	3	-	1
Phthisis	135	-	-	1	-	1	2	2	7	14	28	39	22	15	6	-	-	-
Hydrocephalus	12	1	5	5	1	-	12	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	193	18	9	6	2	-	35	1	8	3	-	6	17	17	24	42	35	5
Dis. of Heart & Dropsy	176	-	-	-	-	-	-	4	1	3	3	4	10	19	37	67	23	5
Dis. of Lungs	216	36	9	10	2	1	58	2	5	-	5	3	8	7	21	41	57	9
Dis. of Stom. and Liver	111	1	-	1	-	-	2	4	2	4	2	6	13	16	18	28	16	-
Dis. of Kidneys	14	-	-	-	-	-	-	-	2	1	1	1	2	4	2	1	-	-
Dis. of Gener. Organs	12	-	-	-	-	-	-	-	-	-	-	2	2	1	3	4	-	-
Dis. of Joints	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Dis. of Skin	3	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1
Childbirth and Metria	28	-	-	-	-	-	-	-	-	2	2	12	12	-	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-
Other Violent Deaths	28	5	-	1	2	2	10	6	-	-	-	-	1	1	3	4	3	-
Other Causes	210	79	18	4	1	-	102	-	-	1	1	1	-	3	6	23	65	38
261.—PEWSEY.																		
Mean Popul^n, 1861–71	6044	171	169	163	145	175	823	790	668	508	447	712	664	561	438	303	111	19
TOTAL DEATHS	1175	176	73	36	25	18	328	50	35	41	35	84	84	68	105	151	110	54
Small-pox	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Measles	20	2	8	4	1	2	17	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	46	2	4	7	4	5	22	15	7	2	-	-	-	-	-	-	-	-
Diphtheria	6	-	1	-	1	-	2	2	-	1	-	-	-	-	-	1	-	-
Whooping-cough	16	6	5	4	-	-	15	1	-	-	-	-	-	-	-	-	-	-
Typhus	41	-	-	2	2	2	6	5	4	8	7	6	2	2	-	1	-	-
Diarrhœa & Dysentery	21	2	-	2	4	-	8	1	-	-	-	-	2	-	-	2	6	2
Cholera	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	24	5	-	2	-	1	8	1	4	3	1	-	1	-	3	2	-	1
Cancer	33	-	-	-	-	-	-	-	-	-	-	-	2	8	10	8	5	-
Scrofula and Tabes	16	2	5	2	-	-	9	2	-	-	-	4	-	-	-	-	1	-
Phthisis	139	2	-	1	-	-	3	5	8	19	13	46	29	7	11	3	-	1
Hydrocephalus	9	3	3	-	1	-	7	1	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	160	23	7	1	1	1	33	4	8	1	5	7	8	11	16	30	27	6
Dis. of Heart & Dropsy	117	-	2	-	1	-	3	1	3	1	3	2	8	16	29	32	17	2
Dis. of Lungs	168	39	19	5	4	3	70	3	-	1	1	5	5	10	18	28	17	10
Dis. of Stom. and Liver	57	2	-	-	1	1	4	1	3	1	1	3	4	6	10	18	5	1
Dis. of Kidneys	19	-	1	1	-	-	2	-	-	-	1	4	5	1	2	3	1	-
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	-	1	1	1	2	-	1	-	-
Dis. of Joints	5	-	-	-	-	-	-	-	-	-	-	1	2	-	2	-	-	-
Dis. of Skin	5	1	1	-	-	1	3	1	-	-	-	-	1	-	-	-	-	-
Childbirth and Metria	18	-	-	-	-	-	-	-	-	1	2	7	8	-	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	25	8	-	2	2	1	13	2	-	2	-	-	1	2	-	1	3	1
Other Causes	222	79	17	3	3	1	103	1	1	1	-	4	5	3	4	12	58	30

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
262.—AMESBURY.																		
Mean Popul^n, 1861-71	4052	105	98	115	103	109	530	512	464	392	278	482	459	390	289	182	69	5
TOTAL DEATHS	710	124	38	24	10	13	209	27	8	16	19	39	49	52	66	106	102	23
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	4	-	2	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	17	-	2	5	4	-	11	3	1	-	1	1	-	-	-	-	-	-
Diphtheria	9	1	2	-	-	1	4	1	1	-	1	1	1	-	-	-	-	-
Whooping-cough	13	7	4	1	-	1	13	-	-	-	-	-	-	-	-	-	-	-
Typhus	13	1	-	-	1	1	3	3	-	1	1	2	-	1	2	-	-	-
Diarrhœa & Dysentery	12	6	1	1	-	1	9	-	-	1	-	-	-	-	1	-	1	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	21	4	1	2	1	2	10	-	-	2	1	-	-	1	2	2	2	1
Cancer	5	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	1
Scrofula and Tabes	16	1	1	1	-	-	3	1	1	1	1	1	2	1	2	2	1	-
Phthisis	81	3	-	1	-	1	5	3	1	7	6	24	12	13	8	2	-	-
Hydrocephalus	4	3	1	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	85	11	5	3	-	2	21	2	-	1	2	4	5	6	6	21	16	1
Dis. of Heart & Dropsy	66	-	-	-	-	-	-	2	1	-	1	-	4	7	14	25	11	1
Dis. of Lungs	127	23	15	6	1	1	49	3	-	1	2	2	2	12	16	27	13	-
Dis. of Stom. and Liver	40	3	-	1	-	1	5	3	-	-	-	2	7	3	9	7	4	-
Dis. of Kidneys	21	-	-	-	-	-	-	-	-	-	1	2	3	2	1	6	6	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Dis. of Skin	4	2	-	-	-	1	3	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
Other Violent Deaths	22	2	-	-	2	1	5	4	3	1	1	-	1	4	1	1	1	-
Other Causes	146	53	4	3	1	-	61	-	-	-	-	-	1	1	2	12	47	22
263.—ALDERBURY.																		
Mean Popul^n, 1861-71	7595	210	217	205	192	200	1024	922	884	730	568	963	861	697	507	310	117	12
TOTAL DEATHS	1835	276	72	44	25	20	437	51	36	46	62	173	203	170	195	249	169	44
Small-pox	4	-	-	1	-	-	1	1	-	-	1	-	-	1	-	-	-	-
Measles	21	7	4	6	3	1	21	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	49	4	5	7	3	6	25	17	6	1	-	-	-	-	-	-	-	-
Diphtheria	8	1	1	1	-	1	4	2	1	-	-	1	-	-	-	-	-	-
Whooping-cough	23	13	7	2	1	-	23	-	-	-	-	-	-	-	-	-	-	-
Typhus	33	1	-	2	2	-	5	2	2	4	6	5	2	2	4	4	-	-
Diarrhœa & Dysentery	44	15	3	2	-	-	20	1	1	-	1	3	5	1	1	2	7	2
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Other Zymotic Dis.	39	4	1	2	3	2	12	2	3	2	1	2	5	6	3	2	1	-
Cancer	29	-	-	-	-	-	-	-	-	-	-	2	2	8	6	8	3	-
Scrofula and Tabes	24	11	3	1	-	-	15	2	1	1	1	1	1	1	1	-	-	-
Phthisis	203	1	2	1	1	-	5	2	5	13	31	62	42	23	14	5	1	-
Hydrocephalus	17	3	3	1	1	2	10	4	3	-	-	-	-	-	-	-	-	-
Dis. of Brain	356	43	7	7	-	-	57	1	2	8	4	34	63	44	45	59	29	5
Dis. of Heart & Dropsy	168	1	-	-	-	-	1	-	-	5	-	10	16	19	28	65	22	2
Dis. of Lungs	228	48	23	4	6	6	87	4	1	3	3	12	13	15	29	35	21	2
Dis. of Stom. and Liver	93	2	1	3	-	-	6	1	2	1	2	7	9	12	31	17	5	-
Dis. of Kidneys	52	-	-	-	-	1	1	1	-	3	3	1	12	6	9	12	3	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Dis. of Joints	13	-	-	-	-	-	-	1	1	-	2	5	3	1	-	-	-	-
Dis. of Skin	4	2	-	-	-	-	2	-	-	-	-	1	-	-	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	7	-	-	-	-	-	-	-	-	-	-	1	3	-	1	2	-	-
Other Violent Deaths	112	4	2	3	3	-	12	7	7	5	5	15	11	23	14	8	4	1
Other Causes	360	116	10	1	2	1	130	1	-	-	2	11	9	8	8	30	70	31
264.—SALISBURY.																		
Mean Popul^n, 1861-71	4215	132	105	114	107	118	576	511	518	403	334	526	474	411	253	144	56	4
TOTAL DEATHS	901	203	68	32	21	20	344	31	12	13	25	46	59	88	82	103	79	19
Small-pox	5	3	-	-	-	-	3	1	-	1	-	-	-	-	-	-	-	-
Measles	29	4	11	8	2	4	29	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	31	-	5	4	4	4	17	10	1	-	1	1	1	-	-	-	-	-
Diphtheria	2	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	21	10	9	1	-	1	21	-	-	-	-	-	-	-	-	-	-	-
Typhus	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Diarrhœa & Dysentery	28	17	-	1	-	2	20	1	-	-	1	-	-	1	1	3	1	-
Cholera	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Other Zymotic Dis.	19	4	3	1	2	1	11	-	-	1	-	2	1	2	1	-	1	-
Cancer	10	-	-	-	-	-	-	-	-	-	-	-	1	1	5	2	1	-
Scrofula and Tabes	18	3	1	2	1	2	9	4	2	-	1	1	1	-	-	-	-	-
Phthisis	109	1	2	-	-	1	4	1	1	9	16	26	22	21	7	2	-	-
Hydrocephalus	6	1	2	2	-	1	6	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	118	24	3	3	2	-	32	6	2	-	2	6	3	16	19	20	12	-
Dis. of Heart & Dropsy	44	1	-	-	-	-	1	-	2	-	1	3	3	8	12	9	4	1
Dis. of Lungs	211	62	22	7	5	4	100	4	1	-	1	4	12	18	19	29	19	4
Dis. of Stom. and Liver	58	9	-	1	1	-	11	1	2	-	2	2	6	14	10	7	1	2
Dis. of Kidneys	19	1	-	1	-	-	2	-	-	-	-	1	3	2	2	9	-	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Dis. of Joints	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Dis. of Skin	4	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	10	-	-	-	-	-	-	-	-	1	-	-	4	1	3	1	-	-
Other Violent Deaths	8	2	-	-	-	-	2	-	-	-	-	-	1	2	-	-	2	1
Other Causes	144	60	9	1	3	-	73	1	-	-	-	-	1	-	2	20	37	10

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
							262.—AMESBURY.											
Mean Populn, 1861–71	3989	106	107	107	94	94	508	517	430	313	307	545	472	391	268	165	66	7
TOTAL DEATHS	703	102	34	22	9	13	180	29	17	18	18	59	57	40	64	111	91	19
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	5	–	4	–	1	–	5	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	22	1	2	5	3	2	13	7	2	–	–	–	–	–	–	–	–	–
Diphtheria	14	2	1	3	1	4	11	2	–	–	–	–	1	–	–	–	–	–
Whooping-cough	11	5	3	2	–	1	11	–	–	–	–	–	–	–	–	–	–	–
Typhus	20	–	1	–	2	–	3	2	4	2	1	3	2	2	1	–	–	–
Diarrhœa & Dysentery	5	2	1	–	–	–	3	1	–	–	–	–	–	1	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	19	–	–	2	1	1	4	5	–	–	–	1	2	1	2	3	1	–
Cancer	15	–	–	–	–	–	–	–	–	–	–	–	5	2	3	4	1	–
Scrofula and Tabes	12	3	2	1	–	–	6	3	1	–	1	1	–	–	–	–	–	–
Phthisis	117	1	2	1	–	–	4	–	4	12	9	37	22	17	8	4	–	–
Hydrocephalus	5	3	2	–	–	–	5	–	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	84	14	2	1	–	1	18	1	3	2	4	3	3	3	11	22	13	1
Dis. of Heart & Dropsy	70	–	–	–	–	1	1	–	1	1	1	1	8	4	21	21	9	2
Dis. of Lungs	102	22	10	5	1	1	39	3	1	–	2	2	1	3	7	24	18	2
Dis. of Stom. and Liver	27	1	–	–	–	–	1	1	1	–	–	3	1	3	8	7	1	1
Dis. of Kidneys	4	–	–	–	–	1	1	–	–	–	–	–	–	1	2	–	–	–
Dis. of Gener. Organs	7	–	–	–	–	–	–	–	–	–	–	2	1	1	–	2	1	–
Dis. of Joints	3	–	–	1	–	–	1	2	–	–	–	–	–	–	–	–	–	–
Dis. of Skin	3	2	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	–
Childbirth and Metria	16	–	–	–	–	–	–	–	–	1	–	5	9	1	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Other Violent Deaths	7	1	–	1	–	1	3	2	–	–	–	–	–	–	–	–	2	–
Other Causes	134	45	4	–	–	–	49	–	–	–	–	1	1	1	1	23	45	13
							263.—ALDERBURY.											
Mean Populn, 1861–71	7951	218	197	207	186	181	989	914	858	732	672	1058	944	751	554	335	127	17
TOTAL DEATHS	1547	213	68	30	32	16	359	43	33	46	63	121	111	137	163	230	196	45
Small-pox	4	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–
Measles	28	–	10	8	3	4	25	1	1	1	–	–	–	–	–	–	–	–
Scarlatina	38	2	1	8	11	1	23	10	2	–	1	1	1	–	–	–	–	–
Diphtheria	8	–	1	–	2	–	3	2	1	1	–	–	–	–	–	1	–	–
Whooping-cough	20	11	5	3	1	–	20	–	–	–	–	–	–	–	–	–	–	–
Typhus	40	–	1	1	1	1	4	6	5	7	2	3	1	3	5	4	–	–
Diarrhœa & Dysentery	47	19	2	1	1	–	23	1	–	–	1	2	2	4	4	4	6	–
Cholera	3	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–
Other Zymotic Dis.	22	1	5	–	–	–	6	–	5	1	2	–	4	1	2	1	–	–
Cancer	40	–	–	–	–	–	–	–	–	1	–	2	4	12	12	3	6	–
Scrofula and Tabes	19	5	5	1	1	–	12	1	2	1	1	–	1	1	–	–	–	–
Phthisis	191	–	–	–	1	–	1	6	6	19	29	56	31	27	12	4	–	–
Hydrocephalus	10	5	–	–	2	–	7	1	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	222	23	5	–	1	–	29	3	1	3	5	24	18	28	30	51	23	7
Dis. of Heart & Dropsy	172	1	1	–	–	1	3	1	1	2	6	6	12	22	37	51	29	2
Dis. of Lungs	181	34	16	4	5	5	64	7	2	2	–	5	6	10	21	40	21	3
Dis. of Stom. and Liver	86	6	1	1	1	1	10	1	1	–	3	5	11	12	19	15	9	–
Dis. of Kidneys	23	–	–	–	–	–	–	–	1	1	3	4	2	5	3	4	–	–
Dis. of Gener. Organs	12	–	–	–	–	–	–	–	–	–	–	–	5	2	4	–	1	–
Dis. of Joints	6	–	1	–	–	–	1	–	–	1	1	1	1	1	–	–	–	–
Dis. of Skin	5	2	1	–	–	–	3	1	–	–	–	–	–	1	–	–	–	–
Childbirth and Metria	22	–	–	–	–	–	–	–	–	–	5	8	7	2	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Other Violent Deaths	24	4	2	1	1	3	11	1	–	2	1	–	–	–	2	3	3	1
Other Causes	323	100	11	2	1	–	114	–	2	3	2	4	2	6	12	49	97	32
							264.—SALISBURY.											
Mean Populn, 1861–71	4910	116	105	122	120	103	566	529	524	531	428	670	566	465	323	221	77	10
TOTAL DEATHS	919	147	65	41	24	15	292	35	20	22	20	44	70	61	92	117	113	33
Small-pox	9	4	–	–	–	–	4	1	–	2	–	1	1	–	–	–	–	–
Measles	23	5	4	9	4	1	23	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	49	–	9	7	8	5	29	16	2	1	1	–	–	–	–	–	–	–
Diphtheria	5	1	–	–	–	1	2	2	–	–	–	–	–	–	–	1	–	–
Whooping-cough	18	7	7	1	3	–	18	–	–	–	–	–	–	–	–	–	–	–
Typhus	13	–	–	1	1	1	3	2	1	2	1	–	–	1	2	–	1	–
Diarrhœa & Dysentery	21	13	2	1	–	1	17	1	–	–	–	–	2	–	–	–	–	1
Cholera	5	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	1	–
Other Zymotic Dis.	22	1	2	4	1	1	9	2	1	–	1	–	–	2	2	4	1	–
Cancer	25	–	–	–	–	–	–	–	–	–	–	3	4	7	6	3	2	–
Scrofula and Tabes	18	5	4	2	1	–	12	2	2	–	1	1	–	–	–	–	–	–
Phthisis	105	2	2	1	–	1	6	1	5	9	9	24	26	16	6	3	–	–
Hydrocephalus	17	4	6	4	3	–	17	–	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	119	24	4	–	1	1	30	1	4	–	2	1	5	11	16	26	21	2
Dis. of Heart & Dropsy	84	–	1	1	–	1	3	2	3	3	–	3	5	6	18	27	14	–
Dis. of Lungs	144	36	15	7	2	2	62	3	1	1	2	1	5	7	23	21	14	4
Dis. of Stom. and Liver	37	2	–	–	–	–	2	1	–	1	–	2	8	5	5	7	6	–
Dis. of Kidneys	17	–	–	–	–	–	–	–	1	–	1	1	1	2	5	5	1	–
Dis. of Gener. Organs	8	–	–	–	–	–	–	–	–	–	1	–	3	2	2	–	–	–
Dis. of Joints	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Dis. of Skin	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Childbirth and Metria	15	–	–	–	–	–	–	–	–	1	1	7	6	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Other Violent Deaths	8	2	1	1	–	–	4	–	–	1	–	–	–	–	1	1	–	1
Other Causes	153	41	8	2	–	–	51	1	–	1	–	–	1	–	4	19	52	24

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
265.—WILTON.																		
Mean Popul^n, 1861–71	5364	163	143	143	131	138	718	668	631	505	378	617	578	510	395	243	110	11
TOTAL DEATHS	976	209	55	30	15	17	326	35	16	17	29	45	49	66	97	132	130	34
Small-pox	3	–	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–
Measles	18	1	3	4	2	2	12	3	2	1	–	–	–	–	–	–	–	–
Scarlatina	31	3	6	4	4	2	19	7	3	1	1	–	–	–	–	–	–	–
Diphtheria	11	1	1	1	–	1	10	1	–	–	–	–	–	–	–	–	–	–
Whooping-cough	15	5	7	1	2	–	15	–	–	–	–	–	–	–	–	–	–	–
Typhus	21	–	–	–	–	–	–	2	3	4	2	2	2	2	3	3	1	–
Diarrhœa & Dysentery	19	11	2	–	1	–	14	–	–	–	–	–	–	–	2	1	2	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	26	5	2	3	–	2	12	–	1	–	–	–	2	1	3	4	2	1
Cancer	11	–	–	–	–	–	–	–	–	–	–	–	–	4	4	3	–	–
Scrofula and Tabes	16	7	2	2	–	1	12	–	1	–	–	1	1	–	1	–	–	–
Phthisis	83	–	–	–	–	1	1	3	–	3	19	23	10	15	5	4	–	–
Hydrocephalus	18	6	4	2	1	1	14	4	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	132	45	4	2	2	2	55	1	1	2	2	4	6	6	7	26	20	2
Dis. of Heart & Dropsy	111	–	1	–	–	–	1	4	–	1	–	4	6	11	29	33	21	1
Dis. of Lungs	108	17	10	4	–	2	33	2	–	–	1	3	5	9	22	21	11	1
Dis. of Stom. and Liver	52	7	2	–	1	1	11	2	–	1	1	3	6	4	11	7	6	–
Dis. of Kidneys	22	–	–	–	–	–	–	–	1	2	1	1	5	2	3	4	3	–
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Dis. of Joints	3	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–
Dis. of Skin	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	5	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	–	–
Other Violent Deaths	33	1	–	–	2	2	5	5	3	1	1	2	3	6	2	3	2	–
Other Causes	233	97	10	4	–	–	111	–	–	–	1	–	2	4	4	21	61	29
266.—TISBURY.																		
Mean Popul^n, 1861–71	4960	142	145	129	135	138	689	599	560	476	352	629	536	448	351	219	91	10
TOTAL DEATHS	883	170	54	22	14	11	271	35	24	21	27	47	48	58	77	125	112	38
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	9	1	6	–	1	–	8	–	1	–	–	–	–	–	–	–	–	–
Scarlatina	18	1	1	–	3	1	6	7	4	1	–	–	–	–	–	–	–	–
Diphtheria	12	–	1	–	1	–	2	5	3	1	–	–	1	–	–	–	–	–
Whooping-cough	7	3	4	–	–	–	7	–	–	–	–	–	–	–	–	–	–	–
Typhus	32	–	1	1	–	2	4	2	1	3	1	2	2	3	3	9	2	–
Diarrhœa & Dysentery	18	6	1	–	–	–	7	–	–	–	–	1	1	–	1	1	6	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	31	11	1	4	1	1	18	4	–	–	–	1	1	–	1	5	1	–
Cancer	14	–	–	–	–	–	–	–	–	–	1	–	1	4	2	4	2	–
Scrofula and Tabes	30	6	6	4	1	2	19	3	1	1	1	2	1	1	1	–	–	–
Phthisis	77	1	1	–	1	–	3	–	1	7	14	21	10	10	8	3	–	–
Hydrocephalus	13	4	2	–	2	–	8	2	3	–	–	–	–	–	–	–	–	–
Dis. of Brain	125	30	5	2	1	1	39	2	–	3	2	4	5	8	14	24	18	6
Dis. of Heart & Dropsy	91	–	–	–	–	–	–	1	1	2	1	4	7	8	18	31	15	3
Dis. of Lungs	148	33	14	6	2	2	57	4	3	–	3	8	6	6	13	19	16	13
Dis. of Stom. and Liver	37	6	–	2	–	–	8	1	–	–	1	–	3	8	5	7	3	1
Dis. of Kidneys	25	–	–	–	–	–	–	2	1	–	–	–	1	4	3	8	5	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–
Dis. of Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Other Violent Deaths	42	1	3	2	1	2	9	1	4	3	3	3	7	3	4	3	1	1
Other Causes	151	67	8	1	–	–	76	1	1	–	–	1	2	2	3	11	42	12
267.—MERE.																		
Mean Popul^n, 1861–71	3915	116	116	99	114	98	543	490	462	361	248	448	422	363	299	189	81	9
TOTAL DEATHS	749	167	41	25	13	6	252	22	22	21	26	27	35	37	72	105	105	25
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	20	4	7	3	2	1	17	2	1	–	–	–	–	–	–	–	–	–
Scarlatina	4	–	1	–	–	1	2	2	–	–	–	–	–	–	–	–	–	–
Diphtheria	5	1	–	1	–	1	3	1	1	–	–	–	–	–	–	–	–	–
Whooping-cough	10	6	3	–	1	–	10	–	–	–	–	–	–	–	–	–	–	–
Typhus	46	4	3	4	–	–	11	3	2	6	7	2	3	2	3	6	1	–
Diarrhœa & Dysentery	19	11	1	–	–	–	12	–	–	–	–	–	–	–	3	1	2	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	20	5	–	2	1	1	9	3	1	1	2	–	–	–	–	–	4	–
Cancer	13	–	–	–	–	–	–	–	–	–	–	2	–	2	2	6	–	1
Scrofula and Tabes	23	3	7	2	2	–	14	1	2	2	1	1	–	–	2	–	–	–
Phthisis	44	–	–	1	–	1	2	1	2	4	6	13	8	6	2	–	–	–
Hydrocephalus	13	5	1	2	1	–	9	1	3	–	–	–	–	–	–	–	–	–
Dis. of Brain	100	21	3	2	1	–	27	1	2	3	2	2	3	5	16	22	14	3
Dis. of Heart & Dropsy	33	–	–	–	–	–	–	–	1	–	–	1	3	4	7	9	8	–
Dis. of Lungs	161	45	7	5	1	1	59	2	–	–	4	2	6	8	16	33	26	5
Dis. of Stom. and Liver	45	2	–	–	1	–	3	1	–	–	1	2	5	4	9	13	6	1
Dis. of Kidneys	26	–	2	2	–	–	4	–	1	–	–	–	1	2	5	5	8	–
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Dis. of Joints	6	–	–	–	–	–	–	1	1	1	–	1	2	–	–	–	–	–
Dis. of Skin	3	2	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Other Violent Deaths	31	1	2	–	2	–	5	2	5	3	2	–	2	3	4	2	3	–
Other Causes	124	57	4	1	1	–	63	–	–	1	1	1	1	–	3	8	32	14

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
265.—WILTON.																		
Mean Popul^{n}, 1861–71	5423	149	134	150	146	137	716	682	591	468	392	677	611	517	411	262	86	10
TOTAL DEATHS	977	115	51	30	21	9	256	32	18	27	40	54	63	57	112	135	141	42
Small-pox	2	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Measles	10	3	3	1	–	–	7	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	30	2	4	4	6	–	16	11	1	–	1	1	–	–	–	–	–	–
Diphtheria	4	–	–	–	–	–	–	2	1	–	–	–	–	–	1	–	–	–
Whooping-cough	13	6	5	1	–	1	13	–	–	–	–	–	–	–	–	–	–	–
Typhus	20	–	1	2	–	–	3	2	–	2	2	3	2	–	1	4	1	–
Diarrhœa & Dysentery	11	2	2	–	–	1	5	–	–	–	–	–	–	–	–	3	3	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	20	1	2	1	3	1	8	2	1	1	–	1	1	1	1	1	3	–
Cancer	38	–	–	–	–	–	–	–	–	–	1	–	2	5	10	14	6	–
Scrofula and Tabes	18	2	3	4	2	1	12	2	1	1	–	–	–	1	1	–	–	–
Phthisis	125	–	–	–	–	1	1	1	6	17	26	32	30	6	6	–	–	–
Hydrocephalus	15	7	4	2	1	–	14	–	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	129	35	4	5	1	–	45	2	2	1	1	2	1	10	21	23	18	3
Dis. of Heart & Dropsy	143	–	–	1	–	–	1	–	4	2	1	4	9	15	36	45	24	2
Dis. of Lungs	113	16	14	5	5	1	41	5	1	1	2	3	7	7	9	15	17	5
Dis. of Stom. and Liver	43	3	2	1	1	1	8	1	–	–	2	1	3	5	15	4	3	1
Dis. of Kidneys	5	–	–	–	–	–	–	–	–	1	–	–	–	2	1	1	–	–
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Dis. of Joints	3	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–
Dis. of Skin	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
Childbirth and Metria	14	–	–	–	–	–	–	–	–	–	2	5	6	1	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–
Other Violent Deaths	10	–	2	1	2	1	6	–	–	–	–	1	–	–	1	1	1	–
Other Causes	204	67	5	2	–	1	75	1	–	–	–	–	1	1	8	24	63	31
266.—TISBURY.																		
Mean Popul^{n}, 1861–71	4920	128	139	140	127	131	665	607	534	401	368	646	573	473	352	211	81	9
TOTAL DEATHS	878	136	56	25	12	8	237	30	21	22	26	52	53	58	98	133	117	31
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	18	3	6	4	1	1	15	1	–	1	1	–	–	–	–	–	–	–
Scarlatina	10	–	3	1	1	–	5	2	1	1	–	–	–	1	–	–	–	–
Diphtheria	11	2	–	1	–	2	5	5	1	–	–	–	–	–	–	–	–	–
Whooping-cough	17	9	4	1	1	1	16	1	–	–	–	–	–	–	–	–	–	–
Typhus	38	1	1	1	–	–	3	5	5	4	3	6	3	3	2	3	1	–
Diarrhœa & Dysentery	13	4	1	–	1	–	6	–	–	–	–	–	1	1	2	2	1	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	20	1	2	3	3	–	9	3	1	1	–	–	1	–	1	2	2	–
Cancer	33	–	–	–	–	–	–	–	–	–	1	1	4	8	10	7	1	1
Scrofula and Tabes	19	5	5	2	2	–	14	–	–	–	1	1	1	1	1	–	–	–
Phthisis	91	4	–	–	–	–	4	1	7	9	14	20	14	11	9	2	–	–
Hydrocephalus	8	2	2	2	–	1	7	–	–	–	1	–	–	–	–	–	–	–
Dis. of Brain	79	13	7	5	–	–	25	2	2	2	–	3	4	9	8	17	6	1
Dis. of Heart & Dropsy	130	1	–	–	–	–	1	3	–	2	1	3	6	12	33	48	24	6
Dis. of Lungs	119	25	13	4	2	1	45	2	–	1	2	1	1	8	10	23	20	6
Dis. of Stom. and Liver	36	2	–	–	–	1	3	1	1	–	–	5	5	1	10	6	3	1
Dis. of Kidneys	13	–	–	–	–	–	–	–	1	–	–	1	1	2	4	3	1	–
Dis. of Gener. Organs	4	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–
Dis. of Joints	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
Dis. of Skin	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	–
Childbirth and Metria	16	–	–	–	–	–	–	–	–	–	1	7	8	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Other Violent Deaths	14	4	–	–	–	1	5	1	1	1	1	1	–	–	2	–	2	–
Other Causes	173	60	12	1	1	–	74	3	1	–	–	1	–	–	6	19	53	16
267.—MERE.																		
Mean Popul^{n}, 1861–71	4166	111	108	91	103	111	529	496	447	372	328	556	449	397	293	208	79	12
TOTAL DEATHS	783	119	49	19	12	13	212	20	23	26	31	57	50	43	64	128	100	29
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	19	5	5	1	3	3	17	1	–	–	1	–	–	–	–	–	–	–
Scarlatina	5	1	–	–	1	1	3	1	1	–	–	–	–	–	–	–	–	–
Diphtheria	8	1	1	2	–	1	5	1	–	1	1	–	–	–	–	–	–	–
Whooping-cough	12	8	2	2	–	–	12	–	–	–	–	–	–	–	–	–	–	–
Typhus	59	2	6	3	–	1	12	2	12	6	1	6	2	4	6	4	3	1
Diarrhœa & Dysentery	20	5	5	1	–	–	11	–	–	–	–	2	–	–	2	2	2	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	22	–	1	3	–	–	4	1	–	1	1	–	2	2	2	3	4	2
Cancer	26	–	–	–	–	–	–	–	–	–	1	–	3	2	6	9	3	2
Scrofula and Tabes	33	7	2	–	–	1	10	2	2	4	2	4	3	1	4	–	1	–
Phthisis	78	1	2	1	–	1	5	3	6	6	14	20	12	2	1	–	–	–
Hydrocephalus	9	4	2	1	–	–	7	1	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	79	18	4	–	3	–	25	3	–	–	2	–	1	6	13	20	9	–
Dis. of Heart & Dropsy	57	–	–	1	–	–	1	–	1	1	1	2	3	7	11	25	4	1
Dis. of Lungs	160	25	15	2	3	3	48	2	–	2	1	4	8	7	14	38	32	4
Dis. of Stom. and Liver	45	2	1	–	–	–	3	1	–	2	2	2	3	7	3	14	7	1
Dis. of Kidneys	5	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	–
Dis. of Gener. Organs	7	–	–	–	–	–	–	–	–	–	–	–	3	3	–	1	–	–
Dis. of Joints	4	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	1	–
Dis. of Skin	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
Childbirth and Metria	20	–	–	–	–	–	–	–	–	1	4	7	8	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Other Violent Deaths	12	3	1	2	–	2	8	–	–	–	–	1	–	1	–	1	1	–
Other Causes	100	37	2	–	2	–	41	1	–	1	–	–	–	–	1	8	31	17

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–
268.—SHAFTESBURY.																		
Mean Popul^n, 1861–71	6264	176	177	167	178	153	851	779	709	592	436	756	691	584	442	291	112	21
TOTAL DEATHS	1147	239	92	38	13	9	391	41	29	32	31	46	64	68	97	148	148	52
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	14	2	9	2	1	-	14	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	33	2	4	6	1	4	17	11	3	2	-	-	-	-	-	-	-	-
Diphtheria	5	-	-	-	1	1	2	2	-	1	-	-	-	-	-	-	-	-
Whooping-cough	18	10	6	1	-	1	18	-	-	-	-	-	-	-	-	-	-	-
Typhus	52	1	-	1	2	-	4	5	4	4	4	5	7	4	3	7	5	-
Diarrhœa & Dysentery	21	13	2	1	-	-	16	-	-	-	-	-	-	-	2	2	1	-
Cholera	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	27	4	3	1	-	-	8	2	1	1	3	-	2	1	5	3	-	1
Cancer	30	-	-	-	-	-	-	-	-	-	-	1	2	3	4	11	4	2
Scrofula and Tabes	27	9	5	2	1	-	17	2	4	-	1	1	1	1	-	-	-	-
Phthisis	109	2	2	2	-	-	6	2	4	10	15	22	22	11	10	5	2	-
Hydrocephalus	24	5	12	3	1	-	21	3	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	130	39	5	4	1	-	49	1	1	1	2	6	5	6	11	21	21	3
Dis. of Heart & Dropsy	101	5	-	-	-	-	5	2	2	2	1	2	7	13	21	21	16	4
Dis. of Lungs	224	54	25	10	4	1	94	6	1	3	2	4	8	8	20	40	29	9
Dis. of Stom. and Liver	46	6	1	-	-	-	7	3	3	2	-	2	-	19	8	8	2	1
Dis. of Kidneys	21	-	-	-	-	-	-	-	1	2	-	-	2	1	4	5	5	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	4	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-
Dis. of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-
Other Violent Deaths	29	2	1	2	-	1	6	-	4	3	3	1	3	4	1	3	1	-
Other Causes	235	85	17	3	1	1	107	1	-	1	-	1	4	4	3	13	61	31
269.—STURMINSTER.																		
Mean Popul^n, 1861–71	5149	128	153	144	142	140	707	657	605	482	379	603	526	465	365	245	107	8
TOTAL DEATHS	912	190	45	28	14	11	288	40	17	19	27.	53	36	65	73	118	139	37
Small-pox	3	1	1	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-
Measles	6	1	1	-	1	-	3	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	23	3	3	1	4	4	15	6	2	-	-	-	-	-	-	-	-	-
Diphtheria	10	1	2	-	-	1	4	2	3	1	-	-	-	-	-	-	-	-
Whooping-cough	5	4	1	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-
Typhus	18	1	-	4	2	1	8	3	2	-	-	1	1	-	-	2	1	-
Diarrhœa & Dysentery	3	1	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	17	3	1	3	-	2	9	2	-	-	1	1	-	1	1	1	1	-
Cancer	16	-	-	-	-	-	-	-	-	-	-	-	2	4	3	6	1	-
Scrofula and Tabes	31	9	4	3	-	-	16	6	2	1	1	1	1	1	2	-	-	-
Phthisis	77	1	1	-	-	-	2	5	1	5	12	26	6	9	5	5	-	1
Hydrocephalus	27	10	7	6	-	-	23	3	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	114	42	2	2	2	-	48	1	2	2	2	5	2	10	7	16	19	-
Dis. of Heart & Dropsy	76	1	-	-	-	-	1	1	1	2	3	2	6	9	14	21	14	2
Dis. of Lungs	137	27	11	3	3	2	46	2	1	2	3	3	5	7	19	23	18	8
Dis. of Stom. and Liver	45	5	2	3	1	-	11	2	1	1	-	2	4	6	9	5	3	1
Dis. of Kidneys	17	-	1	-	-	-	1	-	-	-	1	3	1	2	5	1	3	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	4	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-
Dis. of Skin	2	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Other Violent Deaths	49	2	4	2	-	1	9	2	-	3	2	6	7	10	2	6	1	1
Other Causes	235	77	4	1	1	-	83	2	1	-	-	-	-	5	5	32	78	21
270.—BLANDFORD.																		
Mean Popul^n, 1861–71	7159	199	191	195	182	186	953	915	861	750	511	834	733	647	471	298	123	13
TOTAL DEATHS	1346	281	104	45	38	15	483	53	32	23	49	75	74	77	100	168	161	51
Small-pox	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Measles	30	8	12	4	3	1	28	1	1	-	-	-	-	-	-	-	-	-
Scarlatina	44	1	5	5	10	4	25	12	3	2	1	1	-	-	-	-	-	-
Diphtheria	12	-	3	1	2	1	7	4	1	-	-	-	-	-	-	-	-	-
Whooping-cough	22	8	6	5	1	-	20	1	1	-	-	-	-	-	-	-	-	-
Typhus	43	-	2	2	4	1	9	5	10	1	3	2	1	2	5	4	1	-
Diarrhœa & Dysentery	24	10	3	1	1	-	15	1	-	-	-	2	1	-	-	3	2	-
Cholera	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Other Zymotic Dis.	39	4	8	1	6	-	19	2	1	-	1	1	5	3	1	5	1	-
Cancer	23	-	-	-	-	-	-	-	-	-	-	-	5	4	7	5	-	2
Scrofula and Tabes	26	2	1	1	-	1	5	5	1	3	2	5	1	2	2	-	-	-
Phthisis	123	-	-	1	1	-	2	2	5	11	20	33	26	17	4	6	-	-
Hydrocephalus	21	9	4	2	-	1	16	2	3	-	-	-	-	-	-	-	-	-
Dis. of Brain	149	46	7	7	1	2	63	6	1	-	2	7	7	12	8	27	14	2
Dis. of Heart & Dropsy	117	3	1	-	1	-	5	3	3	-	5	4	4	12	23	32	23	3
Dis. of Lungs	210	61	25	11	3	3	103	-	-	-	5	7	3	9	19	29	29	6
Dis. of Stom. and Liver	50	5	2	-	1	-	8	2	-	-	1	3	5	9	9	7	5	1
Dis. of Kidneys	23	-	-	-	-	-	-	1	-	1	2	3	3	2	2	4	8	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Dis. of Joints	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Dis. of Skin	5	1	-	-	-	-	1	-	-	-	-	-	2	-	-	-	1	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Other Violent Deaths	43	5	2	2	1	1	11	3	2	3	5	4	7	2	2	3	1	-
Other Causes	328	118	23	2	3	-	146	3	-	2	2	1	4	2	14	42	76	36

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
268.—SHAFTESBURY.																		
Mean Popul^{n}, 1861–71	6797	184	162	176	165	167	854	792	709	642	554	918	760	614	471	327	138	18
TOTAL DEATHS	1295	198	76	39	19	19	351	51	26	44	53	98	84	78	101	169	174	66
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	8	2	2	2	-	1	7	-	-	-	-	-	1	-	-	-	-	-
Scarlatina	33	1	1	8	7	4	21	11	1	-	-	-	-	-	-	-	-	-
Diphtheria	2	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	20	10	4	5	-	1	20	-	-	-	-	-	-	-	-	-	-	-
Typhus	59	2	1	3	1	2	9	4	5	10	5	6	2	7	4	2	4	1
Diarrhœa & Dysentery	19	4	2	-	-	-	6	1	1	-	-	2	-	2	-	2	4	1
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Other Zymotic Dis.	26	3	2	2	1	1	9	4	-	1	1	2	1	2	1	3	2	-
Cancer	30	-	-	-	-	-	-	-	-	-	1	2	5	6	5	6	5	-
Scrofula and Tabes	29	6	5	-	1	-	12	6	1	2	3	1	1	1	-	2	-	-
Phthisis	156	3	1	-	-	-	4	4	12	21	25	44	24	16	2	2	2	-
Hydrocephalus	22	8	4	2	1	4	19	-	2	-	-	1	-	-	-	-	-	-
Dis. of Brain	131	27	7	5	2	2	43	5	1	1	4	8	5	8	12	23	16	5
Dis. of Heart & Dropsy	135	1	1	-	-	2	4	2	-	2	3	4	17	14	24	43	18	4
Dis. of Lungs	210	30	27	8	3	1	69	7	2	3	3	4	5	6	31	39	34	7
Dis. of Stom. and Liver	75	6	2	1	1	1	11	3	1	1	3	6	6	7	14	12	10	1
Dis. of Kidneys	8	-	-	-	-	-	-	-	-	-	1	1	4	-	-	1	1	-
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	-	2	1	4	1	1	-	-
Dis. of Joints	3	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-
Dis. of Skin	4	1	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-
Childbirth and Metria	22	-	-	-	-	-	-	-	-	1	4	9	8	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Other Violent Deaths	18	4	1	1	1	-	7	2	-	-	-	2	-	1	2	1	3	-
Other Causes	272	88	16	2	1	-	107	-	-	1	-	2	2	2	5	32	74	47
269.—STURMINSTER.																		
Mean Popul^{n}, 1861–71	5449	142	156	142	136	122	698	633	594	509	446	709	616	509	366	249	107	13
TOTAL DEATHS	1002	161	50	24	19	13	267	43	32	53	31	73	60	53	81	128	136	45
Small-pox	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Measles	4	-	1	2	-	-	3	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	21	1	3	5	4	1	14	4	1	1	1	-	-	-	-	-	-	-
Diphtheria	19	1	-	-	4	2	7	10	-	1	-	1	-	-	-	-	-	-
Whooping-cough	7	-	6	1	-	-	7	-	-	-	-	-	-	-	-	-	-	-
Typhus	28	-	-	1	1	1	3	5	4	3	-	2	3	4	1	1	2	-
Diarrhœa & Dysentery	4	1	-	-	-	-	1	-	-	-	-	1	-	-	-	2	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	21	5	1	-	-	1	7	2	3	1	-	1	1	-	2	2	2	-
Cancer	35	-	-	-	1	-	1	-	-	1	-	1	4	6	7	10	3	2
Scrofula and Tabes	24	4	4	4	3	2	17	1	3	-	-	2	1	-	-	-	-	-
Phthisis	169	1	3	-	-	-	4	2	10	32	20	41	26	14	13	4	-	-
Hydrocephalus	12	4	1	2	-	2	9	1	2	-	-	-	-	-	-	-	-	-
Dis. of Brain	111	25	8	3	1	2	39	1	4	3	2	3	6	7	11	20	14	1
Dis. of Heart & Dropsy	78	1	1	-	-	-	2	1	-	2	-	2	3	8	17	25	15	3
Dis. of Lungs	95	18	9	4	2	-	33	5	2	1	1	2	2	1	15	18	14	1
Dis. of Stom. and Liver	49	4	2	-	2	-	8	4	1	3	2	2	2	7	5	10	5	-
Dis. of Kidneys	10	-	-	-	-	-	-	-	-	1	1	2	2	-	3	1	-	-
Dis. of Gener. Organs	5	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-
Dis. of Joints	4	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	-
Dis. of Skin	3	1	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-
Childbirth and Metria	16	-	-	-	-	-	-	-	-	1	3	8	4	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Other Violent Deaths	13	-	-	2	1	-	3	3	1	-	-	-	-	-	2	3	1	-
Other Causes	271	95	11	-	-	2	108	2	1	-	-	1	4	4	3	31	79	38
270.—BLANDFORD.																		
Mean Popul^{n}, 1861–71	7571	136	190	171	192	185	933	887	825	699	601	1015	890	749	500	328	121	23
TOTAL DEATHS	1305	191	79	49	28	19	366	58	30	35	39	69	71	89	123	182	177	66
Small-pox	2	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Measles	28	6	6	8	2	2	24	3	-	1	-	-	-	-	-	-	-	-
Scarlatina	50	1	10	3	6	5	25	14	5	2	-	1	2	-	1	-	-	-
Diphtheria	12	-	2	3	1	1	7	2	2	-	-	-	-	-	-	1	-	-
Whooping-cough	32	11	10	4	5	-	30	2	-	-	-	-	-	-	-	-	-	-
Typhus	32	-	2	6	2	1	11	7	1	8	4	3	3	2	6	6	1	-
Diarrhœa & Dysentery	18	6	1	-	1	1	9	1	-	-	-	-	-	-	1	4	2	1
Cholera	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Other Zymotic Dis.	28	7	-	3	1	-	11	1	2	-	2	3	1	3	2	2	1	-
Cancer	37	-	-	-	-	-	-	-	-	-	-	4	3	9	13	4	4	-
Scrofula and Tabes	21	2	4	1	1	-	8	4	3	1	1	1	1	1	1	-	-	-
Phthisis	141	-	1	-	-	-	1	5	4	15	20	31	27	24	7	4	-	-
Hydrocephalus	12	4	2	1	-	-	7	3	2	-	-	-	-	-	-	-	-	-
Dis. of Brain	135	24	5	5	3	3	40	2	5	2	2	2	4	9	14	30	21	4
Dis. of Heart & Dropsy	147	2	-	-	-	-	2	-	2	1	1	7	8	15	31	48	50	2
Dis. of Lungs	175	41	10	7	5	1	64	6	1	1	1	-	4	9	24	34	35	6
Dis. of Stom. and Liver	46	7	-	1	-	2	10	3	-	1	3	2	4	5	7	6	5	-
Dis. of Kidneys	8	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	3	-
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	-	-
Dis. of Joints	4	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	1	-
Dis. of Skin	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Childbirth and Metria	19	-	-	-	-	-	-	-	-	1	3	7	7	1	-	-	-	-
Suicide	7	-	-	-	-	-	-	-	-	1	-	1	1	1	1	2	-	-
Other Violent Deaths	19	3	3	3	-	2	11	2	-	-	2	-	1	-	2	-	1	-
Other Causes	304	76	23	4	1	1	105	3	2	1	-	1	1	7	10	38	82	53

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–
271.—WIMBORNE.																		
Mean Popul^n, 1861-71	8520	241	225	234	201	234	1135	1108	1015	891	599	943	887	777	611	382	152	20
TOTAL DEATHS	1508	289	108	46	25	20	488	150	36	47	58	69	78	97	127	194	200	64
Small-pox	2	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Measles	15	2	3	2	2	3	12	1	2	–	–	–	–	–	–	–	–	–
Scarlatina	58	3	4	12	10	4	33	14	3	3	3	–	–	–	–	–	–	–
Diphtheria	11	1	1	3	–	2	7	1	2	1	–	–	–	–	–	–	–	–
Whooping-cough	21	13	4	2	1	–	20	1	–	–	–	–	–	–	–	–	–	–
Typhus	25	–	–	–	1	1	2	2	5	3	1	2	3	1	2	2	2	–
Diarrhœa & Dysentery	36	10	2	2	1	–	15	1	–	1	1	–	–	1	1	10	5	1
Cholera	2	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Other Zymotic Dis.	35	7	2	1	1	1	12	4	–	3	2	1	2	1	6	2	2	–
Cancer	25	–	–	–	–	–	–	–	1	1	–	1	1	6	6	5	3	–
Scrofula and Tabes	26	7	3	1	–	–	11	–	2	2	5	2	1	2	1	–	–	–
Phthisis	158	4	6	–	–	–	10	3	6	17	27	40	26	23	5	1	–	–
Hydrocephalus	32	6	16	4	–	–	26	3	2	1	–	–	–	–	–	–	–	–
Dis. of Brain	156	38	7	8	1	1	55	4	3	2	2	3	4	12	15	27	25	3
Dis. of Heart & Dropsy	106	1	2	–	1	–	4	1	1	–	4	1	8	7	24	24	19	3
Dis. of Lungs	258	55	30	4	5	3	97	3	–	1	5	7	11	16	31	40	38	1
Dis. of Stom. and Liver	91	10	–	–	–	2	12	1	1	4	2	2	13	16	15	18	6	1
Dis. of Kidneys	21	–	–	–	–	–	–	–	–	2	–	1	2	1	5	5	4	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	7	–	1	–	–	–	1	1	–	1	–	2	1	1	–	–	–	–
Dis. of Skin	2	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Other Violent Deaths	49	4	1	2	–	–	7	4	5	4	3	4	3	4	10	5	–	–
Other Causes	370	127	25	4	2	3	161	6	1	1	2	3	3	3	5	44	96	4
272.—POOLE.																		
Mean Popul^n, 1861-71	6786	202	192	192	197	179	962	864	803	649	525	847	1749	591	428	257	93	13
TOTAL DEATHS	1448	292	106	57	54	25	534	74	40	38	44	78	74	95	120	175	137	3
Small-pox	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Measles	27	9	6	7	2	–	24	2	1	–	–	–	–	–	–	–	–	–
Scarlatina	110	3	11	17	21	7	59	34	11	4	2	–	–	–	–	–	–	–
Diphtheria	7	–	1	1	–	2	4	2	1	–	–	–	–	–	–	–	–	–
Whooping-cough	18	7	7	2	2	–	18	–	–	–	–	–	–	–	–	–	–	–
Typhus	67	1	4	4	9	4	22	12	1	4	4	5	5	5	4	5	–	–
Diarrhœa & Dysentery	26	9	5	1	–	–	15	–	–	–	–	1	–	–	1	3	5	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	37	5	2	3	4	–	14	3	2	1	3	2	2	2	3	4	1	–
Cancer	13	–	–	–	–	–	–	–	–	–	–	–	–	2	2	6	3	–
Scrofula and Tabes	21	7	1	2	–	1	11	–	3	2	1	3	–	1	–	–	–	–
Phthisis	139	3	2	1	1	2	9	3	6	13	20	30	25	17	12	2	2	–
Hydrocephalus	15	5	7	1	1	–	14	1	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	199	48	11	4	4	6	73	3	7	4	3	8	9	14	19	37	16	6
Dis. of Heart & Dropsy	82	5	3	–	1	1	10	4	–	2	–	5	6	6	14	23	10	–
Dis. of Lungs	289	81	31	6	6	2	126	1	2	1	4	7	10	22	25	47	29	6
Dis. of Stom. and Liver	69	8	–	1	1	–	10	1	1	1	2	3	5	13	15	9	9	–
Dis. of Kidneys	32	–	–	–	–	–	–	–	–	–	–	1	4	4	4	11	8	–
Dis. of Gener. Organs	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	3	–	1	1	–	–	2	–	–	–	–	–	–	–	1	–	–	–
Dis. of Skin	2	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
Other Violent Deaths	70	5	3	1	2	–	11	6	5	6	5	8	6	5	9	7	2	–
Other Causes	226	95	11	4	–	–	110	2	–	–	–	3	2	3	9	21	52	2
273.—WAREHAM.																		
Mean Popul^n, 1861-71	8433	250	215	254	221	233	1173	1093	1026	805	633	995	874	742	572	369	138	1
TOTAL DEATHS	1500	325	97	41	25	17	505	52	29	35	47	97	78	77	122	202	196	60
Small-pox	4	2	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–
Measles	16	2	6	4	–	2	14	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	52	4	12	5	9	6	36	8	4	1	–	–	2	–	1	–	–	–
Diphtheria	8	1	1	1	1	–	4	2	1	–	–	–	1	–	–	–	–	–
Whooping-cough	26	18	2	2	1	–	23	3	–	–	–	–	–	–	–	–	–	–
Typhus	54	1	2	3	–	3	9	4	6	6	4	8	4	6	3	3	1	–
Diarrhœa & Dysentery	28	12	2	–	1	–	15	1	–	–	–	1	–	1	–	5	4	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	31	6	4	2	1	1	14	–	1	–	2	1	1	3	2	5	1	–
Cancer	25	–	–	–	–	–	–	–	–	–	1	–	1	3	8	6	5	1
Scrofula and Tabes	29	15	1	1	1	–	18	3	1	2	–	1	2	1	–	1	–	–
Phthisis	151	1	1	1	–	–	3	3	1	9	26	49	25	14	15	5	1	–
Hydrocephalus	11	2	5	2	1	–	10	1	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	203	64	17	5	2	1	89	6	–	4	4	5	4	10	20	37	19	5
Dis. of Heart & Dropsy	121	3	–	–	1	1	5	–	3	4	1	3	10	8	20	38	23	6
Dis. of Lungs	202	40	21	6	4	1	72	7	2	1	2	5	6	4	16	36	36	13
Dis. of Stom. and Liver	65	7	1	2	–	1	11	–	2	1	1	5	6	5	11	17	6	–
Dis. of Kidneys	42	–	–	–	–	–	–	–	–	–	1	6	2	3	10	11	8	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	3	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–
Dis. of Skin	2	1	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–
Other Violent Deaths	82	2	3	2	2	–	9	10	7	6	3	9	11	12	9	2	4	–
Other Causes	341	144	19	5	–	1	169	–	1	–	2	2	2	5	7	35	88	3

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
271.—WIMBORNE.																		
Mean Popul^{n}, 1861–71	8768	233	228	220	237	221	1139	1107	1031	779	660	1118	968	820	583	385	152	26
TOTAL DEATHS	1558	247	80	54	27	13	421	46	33	46	75	87	112	101	147	189	223	78
Small-pox	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	12	2	3	2	2	–	9	1	2	–	–	–	–	–	–	–	–	–
Scarlatina	35	3	3	6	4	5	21	10	3	–	1	–	–	–	–	–	–	–
Diphtheria	15	2	–	4	2	1	9	6	–	–	–	–	–	–	–	–	–	–
Whooping-cough	21	11	7	1	1	–	20	1	–	–	–	–	–	–	–	–	–	–
Typhus	49	1	–	–	1	–	2	7	3	8	8	5	6	5	4	1	–	–
Diarrhœa & Dysentery	29	10	2	–	4	–	16	1	–	–	1	1	2	–	–	4	3	1
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Other Zymotic Dis.	26	1	1	2	–	3	7	2	–	2	–	2	3	2	4	–	3	1
Cancer	49	–	–	–	–	–	–	–	–	–	–	1	6	8	14	11	7	2
Scrofula and Tabes	20	7	3	3	–	–	13	2	1	–	1	–	1	–	2	–	–	–
Phthisis	197	6	5	2	–	–	13	5	9	23	36	44	27	26	10	4	–	–
Hydrocephalus	22	7	8	1	2	1	19	2	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	176	38	9	6	3	1	57	3	5	5	4	6	4	9	21	33	26	3
Dis. of Heart & Dropsy	150	–	2	–	–	–	2	–	2	2	6	6	14	22	29	40	24	3
Dis. of Lungs	213	43	16	16	3	1	79	1	2	2	3	3	7	7	25	39	36	10
Dis. of Stom. and Liver	92	3	1	1	–	1	6	1	3	–	3	9	11	11	14	18	15	1
Dis. of Kidneys	9	–	–	–	–	–	–	–	–	–	1	2	1	2	1	–	1	1
Dis. of Gener. Organs	6	–	–	–	–	–	–	–	–	–	1	1	2	–	2	–	–	–
Dis. of Joints	4	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–
Dis. of Skin	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–
Childbirth and Metria	29	–	–	–	–	–	–	–	–	1	8	4	15	1	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–
Other Violent Deaths	24	2	3	2	2	–	9	3	1	–	2	–	3	2	2	–	1	1
Other Causes	371	110	17	8	3	–	138	1	1	2	–	2	7	3	18	38	106	55
272.—POOLE.																		
Mean Popul^{n}, 1861–71	7452	195	194	189	190	200	968	853	759	660	648	1047	855	674	494	349	132	13
TOTAL DEATHS	1481	246	94	44	42	30	456	66	31	52	52	110	87	91	125	189	161	61
Small-pox	2	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Measles	20	2	4	7	4	1	18	1	–	–	–	1	–	–	–	–	–	–
Scarlatina	89	3	9	8	12	6	38	30	11	5	3	2	–	–	–	–	–	–
Diphtheria	18	–	1	–	3	4	8	4	3	1	–	1	–	–	1	–	–	–
Whooping-cough	36	12	12	5	3	1	33	3	–	–	–	–	–	–	–	–	–	–
Typhus	46	–	3	4	2	2	11	8	4	6	3	2	2	4	–	6	–	–
Diarrhœa & Dysentery	21	6	1	–	–	–	7	1	1	–	–	–	–	1	3	3	4	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	31	4	3	–	1	5	13	3	2	3	–	3	–	2	–	3	1	1
Cancer	46	–	–	–	–	–	–	–	–	–	–	3	5	12	15	7	4	–
Scrofula and Tabes	21	1	3	2	3	1	10	3	–	2	–	1	3	1	1	–	–	–
Phthisis	177	–	1	1	–	–	2	3	6	21	30	53	32	19	7	4	–	–
Hydrocephalus	12	2	5	2	1	1	11	–	–	–	–	–	1	–	–	–	–	–
Dis. of Brain	150	31	6	1	5	2	45	3	–	3	5	4	8	11	13	31	21	6
Dis. of Heart & Dropsy	121	2	1	1	–	2	6	1	1	2	–	12	14	9	26	36	13	1
Dis. of Lungs	260	73	35	7	3	3	121	2	1	4	2	6	6	9	33	46	20	10
Dis. of Stom. and Liver	69	12	1	–	1	–	14	1	–	1	2	3	1	10	12	16	9	–
Dis. of Kidneys	9	–	–	–	–	–	–	–	–	–	–	1	1	1	3	2	1	–
Dis. of Gener. Organs	13	–	–	–	–	–	–	–	–	–	–	1	1	7	3	1	–	–
Dis. of Joints	9	–	–	1	1	1	3	–	1	1	1	1	1	1	–	–	–	–
Dis. of Skin	5	1	–	–	–	–	1	–	–	–	–	2	1	–	1	–	–	–
Childbirth and Metria	17	–	–	–	–	–	–	–	–	–	4	11	2	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Other Violent Deaths	30	5	2	4	1	1	13	3	1	2	1	–	1	–	1	5	2	1
Other Causes	278	91	7	1	2	–	101	–	–	1	1	3	8	3	6	28	86	41
273.—WAREHAM.																		
Mean Popul^{n}, 1861–71	8716	244	239	236	220	227	1166	1101	976	726	637	1154	938	796	619	421	152	30
TOTAL DEATHS	1434	227	72	48	33	21	401	50	33	39	52	104	90	86	125	194	193	67
Small-pox	2	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Measles	16	3	4	2	–	5	14	1	1	–	–	–	–	–	–	–	–	–
Scarlatina	47	2	5	8	5	8	28	11	3	–	–	2	3	–	–	–	–	–
Diphtheria	10	–	1	1	4	2	8	2	–	–	–	–	–	–	–	–	–	–
Whooping-cough	33	15	12	4	1	–	32	1	–	–	–	–	–	–	–	–	–	–
Typhus	62	2	1	2	6	–	11	9	5	7	8	5	4	5	4	2	2	–
Diarrhœa & Dysentery	19	6	–	2	1	–	9	1	–	–	–	1	1	–	2	2	1	2
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	37	7	1	2	4	2	16	1	2	–	–	1	2	1	4	5	5	–
Cancer	50	–	–	1	–	–	1	–	–	–	–	1	–	10	13	19	4	2
Scrofula and Tabes	33	11	3	2	1	–	17	3	4	4	–	3	1	1	–	–	–	–
Phthisis	189	1	3	3	1	1	9	5	9	19	28	46	39	17	10	5	2	–
Hydrocephalus	11	3	4	–	2	–	9	2	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	147	33	8	3	2	–	46	2	1	1	5	6	5	10	15	32	20	4
Dis. of Heart & Dropsy	166	2	–	1	1	–	4	2	2	6	4	9	12	13	32	49	32	1
Dis. of Lungs	156	20	14	5	2	2	43	4	2	1	–	6	5	8	19	30	33	5
Dis. of Stom. and Liver	59	4	–	–	1	1	6	1	1	–	2	6	3	9	14	8	8	1
Dis. of Kidneys	8	–	–	–	1	–	1	–	–	–	–	3	–	2	1	1	–	–
Dis. of Gener. Organs	8	–	–	–	–	–	–	–	–	–	–	1	2	3	2	–	–	–
Dis. of Joints	5	–	–	–	–	–	–	–	–	–	–	2	1	–	1	1	–	–
Dis. of Skin	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
Childbirth and Metria	19	–	–	–	–	–	–	–	–	1	2	8	7	1	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Other Violent Deaths	22	6	–	4	–	–	10	4	1	–	1	–	1	1	1	–	2	1
Other Causes	332	111	16	8	1	–	136	1	1	–	1	4	3	5	7	40	83	51

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
274.—WEYMOUTH.																		
Mean Popul^n, 1861–71	14863	387	365	335	336	330	1753	1573	1371	1568	1682	2633	1700	1192	777	422	167	25
TOTAL DEATHS	2587	622	186	85	50	36	979	91	49	60	111	207	205	175	204	242	199	65
Small-pox	5	1	–	–	1	–	2	–	1	–	–	2	–	–	–	–	–	–
Measles	29	8	12	6	2	–	28	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	110	9	17	22	19	10	77	23	4	3	1	–	2	–	–	–	–	–
Diphtheria	30	4	7	5	2	2	20	7	2	–	–	1	–	–	–	–	–	–
Whooping-cough	21	8	7	5	–	1	21	–	–	–	–	–	–	–	–	–	–	–
Typhus	54	3	2	1	1	3	10	8	3	5	6	6	2	4	6	4	–	–
Diarrhœa & Dysentery	94	62	8	2	–	1	73	–	–	1	1	2	1	1	3	6	6	–
Cholera	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Other Zymotic Dis.	74	13	7	7	4	6	37	4	5	–	2	7	4	7	4	4	–	–
Cancer	31	–	–	–	–	2	2	2	–	–	1	1	4	7	6	8	3	–
Scrofula and Tabes	42	20	5	3	–	2	30	1	6	1	2	–	–	1	–	1	–	–
Phthisis	254	6	6	1	–	–	13	1	5	11	44	76	53	33	14	3	1	–
Hydrocephalus	43	14	13	4	3	1	35	6	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	310	103	16	4	3	2	128	6	1	8	2	19	22	20	37	35	26	6
Dis. of Heart & Dropsy	167	2	1	–	1	–	4	2	1	4	3	18	21	18	33	43	16	1
Dis. of Lungs	459	127	54	17	9	3	210	11	1	4	8	16	20	30	49	59	42	9
Dis. of Stom. and Liver	148	17	–	2	1	–	20	6	5	5	9	11	15	14	23	26	9	2
Dis. of Kidneys	54	–	–	–	–	–	–	1	–	–	1	6	8	12	5	14	7	–
Dis. of Gener. Organs	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	9	1	–	–	–	–	1	–	1	2	2	1	–	1	–	–	1	–
Dis. of Skin	11	8	–	–	–	–	8	–	–	–	–	–	–	–	–	1	2	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	17	–	–	–	–	–	–	–	–	1	3	2	7	2	2	–	–	–
Other Violent Deaths	175	7	3	5	2	2	19	10	11	12	24	37	29	16	7	9	1	–
Other Causes	445	209	28	1	1	1	240	2	1	3	1	2	14	9	12	29	85	47
275.—DORCHESTER.																		
Mean Popul^n, 1861–71	12575	328	343	326	328	331	1656	1437	1451	1285	1046	1610	1375	1174	841	483	196	21
TOTAL DEATHS	2503	533	155	82	41	37	848	92	52	57	89	156	170	182	249	265	261	82
Small-pox	3	–	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–
Measles	26	5	10	5	1	2	23	2	–	–	–	1	–	–	–	–	–	–
Scarlatina	99	4	15	9	11	8	47	37	9	3	2	–	1	–	–	–	–	–
Diphtheria	25	1	2	6	3	5	17	6	1	–	–	–	–	–	1	–	–	–
Whooping-cough	27	12	9	5	1	–	27	–	–	–	–	–	–	–	–	–	–	–
Typhus	53	1	1	2	2	2	8	3	5	3	4	7	4	4	6	7	2	–
Diarrhœa & Dysentery	45	25	4	–	1	4	34	1	–	–	1	1	–	1	1	2	4	–
Cholera	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	50	3	4	5	1	3	16	6	3	2	1	1	3	1	6	6	5	–
Cancer	34	–	–	–	–	–	–	–	1	–	–	2	4	8	9	6	4	–
Scrofula and Tabes	73	27	10	5	3	1	46	7	3	3	5	3	3	1	1	1	–	–
Phthisis	252	2	5	2	3	–	12	4	9	17	43	58	44	36	22	7	–	–
Hydrocephalus	31	10	14	1	–	–	25	4	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	332	71	17	7	4	3	102	1	5	10	3	18	32	30	40	45	41	5
Dis. of Heart & Dropsy	203	5	1	–	–	–	6	2	4	–	2	14	15	31	41	54	32	2
Dis. of Lungs	375	102	40	16	4	3	165	5	2	2	5	13	17	14	50	57	40	5
Dis. of Stom. and Liver	114	5	1	2	2	1	11	5	–	5	5	8	17	17	31	12	3	–
Dis. of Kidneys	62	–	–	–	–	–	–	1	1	4	3	10	8	9	8	10	6	2
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	15	–	–	–	–	–	–	1	2	1	2	3	1	1	3	1	–	–
Dis. of Skin	9	3	–	2	–	–	5	–	–	–	–	1	–	2	1	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	12	–	–	–	–	–	–	–	–	–	–	3	2	4	3	–	–	–
Other Violent Deaths	98	6	3	2	2	2	15	4	4	4	10	10	11	16	10	7	6	1
Other Causes	564	250	19	13	3	3	288	2	1	3	2	3	8	7	15	49	118	67
276.—SHERBORNE.																		
Mean Popul^n, 1861–71	6565	190	176	195	165	182	908	767	821	690	472	776	688	579	463	283	105	13
TOTAL DEATHS	1284	297	79	43	14	22	455	39	26	35	38	77	58	82	126	173	136	39
Small-pox	2	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Measles	16	4	6	1	1	2	14	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	37	2	4	8	5	7	26	7	2	2	–	–	–	–	–	–	–	–
Diphtheria	9	–	3	1	–	1	5	2	1	–	–	1	–	–	–	–	–	–
Whooping-cough	18	8	6	3	–	1	18	–	–	–	–	–	–	–	–	–	–	–
Typhus	45	–	2	1	2	1	6	7	5	6	2	3	5	3	6	2	–	–
Diarrhœa & Dysentery	24	11	3	1	2	–	17	–	1	–	–	–	–	–	–	3	2	1
Cholera	2	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
Other Zymotic Dis.	41	9	5	5	–	3	22	4	–	1	–	2	2	3	–	1	6	–
Cancer	25	–	–	–	–	–	–	–	–	–	1	1	1	6	3	10	3	–
Scrofula and Tabes	25	12	4	–	1	–	17	–	1	3	2	2	–	–	–	–	–	–
Phthisis	119	1	–	2	–	1	4	2	2	10	22	34	13	14	9	9	–	–
Hydrocephalus	15	6	4	1	–	2	13	1	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	160	51	11	8	1	1	75	4	2	4	1	4	6	6	15	25	17	1
Dis. of Heart & Dropsy	109	2	–	–	–	–	2	4	1	5	4	1	7	5	24	28	23	2
Dis. of Lungs	166	38	9	4	1	1	53	–	2	–	1	6	11	20	21	34	13	5
Dis. of Stom. and Liver	73	7	–	–	1	1	9	2	–	1	2	5	3	11	18	18	4	–
Dis. of Kidneys	35	1	–	–	–	–	1	–	1	–	–	7	3	5	10	8	–	–
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Dis. of Joints	3	–	1	–	–	–	1	–	–	–	1	–	–	–	–	1	–	–
Dis. of Skin	4	2	–	–	–	–	2	–	–	–	–	1	–	–	–	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	6	–	–	–	–	–	–	–	–	–	–	–	–	3	1	2	–	–
Other Violent Deaths	45	2	2	2	–	–	6	1	6	2	–	10	3	4	6	5	3	–
Other Causes	303	137	19	6	–	1	163	3	–	–	2	–	4	2	11	26	62	30

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
274.—WEYMOUTH.																		
Mean Popul^n, 1861–71	14409	384	380	394	352	296	1806	1589	1419	1364	1409	2166	1663	1304	916	530	210	33
TOTAL DEATHS	2445	457	179	75	50	23	784	79	16	64	73	161	148	175	212	289	301	113
Small-pox	4	-	-	-	1	-	1	-	2	-	1	-	-	-	-	-	-	-
Measles	27	6	10	3	3	1	23	3	-	-	-	1	-	-	-	-	-	-
Scarlatina	106	9	18	16	21	7	71	23	6	-	2	2	1	-	-	1	-	-
Diphtheria	28	2	3	5	2	5	17	6	4	-	-	1	-	-	-	-	-	-
Whooping-cough	36	15	12	5	2	1	35	1	-	-	-	-	-	-	-	-	-	-
Typhus	50	2	-	2	2	1	7	3	8	7	5	8	4	3	2	1	2	-
Diarrhœa & Dysentery	61	37	4	-	-	-	41	-	-	-	1	2	3	-	4	2	8	-
Cholera	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
Other Zymotic Dis.	50	6	6	4	4	1	21	6	2	2	-	1	1	3	7	3	4	-
Cancer	83	-	-	-	-	-	-	-	-	-	-	5	9	17	28	17	6	1
Scrofula and Tabes	30	8	1	3	-	2	14	2	4	2	1	1	1	3	1	1	-	-
Phthisis	258	7	11	2	2	-	22	6	7	27	32	71	52	30	9	1	1	-
Hydrocephalus	27	8	11	2	-	-	21	4	1	1	-	-	-	-	-	-	-	-
Dis. of Brain	311	79	23	8	2	3	115	4	3	4	4	7	13	26	30	43	48	14
Dis. of Heart & Dropsy	224	-	1	1	-	-	2	4	3	5	6	9	18	32	47	60	32	6
Dis. of Lungs	421	95	46	20	6	2	169	6	4	7	5	15	8	15	39	71	71	11
Dis. of Stom. and Liver	117	10	2	-	2	-	14	3	1	3	5	8	5	26	18	23	11	-
Dis. of Kidneys	29	-	-	-	-	-	-	1	-	-	2	2	5	1	8	6	4	-
Dis. of Gener. Organs	18	-	-	-	-	-	-	-	-	-	-	3	5	4	2	3	1	-
Dis. of Joints	7	-	-	-	-	-	-	1	-	-	-	1	1	3	-	1	-	-
Dis. of Skin	9	1	2	-	-	-	3	-	-	-	1	-	-	2	2	-	1	-
Childbirth and Metria	37	-	-	-	-	-	-	-	-	3	3	17	13	1	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-
Other Violent Deaths	35	6	4	1	1	-	12	4	1	1	2	2	-	2	2	3	2	4
Other Causes	471	166	25	3	2	-	196	2	-	2	3	5	6	6	12	53	109	77
275.—DORCHESTER.																		
Mean Popul^n, 1861–71	12833	331	324	326	297	305	1583	1490	1313	1204	1101	1763	1463	1266	872	545	202	31
TOTAL DEATHS	2440	499	136	62	58	38	703	99	54	84	100	174	156	184	228	293	278	88
Small-pox	2	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Measles	22	4	7	6	4	-	21	-	-	-	1	-	-	-	-	-	-	-
Scarlatina	104	4	12	6	14	9	45	35	17	2	3	2	-	-	-	-	-	-
Diphtheria	19	2	3	3	-	1	9	7	1	-	-	1	-	-	-	-	1	-
Whooping-cough	39	16	13	5	4	-	38	1	-	-	-	-	-	-	-	-	-	-
Typhus	83	1	2	5	-	3	11	8	5	10	12	10	5	9	9	3	1	-
Diarrhœa & Dysentery	29	19	1	-	-	-	20	2	1	-	-	-	-	1	2	2	1	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	47	7	3	5	2	4	21	5	6	-	-	2	4	5	1	3	-	-
Cancer	70	-	-	-	-	-	-	-	-	-	1	5	7	20	29	12	3	2
Scrofula and Tabes	79	33	11	4	4	1	53	4	2	3	2	6	2	3	3	1	-	-
Phthisis	322	1	1	2	2	1	7	5	10	46	58	83	60	36	21	6	-	-
Hydrocephalus	19	1	5	2	1	1	10	5	3	1	-	-	-	-	-	-	-	-
Dis. of Brain	311	49	12	5	8	2	76	3	3	6	6	17	29	31	53	60	24	3
Dis. of Heart & Dropsy	242	6	1	-	1	1	9	4	1	6	5	6	12	31	51	63	50	4
Dis. of Lungs	291	72	37	8	10	8	135	7	2	5	3	9	6	19	28	29	31	7
Dis. of Stom. and Liver	82	6	1	-	-	2	9	1	-	2	2	9	7	14	12	17	9	-
Dis. of Kidneys	25	-	-	-	1	-	1	3	2	-	1	4	2	3	4	3	2	-
Dis. of Gener. Organs	8	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	1	-
Dis. of Joints	5	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	1	-
Dis. of Skin	11	4	-	-	-	-	4	-	-	-	-	1	3	-	-	2	-	1
Childbirth and Metria	19	-	-	-	-	-	-	-	-	-	3	8	8	-	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	-	-
Other Violent Deaths	19	2	1	4	1	1	9	3	1	-	-	1	-	-	1	1	3	-
Other Causes	578	182	23	7	5	4	221	5	-	3	3	7	10	9	17	78	151	71
276.—SHERBORNE.																		
Mean Popul^n, 1861–71	7158	200	167	180	179	178	904	795	727	684	644	1018	775	681	478	315	119	18
TOTAL DEATHS	1346	254	89	41	25	19	428	45	28	37	43	80	76	97	134	179	146	53
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	27	3	9	6	3	3	24	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	29	3	7	6	2	4	22	6	1	-	-	-	-	-	-	-	-	-
Diphtheria	5	-	-	-	1	2	3	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough	24	8	12	3	1	-	24	-	-	-	-	-	-	-	-	-	-	-
Typhus	53	1	4	3	2	2	12	8	4	7	6	4	3	4	3	2	-	-
Diarrhœa & Dysentery	34	17	2	1	1	-	21	-	-	-	-	-	-	2	-	5	3	3
Cholera	6	2	1	-	1	-	4	-	-	1	-	1	-	-	-	-	-	-
Other Zymotic Dis.	55	8	6	3	5	2	24	4	1	1	1	2	2	2	4	8	6	-
Cancer	55	-	-	-	-	-	-	-	-	-	-	-	5	12	15	12	12	-
Scrofula and Tabes	19	5	4	1	1	-	11	-	-	3	-	2	2	-	1	-	-	-
Phthisis	164	5	3	3	1	-	12	3	8	17	24	41	29	18	10	10	1	-
Hydrocephalus	15	6	1	1	2	2	12	2	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	171	40	7	3	1	-	51	3	-	-	1	3	6	15	18	33	20	1
Dis. of Heart & Dropsy	120	1	2	-	-	-	3	3	2	1	4	9	9	13	28	35	12	1
Dis. of Lungs	157	27	11	2	1	2	43	3	2	-	3	1	7	10	22	26	17	3
Dis. of Stom. and Liver	75	5	-	-	1	1	7	1	4	3	2	6	9	9	15	15	4	-
Dis. of Kidneys	17	-	-	-	-	-	-	1	-	1	-	1	3	4	3	2	1	1
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-
Dis. of Joints	2	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	4	1	-	-	-	-	1	1	-	-	-	-	-	1	1	-	-	-
Childbirth and Metria	20	-	-	-	-	-	-	-	-	1	2	9	8	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Other Violent Deaths	19	2	1	3	1	-	7	3	1	1	-	-	-	1	1	3	1	1
Other Causes	308	120	19	5	1	1	146	1	4	1	-	1	2	5	9	28	68	43

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
277.—BEAMINSTER.																		
Mean Popul^n, 1861–71	6497	184	188	170	177	169	888	853	754	643	472	729	649	605	454	299	132	19
TOTAL DEATHS	1300	301	101	38	21	18	479	49	26	20	24	53	57	97	116	143	183	53
Small-pox	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Measles	20	3	5	4	–	–	12	6	2	–	–	–	–	–	–	–	–	–
Scarlatina	31	–	6	5	5	3	19	11	1	–	–	–	–	–	–	–	–	–
Diphtheria	7	1	1	–	1	1	4	2	1	–	–	–	–	–	–	–	–	–
Whooping-cough	13	7	4	1	1	–	13	–	–	–	–	–	–	–	–	–	–	–
Typhus	37	–	1	4	–	2	7	8	7	3	1	1	1	4	–	3	2	–
Diarrhœa & Dysentery	20	9	1	–	–	–	10	–	–	–	1	–	–	1	–	3	4	1
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Other Zymotic Dis.	23	3	1	3	2	4	13	2	1	–	1	–	1	2	1	2	–	–
Cancer	24	–	–	–	–	–	–	–	1	–	–	–	1	5	6	6	5	–
Scrofula and Tabes	37	11	3	4	3	2	23	3	1	2	–	2	3	1	1	1	–	–
Phthisis	91	–	–	2	–	–	2	–	4	4	17	19	17	18	9	1	–	–
Hydrocephalus	15	3	6	1	–	1	11	3	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	112	21	7	1	2	–	34	2	–	2	–	8	5	8	13	21	17	2
Dis. of Heart & Dropsy	104	1	3	–	1	1	6	–	–	2	–	3	5	10	22	30	26	–
Dis. of Lungs	268	74	38	8	3	3	126	3	2	1	–	8	9	16	26	39	31	4
Dis. of Stom. and Liver	74	6	1	2	1	–	10	3	1	1	1	4	5	13	16	7	13	–
Dis. of Kidneys	22	–	–	–	–	–	–	–	–	1	1	–	2	5	5	1	5	2
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	7	1	–	–	–	–	1	1	–	–	1	1	1	–	1	–	1	–
Dis. of Skin	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Other Violent Deaths	40	2	1	2	–	–	5	2	3	4	–	4	6	5	7	1	3	–
Other Causes	350	156	23	1	2	1	183	3	1	–	–	3	–	6	9	28	73	44
278.—BRIDPORT.																		
Mean Popul^n, 1861–71	7829	246	229	225	232	216	1148	1011	960	784	569	901	781	667	541	326	128	13
TOTAL DEATHS	1706	427	142	65	34	33	701	52	36	44	31	84	102	89	134	204	189	40
Small-pox	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Measles	53	9	17	10	4	7	47	6	–	–	–	–	–	–	–	–	–	–
Scarlatina	48	2	11	8	5	6	32	9	6	–	–	–	–	1	–	–	–	–
Diphtheria	5	–	–	1	1	–	2	2	1	–	–	–	–	–	–	–	–	–
Whooping-cough	31	20	5	3	1	2	31	–	–	–	–	–	–	–	–	–	–	–
Typhus	49	–	4	3	5	–	12	4	7	5	1	5	4	2	4	2	3	–
Diarrhœa & Dysentery	30	18	1	2	–	2	23	–	–	–	–	1	–	1	2	1	2	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	42	7	6	8	3	1	25	2	1	2	1	–	2	1	1	4	3	–
Cancer	23	–	–	–	–	–	–	–	–	–	–	–	–	4	8	6	5	–
Scrofula and Tabes	66	35	14	–	3	1	53	2	1	2	1	2	3	2	–	–	–	–
Phthisis	153	3	3	1	1	–	8	3	3	17	12	38	34	19	8	9	2	–
Hydrocephalus	17	8	5	1	–	–	14	1	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	192	65	9	6	1	4	85	4	2	5	3	7	7	6	11	33	27	2
Dis. of Heart & Dropsy	133	5	–	3	1	–	9	1	5	3	3	4	8	9	27	37	27	–
Dis. of Lungs	322	77	48	8	7	6	146	6	1	1	3	9	18	18	33	55	27	5
Dis. of Stom. and Liver	81	12	–	–	–	1	13	2	–	1	–	2	7	11	17	19	8	1
Dis. of Kidneys	27	–	–	–	1	–	1	–	–	–	–	1	3	–	1	9	12	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	3	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–
Dis. of Skin	2	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	11	–	–	–	–	–	–	–	–	–	–	4	2	1	3	1	–	–
Other Violent Deaths	85	4	–	5	1	3	13	8	6	5	4	6	12	7	12	6	5	1
Other Causes	331	161	19	6	–	–	186	2	–	–	3	4	2	7	7	21	68	31
279.—AXMINSTER.																		
Mean Popul^n, 1861–71	9475	283	253	256	257	268	1317	1241	1163	894	631	1000	962	912	671	471	190	23
TOTAL DEATHS	1866	346	131	69	32	21	599	76	39	68	49	85	76	128	150	246	275	73
Small-pox	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	50	9	13	12	6	4	44	6	–	–	–	–	–	–	–	–	–	–
Scarlatina	47	–	11	5	2	3	21	15	7	2	–	1	–	1	–	–	–	–
Diphtheria	21	1	3	6	4	1	15	4	1	1	–	–	–	–	–	–	–	–
Whooping-cough	31	11	7	6	2	2	28	3	–	–	–	–	–	–	–	–	–	–
Typhus	41	1	4	1	1	1	8	5	4	6	2	1	1	7	3	3	1	–
Diarrhœa & Dysentery	55	21	4	2	–	–	30	1	1	–	–	3	–	2	4	4	8	2
Cholera	3	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–
Other Zymotic Dis.	63	10	8	9	2	–	29	7	1	5	2	2	4	2	2	4	4	1
Cancer	39	–	–	–	–	–	–	–	–	–	–	3	–	2	12	10	10	2
Scrofula and Tabes	40	8	3	3	1	1	16	6	5	5	2	3	1	–	–	2	–	–
Phthisis	142	3	4	3	1	–	11	2	3	17	25	31	20	16	11	6	–	–
Hydrocephalus	29	7	8	3	–	3	21	6	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	209	64	12	4	1	2	83	8	–	6	4	8	6	15	23	23	22	6
Dis. of Heart & Dropsy	173	–	1	–	–	1	2	2	3	3	3	6	12	23	25	58	29	7
Dis. of Lungs	299	60	25	7	7	2	101	3	1	1	1	7	7	15	33	53	67	10
Dis. of Stom. and Liver	104	9	1	2	–	–	12	1	2	7	2	5	7	17	14	27	10	–
Dis. of Kidneys	46	–	–	–	–	–	–	–	3	3	1	4	8	8	4	7	7	1
Dis. of Gener. Organs	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
Dis. of Skin	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	15	–	–	–	–	–	–	–	–	–	1	3	1	1	7	2	–	–
Other Violent Deaths	71	2	4	2	2	–	10	5	3	9	5	5	7	14	6	4	3	–
Other Causes	382	137	26	4	1	1	166	2	3	3	1	1	1	4	5	36	114	46

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
277.—BEAMINSTER.																		
Mean Popul^n, 1861–71	6852	191	163	180	181	154	869	842	738	599	570	874	721	676	478	312	149	24
TOTAL DEATHS	1282	225	78	48	31	26	408	50	24	40	43	68	54	73	91	171	198	62
Small-pox	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	24	4	9	5	–	1	19	4	1	–	–	–	–	–	–	–	–	–
Scarlatina	40	1	5	5	5	4	20	12	3	2	1	2	–	–	–	–	–	–
Diphtheria	17	–	2	–	2	2	6	3	2	2	1	3	–	–	–	–	–	–
Whooping-cough	20	11	5	1	1	2	20	–	–	–	–	–	–	–	–	–	–	–
Typhus	32	1	–	3	4	6	14	2	2	3	4	1	2	–	3	1	–	–
Diarrhœa & Dysentery	19	8	1	1	–	–	10	–	1	–	–	–	–	–	–	5	1	2
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	34	4	5	4	8	6	27	3	1	1	–	–	–	1	1	–	–	–
Cancer	23	–	–	–	–	–	–	–	–	–	–	1	2	4	7	8	1	–
Scrofula and Tabes	24	2	4	3	1	–	10	4	1	–	1	4	3	–	–	1	–	–
Phthisis	134	1	–	–	1	–	2	4	5	23	25	34	13	14	10	2	2	–
Hydrocephalus	11	5	2	1	–	–	8	2	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	131	27	8	4	1	–	40	4	4	3	2	4	6	10	13	25	17	3
Dis. of Heart & Dropsy	139	1	–	–	–	–	1	1	1	1	1	2	8	18	24	47	33	2
Dis. of Lungs	182	34	20	12	5	2	73	3	–	3	1	5	5	6	11	33	40	2
Dis. of Stom. and Liver	65	2	–	–	2	–	4	4	–	–	2	3	4	12	12	14	10	–
Dis. of Kidneys	11	–	1	–	–	–	1	1	–	–	1	–	1	–	2	3	2	–
Dis. of Gener. Organs	4	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–
Dis. of Joints	2	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Dis. of Skin	2	1	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Childbirth and Metria	13	–	–	–	–	–	–	–	–	–	3	5	5	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Other Violent Deaths	12	2	1	1	–	–	4	1	2	–	–	–	–	–	–	1	2	2
Other Causes	341	120	15	8	1	3	147	2	–	2	1	3	3	5	6	31	90	51
278.—BRIDPORT.																		
Mean Popul^n, 1861–71	8951	242	231	228	229	221	1151	1024	959	868	779	1199	949	812	605	400	174	31
TOTAL DEATHS	1767	320	121	66	47	32	586	63	37	51	61	116	106	113	121	207	216	90
Small-pox	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	58	8	18	12	12	3	53	4	–	1	–	–	–	–	–	–	–	–
Scarlatina	56	2	5	6	7	7	27	23	5	–	–	–	–	1	–	–	–	–
Diphtheria	15	1	3	3	2	1	10	2	–	–	–	1	–	–	–	–	–	–
Whooping-cough	34	8	12	4	3	3	30	3	1	–	–	–	–	–	–	–	–	–
Typhus	59	1	2	1	4	–	8	6	9	14	7	6	–	3	4	2	–	–
Diarrhœa & Dysentery	29	10	4	1	–	1	16	–	–	–	–	1	1	–	3	1	6	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	49	5	6	9	–	4	24	2	1	5	1	1	2	4	1	3	4	1
Cancer	48	–	–	–	–	–	–	–	–	–	–	2	6	8	13	8	9	2
Scrofula and Tabes	51	20	5	2	–	2	29	2	3	2	2	5	3	5	–	–	–	–
Phthisis	206	2	4	–	1	3	10	2	10	13	32	60	33	33	7	5	1	–
Hydrocephalus	8	5	1	1	–	–	7	1	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	206	48	11	6	3	3	71	4	1	3	5	7	8	12	14	34	41	6
Dis. of Heart & Dropsy	148	2	–	–	–	–	2	–	2	2	6	5	9	12	26	45	30	9
Dis. of Lungs	281	66	25	13	11	1	116	9	1	2	3	6	13	14	22	59	28	8
Dis. of Stom. and Liver	82	8	1	1	–	1	11	1	1	2	2	4	8	8	19	16	9	1
Dis. of Kidneys	27	–	–	–	1	–	1	1	1	1	–	5	3	3	3	8	1	–
Dis. of Gener. Organs	9	–	–	–	–	–	–	–	–	–	1	–	2	2	–	3	1	–
Dis. of Joints	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–
Dis. of Skin	11	4	1	1	–	–	6	–	–	–	–	–	–	2	1	1	1	–
Childbirth and Metria	25	–	–	–	–	–	–	–	–	2	2	8	12	1	–	–	–	–
Suicide	6	–	–	–	–	–	–	–	–	–	–	1	1	3	1	–	–	–
Other Violent Deaths	22	4	–	2	3	3	12	3	1	3	–	–	–	–	–	1	1	1
Other Causes	335	126	23	3	–	–	152	–	1	1	–	3	5	2	7	21	82	61
279.—AXMINSTER.																		
Mean Popul^n, 1861–71	10433	283	244	261	247	250	1285	1241	1069	966	822	1376	1139	1009	730	533	222	41
TOTAL DEATHS	1974	270	124	77	35	29	535	74	52	75	55	126	111	114	167	272	286	107
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	43	9	15	6	4	3	37	5	–	–	–	–	–	1	–	–	–	–
Scarlatina	25	3	2	2	3	2	12	6	7	–	–	–	–	–	–	–	–	–
Diphtheria	32	1	6	4	3	4	18	9	4	1	–	–	–	–	–	–	–	–
Whooping-cough	41	21	7	5	3	2	38	3	–	–	–	–	–	–	–	–	–	–
Typhus	71	1	3	3	2	6	15	7	9	12	4	4	4	5	4	5	2	–
Diarrhœa & Dysentery	48	14	5	4	2	1	26	–	–	1	–	1	–	3	3	8	2	4
Cholera	5	–	–	1	–	1	2	1	1	–	–	–	–	–	–	1	–	–
Other Zymotic Dis.	57	8	9	10	7	2	36	5	1	3	–	4	–	1	3	3	1	–
Cancer	57	–	–	–	–	–	–	–	–	–	–	2	8	11	16	17	2	1
Scrofula and Tabes	41	5	4	5	1	–	15	5	4	7	–	1	4	2	2	–	1	–
Phthisis	245	4	8	2	2	–	16	6	10	31	36	61	47	20	11	7	–	–
Hydrocephalus	18	3	8	2	–	1	14	2	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	229	53	4	4	1	2	64	6	1	7	3	9	8	14	27	36	45	9
Dis. of Heart & Dropsy	229	1	2	1	–	–	4	2	4	1	6	13	15	20	52	65	40	7
Dis. of Lungs	228	24	30	12	5	1	72	5	3	2	–	4	6	16	20	40	52	8
Dis. of Stom. and Liver	98	7	2	1	–	1	11	3	–	3	–	7	6	12	18	23	14	1
Dis. of Kidneys	19	–	1	–	–	–	1	–	–	2	–	1	4	3	2	3	1	2
Dis. of Gener. Organs	10	–	–	–	1	–	1	–	–	–	–	1	2	3	–	3	–	–
Dis. of Joints	10	–	–	–	–	–	–	–	2	2	–	2	1	1	2	–	–	–
Dis. of Skin	3	1	–	1	–	–	2	–	–	–	–	–	–	–	–	1	–	–
Childbirth and Metria	20	–	–	–	–	–	–	–	–	3	3	8	6	–	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–
Other Violent Deaths	27	5	1	4	–	–	10	6	2	–	–	2	–	–	–	1	5	1
Other Causes	415	110	17	10	1	3	141	3	2	–	3	4	–	2	6	59	121	74

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
280.—HONITON.																		
Mean Popul^n, 1861–71	10696	315	263	300	289	294	1461	1354	1305	1048	747	1159	1056	987	782	541	232	24
TOTAL DEATHS	2055	431	121	63	42	24	684	70	39	58	56	126	107	122	170	268	263	92
Small-pox	5	-	1	-	-	2	3	1	-	-	1	-	-	-	-	-	-	-
Measles	28	4	9	6	4	3	26	1	-	-	-	1	-	-	-	-	-	-
Scarlatina	50	4	5	12	10	4	35	13	2	-	-	-	-	-	-	-	-	-
Diphtheria	12	1	2	2	2	1	8	2	-	1	1	-	-	-	-	-	-	-
Whooping-cough	31	15	12	4	1	1	33	1	-	-	-	-	-	-	-	-	-	-
Typhus	72	2	3	2	4	1	12	9	5	7	8	9	8	5	2	7	-	-
Diarrhœa & Dysentery	48	25	6	3	-	-	34	-	1	1	-	1	2	-	-	3	6	-
Cholera	4	1	-	-	-	-	1	-	-	-	-	1	1	-	1	-	-	-
Other Zymotic Dis.	35	5	4	2	3	1	15	3	1	-	1	-	-	1	5	2	6	1
Cancer	29	-	-	-	-	-	-	-	-	-	-	1	1	6	12	7	1	1
Scrofula and Tabes	40	13	6	4	1	-	24	-	-	1	4	10	-	1	-	-	-	-
Phthisis	196	1	2	2	1	2	8	3	6	16	24	68	36	17	16	2	-	-
Hydrocephalus	38	14	7	5	5	-	31	4	2	-	1	-	-	-	-	-	-	-
Dis. of Brain	275	92	17	6	2	4	121	8	5	4	2	6	15	20	27	41	22	1
Dis. of Heart & Dropsy	172	2	-	-	1	-	3	3	1	4	-	1	7	23	33	52	37	6
Dis. of Lungs	264	60	18	9	3	1	91	5	-	5	6	10	10	25	29	55	22	6
Dis. of Stom. and Liver	98	5	-	-	1	-	6	1	3	6	-	5	13	12	19	20	11	2
Dis. of Kidneys	31	-	-	-	-	-	-	1	1	3	1	4	2	2	5	6	8	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	7	-	-	-	-	-	-	1	1	1	-	1	1	-	2	-	-	-
Dis. of Skin	8	2	-	-	1	-	3	-	-	-	1	-	-	-	1	2	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	7	-	-	-	-	-	-	-	-	-	-	-	3	-	2	2	-	-
Other Violent Deaths	83	11	6	2	2	3	24	8	6	8	4	5	6	8	4	4	6	-
Other Causes	516	174	23	7	1	1	206	4	3	1	2	3	2	2	12	62	113	71
281.—ST. THOMAS.																		
Mean Popul^n, 1861–71	22592	622	591	598	577	592	2980	2835	2683	2209	1597	2588	2281	2133	1698	1112	425	51
TOTAL DEATHS	4971	938	251	122	89	77	1477	190	111	123	124	309	349	367	514	659	587	161
Small-pox	17	3	-	-	2	-	5	-	2	2	3	4	1	-	-	-	-	-
Measles	69	16	19	10	10	6	61	6	-	1	1	-	-	-	-	-	-	-
Scarlatina	135	9	18	22	13	13	75	47	5	5	1	2	-	-	-	-	-	-
Diphtheria	45	8	4	4	5	7	28	11	2	2	1	-	-	-	-	-	1	-
Whooping-cough	55	28	16	5	2	1	52	3	-	-	-	-	-	-	-	-	-	-
Typhus	162	2	3	8	9	8	30	23	21	10	9	9	10	3	17	23	6	1
Diarrhœa & Dysentery	192	114	10	6	2	-	132	2	2	2	-	3	5	6	14	10	13	3
Cholera	75	4	1	3	1	2	11	7	3	3	3	6	17	8	7	10	-	-
Other Zymotic Dis.	123	10	16	14	3	7	50	12	6	-	5	5	5	13	7	10	7	3
Cancer	80	-	-	-	-	-	-	-	-	1	-	-	8	14	19	25	12	1
Scrofula and Tabes	62	19	10	2	1	1	33	4	6	2	2	8	1	4	-	1	1	-
Phthisis	516	11	6	2	4	3	26	7	10	32	54	129	96	73	60	24	5	-
Hydrocephalus	56	21	15	2	3	3	44	11	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	771	139	34	8	5	8	194	9	11	11	17	46	94	88	101	112	72	16
Dis. of Heart & Dropsy	338	2	3	2	1	2	10	9	8	7	5	17	17	30	71	94	62	8
Dis. of Lungs	757	165	54	18	12	8	257	13	6	10	7	20	34	50	86	151	105	18
Dis. of Stom. and Liver	216	27	1	1	1	2	32	5	4	2	3	11	16	28	42	46	24	3
Dis. of Kidneys	115	-	-	-	-	-	-	4	1	2	-	6	9	10	23	30	29	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Dis. of Joints	28	-	-	-	1	-	1	1	1	4	-	4	7	5	1	3	-	1
Dis. of Skin	18	4	1	-	-	-	5	-	1	-	-	3	1	-	1	3	4	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	38	-	-	-	-	-	-	-	1	1	-	4	5	9	13	3	2	-
Other Violent Deaths	198	7	8	5	7	4	31	11	18	26	13	27	17	14	21	12	8	-
Other Causes	901	349	32	10	7	2	400	5	2	-	-	5	6	12	30	102	236	106
282.—EXETER.																		
Mean Popul^n, 1861–71	15229	444	390	396	356	342	1928	1763	1701	1531	1289	2099	1688	1413	1021	587	188	21
TOTAL DEATHS	4288	1011	343	188	97	61	1700	126	90	102	129	267	314	333	416	433	313	65
Small-pox	62	14	12	6	6	6	44	9	2	-	1	4	2	-	-	-	-	-
Measles	112	17	44	37	8	3	109	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	85	7	14	10	9	10	50	20	9	4	-	2	-	-	-	-	-	-
Diphtheria	12	3	1	3	2	1	10	1	-	1	-	-	-	-	-	-	-	-
Whooping-cough	85	36	25	15	8	1	85	-	-	-	-	-	-	-	-	-	-	-
Typhus	102	2	6	11	3	4	26	9	8	6	7	15	9	8	2	9	3	-
Diarrhœa & Dysentery	197	144	16	6	-	1	167	-	-	-	-	1	3	5	7	6	6	2
Cholera	59	2	7	5	4	1	19	3	3	3	1	7	5	7	4	5	2	-
Other Zymotic Dis.	91	16	17	10	5	4	52	6	2	3	1	7	4	2	8	3	2	1
Cancer	60	-	-	-	-	-	-	-	-	2	1	4	2	13	19	13	6	-
Scrofula and Tabes	106	30	18	7	3	2	60	13	6	8	5	2	5	2	2	3	-	-
Phthisis	446	3	5	2	3	3	16	3	15	31	54	95	91	70	46	22	3	-
Hydrocephalus	70	23	13	9	8	5	58	7	5	-	-	-	-	-	-	-	-	-
Dis. of Brain	543	163	44	18	12	6	243	11	6	9	7	21	36	35	60	70	42	3
Dis. of Heart & Dropsy	328	4	1	1	2	-	8	8	6	4	3	32	46	44	74	68	33	2
Dis. of Lungs	685	168	75	32	13	6	294	13	2	6	10	23	32	48	87	102	55	13
Dis. of Stom. and Liver	177	13	2	2	2	-	19	4	3	5	4	9	20	35	42	20	16	-
Dis. of Kidneys	118	-	-	-	1	-	1	2	4	-	10	8	16	17	20	24	14	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	34	-	-	-	1	2	3	5	4	6	2	4	2	3	4	-	1	-
Dis. of Skin	20	1	2	1	-	1	5	2	-	1	-	-	3	5	3	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	17	-	-	-	-	-	-	-	-	-	1	2	5	4	4	-	1	-
Other Violent Deaths	184	11	8	8	6	4	37	6	13	13	20	20	18	21	11	18	6	1
Other Causes	695	334	33	5	1	1	394	2	1	-	2	11	15	14	23	69	123	41

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
280.—HONITON.																		
Mean Populn, 1861–71	11815	288	280	285	279	277	1409	1314	1186	1129	974	1572	1333	1148	868	596	247	39
TOTAL DEATHS	2112	306	115	53	25	21	520	57	42	83	77	135	136	143	170	324	307	118
Small-pox	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Measles	32	3	17	7	2	–	29	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	38	3	8	9	2	4	26	8	2	–	1	–	1	–	–	–	–	–
Diphtheria	9	1	1	2	2	–	6	2	–	–	1	–	–	–	–	–	–	–
Whooping-cough	37	16	12	3	1	3	35	2	–	–	–	–	–	–	–	–	–	–
Typhus	85	–	3	4	1	–	8	10	8	18	9	7	10	2	5	6	2	–
Diarrhœa & Dysentery	44	21	7	1	–	–	29	2	–	–	–	–	1	–	3	6	2	1
Cholera	5	2	–	–	–	–	2	–	–	–	–	1	1	–	–	1	–	–
Other Zymotic Dis.	33	4	4	3	4	3	18	1	2	1	1	–	3	2	1	2	2	–
Cancer	67	–	–	–	–	–	–	–	–	–	1	–	6	15	20	16	9	–
Scrofula and Tabes	32	9	2	1	1	–	13	1	1	6	4	4	2	1	–	–	–	–
Phthisis	278	6	2	1	2	1	12	1	14	34	43	69	51	29	17	7	1	–
Hydrocephalus	24	7	5	4	–	1	17	6	–	–	–	–	–	–	–	1	–	–
Dis. of Brain	262	67	12	5	3	2	89	5	3	5	4	9	8	16	27	63	32	1
Dis. of Heart & Dropsy	229	2	3	–	–	1	6	3	2	4	4	10	17	30	38	69	40	6
Dis. of Lungs	223	44	20	6	3	4	77	6	3	7	3	7	9	11	21	44	25	10
Dis. of Stom. and Liver	83	4	3	–	1	–	8	1	2	3	–	5	6	13	16	18	9	2
Dis. of Kidneys	17	–	–	–	–	–	–	–	–	–	2	1	2	3	4	3	2	–
Dis. of Gener. Organs	9	–	–	–	–	–	–	–	–	1	–	–	1	4	1	1	1	–
Dis. of Joints	6	–	–	–	1	–	1	1	1	–	–	1	1	–	–	1	–	–
Dis. of Skin	5	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	2	–
Childbirth and Metria	31	–	–	–	–	–	–	–	–	1	2	15	10	3	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–
Other Violent Deaths	28	5	–	1	1	1	8	2	2	3	1	–	1	3	2	2	3	1
Other Causes	530	112	16	6	1	1	136	3	2	–	1	5	5	8	13	84	176	97
281.—ST. THOMAS.																		
Mean Populn, 1861–71	26264	637	586	600	586	554	2963	2857	2603	2302	2301	3609	2991	2619	2035	1330	559	95
TOTAL DEATHS	5024	752	261	126	93	75	1307	168	101	142	153	319	317	354	443	718	738	264
Small-pox	8	3	–	1	–	–	4	1	–	1	2	–	–	–	–	–	–	–
Measles	60	12	18	13	7	4	54	5	1	–	–	–	–	–	–	–	–	–
Scarlatina	155	11	22	28	18	19	98	39	10	2	–	2	3	1	–	–	–	–
Diphtheria	59	4	10	2	8	10	34	19	2	–	–	–	1	2	–	1	–	–
Whooping-cough	64	30	19	6	4	2	61	2	1	–	–	–	–	–	–	–	–	–
Typhus	191	–	7	9	10	6	32	21	26	23	10	14	14	17	11	13	7	3
Diarrhœa & Dysentery	158	78	14	5	1	–	98	3	2	2	–	–	5	4	4	17	14	9
Cholera	49	2	3	1	1	5	12	5	–	1	1	2	4	6	6	6	6	–
Other Zymotic Dis.	119	10	7	10	13	8	48	18	5	3	1	3	5	7	7	14	7	1
Cancer	151	–	–	–	–	–	–	–	–	–	–	2	16	30	44	40	20	2
Scrofula and Tabes	57	15	7	–	–	2	24	4	6	5	6	4	3	–	3	1	1	–
Phthisis	647	9	10	1	2	2	24	15	25	58	82	167	100	93	54	21	8	–
Hydrocephalus	37	10	9	6	4	1	30	3	1	–	1	–	1	1	–	–	–	–
Dis. of Brain	613	104	25	10	6	3	148	10	10	9	10	39	34	59	69	113	89	23
Dis. of Heart & Dropsy	406	6	1	–	–	–	7	4	8	7	6	12	31	40	76	131	78	6
Dis. of Lungs	667	131	55	17	13	6	222	6	2	7	9	9	13	31	66	155	123	24
Dis. of Stom. and Liver	245	11	3	3	1	4	25	3	–	7	6	12	19	29	46	56	28	4
Dis. of Kidneys	50	1	–	–	1	–	2	1	–	2	2	5	7	11	6	9	4	1
Dis. of Gener. Organs	30	–	–	–	–	–	–	–	–	–	–	2	9	4	8	7	–	–
Dis. of Joints	24	1	2	2	–	1	6	–	1	3	–	3	4	–	4	2	1	–
Dis. of Skin	11	4	1	–	–	–	5	–	–	–	–	–	–	1	1	1	3	–
Childbirth and Metria	90	–	–	–	–	–	–	–	–	4	12	37	35	2	–	–	–	–
Suicide	8	–	–	–	–	–	–	–	–	2	1	1	–	2	2	–	–	–
Other Violent Deaths	62	10	8	4	1	–	23	6	1	2	2	1	5	2	5	3	9	3
Other Causes	1070	297	40	8	3	2	350	3	–	4	2	4	8	12	31	128	340	188
282.—EXETER.																		
Mean Populn, 1861–71	18968	434	386	377	381	356	1934	1739	1753	1965	1895	2863	2236	1842	1386	927	371	57
TOTAL DEATHS	4370	805	311	166	96	52	1430	124	108	102	134	284	291	298	386	518	537	158
Small-pox	47	5	11	5	5	2	28	4	4	4	3	–	3	1	–	–	–	–
Measles	120	21	37	26	17	9	110	8	1	–	–	–	–	1	–	–	–	–
Scarlatina	89	5	17	16	9	11	58	20	6	1	1	2	1	–	–	–	–	–
Diphtheria	29	2	3	5	5	3	18	8	–	1	1	–	–	1	–	–	–	–
Whooping-cough	90	32	33	16	6	2	89	1	–	–	–	–	–	–	–	–	–	–
Typhus	121	2	4	9	4	2	21	11	20	12	12	7	7	7	9	11	1	–
Diarrhœa & Dysentery	169	110	11	7	1	–	129	1	–	–	2	3	4	2	2	7	15	4
Cholera	60	2	2	2	1	1	8	2	4	1	3	11	8	10	8	3	2	–
Other Zymotic Dis.	81	8	8	9	11	1	37	5	2	3	2	3	6	7	3	7	5	1
Cancer	114	–	–	–	–	–	–	–	–	–	–	10	17	36	33	32	12	1
Scrofula and Tabes	88	31	17	5	4	1	58	6	7	7	3	1	2	1	3	–	–	–
Phthisis	461	6	8	5	2	–	21	10	29	41	58	115	88	58	25	13	–	–
Hydrocephalus	53	25	8	10	3	2	48	4	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	507	105	26	11	9	4	155	9	8	5	8	18	22	34	71	84	80	10
Dis. of Heart & Dropsy	386	5	2	–	2	–	9	6	6	4	8	14	36	52	90	96	60	5
Dis. of Lungs	618	111	76	27	13	9	236	8	6	6	8	28	24	37	74	118	86	17
Dis. of Stom. and Liver	204	11	2	4	1	–	18	3	4	2	10	18	27	20	25	42	25	4
Dis. of Kidneys	39	–	–	–	–	–	–	3	2	2	3	8	5	9	4	–	3	–
Dis. of Gener. Organs	24	–	–	–	–	–	–	–	–	1	2	5	2	6	7	1	–	–
Dis. of Joints	19	–	–	1	–	1	2	2	4	2	2	2	2	–	2	–	1	–
Dis. of Skin	12	4	–	1	–	1	6	–	–	1	–	2	1	–	–	2	–	–
Childbirth and Metria	49	–	–	–	–	–	–	–	–	1	5	24	19	–	–	–	–	–
Suicide	9	–	–	–	–	–	–	–	–	1	1	2	2	1	1	–	1	–
Other Violent Deaths	70	11	7	1	1	2	22	6	4	2	–	1	7	4	8	5	6	5
Other Causes	851	309	39	6	2	1	357	4	–	2	2	10	8	5	15	97	240	111

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards
283.—NEWTON ABBOT.																		
Mean Popul^n, 1861 71	28515	854	759	803	746	751	3913	3567	3237	2636	2142	3519	3142	2691	1953	1216	447	52
TOTAL DEATHS	6259	1361	431	212	155	84	2243	222	127	155	213	422	396	405	498	731	687	160
Small pox	45	10	5	1	5	3	24	3	1	4	3	5	3	1	-	1	-	-
Measles	133	25	49	29	23	4	130	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	228	19	31	33	35	26	147	55	18	6	2	-	-	-	-	-	-	-
Diphtheria	33	7	6	3	2	2	20	7	3	1	-	1	-	-	1	-	-	-
Whooping-cough	105	52	26	15	7	2	102	2	1	-	-	-	-	-	-	-	-	-
Typhus	214	1	12	9	11	7	40	34	21	24	26	17	9	10	16	7	10	-
Diarrhœa & Dysentery	189	113	20	4	-	1	138	1	-	-	5	1	2	6	1	17	16	2
Cholera	20	3	1	1	1	-	6	4	1	-	-	4	2	3	3	4	2	1
Other Zymotic Dis.	132	18	10	11	17	9	65	5	4	5	1	7	7	10	6	14	7	1
Cancer	82	-	1	1	-	-	2	-	-	1	1	1	5	9	33	23	6	1
Scrofula and Tabes	105	48	14	2	3	2	69	12	2	6	2	7	2	2	3	-	-	-
Phthisis	794	15	21	6	6	3	51	11	17	54	111	230	161	76	57	25	1	-
Hydrocephalus	93	37	23	11	2	2	75	12	2	2	1	1	-	-	-	-	-	-
Dis. of Brain	821	250	49	17	12	2	330	16	13	10	10	29	39	66	89	126	89	13
Dis. of Heart & Dropsy	454	4	2	4	1	1	12	4	8	16	7	32	40	54	69	129	74	6
Dis. of Lungs	961	241	86	41	18	8	394	10	4	3	8	39	47	67	91	154	125	19
Dis. of Stom. and Liver	290	39	5	2	1	3	50	8	6	5	11	16	22	32	41	72	23	4
Dis. of Kidneys	112	2	2	1	-	-	5	1	1	2	3	4	7	15	22	25	25	2
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Dis. of Joints	25	2	1	1	-	-	4	4	4	-	1	3	-	-	3	4	2	-
Dis. of Skin	20	5	1	-	-	-	6	-	1	1	-	-	1	2	1	4	4	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	28	-	-	-	-	-	-	-	-	-	1	-	4	7	11	3	2	-
Other Violent Deaths	227	9	12	9	8	7	45	15	19	14	18	19	23	27	24	13	7	3
Other Causes	1140	461	54	8	3	2	528	15	1	1	1	6	22	18	36	110	291	108
284.—TOTNES.																		
Mean Popul^n, 1861-71	16110	471	452	459	449	421	2252	2054	1866	1484	1163	1889	1648	1474	1174	771	301	34
TOTAL DEATHS	3423	664	249	116	72	47	1148	134	78	87	110	208	184	240	266	445	403	120
Small-pox	19	2	3	2	-	1	8	1	-	1	2	3	2	1	1	-	-	-
Measles	57	3	27	7	10	5	52	3	1	-	-	1	-	-	-	-	-	-
Scarlatina	114	7	19	16	19	12	73	25	8	2	2	2	2	-	-	-	-	-
Diphtheria	22	1	2	4	3	1	11	6	1	2	-	1	-	-	-	-	1	-
Whooping-cough	45	14	18	9	2	-	43	2	-	-	-	-	-	-	-	-	-	-
Typhus	156	6	8	16	7	4	35	21	19	14	12	10	8	12	9	8	8	-
Diarrhœa & Dysentery	82	38	13	2	1	-	54	2	2	1	1	2	2	-	7	4	4	3
Cholera	81	1	5	3	8	5	22	9	5	2	2	7	12	2	8	9	2	1
Other Zymotic Dis.	76	7	7	6	5	2	27	3	-	1	2	3	1	7	6	15	11	-
Cancer	35	-	-	-	-	-	-	-	-	-	-	3	3	8	3	17	1	-
Scrofula and Tabes	35	10	2	2	-	-	14	5	-	1	3	5	2	2	2	1	-	-
Phthisis	252	5	7	8	-	4	24	6	6	28	37	60	23	31	21	8	-	-
Hydrocephalus	41	21	8	4	2	1	36	5	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	445	122	24	8	5	1	160	6	3	2	5	19	14	36	44	82	60	14
Dis. of Heart & Dropsy	284	5	-	1	1	-	7	4	3	5	4	18	17	30	46	87	54	9
Dis. of Lungs	527	137	46	12	4	3	202	17	3	6	10	19	36	45	36	81	65	7
Dis. of Stom. and Liver	158	19	2	1	-	-	22	3	5	1	3	12	11	26	29	24	19	3
Dis. of Kidneys	51	-	-	-	-	-	-	-	1	-	1	6	7	7	9	12	8	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Dis. of Joints	9	1	1	-	-	-	2	-	1	-	-	2	-	2	-	-	2	-
Dis. of Skin	9	3	-	-	-	-	3	-	-	-	-	1	-	-	-	-	4	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	17	-	-	-	-	-	-	-	1	1	1	1	2	3	5	3	-	-
Other Violent Deaths	217	8	9	7	2	6	32	8	17	18	21	27	32	24	20	13	3	2
Other Causes	690	254	48	14	3	2	321	8	2	2	4	6	5	4	17	80	161	80
285.—KINGSBRIDGE.																		
Mean Popul^n, 1861-71	9430	278	243	264	249	256	1290	1212	1072	930	644	1013	919	908	710	511	200	21
TOTAL DEATHS	1929	362	103	62	44	30	601	67	38	48	67	119	101	121	153	268	278	68
Small-pox	3	1	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-
Measles	30	7	10	7	3	1	28	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	72	4	16	9	12	7	48	20	2	1	1	-	-	-	-	-	-	-
Diphtheria	4	2	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-
Whooping-cough	33	15	6	6	5	1	33	-	-	-	-	-	-	-	-	-	-	-
Typhus	45	-	-	4	2	4	10	4	5	6	6	-	7	1	3	3	-	-
Diarrhœa & Dysentery	28	13	2	1	-	1	17	-	-	1	-	1	3	1	1	1	3	-
Cholera	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
Other Zymotic Dis.	68	10	3	3	-	4	20	1	2	1	1	2	2	4	4	15	15	1
Cancer	23	-	-	-	-	-	-	-	-	-	-	-	-	8	5	8	2	-
Scrofula and Tabes	28	9	1	2	2	1	15	3	2	2	-	5	-	1	-	-	-	-
Phthisis	186	4	4	2	2	-	12	3	6	18	36	50	21	24	9	6	1	-
Hydrocephalus	12	4	1	2	2	1	10	2	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	268	61	11	6	3	2	83	7	5	1	3	9	5	18	18	56	53	10
Dis. of Heart & Dropsy	113	-	-	3	-	1	4	3	3	3	2	5	4	14	26	43	34	2
Dis. of Lungs	331	60	25	7	5	4	101	6	3	2	5	14	19	18	41	61	53	8
Dis. of Stom. and Liver	96	7	2	1	-	1	11	3	1	2	1	2	11	9	24	19	11	2
Dis. of Kidneys	32	-	-	1	-	-	1	2	-	-	-	4	3	2	4	8	8	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Dis. of Joints	9	-	1	-	-	-	1	1	1	-	-	1	2	1	1	-	1	-
Dis. of Skin	5	2	-	-	-	-	2	-	-	-	-	-	1	-	-	-	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
Other Violent Deaths	99	5	2	4	2	1	14	3	6	7	9	19	15	11	4	4	5	2
Other Causes	407	158	19	4	6	1	188	5	1	4	2	7	5	8	13	42	89	43

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
283.—NEWTON ABBOT.																		
Mean Populn, 1861–71	35117	847	747	776	752	727	3849	3612	3298	3263	3461	5292	4221	3428	2403	1564	624	102
TOTAL DEATHS	6202	1071	387	190	132	94	1874	224	127	195	257	450	361	404	511	736	813	250
Small-pox	47	14	4	4	1	2	25	4	1	2	4	7	–	–	3	1	–	–
Measles	132	18	47	27	14	13	119	12	–	–	–	1	–	–	–	–	–	–
Scarlatina	222	20	40	33	24	27	144	53	19	3	2	1	–	–	–	–	–	–
Diphtheria	31	1	4	1	2	5	13	11	2	–	1	3	1	–	–	–	–	–
Whooping-cough	130	50	42	17	12	5	126	4	–	–	–	–	–	–	–	–	–	–
Typhus	273	9	8	14	8	9	48	43	24	32	15	32	16	19	13	22	9	–
Diarrhœa & Dysentery	221	122	20	3	–	1	146	1	2	4	1	4	5	6	9	11	22	10
Cholera	55	1	1	2	1	2	7	4	1	–	2	2	3	7	6	2	1	–
Other Zymotic Dis.	112	6	11	12	11	4	44	9	3	5	4	3	5	7	9	12	10	1
Cancer	215	–	–	–	–	–	–	–	–	1	–	8	22	51	60	48	22	3
Scrofula and Tabes	89	33	8	5	3	5	54	6	4	2	2	4	5	1	2	–	–	–
Phthisis	814	14	10	6	9	1	40	15	28	86	148	219	134	86	47	6	5	–
Hydrocephalus	66	29	14	5	4	1	53	9	2	–	1	1	–	–	–	–	–	–
Dis. of Brain	696	163	28	19	15	9	234	12	12	12	10	29	28	48	83	119	94	15
Dis. of Heart & Dropsy	487	–	2	1	2	2	7	2	8	10	11	24	32	61	98	143	86	5
Dis. of Lungs	825	158	83	26	19	4	290	9	6	13	15	26	24	38	84	148	140	32
Dis. of Stom. and Liver	331	25	4	2	1	1	33	7	5	7	14	21	23	49	47	72	48	5
Dis. of Kidneys	45	1	–	–	–	–	1	2	1	1	5	6	8	5	10	4	1	1
Dis. of Gener. Organs	40	–	–	–	–	–	–	–	–	–	–	6	8	10	5	10	1	–
Dis. of Joints	14	–	–	–	–	–	–	1	–	–	2	2	1	1	4	2	1	–
Dis. of Skin	20	4	1	–	1	–	6	–	–	–	–	–	4	–	2	4	3	1
Childbirth and Metria	83	–	–	–	–	–	–	–	–	3	15	35	30	–	–	–	–	–
Suicide	14	–	–	–	–	–	–	–	–	1	1	4	2	1	1	2	1	1
Other Violent Deaths	69	11	1	2	1	2	17	11	5	3	2	6	2	1	2	7	9	4
Other Causes	1290	392	59	11	4	1	467	9	4	10	2	6	8	13	26	123	360	172
284.—TOTNES.																		
Mean Populn, 1861–71	18140	466	442	461	420	450	2239	2026	1781	1643	1520	2405	2018	1790	1319	939	393	67
TOTAL DEATHS	3447	535	187	118	73	41	954	137	83	125	100	195	179	177	204	519	507	177
Small-pox	16	5	2	1	2	1	11	2	1	1	–	–	1	–	–	–	–	–
Measles	52	8	20	6	11	1	46	5	–	1	–	–	–	–	–	–	–	–
Scarlatina	121	6	16	25	17	12	76	30	6	4	–	5	–	–	–	–	–	–
Diphtheria	21	2	3	2	–	1	8	11	2	2	–	1	–	–	–	–	–	–
Whooping-cough	66	30	16	12	5	2	65	1	–	–	–	–	–	–	–	–	–	–
Typhus	176	5	3	7	7	8	30	24	21	23	7	22	13	4	11	11	8	2
Diarrhœa & Dysentery	82	40	13	1	2	1	57	2	1	–	1	–	1	3	2	6	4	5
Cholera	72	3	2	4	1	1	11	5	4	3	1	6	11	13	3	13	1	1
Other Zymotic Dis.	76	3	7	4	4	2	20	5	–	2	–	1	3	2	9	20	12	2
Cancer	108	–	–	–	–	–	–	–	1	1	1	4	9	14	24	34	19	1
Scrofula and Tabes	27	7	2	2	–	–	11	1	4	2	2	–	4	1	1	1	–	–
Phthisis	329	6	8	6	2	2	24	5	12	48	46	75	46	32	24	16	1	–
Hydrocephalus	25	12	7	3	1	–	23	1	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	438	83	21	9	6	1	120	14	7	12	5	16	12	23	37	94	88	10
Dis. of Heart & Dropsy	299	3	2	–	1	–	6	7	7	8	8	13	17	27	67	90	42	7
Dis. of Lungs	432	78	36	20	6	4	144	9	6	6	9	12	15	16	52	85	67	11
Dis. of Stom. and Liver	190	12	3	2	2	2	21	6	2	6	2	10	16	25	33	39	28	2
Dis. of Kidneys	24	–	–	1	1	–	2	–	1	1	1	2	5	3	3	2	3	1
Dis. of Gener. Organs	17	–	–	–	–	–	–	–	–	–	1	1	2	3	4	5	1	–
Dis. of Joints	12	–	–	–	–	–	–	2	2	–	2	–	4	1	1	–	–	–
Dis. of Skin	7	3	–	–	–	–	3	–	–	–	–	–	–	–	–	–	4	–
Childbirth and Metria	41	–	–	–	–	–	–	–	–	–	10	16	13	2	–	–	–	–
Suicide	6	–	–	–	–	–	–	–	–	–	1	1	–	–	–	3	1	–
Other Violent Deaths	44	6	3	2	3	2	16	2	1	3	–	3	2	1	2	2	10	2
Other Causes	763	223	23	11	2	1	260	5	4	2	3	7	5	7	21	98	218	133
285.—KINGSBRIDGE.																		
Mean Populn, 1861–71	10121	254	230	250	237	225	1196	1178	1061	943	813	1265	1095	1012	774	526	230	28
TOTAL DEATHS	1842	308	97	49	35	30	519	82	40	56	74	130	91	111	145	220	273	101
Small-pox	4	1	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–
Measles	18	4	2	4	1	–	11	6	–	–	1	–	–	–	–	–	–	–
Scarlatina	98	3	10	11	21	10	55	30	5	2	1	2	2	1	–	–	–	–
Diphtheria	5	1	2	–	–	2	5	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	34	16	10	1	2	2	31	3	–	–	–	–	–	–	–	–	–	–
Typhus	48	1	3	1	–	5	10	7	3	5	5	5	2	4	3	4	–	–
Diarrhœa & Dysentery	23	10	–	–	1	–	11	–	–	–	–	1	1	–	3	3	2	2
Cholera	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
Other Zymotic Dis.	55	5	2	3	–	1	11	3	1	1	–	1	1	1	3	5	21	7
Cancer	48	–	–	–	–	–	–	–	–	–	–	1	4	12	14	9	5	3
Scrofula and Tabes	23	3	4	4	–	2	13	3	2	1	–	2	2	–	–	–	–	–
Phthisis	224	5	1	2	–	–	8	4	12	27	37	69	29	25	9	4	–	–
Hydrocephalus	11	5	–	1	1	1	8	2	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	228	47	11	1	1	6	66	8	4	4	4	3	5	15	30	29	50	10
Dis. of Heart & Dropsy	142	2	–	1	–	–	3	1	1	3	6	2	14	9	29	35	34	5
Dis. of Lungs	277	51	18	9	3	1	82	1	5	3	5	16	9	16	22	67	37	14
Dis. of Stom. and Liver	101	9	1	1	1	–	12	2	1	2	3	5	7	13	20	20	16	–
Dis. of Kidneys	9	–	–	–	1	–	1	1	–	–	–	1	–	3	1	1	1	–
Dis. of Gener. Organs	12	–	–	–	–	–	–	–	–	–	–	1	3	4	2	–	2	–
Dis. of Joints	8	–	–	–	–	–	–	2	1	1	1	1	–	1	1	–	–	–
Dis. of Skin	6	1	1	–	–	–	2	–	–	–	–	–	–	1	–	1	2	–
Childbirth and Metria	26	–	–	–	–	–	–	–	–	4	3	12	7	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Other Violent Deaths	19	2	1	1	1	–	5	3	3	–	1	1	1	–	–	–	3	2
Other Causes	420	142	31	9	2	–	184	5	1	3	5	7	3	6	8	40	100	58

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
286.—PLYMPTON ST. MARY.																		
Mean Popul^n, 1861–71	10221	320	287	291	267	283	1448	1296	1166	982	745	1153	1042	925	778	481	182	23
TOTAL DEATHS	2105	457	120	65	54	20	716	66	48	58	70	122	114	147	197	253	246	68
Small-pox	14	3	-	-	2	-	5	1	-	3	1	3	1	-	-	-	-	-
Measles	32	4	14	7	5	-	30	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	53	4	7	10	8	5	34	13	2	2	2	-	-	-	-	-	-	-
Diphtheria	17	2	1	2	5	-	10	4	3	-	-	-	-	-	-	-	-	-
Whooping-cough	41	20	11	6	2	1	40	1	-	-	-	-	-	-	-	-	-	-
Typhus	93	-	4	-	5	6	15	12	8	9	8	14	8	7	3	6	3	-
Diarrhœa & Dysentery	50	25	5	2	1	-	33	-	2	-	1	-	-	1	-	8	5	-
Cholera	3	1	1	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-
Other Zymotic Dis.	31	3	2	2	-	1	8	5	3	1	-	4	2	4	1	3	2	1
Cancer	42	-	-	-	-	-	-	-	1	-	-	1	1	6	13	14	5	1
Scrofula and Tabes	47	17	8	6	2	-	33	2	2	3	1	3	2	-	-	1	-	-
Phthisis	182	6	3	-	1	-	10	3	5	16	27	49	21	26	16	8	1	-
Hydrocephalus	35	11	10	4	2	2	29	2	3	-	1	-	-	-	-	-	-	-
Dis. of Brain	250	49	10	2	8	-	69	2	4	3	6	7	17	15	19	46	52	10
Dis. of Heart & Dropsy	142	1	-	-	-	-	1	4	1	3	2	10	11	15	31	29	29	6
Dis. of Lungs	318	79	20	11	8	3	121	6	2	1	8	9	14	26	48	58	41	14
Dis. of Stom. and Liver	83	8	1	-	2	-	11	1	2	1	1	2	4	14	17	22	7	1
Dis. of Kidneys	52	-	-	1	-	-	1	-	-	1	1	5	9	6	7	9	13	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	8	-	-	-	-	-	-	-	-	2	2	-	-	2	-	1	1	-
Dis. of Skin	9	1	2	1	-	-	4	-	-	-	-	-	-	-	3	2	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	18	-	-	-	-	-	-	-	-	-	-	1	2	4	6	3	1	1
Other Violent Deaths	107	6	2	4	-	1	13	5	9	12	8	11	15	12	13	5	3	1
Other Causes	445	217	19	7	3	1	247	3	1	1	1	3	7	9	19	38	83	33
287.—PLYMOUTH.																		
Mean Popul^n, 1861–71	30325	892	789	773	777	740	3971	3545	3083	3244	2826	4372	3542	2743	1691	931	332	45
TOTAL DEATHS	7533	2040	729	357	200	110	3436	286	147	168	209	436	497	556	562	623	482	131
Small-pox	82	13	11	17	9	3	53	17	1	3	3	1	4	-	-	-	-	-
Measles	269	43	110	70	26	11	260	8	1	-	-	-	-	-	-	-	-	-
Scarlatina	220	25	30	45	35	17	152	52	11	-	2	1	2	-	-	-	-	-
Diphtheria	26	3	5	4	4	3	19	2	1	-	1	2	-	1	-	-	-	-
Whooping-cough	216	100	56	33	12	8	209	5	-	2	-	-	-	-	-	-	-	-
Typhus	280	15	14	26	14	13	82	42	21	19	19	23	30	12	12	15	4	1
Diarrhœa & Dysentery	436	302	48	10	3	2	365	2	1	1	2	5	6	8	8	12	18	8
Cholera	34	20	4	-	-	-	24	2	-	-	-	1	1	2	3	-	1	-
Other Zymotic Dis.	157	29	23	11	11	9	83	4	5	6	5	8	9	7	10	11	8	1
Cancer	109	-	-	-	1	-	1	-	-	-	2	2	8	23	25	32	14	2
Scrofula and Tabes	144	48	31	8	8	3	98	10	7	5	2	5	7	4	3	1	2	-
Phthisis	861	64	45	26	8	6	149	24	26	61	99	187	144	102	50	16	3	-
Hydrocephalus	125	41	36	13	12	3	105	15	4	-	1	-	-	-	-	-	-	-
Dis. of Brain	830	256	72	24	20	6	378	35	16	13	6	35	57	63	87	106	72	12
Dis. of Heart & Dropsy	414	5	3	1	3	-	12	7	9	6	7	38	41	71	101	91	28	3
Dis. of Lungs	1164	347	150	42	23	18	580	14	6	8	11	26	42	92	120	146	98	21
Dis. of Stom. and Liver	278	49	5	2	1	-	57	6	3	2	9	16	43	51	35	40	15	1
Dis. of Kidneys	136	1	1	-	2	-	4	5	3	8	6	16	20	32	30	32	25	5
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	49	1	1	1	-	-	3	11	8	6	6	2	3	3	3	4	-	-
Dis. of Skin	16	4	-	2	-	-	6	-	1	1	2	2	-	-	2	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	27	-	-	-	-	-	-	-	-	3	1	5	5	3	7	1	2	-
Other Violent Deaths	296	20	6	10	3	3	42	20	20	21	20	51	37	39	24	15	6	1
Other Causes	1261	654	78	12	5	5	754	5	3	3	5	10	38	43	42	100	185	76
288.—EAST STONEHOUSE.																		
Mean Popul^n, 1861–71	6854	240	199	181	181	187	988	735	565	677	786	1233	820	506	316	160	59	9
TOTAL DEATHS	2250	524	182	88	47	29	870	64	22	139	161	306	193	168	105	117	81	24
Small-pox	15	3	1	1	-	1	6	-	1	1	3	3	-	1	-	-	-	-
Measles	66	13	26	20	3	2	64	1	-	1	-	-	-	-	-	-	-	-
Scarlatina	49	5	8	7	5	3	28	11	2	5	3	-	-	-	-	-	-	-
Diphtheria	17	3	4	3	2	2	14	2	1	-	-	-	-	-	-	-	-	-
Whooping-cough	35	15	14	3	3	-	35	1	-	-	-	-	-	-	-	-	-	-
Typhus	107	8	4	6	6	2	21	13	3	19	24	12	5	5	1	2	2	-
Diarrhœa & Dysentery	101	64	14	1	1	1	81	1	-	-	4	3	4	1	2	3	2	-
Cholera	4	1	2	-	-	-	3	-	-	-	-	-	-	-	-	-	1	-
Other Zymotic Dis.	40	2	7	2	8	2	21	3	-	-	1	4	3	2	3	1	2	-
Cancer	34	-	-	-	-	-	-	-	-	-	2	4	6	10	9	3	-	-
Scrofula and Tabes	40	7	8	4	-	2	21	1	2	3	5	3	2	3	-	-	-	-
Phthisis	407	8	6	4	1	-	19	7	1	48	63	148	74	36	9	2	-	-
Hydrocephalus	35	14	10	5	1	-	30	3	-	1	-	1	-	-	-	-	-	-
Dis. of Brain	258	83	18	9	3	2	115	8	3	17	12	20	13	10	16	29	14	1
Dis. of Heart & Dropsy	163	1	2	-	-	2	5	1	-	11	6	29	29	45	15	12	10	-
Dis. of Lungs	320	89	33	15	10	4	151	6	1	15	13	35	18	14	28	27	11	1
Dis. of Stom. and Liver	100	17	1	1	-	1	20	2	3	7	5	14	18	10	9	9	3	-
Dis. of Kidneys	44	-	-	-	-	2	2	-	-	2	6	9	5	9	5	4	2	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	10	-	-	1	-	-	1	-	1	3	4	-	1	-	-	-	-	-
Dis. of Skin	6	2	-	-	-	-	2	1	-	1	-	1	1	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	12	-	-	-	-	-	-	-	-	-	1	2	1	5	3	-	-	-
Other Violent Deaths	54	2	-	1	2	2	7	3	4	3	7	9	6	11	1	3	-	-
Other Causes	332	192	24	5	2	1	224	-	-	2	2	9	7	6	4	22	34	22

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
286.—PLYMPTON ST. MARY.																		
Mean Popul^n, 1861–71	11124	292	259	285	263	278	1377	1269	1113	1035	976	1485	1229	1066	813	523	208	30
TOTAL DEATHS	1914	340	129	52	33	34	588	79	44	58	66	125	112	110	155	257	246	74
Small-pox	10	3	2	2	–	–	7	–	1	1	–	1	–	–	–	–	–	–
Measles	32	6	11	5	3	1	26	5	–	1	–	–	–	–	–	–	–	–
Scarlatina	53	3	8	11	7	5	34	13	4	1	1	–	–	–	–	–	–	–
Diphtheria	23	–	3	–	3	6	12	7	1	3	–	–	–	–	–	–	–	–
Whooping-cough	49	27	12	5	1	3	48	1	–	–	–	–	–	–	–	–	–	–
Typhus	88	1	2	4	6	3	16	18	5	6	7	12	6	4	3	5	6	–
Diarrhœa & Dysentery	40	19	8	1	1	–	29	–	–	–	1	–	–	2	1	2	4	1
Cholera	2	–	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Other Zymotic Dis.	30	2	3	2	2	1	10	3	3	–	–	–	1	5	–	4	4	–
Cancer	75	–	1	1	–	1	3	–	–	–	1	4	13	13	15	17	8	1
Scrofula and Tabes	43	20	8	3	–	2	33	1	3	2	–	1	–	2	1	–	–	–
Phthisis	214	1	4	2	–	1	8	6	13	25	35	49	32	18	19	8	1	–
Hydrocephalus	12	5	4	1	–	2	12	–	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	209	28	9	4	–	3	44	3	4	4	6	7	13	12	21	45	45	5
Dis. of Heart & Dropsy	170	1	–	–	–	1	2	4	4	4	4	1	11	21	42	41	27	6
Dis. of Lungs	274	56	25	4	2	3	90	7	2	2	1	5	9	11	21	69	45	9
Dis. of Stom. and Liver	82	4	–	2	1	–	7	1	–	3	2	11	6	7	11	22	11	1
Dis. of Kidneys	13	1	–	–	–	–	1	1	2	–	–	–	2	4	–	3	–	–
Dis. of Gener. Organs	11	–	–	–	–	–	–	–	–	1	–	2	1	–	3	2	2	–
Dis. of Joints	3	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–
Dis. of Skin	3	1	–	–	–	–	1	–	–	–	–	–	–	–	2	–	–	–
Childbirth and Metria	31	–	–	–	–	–	–	–	–	1	4	15	11	–	–	–	–	–
Suicide	6	–	–	–	–	–	–	–	–	–	–	2	2	1	–	1	–	–
Other Violent Deaths	28	3	4	1	4	1	13	2	1	1	–	4	–	1	–	–	6	–
Other Causes	413	159	24	4	3	1	191	7	1	2	4	8	4	8	12	38	87	51
287.—PLYMOUTH.																		
Mean Popul^n, 1861–71	35391	882	784	796	753	771	3986	3578	3265	3357	3570	5447	4393	3466	2336	1411	504	78
TOTAL DEATHS	7649	1704	668	302	192	127	2993	256	160	197	249	556	469	516	552	773	722	206
Small-pox	84	22	17	6	8	8	61	15	2	1	2	2	–	1	–	–	–	–
Measles	231	43	88	54	22	11	218	13	–	–	–	–	–	–	–	–	–	–
Scarlatina	185	15	33	23	29	19	119	44	12	1	3	5	–	–	–	–	1	–
Diphtheria	23	1	3	4	2	2	12	7	1	–	1	1	1	–	–	–	–	–
Whooping-cough	308	122	96	40	29	9	296	12	–	–	–	–	–	–	–	–	–	–
Typhus	282	8	12	17	19	11	67	36	30	24	18	32	24	14	16	12	8	1
Diarrhœa & Dysentery	446	265	69	11	1	1	338	5	–	3	2	6	10	7	12	18	37	8
Cholera	27	17	–	–	–	2	19	1	1	1	–	1	–	3	1	–	–	–
Other Zymotic Dis.	121	13	16	11	9	3	52	5	3	3	7	11	7	8	5	10	10	–
Cancer	256	–	–	–	1	–	1	–	2	–	1	14	33	77	54	56	15	3
Scrofula and Tabes	127	38	23	11	11	3	86	7	12	2	6	5	–	2	3	4	–	–
Phthisis	1022	39	46	18	11	7	121	31	44	110	121	240	164	125	48	13	5	–
Hydrocephalus	89	24	25	12	4	6	71	10	6	1	1	–	–	–	–	–	–	–
Dis. of Brain	884	189	50	19	14	15	287	24	14	11	17	38	47	57	113	148	114	14
Dis. of Heart & Dropsy	485	1	3	1	1	2	8	10	8	13	14	33	45	75	93	109	66	11
Dis. of Lungs	1115	291	112	50	15	11	479	15	7	2	7	30	41	57	100	200	156	21
Dis. of Stom. and Liver	306	28	7	4	–	–	39	2	4	6	9	30	31	40	50	55	36	3
Dis. of Kidneys	94	–	–	1	2	1	4	–	2	1	9	28	13	14	8	12	3	–
Dis. of Gener. Organs	40	–	–	–	–	–	–	–	–	–	1	8	10	8	12	7	3	–
Dis. of Joints	21	1	–	–	–	1	2	3	3	–	3	2	2	5	–	–	1	–
Dis. of Skin	22	7	2	–	–	–	9	–	1	–	2	–	–	2	1	2	5	–
Childbirth and Metria	82	–	–	–	–	–	–	–	–	6	16	33	25	2	–	–	–	–
Suicide	17	–	–	–	–	–	–	–	–	4	1	4	2	2	2	1	1	–
Other Violent Deaths	77	11	6	4	6	10	37	9	5	2	–	4	4	1	2	3	7	3
Other Causes	1296	569	69	16	8	5	667	7	3	6	8	29	10	16	32	122	254	142
288.—EAST STONEHOUSE.																		
Mean Popul^n, 1861–71	7610	216	212	205	181	186	1000	769	595	582	773	1473	974	649	437	249	93	16
TOTAL DEATHS	1717	428	147	84	60	32	751	59	25	36	59	133	120	91	115	159	132	37
Small-pox	9	3	–	–	3	1	7	–	1	–	1	–	–	–	–	–	–	–
Measles	40	8	10	8	8	2	36	2	–	–	–	2	–	–	–	–	–	–
Scarlatina	41	1	4	13	7	5	30	7	3	–	–	1	–	–	–	–	–	–
Diphtheria	13	2	2	2	3	–	9	2	–	–	–	1	–	1	–	–	–	–
Whooping-cough	38	14	13	5	3	–	35	2	1	–	–	–	–	–	–	–	–	–
Typhus	86	5	7	8	6	6	32	11	3	7	3	7	5	2	6	9	1	–
Diarrhœa & Dysentery	100	61	15	1	–	2	79	–	–	–	3	6	3	–	2	5	2	–
Cholera	4	1	1	–	–	1	3	–	–	–	–	–	–	1	–	–	–	–
Other Zymotic Dis.	35	4	4	5	2	1	16	3	–	–	1	2	2	4	2	4	1	–
Cancer	44	–	–	–	–	–	–	–	–	–	–	2	7	13	12	9	1	–
Scrofula and Tabes	24	15	4	1	1	–	21	1	1	–	–	–	–	–	1	–	–	–
Phthisis	195	5	7	3	5	1	21	9	6	11	28	56	35	21	4	4	–	–
Hydrocephalus	27	7	6	5	4	2	24	3	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	216	65	13	11	6	2	97	7	2	3	5	7	15	10	27	25	16	2
Dis. of Heart & Dropsy	105	1	–	–	2	–	3	2	4	3	1	11	12	10	18	32	8	1
Dis. of Lungs	266	76	39	15	6	4	140	5	1	2	3	5	17	3	23	32	26	4
Dis. of Stom. and Liver	70	5	1	2	–	1	9	1	1	2	4	8	11	9	9	10	5	1
Dis. of Kidneys	11	–	–	–	–	–	–	1	–	–	–	2	2	3	2	–	1	–
Dis. of Gener. Organs	9	–	–	–	–	–	–	–	–	–	–	3	1	2	1	2	–	–
Dis. of Joints	4	–	–	–	2	–	2	–	–	2	–	–	–	–	–	–	–	–
Dis. of Skin	3	1	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–	–
Childbirth and Metria	18	–	–	–	–	–	–	–	–	1	4	6	6	1	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Other Violent Deaths	17	4	1	–	1	3	9	1	1	2	1	1	–	2	–	–	–	–
Other Causes	340	150	20	5	1	1	177	2	1	3	5	13	4	2	7	26	71	29

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
289.—STOKE DAMEREL.																		
Mean Popul^n, 1861–71	25833	659	572	550	589	567	2937	2449	2083	3342	3263	4751	2934	1997	1155	638	250	34
TOTAL DEATHS	5217	1338	520	242	140	82	2322	174	87	101	147	390	350	359	384	406	417	80
Small-pox	25	4	5	5	2	1	17	1	–	2	1	3	1	–	–	–	–	–
Measles	177	31	67	41	19	9	167	9	–	–	–	1	–	–	–	–	–	–
Scarlatina	176	12	32	29	23	24	120	43	8	1	2	1	–	1	–	–	–	–
Diphtheria	11	2	2	1	5	–	10	1	–	–	–	–	–	–	–	–	–	–
Whooping-cough	130	51	45	13	10	6	125	5	–	–	–	–	–	–	–	–	–	–
Typhus	263	8	12	20	11	12	63	25	11	15	9	18	12	12	11	18	8	1
Diarrhœa & Dysentery	259	159	41	13	2	–	218	2	1	–	1	5	3	5	3	12	8	1
Cholera	8	3	1	–	–	–	4	–	–	–	–	–	1	–	2	–	1	–
Other Zymotic Dis.	111	13	13	12	8	5	51	6	1	2	5	9	5	5	7	13	7	–
Cancer	79	–	–	–	2	–	2	1	–	–	–	–	12	21	18	17	7	1
Scrofula and Tabes	101	22	24	12	4	–	62	8	7	1	4	8	3	4	2	2	–	–
Phthisis	573	20	15	12	4	2	53	8	15	43	69	131	102	82	52	14	1	–
Hydrocephalus	89	25	33	11	6	5	80	6	3	–	–	–	–	–	–	–	–	–
Dis. of Brain	653	151	52	21	17	7	248	13	6	4	9	43	26	58	59	95	82	10
Dis. of Heart & Dropsy	316	9	7	1	–	–	17	6	5	6	5	43	52	37	61	49	32	3
Dis. of Lungs	875	272	114	34	18	7	445	13	2	7	16	31	41	60	88	92	70	7
Dis. of Stom. and Liver	200	38	4	3	2	1	48	2	5	3	5	28	21	26	25	21	16	–
Dis. of Kidneys	98	–	–	1	2	1	4	3	1	2	2	18	14	12	17	13	11	1
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
Dis. of Joints	32	–	2	–	–	–	2	6	10	2	2	2	2	1	2	2	1	–
Dis. of Skin	14	4	1	–	–	–	5	–	–	1	–	1	3	1	1	–	2	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	25	–	–	–	–	–	–	–	–	–	3	9	3	5	1	1	3	–
Other Violent Deaths	165	15	4	8	2	2	31	13	10	11	7	24	26	15	15	5	7	1
Other Causes	895	499	43	5	3	–	550	3	2	1	7	12	20	14	20	50	161	55
290.—TAVISTOCK.																		
Mean Popul^n, 1861–71	16851	488	429	479	449	463	2308	2224	1941	1717	1275	2094	1845	1544	1109	560	210	24
TOTAL DEATHS	3317	662	246	99	85	63	1155	202	102	116	104	165	183	224	336	371	286	73
Small-pox	5	–	1	–	–	–	1	–	1	–	1	–	–	–	2	–	–	–
Measles	68	10	24	9	10	7	60	6	–	1	1	–	–	–	–	–	–	–
Scarlatina	193	6	15	23	25	20	89	74	23	4	2	1	–	–	–	–	–	–
Diphtheria	25	3	1	4	5	2	15	7	2	1	–	–	–	–	–	–	–	–
Whooping-cough	82	38	26	7	4	2	77	5	–	–	–	–	–	–	–	–	–	–
Typhus	136	3	4	6	4	10	27	32	16	18	11	9	6	4	6	6	1	–
Diarrhœa & Dysentery	82	45	13	2	–	1	61	–	1	–	1	1	2	3	2	9	2	–
Cholera	13	6	–	–	1	–	7	–	–	1	1	–	1	1	1	–	1	–
Other Zymotic Dis.	73	6	8	7	8	5	34	11	–	1	1	3	4	5	3	7	3	1
Cancer	43	–	–	–	–	–	–	1	–	1	–	2	3	6	8	15	7	–
Scrofula and Tabes	57	17	9	6	2	1	35	6	2	3	1	5	2	–	1	1	1	–
Phthisis	351	1	5	4	4	1	15	5	9	42	39	65	51	47	55	20	3	–
Hydrocephalus	35	16	9	2	2	–	29	2	4	–	–	–	–	–	–	–	–	–
Dis. of Brain	373	109	19	3	3	3	137	10	9	7	6	10	17	24	37	68	45	3
Dis. of Heart & Dropsy	197	1	3	1	–	–	5	5	4	4	4	8	12	25	49	56	23	2
Dis. of Lungs	564	133	54	13	10	3	213	8	3	4	6	20	24	40	103	80	56	7
Dis. of Stom. and Liver	129	19	3	–	1	2	25	2	5	4	4	5	7	19	23	24	11	–
Dis. of Kidneys	64	–	1	–	–	–	1	2	1	2	1	6	10	8	5	19	7	2
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	14	–	1	3	–	–	4	1	1	2	–	1	2	1	1	1	–	–
Dis. of Skin	8	1	–	–	–	–	1	2	–	3	–	1	–	–	–	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	13	–	–	–	–	–	–	–	–	1	1	–	1	4	4	2	–	–
Other Violent Deaths	200	1	9	7	4	3	24	18	18	16	21	22	29	25	17	6	2	2
Other Causes	592	247	41	2	2	3	295	5	3	1	3	6	12	12	19	56	124	56
291.—OKEHAMPTON.																		
Mean Popul^n, 1861–71	9533	262	269	238	244	246	1259	1168	1060	1018	723	1089	948	859	692	484	206	27
TOTAL DEATHS	1608	307	77	35	20	25	464	44	37	35	43	76	64	89	140	282	251	83
Small-pox	3	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–
Measles	21	3	6	4	2	4	19	1	–	1	–	–	–	–	–	–	–	–
Scarlatina	28	1	2	6	6	3	18	6	1	2	–	1	–	–	–	–	–	–
Diphtheria	18	4	4	1	1	5	15	2	1	–	–	–	–	–	–	–	–	–
Whooping-cough	30	15	10	2	1	2	30	–	–	–	–	–	–	–	–	–	–	–
Typhus	56	–	2	1	1	–	4	4	9	2	7	5	7	4	8	4	1	1
Diarrhœa & Dysentery	22	12	1	1	–	–	14	–	–	–	–	–	1	–	1	4	2	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Other Zymotic Dis.	43	5	7	5	–	3	20	5	1	2	–	–	–	2	3	5	5	–
Cancer	27	–	–	–	–	–	–	–	–	–	–	2	1	5	7	9	3	–
Scrofula and Tabes	14	2	1	–	–	1	4	–	1	2	–	2	1	1	–	2	1	–
Phthisis	150	4	4	2	–	–	10	2	3	9	25	32	17	18	14	20	–	–
Hydrocephalus	24	8	4	3	–	–	15	3	5	–	–	–	–	1	–	–	–	–
Dis. of Brain	165	39	7	5	1	3	55	2	1	4	–	6	2	12	18	38	23	4
Dis. of Heart & Dropsy	130	2	–	–	–	1	3	4	2	1	1	7	8	14	24	46	18	2
Dis. of Lungs	249	60	16	3	3	1	83	2	1	1	1	5	11	9	32	60	38	6
Dis. of Stom. and Liver	66	7	1	–	2	–	10	–	2	–	1	3	6	3	9	21	10	1
Dis. of Kidneys	33	1	–	–	–	–	1	–	–	–	–	3	2	3	4	13	6	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–
Dis. of Skin	8	1	1	–	–	–	2	1	–	1	–	–	1	–	1	1	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	13	–	–	–	–	–	–	–	1	–	1	1	–	3	4	2	1	–
Other Violent Deaths	79	–	4	2	1	1	8	9	7	8	5	6	5	13	8	8	2	–
Other Causes	425	143	7	–	2	1	153	3	2	1	1	1	1	1	7	47	140	68

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
289.—STOKE DAMEREL.																		
Mean Populn, 1861–71	24112	654	592	604	593	532	2975	2532	2133	2100	2209	3888	3082	2361	1523	898	354	57
TOTAL DEATHS	5142	1031	471	251	127	99	1979	188	94	108	153	355	329	354	398	499	531	154
Small-pox	26	5	5	3	4	1	18	1	–	1	–	4	2	–	–	–	–	–
Measles	200	31	76	52	21	9	189	9	1	–	1	–	–	–	–	–	–	–
Scarlatina	181	5	26	32	26	28	117	53	5	2	1	–	3	–	–	–	–	–
Diphtheria	25	4	7	2	3	3	19	3	2	–	–	1	–	–	–	–	–	–
Whooping-cough	139	56	53	32	11	4	156	13	–	–	–	–	–	–	–	–	–	–
Typhus	224	2	14	19	15	15	65	34	23	20	13	22	12	10	8	12	4	1
Diarrhœa & Dysentery	259	149	31	9	5	–	194	1	3	1	2	7	4	5	10	14	16	2
Cholera	3	1	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–
Other Zymotic Dis.	90	13	5	8	3	4	33	10	5	1	3	6	2	6	7	8	7	2
Cancer	141	1	1	–	–	–	2	1	–	–	1	9	22	37	39	22	7	1
Scrofula and Tabes	78	20	23	7	3	2	55	3	8	4	–	2	2	1	2	1	–	–
Phthisis	568	15	12	4	1	3	35	13	20	46	64	146	104	85	42	12	1	–
Hydrocephalus	67	23	16	9	5	2	55	8	4	–	–	–	–	–	–	–	–	–
Dis. of Brain	580	95	36	17	11	10	169	17	7	6	12	26	34	41	66	108	74	20
Dis. of Heart & Dropsy	327	1	1	4	1	1	8	3	5	4	7	30	30	45	66	84	36	9
Dis. of Lungs	771	180	105	37	11	8	341	11	2	5	7	19	30	46	70	116	108	16
Dis. of Stom. and Liver	228	14	4	–	2	1	21	3	2	7	12	18	31	36	45	29	22	2
Dis. of Kidneys	53	1	–	2	–	–	3	–	–	1	4	11	10	3	5	6	3	2
Dis. of Gener. Organs	34	–	–	–	–	–	–	–	–	–	4	1	10	9	7	2	1	–
Dis. of Joints	21	–	1	–	–	1	2	2	5	3	1	1	1	5	–	1	–	–
Dis. of Skin	12	2	1	1	–	–	4	–	–	–	–	–	–	1	5	–	2	–
Childbirth and Metria	67	–	–	–	–	–	–	–	–	3	15	29	18	2	–	–	–	–
Suicide	13	–	–	–	–	–	–	–	–	–	–	3	2	2	4	2	–	–
Other Violent Deaths	55	13	8	2	3	3	24	3	–	1	4	1	3	4	4	4	7	–
Other Causes	950	400	51	11	2	4	468	–	2	3	2	18	9	10	18	78	243	99
290.—TAVISTOCK.																		
Mean Populn, 1861–71	16401	457	441	474	440	446	2258	2182	1871	1562	1293	2059	1756	1463	1047	622	253	35
TOTAL DEATHS	2943	483	227	137	86	63	996	191	93	95	114	166	148	152	216	332	321	119
Small-pox	5	3	–	–	–	–	3	1	–	–	–	1	–	–	–	–	–	–
Measles	75	11	25	14	5	6	61	12	–	–	1	1	–	–	–	–	–	–
Scarlatina	220	4	24	30	28	23	109	79	26	4	1	–	–	1	–	–	–	–
Diphtheria	37	2	2	5	5	7	21	11	4	–	1	–	–	–	–	–	–	–
Whooping-cough	86	41	23	15	1	2	85	1	–	–	–	–	–	–	–	–	–	–
Typhus	144	4	4	7	10	9	34	22	16	17	12	12	12	7	4	6	1	1
Diarrhœa & Dysentery	67	33	12	4	3	1	53	–	–	–	–	3	–	1	3	4	3	–
Cholera	12	3	2	–	–	1	6	–	–	–	–	–	–	–	–	4	2	–
Other Zymotic Dis.	56	7	10	6	7	2	32	7	–	3	2	–	–	1	1	5	5	–
Cancer	84	–	–	–	–	–	–	–	–	–	1	5	7	19	24	18	10	–
Scrofula and Tabes	63	10	14	11	6	–	41	3	2	4	4	1	4	–	3	1	–	–
Phthisis	328	6	1	3	3	1	14	9	15	37	57	70	49	35	25	12	3	2
Hydrocephalus	10	3	3	1	–	–	7	2	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	301	60	17	8	4	4	93	14	4	8	4	18	19	13	22	57	45	4
Dis. of Heart & Dropsy	205	1	–	–	–	1	2	2	3	5	6	7	7	23	45	66	36	3
Dis. of Lungs	391	79	41	16	8	3	147	10	7	2	6	17	12	14	36	71	62	7
Dis. of Stom. and Liver	126	10	1	3	–	–	14	5	6	1	1	8	8	21	26	21	12	3
Dis. of Kidneys	39	–	–	–	–	–	–	2	2	4	1	4	8	8	4	5	–	1
Dis. of Gener. Organs	10	–	–	–	–	–	–	–	–	–	–	–	–	2	6	1	1	–
Dis. of Joints	9	–	–	–	–	–	–	1	2	–	–	2	2	–	1	–	1	–
Dis. of Skin	10	5	1	–	–	–	6	–	1	–	–	–	–	–	1	–	1	1
Childbirth and Metria	48	–	–	–	–	–	–	–	–	2	14	17	15	–	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
Other Violent Deaths	35	4	4	2	2	2	14	7	1	6	2	–	–	2	1	–	2	–
Other Causes	580	194	43	12	4	1	254	3	3	1	1	–	5	5	13	61	137	97
291.—OKEHAMPTON.																		
Mean Populn, 1861–71	9382	253	259	237	269	233	1251	1155	1028	870	711	1100	971	865	666	504	212	49
TOTAL DEATHS	1548	201	80	34	37	20	372	61	44	49	57	77	83	80	140	230	241	114
Small-pox	2	–	1	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–
Measles	18	2	7	2	4	–	15	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	33	3	2	3	2	3	13	11	5	–	1	–	2	1	–	–	–	–
Diphtheria	15	1	3	2	3	1	10	3	2	–	–	–	–	–	–	–	–	–
Whooping-cough	22	5	8	3	–	1	17	5	–	–	–	–	–	–	–	–	–	–
Typhus	61	2	1	2	1	2	8	5	13	9	11	2	6	1	2	2	2	–
Diarrhœa & Dysentery	14	4	2	–	–	–	6	1	–	1	–	–	–	–	–	3	3	–
Cholera	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	41	5	6	4	4	2	21	3	2	4	–	1	–	1	5	3	–	1
Cancer	49	–	–	–	–	–	–	–	–	–	–	1	1	8	16	15	7	1
Scrofula and Tabes	7	1	1	–	–	1	3	1	1	–	1	–	1	–	–	–	–	–
Phthisis	181	6	3	4	6	1	20	3	9	20	26	38	32	12	14	6	1	–
Hydrocephalus	31	12	5	3	3	1	24	4	2	–	–	–	1	–	–	–	–	–
Dis. of Brain	123	28	7	1	1	–	37	1	3	2	2	6	1	12	14	23	17	5
Dis. of Heart & Dropsy	187	2	–	–	–	–	2	3	–	5	4	8	11	26	41	54	30	3
Dis. of Lungs	214	42	18	3	6	2	71	7	3	2	1	5	6	7	23	50	31	5
Dis. of Stom. and Liver	53	3	2	–	–	1	6	4	–	1	4	2	4	2	9	10	10	1
Dis. of Kidneys	10	–	–	–	–	–	–	–	1	–	–	2	3	–	3	1	–	–
Dis. of Gener. Organs	4	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–
Dis. of Joints	8	–	–	–	–	1	1	–	1	–	1	–	–	1	2	1	1	–
Dis. of Skin	4	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–
Childbirth and Metria	18	–	–	–	–	–	–	–	–	1	2	7	8	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Other Violent Deaths	26	–	5	3	2	2	12	2	1	1	–	1	2	4	1	–	2	–
Other Causes	424	85	9	4	5	1	104	3	–	3	3	4	3	2	9	61	134	98

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
292.—CREDITON.																		
Mean Popul^n, 1861–71	9734	264	263	266	241	237	1271	1212	1128	1012	710	1028	979	929	760	493	190	22
TOTAL DEATHS	1818	331	91	50	29	17	518	72	32	40	59	94	70	117	194	297	253	72
Small-pox	5	-	-	-	-	-	-	1	-	-	4	-	-	-	-	-	-	-
Measles	25	5	7	5	3	2	22	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	37	5	8	6	5	3	27	7	1	2	-	-	-	-	-	-	-	-
Diphtheria	12	2	-	1	2	1	6	1	3	-	-	1	-	-	-	1	-	-
Whooping-cough	30	14	8	3	2	-	27	3	-	-	-	-	-	-	-	-	-	-
Typhus	46	1	-	1	-	2	4	5	3	3	2	4	3	5	7	6	4	-
Diarrhœa & Dysentery	15	4	-	-	-	-	4	-	-	-	-	2	-	1	1	3	3	1
Cholera	13	2	2	-	-	-	4	2	-	-	-	2	-	3	1	1	-	-
Other Zymotic Dis.	42	6	4	6	2	2	20	4	2	3	-	3	-	2	1	3	4	-
Cancer	31	-	-	-	-	-	-	-	-	1	-	2	-	2	10	10	6	-
Scrofula and Tabes	25	4	2	2	2	-	10	5	-	1	5	1	-	2	1	-	-	-
Phthisis	173	4	6	2	1	1	14	4	3	16	28	46	20	12	24	6	-	-
Hydrocephalus	22	4	6	2	2	-	14	7	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	231	61	6	2	4	1	77	5	7	3	5	2	5	13	31	55	26	2
Dis. of Heart & Dropsy	160	4	-	2	-	-	6	1	1	2	3	8	7	20	33	51	26	2
Dis. of Lungs	283	61	18	7	4	1	91	4	-	3	4	7	15	20	31	53	44	11
Dis. of Stom. and Liver	102	15	3	-	1	-	19	6	2	-	2	5	4	14	15	24	11	-
Dis. of Kidneys	23	-	-	-	-	-	-	-	-	-	2	-	1	2	5	6	7	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	8	-	-	-	-	-	-	1	1	-	-	-	-	2	2	2	-	-
Dis. of Skin	6	4	-	-	-	-	4	-	-	-	-	-	-	1	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	13	-	-	-	-	-	-	-	-	-	-	1	3	3	4	2	-	-
Other Violent Deaths	72	3	4	5	1	2	15	8	6	4	4	7	8	5	7	5	2	1
Other Causes	444	129	17	6	-	2	154	5	2	2	-	3	4	10	21	68	120	55
293.—TIVERTON.																		
Mean Popul^n, 1861–71	14610	400	389	402	392	381	1964	1832	1731	1487	993	1591	1478	1412	1062	710	310	40
TOTAL DEATHS	3092	634	193	76	55	60	1018	118	75	72	99	140	172	199	283	367	434	115
Small-pox	32	5	2	2	-	3	12	5	3	3	5	2	2	-	-	-	-	-
Measles	58	20	18	9	2	3	52	4	1	-	-	1	-	-	-	-	-	-
Scarlatina	108	7	18	14	9	17	65	36	3	1	2	1	-	-	-	-	-	-
Diphtheria	13	-	2	1	2	-	5	5	1	1	-	-	-	-	1	-	-	-
Whooping-cough	46	26	8	7	3	-	44	2	-	-	-	-	-	-	-	-	-	-
Typhus	79	2	1	3	2	4	12	9	10	13	8	4	6	6	3	6	2	-
Diarrhœa & Dysentery	76	43	8	1	2	1	55	1	-	1	-	3	1	2	4	3	5	1
Cholera	16	-	-	1	-	1	2	3	3	1	-	1	1	-	4	1	-	-
Other Zymotic Dis.	75	7	3	10	10	3	33	6	-	6	5	1	7	5	6	1	2	3
Cancer	31	-	-	-	-	-	-	-	-	-	-	-	2	5	10	9	5	-
Scrofula and Tabes	38	8	6	1	3	2	20	2	2	2	1	5	1	2	-	1	1	1
Phthisis	320	5	4	2	-	4	15	4	17	22	53	66	55	42	31	13	2	-
Hydrocephalus	57	22	15	4	3	1	45	8	2	-	1	-	-	-	1	-	-	-
Dis. of Brain	402	130	21	5	3	4	163	5	6	5	6	11	17	19	32	73	53	12
Dis. of Heart & Dropsy	214	10	-	-	1	1	12	5	-	2	2	10	10	23	52	56	37	5
Dis. of Lungs	464	76	37	7	9	3	132	8	5	2	5	8	26	36	68	88	75	11
Dis. of Stom. and Liver	116	13	1	1	1	2	18	-	5	4	1	6	10	21	28	14	9	-
Dis. of Kidneys	47	-	-	-	-	-	-	-	1	1	1	2	12	4	6	8	11	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	27	-	4	-	-	1	5	3	4	1	2	2	2	5	2	1	-	-
Dis. of Skin	16	6	1	-	-	-	7	1	-	-	-	-	1	-	1	3	3	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	18	-	-	-	-	-	-	-	1	1	-	2	1	7	2	3	1	-
Other Violent Deaths	109	3	8	3	3	7	24	8	9	6	5	7	11	11	16	4	6	2
Other Causes	730	251	36	5	2	3	297	3	2	-	2	8	7	11	16	83	222	79
294.—SOUTH MOLTON.																		
Mean Popul^n, 1861–71	9739	269	270	268	232	242	1281	1232	1163	1028	756	1076	945	868	707	470	198	15
TOTAL DEATHS	1806	344	100	44	26	25	539	63	40	47	55	94	83	124	158	276	271	56
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	20	4	6	2	2	2	16	2	-	1	1	-	-	-	-	-	-	-
Scarlatina	40	1	6	6	5	8	26	10	-	1	1	1	-	-	1	-	-	-
Diphtheria	5	-	-	1	-	2	3	1	-	1	-	-	-	-	-	-	-	-
Whooping-cough	32	17	11	2	2	-	32	-	-	-	-	-	-	-	-	-	-	-
Typhus	51	1	1	2	-	1	5	7	8	7	5	6	3	4	2	3	1	-
Diarrhœa & Dysentery	32	12	3	-	-	1	16	1	1	-	-	1	-	2	3	2	5	1
Cholera	8	-	-	1	-	-	1	2	-	-	-	1	-	1	1	1	1	-
Other Zymotic Dis.	43	8	7	5	4	4	28	-	2	-	1	2	1	2	1	3	3	-
Cancer	39	-	-	-	-	-	-	-	-	-	-	1	6	8	10	11	3	-
Scrofula and Tabes	30	9	3	1	1	1	15	5	1	2	1	3	1	-	-	1	1	-
Phthisis	172	5	2	2	-	-	9	3	5	18	32	36	23	20	11	11	4	-
Hydrocephalus	38	17	7	3	4	1	32	5	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	229	62	9	3	1	1	76	7	-	3	2	5	4	23	21	50	33	5
Dis. of Heart & Dropsy	156	4	1	-	1	-	6	3	2	2	-	8	10	12	28	50	29	6
Dis. of Lungs	319	61	36	11	4	2	114	6	3	3	4	12	13	14	44	52	47	7
Dis. of Stom. and Liver	98	12	-	-	-	1	13	3	2	1	5	6	6	12	13	24	12	1
Dis. of Kidneys	35	-	-	-	-	-	-	-	2	-	-	1	1	6	4	11	10	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	5	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	1	-
Dis. of Skin	8	3	-	-	-	1	4	-	-	-	-	-	-	-	1	1	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	6	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-
Other Violent Deaths	79	2	1	2	2	-	7	5	10	6	2	9	8	12	8	6	5	1
Other Causes	361	126	7	3	-	-	136	3	3	1	-	1	7	5	7	49	114	35

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
292.—CREDITON.																		
Mean Popul^{n}, 1861–71	10106	256	252	265	258	250	1281	1248	1099	876	720	1164	1077	990	765	577	265	44
TOTAL DEATHS	1890	257	94	52	28	23	454	60	47	56	59	94	100	114	165	298	319	124
Small-pox	2	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Measles	25	6	9	3	3	-	21	3	-	-	1	-	-	-	-	-	-	-
Scarlatina	38	1	3	11	5	4	24	8	2	1	2	1	-	-	-	-	-	-
Diphtheria	11	1	-	6	-	-	7	1	1	-	-	-	-	1	1	-	-	-
Whooping-cough	31	12	6	1	2	5	26	5	-	-	-	-	-	-	-	-	-	-
Typhus	53	-	1	8	-	2	6	8	9	7	2	2	2	2	6	6	3	-
Diarrhœa & Dysentery	25	8	1	3	-	-	12	1	-	-	-	-	-	1	1	4	5	1
Cholera	12	1	-	1	2	1	5	2	-	-	-	1	-	2	1	-	-	1
Other Zymotic Dis.	49	6	8	3	5	3	25	4	1	1	1	-	-	2	2	5	8	-
Cancer	57	-	-	-	-	1	1	-	1	-	-	-	8	9	13	16	8	1
Scrofula and Tabes	23	6	5	1	1	-	13	-	2	-	-	1	2	3	2	-	-	-
Phthisis	195	1	2	2	-	2	7	6	13	27	24	47	25	25	14	6	2	-
Hydrocephalus	22	10	5	2	-	-	17	2	3	-	-	-	-	-	-	-	-	-
Dis. of Brain	240	45	12	6	3	-	66	8	6	7	9	6	11	14	26	57	27	3
Dis. of Heart & Dropsy	197	6	-	-	1	-	7	1	2	5	5	16	14	18	30	51	44	4
Dis. of Lungs	237	40	16	5	3	2	66	5	2	2	5	3	13	12	22	57	42	8
Dis. of Stom. and Liver	119	8	3	-	-	1	12	2	-	2	4	5	10	9	27	33	14	1
Dis. of Kidneys	9	-	1	-	-	-	1	1	-	-	-	-	2	2	2	1	-	-
Dis. of Gener. Organs	14	-	-	-	-	-	-	-	-	-	1	-	3	4	2	2	2	-
Dis. of Joints	4	-	-	1	-	-	1	-	-	1	-	2	-	-	-	-	-	-
Dis. of Skin	2	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Childbirth and Metria	19	-	-	-	-	-	-	-	-	-	3	8	7	1	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	32	7	3	-	-	2	12	3	2	-	-	-	2	-	3	1	6	3
Other Causes	73	98	18	4	3	-	123	-	3	3	1	2	-	9	13	59	158	102
293.—TIVERTON.																		
Mean Popul^{n}, 1861–71	15691	425	386	406	366	395	1978	1835	1686	1498	1203	1949	1719	1516	1135	780	331	61
TOTAL DEATHS	3100	504	165	100	62	55	886	112	87	103	114	176	174	157	249	428	464	150
Small-pox	29	5	2	2	2	-	11	4	5	2	-	7	-	-	-	-	-	-
Measles	50	5	20	10	7	3	45	3	1	-	1	-	-	-	-	-	-	-
Scarlatina	109	4	21	17	9	16	67	25	9	1	1	4	1	-	-	-	-	-
Diphtheria	14	2	1	1	2	3	9	2	1	-	1	-	-	1	-	-	-	-
Whooping-cough	62	27	11	11	10	3	62	-	-	-	-	-	-	-	-	-	-	-
Typhus	90	4	1	3	4	6	18	16	9	10	7	8	3	4	7	6	2	-
Diarrhœa & Dysentery	73	27	7	1	1	1	37	1	1	-	-	1	3	3	5	7	13	2
Cholera	18	-	2	1	2	-	5	2	3	1	-	-	-	1	5	1	-	-
Other Zymotic Dis.	60	7	3	4	4	8	26	7	3	3	2	2	3	1	5	5	3	-
Cancer	79	-	-	-	-	-	-	-	-	-	-	2	10	15	19	17	15	1
Scrofula and Tabes	55	13	7	4	1	1	26	6	7	6	2	2	2	3	1	-	-	-
Phthisis	375	5	4	4	1	2	16	6	25	45	66	95	64	30	19	7	1	-
Hydrocephalus	31	9	2	6	2	3	22	6	1	2	-	-	-	-	-	-	-	-
Dis. of Brain	358	85	18	9	4	-	116	7	6	9	9	10	15	26	27	66	57	10
Dis. of Heart & Dropsy	285	7	2	2	2	1	14	5	1	7	5	10	21	25	57	88	47	5
Dis. of Lungs	416	78	33	14	6	2	133	11	3	6	6	9	12	14	44	91	69	18
Dis. of Stom. and Liver	135	8	3	-	3	-	14	3	1	1	3	5	8	13	35	37	13	2
Dis. of Kidneys	21	-	1	1	-	-	2	-	-	2	4	1	3	3	1	3	2	-
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	1	1	-	1	2	2	2	-
Dis. of Joints	16	-	-	-	-	-	-	1	2	1	2	2	2	1	2	3	-	-
Dis. of Skin	12	1	-	-	-	-	1	-	1	1	1	2	-	-	1	4	1	-
Childbirth and Metria	41	-	-	-	-	-	-	-	-	2	3	13	20	3	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-
Other Violent Deaths	38	8	2	5	1	3	19	1	3	-	-	-	1	2	3	4	3	2
Other Causes	719	209	25	5	1	3	243	5	5	4	-	1	6	10	14	85	236	110
294.—SOUTH MOLTON.																		
Mean Popul^{n}, 1861–71	9514	236	233	249	252	236	1206	1178	1034	916	746	1152	957	904	676	490	224	31
TOTAL DEATHS	1683	234	79	37	42	10	402	51	53	62	58	98	98	96	137	247	292	89
Small-pox	2	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Measles	8	1	4	-	1	-	6	-	1	-	-	1	-	-	-	-	-	-
Scarlatina	32	2	5	7	4	-	18	3	5	3	1	2	-	-	-	-	-	-
Diphtheria	10	-	1	-	3	-	4	3	3	-	-	-	-	-	-	-	-	-
Whooping-cough	36	20	8	1	6	-	35	1	-	-	-	-	-	-	-	-	-	-
Typhus	47	-	1	1	-	1	3	4	5	11	6	6	3	2	3	1	3	-
Diarrhœa & Dysentery	21	8	4	1	-	-	13	-	-	-	1	1	-	-	-	-	5	4
Cholera	7	-	1	-	-	1	2	3	-	-	-	-	1	-	1	-	-	-
Other Zymotic Dis.	34	1	3	1	2	3	10	3	4	1	-	-	1	3	4	6	-	2
Cancer	68	-	-	-	-	-	-	-	-	1	-	-	7	14	20	17	5	4
Scrofula and Tabes	29	13	3	2	-	-	18	3	3	1	-	2	1	-	1	-	-	-
Phthisis	206	3	1	3	2	3	12	4	13	24	28	50	26	13	17	19	-	-
Hydrocephalus	18	5	1	2	3	-	11	4	3	-	-	-	-	-	-	-	-	-
Dis. of Brain	191	37	11	2	7	1	58	5	6	1	3	7	6	24	15	31	28	7
Dis. of Heart & Dropsy	196	-	-	-	-	-	-	4	2	4	3	6	15	16	29	65	50	2
Dis. of Lungs	260	41	28	6	7	1	83	8	2	7	6	6	11	15	18	52	43	9
Dis. of Stom. and Liver	75	8	1	1	1	-	11	2	-	4	4	5	9	6	11	15	3	2
Dis. of Kidneys	22	2	-	-	1	-	3	-	-	-	-	3	3	1	4	6	2	-
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	-	1	1	-	4	2	1	-
Dis. of Joints	10	-	-	1	-	-	1	1	1	-	1	1	2	1	1	1	-	-
Dis. of Skin	6	1	-	-	2	-	3	-	1	-	1	-	-	-	-	1	-	-
Childbirth and Metria	21	-	-	-	-	-	-	-	-	1	4	7	9	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Other Violent Deaths	34	2	3	6	2	-	13	3	2	2	-	-	1	1	1	2	7	2
Other Causes	337	83	4	3	1	-	97	-	1	2	-	-	2	-	5	29	144	57

Mean Population, 1861-71, and **Deaths** in **Districts** during the **10 Years 1861-70.**

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
295.—BARNSTAPLE.																		
Mean Popul^n, 1861-71	17195	486	454	484	464	455	2343	2141	1993	1759	1273	1916	1691	1528	1276	878	346	51
TOTAL DEATHS	3332	668	180	72	47	39	1006	115	51	106	102	204	188	223	291	506	401	139
Small-pox	5	3	1	-	-	-	4	-	-	1	-	-	-	-	-	-	-	-
Measles	49	9	16	5	5	4	39	6	-	2	-	1	1	-	-	-	-	-
Scarlatina	52	9	7	4	12	5	37	12	3	-	-	-	-	-	-	-	-	-
Diphtheria	15	3	2	1	2	1	9	5	1	-	-	-	-	-	-	-	-	-
Whooping-cough	59	40	14	-	3	1	58	1	-	-	-	-	-	-	-	-	-	-
Typhus	65	1	2	2	2	3	10	8	4	12	1	7	5	2	10	4	2	-
Diarrhœa & Dysentery	99	63	16	2	-	-	81	1	-	-	1	1	1	1	1	4	6	2
Cholera	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	78	9	12	6	1	3	31	6	1	1	2	3	2	1	9	11	10	1
Cancer	62	-	-	-	-	1	1	-	-	1	1	-	2	6	22	19	9	1
Scrofula and Tabes	43	11	4	3	1	3	22	4	2	2	3	6	1	1	-	1	1	-
Phthisis	393	8	8	9	1	2	28	14	11	38	54	96	59	45	24	22	2	-
Hydrocephalus	43	12	11	5	2	2	32	5	4	2	-	-	-	-	-	-	-	-
Dis. of Brain	429	100	15	10	4	5	134	15	6	8	5	9	18	30	50	106	44	4
Dis. of Heart & Dropsy	217	1	-	2	-	2	5	5	3	6	3	12	11	26	37	69	34	6
Dis. of Lungs	533	135	41	12	6	4	198	14	2	6	9	14	21	35	47	95	80	12
Dis. of Stom. and Liver	164	22	1	-	1	1	25	1	3	3	3	9	21	18	30	39	10	2
Dis. of Kidneys	91	1	-	-	-	-	1	1	1	2	2	10	9	11	17	24	6	7
Dis. of Gener. Organs	3	1	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-
Dis. of Joints	26	-	1	-	-	-	1	2	-	5	1	2	2	6	5	1	1	-
Dis. of Skin	9	4	-	-	-	-	4	-	-	1	-	-	-	1	-	2	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	15	-	-	-	-	-	-	-	-	-	-	1	5	5	2	2	-	-
Other Violent Deaths	172	11	5	5	6	1	28	13	9	12	13	25	18	22	20	8	3	1
Other Causes	709	225	24	6	1	1	257	1	1	4	4	8	12	12	16	99	192	103
296.—TORRINGTON.																		
Mean Popul^n, 1861-71	7887	218	225	236	207	216	1102	1065	947	847	540	841	736	693	547	387	162	20
TOTAL DEATHS	1459	264	81	55	25	25	450	60	30	39	41	66	79	68	134	198	228	66
Small-pox	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Measles	26	5	4	9	4	-	22	3	1	-	-	-	-	-	-	-	-	-
Scarlatina	24	1	3	7	3	1	15	6	1	-	2	-	-	-	-	-	-	-
Diphtheria	23	1	3	2	2	3	11	9	2	-	-	1	-	-	-	-	-	-
Whooping-cough	19	6	7	3	1	1	18	1	-	-	-	-	-	-	-	-	-	-
Typhus	64	-	1	1	2	4	8	6	6	8	7	12	2	8	4	2	1	-
Diarrhœa & Dysentery	25	12	2	-	-	-	14	1	-	-	-	-	-	-	5	3	2	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	41	3	4	3	4	6	20	5	2	-	-	-	1	-	3	5	5	-
Cancer	23	-	-	-	1	-	1	-	-	1	-	-	-	2	5	3	8	3
Scrofula and Tabes	24	3	3	-	1	1	8	5	1	3	-	2	1	2	1	-	1	-
Phthisis	175	2	1	1	1	-	5	7	4	13	18	30	36	12	24	20	5	1
Hydrocephalus	26	11	3	4	2	1	21	-	3	2	-	-	-	-	-	-	-	-
Dis. of Brain	150	40	9	3	1	1	54	3	1	-	1	5	2	5	20	33	24	2
Dis. of Heart & Dropsy	107	1	-	1	-	1	3	1	1	1	3	6	8	10	17	32	22	3
Dis. of Lungs	195	29	18	9	-	2	58	5	2	3	5	2	12	12	21	38	35	2
Dis. of Stom. and Liver	67	7	3	2	-	-	12	1	2	3	1	2	7	6	14	11	7	1
Dis. of Kidneys	33	1	-	-	-	-	1	-	1	-	1	1	2	3	9	6	6	3
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Dis. of Joints	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Dis. of Skin	4	2	1	-	-	-	3	-	-	-	-	1	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Other Violent Deaths	42	2	3	2	1	3	11	1	2	4	3	2	5	4	6	3	1	-
Other Causes	386	138	16	8	2	1	165	6	1	1	-	-	3	3	5	41	110	51
297.—BIDEFORD.																		
Mean Popul^n, 1861-71	8694	273	237	250	252	236	1248	1121	1008	862	652	999	823	758	599	407	187	30
TOTAL DEATHS	1703	362	107	51	31	17	568	57	31	50	66	82	95	88	127	216	231	92
Small-pox	3	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
Measles	28	9	9	3	3	2	26	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	47	4	7	13	4	2	30	11	3	2	-	-	1	-	-	-	-	-
Diphtheria	9	1	-	-	-	1	2	4	-	3	-	-	-	-	-	-	-	-
Whooping-cough	24	9	11	1	3	-	24	-	-	-	-	-	-	-	-	-	-	-
Typhus	78	3	-	3	5	1	12	8	4	11	10	10	7	1	7	5	3	-
Diarrhœa & Dysentery	26	12	2	-	-	-	14	2	-	-	-	1	-	-	-	1	5	3
Cholera	17	5	2	1	-	-	8	3	-	2	-	1	1	-	-	2	-	-
Other Zymotic Dis.	39	4	3	2	4	3	16	7	1	-	-	2	1	2	1	5	3	1
Cancer	19	-	-	-	-	-	-	-	-	-	-	1	1	3	4	7	3	-
Scrofula and Tabes	37	15	6	2	-	1	24	4	2	-	1	1	1	2	-	2	-	-
Phthisis	145	3	2	-	-	2	7	-	4	12	32	24	24	15	12	11	4	-
Hydrocephalus	26	7	11	1	2	-	21	1	1	1	1	-	1	-	-	-	-	-
Dis. of Brain	219	51	10	5	3	-	69	4	4	8	3	10	9	10	18	37	35	12
Dis. of Heart & Dropsy	109	1	2	-	-	2	5	2	3	2	2	4	5	11	15	35	23	2
Dis. of Lungs	278	75	24	10	4	2	115	4	-	4	5	10	15	11	24	42	41	7
Dis. of Stom. and Liver	62	4	1	2	-	-	7	-	1	-	-	3	6	8	13	15	9	-
Dis. of Kidneys	37	-	-	-	1	-	1	1	-	-	-	1	3	3	8	11	6	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Dis. of Joints	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-
Dis. of Skin	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	6	-	-	-	-	-	-	-	-	-	-	-	-	1	5	-	-	-
Other Violent Deaths	89	1	4	4	2	-	11	3	6	4	9	13	14	14	7	7	1	-
Other Causes	399	156	13	4	-	1	174	1	2	1	1	-	5	6	13	33	96	67

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
295.—BARNSTAPLE.																		
Mean Populn, 1861-71	19655	435	418	450	472	436	2211	2232	1926	1860	1679	2559	2169	1905	1499	1046	481	83
TOTAL DEATHS	3404	505	146	81	53	33	818	117	74	106	115	218	183	176	312	478	548	259
Small-pox	5	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	1	–
Measles	36	2	14	8	1	4	29	5	2	–	–	–	–	–	–	–	–	–
Scarlatina	63	3	4	13	10	7	37	16	2	2	2	3	–	1	–	–	–	–
Diphtheria	17	3	–	2	–	1	6	5	2	–	–	2	–	1	1	–	–	–
Whooping-cough	81	39	19	13	6	–	77	4	–	–	–	–	–	–	–	–	–	–
Typhus	85	2	2	4	4	5	17	14	7	13	8	6	5	3	7	–	5	–
Diarrhœa & Dysentery	67	43	4	–	–	–	47	–	–	2	–	–	2	1	3	5	6	1
Cholera	2	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Other Zymotic Dis.	72	9	5	1	3	3	21	7	5	2	4	7	1	4	3	10	8	–
Cancer	122	–	–	–	–	–	–	–	–	–	–	4	8	20	33	36	14	7
Scrofula and Tabes	45	11	8	2	2	1	24	1	4	6	1	1	3	1	1	3	–	–
Phthisis	473	10	6	1	2	3	22	7	25	50	68	113	68	43	47	26	3	1
Hydrocephalus	43	12	6	2	3	1	24	4	8	6	–	–	–	–	1	–	–	–
Dis. of Brain	382	63	14	10	4	1	92	13	5	4	4	16	15	23	40	84	67	19
Dis. of Heart & Dropsy	259	2	1	1	–	–	4	4	2	4	5	11	16	23	63	73	49	5
Dis. of Lungs	478	85	41	5	9	3	143	17	1	7	3	8	16	27	46	110	71	29
Dis. of Stom. and Liver	153	18	1	1	–	2	22	6	4	1	4	15	8	12	28	33	18	2
Dis. of Kidneys	41	–	–	–	–	–	–	1	–	1	–	7	9	3	8	10	2	–
Dis. of Gener. Organs	15	–	1	–	–	–	1	–	–	–	1	4	2	4	1	2	–	–
Dis. of Joints	18	–	–	1	1	–	2	3	1	2	1	2	1	1	1	3	1	–
Dis. of Skin	11	2	1	–	1	–	4	–	–	–	–	2	–	2	–	1	2	–
Childbirth and Metria	48	–	–	–	–	–	–	–	–	1	10	13	23	1	–	–	–	–
Suicide	6	–	–	–	–	–	–	–	–	–	1	–	1	1	2	–	1	–
Other Violent Deaths	50	9	2	6	1	1	19	7	4	2	1	1	–	1	1	3	7	4
Other Causes	832	192	17	10	6	1	226	3	1	1	2	2	5	4	25	79	293	191
296.—TORRINGTON.																		
Mean Populn, 1861-71	8718	225	213	208	216	214	1076	1020	929	837	732	1130	923	820	596	429	194	32
TOTAL DEATHS	1615	203	76	50	36	19	384	62	31	67	74	110	105	98	139	206	256	83
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	27	5	8	2	2	1	18	6	2	–	–	1	–	–	–	–	–	–
Scarlatina	25	–	4	7	1	–	12	6	1	1	4	–	–	1	–	–	–	–
Diphtheria	24	1	4	2	2	1	10	10	4	–	–	–	–	–	–	–	–	–
Whooping-cough	28	7	7	4	6	2	26	1	–	1	–	–	–	–	–	–	–	–
Typhus	69	4	2	4	2	1	13	3	7	6	12	8	6	4	5	4	1	–
Diarrhœa & Dysentery	13	3	–	1	1	–	5	–	–	–	–	1	–	1	1	3	2	–
Cholera	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
Other Zymotic Dis.	42	2	7	–	4	3	16	1	–	1	1	1	–	2	7	5	8	–
Cancer	45	–	–	–	–	1	1	1	–	–	–	1	7	11	9	9	5	1
Scrofula and Tabes	16	4	3	1	1	–	9	–	–	3	–	2	1	1	–	–	–	–
Phthisis	269	3	5	4	2	1	15	8	6	34	43	52	49	26	12	15	6	3
Hydrocephalus	19	4	1	3	2	1	11	3	4	1	–	–	–	–	–	–	–	–
Dis. of Brain	131	29	2	5	2	–	38	7	3	3	5	2	3	9	18	24	17	2
Dis. of Heart & Dropsy	144	3	1	1	1	–	6	2	–	2	–	11	9	19	24	31	36	1
Dis. of Lungs	181	20	15	8	4	5	52	4	2	5	3	5	5	9	29	39	21	7
Dis. of Stom. and Liver	83	5	–	1	1	–	7	1	–	5	4	9	7	9	13	17	10	1
Dis. of Kidneys	12	–	–	–	–	–	–	–	–	–	–	–	1	–	4	4	2	1
Dis. of Gener. Organs	8	–	–	–	–	–	–	–	–	1	–	1	3	–	2	1	–	–
Dis. of Joints	5	–	–	–	–	–	–	–	–	1	–	–	1	–	2	1	–	–
Dis. of Skin	4	–	1	1	–	–	2	–	–	–	–	–	1	–	–	1	–	–
Childbirth and Metria	26	–	–	–	–	–	–	–	–	3	2	11	8	2	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–
Other Violent Deaths	20	3	1	3	–	1	8	4	1	–	–	–	1	–	2	–	3	1
Other Causes	418	110	15	3	5	2	135	5	–	–	–	5	2	4	9	48	144	66
297.—BIDEFORD.																		
Mean Populn, 1861-71	9954	256	231	234	245	238	1204	1128	1028	905	849	1338	1067	941	696	515	240	43
TOTAL DEATHS	1768	253	94	63	35	24	469	63	33	62	56	116	92	115	142	244	253	123
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	45	6	11	13	7	5	42	2	–	1	–	–	–	–	–	–	–	–
Scarlatina	46	3	6	10	4	7	30	10	4	1	–	1	–	–	–	–	–	–
Diphtheria	13	–	–	3	3	1	7	5	–	1	–	–	–	–	–	–	–	–
Whooping-cough	41	16	13	7	2	–	38	3	–	–	–	–	–	–	–	–	–	–
Typhus	99	3	4	4	2	2	15	8	9	19	10	11	10	8	3	3	2	1
Diarrhœa & Dysentery	29	12	3	–	2	1	18	1	–	–	–	–	–	–	2	2	5	1
Cholera	10	4	–	–	–	–	4	2	1	1	–	–	–	–	1	1	–	–
Other Zymotic Dis.	25	3	3	1	2	4	13	–	–	–	2	–	–	1	2	2	3	2
Cancer	49	–	–	–	–	–	–	–	–	–	–	–	6	15	7	10	9	2
Scrofula and Tabes	35	11	2	2	–	1	16	2	1	4	1	4	4	3	–	–	–	–
Phthisis	190	2	–	1	–	–	3	6	5	19	23	51	27	26	17	9	4	–
Hydrocephalus	19	3	5	3	1	–	12	5	1	1	–	–	–	–	–	–	–	–
Dis. of Brain	169	31	3	4	1	–	39	3	1	5	4	6	5	9	20	42	29	6
Dis. of Heart & Dropsy	174	1	5	1	–	1	8	1	4	2	–	10	6	9	37	61	31	5
Dis. of Lungs	241	36	26	8	6	2	78	5	3	2	1	9	6	11	21	48	45	12
Dis. of Stom. and Liver	97	5	–	–	–	–	5	3	2	3	3	10	8	17	15	9	21	1
Dis. of Kidneys	18	–	–	–	–	–	–	–	–	–	–	2	1	4	3	8	–	–
Dis. of Gener. Organs	8	–	–	–	–	–	–	–	–	–	–	–	–	3	2	3	–	–
Dis. of Joints	4	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	–
Dis. of Skin	3	2	–	–	1	–	3	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	27	–	–	–	–	–	–	–	–	–	10	7	9	1	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
Other Violent Deaths	22	1	–	2	2	–	5	2	2	3	–	–	3	–	–	3	3	1
Other Causes	402	114	13	4	2	–	133	5	–	–	2	4	5	8	11	41	101	92

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
298.—HOLSWORTHY.																		
Mean Popul^n, 1861–71	4892	124	149	133	127	125	658	607	566	519	411	567	459	400	353	243	97	12
TOTAL DEATHS	862	167	59	15	9	9	259	23	21	24	26	41	37	39	81	122	144	45
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	14	3	6	-	-	2	11	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	12	1	1	2	-	2	6	2	3	-	-	1	-	-	-	-	-	-
Diphtheria	4	-	-	-	1	1	2	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough	7	4	2	-	1	-	7	-	-	-	-	-	-	-	-	-	-	-
Typhus	15	1	-	2	-	-	3	1	2	2	2	2	1	-	-	2	-	-
Diarrhœa & Dysentery	9	1	-	-	-	-	1	-	-	-	-	-	-	-	1	1	5	1
Cholera	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	19	4	2	1	-	1	8	2	1	1	1	-	-	1	2	1	1	1
Cancer	17	-	-	-	-	-	-	-	-	-	-	-	1	4	4	6	2	-
Scrofula and Tabes	19	5	2	1	-	-	8	2	-	1	3	4	-	-	1	-	-	-
Phthisis	87	2	2	-	1	-	5	2	3	9	8	21	15	9	7	6	2	-
Hydrocephalus	12	4	4	2	-	-	10	1	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	105	31	10	-	1	1	43	3	-	-	4	2	4	5	10	19	12	3
Dis. of Heart & Dropsy	53	1	1	-	-	-	2	-	2	-	-	2	1	2	13	17	12	2
Dis. of Lungs	153	32	12	2	2	1	49	2	1	3	2	5	6	8	17	25	31	4
Dis. of Stom. and Liver	41	3	2	-	-	-	5	-	-	1	1	2	2	4	8	9	8	1
Dis. of Kidneys	22	-	1	-	-	-	1	-	-	1	1	-	1	1	2	9	6	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Dis. of Skin	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-
Other Violent Deaths	39	-	2	1	2	-	5	2	7	4	1	1	3	2	4	7	2	1
Other Causes	227	75	11	3	1	1	91	1	1	1	2	1	2	3	11	20	62	32
299.—STRATTON.																		
Mean Popul^n, 1861–71	3857	96	97	113	104	88	498	484	414	403	315	446	360	338	298	206	84	11
TOTAL DEATHS	752	152	40	13	9	7	221	22	20	21	25	47	37	44	62	109	112	32
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	8	3	2	-	1	-	6	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	6	-	-	-	1	-	1	3	1	1	-	-	-	-	-	-	-	-
Diphtheria	7	-	-	1	-	2	3	2	1	-	-	-	-	-	1	-	-	-
Whooping-cough	15	8	5	1	-	1	15	-	-	-	-	-	-	-	-	-	-	-
Typhus	19	-	1	1	1	-	3	1	5	2	1	3	2	1	-	1	-	-
Diarrhœa & Dysentery	6	3	-	-	-	-	3	-	-	-	-	-	-	-	1	1	1	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	7	-	-	-	-	-	-	1	1	1	1	-	-	-	-	1	2	-
Cancer	18	-	-	-	-	-	-	-	-	-	-	-	-	2	6	8	2	-
Scrofula and Tabes	11	2	-	-	2	-	4	-	1	-	1	4	1	-	-	-	-	-
Phthisis	74	6	2	3	1	-	12	2	2	8	8	14	10	6	4	7	1	-
Hydrocephalus	7	1	3	1	-	-	5	1	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	87	24	7	1	1	1	34	4	2	-	2	2	7	2	7	15	12	-
Dis. of Heart & Dropsy	53	-	-	-	-	-	-	1	1	1	2	3	2	6	11	16	10	-
Dis. of Lungs	111	29	11	2	1	1	44	-	-	2	3	1	2	9	10	18	22	-
Dis. of Stom. and Liver	37	3	-	-	-	-	3	-	1	-	1	4	2	6	5	12	3	-
Dis. of Kidneys	22	-	-	-	-	-	-	1	-	-	2	3	1	1	2	9	2	1
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
Dis. of Joints	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Dis. of Skin	5	-	-	1	-	-	1	1	-	-	-	-	-	-	1	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	63	1	2	2	1	1	7	3	4	3	4	13	9	9	7	2	2	-
Other Causes	193	72	7	-	-	1	80	-	-	1	-	-	1	2	6	18	54	31
300.—CAMELFORD.																		
Mean Popul^n, 1861–71	4038	112	98	125	108	122	565	515	457	420	303	476	392	368	276	180	77	9
TOTAL DEATHS	734	171	45	18	9	11	254	28	19	19	26	35	42	55	54	82	96	24
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	17	4	4	4	1	3	16	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	9	-	2	-	1	-	3	3	2	1	-	-	-	-	-	-	-	-
Diphtheria	14	-	1	3	-	2	6	3	4	-	1	-	-	-	-	-	-	-
Whooping-cough	16	9	3	2	2	-	16	-	-	-	-	-	-	-	-	-	-	-
Typhus	15	1	-	1	-	-	2	1	4	1	1	1	2	1	1	-	1	-
Diarrhœa & Dysentery	22	15	2	1	-	1	19	-	-	-	-	-	-	-	1	1	1	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	14	4	-	1	1	-	6	1	1	2	-	-	-	1	1	1	1	-
Cancer	11	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	4	-
Scrofula and Tabes	16	6	3	2	-	-	11	-	3	-	1	1	-	-	-	-	-	-
Phthisis	70	4	2	-	1	-	7	4	2	4	8	9	10	14	11	-	1	-
Hydrocephalus	6	1	1	-	1	2	5	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	79	21	9	1	-	1	32	3	1	1	-	2	4	4	2	17	13	-
Dis. of Heart & Dropsy	61	-	1	-	-	-	1	-	-	3	1	1	2	4	12	17	15	5
Dis. of Lungs	99	28	8	-	1	-	37	2	1	1	5	4	3	7	6	14	19	-
Dis. of Stom. and Liver	35	6	1	-	-	-	7	1	-	1	2	1	1	9	2	6	5	-
Dis. of Kidneys	10	-	-	-	-	-	-	-	-	-	-	-	3	-	-	2	4	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	3	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-
Dis. of Skin	4	1	1	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-
Other Violent Deaths	63	1	1	-	-	1	3	6	1	5	5	12	12	10	4	3	2	-
Other Causes	167	70	6	3	1	1	81	1	-	-	2	3	3	3	10	17	29	18

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
298.—HOLSWORTHY.																		
Mean Popul^n, 1861-71	4760	142	121	123	140	128	654	584	526	468	372	585	468	434	320	228	100	21
TOTAL DEATHS	856	146	39	20	15	10	230	22	24	28	19	61	41	54	75	122	128	52
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	10	1	3	1	1	1	7	2	1	–	–	–	–	–	–	–	–	–
Scarlatina	11	–	–	1	3	–	4	3	3	–	–	1	–	–	–	–	–	–
Diphtheria	8	–	1	1	–	–	2	3	3	–	–	–	–	–	–	–	–	–
Whooping-cough	13	6	2	3	1	1	13	–	–	–	–	–	–	–	–	–	–	–
Typhus	18	1	–	1	2	–	4	1	2	1	2	2	–	2	–	3	1	–
Diarrhœa & Dysentery	5	2	–	–	–	–	2	–	–	–	–	–	1	–	–	–	2	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Other Zymotic Dis.	14	–	3	1	1	2	7	1	1	1	–	–	–	–	1	2	1	–
Cancer	27	–	–	–	–	–	–	–	–	–	–	1	2	6	7	6	4	1
Scrofula and Tabes	15	7	–	2	–	–	9	–	1	–	–	–	1	3	–	1	–	–
Phthisis	112	2	2	1	1	2	8	6	8	12	10	28	13	8	10	7	1	1
Hydrocephalus	7	3	3	1	–	–	7	–	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	89	26	4	2	1	–	33	–	–	1	1	3	1	6	14	15	15	–
Dis. of Heart & Dropsy	72	–	–	–	–	–	–	–	1	–	3	4	6	8	12	21	17	–
Dis. of Lungs	122	19	9	1	1	2	32	1	1	4	–	5	4	8	10	28	23	6
Dis. of Stom. and Liver	37	–	1	–	–	–	1	3	–	4	–	3	2	5	7	10	2	–
Dis. of Kidneys	8	–	–	–	–	–	–	1	–	–	–	1	1	1	2	2	2	–
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Dis. of Joints	2	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–
Dis. of Skin	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Childbirth and Metria	20	–	–	–	–	–	–	–	–	2	2	8	7	1	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Deaths	10	1	1	2	1	–	5	–	–	1	–	–	1	–	1	–	1	1
Other Causes	251	77	10	3	3	1	91	1	3	2	1	5	1	3	11	27	60	43
299.—STRATTON.																		
Mean Popul^n, 1861-71	4078	118	108	108	100	110	544	488	432	419	315	509	413	361	288	201	93	15
TOTAL DEATHS	717	121	17	17	8	3	166	22	21	22	30	42	47	34	55	91	136	51
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	10	3	2	1	–	–	6	2	1	–	1	–	–	–	–	–	–	–
Scarlatina	10	–	1	3	–	1	5	2	1	1	–	1	–	–	–	–	–	–
Diphtheria	4	–	–	1	1	–	2	2	–	–	–	–	–	–	–	–	–	–
Whooping-cough	9	5	1	2	–	–	8	–	1	–	–	–	–	–	–	–	–	–
Typhus	6	–	–	–	–	–	–	–	2	1	2	–	–	–	–	–	1	–
Diarrhœa & Dysentery	5	2	–	–	–	–	2	–	–	–	1	–	–	–	–	2	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	5	1	–	–	–	–	1	–	–	–	1	–	–	1	–	–	2	–
Cancer	27	–	–	–	–	–	–	–	–	–	–	2	5	7	10	1	2	–
Scrofula and Tabes	8	–	–	2	1	–	3	–	1	2	2	–	–	–	–	–	–	–
Phthisis	86	7	2	–	–	–	9	4	5	12	11	16	16	3	5	5	–	–
Hydrocephalus	4	2	1	–	–	–	3	–	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	74	13	3	–	1	1	18	4	3	1	2	4	3	3	10	12	13	1
Dis. of Heart & Dropsy	67	–	–	–	–	–	–	1	1	–	2	5	6	8	11	23	9	1
Dis. of Lungs	88	19	4	2	–	–	25	–	2	2	–	2	5	5	7	20	18	2
Dis. of Stom. and Liver	35	4	–	–	–	1	5	2	2	–	2	2	1	4	5	3	7	2
Dis. of Kidneys	5	–	–	–	–	–	–	1	–	–	–	–	1	1	–	1	1	–
Dis. of Gener. Organs	6	–	–	–	–	–	–	–	–	–	–	1	1	1	3	–	–	–
Dis. of Joints	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
Dis. of Skin	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Childbirth and Metria	18	–	–	–	–	–	–	–	–	1	4	4	9	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Other Violent Deaths	20	–	–	2	3	–	5	4	1	–	–	3	–	1	1	3	2	–
Other Causes	226	65	3	4	2	–	74	–	–	1	1	2	–	–	3	19	81	45
300.—CAMELFORD.																		
Mean Popul^n, 1861-71	4063	122	110	112	99	101	544	507	431	383	309	520	433	379	277	189	81	10
TOTAL DEATHS	738	157	39	23	19	15	253	28	10	19	27	40	39	44	52	109	84	33
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	14	4	3	3	2	–	12	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	9	1	2	–	–	3	6	2	–	–	–	–	–	1	–	–	–	–
Diphtheria	18	1	–	–	2	4	7	7	1	1	2	–	–	–	–	–	–	–
Whooping-cough	26	13	6	2	3	1	25	1	–	–	–	–	–	–	–	–	–	–
Typhus	18	–	–	1	1	1	3	4	2	1	1	1	3	1	–	1	1	–
Diarrhœa & Dysentery	15	6	3	–	–	–	9	–	–	–	–	–	–	–	1	2	2	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	9	2	1	–	–	1	4	–	–	–	–	1	1	1	1	1	–	–
Cancer	19	1	–	–	1	–	2	–	–	–	–	–	–	6	5	2	3	1
Scrofula and Tabes	18	5	3	2	1	–	11	1	–	–	1	1	2	1	–	–	1	–
Phthisis	106	8	1	3	1	1	14	4	3	11	15	25	16	6	7	4	–	1
Hydrocephalus	8	2	1	2	3	–	8	–	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	83	23	2	1	–	2	28	3	1	–	–	2	2	3	9	15	15	5
Dis. of Heart & Dropsy	71	–	–	–	–	–	–	1	1	1	1	1	4	9	10	26	14	3
Dis. of Lungs	93	24	9	4	3	–	40	1	1	–	1	4	1	8	3	18	15	1
Dis. of Stom. and Liver	53	6	–	1	–	1	8	–	–	3	1	1	4	5	7	18	4	2
Dis. of Kidneys	4	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	1	–
Dis. of Gener. Organs	5	–	–	–	–	–	–	–	–	–	1	–	1	1	–	2	–	–
Dis. of Joints	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Skin	4	2	–	1	–	–	3	–	–	–	–	–	–	–	–	1	–	–
Childbirth and Metria	10	–	–	–	–	–	–	–	–	1	1	4	3	1	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Deaths	6	–	–	2	1	–	3	1	–	–	–	–	–	–	–	2	–	–
Other Causes	149	59	8	1	1	1	70	1	1	1	1	–	2	1	9	16	28	19

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
301.—LAUNCESTON.																		
Mean Popul^n, 1861–71	8453	237	238	217	234	210	1136	1091	999	882	650	949	864	737	595	395	136	19
TOTAL DEATHS	1579	340	119	48	32	24	563	51	38	46	43	80	68	92	117	220	201	60
Small-pox	8	1	–	–	–	–	1	–	–	–	1	3	2	–	1	–	–	–
Measles	39	4	8	5	3	3	23	5	–	–	–	1	1	–	–	–	–	–
Scarlatina	59	5	7	8	8	5	33	17	4	2	–	2	–	1	–	–	–	–
Diphtheria	13	–	4	2	5	–	11	–	–	1	–	1	–	–	–	–	–	–
Whooping-cough	26	17	8	–	1	–	26	–	–	–	–	–	–	–	–	–	–	–
Typhus	69	7	4	6	1	–	18	7	6	9	7	5	2	4	1	5	5	–
Diarrhœa & Dysentery	25	15	2	–	–	–	17	–	–	–	–	1	1	–	–	3	2	1
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Other Zymotic Dis.	47	3	4	1	3	5	16	4	2	1	–	2	1	4	5	5	5	2
Cancer	21	–	–	–	–	–	–	–	–	–	–	–	1	5	7	8	3	–
Scrofula and Tabes	20	6	6	2	1	–	15	–	1	2	1	1	–	–	–	–	–	–
Phthisis	111	7	6	2	1	–	16	2	5	12	16	28	20	15	16	13	1	–
Hydrocephalus	22	8	10	1	–	1	20	1	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	189	61	10	8	1	–	80	4	1	2	3	5	4	6	8	31	38	7
Dis. of Heart & Dropsy	104	2	1	–	–	–	3	1	2	2	2	1	1	11	25	35	20	1
Dis. of Lungs	312	61	28	8	4	3	107	2	7	3	4	12	18	25	30	46	45	13
Dis. of Stom. and Liver	53	9	2	–	1	1	13	–	2	3	3	4	5	2	2	11	7	1
Dis. of Kidneys	51	–	–	–	–	–	–	1	2	1	1	4	3	5	3	18	12	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	9	–	–	–	–	–	–	1	–	–	–	2	–	2	1	2	1	–
Dis. of Skin	8	2	1	–	–	–	3	1	–	1	–	–	–	–	1	2	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–
Other Violent Deaths	64	4	2	1	1	5	13	4	4	5	4	6	7	5	7	7	2	–
Other Causes	298	125	16	4	2	1	148	1	1	2	1	1	2	7	9	32	60	34
302.—ST. GERMANS.																		
Mean Popul^n, 1861–71	8518	267	212	231	240	219	1169	1089	952	808	648	1000	868	787	640	393	146	18
TOTAL DEATHS	1825	356	130	52	29	40	607	72	33	42	56	110	94	106	190	233	219	63
Small-pox	17	6	2	–	1	–	9	2	–	3	2	–	1	–	–	–	–	–
Measles	34	2	14	6	–	9	31	2	1	–	–	–	–	–	–	–	–	–
Scarlatina	58	3	3	9	9	7	31	21	4	1	1	–	–	–	–	–	–	–
Diphtheria	10	–	1	–	1	2	4	4	2	–	–	–	–	–	–	–	–	–
Whooping-cough	35	12	16	4	–	–	32	3	–	–	–	–	–	–	–	–	–	–
Typhus	139	6	8	5	4	4	27	12	4	8	9	8	10	7	16	15	17	6
Diarrhœa & Dysentery	54	28	8	2	–	–	38	–	–	–	–	–	–	2	1	6	7	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Other Zymotic Dis.	27	5	3	–	1	4	13	1	–	1	1	1	–	2	5	2	–	1
Cancer	27	–	–	–	–	–	–	–	–	–	–	–	2	3	10	8	4	–
Scrofula and Tabes	21	3	5	1	–	–	9	3	3	–	1	2	–	–	3	–	–	–
Phthisis	185	5	5	3	1	2	16	4	5	8	29	43	27	29	12	11	1	–
Hydrocephalus	17	8	7	1	–	–	16	–	–	1	–	–	–	–	–	–	–	–
Dis. of Brain	239	49	17	4	3	3	76	5	2	2	3	8	12	11	31	49	33	7
Dis. of Heart & Dropsy	136	3	1	–	–	2	6	–	1	2	1	7	11	10	24	37	32	5
Dis. of Lungs	252	63	21	10	2	3	99	3	–	–	4	8	12	13	32	41	37	3
Dis. of Stom. and Liver	94	14	5	1	–	1	21	–	1	1	–	6	3	8	19	25	10	–
Dis. of Kidneys	38	–	–	–	–	1	1	–	1	–	1	3	3	5	5	10	9	–
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Dis. of Joints	12	–	–	–	–	–	–	1	1	5	1	–	1	–	2	1	–	–
Dis. of Skin	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	6	–	–	–	–	–	–	–	–	–	–	2	1	1	1	1	–	–
Other Violent Deaths	104	3	2	3	6	1	15	10	8	9	3	16	10	13	11	5	3	1
Other Causes	314	146	12	3	1	1	163	1	–	1	–	6	1	2	16	18	66	40
303.—LISKEARD.																		
Mean Popul^n, 1861–71	16470	497	474	521	476	471	2439	2331	2076	1716	1208	1864	1676	1359	948	589	235	29
TOTAL DEATHS	3357	861	281	127	76	65	1410	157	79	102	100	152	178	200	244	359	303	73
Small-pox	48	15	1	3	3	1	23	5	3	5	2	7	2	–	–	1	–	–
Measles	101	13	30	15	12	9	79	19	1	–	1	1	–	–	–	–	–	–
Scarlatina	117	9	18	20	19	8	74	34	4	2	–	2	1	–	–	–	–	–
Diphtheria	33	6	5	1	3	2	17	11	2	1	–	1	–	–	1	–	–	–
Whooping-cough	65	34	15	11	2	3	65	–	–	–	–	–	–	–	–	–	–	–
Typhus	121	6	8	2	3	8	27	14	10	12	8	14	8	8	8	6	5	1
Diarrhœa & Dysentery	75	45	8	2	1	–	56	1	–	–	1	1	1	1	1	3	8	2
Cholera	2	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	79	16	16	9	6	6	53	4	3	–	–	–	–	4	1	7	6	1
Cancer	38	–	–	–	–	–	–	–	–	–	1	1	2	5	6	17	6	–
Scrofula and Tabes	78	30	14	6	4	–	54	4	3	4	2	4	3	2	1	1	–	–
Phthisis	372	22	15	3	1	1	42	10	8	30	48	53	50	66	44	20	1	–
Hydrocephalus	43	21	9	2	2	3	37	5	–	1	–	–	–	–	–	–	–	–
Dis. of Brain	391	126	24	16	4	7	177	12	5	11	7	10	12	16	31	61	47	2
Dis. of Heart & Dropsy	208	8	2	1	–	2	13	7	4	4	3	5	15	20	38	59	37	3
Dis. of Lungs	539	147	72	18	7	6	250	10	5	5	7	7	27	28	58	75	60	7
Dis. of Stom. and Liver	137	25	3	–	–	–	28	2	8	4	6	12	9	12	16	29	11	–
Dis. of Kidneys	48	–	–	–	–	–	–	–	–	3	1	5	8	3	8	14	5	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	13	–	–	–	1	–	1	1	1	1	1	2	1	3	2	–	–	–
Dis. of Skin	10	6	–	–	–	–	6	1	–	1	–	–	1	–	–	–	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	14	–	–	–	–	–	–	–	–	–	–	1	4	4	3	1	1	–
Other Violent Deaths	159	–	2	4	5	4	15	12	19	15	11	24	28	18	8	6	2	1
Other Causes	666	331	39	14	3	5	392	4	3	3	1	2	6	10	18	59	113	55

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
301.—LAUNCESTON.																		
Mean Popul^n, 1861–71	8620	233	228	252	212	227	1152	1040	962	825	706	1037	891	764	593	411	168	21
TOTAL DEATHS	1483	250	93	45	25	17	430	68	33	56	53	82	69	65	144	191	226	66
Small-pox	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Measles	32	4	10	5	2	1	22	8	-	-	-	1	-	1	-	-	-	-
Scarlatina	45	2	9	2	6	6	25	14	2	-	1	3	-	-	-	-	-	-
Diphtheria	15	-	-	1	1	1	3	9	2	-	-	1	-	-	-	-	-	-
Whooping-cough	41	18	12	5	2	2	39	2	-	-	-	-	-	-	-	-	-	-
Typhus	73	6	3	5	5	1	20	8	3	11	3	6	1	4	4	5	5	3
Diarrhœa & Dysentery	19	10	1	-	-	-	11	-	-	-	-	-	-	-	-	4	3	1
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Other Zymotic Dis.	41	6	4	2	2	-	14	2	3	2	-	1	2	2	4	4	9	1
Cancer	37	-	-	-	-	-	-	-	-	-	-	-	5	5	10	11	6	-
Scrofula and Tabes	24	7	3	1	-	-	11	2	2	2	2	-	-	-	1	2	2	-
Phthisis	158	5	3	4	-	-	12	1	9	22	22	37	25	9	16	4	1	-
Hydrocephalus	11	6	3	1	1	-	11	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	166	28	8	5	-	2	43	5	5	3	3	6	4	9	22	25	37	4
Dis. of Heart & Dropsy	145	1	-	-	1	-	2	1	1	3	5	5	6	3	36	45	31	2
Dis. of Lungs	231	45	20	8	3	1	77	3	2	3	4	4	8	10	27	47	39	10
Dis. of Stom. and Liver	60	6	1	1	-	-	8	1	1	3	3	1	3	5	11	14	9	1
Dis. of Kidneys	21	-	-	-	-	-	-	2	1	1	1	2	2	3	2	5	1	1
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	-	-	4	2	1	-	-	-	-
Dis. of Joints	6	-	-	-	-	-	-	-	1	1	1	-	-	-	-	1	2	-
Dis. of Skin	5	1	1	-	-	-	2	1	-	-	-	1	-	-	-	1	-	-
Childbirth and Metria	23	-	-	-	-	-	-	-	-	2	5	6	10	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Other Violent Deaths	30	1	2	1	1	3	8	7	1	1	2	2	-	-	1	2	2	4
Other Causes	283	104	13	4	1	-	122	2	-	2	1	1	-	7	10	21	78	39
302.—ST. GERMANS.																		
Mean Popul^n, 1861–71	9297	229	236	227	242	227	1161	1034	976	822	750	1219	1045	912	712	443	196	27
TOTAL DEATHS	1732	275	94	58	31	31	489	81	43	51	50	112	114	104	147	227	244	70
Small-pox	8	3	-	2	-	-	5	1	1	-	-	1	-	-	-	-	-	-
Measles	29	3	10	10	1	3	27	1	1	-	-	-	-	-	-	-	-	-
Scarlatina	36	4	4	6	2	5	21	13	1	-	-	1	-	-	-	-	-	-
Diphtheria	9	-	-	-	2	1	3	4	2	-	-	-	-	-	-	-	-	-
Whooping cough	36	15	11	5	1	1	33	3	-	-	-	-	-	-	-	-	-	-
Typhus	170	4	6	7	7	4	28	30	16	18	11	11	9	7	8	14	15	3
Diarrhœa & Dysentery	52	25	3	3	2	-	33	1	-	1	-	1	-	1	2	4	6	3
Cholera	2	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Other Zymotic Dis.	23	3	3	-	2	3	11	1	1	-	-	-	1	-	2	3	3	1
Cancer	70	-	-	-	-	-	-	-	-	-	-	3	12	13	19	17	5	1
Scrofula and Tabes	16	3	5	1	3	1	13	1	-	-	-	1	1	-	-	-	-	-
Phthisis	208	4	4	1	3	3	15	7	6	21	25	47	40	23	11	10	3	-
Hydrocephalus	12	3	3	1	-	2	9	3	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	196	29	12	5	3	1	50	7	5	3	5	11	7	14	18	37	33	6
Dis. of Heart & Dropsy	146	1	-	-	-	1	2	1	2	1	2	3	9	13	30	47	32	4
Dis. of Lungs	204	44	17	7	4	2	74	2	4	2	3	3	6	6	24	39	40	1
Dis. of Stom. and Liver	86	5	-	-	-	-	5	2	2	2	2	8	10	15	13	20	6	1
Dis. of Kidneys	23	-	-	-	-	-	-	-	1	-	1	4	4	5	3	3	2	-
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	-	1	2	2	3	1	-	-
Dis. of Joints	8	-	1	-	-	1	2	-	-	-	-	2	1	2	1	-	-	-
Dis. of Skin	7	1	-	-	-	-	1	-	-	-	-	-	-	1	3	1	1	-
Childbirth and Metria	20	-	-	-	-	-	-	-	-	1	1	12	6	-	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	-	-
Other Violent Deaths	15	1	1	3	-	2	7	1	-	-	-	1	2	1	2	-	-	1
Other Causes	342	126	14	7	1	1	149	3	1	2	-	2	2	1	6	29	98	49
303.—LISKEARD.																		
Mean Popul^n, 1861–71	17407	532	495	488	479	450	2444	2258	1998	1614	1428	2254	1857	1494	1065	676	278	41
TOTAL DEATHS	3125	658	287	118	82	59	1204	152	81	89	102	172	169	138	204	337	362	115
Small-pox	28	6	2	3	6	3	20	4	1	-	2	-	1	-	-	-	-	-
Measles	87	8	25	13	8	8	62	18	3	-	3	-	1	-	-	-	-	-
Scarlatina	102	5	10	12	20	8	55	37	6	3	1	-	-	-	-	-	-	-
Diphtheria	32	3	4	4	4	7	22	7	1	-	-	-	1	-	1	-	-	-
Whooping-cough	90	32	34	10	4	5	85	5	-	-	-	-	-	-	-	-	-	-
Typhus	122	7	3	2	9	5	26	16	14	14	11	8	5	3	8	10	7	-
Diarrhœa & Dysentery	87	46	13	4	-	2	65	8	-	1	-	-	-	3	-	4	9	2
Cholera	3	2	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-
Other Zymotic Dis.	71	2	4	8	9	5	28	5	1	1	4	2	4	-	5	8	8	5
Cancer	81	-	-	-	-	-	-	-	-	-	-	1	9	19	23	23	5	1
Scrofula and Tabes	88	31	23	6	-	1	61	5	4	5	3	2	2	1	4	-	1	-
Phthisis	353	11	18	3	2	3	37	7	20	34	41	81	66	37	13	8	4	2
Hydrocephalus	25	6	2	3	1	-	12	6	7	-	-	-	-	-	-	-	-	-
Dis. of Brain	376	88	34	16	6	-	144	11	7	5	5	19	4	19	34	63	56	9
Dis. of Heart & Dropsy	220	1	1	-	-	-	2	2	4	6	6	13	17	21	41	72	33	3
Dis. of Lungs	391	91	60	26	6	6	192	11	2	6	4	8	9	11	27	56	54	11
Dis. of Stom. and Liver	120	13	3	1	-	1	18	3	7	4	6	8	13	7	15	24	14	1
Dis. of Kidneys	19	-	-	1	-	-	1	1	-	2	-	1	5	2	1	3	2	1
Dis. of Gener. Organs	10	-	-	-	-	-	-	-	-	-	1	-	2	3	3	1	-	-
Dis. of Joints	11	1	-	-	-	-	1	-	-	1	1	4	1	1	1	1	-	-
Dis. of Skin	6	1	-	-	-	-	1	1	-	-	-	-	-	1	1	-	2	-
Childbirth and Metria	54	-	-	-	-	-	-	-	-	2	9	19	23	1	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-
Other Violent Deaths	41	4	7	2	4	2	19	7	3	3	-	1	1	1	1	2	3	-
Other Causes	705	297	44	4.	3	3	351	3	1	2	2	5	5	6	26	60	164	80

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
304.—BODMIN.																		
Mean Popul^n, 1861–71	9475	260	237	236	256	250	1239	1181	1117	940	643	1029	939	907	749	511	199	21
TOTAL DEATHS	2037	426	125	43	32	17	643	48	46	50	67	132	131	135	189	262	261	73
Small-pox	9	1	2	1	1	-	5	-	-	-	2	1	1	-	-	-	-	-
Measles	21	3	9	3	2	1	18	1	1	-	-	1	-	-	-	-	-	-
Scarlatina	54	3	13	8	6	2	32	15	1	5	-	-	1	-	-	-	-	-
Diphtheria	5	-	-	1	-	-	1	2	1	-	1	-	-	-	-	-	-	-
Whooping-cough	41	24	12	4	-	-	40	1	-	-	-	-	-	-	-	-	-	-
Typhus	46	-	-	2	2	1	5	5	4	6	-	7	5	5	3	4	2	-
Diarrhœa & Dysentery	34	9	1	1	-	1	12	-	-	-	1	3	1	3	2	6	6	-
Cholera	8	-	-	-	-	-	-	1	2	1	-	-	1	3	-	-	-	-
Other Zymotic Dis.	21	1	1	3	-	-	5	-	2	-	-	2	-	2	2	4	4	-
Cancer	24	-	-	-	-	-	-	-	1	-	1	-	1	3	6	7	5	-
Scrofula and Tabes	29	8	4	-	1	2	15	2	2	3	1	4	-	1	1	-	-	-
Phthisis	207	-	4	-	-	-	4	1	7	16	36	55	26	21	27	11	3	-
Hydrocephalus	25	11	8	1	1	-	21	3	2	-	-	-	-	-	-	-	-	-
Dis. of Brain	345	62	9	2	3	2	78	5	6	2	9	23	46	45	33	45	44	9
Dis. of Heart & Dropsy	139	-	-	-	1	1	2	-	-	3	3	2	10	15	25	55	21	3
Dis. of Lungs	232	48	28	7	4	1	88	2	2	4	3	10	13	10	27	39	28	6
Dis. of Stom. and Liver	83	11	1	-	1	-	13	2	3	2	1	5	5	11	15	20	6	-
Dis. of Kidneys	50	-	-	-	-	-	-	-	3	1	2	3	2	4	9	11	13	2
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Dis. of Joints	4	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-
Dis. of Skin	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-
Other Violent Deaths	78	2	3	1	3	5	14	5	7	7	4	11	13	6	6	3	1	1
Other Causes	574	243	30	9	7	1	290	2	2	-	2	4	4	6	30	54	128	52
305.—ST. COLUMB.																		
Mean Popul^n, 1861–71	8000	233	230	255	214	211	1143	1070	928	854	601	866	779	686	528	379	147	19
TOTAL DEATHS	1535	336	124	52	31	26	569	69	25	47	37	60	67	74	115	207	202	63
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	29	2	13	5	3	4	27	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	62	7	10	8	7	6	38	21	1	-	1	1	-	-	-	-	-	-
Diphtheria	8	2	1	1	-	1	5	1	-	1	-	-	-	1	-	-	-	-
Whooping-cough	33	16	10	1	3	3	33	-	-	-	-	-	-	-	-	-	-	-
Typhus	42	2	2	-	2	-	6	9	3	7	4	6	3	1	2	1	-	-
Diarrhœa & Dysentery	25	12	4	-	-	-	16	1	-	-	-	1	-	-	1	1	4	1
Cholera	3	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	1	-
Other Zymotic Dis.	15	1	5	2	1	1	10	-	-	1	-	-	-	1	-	2	1	-
Cancer	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	-
Scrofula and Tabes	18	3	4	1	1	1	10	3	-	1	-	1	1	-	1	-	1	-
Phthisis	123	1	1	2	-	2	6	2	2	16	15	27	18	17	12	8	-	-
Hydrocephalus	23	5	4	2	2	-	13	9	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	191	49	15	7	2	2	75	3	6	4	1	5	10	9	15	37	26	-
Dis. of Heart & Dropsy	112	-	2	-	-	1	3	1	1	-	1	5	5	9	20	46	17	4
Dis. of Lungs	173	43	14	8	5	1	71	2	1	6	3	2	8	9	14	36	17	4
Dis. of Stom. and Liver	80	11	1	1	-	-	13	5	2	1	3	2	6	10	10	15	11	2
Dis. of Kidneys	27	-	-	-	-	1	1	1	-	1	-	1	2	3	4	6	8	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	5	-	1	-	-	-	1	1	-	-	-	-	-	-	1	-	2	-
Dis. of Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-
Other Violent Deaths	64	3	5	4	1	2	15	1	7	8	6	9	6	4	4	2	2	-
Other Causes	491	179	32	9	4	1	225	7	1	1	3	-	7	10	27	48	110	52
306.—ST. AUSTELL.																		
Mean Popul^n, 1861–71	15680	469	459	457	459	451	2295	2197	1978	1741	1194	1707	1462	1313	954	595	216	28
TOTAL DEATHS	3267	838	269	109	91	62	1369	159	74	105	96	125	128	194	249	399	295	74
Small-pox	23	6	1	1	2	2	12	3	2	2	1	-	1	2	-	-	-	-
Measles	98	14	29	17	12	8	80	17	-	-	1	-	-	-	-	-	-	-
Scarlatina	151	9	17	22	21	17	86	47	10	4	2	1	-	1	-	-	-	-
Diphtheria	21	3	-	2	4	4	13	3	3	1	-	-	-	-	-	1	-	-
Whooping-cough	80	42	23	9	3	1	78	2	-	-	-	-	-	-	-	-	-	-
Typhus	115	-	3	2	5	3	13	11	17	17	8	14	9	7	12	5	2	-
Diarrhœa & Dysentery	73	46	9	2	3	-	60	-	-	1	-	2	-	1	-	5	3	1
Cholera	5	-	1	-	-	-	1	-	-	-	1	-	2	-	-	1	-	-
Other Zymotic Dis.	48	6	8	3	5	1	23	9	-	1	-	1	2	3	2	5	2	-
Cancer	55	-	-	-	-	-	-	-	-	-	1	-	3	13	16	16	4	2
Scrofula and Tabes	70	17	16	3	5	2	43	7	2	5	4	3	2	1	-	3	-	-
Phthisis	349	18	8	9	1	3	39	5	8	35	47	54	42	47	45	17	1	-
Hydrocephalus	47	15	16	1	3	2	37	7	3	-	-	-	-	-	-	-	-	-
Dis. of Brain	368	132	28	9	2	2	173	9	7	9	6	9	6	13	26	63	43	4
Dis. of Heart & Dropsy	184	4	2	2	1	1	10	4	-	2	3	3	13	17	27	72	32	1
Dis. of Lungs	465	133	58	12	16	9	228	6	4	3	4	9	9	36	55	72	36	3
Dis. of Stom. and Liver	104	12	-	-	1	-	13	3	7	2	1	7	13	10	20	25	3	-
Dis. of Kidneys	48	-	-	-	-	-	-	3	1	-	1	4	5	10	3	16	5	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	17	-	-	1	-	-	1	2	1	3	2	1	1	4	1	1	-	-
Dis. of Skin	5	1	-	-	-	-	1	-	-	-	-	-	1	-	1	2	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Other Violent Deaths	114	2	3	5	4	-	14	13	7	16	12	14	13	15	7	2	1	-
Other Causes	831	378	47	9	3	7	444	8	2	4	2	3	5	14	33	93	163	63

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
304.—BODMIN.																		
Mean Populn, 1861-71	10259	247	234	251	222	245	1199	1177	1074	995	826	1300	1132	985	769	535	234	33
TOTAL DEATHS	1928	337	96	52	39	19	543	73	46	58	83	109	106	120	168	237	289	96
Small-pox	4	1	-	1	-	1	3	1	-	-	-	-	-	-	-	-	-	-
Measles	26	3	4	3	7	1	18	3	-	-	2	1	1	-	1	-	-	-
Scarlatina	41	1	2	7	4	6	20	10	8	1	-	2	-	-	-	-	-	-
Diphtheria	11	-	1	-	3	1	5	5	1	-	-	-	-	-	-	-	-	-
Whooping-cough	47	26	6	9	3	1	45	2	-	-	-	-	-	-	-	-	-	-
Typhus	55	-	-	3	3	-	6	9	6	13	5	5	4	2	3	2	-	-
Diarrhœa & Dysentery	29	4	4	1	1	-	10	-	-	-	-	1	-	5	8	1	4	-
Cholera	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
Other Zymotic Dis.	33	-	4	3	1	2	10	3	1	2	-	1	-	3	3	3	7	-
Cancer	57	-	-	-	-	-	-	-	-	-	-	1	6	6	15	17	7	5
Scrofula and Tabes	23	5	2	2	-	-	9	5	1	1	3	2	1	-	-	1	-	-
Phthisis	236	2	5	1	-	-	8	1	12	29	47	55	27	24	19	10	4	-
Hydrocephalus	18	8	3	3	1	1	16	2	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	259	37	12	3	2	2	56	9	3	3	3	11	19	28	39	38	39	11
Dis. of Heart & Dropsy	148	3	2	1	1	-	7	5	3	1	3	3	9	13	26	48	28	2
Dis. of Lungs	185	31	19	3	3	2	58	6	2	1	2	7	5	11	20	30	36	7
Dis. of Stom. and Liver	101	6	1	1	-	1	9	3	3	-	4	6	9	11	20	22	13	1
Dis. of Kidneys	10	-	-	-	-	-	-	1	1	-	-	2	3	3	-	-	-	-
Dis. of Gener. Organs	10	-	-	-	-	-	-	-	-	1	1	1	-	3	2	2	-	-
Dis. of Joints	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-
Dis. of Skin	5	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	2	-
Childbirth and Metria	21	-	-	-	-	-	-	-	-	1	4	5	11	-	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	1
Other Violent Deaths	21	-	-	1	2	-	3	2	-	1	3	2	1	1	2	-	5	1
Other Causes	580	210	31	10	8	1	260	4	5	4	4	3	8	9	10	61	143	69
305.—ST. COLUMB.																		
Mean Populn, 1861-71	8777	229	219	227	199	227	1101	1023	951	860	767	1137	921	793	590	418	185	31
TOTAL DEATHS	1587	293	84	42	39	20	478	61	49	51	56	95	91	99	94	201	230	82
Small-pox	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Measles	31	5	12	5	1	1	24	5	1	-	-	-	1	-	-	-	-	-
Scarlatina	64	3	10	10	10	6	39	13	6	4	1	-	-	-	1	-	-	-
Diphtheria	11	1	2	-	1	-	4	5	-	-	2	-	-	-	-	-	-	-
Whooping-cough	45	18	9	7	3	3	40	4	1	-	-	-	-	-	-	-	-	-
Typhus	54	1	-	5	2	1	9	10	5	6	9	4	2	3	5	1	-	-
Diarrhœa & Dysentery	29	13	-	-	-	-	13	-	-	1	1	-	1	-	3	4	5	1
Cholera	2	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	22	3	1	2	3	1	10	1	1	1	1	-	1	-	-	1	6	-
Cancer	28	-	-	-	-	-	-	-	-	-	-	2	4	9	2	6	4	1
Scrofula and Tabes	9	2	1	-	-	-	3	2	2	-	-	1	1	-	-	-	-	-
Phthisis	182	2	-	-	1	-	3	1	16	30	19	42	40	20	9	2	-	-
Hydrocephalus	6	3	1	-	-	-	4	1	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	179	34	13	3	6	3	59	4	4	1	6	4	3	10	14	34	37	3
Dis. of Heart & Dropsy	112	-	-	-	-	-	-	-	2	-	3	8	7	11	21	33	23	4
Dis. of Lungs	156	25	15	6	5	1	52	2	3	4	5	13	6	10	9	33	17	2
Dis. of Stom. and Liver	79	9	2	-	-	1	12	4	-	-	2	4	9	15	6	17	10	-
Dis. of Kidneys	13	-	-	-	-	-	-	-	-	-	1	2	3	1	3	3	-	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Dis. of Joints	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Dis. of Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Childbirth and Metria	21	-	-	-	-	-	-	-	-	1	5	7	8	-	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	-
Other Violent Deaths	18	2	-	2	1	1	6	2	1	-	-	1	-	2	-	2	2	2
Other Causes	516	171	18	2	6	1	198	7	6	2	1	5	4	16	20	61	124	69
306.—ST. AUSTELL.																		
Mean Populn, 1861-71	16815	491	432	453	397	402	2175	2139	1849	1664	1372	2177	1815	1475	1104	739	266	40
TOTAL DEATHS	3215	701	246	121	66	58	1192	140	99	123	121	199	150	142	208	376	345	120
Small pox	10	3	1	1	-	1	6	1	1	-	2	-	-	-	-	-	-	-
Measles	90	10	32	16	7	8	73	16	-	-	1	-	-	-	-	-	-	-
Scarlatina	111	7	12	20	8	13	60	32	11	4	1	1	1	-	1	-	-	-
Diphtheria	14	-	-	3	1	2	6	8	-	-	-	-	-	-	-	-	-	-
Whooping-cough	78	36	20	13	3	1	73	5	-	-	-	-	-	-	-	-	-	-
Typhus	125	4	5	4	5	7	25	17	18	20	11	10	9	2	6	5	2	-
Diarrhœa & Dysentery	76	46	12	1	-	-	59	1	-	-	2	1	-	-	3	7	3	-
Cholera	3	-	2	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	46	2	7	7	5	3	24	3	3	2	2	-	-	3	1	6	2	-
Cancer	70	-	-	-	1	-	1	-	1	-	-	2	4	16	22	19	5	-
Scrofula and Tabes	68	17	12	3	4	3	39	10	8	3	-	2	1	3	1	-	1	-
Phthisis	411	21	9	8	-	4	42	11	23	69	68	95	50	35	16	11	-	-
Hydrocephalus	30	8	8	2	2	2	22	5	3	-	-	-	-	-	-	-	-	-
Dis. of Brain	364	108	18	5	3	2	136	12	11	12	9	6	11	21	26	66	47	7
Dis. of Heart & Dropsy	225	3	2	3	-	-	8	2	6	2	4	15	21	19	48	64	36	2
Dis. of Lungs	340	85	52	16	16	4	173	11	5	5	5	15	9	8	27	49	28	5
Dis. of Stom. and Liver	140	15	3	-	-	-	18	-	5	5	4	11	11	16	22	37	7	4
Dis. of Kidneys	16	1	1	-	1	-	3	-	-	-	-	2	4	1	2	1	3	-
Dis. of Gener. Organs	14	-	-	-	-	-	-	-	-	-	1	3	2	3	5	-	-	-
Dis. of Joints	12	1	-	1	-	-	2	-	1	1	1	-	2	4	1	-	-	-
Dis. of Skin	10	1	1	-	-	1	3	-	-	1	1	2	-	1	-	1	1	-
Childbirth and Metria	52	-	-	-	-	-	-	-	-	4	8	23	15	2	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1
Other Violent Deaths	37	4	1	5	3	1	14	2	2	1	-	3	3	-	2	3	6	1
Other Causes	867	329	48	13	7	5	402	4	1	3	1	8	6	7	25	106	204	100

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–
307.—TRURO.																		
Mean Popul^n, 1861–71	19584	580	504	545	507	545	2681	2705	2481	2186	1529	2079	1901	1682	1286	753	267	34
TOTAL DEATHS	4558	1162	354	162	104	84	1866	178	134	144	163	208	242	262	402	475	368	116
Small-pox	56	15	9	3	3	3	33	5	3	1	8	4	1	1	–	–	–	–
Measles	80	18	23	19	8	6	74	5	–	–	–	–	1	–	–	–	–	–
Scarlatina	238	13	29	30	31	36	139	63	24	2	6	2	2	–	–	–	–	–
Diphtheria	11	4	3	–	1	–	8	1	–	1	–	–	–	–	–	1	–	–
Whooping-cough	96	43	33	13	4	1	94	2	–	–	–	–	–	–	–	–	–	–
Typhus	171	5	4	9	7	3	28	25	22	19	17	19	13	10	9	9	–	–
Diarrhœa & Dysentery	90	57	6	2	1	–	66	1	1	–	–	–	4	1	2	7	7	1
Cholera	3	1	–	–	–	–	1	–	–	–	–	1	–	–	–	1	–	–
Other Zymotic Dis.	71	12	4	6	5	4	31	6	7	4	–	2	4	1	4	9	2	1
Cancer	50	–	–	–	–	–	–	–	–	–	–	–	3	8	16	13	10	–
Scrofula and Tabes	89	28	14	6	3	2	53	6	2	7	5	5	4	4	3	–	–	–
Phthisis	501	7	5	–	3	2	17	9	13	39	60	68	75	79	103	136	2	–
Hydrocephalus	41	9	9	9	2	4	33	3	5	–	–	–	–	–	–	–	–	–
Dis. of Brain	495	167	34	8	5	12	226	13	12	10	10	10	15	18	48	72	54	7
Dis. of Heart & Dropsy	267	5	6	2	1	–	14	7	3	5	5	15	21	32	58	74	30	3
Dis. of Lungs	567	120	72	17	12	4	225	7	7	13	16	23	30	48	79	73	38	8
Dis. of Stom. and Liver	156	16	3	1	–	1	21	–	9	7	6	7	18	19	24	27	17	1
Dis. of Kidneys	69	–	1	–	–	–	1	2	1	3	6	6	4	4	9	15	13	5
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Dis. of Joints	16	2	–	2	–	–	4	–	2	–	1	2	3	–	4	–	–	–
Dis. of Skin	5	1	1	–	–	–	2	–	–	1	1	1	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	9	–	–	–	–	–	–	–	–	–	1	–	–	2	4	2	–	–
Other Violent Deaths	238	17	6	6	5	3	37	16	16	27	18	40	38	22	11	8	4	1
Other Causes	1238	622	92	29	13	3	759	7	7	5	3	3	5	13	28	128	191	89
308.—FALMOUTH.																		
Mean Popul^n, 1861–71	11537	339	276	303	280	284	1482	1382	1176	1270	1094	1634	1229	952	698	441	159	20
TOTAL DEATHS	2713	741	207	106	57	38	1149	102	55	113	119	193	143	157	198	210	217	57
Small-pox	8	2	–	–	2	–	4	1	–	1	1	1	–	–	–	–	–	–
Measles	71	15	26	15	7	4	67	4	–	–	–	–	–	–	–	–	–	–
Scarlatina	107	10	16	10	16	10	62	37	4	4	–	–	–	–	–	–	–	–
Diphtheria	12	2	3	3	2	–	10	–	1	1	–	–	–	–	–	–	–	–
Whooping-cough	40	24	8	7	1	–	40	–	–	–	–	–	–	–	–	–	–	–
Typhus	103	7	4	2	4	3	20	10	12	17	13	12	6	5	3	4	1	–
Diarrhœa & Dysentery	108	70	7	1	1	–	79	1	–	–	8	6	4	3	1	2	3	1
Cholera	6	2	–	–	1	–	3	–	–	1	–	1	–	–	1	–	–	–
Other Zymotic Dis.	47	9	5	6	3	4	27	2	–	3	2	3	2	3	2	1	2	–
Cancer	30	–	–	–	–	–	–	–	–	–	–	2	–	5	10	8	3	2
Scrofula and Tabes	40	15	3	2	2	1	23	2	–	6	2	5	–	1	1	–	–	–
Phthisis	296	18	15	7	2	1	43	3	10	33	40	64	29	36	27	10	1	–
Hydrocephalus	65	21	19	6	1	4	51	12	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	311	109	28	15	1	–	153	7	7	8	7	19	22	15	31	36	32	4
Dis. of Heart & Dropsy	158	–	5	1	4	1	11	1	1	3	9	11	16	18	33	33	20	2
Dis. of Lungs	277	65	31	13	6	6	121	7	3	4	8	11	12	24	29	34	20	4
Dis. of Stom. and Liver	116	16	–	2	–	–	18	3	3	5	4	7	16	17	20	17	5	1
Dis. of Kidneys	48	–	1	–	–	–	1	1	–	–	1	8	7	9	12	6	2	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	6	1	–	2	–	–	3	–	–	2	–	–	1	–	–	–	–	–
Dis. of Skin	8	4	–	–	–	–	4	–	–	–	–	–	1	1	–	2	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	12	–	–	–	–	–	–	–	–	1	–	4	1	3	1	2	–	–
Other Violent Deaths	169	7	6	3	2	3	21	5	8	21	21	35	19	11	12	3	3	1
Other Causes	654	344	30	11	2	1	388	6	4	3	3	4	7	6	15	52	125	41
309.—HELSTON.																		
Mean Popul^n, 1861–71	13700	429	368	408	389	404	1998	1828	1699	1590	1130	1486	1242	1091	881	529	197	29
TOTAL DEATHS	3152	879	236	115	66	44	1340	143	72	97	114	152	144	204	244	311	260	71
Small-pox	14	4	3	–	–	–	7	2	–	–	2	3	–	–	–	–	–	–
Measles	66	11	21	11	6	8	57	8	–	1	–	–	–	–	–	–	–	–
Scarlatina	134	19	12	22	18	12	83	44	3	4	–	–	–	–	–	–	–	–
Diphtheria	12	2	3	–	1	–	6	5	1	–	–	–	–	–	–	–	–	–
Whooping-cough	67	42	17	4	3	–	66	1	–	–	–	–	–	–	–	–	–	–
Typhus	86	7	6	7	1	4	25	15	10	7	10	5	7	3	3	1	–	–
Diarrhœa & Dysentery	36	26	1	2	–	–	29	1	1	–	2	–	–	–	–	1	2	–
Cholera	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–
Other Zymotic Dis.	65	10	4	8	4	3	29	14	3	2	2	2	1	3	4	3	1	1
Cancer	19	–	–	–	–	–	–	–	–	1	–	–	1	2	7	3	5	–
Scrofula and Tabes	31	3	7	2	–	1	13	1	3	3	4	4	2	–	1	–	–	–
Phthisis	472	10	13	8	3	3	37	10	16	35	44	71	43	88	79	46	3	–
Hydrocephalus	33	10	12	5	1	–	28	3	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	257	60	21	5	4	3	93	7	4	8	7	8	11	16	29	40	29	5
Dis. of Heart & Dropsy	152	2	1	4	2	1	10	5	7	3	5	8	13	14	26	39	21	1
Dis. of Lungs	293	67	25	11	9	4	116	10	3	5	6	9	20	23	32	47	18	4
Dis. of Stom. and Liver	150	18	2	5	1	–	26	5	3	5	4	7	11	16	24	35	13	1
Dis. of Kidneys	32	–	–	–	–	–	–	–	2	1	2	1	1	6	4	9	5	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	7	–	1	–	–	–	1	1	–	1	–	–	1	1	1	–	1	–
Dis. of Skin	3	1	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–
Other Violent Deaths	166	4	3	3	6	–	16	8	12	21	24	30	25	16	10	3	1	–
Other Causes	1050	583	84	18	7	5	697	3	2	–	1	4	6	13	23	82	161	58

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
307.—TRURO.																		
Mean Popul^n, 1861–71	22812	559	533	536	503	546	2677	2619	2374	2184	2040	3045	2536	2140	1616	1080	431	70
TOTAL DEATHS	4744	965	325	183	117	94	1684	192	113	161	178	270	222	237	342	538	588	219
Small-pox	54	15	2	4	7	3	31	9	2	1	5	5	1	–	–	–	–	–
Measles	46	10	12	9	5	5	41	5	–	–	–	–	–	–	–	–	–	–
Scarlatina	253	9	23	42	38	25	137	65	25	12	9	3	2	–	–	–	–	–
Diphtheria	13	–	2	2	–	1	5	4	1	1	–	1	–	–	1	–	–	–
Hooping-cough	104	43	33	13	9	3	101	3	–	–	–	–	–	–	–	–	–	–
Typhus	191	3	9	5	5	10	32	22	21	20	16	20	19	14	16	9	2	–
Diarrhœa & Dysentery	102	60	13	4	–	2	79	3	–	1	–	1	–	2	4	6	5	1
Cholera	3	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–
Other Zymotic Dis.	57	3	3	6	3	7	22	3	5	1	1	4	2	7	3	6	2	1
Cancer	103	–	–	–	–	–	–	–	1	–	3	1	10	20	25	27	17	2
Scrofula and Tabes	84	26	11	6	3	1	47	5	3	7	3	9	2	1	4	3	–	–
Phthisis	527	4	6	3	1	2	16	7	29	81	93	121	77	54	37	8	4	–
Hydrocephalus	52	14	15	4	3	5	41	9	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	479	117	35	12	14	7	185	18	6	5	11	13	14	23	38	89	68	9
Dis. of Heart & Dropsy	322	2	6	7	–	1	16	5	7	8	10	18	18	35	73	83	42	7
Dis. of Lungs	474	80	51	26	15	10	182	16	3	10	7	20	19	25	47	73	63	9
Dis. of Stom. and Liver	189	8	2	1	–	2	13	7	1	2	3	9	13	29	42	47	23	–
Dis. of Kidneys	42	–	–	2	1	–	3	1	1	2	–	6	7	2	10	7	3	–
Dis. of Gener. Organs	10	–	–	–	–	–	–	–	–	–	–	1	1	4	1	3	–	–
Dis. of Joints	16	1	–	2	–	–	3	–	3	4	–	–	1	–	1	3	1	–
Dis. of Skin	8	1	–	–	–	–	1	–	–	1	–	–	1	–	1	4	–	–
Childbirth and Metria	62	–	–	–	–	–	–	–	–	1	12	25	23	1	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–
Other Violent Deaths	58	16	3	5	4	4	32	5	1	1	3	3	–	5	–	4	4	–
Other Causes	1489	553	99	30	9	6	697	5	2	3	2	8	11	15	37	165	354	190
308.—FALMOUTH.																		
Mean Popul^n, 1861–71	12678	318	282	288	303	271	1462	1334	1180	1225	1177	1887	1449	1186	891	605	241	41
TOTAL DEATHS	2731	615	180	91	79	39	1004	83	41	76	104	176	155	159	205	305	321	102
Small-pox	5	1	–	2	–	–	3	1	–	–	1	–	–	–	–	–	–	–
Measles	52	10	20	7	4	4	45	3	2	–	–	1	1	–	–	–	–	–
Scarlatina	87	7	10	10	21	10	58	18	4	4	2	1	–	–	–	–	–	–
Diphtheria	12	–	2	3	1	2	8	4	–	–	–	–	–	–	–	–	–	–
Hooping-cough	44	19	13	3	7	1	43	1	–	–	–	–	–	–	–	–	–	–
Typhus	120	4	2	4	4	–	14	10	7	15	17	22	10	5	12	6	2	–
Diarrhœa & Dysentery	104	61	14	2	–	1	78	1	–	–	–	2	5	3	3	4	5	3
Cholera	2	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Other Zymotic Dis.	41	4	2	9	2	6	23	2	1	2	–	2	1	3	1	6	3	–
Cancer	65	–	–	–	–	–	–	–	–	–	–	2	10	20	15	12	6	–
Scrofula and Tabes	38	13	7	1	2	2	25	3	4	1	1	1	3	–	–	–	–	–
Phthisis	321	8	8	4	2	1	23	9	8	38	49	79	48	36	17	12	1	1
Hydrocephalus	55	14	13	6	8	3	44	7	2	2	–	–	–	–	–	–	–	–
Dis. of Brain	353	95	22	5	5	4	131	7	6	4	5	12	13	29	27	55	54	10
Dis. of Heart & Dropsy	178	3	1	1	2	1	8	2	1	1	3	15	15	21	85	48	28	1
Dis. of Lungs	291	60	33	23	13	3	132	4	–	4	2	9	13	12	42	38	32	3
Dis. of Stom. and Liver	132	15	3	–	1	–	19	2	2	–	12	6	9	17	21	21	22	1
Dis. of Kidneys	26	–	–	–	–	–	–	2	1	–	1	2	5	–	7	8	–	–
Dis. of Gener. Organs	7	–	–	–	–	–	–	–	–	–	–	1	1	2	3	–	–	–
Dis. of Joints	8	–	–	–	1	–	1	–	1	–	3	2	–	–	–	1	–	–
Dis. of Skin	7	2	–	–	–	–	2	–	–	–	2	1	1	1	–	–	–	–
Childbirth and Metria	26	–	–	–	–	–	–	–	–	–	3	9	12	2	–	–	–	–
Suicide	5	–	–	–	–	–	–	–	–	1	–	1	2	–	1	–	–	–
Other Violent Deaths	34	10	1	1	3	–	15	4	–	2	1	3	–	2	2	3	2	–
Other Causes	715	288	29	10	3	1	331	3	2	2	2	5	6	6	18	91	166	83
309.—HELSTON.																		
Mean Popul^n, 1861–71	15528	391	355	379	378	398	1901	1854	1633	1529	1342	2118	1655	1364	1080	731	279	42
TOTAL DEATHS	2985	694	232	93	75	44	1138	108	65	98	121	167	149	135	196	335	332	141
Small-pox	6	3	–	–	–	–	3	–	–	–	2	1	–	–	–	–	–	–
Measles	55	9	21	6	–	2	41	11	2	1	–	–	–	–	–	–	–	–
Scarlatina	139	15	14	13	23	12	77	45	12	1	–	1	2	1	–	–	–	–
Diphtheria	18	2	3	–	3	2	10	4	3	–	1	–	–	–	–	–	–	–
Hooping-cough	76	37	25	6	7	–	75	1	–	–	–	–	–	–	–	–	–	–
Typhus	88	1	4	1	4	6	16	9	4	20	9	11	4	5	3	7	–	–
Diarrhœa & Dysentery	33	19	5	–	–	–	24	–	–	–	1	–	–	1	2	4	1	–
Cholera	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
Other Zymotic Dis.	73	11	9	7	11	5	43	3	3	1	–	5	5	3	2	5	3	–
Cancer	55	–	–	–	–	–	–	–	–	–	1	–	12	11	15	12	4	–
Scrofula and Tabes	17	1	5	2	–	–	8	–	1	3	1	2	–	1	1	–	–	–
Phthisis	441	15	9	10	10	1	45	12	22	48	72	91	55	43	26	22	2	–
Hydrocephalus	30	3	8	5	2	3	21	5	1	3	–	–	–	–	–	–	–	–
Dis. of Brain	218	43	9	2	5	5	64	7	4	6	8	10	6	15	19	49	27	3
Dis. of Heart & Dropsy	151	1	1	2	1	–	5	2	3	2	4	8	14	13	39	40	20	1
Dis. of Lungs	197	47	21	12	4	2	86	3	5	1	6	10	8	12	24	25	15	2
Dis. of Stom. and Liver	145	13	6	3	1	–	23	2	4	2	5	3	17	15	30	31	13	–
Dis. of Kidneys	10	–	–	–	–	2	2	–	–	2	–	1	1	2	1	1	–	–
Dis. of Gener. Organs	13	–	–	–	–	–	–	–	–	–	1	–	1	3	5	8	–	–
Dis. of Joints	5	–	–	–	–	1	1	–	–	1	–	1	–	–	2	–	–	–
Dis. of Skin	7	1	–	–	–	1	2	–	–	–	–	–	1	1	2	1	–	–
Childbirth and Metria	39	–	–	–	–	–	–	–	–	2	8	13	15	1	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Other Violent Deaths	28	2	3	4	1	1	11	1	1	4	1	3	2	1	2	–	2	–
Other Causes	1138	471	86	20	3	1	581	3	–	1	1	4	5	7	23	133	245	135

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards
310.—REDRUTH.																		
Mean Popul^n, 1861–71	25241	757	711	748	734	748	3698	3613	3334	3266	2216	2851	2262	1890	1283	624	185	19
TOTAL DEATHS	6469	1929	556	264	159	142	3050	336	157	222	197	300	276	461	571	533	287	79
Small-pox	60	16	12	7	4	4	43	5	3	1	3	5	–	–	–	–	–	–
Measles	149	33	46	24	17	14	134	14	1	–	–	–	–	–	–	–	–	–
Scarlatina	333	18	35	40	43	43	179	122	22	6	1	2	–	–	1	–	–	–
Diphtheria	27	2	3	5	6	3	19	7	1	–	–	–	–	–	–	–	–	–
Whooping-cough	212	98	62	26	13	4	203	8	1	–	–	–	–	–	–	–	–	–
Typhus	174	6	4	10	8	3	31	17	15	28	30	19	12	9	8	5	–	–
Diarrhœa & Dysentery	124	85	13	4	–	3	105	4	1	–	–	–	1	–	4	7	2	–
Cholera	13	2	1	1	–	–	4	–	2	–	–	–	1	2	4	–	–	–
Other Zymotic Dis.	111	13	9	14	13	11	60	23	4	4	3	2	2	1	6	6	–	–
Cancer	81	–	–	–	–	–	–	–	–	1	1	4	12	19	24	12	7	1
Scrofula and Tabes	94	31	18	6	2	1	58	8	6	6	4	4	4	2	1	1	–	–
Phthisis	909	29	16	3	4	2	54	17	25	62	86	125	112	100	171	61	6	–
Hydrocephalus	109	30	34	11	5	9	89	16	4	–	–	–	–	–	–	–	–	–
Dis. of Brain	534	186	52	16	7	5	266	23	10	7	3	8	13	31	51	82	39	1
Dis. of Heart & Dropsy	248	6	8	3	4	2	23	6	9	9	5	17	23	44	46	45	20	1
Dis. of Lungs	718	147	70	40	14	19	290	20	9	15	12	23	31	72	110	113	22	1
Dis. of Stom. and Liver	179	25	8	3	2	2	40	8	6	11	4	10	19	24	28	22	4	–
Dis. of Kidneys	80	1	–	–	1	2	4	4	2	3	2	8	7	9	11	20	9	1
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Dis. of Joints	19	–	–	–	–	1	1	3	4	2	1	–	1	2	4	1	–	–
Dis. of Skin	8	1	–	–	–	1	2	1	1	–	–	–	1	1	1	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	7	–	–	–	–	–	–	–	–	–	–	–	–	1	4	2	–	–
Other Violent Deaths	339	12	6	8	4	6	36	16	25	60	41	67	29	33	19	8	4	1
Other Causes	1940	1188	159	43	12	7	1409	14	6	4	1	6	8	21	77	147	174	73
311.—PENZANCE.																		
Mean Popul^n, 1861–71	25387	771	711	754	662	682	3580	3404	3176	3003	2173	2847	2332	2024	1594	924	304	26
TOTAL DEATHS	6158	1881	485	204	149	113	2832	249	123	190	210	276	286	380	498	591	414	109
Small-pox	42	8	5	4	3	1	21	5	3	3	6	4	–	–	–	–	–	–
Measles	190	34	66	31	27	13	171	18	1	–	–	–	–	–	–	–	–	–
Scarlatina	256	22	39	33	37	33	164	76	7	3	5	–	–	–	–	–	1	–
Diphtheria	29	7	4	1	3	5	20	5	2	1	1	–	–	–	–	–	–	–
Whooping-cough	137	67	39	18	8	4	136	1	–	–	–	–	–	–	–	–	–	–
Typhus	197	4	10	7	10	6	37	23	23	28	16	19	10	10	16	9	1	–
Diarrhœa & Dysentery	240	178	23	4	–	1	206	2	1	1	2	5	2	2	7	6	6	–
Cholera	8	3	–	–	–	–	3	–	1	–	–	3	–	–	–	–	1	–
Other Zymotic Dis.	125	26	22	12	9	8	77	11	4	5	1	2	1	4	7	10	3	–
Cancer	73	–	–	–	–	1	1	–	–	1	–	–	2	15	15	27	11	1
Scrofula and Tabes	218	122	32	10	5	3	172	9	8	5	6	4	4	8	–	1	1	–
Phthisis	766	17	18	7	7	3	52	23	12	59	90	115	99	121	111	72	11	1
Hydrocephalus	82	32	24	4	3	3	66	12	3	–	1	–	–	–	–	–	–	–
Dis. of Brain	494	102	34	7	9	10	162	16	15	11	9	18	13	19	55	99	72	14
Dis. of Heart & Dropsy	263	12	3	2	2	1	20	3	2	7	6	15	19	24	54	80	33	1
Dis. of Lungs	701	175	77	34	13	8	307	10	4	8	9	16	33	75	100	91	42	6
Dis. of Stom. and Liver	353	82	10	7	4	3	106	5	3	7	14	16	25	37	55	60	22	3
Dis. of Kidneys	74	–	1	–	–	1	2	4	–	3	1	5	7	9	14	23	5	1
Dis. of Gener. Organs	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	21	2	1	1	1	–	5	1	1	2	3	1	–	1	4	1	2	–
Dis. of Skin	15	4	–	1	–	–	5	2	1	–	–	2	1	1	1	1	–	1
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	15	–	–	–	–	–	–	–	–	–	–	1	4	3	3	4	–	–
Other Violent Deaths	312	7	6	6	3	7	29	18	26	43	38	43	51	36	19	6	3	–
Other Causes	1546	976	71	15	5	2	1069	3	3	3	2	7	15	16	37	110	200	81
312.—SCILLY ISLANDS.																		
Mean Popul^n, 1861–71	1053	29	22	28	29	27	135	116	116	92	66	107	107	111	106	61	30	6
TOTAL DEATHS	227	42	5	2	3	3	55	5	4	4	8	16	11	11	24	24	46	19
Small-pox	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	4	1	1	–	–	1	3	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	4	2	–	1	–	1	4	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–
Diarrhœa & Dysentery	10	4	–	–	–	–	4	–	–	–	–	–	1	–	1	2	2	–
Cholera	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	8	2	1	–	1	–	4	–	–	–	–	1	1	–	–	2	–	–
Cancer	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–
Scrofula and Tabes	2	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Phthisis	27	–	–	–	–	–	–	1	1	2	5	9	3	2	2	1	1	–
Hydrocephalus	4	2	1	–	–	–	3	1	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	38	11	1	–	1	–	13	–	–	1	1	–	1	4	6	4	6	2
Dis. of Heart & Dropsy	18	1	–	–	–	–	1	–	–	–	–	1	–	–	5	5	5	1
Dis. of Lungs	23	5	–	–	–	–	5	–	1	–	–	1	–	4	5	2	5	–
Dis. of Stom. and Liver	7	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	3	1
Dis. of Kidneys	5	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Dis. of Skin	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Other Violent Deaths	13	1	–	–	1	–	2	1	–	1	1	3	1	–	2	2	–	–
Other Causes	50	11	–	1	–	–	12	–	–	–	1	–	–	–	1	2	21	13

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
310.—REDRUTH.																		
Mean Popul^n, 1861-71	30097	795	671	694	675	707	3542	3485	3166	3209	2886	4317	3266	2656	1949	1148	413	60
TOTAL DEATHS	6209	1583	553	230	136	121	2623	290	127	202	235	325	291	310	418	627	576	185
Small-pox	51	18	5	6	6	2	37	6	1	1	4	1	–	1	–	–	–	–
Measles	144	34	49	20	11	12	126	15	2	1	–	–	–	–	–	–	–	–
Scarlatina	271	18	30	31	35	38	152	94	18	7	2	1	–	–	–	–	–	–
Diphtheria	30	2	–	2	5	4	13	15	–	1	1	–	–	–	–	–	–	–
Whooping-cough	217	97	71	26	11	4	209	7	1	–	–	–	–	–	–	–	–	–
Typhus	188	2	4	6	6	10	28	27	25	21	18	22	11	12	12	7	2	–
Diarrhœa & Dysentery	97	51	10	7	2	1	71	3	3	–	2	–	2	–	3	11	2	–
Cholera	13	3	2	3	–	–	8	1	–	–	2	–	–	1	1	–	–	–
Other Zymotic Dis.	98	10	10	9	6	11	46	14	6	2	4	2	3	5	9	4	2	1
Cancer	172	–	–	–	–	–	–	–	–	1	1	6	16	40	50	46	9	3
Scrofula and Tabes	102	32	20	9	4	5	70	4	5	5	3	7	3	2	–	3	–	–
Phthisis	733	20	24	7	4	4	59	15	26	92	128	137	118	74	54	26	4	–
Hydrocephalus	69	22	24	4	4	5	59	7	2	1	–	–	–	–	–	–	–	–
Dis. of Brain	531	108	31	14	10	7	170	21	9	19	14	20	19	39	63	84	65	8
Dis. of Heart & Dropsy	352	2	4	5	–	2	13	4	8	11	16	29	27	42	81	75	41	5
Dis. of Lungs	492	116	71	23	19	8	237	20	5	4	8	24	22	36	39	72	18	7
Dis. of Stom. and Liver	202	17	6	2	–	2	27	12	4	9	7	17	19	27	37	30	13	–
Dis. of Kidneys	39	–	–	1	1	–	2	1	–	4	1	6	5	5	4	9	2	–
Dis. of Gener. Organs	24	–	–	–	–	–	–	–	1	3	2	4	4	3	6	–	1	–
Dis. of Joints	15	–	1	1	–	–	2	1	1	1	2	3	1	2	1	–	1	–
Dis. of Skin	8	1	–	–	–	–	1	1	–	–	–	–	1	2	1	2	–	–
Childbirth and Metria	79	–	–	–	–	–	–	–	–	6	17	30	25	1	–	–	–	–
Suicide	5	–	–	–	–	–	–	–	–	–	–	2	1	–	1	1	–	–
Other Violent Deaths	59	4	4	4	5	2	19	8	2	3	1	6	2	2	2	2	8	4
Other Causes	2215	1026	187	50	7	4	1274	14	8	7	2	8	12	16	54	235	408	157
311.—PENZANCE.																		
Mean Popul^n, 1861-71	28970	733	618	701	675	663	3395	3294	3006	2990	2744	3997	3139	2602	1997	1261	471	74
TOTAL DEATHS	6034	1510	481	225	157	114	2517	242	131	176	246	305	271	294	376	649	617	210
Small-pox	33	10	4	1	3	–	18	6	1	3	3	2	–	–	–	–	–	–
Measles	133	26	55	23	15	21	140	10	1	1	–	1	–	–	–	–	–	–
Scarlatina	275	25	50	39	49	33	196	59	11	5	2	–	2	–	–	–	–	–
Diphtheria	23	1	3	1	–	4	9	11	1	–	1	–	1	–	–	–	–	–
Whooping-cough	159	77	44	19	10	2	152	6	–	–	–	–	1	–	–	–	–	–
Typhus	233	8	10	10	11	14	53	29	21	26	21	24	15	13	14	15	2	–
Diarrhœa & Dysentery	228	150	26	7	3	–	186	5	1	1	2	4	3	5	6	4	10	1
Cholera	5	–	1	–	1	–	2	–	–	–	–	–	–	1	–	2	–	–
Other Zymotic Dis.	131	18	12	18	11	10	69	15	4	–	3	4	3	4	3	14	7	5
Cancer	118	–	–	–	–	–	–	–	1	1	–	4	16	33	20	24	17	2
Scrofula and Tabes	189	81	38	20	3	3	145	11	10	5	4	3	3	3	1	2	2	–
Phthisis	726	14	15	6	5	3	43	22	37	85	132	147	81	75	50	46	8	–
Hydrocephalus	69	16	18	9	4	3	50	12	6	–	1	–	–	–	–	–	–	–
Dis. of Brain	547	77	20	14	10	1	122	18	9	13	11	13	17	36	77	130	90	8
Dis. of Heart & Dropsy	335	9	4	1	1	–	15	6	2	8	13	14	28	31	67	106	42	3
Dis. of Lungs	548	122	80	31	16	11	260	10	6	12	7	15	23	29	45	88	44	9
Dis. of Stom. and Liver	314	62	13	4	4	2	85	6	9	3	11	14	19	33	50	64	18	2
Dis. of Kidneys	44	1	–	–	–	3	4	–	2	1	1	6	3	10	7	9	1	–
Dis. of Gener. Organs	22	–	–	–	–	–	–	–	–	–	3	2	4	4	5	4	–	–
Dis. of Joints	17	–	1	–	–	–	1	–	3	3	2	2	1	2	–	2	1	–
Dis. of Skin	17	3	2	1	–	–	6	–	–	–	–	1	1	–	3	1	4	1
Childbirth and Metria	91	–	–	–	–	–	–	–	–	2	18	35	34	2	–	–	–	–
Suicide	8	–	–	–	–	–	–	–	–	–	–	2	–	2	4	–	–	–
Other Violent Deaths	82	8	8	7	5	3	31	11	3	4	4	9	4	1	–	5	7	3
Other Causes	1667	832	77	14	6	1	930	5	3	3	4	3	12	10	24	133	361	176
312.—SCILLY ISLANDS.																		
Mean Popul^n, 1861-71	1207	27	23	24	29	17	120	122	108	108	91	165	133	130	122	73	30	5
TOTAL DEATHS	222	15	13	7	3	1	39	3	4	8	12	19	12	13	13	38	45	16
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	5	–	1	1	–	1	3	1	–	–	1	–	–	–	–	–	–	–
Scarlatina	5	1	–	–	2	–	3	1	–	–	–	1	–	–	–	–	–	–
Diphtheria	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Whooping-cough	2	–	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Typhus	4	–	1	–	–	–	1	–	–	1	–	–	1	–	–	1	–	–
Diarrhœa & Dysentery	10	3	–	–	–	–	3	–	–	–	–	–	1	–	–	2	3	1
Cholera	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	6	1	–	–	–	–	1	–	–	–	–	–	1	1	1	1	1	–
Cancer	4	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	1
Scrofula and Tabes	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Phthisis	33	–	–	1	–	–	1	–	–	6	8	9	5	2	2	–	–	–
Hydrocephalus	2	–	–	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	26	3	1	–	–	–	4	–	2	1	–	1	1	–	1	7	7	2
Dis. of Heart & Dropsy	22	–	–	–	–	–	–	–	–	–	–	1	2	1	4	9	5	–
Dis. of Lungs	22	1	1	–	–	–	2	1	–	–	–	4	–	3	3	5	3	1
Dis. of Stom. and Liver	10	–	1	–	–	–	1	–	–	–	1	–	1	–	–	5	2	–
Dis. of Kidneys	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Dis. of Gener. Organs	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–
Dis. of Joints	2	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Dis. of Skin	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	3	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Deaths	6	–	1	–	–	–	1	–	2	–	–	1	–	–	1	–	–	1
Other Causes	50	5	3	2	1	–	11	–	–	–	–	–	–	1	–	5	23	10

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 upwards.
313 A.—WILLITON.																		
Mean Popul^n, 1861-71	9843	275	279	264	243	271	1332	1346	1113	936	720	1132	1002	900	654	462	219	27
TOTAL DEATHS	1825	320	107	65	40	25	557	60	41	52	52	91	93	123	183	226	265	82
Small-pox	5	1	-	1	1	-	3	-	-	-	-	-	1	-	1	-	-	-
Measles	14	-	6	5	2	-	13	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	74	5	11	13	14	9	52	15	6	1	-	-	-	-	-	-	-	-
Diphtheria	11	1	2	-	1	-	4	4	1	1	1	-	-	-	-	-	-	-
Whooping-cough	11	7	4	-	-	-	11	-	-	-	-	-	-	-	-	-	-	-
Typhus	67	3	2	3	2	2	12	10	7	10	6	10	1	5	2	3	1	-
Diarrhœa & Dysentery	33	18	1	-	-	-	19	-	-	-	-	-	2	-	2	5	5	-
Cholera	2	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	39	3	8	2	5	1	19	2	2	-	-	1	-	1	1	9	3	1
Cancer	26	-	-	-	-	-	-	-	-	-	1	-	3	1	7	10	3	1
Scrofula and Tabes	55	22	9	5	1	-	37	1	6	4	-	3	-	2	1	1	-	-
Phthisis	175	2	6	-	1	-	9	4	4	10	27	46	38	16	17	4	-	-
Hydrocephalus	18	6	5	3	-	2	16	1	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	234	65	8	2	1	2	78	6	4	6	4	3	5	16	23	34	47	8
Dis. of Heart & Dropsy	138	2	-	2	1	1	6	1	2	4	3	4	6	14	34	32	29	3
Dis. of Lungs	302	58	24	15	8	3	108	6	1	2	4	8	6	24	33	58	47	5
Dis. of Stom. and Liver	92	9	1	2	-	-	12	2	2	-	2	4	7	17	25	12	8	1
Dis. of Kidneys	25	1	-	-	-	-	1	-	-	2	-	3	6	3	7	2	1	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	4	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	-	-
Dis. of Skin	5	1	1	-	-	1	3	-	-	-	-	1	-	1	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	6	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	-	-
Other Violent Deaths	95	4	6	2	3	4	19	4	5	7	4	6	14	14	15	3	2	2
Other Causes	394	111	13	10	-	-	134	2	-	2	-	2	3	7	12	52	119	61
313 B.—DULVERTON.																		
Mean Popul^n, 1861-71	3091	89	78	80	80	84	411	378	327	354	235	371	306	272	222	150	56	9
TOTAL DEATHS	563	89	39	13	13	9	163	15	10	19	16	26	30	39	38	99	87	21
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	12	-	5	1	-	1	7	4	-	-	-	-	1	-	-	-	-	-
Scarlatina	24	-	5	3	7	3	18	3	-	2	1	-	-	-	-	-	-	-
Diphtheria	4	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-
Whooping-cough	8	3	3	1	-	-	7	1	-	-	-	-	-	-	-	-	-	-
Typhus	19	-	-	1	-	1	2	1	1	2	1	2	2	1	3	4	-	-
Diarrhœa & Dysentery	7	2	1	-	-	-	3	1	-	-	-	-	-	-	-	2	1	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	11	1	2	2	1	-	6	-	-	-	-	1	-	-	2	2	-	-
Cancer	20	-	-	-	-	-	-	-	-	-	-	-	2	5	1	6	5	1
Scrofula and Tabes	6	1	2	-	1	-	4	-	1	1	-	-	-	-	-	-	-	-
Phthisis	41	1	2	-	-	1	4	-	2	4	6	8	6	4	5	2	-	-
Hydrocephalus	5	1	3	-	1	-	5	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	55	13	3	1	-	-	17	-	-	2	-	3	6	2	3	8	13	1
Dis. of Heart & Dropsy	41	-	1	-	2	-	3	1	2	1	-	3	2	5	1	16	7	-
Dis. of Lungs	113	29	7	2	-	-	38	-	-	2	4	4	2	14	14	22	11	2
Dis. of Stom. and Liver	28	1	-	-	-	-	1	1	2	-	-	-	4	2	3	10	3	2
Dis. of Kidneys	11	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	5	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	4	1	1	-	-	1	3	-	-	-	-	-	-	-	-	1	-	-
Dis. of Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Other Violent Deaths	29	-	-	-	-	-	-	2	1	4	4	3	3	4	4	4	-	-
Other Causes	122	36	4	2	1	1	44	-	-	-	-	2	-	-	2	20	41	13
314.—WELLINGTON.																		
Mean Popul^n, 1861-71	10039	282	275	278	287	289	1411	1263	1185	1016	710	1092	996	942	720	469	206	29
TOTAL DEATHS	1812	329	91	59	39	28	546	69	54	47	41	104	99	123	161	234	255	79
Small-pox	3	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-
Measles	28	2	15	3	4	2	26	1	-	-	1	-	-	-	-	-	-	-
Scarlatina	96	7	14	18	21	10	70	19	5	2	-	-	-	-	-	-	-	-
Diphtheria	6	-	1	1	-	-	2	2	1	-	1	-	-	-	-	-	-	-
Whooping-cough	30	24	3	2	-	-	29	1	-	-	-	-	-	-	-	-	-	-
Typhus	53	2	2	3	-	2	9	9	9	7	4	3	5	3	3	-	1	-
Diarrhœa & Dysentery	25	8	2	1	-	-	11	-	-	1	-	1	1	1	1	5	4	-
Cholera	6	-	-	-	2	-	2	1	-	-	-	-	3	-	-	-	-	-
Other Zymotic Dis.	25	5	1	-	1	1	8	2	2	-	-	-	2	3	2	2	3	1
Cancer	24	-	-	-	-	-	-	-	-	-	-	-	2	4	2	10	5	1
Scrofula and Tabes	17	2	1	2	1	-	6	2	1	1	1	3	1	-	2	-	-	-
Phthisis	183	1	-	-	-	-	1	5	3	15	20	51	36	26	18	6	2	-
Hydrocephalus	23	5	8	2	-	2	17	5	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	232	63	10	4	2	2	81	5	8	6	2	4	10	12	27	38	38	1
Dis. of Heart & Dropsy	121	1	1	-	1	1	4	4	4	3	1	5	5	14	29	32	18	2
Dis. of Lungs	257	52	17	13	2	3	87	7	6	4	2	14	12	15	25	47	34	4
Dis. of Stom. and Liver	92	13	-	1	1	2	17	1	2	3	2	6	8	19	12	17	5	-
Dis. of Kidneys	30	-	-	-	-	-	-	-	-	-	-	3	2	4	9	6	5	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	4	-	-	-	-	-	-	-	2	-	-	-	-	1	-	1	-	-
Dis. of Skin	5	3	-	-	-	-	3	1	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	8	-	-	-	-	-	-	-	-	-	-	1	-	2	2	3	-	-
Other Violent Deaths	85	5	4	4	2	1	16	2	8	5	7	7	6	12	10	11	1	-
Other Causes	459	136	12	5	2	2	157	2	1	-	-	5	6	6	19	55	139	69

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
313 A.—WILLITON.																		
Mean Popul^n, 1861–71	10019	271	269	275	256	264	1335	1316	1120	863	740	1218	1034	934	699	495	229	36
TOTAL DEATHS	1650	219	96	46	29	31	421	76	35	47	65	74	92	96	146	243	250	105
Small-pox	3	2	–	–	–	1	3	–	–	–	–	–	–	–	–	–	–	–
Measles	19	1	6	5	1	3	16	1	–	1	–	1	–	–	–	–	–	–
Scarlatina	58	3	9	8	6	7	33	17	6	1	–	1	–	–	–	–	–	–
Diphtheria	10	–	2	1	2	–	5	3	–	–	–	–	–	–	1	1	–	–
Whooping-cough	26	14	4	4	–	–	22	4	–	–	–	–	–	–	–	–	–	–
Typhus	62	2	3	1	3	3	12	9	10	9	2	4	2	6	6	2	–	–
Diarrhœa & Dysentery	27	14	2	–	1	1	18	–	–	–	–	1	–	1	2	2	2	1
Cholera	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	31	1	5	3	2	3	14	4	1	–	–	–	1	2	1	3	4	1
Cancer	59	–	–	–	–	–	–	–	–	–	2	2	7	14	14	11	9	–
Scrofula and Tabes	37	12	9	–	2	1	24	6	–	–	2	1	1	2	1	–	–	–
Phthisis	170	4	5	1	1	–	11	5	8	18	34	31	29	17	12	3	2	–
Hydrocephalus	12	4	6	2	–	–	12	–	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	180	33	11	5	1	–	50	5	1	5	3	6	5	11	20	33	34	7
Dis. of Heart & Dropsy	162	3	–	2	–	1	6	2	1	6	7	3	11	14	28	53	26	5
Dis. of Lungs	226	35	16	7	7	2	68	7	3	1	4	9	7	7	22	59	31	5
Dis. of Stom. and Liver	91	4	–	1	–	3	8	2	2	–	4	6	8	13	16	17	14	1
Dis. of Kidneys	16	–	–	–	–	–	–	1	–	–	2	–	3	1	5	4	–	–
Dis. of Gener. Organs	6	–	–	–	–	–	–	–	–	–	–	1	2	1	2	–	–	–
Dis. of Joints	4	–	–	–	–	–	–	1	–	–	–	–	–	–	1	2	–	–
Dis. of Skin	7	–	–	–	–	–	–	–	–	–	–	–	–	–	2	4	1	–
Childbirth and Metria	22	–	–	–	–	–	–	–	–	1	2	8	10	1	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–
Other Violent Deaths	21	2	–	1	1	1	5	6	1	3	–	–	–	1	–	3	2	–
Other Causes	396	81	18	5	2	5	114	2	1	1	2	–	5	5	13	46	122	85
313 B.—DULVERTON.																		
Mean Popul^n, 1861–71	2385	75	87	81	84	77	404	377	316	258	201	352	315	264	195	134	59	10
TOTAL DEATHS	455	58	22	21	11	14	126	25	10	12	9	22	22	26	37	76	67	23
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	12	3	1	2	1	1	8	3	1	–	–	–	–	–	–	–	–	–
Scarlatina	41	–	5	6	5	7	23	14	2	–	–	1	1	–	–	–	–	–
Diphtheria	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	6	3	–	2	–	–	5	1	–	–	–	–	–	–	–	–	–	–
Typhus	19	–	1	3	–	–	4	2	1	4	1	–	1	2	2	2	–	–
Diarrhœa & Dysentery	2	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	3	–	–	2	–	–	2	–	–	–	–	–	–	–	–	1	–	–
Cancer	21	–	–	–	–	–	–	1	–	–	–	–	3	6	1	5	4	1
Scrofula and Tabes	8	3	–	1	–	1	5	–	–	–	–	–	2	1	–	–	–	–
Phthisis	45	1	–	3	–	–	4	1	2	5	5	10	6	6	3	3	–	–
Hydrocephalus	2	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	47	12	4	–	1	2	19	–	1	–	–	3	–	2	5	9	7	1
Dis. of Heart & Dropsy	58	–	–	–	–	–	–	–	1	–	–	2	1	4	11	15	4	–
Dis. of Lungs	58	10	6	1	2	2	21	1	–	–	–	2	–	2	5	16	9	2
Dis. of Stom. and Liver	26	2	1	–	–	–	3	–	–	2	–	1	3	–	8	6	2	1
Dis. of Kidneys	5	–	–	–	1	–	1	–	–	–	–	–	2	–	–	2	–	–
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Dis. of Joints	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Dis. of Skin	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–
Childbirth and Metria	9	–	–	–	–	–	–	–	–	–	3	2	3	1	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Other Violent Deaths	7	–	1	–	1	1	3	–	1	–	–	–	–	1	–	–	2	–
Other Causes	90	20	3	–	–	–	23	1	1	1	–	–	–	–	1	16	38	18
314.—WELLINGTON.																		
Mean Popul^n, 1861–71	10590	283	263	268	261	262	1337	1298	1161	946	792	1283	1166	1014	752	547	251	43
TOTAL DEATHS	1825	275	88	61	44	30	498	71	54	53	57	103	108	103	136	237	295	110
Small-pox	6	2	1	–	–	–	3	–	–	–	1	1	1	–	–	–	–	–
Measles	31	5	7	9	2	6	29	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	98	6	9	21	22	8	66	19	6	2	1	4	–	–	–	–	–	–
Diphtheria	7	1	3	–	–	–	4	3	–	–	–	–	–	–	–	–	–	–
Whooping-cough	35	22	6	–	3	3	34	1	–	–	–	–	–	–	–	–	–	–
Typhus	47	1	1	–	2	2	6	6	9	4	5	4	6	2	2	2	1	–
Diarrhœa & Dysentery	43	17	4	1	–	1	23	–	1	–	3	1	–	–	1	8	5	1
Cholera	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
Other Zymotic Dis.	39	5	2	6	5	1	19	4	1	2	1	2	1	1	6	2	–	–
Cancer	47	–	–	–	–	–	–	–	–	–	1	2	4	11	16	8	5	–
Scrofula and Tabes	17	5	2	–	1	–	8	1	–	1	1	1	2	1	1	1	–	–
Phthisis	212	1	1	4	–	–	6	9	17	33	28	43	32	25	13	16	–	–
Hydrocephalus	11	4	1	1	2	–	8	2	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	207	41	11	3	–	2	63	5	2	2	6	5	11	16	17	35	36	9
Dis. of Heart & Dropsy	159	–	–	–	–	–	–	3	3	3	2	9	17	21	25	46	27	3
Dis. of Lungs	181	35	14	5	4	5	63	5	4	2	4	8	8	7	16	38	28	1
Dis. of Stom. and Liver	86	7	–	1	–	–	8	1	3	3	1	6	10	10	19	17	8	–
Dis. of Kidneys	14	–	–	–	–	1	1	–	1	–	1	2	1	3	1	3	1	–
Dis. of Gener. Organs	8	–	–	–	–	–	–	–	–	–	–	–	1	2	2	3	–	–
Dis. of Joints	3	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–
Dis. of Skin	5	2	1	–	–	–	3	–	–	–	–	1	–	–	1	–	–	–
Childbirth and Metria	19	–	–	–	–	–	–	–	–	–	1	12	6	–	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
Other Violent Deaths	26	6	3	2	–	–	11	4	1	1	1	–	1	–	2	2	3	–
Other Causes	517	112	19	8	3	1	143	6	4	–	–	1	6	3	12	65	181	96

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 upwards.
315.—TAUNTON.																		
Mean Popul^n, 1861–71	16842	455	411	442	419	424	2151	2175	2229	1802	1153	1817	1741	1573	1126	717	319	39
TOTAL DEATHS	3406	604	173	98	69	48	992	117	77	97	125	206	217	230	324	435	437	149
Small-pox	5	–	–	2	–	1	3	–	–	–	–	1	1	–	–	–	–	–
Measles	38	8	12	9	3	1	33	2	1	–	1	1	–	–	–	–	–	–
Scarlatina	84	4	11	17	12	9	53	21	6	1	3	–	–	–	–	–	–	–
Diphtheria	20	4	4	4	1	5	18	7	1	2	–	–	2	–	–	–	–	–
Whooping-cough	44	21	11	7	4	1	44	–	–	–	–	–	–	–	–	–	–	–
Typhus	150	–	5	3	9	5	22	18	12	16	12	11	21	16	6	7	4	2
Diarrhœa & Dysentery	143	77	14	5	2	1	99	–	2	–	1	3	–	4	3	17	11	3
Cholera	2	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Other Zymotic Dis.	110	8	15	5	12	5	45	9	1	3	4	3	5	6	14	13	4	3
Cancer	67	–	–	–	–	–	–	–	–	2	2	3	5	8	17	19	10	1
Scrofula and Tabes	53	10	5	2	–	4	21	8	1	5	4	7	2	1	2	2	–	–
Phthisis	350	1	1	2	1	–	5	5	6	32	57	90	70	38	30	16	1	–
Hydrocephalus	39	14	6	5	3	1	29	5	3	1	–	–	1	–	–	–	–	–
Dis. of Brain	373	73	16	7	6	5	107	9	9	7	9	11	18	20	42	69	62	10
Dis. of Heart & Dropsy	237	4	–	1	1	–	6	2	4	3	1	7	24	35	42	65	40	8
Dis. of Lungs	501	77	33	11	4	2	127	7	8	6	10	14	14	40	77	85	85	23
Dis. of Stom. and Liver	155	7	4	1	1	1	14	–	1	3	3	11	13	22	24	38	20	6
Dis. of Kidneys	108	–	1	1	–	–	2	3	2	3	3	13	10	8	16	18	24	6
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	11	1	–	–	–	–	1	1	2	2	2	–	2	1	1	2	–	–
Dis. of Skin	8	1	2	–	–	–	3	–	–	–	–	–	–	1	3	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	17	–	–	–	–	–	–	–	–	1	1	4	3	1	5	1	–	1
Other Violent Deaths	177	12	5	6	8	7	38	13	16	10	10	16	16	16	26	8	4	4
Other Causes	701	281	28	10	2	–	321	7	2	–	2	8	10	13	15	74	172	77
316.—BRIDGWATER.																		
Mean Popul^n, 1861–71	16978	467	448	478	475	487	2355	2264	2026	1704	1213	1971	1793	1487	1094	739	287	45
TOTAL DEATHS	3312	708	180	91	64	39	1082	129	67	89	99	189	172	253	312	408	394	118
Small-pox	3	1	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
Measles	30	6	9	5	5	2	27	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	78	12	12	9	15	6	54	17	3	3	–	–	–	1	–	–	–	–
Diphtheria	14	2	–	–	2	1	5	5	3	–	–	–	–	–	1	–	–	–
Whooping-cough	33	16	12	3	1	–	32	1	–	–	–	–	–	–	–	–	–	–
Typhus	132	5	8	8	8	9	38	22	11	13	11	9	5	10	9	3	1	–
Diarrhœa & Dysentery	80	44	11	2	1	–	58	2	–	–	–	2	1	–	4	9	3	1
Cholera	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	–
Other Zymotic Dis.	78	6	7	2	5	3	23	4	2	5	1	6	3	5	7	12	7	3
Cancer	54	–	–	–	–	–	–	–	–	–	1	1	7	8	14	14	6	3
Scrofula and Tabes	67	26	12	7	3	–	48	5	3	3	2	1	1	2	2	–	–	–
Phthisis	327	6	3	1	–	4	14	4	9	23	43	87	50	56	30	8	–	–
Hydrocephalus	42	12	13	4	2	1	32	7	3	–	–	–	–	–	–	–	–	–
Dis. of Brain	399	111	16	11	3	3	144	12	2	8	6	8	18	27	44	66	58	6
Dis. of Heart & Dropsy	256	8	–	1	1	–	5	7	4	4	6	9	16	24	61	69	46	5
Dis. of Lungs	551	135	29	20	8	4	196	11	2	5	9	24	19	27	70	88	86	14
Dis. of Stom. and Liver	174	26	4	5	4	1	40	1	3	1	2	8	16	40	24	26	11	2
Dis. of Kidneys	66	–	–	–	–	–	–	2	–	1	3	3	7	8	5	19	14	4
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Dis. of Joints	14	2	–	–	–	–	2	1	2	2	1	1	3	–	1	1	–	–
Dis. of Skin	8	4	–	–	–	1	5	–	–	1	1	–	–	1	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	12	–	–	–	–	–	–	–	1	1	1	2	–	4	1	1	1	–
Other Violent Deaths	174	7	8	6	6	4	31	16	12	15	11	19	17	21	14	14	3	1
Other Causes	715	284	36	7	–	–	327	9	6	1	–	8	9	18	25	76	157	79
317.—LANGPORT.																		
Mean Popul^n, 1861–71	8716	235	225	230	241	222	1153	1163	1045	902	648	931	850	796	647	397	160	24
TOTAL DEATHS	1696	303	83	56	43	24	509	66	36	42	58	88	91	133	140	227	252	54
Small-pox	4	–	–	1	–	–	1	–	–	–	2	1	–	–	–	–	–	–
Measles	19	2	6	2	3	–	13	5	1	–	–	–	–	–	–	–	–	–
Scarlatina	66	3	9	11	9	9	41	20	3	1	1	–	–	–	–	–	–	–
Diphtheria	6	1	1	–	2	–	4	–	1	–	–	–	1	–	–	–	–	–
Whooping-cough	17	12	1	3	1	–	17	–	–	–	–	–	–	–	–	–	–	–
Typhus	51	–	–	2	–	1	3	9	7	8	4	2	5	3	4	4	2	–
Diarrhœa & Dysentery	32	11	4	2	–	–	17	1	–	–	–	–	1	3	1	6	3	–
Cholera	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Other Zymotic Dis.	50	6	10	6	6	–	28	2	–	1	–	1	1	4	4	3	5	1
Cancer	20	–	–	–	–	–	–	–	–	–	1	1	–	2	6	4	6	–
Scrofula and Tabes	22	4	2	2	–	–	8	1	–	3	2	2	3	1	1	–	1	–
Phthisis	163	2	2	–	1	1	6	2	4	14	25	42	20	30	15	5	–	–
Hydrocephalus	15	2	5	2	1	2	12	3	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	224	51	7	5	2	6	71	5	3	3	3	7	11	14	14	44	45	4
Dis. of Heart & Dropsy	141	2	3	1	1	1	8	1	1	2	4	6	9	19	22	38	29	2
Dis. of Lungs	254	55	18	11	6	2	92	4	1	–	5	9	10	18	32	47	33	3
Dis. of Stom. and Liver	71	6	–	–	2	1	9	2	1	–	–	1	12	14	15	7	8	2
Dis. of Kidneys	30	–	–	–	–	–	–	–	2	1	1	3	6	1	4	6	6	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	8	–	–	–	–	–	–	–	–	1	2	2	–	–	–	1	2	–
Dis. of Skin	3	1	–	1	–	–	2	–	–	–	–	–	–	1	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	8	–	–	–	–	–	–	–	–	–	–	1	–	4	2	–	1	–
Other Violent Deaths	96	5	1	4	6	–	16	9	11	8	7	7	4	11	7	8	7	1
Other Causes	394	140	14	3	3	1	161	2	1	–	1	3	7	8	12	54	104	41

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
315.—TAUNTON.																		
Mean Popul^n, 1861–71	18719	452	416	432	449	438	2187	2097	2052	1844	1577	2408	2048	1800	1304	916	404	82
TOTAL DEATHS	3354	518	167	84	60	63	892	104	94	126	124	197	190	240	261	415	495	216
Small-pox	7	2	1	1	1	–	5	1	–	1	–	–	–	–	–	–	–	–
Measles	39	4	15	5	9	3	36	2	–	–	–	1	–	–	–	–	–	–
Scarlatina	72	4	7	13	5	16	45	16	5	1	4	–	–	1	–	–	–	–
Diphtheria	24	2	2	2	2	3	11	7	5	1	–	–	–	–	–	–	–	–
Whooping-cough	62	34	8	6	8	3	59	2	1	–	–	–	–	–	–	–	–	–
Typhus	162	1	3	8	4	11	27	16	24	21	15	18	9	11	5	7	4	2
Diarrhœa & Dysentery	124	49	18	1	1	2	71	2	–	–	2	3	1	2	8	13	17	5
Cholera	4	–	1	–	1	–	2	–	–	–	–	–	–	–	–	2	–	–
Other Zymotic Dis.	80	7	6	6	2	4	25	7	6	5	3	2	2	3	6	8	8	5
Cancer	134	–	–	–	–	–	–	–	–	1	2	2	12	35	32	31	15	4
Scrofula and Tabes	51	10	6	2	1	2	21	5	3	6	3	4	3	3	2	1	–	–
Phthisis	375	4	5	–	–	–	9	5	20	58	69	84	67	47	6	8	2	–
Hydrocephalus	33	12	9	3	3	3	30	1	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	410	84	14	10	12	6	126	13	6	5	4	19	11	31	44	57	83	11
Dis. of Heart & Dropsy	269	–	–	–	–	1	1	6	9	11	4	10	15	27	46	75	56	9
Dis. of Lungs	452	53	32	16	7	3	111	9	4	4	3	12	15	29	53	87	101	24
Dis. of Stom. and Liver	178	18	–	2	–	2	22	1	4	2	1	8	21	30	32	38	14	5
Dis. of Kidneys	38	1	1	3	–	–	5	–	1	1	2	4	4	6	5	5	2	3
Dis. of Gener. Organs	24	–	–	–	–	–	–	–	–	–	–	2	8	7	1	5	1	–
Dis. of Joints	12	–	–	–	–	–	–	1	2	2	–	2	–	1	–	4	–	–
Dis. of Skin	4	1	–	–	–	–	1	1	–	–	–	–	–	–	–	1	1	–
Childbirth and Metria	41	–	–	–	–	–	–	–	–	–	8	19	14	–	–	–	–	–
Suicide	11	–	–	–	–	–	–	–	–	1	1	1	2	3	2	1	–	–
Other Violent Deaths	42	4	5	2	2	2	15	7	1	–	–	1	3	1	4	2	5	3
Other Causes	706	228	34	4	2	2	270	2	1	3	3	5	3	3	15	70	186	115
316.—BRIDGWATER.																		
Mean Popul^n, 1861–71	17668	478	433	467	455	467	2300	2178	1911	1577	1401	2299	1968	1611	1176	819	366	62
TOTAL DEATHS	3125	563	184	89	62	44	942	100	73	119	94	199	202	157	215	368	457	169
Small-pox	3	–	–	–	1	–	1	1	–	–	–	1	–	–	–	–	–	–
Measles	58	5	18	5	4	3	35	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	82	5	17	11	12	8	53	16	9	–	–	1	2	1	–	–	–	–
Diphtheria	7	–	–	–	1	–	1	3	2	1	–	–	–	–	–	–	–	–
Whooping-cough	70	30	21	7	6	1	65	4	1	–	–	–	–	–	–	–	–	–
Typhus	149	2	7	3	5	10	27	24	19	21	9	13	11	9	8	5	3	–
Diarrhœa & Dysentery	76	42	6	2	–	–	50	–	1	–	1	3	1	–	1	7	8	4
Cholera	8	–	–	–	–	–	–	1	1	–	1	–	3	–	2	–	–	–
Other Zymotic Dis.	53	6	4	5	1	1	17	3	3	1	–	–	4	5	2	9	6	3
Cancer	97	–	–	–	–	–	–	–	–	–	2	1	9	18	21	24	20	2
Scrofula and Tabes	75	24	11	5	2	–	42	7	3	7	–	5	5	1	3	1	1	–
Phthisis	322	3	3	6	–	2	14	4	10	55	41	79	63	29	17	6	1	–
Hydrocephalus	23	10	2	2	1	2	17	1	2	1	1	1	–	–	–	–	–	–
Dis. of Brain	360	78	21	8	6	1	114	12	5	4	4	13	15	12	39	62	64	16
Dis. of Heart & Dropsy	284	2	1	2	–	–	5	2	3	8	8	10	19	29	53	84	55	8
Dis. of Lungs	405	82	31	17	10	5	148	5	4	5	5	17	12	16	36	79	61	17
Dis. of Stom. and Liver	184	13	3	1	3	2	22	2	2	4	6	16	24	19	24	36	24	5
Dis. of Kidneys	33	–	3	–	1	2	6	–	2	–	1	7	3	2	7	3	2	–
Dis. of Gener. Organs	13	–	–	–	–	–	–	–	–	–	1	–	2	6	2	2	–	–
Dis. of Joints	8	–	–	–	–	–	–	–	–	1	–	1	1	–	2	1	1	1
Dis. of Skin	8	2	–	1	–	–	3	–	–	–	–	–	1	–	2	1	1	–
Childbirth and Metria	50	–	–	–	–	–	–	–	–	1	7	21	18	–	–	–	–	–
Suicide	7	–	–	–	–	–	–	–	–	3	–	–	2	–	2	–	–	–
Other Violent Deaths	74	8	6	4	7	6	31	11	3	6	2	2	2	–	4	2	9	2
Other Causes	696	251	27	10	2	1	291	1	3	1	2	5	5	10	20	46	201	111
317.—LANGPORT.																		
Mean Popul^n, 1861–71	9147	224	242	209	218	251	1144	1116	1016	893	724	1120	959	889	633	421	189	43
TOTAL DEATHS	1684	266	72	54	41	23	456	57	47	66	75	112	77	97	130	201	256	110
Small-pox	2	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–
Measles	15	1	5	1	1	4	12	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	71	7	5	12	16	8	48	15	8	–	–	–	–	–	–	–	–	–
Diphtheria	7	1	–	1	1	2	5	–	2	–	–	–	–	–	–	–	–	–
Whooping-cough	33	15	10	5	3	–	33	3	–	–	–	–	–	–	–	–	–	–
Typhus	70	1	1	1	4	1	8	11	13	7	5	5	5	6	3	5	2	–
Diarrhœa & Dysentery	27	7	5	2	–	–	14	–	–	1	2	1	1	1	1	2	3	1
Cholera	3	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–
Other Zymotic Dis.	48	6	3	5	1	3	18	3	1	1	2	–	2	4	3	7	5	2
Cancer	50	1	–	–	–	–	1	–	–	–	–	2	9	8	17	7	5	1
Scrofula and Tabes	23	4	2	2	–	–	8	1	–	3	1	2	2	3	2	1	–	–
Phthisis	196	2	1	1	–	1	5	3	10	41	38	50	24	11	6	5	–	–
Hydrocephalus	15	3	5	2	1	1	12	–	1	1	–	1	–	–	–	–	–	–
Dis. of Brain	164	30	7	3	4	–	44	5	2	–	3	4	3	13	16	31	38	5
Dis. of Heart & Dropsy	125	–	1	–	1	–	2	–	2	2	–	5	6	14	24	39	30	1
Dis. of Lungs	192	38	13	13	5	–	69	3	4	–	3	7	10	6	18	33	29	10
Dis. of Stom. and Liver	73	6	1	–	1	–	8	2	–	2	1	4	3	13	11	15	14	–
Dis. of Kidneys	11	–	–	–	–	–	–	–	1	–	3	2	1	–	3	1	–	–
Dis. of Gener. Organs	18	–	–	–	–	–	–	–	–	–	2	2	4	4	4	2	–	–
Dis. of Joints	9	–	–	–	–	–	–	–	–	3	1	3	–	1	–	–	1	–
Dis. of Skin	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Childbirth and Metria	33	–	–	–	–	–	–	–	–	1	7	19	6	–	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–
Other Violent Deaths	32	10	–	2	1	1	14	6	1	–	2	2	–	–	1	3	2	1
Other Causes	460	134	15	4	1	2	154	2	2	1	4	2	1	9	20	49	127	89

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–
318.—CHARD.																		
Mean Populn, 1861–71	12467	373	350	369	345	344	1781	1626	1540	1292	894	1433	1194	1111	853	522	198	23
TOTAL DEATHS	2451	579	176	75	50	45	925	89	55	64	69	120	119	155	209	298	284	64
Small-pox	2	2		–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Measles	62	19	19	10	4	4	56	5	1	–	–	–	–	–	–	–	–	–
Scarlatina	52	5	3	7	7	9	31	19	2	–	–	–	–	–	–	–	–	–
Diphtheria	11	2	1	–	2	1	6	2	–	–	2	–	1	–	–	–	–	–
Whooping-cough	39	22	11	1	1	2	37	1	1	–	–	–	–	–	–	–	–	–
Typhus	75	1	2	2	1	4	10	10	4	14	9	6	6	6	5	3	2	–
Diarrhœa & Dysentery	48	18	4	4	1	–	27	2	–	–	–	–	2	2	3	8	4	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Other Zymotic Dis.	55	4	8	7	5	6	50	6	2	3	–	1	3	4	2	1	3	–
Cancer	37	–	–	–	–	–	–	–		–	–	–	3	8	14	8	4	–
Scrofula and Tabes	42	9	1	5	–	1	16	3	2	3	7	7	1	–	2	1	–	–
Phthisis	191	3	5	1	2	–	11	4	6	17	27	53	35	11	14	8	1	1
Hydrocephalus	27	5	7	3	–	–	15	6	5	–	1	–	–	–	–	–	–	–
Dis. of Brain	281	87	14	3	6	1	111	5	6	8	3	10	13	22	22	47	33	1
Dis. of Heart & Dropsy	203	2	2	1	1	2	8	1	3	2	2	11	14	23	35	59	38	7
Dis. of Lungs	473	116	58	18	12	10	214	7	7	5	5	10	16	26	43	67	64	9
Dis. of Stom. and Liver	119	15	3	–	1	–	19	2	3	2	4	5	7	18	22	22	14	1
Dis. of Kidneys	31	–	–	–	–	–	–	–	2	–	–	1	1	6	6	12	3	–
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Dis. of Joints	8	–	–	1	–	–	1	1	–	–	1	2	–	–	1	1	1	–
Dis. of Skin	9	–	–	1	–	1	2	–	1	–	–	1	–	1	2	1	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	12	–	–	–	–	–	–	–	–	1	1	2	1	2	3	2	–	–
Other Violent Deaths	108	6	5	3	2	3	19	10	9	7	5	5	16	19	12	4	1	1
Other Causes	564	263	33	8	5	1	310	5	1	2	2	6	–	4	21	51	115	44
319.—YEOVIL.																		
Mean Populn, 1861–71	13223	412	411	376	370	377	1946	1741	1604	1310	958	1551	1333	1170	858	544	183	25
TOTAL DEATHS	2715	728	169	97	73	33	1100	103	48	56	63	138	153	168	239	295	286	66
Small-pox	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	61	13	21	14	8	2	58	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	115	9	13	23	25	11	81	30	2	1	–	1	–	–	–	–	–	–
Diphtheria	8	1	2	2	1	–	6	1	–	–	–	1	–	–	–	–	–	–
Whooping-cough	45	18	13	5	1	5	42	3	–	–	–	–	–	–	–	–	–	–
Typhus	87	2	4	2	9	1	18	14	7	8	3	8	6	3	9	6	5	–
Diarrhœa & Dysentery	63	41	7	3	–	–	51	1	–	–	–	–	1	1	2	3	3	1
Cholera	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	64	9	10	9	4	3	35	2	3	1	3	2	–	6	2	7	3	–
Cancer	43	–	–	–	–	–	–	–	–	–	–	1	3	5	16	16	2	–
Scrofula and Tabes	68	24	9	6	2	1	42	4	–	4	3	8	4	2	1	–	–	–
Phthisis	249	12	8	1	–	–	21	5	4	13	33	62	37	33	30	9	2	–
Hydrocephalus	33	21	4	1	–	–	26	4	3	–	–	–	–	–	–	–	–	–
Dis. of Brain	300	81	15	5	6	3	110	11	7	8	5	5	12	22	32	42	38	8
Dis. of Heart & Dropsy	206	2	–	1	1	–	4	3	5	4	1	4	24	20	45	49	43	4
Dis. of Lungs	418	117	29	13	9	2	170	7	3	4	3	11	22	31	45	65	50	7
Dis. of Stom. and Liver	96	11	3	–	1	–	15	2	2	2	3	4	9	13	20	20	5	1
Dis. of Kidneys	30	–	–	–	–	–	–	–	2	–	2	1	4	6	4	9	2	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	11	–	–	1	–	1	2	2	1	1	–	3	–	1	–	1	–	–
Dis. of Skin	9	1	–	–	2	1	4	–	–	–	–	–	–	–	2	3	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	11	–	–	–	–	–	–	–	–	–	–	–	5	3	3	–	–	–
Other Violent Deaths	126	9	1	6	4	2	22	6	6	6	5	21	16	10	16	9	8	1
Other Causes	670	355	30	5	–	1	391	5	3	4	2	6	10	12	12	56	125	44
320.—WINCANTON.																		
Mean Populn, 1861–71	10188	287	275	280	265	248	1355	1253	1177	967	781	1250	1045	980	728	435	191	21
TOTAL DEATHS	2011	473	105	46	42	29	695	55	33	47	48	106	107	131	221	238	266	64
Small-pox	3	–	1	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–
Measles	28	12	7	4	3	1	27	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	59	4	5	8	12	12	41	12	3	1	–	1	1	–	–	–	–	–
Diphtheria	8	2	2	–	1	–	5	2	–	1	–	–	–	–	–	–	–	–
Whooping-cough	35	20	9	5	–	–	34	1	–	–	–	–	–	–	–	–	–	–
Typhus	72	1	2	2	3	1	9	13	5	8	3	7	5	4	12	5	1	–
Diarrhœa & Dysentery	43	20	3	1	2	2	28	–	–	–	–	1	1	–	2	2	9	–
Cholera	7	4	–	–	1	–	5	–	–	–	–	–	–	–	1	1	–	–
Other Zymotic Dis.	54	14	4	1	1	4	24	1	–	2	–	2	2	2	7	6	8	–
Cancer	26	–	–	–	–	–	–	–	–	–	–	–	2	1	8	11	2	2
Scrofula and Tabes	48	18	9	3	–	2	32	2	3	1	2	3	2	2	1	–	–	–
Phthisis	178	2	3	–	1	–	6	1	4	14	21	42	35	27	17	7	1	–
Hydrocephalus	23	11	4	2	2	2	21	2	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	246	62	8	4	2	1	77	5	3	2	5	11	12	24	24	37	43	3
Dis. of Heart & Dropsy	161	1	–	–	1	–	2	–	3	5	2	6	14	16	35	46	31	1
Dis. of Lungs	296	78	30	5	7	1	121	7	4	4	1	6	9	17	49	31	42	5
Dis. of Stom. and Liver	100	11	3	1	1	–	16	1	2	1	1	6	5	9	25	19	11	4
Dis. of Kidneys	49	–	–	–	–	–	–	1	1	1	1	1	2	6	9	15	9	3
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	13	–	1	–	1	–	2	1	1	1	–	1	1	–	1	2	3	–
Dis. of Skin	6	2	1	–	–	–	3	–	–	1	–	1	–	–	–	–	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	10	–	–	–	–	–	–	–	–	–	–	2	1	2	5	–	–	–
Other Violent Deaths	85	8	–	3	3	1	15	4	4	4	5	11	11	12	10	4	5	–
Other Causes	461	203	13	7	1	2	226	1	–	1	2	5	4	9	15	52	100	46

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
318.—CHARD.																		
Mean Popul^n, 1861–71	13547	353	350	336	339	333	1711	1630	1429	1356	1141	1793	1426	1238	924	604	255	40
TOTAL DEATHS	2159	460	155	69	51	30	765	87	47	95	101	158	136	135	198	290	339	108
Small-pox	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Measles	62	11	26	9	6	2	54	8	–	–	–	–	–	–	–	–	–	–
Scarlatina	52	2	9	10	6	6	33	16	1	–	1	1	–	–	–	–	–	–
Diphtheria	4	–	–	–	1	–	1	2	–	1	–	–	–	–	–	–	–	–
Whooping-cough	51	22	17	6	4	1	50	1	–	–	–	–	–	–	–	–	–	–
Typhus	92	2	1	1	3	–	7	12	12	16	10	12	8	5	3	5	1	1
Diarrhœa & Dysentery	39	12	5	2	–	–	19	1	–	–	–	–	2	–	2	8	6	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	55	8	7	5	5	1	26	3	2	2	1	6	2	5	1	2	2	3
Cancer	60	–	–	–	–	–	–	–	–	–	–	1	11	8	12	18	10	–
Scrofula and Tabes	35	7	2	2	1	–	12	6	–	5	4	2	2	1	1	2	1	–
Phthisis	299	2	2	–	–	–	4	7	15	45	48	86	46	25	16	5	2	–
Hydrocephalus	17	6	4	1	–	1	12	2	2	1	–	–	–	–	–	–	–	–
Dis. of Brain	243	65	10	2	4	3	84	4	2	3	6	7	9	16	37	27	43	5
Dis. of Heart & Dropsy	250	–	2	–	–	–	2	6	1	5	5	6	16	25	52	67	58	7
Dis. of Lungs	409	85	33	18	14	8	161	13	5	6	10	11	11	16	31	71	65	9
Dis. of Stom. and Liver	118	12	2	3	2	3	22	2	5	4	1	4	13	15	20	25	6	1
Dis. of Kidneys	12	–	–	–	–	–	–	–	–	1	–	2	2	4	2	1	1	–
Dis. of Gener. Organs	9	–	–	–	–	–	–	–	–	–	3	2	1	–	–	2	1	–
Dis. of Joints	6	–	–	–	–	–	–	–	1	–	2	–	–	1	1	1	–	–
Dis. of Skin	12	5	2	–	–	–	7	1	–	–	–	1	–	–	–	–	3	–
Childbirth and Metria	35	–	–	–	–	–	–	–	–	3	8	11	11	2	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
Other Violent Deaths	28	7	2	3	1	2	15	–	–	1	–	–	–	3	2	4	3	–
Other Causes	566	214	28	7	4	3	256	3	1	2	2	4	2	9	18	51	137	81
319.—YEOVIL.																		
Mean Popul^n, 1861–71	15298	401	402	426	380	377	1986	1765	1635	1477	1393	2092	1646	1401	978	629	260	36
TOTAL DEATHS	2771	553	160	79	47	55	894	97	54	90	94	181	153	183	211	364	337	113
Small pox	4	1	–	–	1	–	2	–	1	–	–	1	–	–	–	–	–	–
Measles	50	8	21	6	2	7	44	6	–	–	–	–	–	–	–	–	–	–
Scarlatina	88	7	10	10	11	18	56	25	4	–	2	1	–	–	–	–	–	–
Diphtheria	11	–	1	1	1	1	4	5	–	–	–	–	1	–	1	–	–	–
Whooping-cough	54	29	9	11	1	2	52	2	–	–	–	–	–	–	–	–	–	–
Typhus	99	3	6	5	5	2	21	16	8	15	4	9	3	9	3	9	2	–
Diarrhœa & Dysentery	53	24	7	2	–	1	34	1	–	–	–	1	3	3	–	7	4	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Other Zymotic Dis.	63	10	11	5	5	3	34	6	1	3	1	1	2	–	8	2	4	1
Cancer	97	–	–	–	–	–	–	–	–	–	1	5	10	25	22	22	11	1
Scrofula and Tabes	60	18	10	7	2	3	40	1	2	4	2	4	1	2	2	2	–	–
Phthisis	336	1	4	2	1	2	10	9	14	40	58	93	47	31	18	10	6	–
Hydrocephalus	19	14	2	2	–	–	18	1	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	268	56	10	5	4	1	76	7	3	5	6	7	12	28	38	49	32	5
Dis. of Heart & Dropsy	275	–	–	–	1	1	2	4	4	7	7	8	20	33	41	87	54	8
Dis. of Lungs	328	86	37	11	7	5	146	4	3	1	1	11	9	12	27	73	36	5
Dis. of Stom. and Liver	115	6	2	1	–	3	12	1	1	6	2	6	8	17	24	26	9	3
Dis. of Kidneys	15	–	1	–	–	–	1	1	–	–	–	1	5	4	3	–	–	–
Dis. of Gener. Organs	12	1	–	–	–	–	1	–	–	–	–	1	6	2	2	–	–	–
Dis. of Joints	11	–	–	–	–	–	–	–	3	3	–	2	1	1	–	1	–	–
Dis. of Skin	6	3	–	–	–	–	3	–	1	–	–	–	–	–	2	–	–	–
Childbirth and Metria	47	–	–	–	–	–	–	–	–	3	8	21	14	1	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Other Violent Deaths	47	8	4	6	4	2	24	6	3	–	1	2	2	1	–	3	4	1
Other Causes	710	278	25	5	2	4	314	2	6	3	1	6	9	13	20	72	175	89
320.—WINCANTON.																		
Mean Popul^n, 1861–71	11091	291	271	270	259	276	1367	1343	1166	1076	917	1437	1196	1048	762	503	228	48
TOTAL DEATHS	2000	364	99	44	37	23	567	50	52	55	50	116	120	127	186	276	294	107
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	21	8	6	1	3	–	18	2	1	–	–	–	–	–	–	–	–	–
Scarlatina	57	5	11	12	12	7	47	8	1	1	–	–	–	–	–	–	–	–
Diphtheria	8	–	–	2	2	–	4	2	1	–	–	–	1	–	–	–	–	–
Whooping-cough	33	15	15	–	1	1	32	1	–	–	–	–	–	–	–	–	–	–
Typhus	82	2	2	5	1	2	12	10	14	10	3	8	4	6	5	8	2	–
Diarrhœa & Dysentery	39	14	5	–	2	–	21	1	–	–	–	1	1	–	2	6	7	–
Cholera	2	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	70	10	2	2	3	2	19	2	5	–	–	3	5	4	7	11	10	4
Cancer	56	–	–	–	–	–	–	–	–	–	–	1	8	16	10	14	5	2
Scrofula and Tabes	43	19	3	–	1	2	25	5	1	1	–	4	2	1	3	1	–	–
Phthisis	217	3	3	1	–	–	7	3	10	23	29	65	38	20	16	4	2	–
Hydrocephalus	18	3	4	4	1	1	13	4	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	223	50	5	3	1	–	59	3	4	6	2	4	10	11	26	46	40	11
Dis. of Heart & Dropsy	213	3	1	–	1	–	5	1	5	3	4	2	21	34	41	53	40	4
Dis. of Lungs	266	55	24	7	7	3	96	2	3	2	5	4	5	12	33	52	46	6
Dis. of Stom. and Liver	94	7	2	–	–	2	11	1	1	4	1	5	9	8	25	17	9	3
Dis. of Kidneys	23	–	–	–	–	–	–	2	1	1	–	1	–	4	4	8	2	–
Dis. of Gener. Organs	15	–	–	–	–	–	–	–	–	1	–	1	4	2	2	2	3	–
Dis. of Joints	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Dis. of Skin	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Childbirth and Metria	23	–	–	–	–	–	–	–	–	1	5	7	10	–	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–
Other Violent Deaths	25	5	1	4	1	1	12	2	–	2	–	2	–	1	–	4	2	–
Other Causes	464	164	14	3	1	2	184	–	2	–	1	7	2	5	11	49	126	77

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
321.—FROME.																		
Mean Popul^n, 1861–71	11419	330	301	318	289	304	1542	1409	1337	1122	859	1344	1225	990	781	544	239	27
TOTAL DEATHS	2333	504	122	63	44	32	765	66	50	55	87	114	112	158	233	323	309	91
Small-pox	2	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Measles	25	8	6	3	2	3	22	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	60	6	5	13	7	4	35	19	2	2	1	1	-	-	-	-	-	-
Diphtheria	3	-	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough	26	13	8	3	-	2	26	-	-	-	-	-	-	-	-	-	-	-
Typhus	57	1	3	-	3	3	10	12	10	7	2	5	3	3	3	1	1	-
Diarrhœa & Dysentery	98	42	12	6	2	1	63	-	1	-	-	2	1	1	3	11	13	3
Cholera	4	1	-	-	-	-	1	-	-	-	-	-	-	-	2	-	1	-
Other Zymotic Dis.	57	6	6	1	4	3	20	1	-	5	-	1	1	4	4	12	6	3
Cancer	18	-	-	-	-	-	-	-	-	-	-	-	2	4	6	2	3	1
Scrofula and Tabes	43	15	9	3	2	1	30	4	1	1	2	-	1	1	2	1	-	-
Phthisis	174	2	-	-	-	-	2	1	1	16	44	44	29	21	10	6	-	-
Hydrocephalus	23	8	7	5	1	1	22	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	289	67	8	6	6	4	91	7	5	1	4	6	14	16	29	59	41	13
Dis. of Heart & Dropsy	212	2	-	-	1	-	3	-	3	3	6	12	12	24	55	59	32	3
Dis. of Lungs	389	95	29	14	3	2	143	4	2	4	6	10	23	25	37	67	56	12
Dis. of Stom. and Liver	150	10	1	2	1	1	15	2	-	2	1	7	18	21	31	28	23	2
Dis. of Kidneys	69	-	-	-	-	-	-	1	-	-	-	3	6	8	13	23	14	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Dis. of Joints	16	-	-	-	-	-	-	-	4	1	4	-	-	2	1	4	-	-
Dis. of Skin	13	5	-	-	-	1	6	-	1	1	1	-	1	-	1	2	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	10	-	-	-	-	-	-	-	-	1	-	-	-	3	3	3	-	-
Other Violent Deaths	142	7	6	2	8	3	26	10	18	11	12	15	18	16	10	2	2	2
Other Causes	512	215	21	5	4	3	218	-	1	-	3	8	12	9	23	43	114	51
322.—SHEPTON MALLET.																		
Mean Popul^n, 1861–71	7894	220	220	217	183	203	1043	979	934	776	578	924	834	746	529	367	156	28
TOTAL DEATHS	1486	280	80	43	17	24	444	48	32	28	46	80	79	127	153	185	203	61
Small-pox	3	1	-	1	-	1	3	-	-	-	-	-	-	-	-	-	-	-
Measles	13	3	3	2	1	1	10	2	-	-	-	-	-	-	-	1	-	-
Scarlatina	27	3	4	7	1	2	17	6	1	-	3	-	-	-	-	-	-	-
Diphtheria	8	-	-	2	-	1	3	2	2	1	-	-	-	-	-	-	-	-
Whooping-cough	11	7	2	1	1	-	11	-	-	-	-	-	-	-	-	-	-	-
Typhus	50	-	2	3	2	2	9	9	3	2	6	7	2	4	5	3	-	-
Diarrhœa & Dysentery	18	9	3	-	-	-	12	-	-	-	-	-	1	-	2	2	1	-
Cholera	2	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Other Zymotic Dis.	41	8	5	1	1	1	16	3	3	3	1	1	2	3	6	2	4	-
Cancer	22	-	-	-	-	-	-	1	-	-	-	-	2	4	9	2	4	-
Scrofula and Tabes	18	2	3	1	1	-	7	-	2	2	-	4	-	2	-	-	1	-
Phthisis	120	4	5	1	-	-	10	-	2	10	18	26	16	22	12	4	-	-
Hydrocephalus	23	8	7	3	1	2	21	1	-	-	-	1	-	-	-	-	-	-
Dis. of Brain	142	25	7	4	2	3	41	4	5	2	-	7	10	12	20	23	15	3
Dis. of Heart & Dropsy	132	4	-	-	-	1	5	-	3	4	5	7	4	19	26	30	26	3
Dis. of Lungs	166	40	9	5	1	1	56	4	2	2	3	9	9	12	12	27	22	8
Dis. of Stom. and Liver	76	3	1	1	-	1	6	3	1	-	3	6	6	11	15	13	6	3
Dis. of Kidneys	36	-	-	-	-	-	-	1	-	-	-	-	3	8	8	8	8	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Dis. of Joints	4	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-
Dis. of Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	7	-	-	-	-	-	-	-	-	-	-	-	3	1	-	2	-	1
Other Violent Deaths	81	4	4	7	3	4	22	3	3	2	4	5	8	12	11	10	-	1
Other Causes	481	158	25	4	3	4	191	9	4	-	2	4	13	13	27	58	115	42
323.—WELLS.																		
Mean Popul^n, 1861–71	10724	283	258	287	296	286	1410	1307	1219	1085	821	1309	1128	993	768	467	195	22
TOTAL DEATHS	2436	411	117	63	51	33	675	94	47	45	74	167	185	223	222	326	298	80
Small-pox	12	5	1	-	-	-	6	-	-	2	1	3	-	-	-	-	-	-
Measles	26	2	10	6	4	1	23	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	80	11	10	12	9	9	51	22	6	1	-	-	-	-	-	-	-	-
Diphtheria	9	1	1	-	-	1	3	2	1	2	-	-	1	-	-	-	-	-
Whooping-cough	25	17	4	3	1	-	25	-	-	-	-	-	-	-	-	-	-	-
Typhus	92	5	4	6	6	5	26	16	10	8	6	6	5	5	4	5	1	-
Diarrhœa & Dysentery	49	29	3	-	1	-	33	-	-	-	-	1	-	3	2	4	5	1
Cholera	12	-	-	1	-	-	1	2	-	-	-	2	1	2	-	2	2	-
Other Zymotic Dis.	60	6	6	5	5	6	28	3	2	-	1	3	6	3	4	7	2	1
Cancer	26	-	-	-	-	-	-	-	-	-	-	2	1	1	2	13	5	2
Scrofula and Tabes	48	14	6	4	2	1	27	4	3	3	2	2	1	2	-	4	-	-
Phthisis	220	3	2	-	1	-	6	5	3	9	40	43	41	30	27	9	1	-
Hydrocephalus	21	7	5	2	1	2	17	3	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	428	48	14	5	4	1	72	9	2	7	8	45	52	61	63	59	43	7
Dis. of Heart & Dropsy	170	4	-	-	1	-	5	6	4	2	4	5	16	23	26	51	25	3
Dis. of Lungs	392	53	30	9	7	3	102	5	3	3	4	17	30	33	36	79	67	13
Dis. of Stom. and Liver	122	10	2	2	1	-	15	2	1	1	2	6	9	20	22	27	15	2
Dis. of Kidneys	73	-	1	-	1	1	3	1	1	1	1	7	3	8	12	25	8	3
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	8	-	-	-	-	-	-	-	1	1	-	3	1	-	1	1	-	-
Dis. of Skin	7	1	-	-	-	-	1	-	1	-	-	1	1	-	2	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	20	-	-	-	-	-	-	-	-	-	-	3	3	5	3	1	5	-
Other Violent Deaths	96	10	3	4	6	2	25	7	6	4	2	11	10	16	8	3	3	1
Other Causes	440	185	15	4	1	1	206	4	2	1	3	1	4	11	10	35	116	47

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
321.—FROME.																		
Mean Popul^n, 1861-71	12568	334	303	306	292	293	1528	1462	1371	1133	1003	1636	1407	1124	890	670	297	47
TOTAL DEATHS	2393	369	140	60	44	34	647	66	40	70	71	145	161	147	210	310	356	131
Small-pox	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Measles	30	3	6	7	4	2	22	7	–	1	–	–	–	–	–	–	–	–
Scarlatina	71	1	8	16	9	13	47	13	8	1	1	–	1	–	–	–	–	–
Diphtheria	6	–	–	1	2	2	5	1	–	–	–	–	–	–	–	–	–	–
Whooping-cough	21	12	4	1	3	–	20	–	–	1	–	–	–	–	–	–	–	–
Typhus	76	1	3	4	4	1	13	16	8	11	3	4	4	8	4	2	2	1
Diarrhœa & Dysentery	102	36	8	3	1	–	48	–	–	–	1	3	8	4	8	11	13	6
Cholera	5	–	–	1	–	–	1	–	–	–	–	–	–	–	2	1	1	–
Other Zymotic Dis.	75	9	8	2	5	3	27	–	1	3	2	5	1	2	8	12	14	–
Cancer	48	–	–	–	–	–	–	–	–	–	–	3	3	9	12	13	6	2
Scrofula and Tabes	52	20	14	1	1	1	37	4	4	1	–	1	2	2	1	–	–	–
Phthisis	219	2	2	2	1	1	8	4	8	28	33	57	48	23	5	5	–	–
Hydrocephalus	16	4	6	1	1	1	13	2	–	1	–	–	–	–	–	–	–	–
Dis. of Brain	252	33	10	3	6	2	54	4	4	6	8	13	14	21	25	56	41	6
Dis. of Heart & Dropsy	262	–	–	–	–	–	–	–	5	6	3	13	12	25	61	82	45	10
Dis. of Lungs	330	75	40	12	1	3	131	3	4	3	2	8	20	8	33	63	44	11
Dis. of Stom. and Liver	148	10	3	–	1	1	15	2	2	5	6	11	15	23	25	26	14	4
Dis. of Kidneys	22	–	–	–	1	–	1	–	–	–	3	–	5	3	4	2	4	–
Dis. of Gener. Organs	8	–	–	–	–	–	–	–	–	–	–	1	2	2	1	2	–	–
Dis. of Joints	22	1	–	–	–	–	1	–	2	2	2	1	1	2	4	4	3	–
Dis. of Skin	6	–	–	1	–	–	1	–	–	–	–	–	–	1	1	1	1	1
Childbirth and Metria	41	–	–	–	–	–	–	–	–	–	5	18	16	2	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
Other Violent Deaths	29	1	2	–	2	2	7	4	2	–	–	1	–	2	1	4	7	1
Other Causes	549	161	26	5	2	2	196	6	1	1	–	6	9	9	15	56	161	89
322.—SHEPTON MALLET.																		
Mean Popul^n, 1861-71	8417	224	188	207	211	221	1051	970	887	763	651	1067	955	813	583	430	207	40
TOTAL DEATHS	1587	268	68	44	34	16	430	15	48	37	59	87	86	95	127	219	249	105
Small-pox	4	1	–	–	1	–	2	–	–	1	1	–	–	–	–	–	–	–
Measles	13	2	6	3	1	–	12	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	40	4	5	9	7	2	27	8	4	1	–	–	–	–	–	–	–	–
Diphtheria	10	1	1	–	2	2	6	2	1	1	–	–	–	–	–	–	–	–
Whooping-cough	16	7	4	2	–	2	15	1	–	–	–	–	–	–	–	–	–	–
Typhus	41	–	–	–	2	3	5	7	9	2	3	3	4	2	5	–	1	–
Diarrhœa & Dysentery	30	10	–	1	–	–	11	2	–	–	1	1	–	2	–	4	7	2
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	36	4	2	3	2	–	11	2	–	2	2	2	3	–	2	4	5	3
Cancer	47	–	–	–	–	–	–	–	–	–	–	1	6	11	11	15	3	–
Scrofula and Tabes	19	5	–	1	–	–	6	1	3	1	2	–	1	4	1	–	–	–
Phthisis	158	8	1	–	1	–	10	4	9	13	25	38	29	16	5	6	3	–
Hydrocephalus	26	11	5	3	4	–	23	1	1	–	–	–	–	1	–	–	–	–
Dis. of Brain	140	23	3	1	2	2	31	1	5	4	5	7	3	13	19	31	18	3
Dis. of Heart & Dropsy	174	3	1	2	–	–	6	1	4	6	3	8	10	14	28	49	41	4
Dis. of Lungs	162	35	12	5	4	2	58	1	2	2	3	4	9	7	18	26	19	13
Dis. of Stom. and Liver	62	5	1	–	–	–	6	2	3	1	1	4	4	10	11	10	6	1
Dis. of Kidneys	15	–	2	–	–	1	3	–	–	1	1	1	1	2	2	2	2	–
Dis. of Gener. Organs	9	–	–	–	–	–	–	–	–	–	–	1	–	3	2	1	2	–
Dis. of Joints	7	–	–	–	–	–	–	1	–	–	1	1	1	1	–	2	–	–
Dis. of Skin	4	–	–	1	–	–	1	–	–	–	–	–	–	–	1	1	1	–
Childbirth and Metria	20	–	–	–	–	–	–	–	–	–	5	8	6	1	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Other Violent Deaths	27	3	1	1	3	2	10	4	3	2	2	1	–	1	–	1	2	1
Other Causes	526	146	24	12	5	–	187	6	4	–	4	7	9	7	18	67	139	78
323.—WELLS.																		
Mean Popul^n, 1861-71	11375	267	302	280	288	247	1384	1313	1198	1052	1005	1493	1250	1071	777	533	253	46
TOTAL DEATHS	2334	351	117	69	46	32	615	82	51	62	77	172	175	185	198	310	293	114
Small-pox	4	–	–	1	1	–	2	–	–	–	1	–	1	–	–	–	–	–
Measles	31	6	8	8	3	5	30	–	–	–	1	–	–	–	–	–	–	–
Scarlatina	72	7	7	9	8	6	37	27	6	–	1	–	–	–	–	1	–	–
Diphtheria	10	1	2	–	1	3	7	1	2	–	–	–	–	–	–	–	–	–
Whooping-cough	25	10	7	5	1	1	24	1	–	–	–	–	–	–	–	–	–	–
Typhus	108	–	7	8	4	2	21	18	18	10	12	6	3	7	4	4	5	–
Diarrhœa & Dysentery	36	12	3	2	–	–	17	–	1	–	–	2	–	2	6	1	6	1
Cholera	12	1	2	–	–	–	3	1	–	–	1	1	3	–	2	1	–	–
Other Zymotic Dis.	57	2	6	3	5	1	17	5	3	2	3	–	5	4	4	10	4	–
Cancer	79	–	–	–	–	–	–	–	–	–	–	2	11	19	15	23	8	1
Scrofula and Tabes	58	21	16	4	2	2	45	2	2	3	1	–	1	2	1	–	1	–
Phthisis	247	–	1	–	4	–	5	4	6	21	31	81	44	26	18	4	1	–
Hydrocephalus	17	9	3	3	2	–	17	–	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	319	56	9	4	2	1	72	5	4	4	6	20	37	29	33	65	38	6
Dis. of Heart & Dropsy	214	1	1	3	–	1	6	4	3	3	4	12	16	24	39	58	37	8
Dis. of Lungs	332	46	28	10	9	9	102	5	3	4	1	15	18	26	41	56	50	11
Dis. of Stom. and Liver	135	15	–	1	–	1	17	2	–	5	7	8	14	19	19	23	19	2
Dis. of Kidneys	38	–	–	–	–	–	–	–	–	2	1	4	3	7	5	10	6	–
Dis. of Gener. Organs	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–
Dis. of Joints	7	–	–	–	–	–	–	2	–	3	–	1	–	–	1	–	–	–
Dis. of Skin	9	3	–	–	–	–	3	–	–	–	–	–	–	–	1	1	3	1
Childbirth and Metria	29	–	–	–	–	–	–	–	–	1	3	8	14	3	–	–	–	–
Suicide	7	–	–	–	–	–	–	–	–	1	–	1	–	4	1	–	–	–
Other Violent Deaths	37	2	5	5	2	–	14	4	1	1	–	5	1	2	5	1	3	–
Other Causes	448	159	12	3	2	–	176	1	2	2	1	3	4	10	2	51	112	84

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	2[illegible]
324.—AXBRIDGE.																		
Mean Popul^n, 1861–71	17791	502	444	454	468	472	2340	2184	2090	1801	1372	2150	1847	1623	1194	823	318	49
TOTAL DEATHS	3632	762	206	108	76	50	1202	135	92	83	114	164	230	267	326	459	415	145
Small-pox	16	1	–	–	–	1	2	4	1	–	5	1	1	1	1	–	–	–
Measles	61	19	21	12	5	3	60	4	–	–	–	–	–	–	–	–	–	–
Scarlatina	79	9	5	16	14	11	55	15	7	1	–	1	–	–	–	–	–	–
Diphtheria	27	3	2	1	1	3	10	11	4	1	–	–	–	–	1	–	–	–
Whooping-cough	49	23	11	7	6	1	48	1	–	–	–	–	–	–	–	–	–	–
Typhus	171	4	6	4	6	4	24	27	20	16	15	11	9	15	8	14	11	1
Diarrhœa & Dysentery	103	58	4	3	2	3	70	2	1	–	–	2	1	5	4	7	10	1
Cholera	3	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	1	–
Other Zymotic Dis.	87	10	6	11	6	4	37	9	4	1	3	4	4	6	6	8	4	1
Cancer	52	–	–	–	–	–	–	–	–	–	1	–	6	7	14	16	6	2
Scrofula and Tabes	73	26	7	4	2	1	40	4	7	2	4	6	3	2	2	3	–	–
Phthisis	281	11	5	2	3	–	21	4	7	25	39	48	60	39	25	13	–	–
Hydrocephalus	56	21	12	6	3	3	45	7	1	1	2	–	–	–	–	–	–	–
Dis. of Brain	419	88	22	8	6	4	128	11	7	4	6	15	23	31	48	78	59	9
Dis. of Heart & Dropsy	289	7	3	–	3	–	13	–	6	7	5	12	23	39	49	74	54	7
Dis. of Lungs	584	147	55	16	7	5	230	17	4	7	13	16	30	36	48	96	71	16
Dis. of Stom. and Liver	260	18	1	1	3	1	24	1	2	3	6	10	21	29	46	37	21	–
Dis. of Kidneys	83	1	–	–	–	–	1	2	–	1	–	4	8	7	20	28	8	4
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Dis. of Joints	10	1	–	–	–	–	1	3	3	1	–	1	–	1	–	–	–	–
Dis. of Skin	8	4	–	1	–	–	5	–	–	–	–	–	1	–	–	–	2	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	20	–	–	–	–	–	–	–	–	–	1	2	2	5	7	2	1	–
Other Violent Deaths	204	9	11	7	7	6	40	11	17	12	13	15	21	30	20	19	3	3
Other Causes	753	302	35	9	1	–	347	2	1	1	1	14	17	14	27	64	164	101
325.—CLUTTON.																		
Mean Popul^n, 1861–71	11924	321	327	319	317	324	1608	1541	1422	1223	852	1337	1227	1105	824	552	209	24
TOTAL DEATHS	2378	530	144	81	55	30	840	105	51	82	65	103	103	136	197	317	299	80
Small-pox	10	1	1	1	1	–	4	1	2	1	1	1	–	–	–	–	–	–
Measles	39	9	10	8	5	–	32	4	2	–	1	–	–	–	–	–	–	–
Scarlatina	108	11	7	17	11	11	57	38	10	2	–	1	–	–	–	–	–	–
Diphtheria	15	–	3	1	2	1	7	4	3	–	–	–	–	1	–	–	–	–
Whooping-cough	33	22	3	6	–	1	32	1	–	–	–	–	–	–	–	–	–	–
Typhus	89	–	6	4	2	1	13	15	4	18	8	8	7	2	4	9	1	–
Diarrhœa & Dysentery	51	27	5	3	–	1	36	2	–	–	–	2	–	–	1	5	4	1
Cholera	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Other Zymotic Dis.	44	2	5	5	5	3	20	5	–	1	1	1	2	2	4	4	2	2
Cancer	27	–	–	–	–	–	–	–	1	2	–	–	1	5	9	3	5	1
Scrofula and Tabes	63	21	11	2	3	1	38	5	3	2	5	4	–	3	–	3	–	–
Phthisis	207	7	6	1	1	1	16	7	4	16	28	38	31	36	25	4	2	–
Hydrocephalus	18	9	7	2	–	–	18	–	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	253	65	13	3	1	2	84	5	2	5	3	9	5	19	30	50	39	2
Dis. of Heart & Dropsy	196	–	–	1	–	–	1	2	2	4	4	7	11	13	30	79	38	5
Dis. of Lungs	398	115	35	12	12	1	175	4	1	4	2	5	8	18	32	69	62	18
Dis. of Stom. and Liver	102	14	4	1	2	–	21	2	1	3	2	4	7	15	14	22	11	–
Dis. of Kidneys	38	–	1	–	–	2	3	2	2	1	–	2	2	2	7	5	10	2
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	8	–	–	–	–	–	–	–	1	3	–	2	1	–	1	–	–	–
Dis. of Skin	12	4	1	–	–	–	5	–	1	1	–	–	1	1	1	1	–	1
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	6	–	–	–	–	–	–	–	–	2	–	–	–	1	1	2	–	–
Other Violent Deaths	140	2	3	6	6	4	21	8	11	15	8	17	15	11	15	12	4	3
Other Causes	520	221	23	8	4	1	257	–	1	1	2	2	12	7	23	49	121	45
326.—BATH.																		
Mean Popul^n, 1861–71	28803	784	704	719	717	698	3622	3410	3504	2905	2201	3600	3132	2609	2023	1293	447	57
TOTAL DEATHS	7208	1502	468	257	171	128	2526	253	118	136	190	441	551	580	713	855	671	176
Small-pox	60	10	4	7	8	3	32	12	2	4	3	2	3	–	1	–	1	–
Measles	119	19	37	31	10	12	109	8	1	–	–	1	–	–	–	–	–	–
Scarlatina	239	11	38	42	35	38	164	60	10	2	1	1	1	–	–	–	–	–
Diphtheria	23	2	2	2	4	3	13	6	1	–	–	1	–	1	–	1	–	–
Whooping-cough	91	42	23	11	3	5	87	4	–	–	–	–	–	–	–	–	–	–
Typhus	142	4	6	10	11	5	36	16	16	7	7	15	18	4	14	6	3	–
Diarrhœa & Dysentery	338	193	39	11	5	1	249	1	3	4	2	1	4	15	20	27	11	1
Cholera	4	1	–	–	–	–	1	–	1	–	–	–	1	–	–	1	–	–
Other Zymotic Dis.	129	18	9	8	5	12	52	6	3	5	7	11	11	8	10	13	3	–
Cancer	114	–	–	–	–	–	–	1	–	1	1	4	14	20	35	25	11	2
Scrofula and Tabes	156	47	31	11	6	2	97	13	12	5	10	4	5	3	2	4	1	–
Phthisis	776	11	1	5	4	1	22	13	9	42	82	190	188	145	65	20	2	–
Hydrocephalus	107	32	27	13	8	11	91	14	1	1	–	–	–	–	–	–	–	–
Dis. of Brain	852	205	52	29	14	8	308	25	13	15	12	39	45	64	108	137	79	7
Dis. of Heart & Dropsy	468	5	1	2	1	1	10	6	6	5	12	31	52	73	89	115	65	4
Dis. of Lungs	1202	251	98	43	28	9	429	22	2	11	11	36	70	96	161	199	143	22
Dis. of Stom. and Liver	367	27	6	6	1	2	42	7	3	4	7	24	42	66	72	75	20	5
Dis. of Kidneys	196	–	1	–	3	1	5	4	4	7	2	20	26	18	26	47	36	1
Dis. of Gener. Organs	4	–	1	–	–	–	1	–	–	–	–	–	–	–	2	–	1	–
Dis. of Joints	46	1	–	–	–	–	1	5	5	2	3	7	9	5	5	1	3	–
Dis. of Skin	16	7	1	–	–	1	9	–	–	1	1	–	1	–	–	3	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	38	–	–	–	–	–	–	–	–	–	2	4	5	9	7	6	4	1
Other Violent Deaths	350	38	8	10	12	7	75	26	22	18	25	37	36	32	39	23	13	4
Other Causes	1371	578	80	16	13	6	693	4	4	2	2	13	20	23	57	152	274	127

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
324.—AXBRIDGE.																		
Mean Popul^n, 1861–71	19873	501	456	448	434	443	2282	2185	2072	2017	1775	2691	2203	1907	1353	878	425	85
TOTAL DEATHS	3430	592	197	99	64	47	999	134	71	119	127	227	193	218	265	417	462	198
Small-pox	13	1	2	–	3	–	6	2	–	–	1	1	1	2	–	–	–	–
Measles	48	12	11	6	8	4	41	7	–	–	–	–	–	–	–	–	–	–
Scarlatina	93	5	13	16	14	7	55	26	2	4	4	–	1	–	–	1	–	–
Diphtheria	24	1	1	–	1	4	7	9	5	–	–	2	1	–	–	–	–	–
Whooping-cough	62	22	21	4	6	2	58	3	1	–	–	–	–	–	–	–	–	–
Typhus	167	9	4	5	3	4	25	28	20	17	12	24	4	7	11	10	8	1
Diarrhœa & Dysentery	84	46	9	2	2	–	59	2	–	2	–	2	–	2	1	1	9	6
Cholera	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
Other Zymotic Dis.	80	12	11	9	10	2	44	9	–	4	–	5	1	5	3	2	6	1
Cancer	91	–	–	1	–	–	1	–	–	–	–	2	9	23	28	17	10	1
Scrofula and Tabes	67	21	8	5	2	1	40	5	1	2	5	2	4	5	1	2	–	–
Phthisis	334	5	5	2	1	–	13	5	17	48	53	74	57	29	23	13	2	–
Hydrocephalus	29	8	8	5	1	1	23	3	2	–	–	–	1	–	–	–	–	–
Dis. of Brain	353	69	15	10	1	5	100	5	6	9	4	13	13	29	44	62	55	13
Dis. of Heart & Dropsy	308	7	2	1	1	1	12	2	3	3	8	16	21	37	44	90	65	7
Dis. of Lungs	496	103	43	17	9	6	178	11	7	13	14	26	21	20	43	72	71	20
Dis. of Stom. and Liver	239	18	–	–	–	1	19	9	3	6	9	20	19	27	36	47	37	7
Dis. of Kidneys	38	–	–	–	–	1	1	1	–	–	2	6	4	8	1	10	2	3
Dis. of Gener. Organs	17	–	–	–	–	–	–	–	–	2	–	2	3	5	3	2	–	–
Dis. of Joints	9	–	–	1	–	–	1	2	–	2	–	2	–	–	–	1	1	–
Dis. of Skin	4	1	–	–	–	–	1	–	–	–	–	–	1	2	–	–	–	–
Childbirth and Metria	53	–	–	–	–	–	–	–	–	3	10	21	19	–	–	–	–	–
Suicide	8	–	–	–	–	–	–	–	–	–	2	–	1	2	3	–	–	–
Other Violent Deaths	57	12	6	6	–	5	29	4	2	2	–	1	2	1	5	5	4	2
Other Causes	754	237	35	9	2	3	286	1	2	2	3	8	10	14	17	82	192	137
325.—CLUTTON.																		
Mean Popul^n, 1861–71	11798	337	329	336	342	344	1688	1574	1365	825	869	1418	1277	1081	828	581	247	45
TOTAL DEATHS	2165	394	104	63	49	31	641	106	60	78	86	127	131	114	159	304	248	111
Small-pox	8	5	–	–	–	1	6	–	–	1	1	–	–	–	–	–	–	–
Measles	30	7	8	4	2	3	24	5	–	–	–	–	1	–	–	–	–	–
Scarlatina	105	3	5	12	20	8	48	45	9	2	–	1	–	–	–	–	–	–
Diphtheria	13	1	–	–	3	2	6	2	3	1	–	1	–	–	–	–	–	–
Whooping-cough	44	25	10	3	1	2	41	3	–	–	–	–	–	–	–	–	–	–
Typhus	105	2	2	4	6	1	15	20	17	16	3	7	8	5	5	7	2	–
Diarrhœa & Dysentery	46	27	5	1	–	–	33	–	–	–	–	3	2	2	2	2	2	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	42	9	2	3	3	3	20	2	3	2	1	1	2	–	2	6	3	–
Cancer	51	–	–	–	–	–	–	–	–	1	–	4	5	8	11	16	7	2
Scrofula and Tabes	60	17	14	3	2	2	38	3	1	4	5	3	2	2	1	1	–	–
Phthisis	208	3	–	2	2	–	7	3	7	28	34	59	32	24	9	5	–	–
Hydrocephalus	16	8	1	4	–	1	14	1	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	215	34	9	6	1	–	50	8	6	10	5	4	11	11	25	48	31	6
Dis. of Heart & Dropsy	229	1	–	2	–	–	3	1	4	2	8	6	17	27	57	72	31	1
Dis. of Lungs	281	77	21	11	7	4	120	6	4	3	6	5	8	7	20	52	38	12
Dis. of Stom. and Liver	120	9	2	1	1	–	13	2	–	4	4	7	15	16	15	29	12	3
Dis. of Kidneys	17	–	–	–	–	1	1	–	–	–	1	–	6	3	2	3	1	–
Dis. of Gener. Organs	16	–	–	–	–	–	–	–	–	–	3	3	3	3	1	3	–	–
Dis. of Joints	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Dis. of Skin	8	4	–	–	–	–	4	–	–	–	1	–	2	–	–	–	1	–
Childbirth and Metria	46	–	–	–	–	–	–	–	–	2	10	21	12	1	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1
Other Violent Deaths	30	3	5	3	–	1	12	1	3	–	2	–	2	2	3	1	4	–
Other Causes	469	159	20	4	1	2	186	4	2	2	2	2	3	2	6	58	116	86
326.—BATH.																		
Mean Popul^n, 1861–71	40161	807	688	760	719	713	3687	3436	3450	4128	4160	6265	4888	4063	3086	2066	804	128
TOTAL DEATHS	8038	1181	431	232	167	115	2126	245	131	190	209	479	560	638	870	1098	1123	369
Small-pox	60	14	5	10	4	4	37	9	1	1	3	4	3	–	2	–	–	–
Measles	127	23	42	28	12	9	114	7	1	1	1	1	1	1	–	–	–	–
Scarlatina	261	15	26	41	41	36	159	71	17	4	4	5	–	1	–	–	–	–
Diphtheria	41	2	4	5	6	6	23	7	4	1	1	–	1	1	1	–	2	–
Whooping-cough	116	40	41	20	7	5	113	3	–	–	–	–	–	–	–	–	–	–
Typhus	197	4	10	9	13	10	46	31	16	20	15	20	12	15	5	12	2	–
Diarrhœa & Dysentery	298	141	31	9	3	–	184	4	1	–	2	7	8	11	10	37	27	7
Cholera	7	4	1	–	–	–	5	–	–	–	–	–	1	–	1	–	–	–
Other Zymotic Dis.	159	22	16	10	14	4	66	9	4	4	9	8	5	7	15	19	9	4
Cancer	305	–	–	–	–	–	–	–	–	–	1	9	40	79	71	69	31	5
Scrofula and Tabes	142	30	22	13	2	3	70	9	11	13	8	10	6	9	3	3	–	–
Phthisis	734	6	10	3	3	3	25	12	27	71	87	184	168	98	49	11	2	–
Hydrocephalus	70	22	12	10	3	4	51	15	4	–	–	–	–	–	–	–	–	–
Dis. of Brain	968	162	37	12	14	4	229	17	13	17	13	30	57	85	142	174	153	38
Dis. of Heart & Dropsy	665	4	2	–	–	–	6	7	8	17	9	40	61	76	148	160	122	11
Dis. of Lungs	1291	161	88	38	29	15	331	11	6	21	16	41	53	114	209	251	196	42
Dis. of Stom. and Liver	471	14	4	2	1	5	26	6	1	6	15	30	51	69	105	106	51	5
Dis. of Kidneys	93	–	–	–	–	1	1	–	3	2	4	11	12	11	22	19	7	1
Dis. of Gener. Organs	63	–	–	–	–	–	–	–	–	–	1	7	13	15	11	6	10	–
Dis. of Joints	31	–	–	–	–	–	–	1	1	3	1	7	4	7	4	2	1	–
Dis. of Skin	28	4	–	1	1	–	6	2	–	1	1	5	–	2	3	3	5	–
Childbirth and Metria	86	–	–	–	–	–	–	–	–	3	10	40	32	1	–	–	–	–
Suicide	17	–	–	–	–	–	–	–	–	–	–	3	3	3	6	1	1	–
Other Violent Deaths	178	34	14	5	1	4	58	14	10	3	6	9	12	13	12	17	21	3
Other Causes	1630	479	66	16	13	2	576	7	3	2	2	8	17	20	51	208	483	253

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
327.—KEYNSHAM.																		
Mean Popul^n, 1861-71	10796	344	317	298	302	289	1550	1352	1279	1149	818	1298	1064	913	711	455	180	27
TOTAL DEATHS	2187	536	156	71	52	25	840	92	68	62	76	92	107	140	163	241	229	77
Small-pox	8	1	1	-	-	1	3	1	1	2	-	-	-	1	-	-	-	-
Measles	33	6	15	5	2	1	29	3	1	-	-	-	-	-	-	-	-	-
Scarlatina	119	10	15	23	20	14	82	25	8	2	2	-	-	-	-	-	-	-
Diphtheria	6	-	-	-	2	1	3	1	1	-	-	-	-	1	-	-	-	-
Whooping-cough	44	21	11	6	1	1	43	1	-	-	-	-	-	-	-	-	-	-
Typhus	78	-	-	2	8	1	11	10	10	5	13	9	2	9	1	6	2	-
Diarrhœa & Dysentery	66	35	4	1	-	-	40	1	-	-	2	-	1	2	5	5	7	3
Cholera	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	48	7	5	6	4	1	23	4	2	2	2	-	1	-	2	6	6	-
Cancer	22	-	-	-	-	-	-	-	-	-	1	-	3	6	6	4	1	1
Scrofula and Tabes	36	6	4	1	1	1	13	4	7	3	3	3	-	2	-	1	-	-
Phthisis	164	2	-	-	1	-	3	2	6	23	27	27	28	27	19	2	-	-
Hydrocephalus	39	18	13	2	-	-	33	4	2	-	-	-	-	-	-	-	-	-
Dis. of Brain	260	81	12	4	4	-	101	10	5	4	5	13	18	20	18	35	30	1
Dis. of Heart & Dropsy	139	2	-	1	-	1	4	3	2	4	3	7	8	22	28	37	19	2
Dis. of Lungs	359	92	42	10	6	1	151	4	5	5	2	9	12	18	37	62	49	5
Dis. of Stom. and Liver	86	8	1	3	-	-	12	-	1	4	6	6	13	8	14	16	5	1
Dis. of Kidneys	47	-	-	-	-	-	-	-	-	-	1	2	7	4	9	12	11	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Dis. of Joints	11	-	-	-	-	-	-	1	2	-	3	-	-	2	1	1	1	-
Dis. of Skin	6	2	-	-	-	-	2	1	1	1	-	-	1	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	8	-	-	-	-	-	-	-	-	-	1	-	2	1	1	2	1	-
Other Violent Deaths	107	7	4	3	3	2	19	12	13	7	4	15	7	13	9	5	2	1
Other Causes	499	235	28	4	-	-	267	5	1	-	1	1	4	3	13	47	95	62
328.—BEDMINSTER.																		
Mean Popul^n, 1861-71	22686	704	669	613	673	634	3293	2937	2601	2132	1843	3183	2444	1867	1333	736	283	34
TOTAL DEATHS	4800	1287	379	221	136	76	2099	196	98	104	131	265	297	310	357	433	404	106
Small-pox	44	11	6	4	3	2	26	7	1	-	3	4	2	-	-	1	-	-
Measles	125	27	41	28	17	6	119	6	-	-	1	-	-	-	-	-	-	-
Scarlatina	201	14	38	34	32	22	140	45	11	5	-	-	-	-	-	-	-	-
Diphtheria	24	4	2	2	5	2	15	4	4	-	1	-	-	-	-	-	-	-
Whooping-cough	94	47	21	15	3	1	90	4	-	-	-	-	-	-	-	-	-	-
Typhus	153	5	9	9	7	8	38	17	8	9	15	15	16	14	11	4	5	1
Diarrhœa & Dysentery	155	90	16	3	2	1	112	1	-	-	-	2	3	4	3	7	20	3
Cholera	14	-	-	1	2	2	5	-	3	-	2	2	-	1	1	-	-	-
Other Zymotic Dis.	125	15	10	18	9	7	59	14	4	3	2	2	10	6	5	8	12	1
Cancer	43	-	-	1	-	-	1	-	-	-	1	1	1	8	16	12	3	-
Scrofula and Tabes	88	36	9	5	3	1	54	8	8	5	4	4	1	1	2	1	-	-
Phthisis	399	11	6	1	4	-	22	10	7	35	52	88	70	75	30	10	-	-
Hydrocephalus	81	30	23	11	5	2	71	9	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	652	252	32	15	10	5	314	19	8	7	7	19	37	37	56	78	59	11
Dis. of Heart & Dropsy	259	2	1	2	1	4	10	5	4	8	6	25	30	30	45	59	30	7
Dis. of Lungs	856	213	103	41	22	9	388	11	3	7	16	28	44	50	83	108	94	24
Dis. of Stom. and Liver	210	37	4	2	-	-	43	2	7	5	5	11	19	26	39	37	14	2
Dis. of Kidneys	122	-	-	1	-	-	1	3	6	-	3	11	12	14	20	29	22	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Dis. of Joints	25	1	3	-	-	-	4	4	3	1	1	5	3	3	-	1	-	-
Dis. of Skin	21	9	1	-	-	-	10	-	-	1	-	-	-	-	1	5	4	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	22	-	-	-	-	-	-	-	-	-	1	5	2	6	4	4	-	-
Other Violent Deaths	234	13	10	11	8	4	46	24	19	17	9	32	36	18	13	13	5	2
Other Causes	850	470	41	17	3	-	531	3	1	1	1	11	11	17	28	56	136	54

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 upwards.
327.—KEYNSHAM.																		
Mean Populn, 1861-71	11552	311	291	303	306	298	1509	1372	1245	1111	979	1525	1235	1012	765	518	241	40
TOTAL DEATHS	2328	419	137	70	62	50	738	100	61	99	92	151	136	107	158	283	283	120
Small-pox	7	2	1	–	–	–	3	–	1	1	1	1	–	–	–	–	–	–
Measles	22	3	4	8	5	1	21	6	–	–	–	2	–	–	–	–	–	–
Scarlatina	134	7	20	21	19	18	85	39	6	3	–	1	–	–	–	–	–	–
Diphtheria	7	–	–	–	–	3	3	2	1	–	1	–	–	–	–	–	–	–
Whooping-cough	47	26	9	5	3	1	44	3	–	–	–	–	–	–	–	–	–	–
Typhus	86	1	1	2	3	1	8	14	10	16	4	12	7	7	3	4	1	–
Diarrhœa & Dysentery	80	34	9	2	–	1	46	1	–	–	–	2	3	–	–	11	14	3
Cholera	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
Other Zymotic Dis.	47	7	7	4	1	8	27	2	1	–	–	3	1	4	2	5	1	1
Cancer	60	–	–	–	–	1	1	–	–	–	1	2	9	10	19	12	6	–
Scrofula and Tabes	25	8	1	–	1	1	11	3	1	4	3	–	–	–	2	1	–	–
Phthisis	282	1	–	–	2	–	3	4	21	44	58	72	42	23	12	3	–	–
Hydrocephalus	32	7	12	4	1	2	26	2	2	2	–	–	–	–	–	–	–	–
Dis. of Brain	244	56	11	4	6	1	78	5	4	6	6	9	18	9	27	45	28	9
Dis. of Heart & Dropsy	172	2	2	1	1	2	8	1	4	1	5	11	15	17	37	46	23	4
Dis. of Lungs	315	63	32	11	8	4	118	7	3	12	3	4	11	20	23	55	48	11
Dis. of Stom. and Liver	89	2	–	–	1	1	4	–	3	1	1	7	10	5	15	25	14	4
Dis. of Kidneys	23	–	–	–	–	–	–	–	2	2	–	2	2	3	3	7	1	1
Dis. of Gener. Organs	9	–	–	–	1	–	1	–	–	–	–	2	–	2	2	2	–	–
Dis. of Joints	5	–	–	–	–	–	–	1	–	–	–	–	3	–	1	–	–	–
Dis. of Skin	10	4	1	–	–	–	5	1	–	–	–	–	–	–	–	2	2	–
Childbirth and Metria	32	–	–	–	–	–	–	–	–	2	7	13	10	–	–	–	–	–
Suicide	5	–	–	–	–	–	–	–	–	3	–	–	–	1	1	–	–	–
Other Violent Deaths	41	2	5	2	2	3	14	6	1	2	2	2	1	1	4	2	4	2
Other Causes	545	194	22	6	8	2	232	3	1	–	–	6	4	5	7	61	141	85
328.—BEDMINSTER.																		
Mean Populn, 1861-71	24879	736	671	688	636	649	3380	2867	2526	2213	2210	3810	2836	2170	1542	909	355	61
TOTAL DEATHS	4683	1024	381	203	129	90	1827	178	104	144	142	311	275	293	355	441	450	163
Small-pox	34	9	5	4	2	3	24	3	2	–	1	4	–	–	–	1	–	–
Measles	104	29	38	17	16	4	95	7	–	–	1	–	–	–	–	–	–	–
Scarlatina	205	13	41	32	30	23	139	47	13	5	–	–	1	–	–	–	–	–
Diphtheria	36	3	2	3	3	6	17	10	4	3	–	2	–	–	–	–	–	–
Whooping-cough	110	40	36	18	8	6	108	2	–	–	–	–	–	–	–	–	–	–
Typhus	183	8	10	5	11	15	49	26	20	14	14	15	12	8	11	5	8	1
Diarrhœa & Dysentery	134	85	19	4	–	1	109	1	–	1	–	1	2	1	2	2	15	–
Cholera	14	1	–	1	1	1	4	2	1	1	–	2	1	1	–	1	1	–
Other Zymotic Dis.	91	16	17	7	5	6	51	5	1	–	2	2	5	3	7	8	5	2
Cancer	130	1	–	–	–	–	1	–	1	1	1	6	14	42	33	22	8	1
Scrofula and Tabes	82	32	14	4	2	–	52	10	6	6	2	5	–	–	–	1	–	–
Phthisis	442	9	1	4	3	–	17	6	12	65	62	128	91	42	16	2	1	–
Hydrocephalus	71	30	13	11	4	3	61	8	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	571	208	30	20	14	7	279	9	7	10	8	18	15	28	45	81	54	17
Dis. of Heart & Dropsy	343	2	3	1	2	–	8	6	10	10	12	13	31	48	69	83	46	7
Dis. of Lungs	861	184	95	48	16	8	351	21	8	7	13	30	31	48	88	116	122	26
Dis. of Stom. and Liver	217	15	4	3	2	1	25	4	5	7	3	17	24	30	37	35	27	3
Dis. of Kidneys	41	–	–	–	–	1	1	1	1	1	–	3	4	11	10	6	3	–
Dis. of Gener. Organs	35	–	1	–	–	–	1	–	–	–	1	4	4	12	8	3	2	–
Dis. of Joints	29	–	1	2	1	1	5	3	3	6	3	2	1	2	–	3	1	–
Dis. of Skin	9	4	–	–	–	–	4	–	–	–	–	–	–	1	1	1	1	1
Childbirth and Metria	83	–	–	–	–	–	–	–	–	5	11	42	22	–	–	–	–	–
Suicide	9	–	–	–	–	–	–	–	–	1	1	1	1	1	2	2	–	–
Other Violent Deaths	65	9	7	6	2	2	26	5	2	–	–	4	3	3	8	6	7	1
Other Causes	785	335	44	13	7	2	401	2	6	1	4	12	13	12	18	63	149	104

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
329.—BRISTOL.																		
Mean Popul^{n}, 1861–71	29879	876	737	781	737	703	3834	3330	3227	3014	2772	4551	3639	2721	1728	784	247	32
TOTAL DEATHS	8828	2048	808	407	275	199	3737	396	197	255	285	652	703	744	688	667	405	99
Small-pox	71	17	10	5	4	7	43	8	1	3	6	7	2	-	-	1	-	-
Measles	256	41	100	51	35	22	249	6	1	-	-	-	-	-	-	-	-	-
Scarlatina	423	27	58	61	79	53	278	121	14	4	-	5	1	-	-	-	-	-
Diphtheria	57	9	12	11	4	5	41	4	4	3	1	2	-	1	-	1	-	-
Whooping-cough	197	70	70	25	11	12	188	9	-	-	-	-	-	-	-	-	-	-
Typhus	294	5	11	11	17	15	59	45	26	33	31	43	29	13	10	2	2	1
Diarrhœa & Dysentery	351	221	46	14	2	2	285	4	3	-	-	3	4	13	8	15	14	2
Cholera	12	-	2	-	-	-	2	2	1	-	1	-	1	1	2	1	1	-
Other Zymotic Dis.	200	26	41	30	11	15	123	4	5	7	4	10	12	10	11	11	2	1
Cancer	101	-	-	-	-	-	-	-	-	2	2	4	19	20	23	20	10	1
Scrofula and Tabes	169	70	21	19	6	5	121	9	12	9	6	5	2	4	1	-	-	-
Phthisis	555	20	16	10	7	4	57	14	17	75	98	215	188	159	74	26	2	-
Hydrocephalus	186	52	40	17	7	5	121	13	2	-	-	-	-	-	-	-	-	-
Dis. of Brain	926	301	82	45	25	8	461	21	15	15	14	31	51	76	81	95	56	10
Dis. of Heart & Dropsy	401	8	5	2	3	4	22	6	14	10	16	43	52	76	73	66	20	3
Dis. of Lungs	1536	358	181	64	38	16	657	34	7	9	15	58	97	140	173	211	111	24
Dis. of Stom. and Liver	338	33	2	-	3	4	42	7	6	11	8	30	54	57	55	53	11	1
Dis. of Kidneys	224	1	1	5	-	3	10	5	5	3	10	27	31	40	41	37	12	3
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Dis. of Joints	69	2	1	-	3	1	7	11	7	6	7	9	6	4	8	3	1	-
Dis. of Skin	39	11	2	-	-	1	14	1	1	2	2	1	3	1	4	6	4	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	36	-	-	-	-	-	-	-	-	2	2	4	5	9	11	3	-	-
Other Violent Deaths	677	24	28	19	17	10	98	59	47	55	54	96	102	79	45	29	11	2
Other Causes	1359	752	79	18	3	7	859	13	9	6	8	29	44	40	68	87	145	51
330.—CLIFTON.																		
Mean Popul^{n}, 1861–71	49441	1618	1443	1436	1401	1362	7260	6316	5581	4765	4182	7057	5546	4094	2632	1447	500	61
TOTAL DEATHS	11754	3117	1055	522	334	252	5280	533	237	240	260	643	744	782	989	1044	809	193
Small-pox	121	26	15	10	13	12	76	8	2	6	8	10	8	3	-	-	-	-
Measles	294	65	111	45	31	21	273	19	2	-	-	-	-	-	-	-	-	-
Scarlatina	694	61	122	118	99	101	501	168	17	4	2	2	-	-	-	-	-	-
Diphtheria	49	7	4	3	12	3	29	13	2	2	-	-	1	1	1	-	-	-
Whooping-cough	270	117	84	29	26	6	262	7	-	1	-	-	-	-	-	-	-	-
Typhus	424	13	12	15	22	21	83	75	49	28	24	38	39	32	31	16	7	2
Diarrhœa & Dysentery	568	375	57	16	4	-	452	4	4	-	2	6	9	6	18	33	29	5
Cholera	14	3	2	-	1	-	6	1	-	-	1	-	-	1	3	1	1	-
Other Zymotic Dis.	214	33	18	25	16	9	101	19	7	2	4	13	13	12	13	18	10	2
Cancer	124	-	-	-	1	-	1	-	1	-	-	5	12	18	45	28	12	2
Scrofula and Tabes	187	66	28	17	5	1	117	17	17	15	8	6	2	3	-	2	-	-
Phthisis	1246	21	28	14	4	6	73	25	20	86	130	298	275	198	120	20	1	-
Hydrocephalus	208	80	63	17	9	9	178	21	8	1	-	-	-	-	-	-	-	-
Dis. of Brain	1609	505	99	39	21	18	682	39	29	25	16	69	108	120	188	182	130	21
Dis. of Heart & Dropsy	567	6	6	6	2	1	21	16	21	15	10	41	67	81	105	131	54	5
Dis. of Lungs	2089	586	280	108	44	27	1045	32	7	10	12	43	77	131	229	288	187	28
Dis. of Stom. and Liver	394	51	9	5	6	2	73	14	10	12	7	25	28	65	72	57	28	3
Dis. of Kidneys	228	1	-	3	1	1	6	4	2	2	6	25	28	28	44	51	29	3
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Dis. of Joints	40	1	1	1	1	-	4	5	4	3	2	3	4	2	6	6	1	-
Dis. of Skin	37	20	-	1	-	1	22	1	1	-	1	-	1	1	8	-	1	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	39	-	-	-	-	-	-	-	1	1	2	4	6	11	5	7	2	-
Other Violent Deaths	279	12	3	14	8	6	43	34	23	21	19	28	31	26	23	14	8	1
Other Causes	2057	1068	113	36	8	7	1232	11	7	6	6	27	34	43	72	190	309	120
331.—CHIPPING SODBURY.																		
Mean Popul^{n}, 1861–71	9415	255	264	260	257	244	1280	1218	1066	926	675	1083	987	863	667	431	193	26
TOTAL DEATHS	1841	437	109	47	53	36	682	72	40	36	55	86	98	104	152	221	221	71
Small-pox	6	2	-	-	1	-	3	-	-	1	-	1	1	-	-	-	-	-
Measles	17	3	9	1	-	2	15	1	-	1	-	-	-	-	-	-	-	-
Scarlatina	89	7	10	12	17	11	57	23	8	-	1	-	-	-	-	-	-	-
Diphtheria	6	-	1	-	2	1	4	2	-	-	-	-	-	-	-	-	-	-
Whooping-cough	30	9	10	3	1	2	25	4	1	-	-	-	-	-	-	-	-	-
Typhus	72	3	2	2	3	5	15	7	3	9	6	12	4	3	4	7	2	-
Diarrhœa & Dysentery	51	18	2	2	1	2	25	1	1	-	-	-	1	3	7	5	6	2
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	35	8	3	3	4	2	20	-	-	1	1	1	2	1	-	7	2	-
Cancer	21	-	-	-	-	-	-	-	-	-	-	-	3	5	6	5	2	-
Scrofula and Tabes	19	3	4	-	-	-	7	1	2	2	2	2	2	-	1	-	-	-
Phthisis	134	1	1	-	1	-	3	4	5	10	26	33	28	9	11	5	-	-
Hydrocephalus	24	11	6	4	-	-	21	3	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	190	60	8	4	2	1	75	6	2	2	3	5	8	20	14	30	23	2
Dis. of Heart & Dropsy	140	-	2	-	-	-	2	1	-	2	5	5	11	18	25	38	32	1
Dis. of Lungs	238	76	30	10	12	2	130	10	-	3	3	5	14	17	34	43	33	6
Dis. of Stom. and Liver	84	15	1	-	-	1	17	2	2	-	2	4	5	12	15	15	9	1
Dis. of Kidneys	35	-	-	-	-	-	-	-	-	-	-	2	2	2	11	10	5	3
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	6	-	-	1	-	1	2	-	-	-	-	1	-	1	1	1	-	-
Dis. of Skin	5	3	-	-	-	1	4	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	6	-	-	-	-	-	-	-	-	-	-	1	2	-	1	2	-	-
Other Violent Deaths	93	4	6	2	5	4	21	2	14	4	3	11	10	6	10	8	3	1
Other Causes	480	214	14	3	4	1	236	5	2	1	3	3	5	7	12	45	103	58

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
329.—BRISTOL.																		
Mean Popul^n, 1861–71	34466	873	737	780	755	715	3860	3376	3200	3483	3436	5408	4304	3201	2220	1377	517	84
TOTAL DEATHS	8486	1594	733	427	287	167	3208	325	167	215	268	510	579	655	715	858	741	245
Small-pox	81	15	8	9	10	6	48	7	6	3	10	5	2	–	–	–	–	–
Measles	211	30	73	62	23	9	197	12	–	–	–	–	1	1	–	–	–	–
Scarlatina	396	21	59	72	68	57	277	89	15	7	6	1	1	–	–	–	–	–
Diphtheria	62	6	7	10	7	8	38	15	2	1	2	1	1	1	1	–	–	–
Whooping-cough	251	73	81	51	25	12	242	7	2	–	–	–	–	–	–	–	–	–
Typhus	305	4	7	12	26	16	65	33	36	32	28	37	25	20	16	8	4	–
Diarrhœa & Dysentery	372	184	62	14	7	1	268	4	3	–	3	7	4	1	11	27	30	14
Cholera	11	1	–	–	–	–	1	2	–	–	1	2	2	1	2	–	–	–
Other Zymotic Dis.	183	20	29	21	20	10	100	12	7	6	5	7	7	9	12	11	5	2
Cancer	214	–	–	–	–	–	–	–	–	1	3	10	36	74	65	36	13	6
Scrofula and Tabes	141	51	21	21	2	2	97	7	7	4	7	6	4	2	4	1	1	1
Phthisis	875	9	23	7	5	–	44	22	27	75	99	222	196	118	45	23	3	1
Hydrocephalus	77	23	21	9	9	5	67	8	1	–	–	1	–	–	–	–	–	–
Dis. of Brain	924	257	73	25	20	15	390	22	12	16	10	27	43	70	89	141	88	16
Dis. of Heart & Dropsy	490	4	3	1	2	1	11	3	19	19	20	36	49	69	96	100	56	12
Dis. of Lungs	1543	259	149	76	37	13	534	23	7	6	16	42	51	138	198	296	202	33
Dis. of Stom. and Liver	351	17	1	3	3	1	25	11	4	4	16	25	53	51	78	58	23	3
Dis. of Kidneys	129	–	–	–	2	–	2	4	1	3	10	14	20	23	32	18	1	1
Dis. of Gener. Organs	50	–	–	–	–	–	–	–	–	1	4	5	10	14	5	8	2	1
Dis. of Joints	27	2	1	–	–	1	4	2	5	3	1	4	3	3	1	1	–	–
Dis. of Skin	32	5	3	–	1	–	9	–	–	1	1	3	3	3	5	5	1	1
Childbirth and Metria	85	–	–	–	–	–	–	–	–	11	16	32	25	1	–	–	–	–
Suicide	13	–	–	–	–	–	–	–	–	–	1	6	4	1	1	–	–	–
Other Violent Deaths	257	18	27	15	13	6	79	32	8	19	8	7	17	16	12	19	29	11
Other Causes	1376	595	85	19	7	4	710	10	5	3	1	10	21	39	42	109	283	143
330.—CLIFTON.																		
Mean Popul^n, 1861–71	61944	1608	1372	1436	1377	1361	7154	6507	6212	6325	6391	9819	7341	5449	3663	2161	784	138
TOTAL DEATHS	12138	2518	1044	541	328	225	4656	490	306	342	386	672	791	775	965	1304	1055	396
Small-pox	117	30	13	15	10	4	72	9	4	4	6	16	5	1	–	–	–	–
Measles	289	49	101	78	32	12	272	16	–	–	–	1	–	–	–	–	–	–
Scarlatina	667	48	105	116	101	76	447	152	39	13	8	7	–	1	–	–	–	–
Diphtheria	64	8	8	4	6	8	34	15	6	1	–	3	3	1	1	–	–	–
Whooping-cough	320	118	109	36	25	19	307	12	1	–	–	–	–	–	–	–	–	–
Typhus	497	14	16	24	20	20	94	76	66	52	35	33	49	33	30	22	7	–
Diarrhœa & Dysentery	483	291	57	19	7	4	378	6	1	–	1	5	7	11	15	35	17	7
Cholera	12	4	–	–	–	1	5	1	–	–	2	–	–	1	–	3	–	–
Other Zymotic Dis.	230	30	27	24	21	10	112	15	4	3	6	8	9	13	14	22	22	2
Cancer	374	–	1	–	–	–	1	1	1	–	2	9	51	101	95	66	39	8
Scrofula and Tabes	193	59	33	9	7	5	113	11	25	18	8	8	1	6	1	1	1	–
Phthisis	1314	20	27	10	5	4	66	28	60	161	174	308	257	151	84	22	2	1
Hydrocephalus	172	57	42	21	9	11	140	20	10	2	–	–	–	–	–	–	–	–
Dis. of Brain	1504	387	85	26	24	13	535	33	25	18	22	52	90	124	162	242	159	42
Dis. of Heart & Dropsy	711	7	5	4	–	3	19	17	21	21	25	38	76	86	145	182	70	11
Dis. of Lungs	2016	403	285	100	45	20	853	41	13	12	24	44	73	101	202	336	244	73
Dis. of Stom. and Liver	494	46	8	5	2	3	64	11	10	9	16	33	50	72	93	91	37	8
Dis. of Kidneys	120	3	–	–	–	1	4	1	2	4	7	15	7	19	26	26	8	1
Dis. of Gener. Organs	71	1	–	–	–	–	1	–	–	2	1	6	19	17	11	11	3	–
Dis. of Joints	49	2	–	2	–	–	4	7	7	3	5	3	6	3	2	6	3	–
Dis. of Skin	32	8	1	–	–	–	9	–	2	–	–	2	2	2	5	7	3	–
Childbirth and Metria	142	–	–	–	–	–	–	–	–	4	25	57	53	3	–	–	–	–
Suicide	14	–	–	–	–	–	–	–	–	–	1	1	–	5	5	2	–	–
Other Violent Deaths	87	17	13	9	–	2	41	5	1	3	–	2	3	2	7	7	6	10
Other Causes	2166	916	107	39	14	9	1085	13	8	12	18	21	30	22	67	223	434	233
331.—CHIPPING SODBURY.																		
Mean Popul^n, 1861–71	9295	252	252	271	241	225	1241	1177	1021	755	667	1175	1043	875	653	456	201	31
TOTAL DEATHS	1848	337	120	64	55	30	606	86	58	48	64	91	101	100	136	223	253	82
Small-pox	5	1	–	2	–	–	3	–	–	1	–	1	–	–	–	–	–	–
Measles	27	5	8	4	5	2	24	2	1	–	–	–	–	–	–	–	–	–
Scarlatina	114	5	12	17	20	9	63	38	8	3	2	–	–	–	–	–	–	–
Diphtheria	11	–	1	–	2	1	4	4	2	1	–	–	–	–	–	–	–	–
Whooping-cough	35	14	14	2	2	2	34	1	–	–	–	–	–	–	–	–	–	–
Typhus	60	–	1	–	4	–	5	13	9	13	3	2	5	3	2	3	1	1
Diarrhœa & Dysentery	45	17	4	2	–	–	23	1	–	–	1	–	1	2	3	5	7	2
Cholera	3	1	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–
Other Zymotic Dis.	33	6	4	2	1	1	14	–	–	–	–	2	3	3	2	5	3	1
Cancer	45	–	–	–	–	–	–	–	–	1	–	–	4	11	15	10	2	2
Scrofula and Tabes	19	6	2	–	1	–	9	–	–	2	2	2	–	2	1	1	–	–
Phthisis	158	1	2	1	1	–	5	4	12	12	31	37	27	17	9	3	1	–
Hydrocephalus	15	2	5	1	1	–	9	1	3	–	2	–	–	–	–	–	–	–
Dis. of Brain	177	46	7	5	3	2	63	5	2	6	4	3	6	11	18	28	28	3
Dis. of Heart & Dropsy	179	3	1	2	1	–	7	1	6	3	5	3	11	20	32	55	34	2
Dis. of Lungs	296	51	37	15	6	5	114	6	5	2	3	8	13	11	23	61	53	7
Dis. of Stom. and Liver	84	7	1	1	1	–	10	3	3	1	–	6	8	9	14	15	13	–
Dis. of Kidneys	18	–	–	–	–	–	–	–	–	–	–	1	4	1	5	6	1	–
Dis. of Gener. Organs	5	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	1	–
Dis. of Joints	4	–	–	–	–	2	2	–	–	–	–	–	–	1	–	–	1	–
Dis. of Skin	4	2	–	–	–	–	2	–	–	–	1	–	–	–	–	–	1	–
Childbirth and Metria	29	–	–	–	–	–	–	–	–	2	4	15	8	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Deaths	35	7	3	2	4	2	18	4	2	–	1	2	3	–	–	1	3	1
Other Causes	449	163	18	8	3	4	196	3	4	1	5	8	7	8	11	39	104	63

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
332.—THORNBURY.																		
Mean Populn, 1861-71	8508	207	224	236	209	246	1122	1029	913	786	660	1100	946	778	620	381	152	21
TOTAL DEATHS	1515	276	69	39	21	26	431	63	37	36	37	86	90	116	154	195	212	58
Small-pox	4	1	–	–	–	–	1	1	–	–	–	–	1	1	–	–	–	–
Measles	10	3	2	3	–	1	9	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	45	1	7	3	3	10	24	14	4	–	–	–	–	1	1	1	–	–
Diphtheria	5	–	1	–	–	–	1	3	1	–	–	–	–	–	–	–	–	–
Whooping-cough	16	8	3	3	–	2	16	–	–	–	–	–	–	–	–	–	–	–
Typhus	52	2	2	1	2	3	10	8	5	3	2	6	6	3	4	4	–	1
Diarrhœa & Dysentery	29	11	–	2	–	–	13	1	–	–	1	–	–	2	1	4	5	2
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Other Zymotic Dis.	31	3	3	3	–	2	11	2	1	1	–	–	2	4	4	3	3	–
Cancer	18	–	–	–	–	–	–	–	–	–	–	–	–	2	6	5	3	2
Scrofula and Tabes	25	5	6	2	1	1	15	1	1	3	3	1	–	–	1	–	–	–
Phthisis	143	–	5	–	–	1	6	1	8	10	23	31	30	19	9	5	1	–
Hydrocephalus	12	5	4	–	–	–	9	3	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	203	43	7	4	3	1	58	7	4	1	1	9	7	13	30	33	32	8
Dis. of Heart & Dropsy	131	2	–	1	–	–	3	5	3	4	3	9	12	14	30	19	27	2
Dis. of Lungs	224	55	18	10	2	3	88	3	2	2	–	2	10	19	25	37	32	4
Dis. of Stom. and Liver	95	10	–	1	2	1	14	4	2	3	–	6	9	10	18	18	10	1
Dis. of Kidneys	26	1	–	1	–	–	2	–	–	–	–	–	1	4	4	10	5	–
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Dis. of Joints	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
Dis. of Skin	4	1	1	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	5	–	–	–	–	–	–	–	–	–	–	–	1	3	–	1	–	–
Other Violent Deaths	93	8	3	1	5	1	18	7	6	4	4	21	7	13	5	8	1	1
Other Causes	338	117	7	4	3	–	131	2	–	4	–	1	4	8	14	45	92	37
333.—DURSLEY.																		
Mean Populn, 1861-71	6379	162	162	155	169	158	806	804	737	578	415	696	664	595	521	367	175	21
TOTAL DEATHS	1288	222	50	26	14	17	329	34	19	30	26	59	55	84	138	224	214	76
Small-pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Measles	5	1	3	1	–	–	5	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	22	3	2	2	–	3	10	8	3	–	–	–	–	1	–	–	–	–
Diphtheria	6	–	–	1	–	1	2	1	2	–	–	–	–	1	–	–	–	–
Whooping-cough	10	4	3	1	1	1	10	–	–	–	–	–	–	–	–	–	–	–
Typhus	36	1	2	1	2	1	7	4	2	5	3	4	–	4	4	2	1	–
Diarrhœa & Dysentery	33	20	2	–	–	2	24	–	–	–	–	–	–	–	–	7	–	2
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	36	2	2	4	4	2	14	4	2	–	1	1	2	3	4	4	1	–
Cancer	18	–	–	–	–	–	–	–	–	–	–	–	–	3	5	8	2	–
Scrofula and Tabes	32	16	3	1	–	1	21	2	1	–	–	4	2	–	1	–	1	–
Phthisis	94	2	1	–	1	–	4	–	3	12	11	20	18	13	10	3	–	–
Hydrocephalus	10	1	3	1	1	–	6	2	–	–	1	–	1	–	–	–	–	–
Dis. of Brain	190	29	5	5	–	1	40	2	–	3	4	6	7	7	25	47	41	8
Dis. of Heart & Dropsy	84	–	–	–	–	–	–	3	2	–	–	2	3	11	20	25	17	1
Dis. of Lungs	197	46	19	3	1	1	70	2	1	3	2	4	8	12	22	39	24	10
Dis. of Stom. and Liver	92	16	–	–	–	1	17	–	–	2	–	7	3	20	16	21	5	1
Dis. of Kidneys	41	–	–	–	–	–	–	1	–	3	2	3	2	4	5	9	10	2
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	3	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–
Dis. of Skin	3	1	–	–	–	–	1	–	–	–	–	–	1	–	–	–	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	10	–	–	–	–	–	–	–	–	–	–	1	–	–	6	3	–	–
Other Violent Deaths	50	5	2	4	2	1	14	2	3	1	1	6	4	2	5	5	5	2
Other Causes	315	75	3	2	2	1	83	2	–	–	1	1	4	3	15	50	106	50
334.—WESTBURY-ON-SEVERN.																		
Mean Populn, 1861-71	11041	356	293	319	320	271	1559	1415	1345	1111	913	1401	1151	937	687	368	14	12
TOTAL DEATHS	2140	530	134	72	40	45	821	89	54	45	78	109	106	150	209	207	207	65
Small-pox	11	1	–	–	–	1	2	1	1	1	3	2	1	–	–	–	–	–
Measles	44	10	12	4	2	3	31	10	1	–	1	–	1	–	–	–	–	–
Scarlatina	104	8	10	18	7	17	60	33	5	3	1	1	1	–	–	–	–	–
Diphtheria	15	2	–	–	2	2	6	4	3	2	–	–	–	–	–	–	–	–
Whooping-cough	37	18	10	2	4	2	36	1	–	–	–	–	–	–	–	–	–	–
Typhus	74	1	3	3	5	3	15	9	8	5	11	8	3	3	4	8	–	–
Diarrhœa & Dysentery	44	23	8	–	1	1	33	2	–	–	1	1	–	–	2	2	3	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Other Zymotic Dis.	39	4	2	4	3	1	14	3	3	1	1	1	5	2	3	5	1	–
Cancer	25	–	–	–	–	–	–	–	–	–	–	2	–	5	11	6	1	–
Scrofula and Tabes	57	36	5	3	–	–	44	2	2	3	1	3	–	1	1	–	–	–
Phthisis	143	6	1	–	–	1	8	1	5	7	23	39	20	21	13	1	–	–
Hydrocephalus	26	9	7	2	1	2	21	5	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	232	86	10	3	1	3	103	3	1	2	4	7	13	17	33	27	19	3
Dis. of Heart & Dropsy	152	8	1	–	1	1	11	3	2	4	5	4	15	22	32	26	26	2
Dis. of Lungs	378	107	44	18	3	4	176	4	1	5	3	12	19	34	53	45	20	6
Dis. of Stom. and Liver	111	24	5	2	2	–	33	1	4	2	–	6	8	15	18	13	8	3
Dis. of Kidneys	35	–	–	–	–	–	–	–	–	2	1	2	–	7	7	11	5	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	15	–	–	–	–	1	1	–	3	–	2	1	3	2	2	1	–	–
Dis. of Skin	6	1	1	–	–	–	2	–	–	–	–	1	–	–	2	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Deaths	128	–	4	8	5	3	20	5	14	8	12	18	12	19	9	8	2	1
Other Causes	463	186	11	5	3	–	205	2	1	–	4	1	5	2	18	53	122	50

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
332.—THORNBURY.																		
Mean Popul^n, 1861–71	8401	222	232	228	204	213	1099	1038	877	745	661	1091	916	803	593	381	167	30
TOTAL DEATHS	1375	209	56	38	29	12	344	63	30	48	46	76	79	91	117	212	181	88
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	5	–	1	2	–	–	3	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	48	–	6	6	5	3	20	18	6	1	1	1	1	–	–	–	–	–
Diphtheria	14	–	1	1	4	1	7	3	2	–	1	–	1	–	–	–	–	–
Whooping-cough	24	14	4	1	2	–	21	3	–	–	–	–	–	–	–	–	–	–
Typhus	62	–	2	2	4	–	8	9	8	10	5	3	10	3	2	4	–	–
Diarrhœa & Dysentery	24	7	–	1	2	–	10	2	–	–	–	1	1	–	1	4	3	2
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Other Zymotic Dis.	18	1	1	1	1	–	4	3	–	1	1	1	–	1	1	4	1	1
Cancer	45	–	–	–	–	–	–	–	–	–	–	4	5	11	11	11	2	1
Scrofula and Tabes	18	5	2	1	–	–	8	–	–	1	1	3	–	2	3	–	–	–
Phthisis	124	–	–	–	–	–	–	2	8	19	22	28	20	14	7	4	–	–
Hydrocephalus	15	8	3	1	–	–	12	2	–	1	–	–	–	–	–	–	–	–
Dis. of Brain	174	48	12	1	2	–	63	3	2	6	6	8	7	8	12	33	21	5
Dis. of Heart & Dropsy	130	2	1	1	–	–	4	1	3	1	3	6	8	15	25	36	25	3
Dis. of Lungs	194	43	15	14	3	1	76	5	–	4	1	5	8	10	16	33	31	5
Dis. of Stom. and Liver	101	7	1	–	2	3	13	4	1	2	3	5	4	12	22	26	8	1
Dis. of Kidneys	18	1	–	–	–	1	2	2	–	1	1	–	1	4	5	1	1	–
Dis. of Gener. Organs	9	–	–	–	–	–	–	–	–	–	–	1	3	3	1	1	–	–
Dis. of Joints	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Dis. of Skin	6	1	–	–	–	–	1	–	–	–	–	–	–	–	1	1	3	–
Childbirth and Metria	13	–	–	–	–	–	–	–	–	1	1	8	3	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Deaths	20	5	4	1	2	1	13	2	–	–	–	–	1	2	1	–	–	1
Other Causes	311	67	3	5	2	2	79	2	–	–	–	2	5	6	8	54	83	69
333.—DURSLEY.																		
Mean Popul^n, 1861–71	6826	178	140	168	166	152	804	743	680	549	529	854	777	688	553	427	193	29
TOTAL DEATHS	1397	188	49	22	17	11	287	36	30	34	44	77	85	89	127	239	254	95
Small-pox	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	3	–	1	1	1	–	3	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	20	–	2	1	2	5	10	5	4	–	1	–	–	–	–	–	–	–
Diphtheria	10	2	–	–	–	–	2	7	–	1	–	–	–	–	–	–	–	–
Whooping cough	10	3	4	1	1	1	10	–	–	–	–	–	–	–	–	–	–	–
Typhus	39	–	2	2	–	1	5	9	5	4	1	2	1	4	2	4	2	–
Diarrhœa & Dysentery	40	11	3	1	–	–	15	–	–	–	–	–	–	1	6	11	6	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	33	2	2	2	2	–	8	2	1	1	–	1	4	1	6	8	1	–
Cancer	54	–	–	–	–	–	–	–	–	–	–	–	7	13	12	18	4	–
Scrofula and Tabes	29	17	1	1	–	1	20	1	2	3	–	1	–	1	–	1	–	–
Phthisis	118	–	–	–	–	–	–	2	3	12	17	37	23	14	7	1	2	–
Hydrocephalus	11	4	3	1	1	–	9	–	–	–	–	2	–	–	–	–	–	–
Dis. of Brain	144	16	2	1	1	–	20	–	2	5	6	6	5	11	24	36	26	3
Dis. of Heart & Dropsy	125	1	–	–	–	–	1	2	4	1	5	3	5	9	29	35	30	1
Dis. of Lungs	182	37	14	4	5	–	60	1	3	1	2	6	6	11	19	47	23	3
Dis. of Stom. and Liver	72	1	–	3	2	–	6	1	3	–	–	3	8	16	6	15	13	1
Dis. of Kidneys	14	–	–	–	–	–	–	–	–	1	1	2	1	–	1	7	–	1
Dis. of Gener. Organs	9	–	–	–	–	–	–	–	–	–	–	1	4	1	3	–	–	–
Dis. of Joints	7	–	–	–	–	–	–	1	–	1	1	–	1	1	2	–	–	–
Dis. of Skin	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
Childbirth and Metria	34	–	–	–	–	–	–	–	–	–	7	11	13	3	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
Other Violent Deaths	29	3	2	3	2	1	11	5	–	2	–	–	2	–	2	3	4	–
Other Causes	409	90	13	1	–	2	106	–	3	1	3	2	5	3	7	52	142	85
334.—WESTBURY-ON-SEVERN.																		
Mean Popul^n, 1861–71	10381	338	318	328	303	311	1598	1444	1188	833	781	1348	1128	910	603	372	148	28
TOTAL DEATHS	1884	396	148	71	51	42	708	76	43	73	72	115	112	100	135	166	200	84
Small-pox	4	1	–	–	1	–	2	1	–	1	–	–	–	–	–	–	–	–
Measles	28	2	13	3	2	4	24	2	1	–	–	–	1	–	–	–	–	–
Scarlatina	121	3	15	17	21	20	76	30	7	3	2	3	–	–	–	–	–	–
Diphtheria	11	–	1	1	1	1	4	5	1	–	–	1	–	–	–	–	–	–
Whooping-cough	43	19	15	7	2	–	43	–	–	–	–	–	–	–	–	–	–	–
Typhus	85	4	3	1	6	6	20	6	8	10	8	9	4	4	10	3	3	–
Diarrhœa & Dysentery	39	21	6	2	1	–	30	1	–	–	–	–	2	–	–	2	3	1
Cholera	3	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–
Other Zymotic Dis.	39	11	4	5	4	2	26	1	1	–	1	1	1	2	1	2	2	1
Cancer	50	–	–	–	–	–	–	–	–	–	1	2	5	13	21	5	2	1
Scrofula and Tabes	44	19	7	3	1	1	31	3	3	2	3	–	2	–	–	–	–	–
Phthisis	164	2	2	–	1	1	6	4	3	31	34	44	28	10	4	–	–	–
Hydrocephalus	17	3	6	6	–	–	15	2	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	196	77	6	4	2	–	89	4	2	1	3	9	7	10	23	24	19	5
Dis. of Heart & Dropsy	174	10	1	2	1	–	14	1	4	8	3	8	17	21	36	33	25	4
Dis. of Lungs	226	68	40	15	4	4	131	7	3	3	5	7	7	12	14	26	9	2
Dis. of Stom. and Liver	92	9	5	–	–	1	15	2	5	2	2	6	13	13	14	14	6	–
Dis. of Kidneys	18	–	–	–	–	–	–	–	–	2	–	2	3	6	1	2	2	–
Dis. of Gener. Organs	10	–	–	–	–	–	–	–	–	1	1	2	–	2	2	1	1	–
Dis. of Joints	6	–	–	1	–	–	1	–	1	1	1	1	1	–	–	–	–	–
Dis. of Skin	4	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–
Childbirth and Metria	41	–	–	–	–	–	–	–	–	2	7	15	16	1	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–
Other Violent Deaths	33	3	8	1	3	2	17	4	2	1	–	2	–	1	–	–	3	3
Other Causes	433	144	16	3	1	–	164	3	2	3	1	2	2	4	7	53	125	67

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
335.—NEWENT.																		
Mean Populn, 1861–71	6127	160	168	171	169	164	832	752	701	534	452	710	637	603	464	294	128	20
TOTAL DEATHS	1223	278	54	21	23	14	390	37	22	30	25	58	50	101	115	179	149	67
Small-pox	3	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1
Measles	5	1	1	2	–	–	4	–	–	–	–	–	–	1	–	–	–	–
Scarlatina	24	–	4	2	2	3	11	10	1	1	–	1	–	–	–	–	–	–
Diphtheria	6	3	1	–	1	–	5	–	1	–	–	–	–	–	–	–	–	–
Whooping-cough	11	5	3	–	2	–	10	1	–	–	–	–	–	–	–	–	–	–
Typhus	27	1	–	1	3	–	5	3	1	5	3	4	2	2	–	2	–	–
Diarrhœa & Dysentery	23	10	1	–	1	–	12	–	–	1	–	–	–	1	5	2	2	–
Cholera	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–
Other Zymotic Dis.	18	–	1	–	2	3	6	–	3	1	1	–	–	–	1	5	1	–
Cancer	15	–	–	–	–	–	–	–	1	–	–	–	2	3	4	4	1	–
Scrofula and Tabes	9	1	1	–	–	–	2	2	2	–	1	1	–	–	1	–	–	–
Phthisis	112	2	2	–	1	–	5	1	1	9	13	30	22	15	10	5	1	–
Hydrocephalus	14	7	1	1	1	1	11	2	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	136	37	5	2	1	1	46	2	2	2	3	5	1	14	21	17	20	3
Dis. of Heart & Dropsy	85	4	–	–	–	–	4	1	3	1	1	4	3	10	16	30	11	1
Dis. of Lungs	169	41	12	5	4	3	65	4	1	8	1	4	8	17	18	25	17	6
Dis. of Stom. and Liver	59	4	2	1	1	–	8	2	1	1	–	1	2	9	11	18	6	–
Dis. of Kidneys	32	–	1	–	–	–	1	–	–	–	1	1	5	9	5	8	2	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	4	1	1	1	–	–	3	–	–	–	–	–	–	–	–	1	–	–
Dis. of Skin	4	3	–	–	–	–	3	–	–	–	–	–	–	–	–	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	5	–	–	–	–	–	–	–	–	–	–	–	–	4	1	–	–	–
Other Violent Deaths	52	1	4	3	1	3	12	5	3	2	1	5	4	8	8	4	–	–
Other Causes	408	157	14	3	3	–	177	3	1	4	–	1	1	7	14	56	88	56
336.—GLOUCESTER.																		
Mean Populn, 1861–71	18687	542	482	519	507	483	2533	2319	1958	1759	1643	2742	2199	1677	1062	574	199	22
TOTAL DEATHS	4511	1088	276	170	104	73	1711	156	95	125	146	276	375	393	412	435	307	80
Small-pox	28	5	1	3	3	–	12	5	3	–	1	4	3	–	–	–	–	–
Measles	82	14	29	12	14	3	72	8	–	1	–	–	–	–	1	–	–	–
Scarlatina	216	16	26	53	33	30	158	46	8	–	2	2	–	–	–	–	–	–
Diphtheria	30	3	5	3	1	1	13	10	1	–	–	1	1	3	1	–	–	–
Whooping-cough	86	46	20	8	5	4	83	3	–	–	–	–	–	–	–	–	–	–
Typhus	148	–	5	7	7	4	23	16	17	9	12	16	19	11	12	8	4	1
Diarrhœa & Dysentery	261	177	32	9	3	1	222	3	–	2	1	6	2	3	5	8	7	2
Cholera	15	8	1	–	1	–	10	1	–	–	–	–	2	1	–	1	–	–
Other Zymotic Dis.	113	17	10	5	4	4	40	6	3	6	6	8	8	5	14	8	7	2
Cancer	57	–	–	–	–	1	1	–	–	1	–	1	11	10	10	16	5	2
Scrofula and Tabes	91	23	33	7	2	3	68	5	3	1	4	1	4	1	2	2	–	–
Phthisis	410	7	2	1	1	3	14	10	9	39	52	99	72	72	34	8	–	1
Hydrocephalus	60	22	12	8	4	4	50	5	4	–	1	–	–	–	–	–	–	–
Dis. of Brain	759	152	20	15	8	8	203	10	8	14	19	42	99	93	107	103	56	5
Dis. of Heart & Dropsy	271	5	2	1	–	–	8	3	4	2	3	11	31	46	63	72	25	3
Dis. of Lungs	500	146	41	20	8	2	217	6	3	5	8	17	32	39	61	63	45	4
Dis. of Stom. and Liver	183	21	–	1	2	1	25	3	5	9	2	18	18	29	33	29	9	3
Dis. of Kidneys	95	–	1	–	–	–	1	–	5	–	3	7	6	26	20	16	11	–
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Dis. of Joints	26	–	–	–	–	–	–	5	3	4	2	2	3	3	1	1	2	–
Dis. of Skin	14	5	–	–	–	–	5	–	–	–	1	–	3	–	3	1	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	20	–	–	–	–	–	–	–	–	–	–	3	4	5	2	5	1	–
Other Violent Deaths	230	8	8	7	8	2	33	9	15	28	24	32	36	30	22	13	6	2
Other Causes	794	413	28	10	–	2	453	2	4	4	5	6	20	15	21	81	128	55
337.—WHEATENHURST.																		
Mean Populn, 1861–71	3739	113	93	117	90	99	512	480	422	343	262	422	386	356	284	186	78	8
TOTAL DEATHS	690	130	28	14	8	12	192	25	13	14	25	31	41	56	66	90	100	37
Small-pox	3	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	11	1	2	1	–	4	8	2	–	1	–	–	–	–	–	–	–	–
Diphtheria	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–
Whooping-cough	18	9	4	2	1	2	18	–	–	–	–	–	–	–	–	–	–	–
Typhus	22	–	–	–	–	–	–	6	2	1	2	3	1	2	4	–	1	–
Diarrhœa & Dysentery	23	11	2	1	2	1	17	1	–	–	–	–	–	–	–	1	2	2
Cholera	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	11	2	–	–	–	–	2	1	–	–	1	–	1	2	1	3	–	–
Cancer	17	–	–	–	–	–	–	–	–	–	–	–	1	–	7	6	3	–
Scrofula and Tabes	17	4	1	1	1	–	7	–	–	–	3	2	2	–	1	1	1	–
Phthisis	57	1	–	–	1	–	2	–	–	2	10	14	9	8	10	2	–	–
Hydrocephalus	6	2	2	–	–	1	5	1	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	86	19	3	–	1	–	23	4	1	1	–	1	4	10	9	14	15	4
Dis. of Heart & Dropsy	56	1	1	–	–	–	2	1	–	1	2	4	5	11	9	10	9	2
Dis. of Lungs	67	18	6	5	1	–	30	1	–	1	–	–	1	2	4	16	12	–
Dis. of Stom. and Liver	34	4	1	1	–	–	6	–	1	1	1	–	1	6	5	11	–	2
Dis. of Kidneys	27	–	–	–	–	–	–	–	–	2	2	1	2	5	2	8	4	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	3	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–
Dis. of Skin	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
Other Violent Deaths	56	–	3	2	–	4	9	4	8	4	4	4	8	6	5	2	2	–
Other Causes	166	57	3	1	1	–	62	2	1	–	–	1	3	4	7	9	51	26

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
335.—NEWENT.																		
Mean Popul^n, 1861–71	6089	158	161	167	162	146	794	745	663	496	465	762	691	568	459	289	135	22
TOTAL DEATHS	1046	216	41	24	18	8	307	30	32	34	33	58	63	65	85	141	143	55
Small-pox	2	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–
Measles	4	2	–	1	–	–	3	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	23	3	3	4	4	1	15	7	–	–	–	1	–	–	–	–	–	–
Diphtheria	7	–	2	1	–	–	3	3	1	–	–	–	–	–	–	–	–	–
Whooping-cough	17	9	5	2	1	–	17	–	–	–	–	–	–	–	–	–	–	–
Typhus	28	1	–	3	2	1	7	3	5	3	–	2	4	3	–	–	1	–
Diarrhœa & Dysentery	14	3	–	–	1	2	6	–	–	–	–	–	1	–	2	5	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	10	1	–	–	–	1	2	1	1	3	–	2	–	–	1	–	–	–
Cancer	30	–	–	–	–	–	–	–	1	–	–	1	5	6	6	11	–	–
Scrofula and Tabes	5	1	–	–	–	–	1	–	1	1	–	–	1	–	–	–	1	–
Phthisis	134	2	1	–	–	–	3	3	11	16	22	29	23	11	12	4	–	–
Hydrocephalus	9	4	–	2	–	–	6	2	–	1	–	–	–	–	–	–	–	–
Dis. of Brain	95	29	4	–	–	–	33	1	–	3	2	7	4	8	12	16	9	–
Dis. of Heart & Dropsy	94	1	1	–	–	–	2	1	–	1	2	5	6	15	22	24	12	4
Dis. of Lungs	109	23	15	2	4	1	45	2	6	4	1	2	5	8	13	14	7	2
Dis. of Stom. and Liver	43	5	2	–	–	–	7	–	1	–	1	1	1	7	3	12	10	–
Dis. of Kidneys	3	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	3	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–
Dis. of Skin	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Childbirth and Metria	14	–	–	–	–	–	–	–	–	1	2	4	7	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Other Violent Deaths	8	1	–	–	1	–	2	2	1	–	–	1	1	–	–	–	–	1
Other Causes	391	131	8	9	4	1	153	4	3	1	3	2	2	5	13	55	102	48
336.—GLOUCESTER.																		
Mean Popul^n, 1861–71	19609	540	501	513	503	472	2529	2250	1986	1869	1856	2891	2300	1717	1174	706	282	49
TOTAL DEATHS	4100	910	262	158	97	71	1498	137	89	131	135	302	257	270	326	432	387	136
Small-pox	14	2	3	3	2	–	10	1	–	–	–	1	1	–	–	1	–	–
Measles	91	14	31	19	11	6	81	8	1	–	1	–	–	–	–	–	–	–
Scarlatina	204	17	25	39	35	31	147	48	3	1	3	2	–	–	–	–	–	–
Diphtheria	28	2	3	3	2	2	12	6	7	2	–	–	1	–	–	–	–	–
Whooping-cough	101	37	35	15	6	5	98	3	–	–	–	–	–	–	–	–	–	–
Typhus	140	6	2	7	6	3	24	12	13	18	16	19	12	9	5	3	5	4
Diarrhœa & Dysentery	197	127	26	10	1	1	165	2	–	–	1	3	2	4	6	5	6	3
Cholera	7	6	–	–	–	–	6	–	–	–	1	–	–	–	–	–	–	–
Other Zymotic Dis.	85	15	6	4	4	3	32	3	5	4	3	3	4	6	10	6	7	2
Cancer	115	–	–	–	–	1	1	–	2	–	1	9	10	25	28	24	14	1
Scrofula and Tabes	97	36	18	6	4	3	67	5	5	4	3	4	3	4	–	1	1	–
Phthisis	441	2	1	1	1	1	6	11	18	57	65	123	80	40	31	9	1	–
Hydrocephalus	49	21	8	5	5	2	41	5	2	1	–	–	–	–	–	–	–	–
Dis. of Brain	591	133	17	9	4	3	166	8	14	11	11	40	44	65	62	90	63	14
Dis. of Heart & Dropsy	317	2	2	1	–	–	5	3	6	5	3	24	27	43	60	87	48	6
Dis. of Lungs	448	110	45	22	8	3	188	8	2	10	4	8	12	16	56	72	58	14
Dis. of Stom. and Liver	178	18	5	1	3	2	29	1	1	4	8	14	15	32	31	29	13	1
Dis. of Kidneys	27	–	–	–	–	–	–	–	–	2	–	4	6	2	8	4	1	–
Dis. of Gener. Organs	35	–	–	–	–	–	–	–	–	–	–	5	12	9	6	2	1	–
Dis. of Joints	17	1	–	2	1	–	4	1	–	3	1	4	–	2	–	2	–	–
Dis. of Skin	9	6	–	–	–	–	6	–	–	–	–	–	1	1	–	1	–	–
Childbirth and Metria	58	–	–	–	–	–	–	–	–	4	9	31	14	–	–	–	–	–
Suicide	8	–	–	–	–	–	–	–	–	1	1	1	1	1	2	1	–	–
Other Violent Deaths	66	9	5	4	3	4	25	9	5	3	1	4	3	2	4	4	5	1
Other Causes	777	346	30	7	1	1	385	3	5	1	3	3	9	9	17	91	161	90
337.—WHEATENHURST.																		
Mean Popul^n, 1861–71	4072	96	110	112	104	88	510	501	424	362	339	521	445	396	288	180	91	15
TOTAL DEATHS	612	101	32	13	14	9	169	12	12	23	20	42	29	40	46	75	106	38
Small-pox	3	2	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–
Measles	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	16	2	1	3	3	2	11	4	–	1	–	–	–	–	–	–	–	–
Diphtheria	6	–	1	–	2	–	3	2	–	1	–	–	–	–	–	–	–	–
Whooping-cough	15	8	3	1	3	–	15	–	–	–	–	–	–	–	–	–	–	–
Typhus	20	–	–	–	–	2	2	4	2	1	1	3	1	1	3	1	1	–
Diarrhœa & Dysentery	15	9	3	–	1	–	13	–	–	–	–	–	–	–	–	2	–	–
Cholera	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	15	5	3	–	–	–	8	–	–	1	–	–	–	–	–	4	2	–
Cancer	32	–	–	–	–	–	–	–	–	–	–	1	3	7	6	6	8	1
Scrofula and Tabes	17	3	5	3	1	–	12	1	1	1	–	–	2	–	–	–	–	–
Phthisis	74	–	2	–	–	–	2	–	2	15	17	16	8	8	4	2	–	–
Hydrocephalus	6	1	–	2	–	–	3	–	2	1	–	–	–	–	–	–	–	–
Dis. of Brain	85	7	3	–	3	–	13	–	3	–	1	5	8	3	11	21	17	3
Dis. of Heart & Dropsy	58	–	–	–	–	–	–	1	2	–	–	3	3	5	12	15	16	1
Dis. of Lungs	60	14	4	2	1	–	21	–	–	1	1	3	–	2	3	8	17	4
Dis. of Stom. and Liver	32	5	–	–	–	–	5	–	–	–	–	2	–	6	3	5	6	5
Dis. of Kidneys	12	–	–	–	–	1	1	–	–	–	–	3	1	2	2	3	–	–
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
Dis. of Joints	3	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–
Dis. of Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	7	–	–	–	–	–	–	–	–	–	–	4	2	1	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Other Violent Deaths	7	1	1	–	–	2	4	–	–	–	–	–	–	1	1	1	–	–
Other Causes	124	43	6	1	–	2	52	–	–	1	–	–	1	3	–	5	38	21

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
338.—STROUD.																		
Mean Popul^n, 1861-71	17501	514	471	503	459	471	2418	2136	1932	1676	1296	2095	1846	1571	1306	871	315	39
TOTAL DEATHS	3860	891	224	124	76	53	1368	153	92	80	99	201	199	201	374	523	428	142
Small-pox	7	1	–	–	–	–	1	–	–	–	2	3	1	–	–	–	–	–
Measles	41	10	12	8	3	8	36	3	1	1	–	–	–	–	–	–	–	–
Scarlatina	118	5	11	23	20	19	78	31	9	–	–	–	–	–	–	–	–	–
Diphtheria	22	–	2	3	1	2	8	8	2	1	–	–	2	–	1	–	–	–
Whooping-cough	51	22	18	8	1	–	49	2	–	–	–	–	–	–	–	–	–	–
Typhus	110	4	–	3	2	3	12	18	12	14	9	17	2	8	12	3	3	–
Diarrhœa & Dysentery	105	74	3	2	–	1	80	3	–	–	1	–	–	–	1	10	8	2
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Other Zymotic Dis.	100	8	3	12	19	6	48	10	3	–	1	6	7	2	9	7	5	2
Cancer	45	–	–	–	–	–	–	–	1	1	–	2	4	8	8	13	7	1
Scrofula and Tabes	124	58	16	6	1	4	85	7	7	4	4	7	2	3	2	2	1	–
Phthisis	287	9	6	–	–	–	15	5	8	26	39	87	56	25	19	6	1	–
Hydrocephalus	40	15	12	4	2	1	34	1	2	2	–	1	–	–	–	–	–	–
Dis. of Brain	528	102	27	8	6	4	147	8	9	5	10	13	23	27	87	106	77	16
Dis. of Heart & Dropsy	307	3	–	1	1	1	6	7	7	4	5	11	22	29	73	86	49	8
Dis. of Lungs	689	174	70	27	9	7	287	11	5	3	8	19	33	47	63	112	82	16
Dis. of Stom. and Liver	179	20	2	3	–	–	25	12	5	5	2	8	15	15	37	43	10	2
Dis. of Kidneys	85	–	–	–	1	1	2	2	–	–	1	4	8	5	13	30	18	2
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Dis. of Joints	14	–	1	–	1	–	2	2	1	3	1	1	1	1	2	–	–	–
Dis. of Skin	11	6	1	–	–	–	7	–	–	–	–	–	–	–	2	2	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	15	–	–	–	–	–	–	–	–	–	1	1	2	4	4	3	–	–
Other Violent Deaths	165	8	6	8	7	1	30	19	19	11	14	14	12	17	14	11	4	–
Other Causes	814	372	34	8	2	–	416	4	1	–	1	7	7	10	23	89	163	93
339.—TETBURY.																		
Mean Popul^n, 1861-71	3027	74	88	82	86	75	405	390	377	303	223	346	319	282	205	116	51	10
TOTAL DEATHS	567	101	32	28	6	12	179	32	18	15	15	37	25	33	40	82	66	25
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	14	4	4	4	–	2	14	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	29	3	2	4	3	5	17	8	2	–	–	–	–	2	–	–	–	–
Diphtheria	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	8	4	3	1	–	–	8	–	–	–	–	–	–	–	–	–	–	–
Typhus	29	6	2	–	2	–	10	6	3	2	–	2	3	–	2	1	–	–
Diarrhœa & Dysentery	12	5	–	–	–	1	6	–	1	1	–	–	–	–	–	4	–	–
Cholera	3	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–
Other Zymotic Dis.	11	–	2	–	–	1	3	2	–	–	–	1	–	1	1	2	1	–
Cancer	10	–	–	–	–	–	–	–	–	–	–	–	–	4	1	2	3	–
Scrofula and Tabes	22	4	5	4	–	–	13	4	3	1	–	–	–	–	–	1	–	–
Phthisis	54	1	–	2	–	–	3	1	3	4	7	17	10	7	1	1	–	–
Hydrocephalus	7	3	2	–	–	–	5	2	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	72	13	2	5	–	1	21	3	1	–	–	2	3	2	7	18	13	2
Dis. of Heart & Dropsy	53	–	–	1	–	1	2	1	1	3	4	3	1	4	7	16	7	4
Dis. of Lungs	93	24	5	5	–	1	35	3	–	–	1	2	3	4	9	16	16	4
Dis. of Stom. and Liver	22	–	1	1	–	–	2	–	–	–	1	4	1	3	5	4	2	–
Dis. of Kidneys	10	–	–	–	–	–	–	–	–	–	–	–	–	1	3	4	2	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	3	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–
Dis. of Skin	2	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Other Violent Deaths	17	–	1	1	–	–	2	1	2	2	2	1	4	–	1	2	–	–
Other Causes	93	34	3	–	–	–	37	1	–	1	–	2	–	3	2	11	21	15
340.—CIRENCESTER.																		
Mean Popul^n, 1861-71	10454	307	265	283	278	257	1390	1286	1167	1099	759	1237	1106	989	759	464	174	24
TOTAL DEATHS	1912	422	98	54	37	32	643	73	40	45	37	93	117	114	181	260	233	76
Small-pox	4	–	–	–	1	–	1	–	–	1	–	–	1	1	–	–	–	–
Measles	16	2	6	3	–	3	14	1	1	–	–	–	–	–	–	–	–	–
Scarlatina	76	4	8	8	15	12	47	21	4	3	1	–	–	–	–	–	–	–
Diphtheria	15	2	2	2	1	2	9	3	2	–	–	–	–	–	1	–	–	–
Whooping-cough	17	10	2	3	2	–	17	–	–	–	–	–	–	–	–	–	–	–
Typhus	33	–	3	1	–	–	4	2	5	5	2	1	4	4	4	–	2	–
Diarrhœa & Dysentery	40	23	5	2	–	–	30	–	–	–	–	–	–	1	–	2	4	3
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	31	6	1	2	–	2	11	2	1	3	1	1	1	2	–	3	4	2
Cancer	30	–	–	–	–	–	–	–	–	1	1	1	2	1	7	13	4	–
Scrofula and Tabes	46	13	7	2	2	3	27	5	1	3	1	4	2	1	2	–	–	–
Phthisis	174	–	–	–	–	–	–	8	4	13	20	50	36	25	16	6	1	–
Hydrocephalus	29	13	6	4	–	2	25	2	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	248	47	7	5	1	1	61	7	8	3	3	8	9	19	31	48	46	5
Dis. of Heart & Dropsy	172	1	–	1	1	–	3	2	1	1	2	3	6	13	37	67	30	7
Dis. of Lungs	328	115	24	11	7	6	163	7	2	2	3	9	10	22	39	39	29	3
Dis. of Stom. and Liver	109	13	2	4	1	–	20	2	2	5	1	2	16	10	18	22	9	2
Dis. of Kidneys	54	–	–	–	–	–	–	4	1	1	1	3	4	4	7	15	13	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	7	1	1	1	–	–	3	–	1	–	–	–	1	–	1	1	–	–
Dis. of Skin	7	1	–	–	–	–	1	1	–	–	–	–	2	–	1	–	2	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–
Other Violent Deaths	73	7	2	2	3	–	14	8	5	3	–	8	14	6	6	7	2	–
Other Causes	399	164	22	3	3	1	193	3	–	1	–	3	8	5	9	37	87	53

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
338.—STROUD.																		
Mean Popul^n, 1861–71	20401	528	494	491	480	466	2459	2198	2067	2002	1816	2822	2339	1872	1451	962	355	58
TOTAL DEATHS	4037	700	237	137	73	40	1187	143	95	126	135	245	238	228	386	567	504	183
Small-pox	12	1	–	–	–	1	2	–	–	2	2	4	2	–	–	–	–	–
Measles	35	4	15	9	3	1	32	2	–	1	–	–	–	–	–	–	–	–
Scarlatina	127	3	19	27	18	7	74	35	13	1	–	2	2	–	–	–	–	–
Diphtheria	36	2	3	2	7	2	16	13	1	1	–	3	–	–	–	–	2	–
Whooping-cough	54	29	12	5	6	2	54	–	–	–	–	–	–	–	–	–	–	–
Typhus	106	3	2	4	2	1	12	13	14	13	10	11	9	2	7	12	2	1
Diarrhœa & Dysentery	103	54	12	5	–	–	71	2	–	1	1	3	2	–	4	9	9	1
Cholera	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
Other Zymotic Dis.	67	7	13	3	6	2	31	10	1	1	3	5	3	1	4	5	2	1
Cancer	126	–	–	–	–	–	–	–	–	–	–	4	18	23	43	25	11	2
Scrofula and Tabes	120	53	12	8	3	–	76	7	8	9	5	6	5	2	1	–	–	1
Phthisis	406	10	6	5	1	1	23	11	24	64	71	105	61	32	8	7	–	–
Hydrocephalus	39	17	7	4	–	1	29	6	2	1	1	–	–	–	–	–	–	–
Dis. of Brain	479	72	19	14	2	7	114	16	3	6	8	21	20	31	68	99	77	16
Dis. of Heart & Dropsy	440	1	–	2	2	–	5	2	11	4	5	15	32	52	94	149	64	7
Dis. of Lungs	637	117	83	35	11	7	253	12	4	2	8	12	16	33	74	131	78	14
Dis. of Stom. and Liver	201	18	3	1	1	2	25	2	3	6	4	13	13	21	50	42	17	2
Dis. of Kidneys	29	–	1	–	2	–	3	–	–	2	2	5	8	4	2	2	1	–
Dis. of Gener. Organs	33	–	–	–	–	–	–	–	–	1	–	7	5	7	9	4	–	–
Dis. of Joints	21	1	–	–	–	–	1	–	2	4	–	3	5	4	–	2	–	–
Dis. of Skin	12	4	1	1	–	–	6	–	1	–	–	–	1	1	2	–	1	–
Childbirth and Metria	58	–	–	–	–	–	–	–	–	1	12	21	22	2	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–
Other Violent Deaths	61	2	3	4	6	6	21	7	3	5	2	3	3	6	1	3	6	1
Other Causes	850	302	26	8	3	–	339	5	4	1	1	2	11	3	13	75	231	137
339.—TETBURY.																		
Mean Popul^n, 1861–71	3094	83	69	74	76	86	388	372	351	282	244	393	373	298	198	134	48	13
TOTAL DEATHS	596	98	35	20	11	5	169	16	16	11	23	27	39	39	64	76	87	29
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	4	–	2	2	–	–	4	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	24	2	1	5	4	2	14	5	5	–	–	–	–	–	–	–	–	–
Diphtheria	4	–	–	–	–	–	–	–	2	1	–	–	1	–	–	–	–	–
Whooping-cough	11	5	2	1	2	–	10	1	–	–	–	–	–	–	–	–	–	–
Typhus	39	10	2	3	1	1	17	3	3	2	1	1	3	–	3	5	1	–
Diarrhœa & Dysentery	7	1	–	–	–	–	1	–	–	–	–	–	–	–	1	4	1	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	16	–	2	3	1	–	6	1	2	1	1	1	1	–	2	–	–	1
Cancer	11	–	–	–	–	–	–	–	–	–	–	–	–	5	5	–	1	–
Scrofula and Tabes	12	2	2	–	–	–	4	1	1	1	–	1	2	–	1	1	–	–
Phthisis	55	2	1	–	–	–	3	2	1	1	10	12	15	7	3	1	–	–
Hydrocephalus	7	3	2	1	1	–	7	–	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	90	12	7	1	2	1	23	1	1	1	3	1	4	5	13	19	16	3
Dis. of Heart & Dropsy	69	–	–	–	–	–	–	–	–	2	3	4	3	8	16	16	14	3
Dis. of Lungs	98	27	10	3	–	1	41	1	1	2	1	1	2	5	9	14	13	3
Dis. of Stom. and Liver	31	3	–	–	–	–	3	1	–	–	2	2	3	7	5	2	4	2
Dis. of Kidneys	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
Dis. of Gener. Organs	3	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–
Dis. of Joints	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Skin	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	8	–	–	–	–	–	–	–	–	–	2	3	2	1	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Deaths	9	1	–	1	–	–	2	–	–	–	–	–	1	–	2	1	1	2
Other Causes	95	29	4	–	–	–	33	–	–	–	–	–	1	1	3	11	31	15
340.—CIRENCESTER.																		
Mean Popul^n, 1861–71	10695	275	285	275	256	259	1350	1307	1140	966	814	1480	1216	1028	717	459	188	30
TOTAL DEATHS	1932	334	106	62	37	34	573	64	48	56	68	128	128	123	178	261	231	74
Small-pox	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Measles	18	2	2	5	2	2	13	1	2	–	1	–	–	1	–	–	–	–
Scarlatina	66	2	6	13	6	8	35	21	4	3	–	3	–	–	–	–	–	–
Diphtheria	20	1	2	3	2	2	10	5	5	–	–	–	–	–	–	–	–	–
Whooping-cough	30	13	10	2	–	2	27	1	2	–	–	–	–	–	–	–	–	–
Typhus	41	–	1	2	3	1	7	7	6	3	4	3	1	1	2	5	2	–
Diarrhœa & Dysentery	34	11	2	3	2	–	18	1	1	1	–	2	2	1	–	2	6	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	36	7	2	3	1	3	16	4	2	–	–	1	–	3	1	6	3	–
Cancer	83	–	–	–	–	–	–	–	–	1	–	3	16	20	23	11	6	3
Scrofula and Tabes	36	11	2	2	1	1	17	4	1	4	2	2	1	1	2	2	–	–
Phthisis	206	–	1	–	1	2	4	1	10	27	33	54	37	20	10	10	–	–
Hydrocephalus	13	5	4	2	1	–	12	–	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	221	47	17	7	4	2	77	1	4	4	3	5	6	17	27	42	32	3
Dis. of Heart & Dropsy	208	3	–	–	–	–	3	2	4	4	2	8	8	23	47	72	32	3
Dis. of Lungs	251	76	27	13	10	7	133	5	1	2	3	8	11	12	17	38	18	3
Dis. of Stom. and Liver	133	10	5	1	3	1	20	5	1	2	9	10	11	7	23	30	15	–
Dis. of Kidneys	21	–	–	–	–	–	–	2	–	1	–	2	4	2	4	5	1	–
Dis. of Gener. Organs	14	–	–	–	–	–	–	–	–	–	1	–	3	4	3	1	2	–
Dis. of Joints	9	1	1	–	–	–	2	1	2	–	–	1	2	1	–	–	–	–
Dis. of Skin	6	–	–	–	–	–	–	–	–	–	–	1	–	1	2	2	–	–
Childbirth and Metria	51	–	–	–	–	–	–	–	–	3	8	21	19	–	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–
Other Violent Deaths	26	1	–	–	–	1	2	2	–	1	1	1	1	4	7	3	2	2
Other Causes	405	144	24	6	1	2	177	1	1	–	–	3	5	5	10	32	111	60

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
341.—NORTHLEACH.																		
Mean Popul^n, 1861–71	5528	161	143	143	144	149	740	678	627	572	418	637	578	509	402	250	106	11
TOTAL DEATHS	961	222	52	29	14	12	329	33	17	27	21	50	38	59	94	131	126	36
Small-pox	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
Measles	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	17	2	3	2	1	2	10	7	–	–	–	–	–	–	–	–	–	–
Diphtheria	8	–	–	1	2	1	4	3	1	–	–	–	–	–	–	–	–	–
Whooping-cough	10	3	2	2	1	–	8	1	1	–	–	–	–	–	–	–	–	–
Typhus	26	–	–	–	–	–	–	3	5	5	1	3	–	2	6	1	–	–
Diarrhœa & Dysentery	13	3	3	–	–	–	6	1	–	–	–	–	–	–	1	4	–	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	7	–	–	2	–	1	3	–	1	–	–	–	–	–	–	2	1	–
Cancer	7	–	–	1	–	–	1	–	–	–	–	–	1	2	2	–	1	–
Scrofula and Tabes	11	3	1	1	–	–	5	–	–	1	–	2	–	1	2	–	–	–
Phthisis	98	3	1	–	–	–	4	1	1	13	11	27	16	16	7	2	–	–
Hydrocephalus	15	8	1	1	2	–	12	3	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	139	33	6	4	3	1	47	3	2	1	2	4	5	8	22	24	17	4
Dis. of Heart & Dropsy	97	4	–	1	–	–	5	–	1	–	1	5	7	8	17	35	17	1
Dis. of Lungs	121	48	12	6	4	3	73	3	–	1	2	–	2	6	13	8	12	1
Dis. of Stom. and Liver	38	5	2	1	–	–	8	1	–	1	2	3	1	5	6	10	1	–
Dis. of Kidneys	10	–	–	1	–	–	1	–	–	–	–	1	1	–	–	5	2	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Dis. of Skin	2	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–
Other Violent Deaths	34	2	1	5	–	2	10	3	3	4	1	3	1	4	2	1	2	–
Other Causes	301	108	19	1	1	2	131	3	1	1	1	1	3	6	16	36	73	29
342.—STOW-ON-THE-WOLD.																		
Mean Popul^n, 1861–71	4873	125	125	134	129	129	642	606	518	466	349	617	520	453	371	235	87	9
TOTAL DEATHS	966	192	61	29	19	21	322	35	20	28	24	45	57	56	89	118	138	34
Small-pox	4	1	–	–	–	–	1	–	–	–	–	–	1	2	–	–	–	–
Measles	13	–	8	1	1	2	12	–	–	–	–	–	–	1	–	–	–	–
Scarlatina	17	3	5	2	2	1	13	4	–	–	–	–	–	–	–	–	–	–
Diphtheria	28	2	1	4	3	4	14	8	3	1	–	1	–	–	1	–	–	–
Whooping-cough	10	5	–	2	1	1	9	1	–	–	–	–	–	–	–	–	–	–
Typhus	35	1	–	–	2	–	3	6	5	4	4	3	2	2	4	2	–	–
Diarrhœa & Dysentery	19	7	4	2	1	2	16	–	–	–	–	–	1	1	1	–	–	–
Cholera	6	2	–	1	1	1	5	–	–	–	–	–	–	–	–	1	–	–
Other Zymotic Dis.	18	2	1	1	–	5	9	1	–	–	1	2	–	1	4	–	–	–
Cancer	11	–	–	–	–	–	–	–	–	–	–	–	1	1	1	5	3	–
Scrofula and Tabes	19	5	5	–	–	–	10	1	–	1	1	2	–	2	–	2	–	–
Phthisis	86	2	–	–	1	–	3	2	2	14	14	18	18	7	6	2	–	–
Hydrocephalus	12	5	4	2	1	–	12	–	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	116	19	7	1	5	2	34	3	–	1	1	2	5	9	17	25	16	3
Dis. of Heart & Dropsy	76	1	–	–	–	–	1	3	1	–	1	3	6	6	17	22	16	–
Dis. of Lungs	109	30	14	4	–	1	49	3	–	1	–	5	4	10	15	12	8	2
Dis. of Stom. and Liver	39	7	1	1	–	–	9	–	2	2	–	1	5	5	9	6	–	–
Dis. of Kidneys	23	–	1	–	–	–	1	–	1	–	–	1	3	1	5	7	7	2
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	3	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–
Dis. of Skin	4	1	–	–	–	–	1	–	–	–	–	–	1	–	–	1	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Other Violent Deaths	45	1	4	1	1	2	9	3	6	4	1	3	4	5	2	6	1	1
Other Causes	267	98	6	7	–	–	111	–	–	–	–	2	5	3	7	27	86	26
343.—WINCHCOMB.																		
Mean Popul^n, 1861–71	5174	141	138	144	133	134	690	628	548	477	368	663	573	489	363	264	97	14
TOTAL DEATHS	912	194	46	26	14	21	301	30	16	20	19	42	47	55	72	152	126	32
Small-pox	6	–	–	–	–	1	1	–	–	1	–	–	–	–	1	3	–	–
Measles	16	3	4	4	1	2	14	1	1	–	–	–	–	–	–	–	–	–
Scarlatina	25	2	5	2	3	5	17	6	1	–	1	–	–	–	–	–	–	–
Diphtheria	4	–	–	1	–	–	1	2	1	–	–	–	–	–	–	–	–	–
Whooping-cough	5	3	1	1	–	–	5	–	–	–	–	–	–	–	–	–	–	–
Typhus	19	–	–	2	1	2	5	3	2	2	–	4	1	–	1	1	–	–
Diarrhœa & Dysentery	12	8	1	1	–	–	10	–	1	–	–	–	–	–	–	1	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	33	6	–	2	3	3	14	5	2	3	1	–	2	–	2	3	1	–
Cancer	12	–	–	–	–	–	–	–	–	–	–	1	1	2	5	3	–	–
Scrofula and Tabes	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Phthisis	88	4	1	1	1	1	8	–	3	4	6	18	16	16	8	8	1	–
Hydrocephalus	13	5	3	1	2	1	12	–	–	–	–	–	1	–	–	–	–	–
Dis. of Brain	136	41	1	4	1	1	48	–	1	1	2	3	6	7	16	30	18	4
Dis. of Heart & Dropsy	85	1	–	1	–	–	2	–	–	2	6	2	6	9	16	29	12	1
Dis. of Lungs	87	16	11	2	1	3	33	6	2	1	2	5	6	4	4	14	10	–
Dis. of Stom. and Liver	54	6	3	–	1	1	11	–	2	1	–	1	2	9	8	14	5	1
Dis. of Kidneys	11	–	–	–	–	–	–	–	–	–	–	2	–	1	1	4	2	1
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Dis. of Joints	3	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–
Dis. of Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–
Other Violent Deaths	19	–	1	1	–	–	2	3	–	1	–	3	3	1	2	2	2	–
Other Causes	279	99	15	2	–	1	117	3	–	3	1	3	2	5	6	40	74	25

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
341.—NORTHLEACH.																		
Mean Popul^n, 1861–71	5211	147	147	157	132	139	722	655	580	418	405	667	600	471	363	228	89	13
TOTAL DEATHS	923	190	49	14	11	6	270	38	20	26	30	59	57	63	80	115	122	43
Small-pox	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Measles	6	2	2	–	–	–	4	1	1	–	–	–	–	–	–	–	–	–
Scarlatina	12	–	3	1	–	–	4	6	–	1	–	1	–	–	–	–	–	–
Diphtheria	10	–	1	–	–	1	2	6	1	–	–	–	–	1	–	–	–	–
Whooping-cough	9	5	2	1	–	1	9	–	–	–	–	–	–	–	–	–	–	–
Typhus	17	–	–	1	1	–	2	1	5	1	2	2	–	2	1	1	–	–
Diarrhœa & Dysentery	5	1	–	1	–	–	2	2	–	–	–	–	1	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	9	2	–	–	1	1	4	4	–	–	–	–	–	–	–	1	–	–
Cancer	25	–	–	–	–	–	–	–	1	–	–	1	2	10	8	1	2	–
Scrofula and Tabes	14	5	1	1	–	–	7	2	1	2	–	1	–	–	–	1	–	–
Phthisis	103	1	–	–	1	1	3	1	6	15	20	29	18	7	2	2	–	–
Hydrocephalus	8	1	5	–	–	–	6	1	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	118	33	8	–	3	–	44	1	–	–	2	4	5	11	16	16	17	2
Dis. of Heart & Dropsy	122	–	–	–	1	1	2	4	3	–	3	4	8	19	24	37	16	2
Dis. of Lungs	107	39	15	3	1	1	59	4	1	2	–	3	6	4	8	14	6	–
Dis. of Stom. and Liver	32	2	–	–	–	–	2	2	–	–	2	3	2	3	8	4	6	–
Dis. of Kidneys	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	3	–	–	–	1	–	1	–	–	–	–	1	–	1	–	–	–	–
Dis. of Skin	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
Childbirth and Metria	14	–	–	–	–	–	–	–	–	2	–	6	6	–	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Other Violent Deaths	8	1	1	1	–	–	3	2	–	–	–	–	1	1	–	–	–	1
Other Causes	293	98	11	5	2	–	116	1	–	1	1	4	8	3	12	36	74	37
342.—STOW-ON-THE-WOLD.																		
Mean Popul^n, 1861–71	4781	147	117	111	123	116	614	583	520	401	388	619	548	471	339	207	78	13
TOTAL DEATHS	953	187	44	31	14	16	292	24	31	32	34	60	59	45	91	117	132	36
Small-pox	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Measles	15	4	3	7	–	–	14	–	1	–	–	–	–	–	–	–	–	–
Scarlatina	8	1	–	1	1	1	4	4	–	–	–	–	–	–	–	–	–	–
Diphtheria	40	2	6	5	3	5	21	7	10	–	1	–	–	–	–	1	–	–
Whooping-cough	14	8	2	3	1	–	14	–	–	–	–	–	–	–	–	–	–	–
Typhus	35	1	–	1	–	2	4	6	5	3	2	3	6	2	1	2	1	–
Diarrhœa & Dysentery	13	6	1	1	–	–	8	–	–	1	–	–	1	–	–	3	–	–
Cholera	5	2	1	–	–	–	3	–	–	–	–	–	–	–	–	2	–	–
Other Zymotic Dis.	15	2	3	1	1	–	7	–	1	–	–	–	2	–	2	2	1	–
Cancer	23	–	–	–	–	–	–	–	–	–	1	1	5	5	7	4	–	–
Scrofula and Tabes	22	9	5	1	1	–	16	–	1	1	–	1	–	2	1	–	–	–
Phthisis	112	1	–	–	1	–	2	2	7	19	19	32	13	11	5	2	–	–
Hydrocephalus	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	94	13	1	3	–	3	20	–	1	1	3	1	6	7	14	16	24	1
Dis. of Heart & Dropsy	82	2	–	–	–	–	2	1	1	3	–	4	5	9	21	19	16	1
Dis. of Lungs	114	30	11	6	2	3	52	2	1	2	1	4	5	4	16	20	5	2
Dis. of Stom. and Liver	35	–	1	2	–	–	3	–	–	1	–	4	5	4	9	6	1	2
Dis. of Kidneys	10	–	–	–	–	–	–	–	–	–	2	1	1	–	1	3	2	–
Dis. of Gener. Organs	3	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
Dis. of Joints	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
Dis. of Skin	4	1	–	–	–	–	1	1	1	–	–	–	–	–	1	–	–	–
Childbirth and Metria	17	–	–	–	–	–	–	–	–	1	4	6	6	–	–	–	–	–
Suicide	5	–	–	–	–	–	–	–	–	–	1	–	1	–	1	2	–	–
Other Violent Deaths	11	2	2	–	–	1	5	1	1	–	–	–	1	–	–	1	1	1
Other Causes	272	102	8	–	4	–	114	–	1	–	–	1	1	–	12	33	81	29
343.—WINCHCOMB.																		
Mean Popul^n, 1861–71	5032	133	131	138	128	125	655	608	532	418	390	688	575	468	342	231	110	15
TOTAL DEATHS	932	171	52	20	20	16	279	43	20	33	25	51	63	55	81	98	128	56
Small-pox	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Measles	15	2	3	1	2	1	9	5	–	–	–	1	–	–	–	–	–	–
Scarlatina	27	–	4	2	4	5	15	7	3	1	–	1	–	–	–	–	–	–
Diphtheria	6	1	–	1	2	1	5	–	1	–	–	–	–	–	–	–	–	–
Whooping-cough	13	6	2	1	1	1	11	1	–	1	–	–	–	–	–	–	–	–
Typhus	22	1	–	1	–	1	3	3	1	6	2	1	4	–	1	1	–	–
Diarrhœa & Dysentery	17	4	1	1	–	1	7	1	–	1	–	2	1	1	2	–	2	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	31	3	7	3	2	–	15	5	3	–	–	1	–	–	–	3	4	–
Cancer	13	–	–	–	–	1	1	–	–	–	–	–	1	3	5	3	–	–
Scrofula and Tabes	4	1	–	–	–	–	1	–	–	–	–	1	1	1	–	–	–	–
Phthisis	120	5	1	–	1	–	7	1	7	20	14	26	23	14	7	1	–	–
Hydrocephalus	6	2	1	–	1	–	4	1	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	102	31	5	2	3	1	42	3	1	1	2	3	4	5	12	19	9	1
Dis. of Heart & Dropsy	111	1	–	–	–	1	2	1	–	2	1	2	9	6	27	37	20	4
Dis. of Lungs	52	13	9	2	2	–	26	4	–	–	2	2	2	7	5	2	2	–
Dis. of Stom. and Liver	54	11	4	1	–	2	18	3	1	–	1	–	5	5	9	6	6	–
Dis. of Kidneys	6	–	–	–	–	–	–	–	–	–	–	1	2	1	2	–	–	–
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Dis. of Joints	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Dis. of Skin	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Childbirth and Metria	15	–	–	–	–	–	–	–	–	–	2	6	7	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Other Violent Deaths	16	1	2	1	–	–	4	3	1	1	–	–	–	2	–	3	2	–
Other Causes	295	89	13	4	2	1	109	5	1	–	–	4	4	7	11	23	80	51

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
344.—CHELTENHAM.																		
Mean Popul^n, 1861–71	21814	602	500	541	551	540	2734	2595	2656	2423	1656	2733	2287	1983	1478	896	331	42
TOTAL DEATHS	4857	1163	274	172	122	82	1813	153	69	111	132	272	304	373	455	581	459	135
Small-pox	30	6	–	2	5	–	13	–	–	4	5	3	1	2	2	–	–	–
Measles	84	18	23	18	11	7	77	7	–	–	–	–	–	–	–	–	–	–
Scarlatina	144	3	18	32	28	19	100	33	5	3	–	2	–	1	–	–	–	–
Diphtheria	36	2	3	6	3	5	19	9	2	–	–	–	1	2	1	–	2	–
Whooping-cough	56	21	18	7	3	5	54	2	–	–	–	–	–	–	–	–	–	–
Typhus	112	1	3	5	7	4	20	7	6	13	12	13	5	9	9	8	8	2
Diarrhœa & Dysentery	231	158	19	6	1	3	187	2	–	–	1	3	2	2	5	13	13	3
Cholera	7	1	–	–	–	–	1	–	–	–	–	–	–	2	–	3	–	1
Other Zymotic Dis.	96	6	9	7	8	1	31	6	6	3	1	8	9	7	8	11	5	1
Cancer	46	–	–	–	–	1	1	–	–	–	–	–	2	7	11	21	4	–
Scrofula and Tabes	75	23	8	5	6	1	43	12	7	1	2	3	1	5	–	1	–	–
Phthisis	536	7	6	5	6	2	26	10	10	40	67	144	116	71	39	12	1	–
Hydrocephalus	73	27	14	8	6	6	61	11	–	–	–	–	1	–	–	–	–	–
Dis. of Brain	696	196	30	19	14	10	269	22	10	10	9	22	25	59	75	115	70	10
Dis. of Heart & Dropsy	324	6	1	–	1	2	10	5	1	6	3	15	28	49	77	84	42	4
Dis. of Lungs	793	200	72	31	17	7	327	12	5	10	3	20	39	58	106	123	71	19
Dis. of Stom. and Liver	252	23	1	2	–	2	28	6	3	7	8	10	26	44	45	41	30	4
Dis. of Kidneys	113	–	–	1	–	–	1	1	2	2	1	5	8	15	23	30	24	1
Dis. of Gener. Organs	3	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–
Dis. of Joints	28	–	–	–	1	–	1	1	4	2	4	2	2	2	4	3	1	2
Dis. of Skin	10	2	–	1	–	1	4	–	–	1	–	–	–	1	1	3	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	23	–	–	–	–	–	–	–	–	1	1	4	6	6	2	3	–	–
Other Violent Deaths	134	20	9	4	–	4	37	4	7	6	10	11	21	15	14	6	2	1
Other Causes	955	443	40	13	5	2	503	3	1	1	5	7	11	16	32	103	186	87
345.—TEWKESBURY.																		
Mean Popul^n, 1861–71	7153	206	180	203	193	197	979	905	853	667	497	841	761	679	515	322	115	19
TOTAL DEATHS	1467	326	84	40	31	21	502	50	32	29	47	72	66	90	133	188	192	66
Small-pox	21	3	1	3	2	2	11	3	1	1	–	1	3	–	1	–	–	–
Measles	15	1	3	5	3	1	13	1	–	–	–	–	1	–	–	–	–	–
Scarlatina	21	1	2	3	3	5	14	6	1	–	–	–	–	–	–	–	–	–
Diphtheria	10	2	2	–	2	1	7	1	1	–	–	–	–	–	–	–	1	–
Whooping-cough	13	7	2	2	1	–	12	1	–	–	–	–	–	–	–	–	–	–
Typhus	51	2	2	2	4	1	11	7	7	2	5	5	–	5	2	3	4	–
Diarrhœa & Dysentery	57	27	10	3	–	–	40	1	–	1	–	–	1	–	1	4	8	1
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Other Zymotic Dis.	30	4	6	2	–	3	15	3	1	2	–	–	2	3	1	1	2	–
Cancer	23	–	–	–	–	1	1	1	–	–	2	2	–	2	8	5	2	–
Scrofula and Tabes	28	10	8	1	2	–	21	2	1	1	1	2	–	–	–	–	–	–
Phthisis	138	5	1	1	2	1	10	1	4	7	19	30	21	19	15	11	1	–
Hydrocephalus	13	3	3	–	3	1	10	3	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	198	41	2	2	3	–	48	5	4	3	2	6	7	9	24	54	29	7
Dis. of Heart & Dropsy	107	–	–	1	–	–	1	2	2	2	2	5	7	11	29	28	15	3
Dis. of Lungs	207	51	22	6	1	1	81	3	2	–	4	7	9	10	18	25	39	9
Dis. of Stom. and Liver	60	11	2	3	–	2	18	–	1	1	2	3	3	7	9	12	3	1
Dis. of Kidneys	33	–	–	–	–	–	–	–	–	1	–	1	4	8	4	11	7	2
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Dis. of Joints	9	–	1	–	–	–	1	1	–	1	1	–	2	1	–	2	–	–
Dis. of Skin	7	1	–	1	–	–	2	–	–	–	–	1	–	–	1	1	1	1
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	5	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	1	–
Other Violent Deaths	77	5	4	4	1	2	16	8	4	5	8	9	5	6	8	6	2	–
Other Causes	337	152	13	1	4	–	170	1	3	2	–	–	1	6	11	24	77	42
346.—LEDBURY.																		
Mean Popul^n, 1861–71	7099	167	177	169	169	157	839	827	760	705	591	978	800	687	488	295	115	14
TOTAL DEATHS	1266	234	67	30	32	19	382	32	22	25	28	78	68	114	144	196	141	36
Small-pox	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Measles	11	2	2	3	1	–	8	2	1	–	–	–	–	–	–	–	–	–
Scarlatina	49	1	5	7	12	5	30	10	6	1	–	1	–	–	1	–	–	–
Diphtheria	9	1	–	–	4	–	5	1	–	2	–	–	–	–	1	–	–	–
Whooping-cough	20	9	7	4	–	–	20	–	–	–	–	–	–	–	–	–	–	–
Typhus	26	2	2	1	1	2	8	3	2	1	1	1	4	3	–	2	1	–
Diarrhœa & Dysentery	19	11	5	1	–	–	17	–	–	–	–	–	–	–	–	2	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	12	1	–	–	2	–	3	–	–	–	–	1	–	2	2	3	1	–
Cancer	10	–	–	–	1	–	1	–	–	–	–	–	1	3	2	2	1	–
Scrofula and Tabes	13	2	–	–	–	–	2	–	2	–	1	3	2	2	–	1	–	–
Phthisis	101	1	2	1	2	–	6	2	1	11	12	24	17	14	11	2	1	–
Hydrocephalus	16	4	9	2	–	–	15	–	–	1	–	–	–	–	–	–	–	–
Dis. of Brain	159	34	5	1	3	1	44	–	1	1	4	6	5	21	28	33	15	1
Dis. of Heart & Dropsy	124	5	1	1	1	1	9	–	2	1	1	5	11	22	27	31	13	2
Dis. of Lungs	174	38	16	2	2	5	63	1	1	3	4	11	6	20	23	33	9	–
Dis. of Stom. and Liver	51	10	2	–	–	–	12	4	–	2	1	8	9	3	6	3	2	1
Dis. of Kidneys	25	–	–	1	–	–	1	1	–	–	–	1	2	8	3	3	4	2
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Dis. of Joints	5	–	–	–	–	–	–	1	1	–	–	–	–	3	–	–	–	–
Dis. of Skin	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	8	–	–	–	–	–	–	–	–	–	3	2	1	–	1	1	–	–
Other Violent Deaths	61	3	–	4	1	3	11	5	4	1	–	11	5	5	10	6	3	–
Other Causes	369	110	11	2	2	2	127	2	1	1	–	2	5	8	28	74	91	30

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
344.—CHELTENHAM.																		
Mean Popul^n, 1861-71	29665	621	544	566	538	523	2792	2606	2685	3207	3219	4677	3563	2928	2142	1296	475	75
TOTAL DEATHS	5093	858	279	151	110	68	1466	148	98	145	150	304	353	370	520	680	658	201
Small-pox	29	8	3	4	4	1	20	2	2	1	1	2	1	–	–	–	–	–
Measles	79	9	27	20	12	4	72	4	–	2	–	1	–	–	–	–	–	–
Scarlatina	121	8	13	23	22	21	87	27	–	4	1	1	1	–	–	–	–	–
Diphtheria	19	2	4	–	3	2	11	4	2	–	–	–	1	–	1	–	–	–
Whooping-cough	66	22	22	13	3	1	61	4	–	1	–	–	–	–	–	–	–	–
Typhus	122	2	5	2	2	4	15	17	14	14	8	12	9	10	10	9	3	1
Diarrhœa & Dysentery	177	102	14	4	2	1	123	4	–	–	–	1	3	7	4	14	15	6
Cholera	3	1	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–	–
Other Zymotic Dis.	83	8	6	9	7	3	33	8	4	6	3	4	1	7	7	3	6	1
Cancer	180	–	–	–	–	–	–	–	–	–	1	6	22	47	53	32	15	4
Scrofula and Tabes	71	15	8	3	1	2	29	4	11	9	4	4	2	6	1	1	–	–
Phthisis	532	5	6	2	4	2	19	13	17	63	83	136	113	50	26	10	2	–
Hydrocephalus	51	17	14	3	6	3	43	2	5	1	–	–	–	–	–	–	–	–
Dis. of Brain	658	144	32	18	7	7	208	25	13	13	6	28	25	44	83	100	102	11
Dis. of Heart & Dropsy	463	4	1	–	2	–	7	8	9	10	3	22	37	60	86	131	79	11
Dis. of Lungs	839	131	77	29	24	11	272	10	8	9	14	26	39	59	115	173	113	31
Dis. of Stom. and Liver	307	13	3	1	–	–	17	5	3	3	9	22	27	47	69	67	35	3
Dis. of Kidneys	51	–	–	–	–	–	–	–	–	1	3	4	10	4	11	12	4	2
Dis. of Gener. Organs	40	–	–	–	–	–	–	–	–	–	1	4	16	8	5	4	2	–
Dis. of Joints	17	–	–	1	–	–	1	–	1	2	–	–	2	2	3	4	2	–
Dis. of Skin	18	2	1	1	1	–	5	–	1	–	–	–	2	1	1	5	3	–
Childbirth and Metria	49	–	–	–	–	–	–	–	–	3	8	19	18	1	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–
Other Violent Deaths	80	14	7	5	5	2	33	4	6	–	2	2	8	3	5	6	6	5
Other Causes	1005	351	33	13	5	4	409	7	2	3	3	9	15	14	38	108	271	126
345.—TEWKESBURY.																		
Mean Popul^n, 1861-71	7445	192	175	181	181	173	902	885	785	657	605	1004	860	686	504	354	170	33
TOTAL DEATHS	1419	241	76	44	25	19	405	46	32	57	47	75	97	77	110	174	193	106
Small-pox	12	3	1	2	–	2	8	2	–	–	–	–	–	–	1	1	–	–
Measles	15	2	6	5	–	–	13	1	–	–	–	–	1	–	–	–	–	–
Scarlatina	32	3	5	4	4	5	21	8	1	–	1	1	–	–	–	–	–	–
Diphtheria	7	–	1	–	1	–	2	2	1	1	–	–	–	–	1	–	–	–
Whooping-cough	18	6	7	1	2	–	16	2	–	–	–	–	–	–	–	–	–	–
Typhus	46	2	2	–	3	–	7	7	5	4	1	4	3	2	2	5	5	1
Diarrhœa & Dysentery	38	12	3	7	–	–	22	1	1	–	1	1	–	2	–	1	4	5
Cholera	6	1	1	1	–	–	3	–	–	1	–	–	1	–	–	1	–	–
Other Zymotic Dis.	40	6	2	4	3	3	18	3	4	2	–	2	–	1	1	3	4	2
Cancer	50	–	–	1	–	–	1	–	–	–	–	2	10	9	14	7	6	1
Scrofula and Tabes	31	13	7	–	1	–	21	2	1	3	1	2	–	1	–	–	–	–
Phthisis	174	4	1	2	2	2	11	5	7	29	20	32	36	17	15	2	–	–
Hydrocephalus	18	6	3	4	1	2	16	1	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	170	43	3	4	3	–	53	2	4	6	6	6	3	11	18	30	24	7
Dis. of Heart & Dropsy	120	–	–	–	1	–	1	1	2	1	2	5	11	11	23	37	21	5
Dis. of Lungs	151	29	16	6	2	3	56	2	1	2	1	5	7	6	14	42	35	10
Dis. of Stom. and Liver	83	10	3	–	–	–	13	2	2	3	5	5	9	5	13	10	14	2
Dis. of Kidneys	7	–	–	–	–	–	–	–	–	–	–	1	–	1	2	3	–	–
Dis. of Gener. Organs	7	–	–	–	–	–	–	–	–	–	–	1	–	2	1	3	–	–
Dis. of Joints	7	–	–	–	–	–	–	1	1	2	3	–	–	–	–	–	–	–
Dis. of Skin	6	2	–	–	–	–	2	1	–	–	–	–	–	2	–	–	1	–
Childbirth and Metria	23	–	–	–	–	–	–	–	–	2	3	6	11	1	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
Other Violent Deaths	17	1	–	2	–	1	4	2	–	1	1	–	–	1	1	3	3	1
Other Causes	308	98	15	1	2	1	117	1	1	–	2	1	4	4	4	26	76	72
346.—LEDBURY.																		
Mean Popul^n, 1861-71	6893	163	171	176	162	172	844	798	737	626	552	930	770	674	480	313	138	31
TOTAL DEATHS	1171	211	60	28	22	13	334	48	22	42	38	73	72	73	98	157	145	69
Small-pox	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	12	1	5	1	2	–	9	2	–	1	–	–	–	–	–	–	–	–
Scarlatina	24	1	1	3	3	6	14	7	–	2	1	–	–	–	–	–	–	–
Diphtheria	16	1	1	2	2	2	8	6	1	1	–	–	–	–	–	–	–	–
Whooping-cough	13	6	3	3	1	–	13	–	–	–	–	–	–	–	–	–	–	–
Typhus	30	1	1	1	2	–	5	3	3	7	6	3	2	1	–	–	–	–
Diarrhœa & Dysentery	15	9	1	1	–	–	11	–	–	–	–	1	–	–	1	1	1	–
Cholera	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Other Zymotic Dis.	21	5	2	1	1	1	10	1	2	1	2	1	–	1	–	3	–	–
Cancer	26	–	–	–	–	–	–	1	–	–	–	2	1	9	9	2	2	–
Scrofula and Tabes	14	–	–	1	1	–	2	1	2	–	2	2	3	1	1	–	–	–
Phthisis	120	4	1	–	1	–	6	8	4	18	14	31	21	6	7	4	1	–
Hydrocephalus	15	5	4	–	2	1	12	–	1	1	–	1	–	–	–	–	–	–
Dis. of Brain	126	28	6	3	3	–	40	6	1	5	2	9	3	10	13	21	9	5
Dis. of Heart & Dropsy	116	–	–	–	–	–	–	–	1	1	1	2	14	12	29	32	20	4
Dis. of Lungs	151	40	19	7	2	1	69	4	4	–	3	7	4	12	12	20	13	3
Dis. of Stom. and Liver	52	15	–	–	1	1	17	1	–	1	1	1	4	9	9	7	2	–
Dis. of Kidneys	9	–	–	–	–	–	–	–	–	–	–	3	2	–	2	1	1	–
Dis. of Gener. Organs	7	–	–	–	–	–	–	–	–	–	–	–	1	3	1	1	1	–
Dis. of Joints	3	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–
Dis. of Skin	4	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–	–	–
Childbirth and Metria	26	–	–	–	–	–	–	–	–	1	5	8	11	1	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Other Violent Deaths	20	–	6	1	1	–	8	5	–	1	–	1	2	–	1	1	1	–
Other Causes	348	94	9	4	–	1	108	2	2	–	1	1	3	7	10	64	93	57

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
347.—ROSS.																		
Mean Popul^n, 1861–71	8188	234	206	203	217	227	1087	953	909	794	624	1052	911	785	592	341	127	13
TOTAL DEATHS	1652	359	90	43	25	27	544	46	31	38	50	81	105	111	177	215	197	57
Small-pox	11	–	1	1	–	1	3	1	–	–	2	–	2	–	2	1	–	–
Measles	16	3	6	2	2	–	13	2	–	–	1	–	–	–	–	–	–	–
Scarlatina	57	4	5	8	7	9	33	17	1	2	–	2	1	–	1	–	–	–
Diphtheria	16	2	5	1	2	2	12	3	–	–	–	–	–	–	–	1	–	–
Whooping-cough	19	10	6	2	1	–	19	–	–	–	–	–	–	–	–	–	–	–
Typhus	48	4	3	1	2	2	12	2	2	7	1	6	5	3	4	4	2	–
Diarrhœa & Dysentery	22	13	3	–	–	–	16	–	–	–	–	–	–	–	1	3	2	–
Cholera	3	2	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	–
Other Zymotic Dis.	45	11	5	2	3	1	22	1	4	2	1	1	2	5	2	5	–	–
Cancer	18	–	–	–	–	–	–	1	–	–	1	1	1	3	3	5	2	1
Scrofula and Tabes	16	2	2	3	–	–	7	1	3	2	–	2	1	–	–	–	–	–
Phthisis	140	3	2	–	–	–	5	2	4	8	21	32	19	23	16	10	–	–
Hydrocephalus	16	7	5	2	–	–	14	1	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	209	46	12	3	1	1	63	2	3	2	3	10	14	15	29	41	26	1
Dis. of Heart & Dropsy	162	4	1	–	1	1	7	5	3	4	3	5	10	17	34	45	25	4
Dis. of Lungs	215	51	21	7	2	5	86	3	2	2	3	3	10	13	36	30	20	7
Dis. of Stom. and Liver	83	13	4	2	1	1	21	–	–	2	4	3	10	10	12	14	7	–
Dis. of Kidneys	31	–	–	–	–	–	–	–	–	1	1	2	7	10	3	7	3	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	8	–	–	–	–	–	–	1	2	–	1	1	1	–	2	–	–	–
Dis. of Skin	7	3	–	–	–	–	3	1	–	–	–	–	–	–	1	1	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	11	–	–	–	–	–	–	–	–	1	2	2	1	3	1	1	–	–
Other Violent Deaths	77	5	2	6	2	2	17	3	4	3	4	8	17	5	7	6	2	1
Other Causes	419	176	7	3	1	2	189	–	2	2	2	3	4	4	23	40	107	43
348.—HEREFORD.																		
Mean Popul^n, 1861–71	20281	520	481	513	492	507	2513	2330	2156	1906	1581	2835	2369	1936	1407	876	325	47
TOTAL DEATHS	4440	904	193	95	58	55	1305	166	81	89	140	279	346	394	451	552	499	138
Small-pox	37	10	2	3	1	–	16	2	–	–	6	5	2	4	2	–	–	–
Measles	39	5	12	9	2	3	31	6	1	–	–	1	–	–	–	–	–	–
Scarlatina	129	5	15	18	17	15	70	43	5	3	2	4	2	–	–	–	–	–
Diphtheria	29	5	–	2	2	4	13	10	3	1	1	–	–	–	1	–	–	–
Whooping-cough	61	27	18	7	3	–	55	5	1	–	–	–	–	–	–	–	–	–
Typhus	92	4	1	3	3	2	13	7	6	7	10	11	12	11	6	4	4	1
Diarrhœa & Dysentery	114	71	9	4	–	–	84	3	–	–	–	–	–	2	6	9	9	1
Cholera	3	2	–	1	–	–	3	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	100	7	6	3	5	6	27	11	3	5	6	7	7	9	10	10	5	–
Cancer	33	–	–	–	1	–	1	1	1	–	–	1	4	4	10	7	4	–
Scrofula and Tabes	54	15	3	1	1	1	21	5	3	3	2	6	4	3	5	1	1	–
Phthisis	550	16	11	11	2	5	45	10	13	29	58	123	111	92	50	17	2	–
Hydrocephalus	19	7	4	1	–	2	14	5	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	589	203	24	10	5	4	246	9	6	7	6	22	28	50	61	85	62	7
Dis. of Heart & Dropsy	441	3	3	–	1	1	8	4	6	6	9	15	44	57	98	123	61	10
Dis. of Lungs	598	140	44	9	4	3	200	13	3	7	9	22	28	50	78	102	70	16
Dis. of Stom. and Liver	187	28	6	–	1	1	36	8	3	2	10	4	26	24	32	32	10	–
Dis. of Kidneys	87	–	–	–	–	–	–	–	2	1	2	4	12	26	17	15	7	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	20	1	1	–	–	1	3	2	1	1	1	2	5	1	2	2	–	–
Dis. of Skin	12	3	1	–	–	–	4	–	–	–	–	–	2	1	1	3	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	18	–	–	–	–	–	–	–	–	–	1	1	6	2	4	4	–	–
Other Violent Deaths	243	7	6	6	6	4	29	18	20	15	14	37	35	29	21	14	10	1
Other Causes	985	345	27	7	4	3	386	4	4	2	3	14	18	29	47	124	253	101
349.—WEOBLY.																		
Mean Popul^n, 1861–71	4612	125	119	116	111	118	589	552	508	425	327	607	524	449	326	217	78	10
TOTAL DEATHS	885	159	24	21	16	19	239	24	11	20	36	37	52	66	106	134	128	32
Small-pox	12	–	1	–	–	–	1	–	–	2	3	3	–	–	3	–	–	–
Measles	5	–	2	1	–	1	4	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	38	3	5	3	4	7	22	12	3	–	–	1	–	–	–	–	–	–
Diphtheria	2	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Whooping-cough	3	2	–	1	–	–	3	–	–	–	–	–	–	–	–	–	–	–
Typhus	32	–	–	1	2	1	4	1	1	3	4	3	2	4	2	6	1	1
Diarrhœa & Dysentery	13	2	1	–	–	–	3	–	–	–	–	–	1	1	–	5	3	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	22	1	1	–	1	–	3	1	–	3	–	–	1	3	2	3	6	–
Cancer	7	–	–	–	–	–	–	–	–	–	–	–	–	–	4	3	–	–
Scrofula and Tabes	16	5	–	1	–	–	6	–	1	1	3	1	3	–	1	–	–	–
Phthisis	73	1	1	–	–	3	5	–	1	7	14	12	10	9	10	5	–	–
Hydrocephalus	8	2	–	2	3	1	8	–	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	156	58	6	3	1	–	68	2	–	–	1	1	9	8	18	26	21	2
Dis. of Heart & Dropsy	92	5	–	–	–	–	5	1	–	1	1	3	7	15	24	25	9	1
Dis. of Lungs	78	11	4	2	–	2	19	1	–	1	–	3	5	7	11	16	13	2
Dis. of Stom. and Liver	47	3	–	–	1	–	4	–	–	–	2	2	4	10	12	6	7	–
Dis. of Kidneys	14	–	–	–	–	–	–	–	–	1	1	1	2	2	3	2	2	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	4	–	–	–	–	–	–	1	–	–	1	–	–	1	1	–	–	–
Dis. of Skin	3	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
Other Violent Deaths	37	1	–	3	1	2	7	–	4	1	4	5	5	1	6	3	1	–
Other Causes	221	63	3	4	3	1	74	3	1	–	1	2	3	5	9	33	64	26

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
347.—ROSS.																		
Mean Populn, 1861-71	8267	211	199	211	202	214	1037	993	886	740	696	1077	920	778	576	359	176	29
TOTAL DEATHS	1622	322	81	48	31	17	499	55	34	38	54	94	97	96	138	202	217	98
Small-pox	7	4	1	2	–	–	7	–	–	–	–	–	–	–	–	–	–	–
Measles	16	–	8	3	1	2	14	1	–	–	–	–	–	–	1	–	–	–
Scarlatina	61	3	11	9	5	4	32	20	6	–	–	–	3	–	–	–	–	–
Diphtheria	17	–	2	3	2	1	8	7	–	1	1	–	–	–	–	–	–	–
Whooping-cough	37	20	9	3	3	1	36	1	–	–	–	–	–	–	–	–	–	–
Typhus	56	2	3	1	1	1	8	5	6	5	6	4	7	3	5	4	3	–
Diarrhœa & Dysentery	28	21	–	–	–	–	21	–	–	–	–	–	–	–	1	2	2	2
Cholera	2	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
Other Zymotic Dis.	31	5	1	3	3	2	14	1	–	–	–	3	2	3	–	2	6	–
Cancer	49	–	–	–	–	–	–	–	–	–	–	–	6	8	19	13	3	–
Scrofula and Tabes	24	6	2	2	1	–	11	2	2	2	2	1	1	2	1	–	–	–
Phthisis	159	3	4	2	2	–	11	3	5	18	23	45	28	15	9	2	–	–
Hydrocephalus	17	6	3	2	3	1	15	–	1	–	1	–	–	–	–	–	–	–
Dis. of Brain	171	31	10	5	3	1	50	1	7	5	5	4	7	8	21	32	23	8
Dis. of Heart & Dropsy	189	3	–	1	–	–	4	1	–	1	7	5	7	27	40	53	39	5
Dis. of Lungs	181	39	15	8	3	–	65	5	1	1	1	6	13	8	16	34	29	2
Dis. of Stom. and Liver	76	10	1	–	–	1	12	4	2	2	2	1	5	10	15	13	8	2
Dis. of Kidneys	13	–	–	–	1	–	1	–	–	2	2	4	1	–	2	–	1	–
Dis. of Gener. Organs	8	–	–	–	–	–	–	–	–	–	–	2	2	3	–	1	–	–
Dis. of Joints	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Dis. of Skin	4	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	1	–
Childbirth and Metria	32	–	–	–	–	–	–	–	–	–	3	18	9	2	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Other Violent Deaths	23	1	3	3	–	3	10	1	–	1	–	–	2	1	1	3	4	–
Other Causes	427	168	8	1	3	–	180	1	2	–	1	1	2	5	6	43	107	79
348.—HEREFORD.																		
Mean Populn, 1861-71	20649	513	503	536	508	495	2555	2317	2092	1883	1766	2909	2367	1927	1401	926	411	95
TOTAL DEATHS	4107	757	183	105	68	55	1168	128	76	108	117	288	293	304	383	524	497	221
Small-pox	32	4	1	2	5	–	12	2	2	3	3	4	3	2	1	–	–	–
Measles	29	7	10	2	2	1	22	5	–	–	–	1	–	1	–	–	–	–
Scarlatina	148	4	21	21	21	15	82	44	8	4	4	3	1	1	1	–	–	–
Diphtheria	24	1	–	2	2	3	8	6	4	1	1	1	2	–	–	1	–	–
Whooping-cough	60	23	16	7	7	2	55	2	1	2	–	–	–	–	–	–	–	–
Typhus	108	5	6	5	2	3	21	6	1	9	6	12	10	12	10	16	5	–
Diarrhœa & Dysentery	71	39	5	1	1	–	46	–	–	1	–	1	3	2	1	5	10	2
Cholera	2	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	81	12	7	4	2	4	29	3	2	1	1	4	5	11	6	14	4	1
Cancer	159	–	–	–	–	–	–	–	1	1	–	2	22	34	48	39	11	1
Scrofula and Tabes	39	19	6	2	2	–	29	7	2	3	3	7	3	5	–	–	–	–
Phthisis	557	22	17	8	6	3	56	11	25	46	65	113	98	67	32	13	1	–
Hydrocephalus	23	8	7	2	1	1	19	–	4	–	–	–	–	–	–	–	–	–
Dis. of Brain	464	159	12	6	2	3	182	8	7	9	7	13	15	35	56	63	60	9
Dis. of Heart & Dropsy	367	5	2	2	1	2	12	3	4	4	8	15	30	39	84	112	50	6
Dis. of Lungs	452	95	42	17	4	8	166	8	6	1	4	11	24	28	52	72	66	14
Dis. of Stom. and Liver	216	21	1	5	3	2	32	4	5	7	3	16	20	39	33	34	19	4
Dis. of Kidneys	30	–	–	2	–	–	2	–	–	–	–	5	3	3	11	2	2	2
Dis. of Gener. Organs	23	–	–	–	–	–	–	–	–	–	1	1	6	5	7	2	1	–
Dis. of Joints	8	–	–	–	–	–	–	2	1	–	2	–	1	1	–	–	–	1
Dis. of Skin	15	5	2	–	–	–	7	–	–	2	–	–	2	–	–	3	–	1
Childbirth and Metria	67	–	–	–	–	–	–	–	–	3	3	36	25	–	–	–	–	–
Suicide	14	–	–	–	–	–	–	–	–	1	–	1	3	2	3	4	–	–
Other Violent Deaths	66	8	4	6	3	4	25	9	2	6	1	2	1	2	5	7	5	1
Other Causes	1092	319	24	11	4	4	362	7	1	4	5	10	16	15	33	137	263	179
349.—WEOBLY.																		
Mean Populn, 1861-71	4412	112	112	113	105	117	559	544	465	359	347	552	511	414	334	209	97	21
TOTAL DEATHS	727	142	26	14	14	13	209	28	16	24	23	46	38	46	55	89	105	48
Small-pox	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Measles	2	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	33	1	3	1	5	4	14	9	4	3	2	1	–	–	–	–	–	–
Diphtheria	6	–	1	–	–	2	3	–	2	1	–	–	–	–	–	–	–	–
Whooping-cough	4	3	1	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–
Typhus	19	–	–	1	–	–	1	1	2	3	3	–	1	4	1	3	–	–
Diarrhœa & Dysentery	8	2	2	–	–	–	4	–	–	–	–	–	3	–	1	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	11	1	–	–	–	1	2	–	–	1	–	1	–	–	1	–	6	–
Cancer	10	–	–	–	–	–	–	–	–	–	–	–	2	2	2	3	1	–
Scrofula and Tabes	9	2	–	1	1	–	4	–	1	–	1	3	–	–	–	–	–	–
Phthisis	84	1	1	1	–	–	3	5	1	9	12	21	13	11	3	5	1	–
Hydrocephalus	5	3	2	–	–	–	5	–	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	86	42	4	1	2	2	51	1	2	1	–	3	2	5	8	6	7	–
Dis. of Heart & Dropsy	68	1	–	–	–	–	1	–	–	–	1	2	3	8	14	20	16	3
Dis. of Lungs	56	7	7	2	3	1	20	2	–	–	–	3	3	3	4	13	8	–
Dis. of Stom. and Liver	42	2	–	1	1	2	6	3	1	–	1	2	3	6	9	5	6	–
Dis. of Kidneys	5	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	1	–
Dis. of Gener. Organs	3	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–
Dis. of Joints	4	1	–	–	–	–	1	–	–	1	–	–	–	–	1	–	1	–
Dis. of Skin	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	17	–	–	–	–	–	–	–	–	4	–	7	5	1	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Deaths	11	3	–	3	–	–	6	2	1	–	–	–	1	–	–	–	1	–
Other Causes	242	72	5	2	2	1	82	4	2	1	2	3	2	2	9	33	57	45

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
350.—BROMYARD.																		
Mean Popul^n, 1861-71	6136	159	145	158	148	152	762	696	670	585	493	795	676	585	462	273	119	20
TOTAL DEATHS	1170	254	48	22	10	17	351	37	20	29	27	57	61	82	113	186	161	46
Small-pox	9	-	-	-	-	-	-	-	-	-	-	4	2	3	-	-	-	-
Measles	6	4	1	-	1	-	6	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	29	2	2	4	2	3	13	12	2	-	1	1	-	-	-	-	-	-
Diphtheria	5	-	1	-	-	2	3	-	-	-	-	2	-	-	-	-	-	-
Whooping-cough	5	1	3	1	-	-	5	-	-	-	-	-	-	-	-	-	-	-
Typhus	25	-	2	1	-	-	3	2	1	3	1	1	2	2	5	3	2	-
Diarrhœa & Dysentery	12	6	4	-	-	1	11	-	-	-	-	-	-	-	-	-	1	-
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Other Zymotic Dis.	27	2	1	1	-	1	5	2	1	1	1	1	-	3	5	4	3	1
Cancer	12	-	-	-	-	-	-	-	-	-	1	-	-	-	4	5	2	-
Scrofula and Tabes	22	15	2	-	-	1	18	-	1	1	-	1	1	-	-	-	-	-
Phthisis	68	-	-	-	-	-	-	1	2	10	9	15	12	8	4	6	1	-
Hydrocephalus	11	8	-	-	-	2	10	-	-	1	-	-	-	-	-	-	-	-
Dis. of Brain	163	39	7	-	1	1	48	5	1	1	2	11	6	11	13	38	22	[illegible]
Dis. of Heart & Dropsy	75	2	-	-	-	-	2	1	2	2	1	2	7	11	11	24	12	-
Dis. of Lungs	131	23	10	4	2	-	39	2	-	1	2	5	6	11	23	18	17	[illegible]
Dis. of Stom. and Liver	63	7	1	1	-	-	9	3	-	1	1	1	6	9	14	9	9	[illegible]
Dis. of Kidneys	26	-	-	-	-	1	1	3	1	-	1	1	-	1	2	10	5	[illegible]
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	5	-	-	-	-	-	-	-	1	-	1	1	-	-	1	1	-	-
Dis. of Skin	5	1	1	-	-	-	2	-	-	1	-	-	-	-	-	2	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Other Violent Deaths	44	-	1	4	1	4	10	1	4	2	1	2	5	7	4	7	1	-
Other Causes	425	114	12	6	3	1	166	5	4	5	5	9	13	16	27	59	85	3
351.—LEOMINSTER.																		
Mean Popul^n, 1861-71	7744	194	185	195	201	211	986	925	875	746	564	981	888	742	553	349	116	1
TOTAL DEATHS	1595	331	57	40	23	18	469	63	33	33	41	94	105	131	185	225	160	5
Small-pox	28	4	1	2	-	-	7	2	1	1	2	3	6	4	1	1	-	
Measles	24	6	8	5	2	2	23	1	-	-	-	-	-	-	-	-	-	
Scarlatina	55	2	4	10	9	4	29	18	5	1	-	2	-	-	-	-	-	
Diphtheria	14	3	-	-	1	-	4	3	3	1	1	1	-	-	-	-	-	
Whooping-cough	22	11	7	3	1	-	22	-	-	-	-	-	-	-	-	-	-	
Typhus	75	5	3	6	3	1	18	10	4	3	4	6	9	3	7	7	3	
Diarrhœa & Dysentery	41	21	3	1	-	-	25	2	1	-	2	-	-	1	3	3	4	
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	35	6	-	1	1	3	11	2	3	3	-	5	2	2	2	2	3	
Cancer	18	-	-	1	-	-	1	-	-	-	-	1	-	3	7	5	-	
Scrofula and Tabes	26	8	5	-	-	-	13	4	3	1	-	1	1	1	1	1	-	
Phthisis	119	2	1	-	2	-	5	-	4	5	24	25	24	18	9	3	2	
Hydrocephalus	12	5	4	3	-	-	12	-	-	-	-	-	-	-	-	-	-	
Dis. of Brain	202	60	3	1	1	1	66	5	-	1	1	10	9	19	23	45	21	
Dis. of Heart & Dropsy	133	1	-	-	-	-	1	3	2	5	1	6	11	18	38	33	13	
Dis of Lungs	244	53	3	4	-	4	64	3	1	3	1	12	14	26	43	45	24	
Dis. of Stom. and Liver	79	11	-	-	1	2	14	-	1	1	2	4	12	12	21	9	3	
Dis. of Kidneys	36	-	-	-	-	-	-	2	-	-	-	2	7	5	5	11	4	
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	
Dis. of Skin	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	14	-	-	-	-	-	-	-	-	-	-	3	1	3	3	4	-	
Other Violent Deaths	62	1	3	1	2	-	7	5	3	6	3	9	7	11	4	3	2	
Other Causes	132	12	2	-	1		147	2	2	2	-	3	1	5	18	52	80	
352.—LUDLOW.																		
Mean Popul^n, 1861-71	[illegible]25	211	227	234	195		1102	1036	949	861	722	1200	1000	830	621	408	154	
TOTAL DEATHS	[illegible]	107	35	35	24		631	77	49	32	55	99	100	135	184	263	220	
Small-pox	[illegible]	-	-	-	-		2	-	-	-	2	-	-	3	-	-	-	
Measles	[illegible]	5	1	1	1		9	3	1	-	-	-	1	-	-	-	-	
Scarlatina	[illegible]	12	8	10	8		41	20	5	1	-	1	-	-	-	-	-	
Diphtheria	[illegible]	2	1	2	2		9	8	1	-	-	-	-	1	1	-	-	
Whooping-cough	[illegible]	5	-	1	1		21	-	1	-	-	-	-	-	-	-	-	
Typhus	[illegible]	1	2	1	1		5	7	10	7	3	4	4	1	4	4	8	
Diarrhœa & Dysentery	[illegible]	9	1	2	1		55	1	-	1	-	1	1	4	1	12	4	
Cholera	[illegible]	-	-	-	1		2	-	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	[illegible]	2	1	2	1		10	4	2	-	3	2	1	5	4	3	4	
Cancer	[illegible]	-	-	-	-		-	-	-	-	-	1	-	1	4	6	3	
Scrofula and Tabes	[illegible]	1	-	1	-		10	3	3	2	3	1	-	2	2	-	-	
Phthisis	[illegible]	1	-	-	-		3	2	3	6	25	38	25	14	17	5	-	
Hydrocephalus	[illegible]	5	-	-	-		7	1	-	-	-	-	-	-	-	-	-	
Dis. of Brain	[illegible]80	102	14	3	3	2	124	6	4	2	3	6	12	20	24	44	28	
Dis. of Heart & Dropsy	123	-	-	1	-	1	2	2	1	1	2	4	12	13	21	43	18	
Dis. of Lungs	351	72	32	12	4	3	123	9	5	4	5	12	13	24	42	68	41	
Dis. of Stomach	115	13	3	2	3	-	21	1	2	1	2	4	12	15	26	25	5	
Dis. of Kidneys	36	-	1	-	-	-	1	1	-	-	2	3	2	3	9	10	5	
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	6	-	-	-	-	-	-	1	-	1	2	-	1	-	-	1	-	
Dis. of Skin	5	4	-	-	-	-	4	-	-	-	-	-	-	-	-	1	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	15	-	-	-	-	-	-	-	-	-	-	2	1	5	3	3	1	
Other Violent Deaths	109	6	3	2	4	1	16	5	9	5	3	15	10	11	16	10	8	
Other Causes	367	152	11	1	1	1	166	3	2	1	-	5	5	13	10	28	95	

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
350.—BROMYARD.																		
Mean Popul^{n}, 1861-71	5737	148	155	147	164	142	756	672	630	489	427	756	634	541	396	274	138	24
TOTAL DEATHS	1084	212	50	24	25	10	321	33	28	33	29	67	46	54	92	149	168	64
Small-pox	5	2	-	-	-	-	2	-	-	1	-	1	1	-	-	-	-	-
Measles	11	2	1	2	3	1	9	1	-	-	1	-	-	-	-	-	-	-
Scarlatina	35	2	5	2	5	3	17	9	5	1	2	1	-	-	-	-	-	-
Diphtheria	6	-	-	2	-	-	2	2	1	1	-	-	-	-	-	-	-	-
Whooping-cough	15	7	4	3	1	-	15	-	-	-	-	-	-	-	-	-	-	-
Typhus	32	1	2	2	1	1	7	1	4	2	1	2	2	1	6	4	2	-
Diarrhœa & Dysentery	15	8	-	-	-	-	8	1	-	1	-	-	1	-	-	-	3	1
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	19	5	-	-	1	-	6	2	2	1	-	1	1	-	1	2	3	-
Cancer	25	-	-	-	-	-	-	1	-	-	-	1	1	8	5	6	3	-
Scrofula and Tabes	27	9	3	1	-	1	14	1	2	4	1	3	1	-	1	-	-	-
Phthisis	64	1	-	-	-	-	1	1	3	6	11	24	12	3	3	-	-	-
Hydrocephalus	7	3	1	-	2	-	6	-	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	115	35	2	2	-	-	39	1	-	2	1	1	6	12	16	18	15	4
Dis. of Heart & Dropsy	73	1	1	1	-	-	3	1	3	3	1	4	3	6	11	27	11	-
Dis. of Lungs	112	16	7	1	2	1	27	1	1	1	2	6	1	6	9	27	27	4
Dis. of Stom. and Liver	71	5	2	-	1	-	8	1	2	1	3	3	5	6	17	12	11	2
Dis. of Kidneys	10	-	-	-	-	-	-	1	-	-	-	1	-	2	3	2	-	1
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	-	3	1	3	1	1	-	-
Dis. of Joints	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Dis. of Skin	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	14	-	-	-	-	-	-	-	-	2	1	7	4	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Violent Deaths	23	2	1	2	5	-	10	1	-	3	-	2	-	-	2	-	3	2
Other Causes	392	111	21	6	4	3	145	8	4	3	5	7	7	6	17	50	90	50
351.—LEOMINSTER.																		
Mean Popul^{n}, 1861-71	7703	201	185	199	193	179	957	946	813	665	597	1002	856	733	587	372	155	25
TOTAL DEATHS	1556	265	64	36	21	23	409	46	32	58	50	104	91	92	153	231	204	86
Small-pox	30	7	1	-	4	-	12	5	3	4	2	2	2	-	-	-	-	-
Measles	16	3	6	2	1	-	12	2	1	1	-	-	-	-	-	-	-	-
Scarlatina	42	5	3	6	3	7	24	4	8	1	2	2	-	-	-	1	-	-
Diphtheria	14	-	-	3	1	2	6	6	2	-	-	-	-	-	-	-	-	-
Whooping-cough	24	16	2	1	2	2	23	1	-	-	-	-	-	-	-	-	-	-
Typhus	92	2	4	2	2	3	13	11	6	14	8	11	7	4	4	9	3	2
Diarrhœa & Dysentery	25	11	3	1	-	2	17	-	-	-	-	1	-	-	1	2	3	1
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	28	3	4	1	1	1	10	3	-	4	-	2	1	1	3	2	2	-
Cancer	59	-	-	-	-	-	-	-	-	-	-	2	10	12	17	13	3	2
Scrofula and Tabes	17	7	3	-	-	-	10	-	1	1	2	1	2	-	-	-	-	-
Phthisis	127	-	-	1	-	-	1	1	3	16	19	40	25	15	5	1	1	-
Hydrocephalus	10	5	2	2	-	1	10	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	109	45	7	1	3	-	56	4	2	4	4	3	5	12	21	34	19	5
Dis. of Heart & Dropsy	153	3	-	1	-	-	4	1	4	3	4	12	10	10	27	48	29	1
Dis. of Lungs	194	34	13	10	1	1	59	2	-	2	-	5	7	11	34	42	30	2
Dis. of Stom. and Liver	76	8	1	1	-	1	11	1	1	2	2	4	3	9	23	12	8	-
Dis. of Kidneys	10	-	-	-	-	-	-	-	-	-	-	-	-	8	2	-	-	-
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	-	-
Dis. of Joints	4	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-
Dis. of Skin	5	1	1	1	-	-	3	-	-	-	1	1	-	-	-	-	-	-
Childbirth and Metria	27	-	-	-	-	-	-	-	-	2	4	8	13	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Other Violent Deaths	20	1	1	1	2	1	6	4	-	-	-	1	1	3	-	2	3	-
Other Causes	407	114	13	2	1	2	132	1	1	2	1	8	4	4	14	64	103	73
352.—LUDLOW.																		
Mean Popul^{n}, 1861-71	9002	250	216	221	217	218	1122	1035	973	846	756	1201	952	823	600	438	215	36
TOTAL DEATHS	1750	345	84	46	31	19	528	63	34	51	58	108	126	98	137	197	244	106
Small-pox	5	1	-	-	-	-	1	-	-	-	2	2	-	-	-	-	-	-
Measles	16	6	3	3	1	1	14	1	-	1	-	-	-	-	-	-	-	-
Scarlatina	69	3	9	11	13	6	42	21	1	3	-	-	2	-	-	-	-	-
Diphtheria	15	-	2	-	2	-	4	5	2	1	-	2	-	1	-	-	-	-
Whooping-cough	32	15	11	3	-	1	30	1	-	1	-	-	-	-	-	-	-	-
Typhus	64	2	-	1	1	2	6	6	8	10	5	4	5	3	6	7	4	-
Diarrhœa & Dysentery	75	42	8	2	1	-	53	5	-	1	2	2	2	-	3	3	3	1
Cholera	3	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-
Other Zymotic Dis.	22	1	2	3	1	-	7	3	2	-	-	1	1	-	4	1	3	-
Cancer	45	-	-	-	-	-	-	-	-	-	1	2	11	7	11	8	4	1
Scrofula and Tabes	10	4	1	-	-	-	5	-	1	1	1	-	1	1	-	-	-	-
Phthisis	134	-	-	-	-	-	-	-	4	15	16	45	30	17	5	2	-	-
Hydrocephalus	5	1	-	1	1	1	4	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	220	68	6	7	4	1	86	5	6	5	3	7	9	10	23	32	25	9
Dis. of Heart & Dropsy	149	-	-	-	-	-	-	2	1	-	1	4	7	15	27	52	38	2
Dis. of Lungs	297	59	28	8	5	2	102	5	3	5	8	3	19	15	30	43	47	12
Dis. of Stom. and Liver	96	8	-	1	-	2	11	3	2	2	8	5	13	12	12	13	13	2
Dis. of Kidneys	25	-	-	-	1	-	1	-	-	2	-	2	7	4	4	3	2	-
Dis. of Gener. Organs	8	-	-	-	-	-	-	-	-	-	-	3	-	4	1	-	-	-
Dis. of Joints	5	-	-	-	1	-	1	-	-	1	1	1	-	-	-	1	-	-
Dis. of Skin	9	3	-	-	-	-	8	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	23	-	-	-	-	-	-	-	-	-	3	13	16	1	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Other Violent Deaths	27	-	3	4	1	2	10	4	2	-	1	3	1	1	3	-	2	-
Other Causes	384	127	11	2	2	1	143	1	2	2	6	3	2	6	6	31	103	79

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–
353.—CLUN.																	
Mean Popul^n, 1861-71	5537	150	132	155	132	141	710	671	587	542	453	731	584	502	394	241	105
TOTAL DEATHS	983	184	50	23	20	13	290	35	23	31	23	61	56	53	92	130	154
Small-pox	4	2	–	–	–	–	2	–	–	–	1	–	–	1	–	–	–
Measles	4	–	2	–	–	–	2	–	–	–	1	–	1	–	–	–	–
Scarlatina	29	1	2	2	8	4	17	8	3	1	–	–	–	–	–	–	–
Diphtheria	8	–	–	3	1	2	6	1	1	–	–	–	–	–	–	–	–
Whooping-cough	19	10	7	1	1	–	19	–	–	–	–	–	–	–	–	–	–
Typhus	30	4	–	2	–	–	6	2	3	4	–	3	3	3	2	4	–
Diarrhœa & Dysentery	13	7	–	–	–	–	7	–	1	–	–	–	–	–	3	2	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	24	–	2	1	1	1	5	2	–	2	1	1	2	3	3	4	1
Cancer	20	–	–	–	–	–	–	–	–	–	–	–	1	2	7	7	2
Scrofula and Tabes	7	1	–	–	–	1	2	–	2	1	–	–	–	–	–	1	1
Phthisis	104	1	2	1	1	–	5	5	3	13	14	33	13	6	7	8	2
Hydrocephalus	12	4	3	2	1	1	11	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	111	39	7	2	2	–	50	4	3	–	2	4	6	3	8	11	17
Dis. of Heart & Dropsy	73	2	–	–	–	–	2	–	2	2	1	4	6	7	20	16	13
Dis. of Lungs	149	26	13	3	3	2	47	3	–	3	1	8	7	11	20	28	20
Dis. of Stom. and Liver	48	2	2	1	1	1	7	–	1	3	1	2	3	5	7	13	5
Dis. of Kidneys	19	–	–	–	–	–	–	2	–	–	–	2	3	1	3	5	2
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Dis. of Joints	6	–	–	–	–	–	–	1	–	–	–	1	1	1	1	–	1
Dis. of Skin	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Other Violent Deaths	48	5	3	3	–	1	12	1	4	2	1	3	9	4	6	5	1
Other Causes	251	79	7	2	1	–	89	5	–	–	–	–	–	6	5	26	89
354.—CHURCH STRETTON.																	
Mean Popul^n, 1861-71	3240	91	81	89	83	81	425	404	338	298	234	420	361	298	240	155	60
TOTAL DEATHS	581	105	31	16	6	2	160	24	12	15	25	36	32	32	58	85	76
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1
Scarlatina	15	1	1	4	1	1	8	4	1	1	1	–	–	–	–	–	–
Diphtheria	2	–	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–
Whooping-cough	9	5	4	–	–	–	9	–	–	–	–	–	–	–	–	–	–
Typhus	17	–	–	–	1	–	1	3	1	2	2	2	1	1	2	2	–
Diarrhœa & Dysentery	7	4	–	–	–	–	4	–	1	–	–	–	–	–	–	–	2
Cholera	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	19	1	4	–	–	–	5	3	–	3	–	2	1	–	–	2	3
Cancer	13	–	–	–	–	–	–	–	–	–	–	–	1	2	2	6	2
Scrofula and Tabes	11	2	2	–	–	–	4	1	1	1	1	1	–	1	1	–	–
Phthisis	57	1	1	–	–	–	2	1	2	5	12	12	10	7	5	1	–
Hydrocephalus	11	2	2	1	1	–	6	2	2	–	1	–	–	–	–	–	–
Dis. of Brain	82	18	4	2	–	–	24	5	1	–	1	6	6	6	15	9	5
Dis. of Heart & Dropsy	46	–	–	–	–	–	–	1	1	1	–	3	1	3	12	15	8
Dis. of Lungs	82	16	7	7	–	–	30	–	–	–	1	2	3	5	4	24	12
Dis. of Stom. and Liver	36	3	–	–	–	–	3	3	–	–	2	1	2	5	8	9	2
Dis. of Kidneys	13	–	–	–	–	–	–	–	–	–	–	–	1	–	1	6	4
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
Dis. of Skin	2	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Other Violent Deaths	23	2	–	–	3	–	5	1	1	2	3	2	4	–	4	1	–
Other Causes	130	49	4	1	–	–	54	–	1	–	1	3	2	2	2	10	37
355.—CLEOBURY MORTIMER.																	
Mean Popul^n, 1861-71	4276	111	104	116	119	112	562	483	446	394	328	535	468	404	331	220	93
TOTAL DEATHS	792	137	26	22	14	7	206	27	21	24	21	36	53	61	77	103	124
Small-pox	2	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
Measles	11	2	2	4	1	1	10	–	1	–	–	–	–	–	–	–	–
Scarlatina	16	3	–	4	1	2	10	4	1	–	–	–	1	–	–	–	–
Diphtheria	18	1	1	2	3	–	7	6	4	–	1	–	–	–	–	–	–
Whooping-cough	7	4	1	1	–	–	6	1	–	–	–	–	–	–	–	–	–
Typhus	20	4	–	–	2	–	6	1	2	2	1	2	3	–	2	1	–
Diarrhœa & Dysentery	34	10	–	–	1	–	11	–	–	–	2	1	1	1	6	6	4
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Other Zymotic Dis.	19	4	–	2	–	–	6	2	1	3	–	–	1	3	1	2	–
Cancer	7	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	3
Scrofula and Tabes	15	4	–	–	–	1	5	–	1	5	–	2	–	–	1	1	–
Phthisis	66	2	2	–	1	–	5	–	2	8	10	11	14	6	7	3	–
Hydrocephalus	8	3	–	2	–	–	5	2	1	–	–	–	–	–	–	–	–
Dis. of Brain	82	22	2	1	2	–	27	1	1	–	–	2	8	4	10	19	8
Dis. of Heart & Dropsy	53	1	1	–	–	–	2	1	–	–	1	2	6	11	6	12	12
Dis. of Lungs	96	13	8	3	–	2	26	1	–	1	1	6	5	14	17	19	6
Dis. of Stom. and Liver	41	5	–	1	1	1	8	2	1	–	–	1	2	7	9	9	2
Dis. of Kidneys	14	–	–	–	–	–	–	–	–	–	–	1	1	1	2	6	1
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Dis. of Joints	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Dis. of Skin	3	1	1	–	–	–	2	1	–	–	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–
Other Violent Deaths	43	–	1	–	2	–	3	4	6	4	5	5	6	6	2	2	–
Other Causes	231	58	7	2	–	–	67	1	–	–	–	2	3	6	10	22	87

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
353.—CLUN.																		
Mean Populn, 1861–71	5171	143	142	153	130	127	695	653	579	476	421	659	549	455	337	220	110	17
TOTAL DEATHS	937	187	48	23	14	10	282	38	19	40	34	55	52	42	79	112	137	47
Small-pox	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	6	1	1	1	–	–	3	1	1	–	–	–	–	1	–	–	–	–
Scarlatina	23	2	5	3	2	2	14	3	4	–	1	–	1	–	–	–	–	–
Diphtheria	10	1	3	–	–	1	5	3	2	–	–	–	–	–	–	–	–	–
Whooping-cough	25	10	4	2	2	3	21	4	–	–	–	–	–	–	–	–	–	–
Typhus	26	–	1	1	2	–	4	4	3	5	2	–	4	1	–	2	1	–
Diarrhœa & Dysentery	14	6	–	–	–	–	6	1	–	1	–	–	2	–	–	2	2	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	25	4	1	2	2	1	10	2	1	1	1	2	–	1	–	6	1	–
Cancer	19	–	–	–	–	–	–	–	–	–	–	–	1	5	10	2	1	–
Scrofula and Tabes	7	–	1	2	–	–	3	–	–	1	1	–	1	1	–	–	–	–
Phthisis	129	3	3	2	3	–	11	2	3	20	20	31	16	13	11	2	–	–
Hydrocephalus	8	4	3	–	–	–	7	1	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	101	35	7	3	1	1	47	4	–	2	–	6	2	6	10	11	10	3
Dis. of Heart & Dropsy	80	2	1	–	–	–	3	3	3	2	3	5	4	6	13	19	18	1
Dis. of Lungs	101	23	6	5	2	1	37	1	–	1	1	1	3	4	18	15	19	1
Dis. of Stom. and Liver	46	7	1	–	–	–	8	2	1	1	–	3	–	3	10	10	6	2
Dis. of Kidneys	7	–	–	–	–	–	–	1	–	–	–	–	1	–	1	3	1	–
Dis. of Gener. Organs	5	–	–	–	–	–	–	–	–	–	–	1	1	–	–	3	–	–
Dis. of Joints	2	–	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Dis. of Skin	4	3	–	–	–	–	3	–	1	–	–	–	–	–	–	–	–	–
Childbirth and Metria	23	–	–	–	–	–	–	–	–	4	4	5	10	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Other Violent Deaths	9	2	1	1	–	–	4	2	–	–	–	–	–	–	–	2	1	–
Other Causes	265	83	9	1	–	1	94	4	–	2	1	1	4	2	6	35	76	40
354.—CHURCH STRETTON.																		
Mean Populn, 1861–71	3076	76	72	77	95	80	400	373	333	285	221	421	332	274	212	142	68	15
TOTAL DEATHS	541	66	27	8	12	7	120	15	14	17	17	41	42	26	57	68	82	42
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	2	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Scarlatina	12	–	2	1	2	1	6	3	1	–	1	–	–	–	1	–	–	–
Diphtheria	3	1	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
Whooping-cough	10	7	3	–	–	–	10	–	–	–	–	–	–	–	–	–	–	–
Typhus	15	–	–	–	1	–	1	–	2	4	1	–	2	–	2	2	1	–
Diarrhœa & Dysentery	9	3	1	–	–	–	4	–	–	–	–	–	–	–	–	1	4	–
Cholera	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	17	1	2	–	2	2	7	2	2	–	–	–	2	–	2	–	1	1
Cancer	21	–	–	–	–	–	–	–	–	–	–	–	3	7	4	4	2	1
Scrofula and Tabes	7	2	2	–	–	–	4	–	–	1	–	1	–	–	1	–	–	–
Phthisis	61	–	–	1	–	–	1	2	2	7	8	24	8	3	5	1	–	–
Hydrocephalus	7	1	1	1	1	1	5	1	–	1	–	–	–	–	–	–	–	–
Dis. of Brain	69	15	4	1	2	1	23	3	3	–	2	–	1	1	10	14	9	3
Dis. of Heart & Dropsy	69	–	–	1	–	–	1	1	1	1	2	2	9	6	11	21	12	2
Dis. of Lungs	51	12	7	1	3	–	23	–	–	–	–	1	3	2	3	6	12	4
Dis. of Stom. and Liver	34	–	–	–	–	–	–	–	–	–	1	4	4	3	7	7	7	–
Dis. of Kidneys	10	–	1	–	–	–	1	–	1	1	–	–	2	2	2	–	1	–
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Dis. of Joints	6	–	–	–	–	–	–	–	–	–	1	2	–	–	3	–	–	–
Dis. of Skin	3	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–
Childbirth and Metria	12	–	–	–	–	–	–	–	–	1	–	6	4	1	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Deaths	15	–	1	2	1	1	5	1	–	–	–	–	2	–	1	1	4	1
Other Causes	102	23	3	–	–	1	27	1	–	–	–	–	1	1	3	11	28	30
355.—CLEOBURY MORTIMER.																		
Mean Populn, 1861–71	4034	116	97	103	100	100	521	492	413	335	300	498	435	379	311	209	92	19
TOTAL DEATHS	705	105	33	14	11	10	173	38	20	24	18	45	40	40	61	86	115	45
Small-pox	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	11	1	2	–	2	1	6	2	1	1	–	–	–	1	–	–	–	–
Scarlatina	9	1	1	3	–	2	7	1	–	1	–	–	–	–	–	–	–	–
Diphtheria	21	1	2	1	5	1	10	6	2	1	–	1	–	1	–	–	–	–
Whooping-cough	12	9	1	–	–	–	10	2	–	–	–	–	–	–	–	–	–	–
Typhus	25	–	1	2	–	–	3	5	4	2	3	1	–	3	1	2	1	–
Diarrhœa & Dysentery	13	2	2	–	–	–	4	1	–	–	–	2	–	–	1	2	3	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	20	6	1	–	1	–	8	3	1	1	–	–	1	1	–	2	3	–
Cancer	13	–	–	–	–	–	–	–	–	–	–	–	–	2	7	2	2	–
Scrofula and Tabes	15	2	2	–	1	–	5	1	1	2	2	1	2	–	1	–	–	–
Phthisis	79	2	3	1	–	–	6	3	6	10	6	24	10	6	6	2	–	–
Hydrocephalus	7	2	3	–	1	–	6	1	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	62	15	4	2	–	1	22	3	1	2	–	3	7	3	7	7	6	1
Dis. of Heart & Dropsy	50	–	–	–	–	–	–	1	1	–	1	3	–	5	15	15	8	1
Dis. of Lungs	81	14	5	2	–	1	22	1	1	1	3	4	6	3	9	15	15	1
Dis. of Stom. and Liver	35	2	–	–	–	–	2	1	–	1	–	1	6	6	8	7	2	1
Dis. of Kidneys	5	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	1	–
Dis. of Gener. Organs	7	–	–	–	–	–	–	–	–	–	–	1	2	2	–	2	–	–
Dis. of Joints	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Dis. of Skin	5	3	–	–	–	–	3	–	–	–	–	–	–	–	1	–	–	1
Childbirth and Metria	7	–	–	–	–	–	–	–	–	1	2	2	2	–	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–
Other Violent Deaths	19	1	1	3	–	3	8	4	1	1	–	–	2	–	–	2	–	1
Other Causes	203	43	5	–	1	1	50	3	1	–	1	1	1	4	5	24	74	30

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
356.—BRIDGNORTH.																		
Mean Popul^{n}, 1861–71	7805	206	211	209	188	191	1005	925	893	686	578	992	892	774	566	347	135	12
TOTAL DEATHS	1417	291	93	33	18	21	456	49	22	27	44	63	83	85	147	211	179	51
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	14	3	6	3	1	–	13	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	35	3	8	5	4	4	24	7	2	–	2	–	–	–	–	–	–	–
Diphtheria	22	1	2	2	1	1	7	11	2	–	1	–	1	–	–	–	–	–
Whooping-cough	19	9	6	2	2	–	19	–	–	–	–	–	–	–	–	–	–	–
Typhus	43	–	1	1	1	–	3	6	5	5	1	4	7	1	4	5	2	–
Diarrhœa & Dysentery	53	29	7	–	–	2	38	–	–	–	–	1	–	2	–	5	5	2
Cholera	4	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	2	–
Other Zymotic Dis.	37	3	3	3	2	5	16	1	2	1	2	1	1	1	4	2	5	1
Cancer	12	–	–	–	–	–	–	–	–	–	–	–	2	1	3	5	1	–
Scrofula and Tabes	16	6	1	–	–	1	8	1	–	1	1	2	–	–	1	2	–	–
Phthisis	132	1	1	1	–	–	3	1	2	7	28	25	25	20	11	10	–	–
Hydrocephalus	22	12	6	2	–	–	20	2	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	190	31	8	–	3	1	46	3	3	–	1	4	11	14	30	32	33	13
Dis. of Heart & Dropsy	143	3	–	1	–	1	5	2	–	2	1	7	7	15	25	44	32	3
Dis. of Lungs	251	59	24	7	2	3	95	1	2	3	1	5	11	13	22	41	40	17
Dis. of Stom. and Liver	95	14	4	1	–	1	20	3	1	2	–	5	8	9	15	20	11	1
Dis. of Kidneys	29	–	–	–	–	1	1	1	–	1	–	2	–	3	6	10	5	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	7	–	–	–	1	–	1	–	–	–	–	–	–	–	4	–	2	–
Dis. of Skin	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	2
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
Other Violent Deaths	68	2	6	3	–	1	12	6	3	3	6	6	6	4	9	8	3	2
Other Causes	215	111	10	2	1	–	124	3	–	1	–	1	4	2	11	23	36	10
357.—SHIFFNAL.																		
Mean Popul^{n}, 1861–71	6075	177	167	150	173	167	834	748	665	574	462	806	686	572	402	232	85	9
TOTAL DEATHS	1263	323	78	41	24	20	486	48	22	32	34	71	66	86	127	143	117	31
Small-pox	7	3	–	1	–	–	4	1	–	–	–	–	–	1	–	1	–	–
Measles	12	1	3	2	1	1	8	2	2	–	–	–	–	–	–	–	–	–
Scarlatina	30	1	5	4	2	6	18	8	3	–	1	–	–	–	–	–	–	–
Diphtheria	15	1	3	3	–	–	7	4	2	–	–	–	–	1	1	–	–	–
Whooping-cough	17	10	3	3	1	–	17	–	–	–	–	–	–	–	–	–	–	–
Typhus	31	1	2	1	1	2	7	9	2	2	3	5	–	–	1	1	1	–
Diarrhœa & Dysentery	76	37	11	1	1	1	51	–	1	–	–	–	1	7	3	4	7	2
Cholera	3	1	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–
Other Zymotic Dis.	21	4	2	4	1	1	12	3	1	–	–	1	–	1	2	1	–	–
Cancer	13	–	–	–	–	–	–	–	–	–	1	2	–	1	5	3	–	1
Scrofula and Tabes	21	6	3	1	3	1	11	2	–	2	1	–	–	1	–	1	–	–
Phthisis	113	3	2	2	1	–	8	2	3	10	18	30	21	14	6	1	–	–
Hydrocephalus	13	7	–	1	1	1	10	2	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	141	46	8	5	4	1	64	2	1	2	1	6	3	13	19	11	16	3
Dis. of Heart & Dropsy	87	1	1	–	–	–	2	2	–	2	–	4	8	8	20	23	14	1
Dis. of Lungs	250	77	26	10	4	4	121	3	1	1	–	6	9	19	25	43	19	3
Dis. of Stom. and Liver	58	13	2	1	–	–	15	1	–	1	1	2	2	5	13	11	6	–
Dis. of Kidneys	20	1	–	–	1	–	2	–	–	–	–	–	2	1	7	6	2	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	4	–	–	–	–	–	–	1	1	–	–	–	–	1	–	1	–	–
Dis. of Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	8	–	–	–	–	–	–	–	–	–	–	1	2	–	3	2	–	–
Other Violent Deaths	88	4	3	2	3	2	14	4	4	11	6	10	17	7	11	2	2	–
Other Causes	235	106	4	–	–	–	110	2	–	1	2	4	1	5	11	28	50	21
358.—MADELEY.																		
Mean Popul^{n}, 1861–71	15293	469	435	431	423	423	2181	1971	1701	1566	1297	2041	1631	1276	961	505	144	19
TOTAL DEATHS	3440	996	292	113	89	54	1544	123	94	91	94	167	157	225	304	349	218	74
Small-pox	20	3	3	–	2	1	9	1	2	4	–	5	6	3	–	–	–	–
Measles	80	18	33	15	7	3	76	3	–	–	1	–	–	–	–	–	–	–
Scarlatina	91	14	13	12	20	5	64	23	6	1	–	–	–	–	–	–	–	–
Diphtheria	24	6	7	–	1	4	18	3	1	2	–	–	–	–	–	–	–	–
Whooping-cough	44	23	14	2	3	1	43	1	–	–	–	–	–	–	–	–	–	–
Typhus	121	3	6	5	4	4	22	18	16	14	11	5	7	6	11	8	3	–
Diarrhœa & Dysentery	97	39	15	5	–	1	80	–	–	1	–	–	1	2	5	7	–	1
Cholera	9	1	–	–	–	–	1	2	–	–	–	1	1	–	3	1	–	–
Other Zymotic Dis.	67	13	9	9	6	3	40	8	2	–	1	1	1	3	4	6	1	–
Cancer	36	–	–	–	–	–	–	–	–	1	–	3	3	5	10	10	2	2
Scrofula and Tabes	82	36	20	4	2	1	63	4	2	2	–	4	2	–	3	2	–	–
Phthisis	332	20	17	4	2	3	46	14	14	21	42	65	48	45	27	9	1	–
Hydrocephalus	64	25	16	8	3	4	56	5	3	–	–	–	–	–	–	–	–	–
Dis. of Brain	374	179	26	11	6	4	226	9	4	2	7	10	10	19	32	36	15	4
Dis. of Heart & Dropsy	167	27	3	1	2	1	34	4	5	6	3	11	11	22	45	19	7	–
Dis. of Lungs	512	133	68	15	15	9	260	9	1	5	–	8	14	42	66	74	39	3
Dis. of Stom. and Liver	152	38	9	1	3	1	52	3	3	1	4	4	16	21	28	15	5	–
Dis. of Kidneys	35	1	–	–	1	–	2	–	–	1	–	4	1	4	7	10	5	1
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1
Dis. of Joints	3	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–
Dis. of Skin	5	1	–	–	–	–	1	–	–	–	–	1	–	–	2	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	11	–	–	–	–	–	–	–	–	–	1	1	2	3	2	2	–	–
Other Violent Deaths	232	5	3	6	10	7	31	15	31	28	20	28	24	34	18	9	3	1
Other Causes	847	371	30	15	2	2	420	1	3	2	4	6	9	14	41	140	146	61

Mean Population, 1861-71, and **Deaths** in **Districts** during the **10 Years 1861-70.**

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
356.—BRIDGNORTH.																		
Mean Popul^n, 1861-71	7880	214	188	208	191	199	1000	910	862	693	633	1086	852	750	570	351	147	26
TOTAL DEATHS	1453	261	71	37	31	13	413	53	45	52	40	86	81	87	147	190	184	75
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	23	3	6	7	1	1	18	4	–	–	–	1	–	–	–	–	–	–
Scarlatina	55	3	11	5	8	2	29	13	5	3	1	3	–	1	–	–	–	–
Diphtheria	19	2	2	–	3	–	7	7	2	–	–	2	–	1	–	–	–	–
Whooping-cough	37	18	10	4	5	–	37	–	–	–	–	–	–	–	–	–	–	–
Typhus	55	–	1	2	4	–	7	7	9	5	8	3	2	2	2	7	3	–
Diarrhœa & Dysentery	42	21	2	–	–	–	23	1	–	–	–	1	–	2	2	6	5	2
Cholera	2	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	37	8	1	4	1	2	16	2	–	–	1	1	2	1	4	6	2	2
Cancer	51	–	–	–	–	–	–	–	–	–	–	1	6	12	11	12	8	1
Scrofula and Tabes	24	7	–	–	–	–	7	1	6	–	1	2	3	1	2	–	1	–
Phthisis	146	2	2	1	–	–	5	4	5	28	15	30	28	13	15	2	1	–
Hydrocephalus	8	3	2	2	–	–	7	1	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	107	37	6	3	1	–	47	3	2	3	2	8	2	10	22	34	27	7
Dis. of Heart & Dropsy	134	–	–	–	–	1	1	1	4	3	1	7	6	14	23	32	35	4
Dis. of Lungs	241	42	16	7	3	4	72	5	6	3	1	2	8	10	30	42	41	21
Dis. of Stom. and Liver	103	16	3	–	–	–	19	–	3	2	5	5	8	10	13	20	11	4
Dis. of Kidneys	18	–	–	–	–	–	–	–	–	1	–	3	2	1	4	5	1	1
Dis. of Gener. Organs	10	–	–	–	–	–	–	–	–	–	–	–	1	5	–	2	2	–
Dis. of Joints	7	–	–	–	–	–	–	–	–	1	–	2	1	1	1	1	–	–
Dis. of Skin	12	4	–	–	1	–	5	–	–	–	–	2	–	–	1	3	1	–
Childbirth and Metria	26	–	–	–	–	–	–	–	–	3	3	10	9	1	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
Other Violent Deaths	33	9	2	–	3	3	17	3	1	–	–	1	–	–	6	1	2	2
Other Causes	201	85	7	2	1	–	95	–	2	–	2	2	2	2	8	16	41	31
357.—SHIFFNAL.																		
Mean Popul^n, 1861-71	6315	205	188	169	166	165	893	755	672	576	552	851	684	539	424	244	109	16
TOTAL DEATHS	1104	219	74	43	35	19	390	52	31	29	32	69	57	60	83	131	119	51
Small-pox	5	–	1	–	–	1	2	1	–	1	–	–	–	–	–	1	–	–
Measles	13	3	8	–	1	–	12	–	–	–	1	–	–	–	–	–	–	–
Scarlatina	36	3	8	8	2	4	25	8	2	–	–	1	–	–	–	–	–	–
Diphtheria	11	1	1	–	2	–	4	6	2	1	–	–	–	–	1	–	–	–
Whooping-cough	20	10	3	1	4	–	18	2	–	–	–	–	–	–	–	–	–	–
Typhus	39	1	2	2	3	3	11	10	5	2	3	3	1	–	3	1	–	–
Diarrhœa & Dysentery	46	22	4	1	1	2	30	2	1	–	1	2	–	1	3	4	1	1
Cholera	2	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Other Zymotic Dis.	22	4	3	2	2	1	12	2	–	1	–	–	2	–	4	1	–	–
Cancer	24	–	–	–	–	–	–	–	1	–	–	1	4	4	7	4	3	–
Scrofula and Tabes	18	4	3	2	1	–	10	1	2	1	2	1	–	1	–	–	–	–
Phthisis	112	2	3	2	1	1	9	1	7	10	14	27	18	19	4	3	–	–
Hydrocephalus	14	3	3	2	1	1	10	3	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	122	55	8	4	5	–	52	3	1	5	1	6	4	8	8	19	13	2
Dis. of Heart & Dropsy	75	2	1	–	–	–	3	1	2	1	–	3	4	11	13	23	14	–
Dis. of Lungs	191	47	15	16	5	5	88	3	3	1	1	5	3	6	19	41	19	2
Dis. of Stom. and Liver	56	6	–	–	1	–	7	3	2	4	–	2	5	4	11	13	4	1
Dis. of Kidneys	4	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Dis. of Joints	3	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–
Dis. of Skin	3	1	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–
Childbirth and Metria	24	–	–	–	–	–	–	–	–	–	3	12	9	–	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–
Other Violent Deaths	21	–	2	–	5	–	7	4	1	1	3	1	1	1	–	–	1	1
Other Causes	236	75	9	2	1	1	88	2	–	–	1	3	3	5	7	19	64	41
358.—MADELEY.																		
Mean Popul^n, 1861-71	15090	496	441	435	436	436	2244	1964	1729	1284	1209	1980	1563	1317	992	571	207	25
TOTAL DEATHS	3147	744	271	112	62	58	1247	126	76	81	124	184	174	168	257	344	286	100
Small-pox	31	10	1	2	–	2	15	3	3	2	4	2	1	1	–	–	–	–
Measles	59	7	31	12	2	2	54	5	–	–	–	–	–	–	–	–	–	–
Scarlatina	124	13	17	19	20	18	87	25	10	–	–	1	1	–	–	–	–	–
Diphtheria	13	2	5	–	2	2	11	2	–	–	–	–	–	–	–	–	–	–
Whooping-cough	48	21	14	8	4	–	47	1	–	–	–	–	–	–	–	–	–	–
Typhus	135	5	5	8	4	7	29	27	18	10	17	12	5	6	7	3	1	–
Diarrhœa & Dysentery	85	47	14	3	1	–	65	–	–	–	–	1	1	–	4	8	5	1
Cholera	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–
Other Zymotic Dis.	57	5	7	9	5	4	30	3	5	2	2	2	–	1	4	3	4	1
Cancer	84	–	–	–	–	–	–	–	–	–	–	2	7	25	18	26	6	–
Scrofula and Tabes	65	24	13	6	–	1	44	3	3	2	1	5	6	1	–	–	–	–
Phthisis	412	21	12	4	4	3	44	21	16	41	68	95	67	33	18	5	1	–
Hydrocephalus	30	13	8	5	–	1	27	3	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	352	142	25	10	8	1	186	11	9	3	7	13	11	14	28	47	17	6
Dis. of Heart & Dropsy	180	15	5	3	2	–	25	1	4	5	–	11	11	24	45	37	16	1
Dis. of Lungs	396	102	59	9	5	7	182	10	2	5	6	14	13	26	41	57	35	5
Dis. of Stom. and Liver	126	20	4	3	2	2	31	1	1	5	6	6	9	17	21	20	5	1
Dis. of Kidneys	14	–	–	–	–	–	–	1	–	–	1	1	6	–	1	3	1	–
Dis. of Gener. Organs	13	–	–	–	–	–	–	–	–	–	–	2	4	2	5	–	–	–
Dis. of Joints	3	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–
Dis. of Skin	6	2	–	–	–	–	2	–	2	–	–	–	–	–	1	–	1	–
Childbirth and Metria	47	–	–	–	–	–	–	–	–	3	5	14	25	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Other Violent Deaths	51	4	6	5	2	6	23	6	3	1	2	2	1	2	2	4	5	–
Other Causes	812	291	45	6	1	2	345	2	–	2	3	1	5	12	39	129	189	85

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
359.—ATCHAM.																		
Mean Popul^n, 1861–71	9674	231	221	249	259	224	1184	1152	1015	946	792	1242	1065	945	717	432	156	23
TOTAL DEATHS	1649	300	63	39	30	20	452	55	37	57	51	101	94	114	159	249	209	62
Small-pox	6	–	–	–	1	–	1	–	–	1	1	2	–	–	1	–	–	–
Measles	16	3	10	–	2	–	15	–	–	1	–	–	–	–	–	–	–	–
Scarlatina	36	2	5	9	4	3	24	8	3	1	–	–	1	–	–	–	–	–
Diphtheria	14	2	–	–	–	2	4	6	1	1	–	1	–	–	1	–	–	–
Whooping cough	24	12	5	2	1	1	21	1	1	–	–	–	–	–	–	–	–	–
Typhus	43	1	1	2	2	1	7	4	3	6	3	8	1	4	2	5	–	–
Diarrhœa & Dysentery	32	11	3	–	–	–	14	–	–	–	2	2	1	1	–	7	5	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Other Zymotic Dis.	46	8	3	4	5	3	23	7	–	–	–	3	1	1	6	3	2	–
Cancer	30	–	–	–	–	1	1	1	–	1	–	–	2	2	9	8	5	1
Scrofula and Tabes	18	1	3	2	–	–	6	2	2	3	2	2	–	–	1	–	–	–
Phthisis	171	3	2	–	1	–	6	2	6	20	22	43	27	21	14	8	2	–
Hydrocephalus	13	4	2	2	2	1	11	1	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	170	62	5	3	1	5	76	3	5	2	3	5	3	12	11	30	17	3
Dis. of Heart & Dropsy	115	–	–	1	–	–	1	3	2	1	2	5	12	8	27	42	11	1
Dis. of Lungs	255	46	10	5	4	1	66	5	3	6	1	10	12	27	30	54	37	4
Dis. of Stom. and Liver	80	8	–	–	1	–	9	3	–	2	1	2	10	14	20	11	7	1
Dis. of Kidneys	37	1	–	–	–	–	1	–	1	1	2	1	1	5	9	8	8	–
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Dis. of Joints	5	–	–	–	–	1	1	1	–	1	–	–	–	–	–	2	–	–
Dis. of Skin	3	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	1
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	9	–	–	–	–	–	–	–	–	1	–	–	2	2	2	2	–	–
Other Violent Deaths	84	1	2	1	5	1	10	5	7	9	11	12	9	6	8	6	1	–
Other Causes	432	134	12	8	1	–	155	3	2	–	1	5	10	10	18	63	114	51
360.—SHREWSBURY.																		
Mean Popul^n, 1861–71	12514	345	316	317	296	309	1583	1403	1238	1193	1039	1849	1540	1202	840	453	153	21
TOTAL DEATHS	3609	780	204	88	61	48	1181	108	65	102	129	262	308	364	389	357	276	68
Small-pox	48	9	5	4	5	7	30	3	–	3	1	6	2	2	–	1	–	–
Measles	52	9	22	7	6	3	47	4	–	–	1	–	–	–	–	–	–	–
Scarlatina	55	4	12	8	8	8	40	11	3	1	1	–	–	–	–	–	–	–
Diphtheria	23	2	5	2	1	–	10	5	1	–	1	3	1	–	1	1	–	–
Whooping-cough	35	15	12	4	2	–	33	2	–	–	–	–	–	–	–	–	–	–
Typhus	120	4	5	3	5	1	18	13	10	9	15	16	10	9	10	3	6	1
Diarrhœa & Dysentery	151	97	11	5	3	1	117	1	2	3	–	–	–	4	8	9	7	–
Cholera	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Other Zymotic Dis.	75	6	8	5	1	4	24	7	1	2	3	2	7	9	4	10	5	1
Cancer	51	–	–	–	–	–	–	–	–	–	3	1	5	15	18	9	–	–
Scrofula and Tabes	48	14	7	2	1	1	25	4	3	4	1	6	1	2	2	–	–	–
Phthisis	404	3	5	2	5	2	17	5	8	36	50	89	80	72	35	12	–	–
Hydrocephalus	54	13	16	4	6	3	42	8	3	–	1	–	–	–	–	–	–	–
Dis. of Brain	617	221	17	7	3	1	249	8	5	8	7	36	53	70	66	66	45	4
Dis. of Heart & Dropsy	261	22	5	3	2	–	32	6	3	4	7	15	31	41	55	43	23	1
Dis. of Lungs	524	111	47	19	6	7	190	5	5	4	4	23	32	52	63	81	55	10
Dis. of Stom. and Liver	179	23	1	2	1	–	27	2	1	2	8	14	25	27	36	25	9	2
Dis. of Kidneys	91	1	–	1	–	1	3	2	–	–	5	9	12	18	18	15	7	2
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Dis. of Joints	26	–	–	–	1	–	1	3	3	2	4	2	4	2	4	1	–	–
Dis. of Skin	13	4	–	–	–	–	4	1	2	1	–	–	2	3	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	11	–	–	–	–	–	–	–	–	–	–	1	3	5	–	2	–	–
Other Violent Deaths	232	10	2	6	4	8	30	17	14	19	17	35	28	23	29	13	5	2
Other Causes	535	212	23	4	1	1	241	1	1	4	–	4	11	10	39	65	114	45
361.—OSWESTRY.																		
Mean Popul^n, 1861–71	12806	341	354	312	323	306	1636	1554	1371	1255	1070	1760	1361	1158	873	536	200	32
TOTAL DEATHS	2747	579	140	66	63	32	880	90	64	83	88	184	157	185	287	347	304	78
Small-pox	18	5	–	–	–	–	5	2	–	1	4	3	2	1	–	–	–	–
Measles	36	6	16	4	6	1	33	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	99	4	12	13	22	10	61	23	11	2	–	1	1	–	–	–	–	–
Diphtheria	28	4	–	3	3	4	14	8	1	2	–	1	–	1	1	–	–	–
Whooping-cough	38	16	11	9	–	1	37	1	–	–	–	–	–	–	–	–	–	–
Typhus	101	4	3	2	1	1	11	10	6	8	8	14	7	12	10	11	4	–
Diarrhœa & Dysentery	43	17	6	–	–	–	23	–	–	–	–	1	1	–	2	9	5	2
Cholera	6	1	–	–	–	–	1	–	–	–	–	–	1	2	1	–	1	–
Other Zymotic Dis.	59	5	6	3	6	3	23	6	5	1	4	2	1	4	6	6	–	1
Cancer	48	–	–	–	–	–	–	–	1	–	1	1	2	9	17	12	4	1
Scrofula and Tabes	30	8	7	–	2	–	17	–	4	2	2	3	–	–	2	–	–	–
Phthisis	278	5	1	1	1	1	9	6	9	31	39	78	43	25	20	12	1	–
Hydrocephalus	36	13	11	4	5	1	34	1	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	448	235	19	10	1	2	267	6	5	4	2	8	12	18	34	50	41	1
Dis. of Heart & Dropsy	166	2	–	–	–	1	3	1	2	3	5	12	12	19	44	41	23	1
Dis. of Lungs	394	71	27	6	6	4	114	4	3	5	9	8	15	34	64	78	52	8
Dis. of Stom. and Liver	148	11	3	1	2	–	17	5	3	2	2	17	12	25	28	27	9	1
Dis. of Kidneys	61	1	1	1	1	–	4	2	1	1	–	4	4	9	14	14	8	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	11	–	–	–	–	–	–	1	2	1	2	1	1	3	–	–	–	–
Dis. of Skin	10	–	–	1	–	–	1	–	–	1	–	–	1	–	3	2	2	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	9	–	–	–	–	–	–	–	–	1	1	1	2	1	3	–	–	–
Other Violent Deaths	157	3	2	7	6	3	21	9	10	14	9	22	27	9	14	15	7	–
Other Causes	523	168	15	1	1	–	185	2	–	4	–	7	8	13	21	70	147	63

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
359.—ATCHAM.																		
Mean Populn, 1861–71	9211	225	218	233	223	230	1129	1093	1011	828	721	1203	1003	877	654	444	203	40
TOTAL DEATHS	1596	242	69	29	24	18	382	69	34	60	76	117	76	88	138	197	263	105
Small pox	5	-	-	-	-	-	-	-	-	1	-	-	2	2	-	-	-	-
Measles	17	2	4	2	3	1	12	1	3	-	-	-	-	-	1	-	-	-
Scarlatina	39	4	6	1	4	5	20	12	2	1	1	1	-	-	2	-	-	-
Diphtheria	28	-	2	1	2	2	7	11	3	2	1	-	-	1	3	-	-	-
Whooping-cough	24	13	6	1	1	1	22	2	-	-	-	-	-	-	-	-	-	-
Typhus	40	1	1	-	-	-	2	5	5	6	4	7	2	3	3	2	1	-
Diarrhœa & Dysentery	37	11	3	1	1	-	16	-	-	-	2	2	1	2	1	7	5	1
Cholera	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	26	5	1	3	2	3	11	1	2	1	1	1	-	2	4	7	2	1
Cancer	48	-	1	-	-	-	1	-		-	-	2	6	5	17	10	6	1
Scrofula and Tabes	16	4	2	1	-	-	7	-	1	4	1	-	1	-	-	2	-	-
Phthisis	208	3	-	1	1	2	7	2	11	31	40	58	27	21	9	2	-	-
Hydrocephalus	10	2	4	2	1	-	9	-	-	1	-	-	-	-	-	-	-	-
Dis. of Brain	171	56	8	1	4	2	71	6	2	3	1	7	4	8	16	24	24	5
Dis. of Heart & Dropsy	129	-	-	1	-	-	1	1	-	3	1	3	5	11	28	39	35	2
Dis. of Lungs	167	31	15	4	1	-	51	6	1	1	5	8	3	6	25	18	36	7
Dis. of Stom. and Liver	75	4	1	-	-	1	6	-	-	2	4	3	5	12	12	23	8	-
Dis. of Kidneys	19	-	-	-	-	-	-	3	-	-	-	1	-	4	5	3	2	1
Dis. of Gener. Organs	8	-	-	-	-	-	-	-	-	-	-	2	5	-	-	-	-	1
Dis. of Joints	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-
Dis. of Skin	2	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	35	-	-	-	-	-	-	-	-	-	12	14	9	-	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-
Other Violent Deaths	36	2	5	5	2	1	15	7	1	1	-	3	2	1	1	1	4	-
Other Causes	408	103	9	4	2	-	118	3	3	2	3	3	4	8	10	59	139	86
360.—SHREWSBURY.																		
Mean Populn, 1861–71	14003	347	293	322	309	304	1575	1405	1337	1374	1381	2125	1639	1370	958	584	219	36
TOTAL DEATHS	3308	612	182	88	72	61	1015	110	56	102	135	255	227	253	299	388	352	116
Small-pox	37	3	4	5	4	4	20	7	1	-	1	3	3	2	-	-	-	-
Measles	57	12	18	10	4	3	47	8	1	-	-	1	-	-	-	-	-	-
Scarlatina	88	6	12	14	14	15	61	21	3	1	1	-	1	-	-	-	-	-
Diphtheria	21	1	3	3	2	5	14	1	1	1	1	1	2	-	-	-	-	-
Whooping-cough	44	16	11	9	4	3	43	1	-	-	-	-	-	-	-	-	-	-
Typhus	112	2	3	3	4	1	13	12	9	15	10	13	12	10	7	8	3	-
Diarrhœa & Dysentery	159	86	18	2	-	2	108	2	-	1	3	3	5	1	4	18	12	2
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Other Zymotic Dis.	47	6	3	1	3	4	17	7	5	1	3	1	2	3	4	2	2	-
Cancer	103	-	-	-	-	1	1	-	1	-	-	5	7	24	32	24	8	1
Scrofula and Tabes	37	11	5	-	-	-	16	4	1	3	2	5	5	1	-	-	-	-
Phthisis	406	4	1	2	1	1	9	9	14	50	65	107	70	46	27	6	-	-
Hydrocephalus	50	11	5	2	4	2	24	3	1	2	-	-	-	-	-	-	-	-
Dis. of Brain	476	139	15	7	7	2	170	8	7	4	9	22	38	44	54	46	64	10
Dis. of Heart & Dropsy	235	12	3	2	4	3	24	8	3	4	5	19	15	32	50	51	29	4
Dis. of Lungs	471	89	52	19	15	8	174	9	2	3	7	13	14	29	55	90	59	16
Dis. of Stom. and Liver	178	18	3	-	-	-	21	1	1	4	8	19	14	39	22	29	18	2
Dis. of Kidneys	23	-	-	-	-	-	-	-	-	3	2	2	3	1	8	6	1	-
Dis. of Gener. Organs	24	-	-	-	-	-	-	-	-	1	2	3	8	4	4	2	-	-
Dis. of Joints	13	-	-	-	-	1	1	1	2	-	1	2	-	3	1	1	1	-
Dis. of Skin	17	5	-	-	-	-	5	-	-	-	2	2	1	-	3	2	2	-
Childbirth and Metria	41	-	-	-	-	-	-	-	-	3	4	20	15	2	-	-	-	-
Suicide	7	-	-	-	-	-	-	-	-	1	1	2	3	-	-	-	-	-
Other Violent Deaths	65	3	4	3	4	2	16	6	3	4	2	6	4	4	6	4	6	4
Other Causes	613	197	22	6	2	4	231	2	1	1	6	6	4	8	22	99	156	77
361.—OSWESTRY.																		
Mean Populn, 1861–71	12527	351	293	344	340	322	1650	1482	1321	1141	1002	1654	1375	1140	910	560	251	41
TOTAL DEATHS	2538	460	154	72	52	43	781	96	58	87	107	175	172	138	204	283	313	124
Small pox	20	7	2	1	2	-	12	2	-	1	1	3	1	-	-	-	-	-
Measles	30	3	11	5	3	3	25	5	-	-	-	-	-	-	-	-	-	-
Scarlatina	97	3	15	15	19	15	67	19	9	1	-	-	1	-	-	-	-	-
Diphtheria	49	2	2	2	3	4	13	16	4	4	1	1	-	1	-	-	-	-
Whooping cough	41	20	16	2	-	4	42	1	1	-	-	-	-	-	-	-	-	-
Typhus	91	3	3	7	2	1	16	8	9	5	10	6	11	4	12	6	3	1
Diarrhœa & Dysentery	39	4	7	2	3	-	16	1	-	-	1	4	2	3	2	3	6	1
Cholera	5	-	1	-	-	-	1	-	-	-	-	2	1	-	-	-	1	-
Other Zymotic Dis.	40	7	6	5	2	-	20	-	1	1	2	-	1	1	5	5	4	-
Cancer	73	-	-	-	-	-	-	1	-	-	-	2	7	20	16	22	5	-
Scrofula and Tabes	32	10	6	1	1	1	19	3	1	1	3	2	1	-	2	-	-	-
Phthisis	341	1	2	2	1	1	7	5	19	58	60	78	66	26	12	10	-	-
Hydrocephalus	22	7	5	3	1	1	17	3	2	-	-	-	-	-	-	-	-	-
Dis of Brain	403	189	27	3	4	2	235	5	3	4	5	13	11	13	38	34	45	7
Dis. of Heart & Dropsy	182	2	2	1	-	1	6	1	4	4	4	8	13	23	45	52	20	2
Dis. of Lungs	289	44	23	11	5	6	89	8	1	3	4	11	13	21	21	55	47	15
Dis. of Stom. and Liver	133	12	3	2	1	1	19	5	1	3	6	16	12	9	29	27	5	1
Dis. of Kidneys	28	-	-	1	-	-	1	1	-	-	1	2	4	4	5	7	3	-
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	-	-
Dis. of Joints	4	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-
Dis. of Skin	7	2	-	-	-	1	5	-	-	-	-	1	-	1	-	-	2	-
Childbirth and Metria	47	-	-	-	-	-	-	-	-	1	6	21	18	1	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Other Violent Deaths	51	2	4	6	2	1	15	9	1	-	2	2	3	5	1	7	4	2
Other Causes	512	142	19	3	3	1	168	3	2	-	1	2	4	3	11	55	168	97

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85
362.—ELLESMERE.																		
Mean Popul^n, 1861-71	7279	189	163	172	178	180	882	850	797	750	543	852	813	720	557	362	139	14
TOTAL DEATHS	1185	275	53	30	17	19	394	55	33	39	47	102	80	100	149	207	217	62
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Measles	17	5	6	1	2	-	14	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	18	-	3	1	4	1	9	3	1	2	1	1	-	-	1	-	-	-
Diphtheria	32	-	3	1	1	4	9	10	5	4	-	1	3	-	-	-	-	-
Whooping-cough	12	8	2	2	-	-	12	-	-	-	-	-	-	-	-	-	-	-
Typhus	51	-	-	1	-	3	4	2	4	7	8	2	3	6	6	7	2	-
Diarrhœa & Dysentery	28	10	-	-	-	-	10	-	-	-	-	-	1	1	-	4	12	-
Cholera	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-
Other Zymotic Dis.	32	2	-	2	1	-	5	4	-	3	-	1	2	5	6	3	2	1
Cancer	34	-	-	-	-	-	-	-	-	1	1	1	1	5	12	7	6	-
Scrofula and Tabes	29	9	4	1	-	1	15	2	2	2	4	3	-	1	-	-	-	-
Phthisis	162	5	3	-	-	-	8	1	5	8	25	55	23	18	14	3	2	-
Hydrocephalus	15	6	3	2	-	-	11	3	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	173	71	4	2	3	1	81	4	4	2	2	3	8	6	11	31	14	7
Dis. of Heart & Dropsy	113	5	-	-	-	1	6	1	2	1	2	8	5	18	24	27	18	1
Dis. of Lungs	191	42	17	8	1	2	70	6	-	-	-	6	9	12	24	35	25	4
Dis. of Stom. and Liver	97	8	-	-	-	2	10	1	1	2	2	9	9	9	17	21	10	3
Dis. of Kidneys	36	-	-	-	-	-	-	-	1	1	-	2	3	4	9	9	7	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	8	-	-	-	-	-	-	1	2	-	-	1	1	1	-	2	-	-
Dis. of Skin	3	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-
Other Violent Deaths	79	-	3	6	4	2	15	9	5	5	2	8	8	5	13	4	4	1
Other Causes	346	101	5	3	1	2	115	4	-	1	-	1	2	7	10	49	112	45
363 A.—WEM.																		
Mean Popul^n, 1861-71	5433	162	136	140	128	133	699	652	627	523	388	649	589	536	413	245	103	9
TOTAL DEATHS	1047	210	55	18	22	11	316	39	24	26	26	53	44	66	110	153	149	41
Small-pox	6	-	-	-	-	-	-	-	-	1	-	-	2	2	-	1	-	-
Measles	18	3	7	4	-	1	15	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	12	1	-	2	3	-	6	4	2	-	-	-	-	-	-	-	-	-
Diphtheria	18	3	-	1	3	2	9	6	3	-	-	-	-	-	-	-	-	-
Whooping-cough	18	11	5	1	1	-	18	-	-	-	-	-	-	-	-	-	-	-
Typhus	14	3	-	-	1	-	4	1	1	1	1	1	-	3	1	1	-	-
Diarrhœa & Dysentery	23	12	2	1	-	-	15	-	-	-	-	1	-	-	2	2	3	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	23	3	-	1	1	1	6	1	1	1	-	-	1	1	4	5	3	-
Cancer	28	-	-	-	-	-	-	-	-	-	1	1	-	5	9	7	5	-
Scrofula and Tabes	12	4	3	-	1	-	8	-	1	1	-	1	-	-	1	-	-	-
Phthisis	108	1	1	-	-	1	3	3	2	12	9	25	18	17	12	7	-	-
Hydrocephalus	22	10	7	-	2	1	20	1	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	131	43	3	2	3	-	51	3	6	1	2	3	1	7	13	21	18	3
Dis. of Heart & Dropsy	83	-	1	-	-	-	1	1	1	1	1	2	7	8	16	27	16	2
Dis. of Lungs	148	38	13	-	3	2	56	-	-	1	3	2	5	8	14	31	25	3
Dis. of Stom. and Liver	71	7	-	-	-	1	8	2	-	1	2	5	4	8	14	19	6	2
Dis. of Kidneys	34	-	-	-	1	-	1	2	-	3	2	4	-	1	4	9	6	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	4	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-
Dis. of Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	6	-	-	-	-	-	-	-	-	-	-	1	-	1	3	-	1	-
Other Violent Deaths	56	2	4	4	2	2	14	11	4	2	4	4	2	1	7	4	2	1
Other Causes	210	68	9	2	1	-	80	2	1	1	1	1	3	4	9	19	63	26
363 B.—WHITCHURCH (SALOP).																		
Mean Popul^n, 1861-71	5507	134	135	136	146	148	699	668	587	536	428	702	595	520	415	257	92	8
TOTAL DEATHS	1173	300	58	27	18	15	418	41	21	29	38	60	54	73	112	142	154	31
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	19	9	6	2	-	2	19	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	22	3	-	3	4	-	10	10	1	-	1	-	-	-	-	-	-	-
Diphtheria	5	1	1	-	1	-	3	1	1	-	-	-	-	-	-	-	-	-
Whooping-cough	10	6	3	1	-	-	10	-	-	-	-	-	-	-	-	-	-	-
Typhus	35	-	-	-	2	1	3	6	2	2	2	3	5	1	3	4	3	1
Diarrhœa & Dysentery	50	32	5	2	-	-	39	2	-	-	-	-	-	-	2	-	5	2
Cholera	3	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-
Other Zymotic Dis.	29	4	2	1	-	1	8	1	1	2	-	2	3	3	3	4	2	-
Cancer	28	-	-	-	-	-	-	-	-	1	-	1	2	4	7	7	6	-
Scrofula and Tabes	15	4	1	-	1	-	6	1	1	1	-	3	-	1	1	1	-	-
Phthisis	129	3	2	1	-	-	6	2	3	14	23	28	18	15	11	8	1	-
Hydrocephalus	17	4	3	4	3	-	14	3	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	146	60	6	3	1	3	73	6	2	3	2	1	1	7	13	18	19	1
Dis. of Heart & Dropsy	67	-	-	-	-	-	-	-	2	1	1	1	4	10	15	24	9	-
Dis. of Lungs	158	46	14	7	2	-	69	1	1	-	1	6	6	11	16	26	19	2
Dis. of Stom. and Liver	56	7	-	-	1	1	9	3	-	1	3	3	3	8	8	13	5	-
Dis. of Kidneys	21	-	-	-	-	1	1	-	-	-	1	2	1	1	7	4	2	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	7	-	-	1	-	-	1	-	-	1	1	1	-	-	2	1	-	-
Dis. of Skin	3	1	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	8	-	-	-	-	-	-	-	-	-	1	1	2	2	2	-	-	-
Other Violent Deaths	46	1	3	1	3	4	12	2	6	3	1	6	6	1	5	1	3	-
Other Causes	298	119	11	1	-	2	133	1	1	-	1	2	3	9	15	31	79	23

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 upwards.
362.—ELLESMERE.																		
Mean Popul^n, 1861–71	7259	187	164	165	172	172	860	867	764	700	589	833	811	679	556	367	159	24
TOTAL DEATHS	1341	211	68	30	27	13	349	59	28	38	42	94	83	82	109	180	200	77
Small-pox	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Measles	15	3	5	2	2	1	13	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	20	-	2	-	1	1	4	7	4	1	1	2	1	-	-	-	-	-
Diphtheria	45	4	2	2	3	1	12	26	3	2	-	2	-	-	-	-	-	-
Whooping-cough	19	9	6	2	1	1	19	-	-	-	-	-	-	-	-	-	-	-
Typhus	42	1	1	2	3	1	8	4	1	4	7	3	2	2	4	5	2	-
Diarrhœa & Dysentery	20	5	2	-	-	1	8	1	-	-	1	-	-	2	-	1	5	2
Cholera	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
Other Zymotic Dis.	21	2	2	1	2	1	8	-	-	2	-	2	2	1	1	4	1	-
Cancer	56	-	-	-	-	-	-	-	-	-	-	2	5	15	12	17	4	1
Scrofula and Tabes	22	2	4	4	1	-	11	1	3	1	-	1	3	-	1	1	-	-
Phthisis	175	2	2	-	1	-	5	2	8	19	24	49	33	15	13	7	-	-
Hydrocephalus	11	4	2	2	2	1	11	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	151	44	5	2	3	-	54	4	-	3	4	2	5	8	19	20	25	7
Dis. of Heart & Dropsy	112	15	3	1	-	-	19	1	2	1	1	5	3	10	17	33	18	2
Dis. of Lungs	150	32	18	8	4	-	62	1	3	1	-	3	4	11	17	25	20	3
Dis. of Stom. and Liver	67	1	-	1	1	1	4	4	-	-	-	4	9	7	13	16	9	1
Dis. of Kidneys	7	-	-	-	-	-	-	1	-	-	-	1	-	1	-	3	1	-
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-
Dis. of Joints	7	-	-	-	-	-	-	-	1	1	1	-	1	1	-	1	1	-
Dis. of Skin	4	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	1
Childbirth and Metria	25	-	-	-	-	-	-	-	-	2	2	12	8	1	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	1	-
Other Violent Deaths	19	-	1	2	3	3	9	3	1	-	-	-	3	-	1	1	1	-
Other Causes	341	87	13	1	-	1	102	2	1	1	1	4	3	4	8	44	111	60
363 A.—WEM.																		
Mean Popul^n, 1861–71	5329	130	112	129	134	132	637	635	538	468	405	678	603	532	408	278	120	22
TOTAL DEATHS	1001	151	41	28	13	15	248	34	24	23	33	66	58	49	92	133	170	71
Small-pox	5	2	-	-	-	-	2	-	-	-	-	2	-	-	1	-	-	-
Measles	16	3	4	2	1	1	11	1	2	1	1	-	-	-	-	-	-	-
Scarlatina	17	-	1	2	4	-	7	4	2	-	-	2	2	-	-	-	-	-
Diphtheria	26	2	-	1	2	4	9	9	4	-	-	1	2	-	1	-	-	-
Whooping-cough	20	5	6	4	-	3	18	2	-	-	-	-	-	-	-	-	-	-
Typhus	17	2	-	2	-	-	4	2	3	-	2	-	1	2	-	1	2	-
Diarrhœa & Dysentery	27	8	2	2	1	-	13	-	-	-	-	-	-	1	-	8	5	-
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Zymotic Dis.	20	3	2	-	1	-	6	2	-	1	-	2	-	1	2	2	3	1
Cancer	31	-	-	-	-	-	-	-	-	-	1	1	2	7	6	9	3	2
Scrofula and Tabes	15	2	4	2	-	2	10	1	1	-	-	-	-	2	-	1	-	-
Phthisis	117	-	2	-	-	-	2	3	5	13	20	33	19	7	12	2	1	-
Hydrocephalus	9	4	2	1	-	-	7	2	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	109	18	4	1	-	-	23	2	3	3	1	6	2	9	15	21	20	4
Dis. of Heart & Dropsy	91	5	-	-	-	-	5	1	-	2	-	2	9	7	27	22	17	2
Dis. of Lungs	125	27	7	8	1	2	45	2	2	-	-	2	2	3	7	26	31	5
Dis. of Stom. and Liver	58	1	1	-	-	2	4	1	1	-	2	4	7	4	13	11	10	1
Dis. of Kidneys	9	-	-	-	-	-	-	2	-	1	-	2	1	1	1	-	1	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Dis. of Joints	7	-	-	-	-	-	-	-	1	-	1	2	3	-	-	-	-	-
Dis. of Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metria	12	-	-	-	-	-	-	-	-	1	3	4	3	1	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
Other Violent Deaths	17	2	3	3	2	1	11	-	-	-	-	-	-	2	2	1	1	-
Other Causes	243	67	3	-	1	-	71	-	-	-	1	3	4	1	3	29	75	56
363 B.—WHITCHURCH (SALOP).																		
Mean Popul^n, 1861–71	5840	162	124	134	143	128	696	671	606	561	489	781	628	539	423	299	127	20
TOTAL DEATHS	1160	228	41	21	11	14	315	50	25	24	40	77	86	70	94	162	164	53
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	20	4	5	4	1	-	14	5	1	-	-	-	-	-	-	-	-	-
Scarlatina	24	2	-	2	4	4	12	10	2	-	-	-	-	-	-	-	-	-
Diphtheria	12	1	1	-	-	-	2	5	2	2	-	-	1	-	-	-	-	-
Whooping-cough	14	6	5	2	-	-	13	1	-	-	-	-	-	-	-	-	-	-
Typhus	35	-	-	1	-	-	1	4	4	2	3	4	2	6	4	3	2	-
Diarrhœa & Dysentery	46	25	1	1	2	-	29	1	-	-	-	-	3	-	4	4	4	1
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	24	2	1	1	-	2	6	2	-	-	1	-	3	1	3	4	4	-
Cancer	46	-	-	-	-	-	-	-	-	-	-	-	4	8	9	14	5	6
Scrofula and Tabes	11	4	-	1	-	1	6	-	3	-	-	-	2	-	-	-	-	-
Phthisis	140	-	1	-	-	-	1	2	4	9	24	42	31	16	9	2	-	-
Hydrocephalus	12	-	6	3	-	1	10	1	-	1	-	-	-	-	-	-	-	-
Dis. of Brain	131	31	1	1	2	1	36	3	1	1	2	3	9	7	16	23	29	4
Dis. of Heart & Dropsy	98	-	-	-	-	-	-	3	1	5	1	10	6	11	16	24	19	2
Dis. of Lungs	113	27	14	3	2	1	47	3	1	-	2	4	5	5	14	19	11	2
Dis. of Stom. and Liver	77	4	-	1	-	-	5	2	3	1	3	5	12	10	11	19	4	2
Dis. of Kidneys	10	-	-	-	-	-	-	-	-	-	-	1	1	1	3	4	-	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Dis. of Joints	3	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-
Dis. of Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Childbirth and Metria	11	-	-	-	-	-	-	-	-	-	2	4	4	1	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Violent Deaths	22	1	3	-	-	2	6	6	2	3	-	1	-	1	1	-	2	-
Other Causes	303	121	3	1	-	2	127	2	-	-	2	2	2	1	3	44	84	36

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
364.—MARKET DRAYTON.																		
Mean Populn, 1861–71	7265	204	197	198	193	186	978	904	800	689	553	896	782	666	529	332	124	12
TOTAL DEATHS	1328	346	71	28	19	13	477	44	28	24	39	58	78	85	122	169	159	45
Small-pox	1	–	–	–			–		–	–	–	–	–	–	–	1	–	–
Measles	19	1	8	2	1	3	15	2	1	1	–	–	–	–	–	–	–	–
Scarlatina	19	2	3	2	2	2	11	5	2	1	–	–	–	–	–	–	–	–
Diphtheria	33	2	1	5	4	1	13	9	6		2	1	–	2	–	–	–	–
Whooping-cough	13	9	1	1	1	–	12	–	–	–	–	–	1	–	–	–	–	–
Typhus	21	3	2	–	1	–	6	1	1	2	2	–	4	3	2	–	–	–
Diarrhœa & Dysentery	31	17	3	–	–	–	20	1	–	–	–	–	1	–	–	2	4	3
Cholera	1	1	–	–	–	–	1	–	–		–	–	–	–	–	–	–	–
Other Zymotic Dis.	35	9	1	2	2	2	16	2	1	2	1	2	4	–	1	4	–	2
Cancer	12	–	–	–	–	–	–	–	–	–	–	–	1	2	4	3	2	
Scrofula and Tabes	34	20	2	–	–	–	22	3	1	3	3	1	1	–	–	–	–	–
Phthisis	132	5	3	–	–	1	9	7	4	3	18	31	23	13	15	8	1	–
Hydrocephalus	13	4	5	1	–	1	11	1	–	1	–	–	–	–	–	–	–	–
Dis. of Brain	182	79	10	3	2	1	95	3	3	6	3	1	6	8	14	18	22	3
Dis. of Heart & Dropsy	90	2	–	–	–	–	2	–	–	2	2	4	6	7	25	22	17	3
Dis. of Lungs	282	67	24	6	3	–	100	2	1	–	1	6	7	15	28	53	57	12
Dis. of Stom. and Liver	95	21	1	3	1	1	27	5	2	–	–	4	8	13	11	21	4	–
Dis. of Kidneys	21	1	1	–	–	–	2	1	–	1	–	2	1	4	4	6	3	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	5	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	1	–
Dis. of Skin	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	5	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	–	–
Other Violent Deaths	47	3	1	2	1	–	7	1	5	1	6	3	5	9	5	3	1	1
Other Causes	232	99	5	1	1	1	107	1	1	1	1	2	8	6	12	26	46	21
365.—WELLINGTON (SALOP).																		
Mean Populn, 1861–71	12227	413	354	365	335	352	1819	1563	1408	1174	965	1675	1285	1018	761	394	153	12
TOTAL DEATHS	2703	837	215	82	59	45	1238	100	64	67	66	106	129	149	255	249	221	59
Small-pox	19	1	1	3	2	1	8	5	–	3	1	–	–	1	1	–	–	–
Measles	43	11	14	5	4	4	38	3	–	1	–	–	1	–	–	–	–	–
Scarlatina	105	10	18	12	12	11	63	30	6	5	1	–	–	–	–	–	–	–
Diphtheria	13	3	5	1	2	–	11	–	–	2	–	–	–	–	–	–	–	–
Whooping-cough	49	30	8	4	3	3	48	1	–	–	–	–	–	–	–	–	–	–
Typhus	95	17	11	3	1	2	34	10	10	6	8	9	6	1	6	5	–	–
Diarrhœa & Dysentery	126	78	17	6	2	–	103	–	2	–	–	–	1	4	3	8	4	1
Cholera	6	1	1	–	–	–	2	–	1	–	–	–	–	1	2	–	–	–
Other Zymotic Dis.	41	4	8	1	3	4	20	3	–	–	–	1	1	5	6	3	2	–
Cancer	18	–	–	–	–	–	–	–	–	–	–	–	3	2	10	1	2	–
Scrofula and Tabes	85	39	19	3	–	1	62	2	6	4	2	3	1	1	3	1	–	–
Phthisis	198	11	3	1	1	–	16	6	6	17	28	37	35	24	23	6	–	–
Hydrocephalus	28	12	7	3	3	1	26	1	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	331	176	16	7	5	2	206	7	7	8	4	4	12	20	27	22	13	1
Dis. of Heart & Dropsy	177	32	2	1	1	2	38	4	5	3	3	9	13	14	36	36	16	–
Dis. of Lungs	454	135	47	13	9	8	212	8	4	2	2	13	16	36	61	68	29	3
Dis. of Stom. and Liver	125	17	6	5	–	2	30	3	3	2	4	5	11	16	25	19	7	–
Dis. of Kidneys	42	–	1	–	–	–	1	–	–	1	1	5	2	10	7	7	7	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	5	–	–	–	–	–	–	–	1	1	–	1	–	–	1	1	–	–
Dis. of Skin	13	10	–	–	–	–	10	–	–	–	–	–	1	–	1	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	10	–	–	–	–	–	–	–	–	–	–	–	3	–	3	3	1	–
Other Violent Deaths	126	4	7	7	8	3	29	12	10	10	8	15	18	7	9	8	–	–
Other Causes	594	246	24	7	3	1	281	5	2	2	4	4	5	7	31	60	140	53
366.—NEWPORT (SALOP).																		
Mean Populn, 1861–71	7743	225	205	197	200	214	1041	974	899	759	603	936	815	742	523	311	119	21
TOTAL DEATHS	1425	316	69	27	25	13	450	46	29	35	52	80	86	86	147	189	179	55
Small-pox	4	2	–	–	–	–	2	–	–	–	1	1	–	–	–	–	–	–
Measles	14	3	5	1	2	–	11	2	–	–	–	1	–	–	–	–	–	–
Scarlatina	27	6	2	2	3	2	15	10	–	2	–	–	–	–	–	–	–	–
Diphtheria	10	–	–	1	2	1	4	1	4	–	–	–	–	1	–	–	–	–
Whooping-cough	11	5	3	2	1	–	11	–	–	–	–	–	–	–	–	–	–	–
Typhus	27	2	1	1	1	–	5	1	3	3	4	–	3	2	4	2	–	–
Diarrhœa & Dysentery	42	31	3	1	–	–	35	1	–	–	–	–	–	–	–	3	2	1
Cholera	4	3	–	–	–	1	4	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	20	2	2	2	1	1	8	3	1	2	1	1	2	–	2	–	–	–
Cancer	18	–	–	–	–	–	–	–	–	–	–	1	2	1	4	6	4	–
Scrofula and Tabes	15	5	–	–	1	–	6	2	1	1	1	1	1	1	–	1	–	–
Phthisis	133	5	2	–	–	–	7	4	4	5	20	35	25	18	12	6	–	–
Hydrocephalus	17	8	3	1	1	2	15	1	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	173	66	12	6	3	2	89	6	2	4	2	4	12	8	16	17	13	–
Dis. of Heart & Dropsy	82	1	–	–	1	–	2	–	1	–	1	6	4	10	19	27	11	1
Dis. of Lungs	288	56	16	5	4	1	82	5	2	2	4	9	12	17	36	38	28	3
Dis. of Stom. and Liver	77	7	3	–	1	–	11	2	2	4	1	4	5	14	18	12	4	–
Dis. of Kidneys	34	–	1	–	–	–	1	–	1	2	1	1	1	3	10	8	5	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	5	1	–	–	–	–	1	–	–	–	1	1	–	–	1	1	–	–
Dis. of Skin	3	1	1	–	–	–	2	–	–	–	–	–	–	–	–	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	6	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	1	–
Other Violent Deaths	109	–	3	4	3	2	12	7	7	9	15	14	15	7	15	5	3	–
Other Causes	353	112	12	1	1	1	127	1	–	1	–	1	3	3	9	51	108	49

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
364.—MARKET DRAYTON.																		
Mean Populn, 1861–71	7193	171	162	191	189	170	883	893	716	679	618	970	798	679	501	301	128	27
TOTAL DEATHS	1261	241	60	40	17	12	370	45	26	30	43	92	74	77	108	163	175	58
Small-pox	3	1	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–
Measles	23	3	9	7	1	–	20	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	17	–	3	4	2	4	13	1	1	–	–	2	–	–	–	–	–	–
Diphtheria	36	2	1	3	2	5	13	13	4	1	–	3	2	–	–	–	–	–
Whooping-cough	15	11	3	1	–	–	15	–	–	–	–	–	–	–	–	–	–	–
Typhus	24	–	1	–	–	–	1	5	2	2	2	1	6	3	1	1	–	–
Diarrhœa & Dysentery	20	8	2	–	1	–	11	–	–	–	–	–	1	–	1	2	3	2
Cholera	2	1	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	25	2	3	2	–	–	7	–	–	3	2	1	1	3	1	3	4	–
Cancer	33	–	–	–	–	–	–	–	–	–	–	2	1	6	17	4	3	–
Scrofula and Tabes	29	14	2	3	2	–	21	1	1	–	2	–	1	–	1	2	–	–
Phthisis	149	4	2	1	–	1	8	–	8	16	18	46	26	16	8	2	1	–
Hydrocephalus	7	3	3	–	1	–	7	–	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	179	69	9	6	2	1	87	5	3	1	4	3	8	7	10	17	29	5
Dis. of Heart & Dropsy	122	3	–	1	–	–	4	1	2	4	4	3	10	16	20	41	17	–
Dis. of Lungs	210	30	13	5	1	–	49	4	1	1	2	6	4	10	18	43	53	19
Dis. of Stom. and Liver	76	11	–	2	1	–	14	5	–	–	2	4	5	9	17	13	6	1
Dis. of Kidneys	14	–	–	–	1	–	1	–	–	–	1	5	1	1	2	2	1	–
Dis. of Gener. Organs	6	–	–	–	–	–	–	–	–	–	–	1	–	2	2	–	1	–
Dis. of Joints	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Skin	3	1	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–
Childbirth and Metria	21	–	–	–	–	–	–	–	–	–	6	11	4	–	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–
Other Violent Deaths	17	1	1	2	2	1	7	5	–	1	–	1	1	1	–	–	–	1
Other Causes	206	77	7	3	1	–	88	1	4	1	–	2	2	1	7	33	57	30
365.—WELLINGTON (SALOP).																		
Mean Populn, 1861–71	12302	394	355	361	345	359	1814	1578	1385	1119	997	1686	1280	1000	771	461	187	24
TOTAL DEATHS	2588	696	207	91	72	42	1108	103	58	86	65	150	160	113	178	253	233	81
Small pox	28	4	1	2	7	2	16	2	3	2	–	–	2	1	1	1	–	–
Measles	39	7	13	6	8	1	35	2	1	1	–	–	–	–	–	–	–	–
Scarlatina	92	8	14	11	12	9	54	25	8	3	1	1	–	–	–	–	–	–
Diphtheria	17	2	3	1	1	2	9	5	2	–	–	–	–	–	1	–	–	–
Whooping-cough	56	27	13	9	4	1	54	2	–	–	–	–	–	–	–	–	–	–
Typhus	119	9	13	6	4	10	42	13	7	15	10	12	6	4	2	5	3	–
Diarrhœa & Dysentery	101	62	13	4	2	–	81	–	–	–	1	2	2	–	3	7	3	2
Cholera	5	2	1	–	–	–	3	–	–	–	1	–	–	–	1	–	–	–
Other Zymotic Dis.	51	3	8	7	4	1	23	4	5	5	1	–	2	3	4	2	1	1
Cancer	50	–	–	–	1	–	1	1	–	–	–	–	6	11	13	11	6	1
Scrofula and Tabes	104	56	16	5	3	–	80	5	4	4	2	1	4	2	2	–	–	–
Phthisis	275	10	3	2	2	–	17	5	11	31	27	71	56	26	27	4	–	–
Hydrocephalus	8	3	3	–	–	–	6	–	1	1	–	–	–	–	–	–	–	–
Dis. of Brain	299	137	15	5	6	2	165	9	5	11	3	11	12	7	14	38	21	3
Dis. of Heart & Dropsy	163	34	1	2	–	1	38	3	2	2	1	5	11	15	35	41	9	1
Dis. of Lungs	361	112	53	18	9	5	197	10	2	6	6	11	12	16	29	42	24	6
Dis. of Stom. and Liver	132	21	7	3	3	1	35	2	1	1	4	6	11	20	23	23	6	–
Dis. of Kidneys	9	–	–	–	–	–	–	–	–	–	–	1	2	2	1	3	–	–
Dis. of Gener. Organs	10	–	–	–	–	–	–	–	–	–	–	–	5	1	4	–	–	–
Dis. of Joints	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Dis. of Skin	11	3	–	–	–	–	3	–	–	–	–	–	1	1	–	3	3	–
Childbirth and Metria	47	–	–	–	–	–	–	–	–	1	6	24	15	1	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Deaths	56	3	4	9	4	4	24	11	3	2	2	2	2	–	1	2	5	2
Other Causes	553	193	26	1	2	3	225	3	2	1	–	3	11	3	17	71	152	65
366.—NEWPORT (SALOP).																		
Mean Populn, 1861–71	7902	214	205	215	211	187	1032	971	904	736	659	1009	843	706	519	342	149	32
TOTAL DEATHS	1429	266	92	33	26	19	436	51	31	46	51	82	87	90	109	167	196	83
Small-pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Measles	15	5	4	2	1	2	14	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	44	4	8	5	5	2	24	13	4	1	2	–	–	–	–	–	–	–
Diphtheria	8	–	1	–	–	–	1	6	1	–	–	–	–	–	–	–	–	–
Whooping-cough	20	10	5	2	2	–	19	1	–	–	–	–	–	–	–	–	–	–
Typhus	31	1	1	–	–	2	4	5	8	2	5	2	1	1	–	3	–	–
Diarrhœa & Dysentery	42	24	9	1	1	–	35	–	–	–	–	–	–	1	3	2	1	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Other Zymotic Dis.	22	2	4	3	3	2	14	1	1	1	–	2	1	–	1	1	–	–
Cancer	40	–	–	–	–	–	–	–	–	–	–	1	5	11	8	7	7	1
Scrofula and Tabes	14	4	2	–	1	1	8	–	–	4	–	2	–	–	–	–	–	–
Phthisis	179	5	6	1	1	–	13	7	7	22	24	45	34	20	5	2	–	–
Hydrocephalus	15	6	–	4	1	2	13	2	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	168	50	18	–	3	3	74	7	4	4	4	1	6	7	10	24	23	4
Dis. of Heart & Dropsy	89	1	–	1	1	–	3	2	1	2	3	3	2	13	24	26	9	1
Dis. of Lungs	219	41	21	6	4	1	73	1	1	2	3	9	9	8	30	49	29	5
Dis. of Stom. and Liver	100	9	4	2	1	1	17	2	–	3	5	7	10	17	18	16	5	–
Dis. of Kidneys	10	–	–	–	–	–	–	–	–	–	–	1	3	3	1	1	1	–
Dis. of Gener. Organs	4	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–
Dis. of Joints	3	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–
Dis. of Skin	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Childbirth and Metria	20	–	–	–	–	–	–	–	–	1	1	5	11	2	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–
Other Violent Deaths	20	1	1	3	1	2	8	3	2	2	2	2	–	–	–	1	–	–
Other Causes	359	102	8	3	1	1	115	–	1	1	1	2	3	2	8	33	121	74

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death	All Ages.	Ages of Males: Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards
367.—STAFFORD.																		
Mean Popul^{n}, 1861–71	12865	358	305	319	319	311	1612	1455	1303	1233	1156	1914	1506	1183	837	475	170	21
TOTAL DEATHS	3164	633	151	102	57	48	991	90	60	92	133	270	310	302	317	312	227	60
Small-pox	15	3	1	1	-	-	5	1	3	2	1	2	1	-	-	-	-	-
Measles	37	7	12	7	4	5	35	1	1	-	-	-	-	-	-	-	-	-
Scarlatina	111	13	13	20	16	17	79	25	5	1	1	-	-	-	-	-	-	-
Diphtheria	20	1	2	3	1	-	7	6	4	2	-	-	-	-	1	-	-	-
Whooping-cough	29	10	9	7	2	1	29	-	-	-	-	-	-	-	-	-	-	-
Typhus	70	1	2	1	1	1	6	8	7	9	7	5	7	4	10	3	4	-
Diarrhœa & Dysentery	92	63	6	3	-	-	72	1	-	-	1	1	1	1	1	8	5	1
Cholera	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	1
Other Zymotic Dis.	73	11	7	9	6	2	35	4	7	2	-	3	3	2	7	9	-	1
Cancer	43	-	-	-	-	-	-	-	1	1	-	2	2	11	16	8	1	1
Scrofula and Tabes	44	12	9	3	-	1	25	3	3	2	1	5	-	3	2	-	-	-
Phthisis	371	22	5	5	2	2	36	4	9	36	61	84	71	44	20	6	-	-
Hydrocephalus	29	3	9	4	4	1	21	4	2	-	-	1	-	-	1	-	-	-
Dis. of Brain	714	114	18	3	8	6	149	7	5	9	26	76	153	112	89	59	26	3
Dis. of Heart & Dropsy	164	-	-	1	-	2	3	1	1	2	4	15	12	22	37	50	16	1
Dis. of Lungs	370	105	36	20	8	1	170	4	2	3	7	16	15	28	38	53	30	4
Dis. of Stom. and Liver	134	17	1	2	1	1	22	3	2	5	3	6	20	27	29	13	4	-
Dis. of Kidneys	76	-	-	1	-	-	1	2	1	3	4	9	4	11	13	19	7	2
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
Dis. of Joints	9	-	-	-	-	-	-	1	-	1	1	2	-	-	1	2	-	1
Dis. of Skin	10	3	4	-	-	-	7	-	-	-	1	-	-	1	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	20	-	-	-	-	-	-	-	1	1	-	4	4	4	6	-	-	-
Other Violent Deaths	126	8	2	8	2	6	26	10	4	10	9	25	9	12	12	8	1	-
Other Causes	601	239	15	4	2	2	262	5	1	3	6	14	8	20	32	72	133	45
368.—STONE.																		
Mean Popul^{n}, 1861–71	11329	348	292	320	282	302	1544	1370	1241	1071	904	1551	1293	1006	735	431	157	20
TOTAL DEATHS	2275	546	167	65	45	28	851	82	41	55	74	106	144	161	225	273	200	63
Small-pox	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Measles	44	9	13	10	6	3	41	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	68	2	12	14	10	6	44	22	1	-	-	1	-	-	-	-	-	-
Diphtheria	18	-	3	2	-	1	6	7	1	1	1	-	2	-	-	-	-	-
Whooping-cough	26	13	7	2	-	1	23	3	-	-	-	-	-	-	-	-	-	-
Typhus	76	3	4	4	3	5	19	6	3	12	6	6	9	4	4	7	-	-
Diarrhœa & Dysentery	74	49	5	1	1	-	56	2	1	-	1	-	1	-	4	3	6	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	52	5	5	5	3	6	24	4	1	-	-	1	-	5	6	6	4	1
Cancer	36	-	-	-	-	-	-	-	-	-	-	1	2	7	11	10	4	1
Scrofula and Tabes	58	25	15	2	4	-	46	3	1	-	2	2	2	2	-	-	-	-
Phthisis	264	10	6	2	1	-	19	3	10	23	40	52	51	36	27	3	-	-
Hydrocephalus	24	6	8	3	3	1	21	2	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	339	153	20	5	5	2	185	6	3	4	3	8	14	17	32	38	23	3
Dis. of Heart & Dropsy	131	1	-	-	-	-	1	3	4	2	1	3	5	18	32	45	14	3
Dis. of Lungs	371	90	48	6	3	2	149	7	2	1	5	7	16	39	43	50	44	8
Dis. of Stom. and Liver	174	23	2	2	-	1	28	2	3	7	2	8	10	13	37	46	15	3
Dis. of Kidneys	39	-	-	-	-	-	-	-	-	-	1	4	4	3	6	11	9	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	12	-	-	-	-	-	-	-	1	1	5	2	-	2	-	1	-	-
Dis. of Skin	7	4	-	-	-	-	4	-	-	-	-	-	-	-	1	2	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	10	-	-	-	-	-	-	-	-	-	1	-	1	1	3	3	1	-
Other Violent Deaths	83	3	1	3	3	-	10	8	8	3	4	8	16	5	11	7	1	1
Other Causes	368	150	18	4	3	-	175	1	-	1	2	3	11	9	8	41	76	4
369.—NEWCASTLE-UNDER-LYME.																		
Mean Popul^{n}, 1861–71	13909	463	396	434	393	373	2059	1741	1499	1322	1198	2101	1618	1160	719	357	124	1
TOTAL DEATHS	3182	918	255	124	83	60	1440	121	84	97	102	214	211	190	222	270	189	4
Small-pox	8	3	-	-	-	-	3	-	-	-	1	-	3	-	1	-	-	-
Measles	48	10	24	6	1	4	45	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	110	10	15	20	16	17	78	25	6	1	-	-	-	-	-	-	-	-
Diphtheria	29	4	3	5	6	4	22	2	2	1	1	1	-	-	-	-	-	-
Whooping-cough	46	25	13	5	2	1	46	-	-	-	-	-	-	-	-	-	-	-
Typhus	104	1	3	5	6	6	21	11	8	12	7	12	16	9	3	4	-	
Diarrhœa & Dysentery	102	64	7	2	2	1	76	1	3	-	1	1	3	5	3	3	4	
Cholera	4	1	-	-	-	-	1	-	-	-	-	-	1	-	1	-	1	
Other Zymotic Dis.	63	8	11	12	9	2	42	2	1	1	1	-	2	5	5	2	2	
Cancer	29	-	-	-	-	-	-	-	-	-	1	1	4	4	10	7	2	
Scrofula and Tabes	46	20	8	2	2	2	34	4	2	1	1	2	-	-	1	-	1	
Phthisis	273	6	7	2	-	-	15	5	8	29	34	60	55	34	26	6	1	
Hydrocephalus	66	25	11	8	4	1	49	13	1	1	2	-	-	-	-	-	-	
Dis. of Brain	531	289	45	20	10	8	372	11	12	3	2	21	18	18	25	31	16	
Dis. of Heart & Dropsy	140	1	2	1	4	2	10	7	6	2	3	14	18	18	26	23	13	
Dis. of Lungs	485	132	57	24	14	7	234	13	2	3	2	17	26	41	62	65	18	
Dis. of Stom. and Liver	139	12	8	-	1	1	22	4	1	1	2	12	15	24	23	26	9	
Dis. of Kidneys	39	1	-	-	-	-	1	1	-	2	2	3	4	5	3	16	2	
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
Dis. of Joints	6	-	-	-	-	-	-	2	2	-	-	2	-	-	-	-	-	
Dis. of Skin	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	7	-	-	-	-	-	-	-	-	-	2	-	-	1	3	-	1	
Other Violent Deaths	261	6	7	4	6	2	25	6	29	39	38	53	35	16	9	4	-	
Other Causes	642	300	34	8	-	2	344	11	1	1	2	9	11	9	20	82	119	

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
367.—STAFFORD.																		
Mean Populn, 1861–71	12757	367	332	335	306	317	1657	1458	1296	1255	1199	1861	1392	1108	833	489	179	30
TOTAL DEATHS	2755	522	148	82	61	40	853	111	48	93	111	211	231	216	259	299	241	82
Small-pox	15	5	1	3	–	–	9	4	–	1	1	–	–	–	–	–	–	–
Measles	47	11	13	12	4	2	42	4	–	–	–	–	1	–	–	–	–	–
Scarlatina	94	7	15	12	17	8	59	23	10	1	–		1	–	–	–	–	–
Diphtheria	27	1	2	4	–	–	7	14	3	1	1	1	–	–	–	–	–	–
Whooping-cough	39	14	10	5	6	3	38	1	–	–	–	–	–	–	–	–	–	–
Typhus	71	–	4	3	2	5	14	10	6	9	9	6	7	3	4	3	–	–
Diarrhœa & Dysentery	84	41	7	5	2	–	58	2	–	1	–	2	1	2	5	10	2	1
Cholera	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–
Other Zymotic Dis.	60	6	5	7	7	5	30	6	1	2	–	4	3	3	4	6	1	–
Cancer	87	–	–	–	–	–	–	–	–	–	1	–	7	24	31	13	10	1
Scrofula and Tabes	38	11	7	2	–	1	21	4	2	2	–	1	3	2	2	1	–	–
Phthisis	378	22	6	2	1	2	33	11	11	42	54	98	70	38	17	4	–	–
Hydrocephalus	17	5	5	2	2	2	16	–	–	1	–	–	–	–	–	–	–	–
Dis. of Brain	472	76	17	5	5	3	103	7	5	14	19	44	58	75	60	55	27	2
Dis. of Heart & Dropsy	209	1	3	–	1	–	5	1	4	2	7	10	21	28	48	51	30	2
Dis. of Lungs	312	85	32	11	4	5	137	9	–	5	3	6	16	10	35	52	31	3
Dis. of Stom. and Liver	91	19	–	–	–	2	12	3	–	3	–	5	12	13	20	18	5	–
Dis. of Kidneys	23	–	–	–	–	–	–	–	–	1	1	6	10	2	3	–	–	–
Dis. of Gener. Organs	26	–	–	–	–	–	–	–	–	–	2	6	3	5	6	3	1	–
Dis. of Joints	9	–	1	–	–	–	1	2	1	1	1	–	1	1	1	–	–	–
Dis. of Skin	7	3	1	1	–	1	6	–	–	1	–	–	–	–	–	–	–	–
Childbirth and Metria	32	–	–	–	–	–	–	–	–	–	7	14	10	1	–	–	–	–
Suicide	7	–	–	–	–	–	–	–	–	2	–	3	–	–	1	1	–	–
Other Violent Deaths	44	6	1	5	8	1	21	4	3	1	1	2	2	–	1	3	5	1
Other Causes	563	215	18	3	2	–	238	6	2	3	4	3	5	9	19	79	125	70
368.—STONE.																		
Mean Populn, 1861–71	11978	339	318	314	305	291	1567	1390	1253	1187	1090	1694	1321	1032	769	469	182	24
TOTAL DEATHS	2321	491	138	66	39	36	770	78	42	82	104	172	153	144	183	271	232	90
Small-pox	3	2	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–
Measles	42	11	11	8	3	6	39	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	57	4	10	12	8	3	37	16	4	–	–	–	–	–	–	–	–	–
Diphtheria	11	1	–	2	–	1	4	3	4	–	–	–	–	–	–	–	–	–
Whooping-cough	24	10	7	2	4	1	24	–	–	–	–	–	–	–	–	–	–	–
Typhus	70	1	2	5	2	4	14	5	4	13	8	8	5	4	6	3	–	–
Diarrhœa & Dysentery	85	58	8	1	–	–	67	1	2	1	1	2	2	–	1	3	4	1
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Other Zymotic Dis.	35	4	2	2	5	2	15	6	1	1	2	2	–	3	2	1	2	–
Cancer	50	–	–	–	–	–	–	–	–	–	–	1	8	13	12	12	4	–
Scrofula and Tabes	52	20	11	1	2	1	35	3	2	3	2	4	1	1	1	–	–	–
Phthisis	349	8	8	4	1	3	24	7	10	47	51	89	60	39	12	6	1	–
Hydrocephalus	31	7	10	3	3	3	26	4	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	305	136	19	11	1	1	168	10	3	4	5	8	6	15	22	32	28	4
Dis. of Heart & Dropsy	195	3	–	–	–	–	3	1	4	2	4	11	11	21	41	63	32	2
Dis. of Lungs	317	51	34	9	9	1	104	7	–	2	6	10	16	11	43	58	47	13
Dis. of Stom. and Liver	160	15	3	1	1	3	23	2	2	2	8	6	16	21	23	33	18	6
Dis. of Kidneys	23	–	–	1	–	–	1	–	1	2	–	2	1	2	4	7	2	1
Dis. of Gener. Organs	15	–	–	–	–	–	–	–	–	–	–	2	4	5	4	–	–	–
Dis. of Joints	12	–	1	–	–	–	1	1	–	2	3	–	1	2	1	1	–	–
Dis. of Skin	12	4	–	–	–	–	4	–	–	1	2	1	2	–	1	–	1	–
Childbirth and Metria	41	–	–	–	–	–	–	–	–	1	5	21	14	–	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	–	–
Other Violent Deaths	34	4	–	1	–	5	10	7	4	1	2	1	–	2	3	2	2	–
Other Causes	393	152	12	3	–	2	169	2	–	–	2	3	6	2	6	49	91	63
369.—NEWCASTLE-UNDER-LYME.																		
Mean Populn, 1861–71	13487	446	403	427	401	376	2053	1733	1436	1214	1185	2025	1529	1058	714	386	138	16
TOTAL DEATHS	2780	704	268	103	75	67	1217	132	59	66	89	215	190	122	209	249	182	50
Small pox	5	3	1	–	–	–	4	–	–	–	–	–	1	–	–	–	–	–
Measles	43	10	17	3	7	2	39	4	–	–	–	–	–	–	–	–	–	–
Scarlatina	111	2	17	18	11	19	67	26	14	2	–	1	1	–	–	–	–	–
Diphtheria	33	1	6	3	3	5	18	13	–	1	1	–	–	–	–	–	–	–
Whooping-cough	53	13	22	6	7	3	51	2	–	–	–	–	–	–	–	–	–	–
Typhus	107	4	4	5	5	7	25	29	10	7	5	9	13	4	2	1	2	–
Diarrhœa & Dysentery	85	42	11	4	2	1	60	–	–	–	–	5	4	1	2	8	4	1
Cholera	2	–	–	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Other Zymotic Dis.	60	10	15	2	3	7	37	2	1	1	1	3	2	3	5	5	–	–
Cancer	44	–	–	–	–	–	–	–	–	–	–	4	7	5	18	7	3	–
Scrofula and Tabes	39	8	8	5	3	1	25	2	2	1	1	2	2	1	3	–	–	–
Phthisis	294	3	3	3	1	2	12	6	14	33	49	92	43	24	17	4	–	–
Hydrocephalus	61	21	17	6	4	3	51	8	–	1	–	1	–	–	–	–	–	–
Dis. of Brain	423	211	38	11	10	8	281	15	3	8	9	9	8	7	25	41	10	6
Dis. of Heart & Dropsy	162	1	5	1	3	1	11	3	2	1	6	9	28	21	29	34	15	2
Dis. of Lungs	403	90	61	21	9	6	186	6	2	4	5	12	18	22	49	63	33	3
Dis. of Stom. and Liver	130	17	4	1	1	–	23	4	2	4	–	21	22	15	18	19	2	–
Dis. of Kidneys	12	–	–	–	–	–	–	–	–	–	–	3	3	1	1	3	1	–
Dis. of Gener. Organs	18	–	–	–	–	–	–	–	–	–	1	4	4	2	2	4	1	–
Dis. of Joints	6	–	–	–	–	–	–	–	3	–	–	1	2	–	–	–	–	–
Dis. of Skin	7	4	1	–	–	–	5	–	–	–	–	–	1	–	–	1	–	–
Childbirth and Metria	51	–	–	–	–	–	–	–	–	2	9	21	15	4	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Other Violent Deaths	34	3	6	4	2	2	17	6	1	–	–	1	1	1	3	1	3	–
Other Causes	596	261	32	7	4	–	304	6	5	1	2	16	15	7	34	58	110	38

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
370.—WOLSTANTON.																		
Mean Popul^n, 1861–71	31644	1112	979	919	935	858	4803	3901	3487	3109	3059	5129	3763	2465	1256	516	137	19
TOTAL DEATHS	8384	2965	891	361	250	161	4628	309	170	182	204	434	538	621	565	444	239	50
Small-pox	78	16	2	3	1	3	25	9	5	5	4	4	4	2	–	–	–	–
Measles	224	42	97	42	24	11	216	8	–	–	–	–	–	–	–	–	–	–
Scarlatina	381	31	70	64	68	50	284	79	10	2	1	3	3	–	–	–	–	–
Diphtheria	46	4	10	4	7	6	31	11	–	–	1	2	–	–	–	–	1	–
Whooping-cough	140	67	47	17	3	3	137	3	–	–	–	–	–	–	–	–	–	–
Typhus	257	10	15	17	16	11	69	44	20	21	28	31	22	9	7	4	2	–
Diarrhœa & Dysentery	539	374	92	12	8	3	489	4	1	–	–	3	2	9	8	10	11	2
Cholera	9	–	–	–	–	–	–	1	1	–	–	–	3	2	2	–	–	–
Other Zymotic Dis.	207	35	30	31	23	18	140	15	5	2	4	7	9	13	5	6	1	–
Cancer	34	–	1	–	–	–	1	–	–	–	1	1	2	10	7	9	3	–
Scrofula and Tabes	200	96	43	11	6	4	160	12	7	5	6	3	2	2	3	–	–	–
Phthisis	570	4	3	7	3	1	18	8	24	60	67	143	139	76	29	5	1	–
Hydrocephalus	156	69	54	11	5	2	141	7	7	–	–	–	1	–	–	–	–	–
Dis. of Brain	1297	776	112	39	25	17	969	27	10	5	9	31	40	54	66	59	25	2
Dis. of Heart & Dropsy	293	6	2	2	6	2	18	10	11	11	5	23	43	52	61	46	12	1
Dis. of Lungs	1778	425	206	65	35	10	741	29	13	14	21	81	148	259	218	164	55	5
Dis. of Stom. and Liver	245	30	4	3	–	1	38	6	6	10	8	21	38	46	42	24	3	–
Dis. of Kidneys	76	3	1	1	–	–	5	2	3	–	5	7	9	9	20	13	3	–
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
Dis. of Joints	25	1	1	–	–	–	2	–	2	5	2	2	3	3	3	1	2	–
Dis. of Skin	8	4	1	1	–	–	6	–	–	–	1	–	1	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	10	–	–	–	–	–	–	–	–	1	1	4	2	1	–	1	–	–
Other Violent Deaths	405	11	20	20	16	17	84	30	41	38	38	55	39	47	22	8	1	2
Other Causes	1424	961	80	8	4	2	1055	4	4	3	2	10	28	27	40	94	119	38
371.—STOKE-UPON-TRENT.																		
Mean Popul^n, 1861–71	40219	1448	1167	1192	1120	1113	6040	5011	4326	4073	3866	6409	4698	3129	1735	725	189	18
TOTAL DEATHS	11259	3594	1167	477	354	182	5774	411	206	268	295	657	825	851	858	671	379	64
Small-pox	49	9	9	7	4	4	33	4	1	2	1	2	5	–	1	–	–	–
Measles	245	43	97	44	28	13	230	13	2	–	–	–	–	–	–	–	–	–
Scarlatina	407	39	74	75	72	41	301	88	12	2	2	2	–	–	–	–	–	–
Diphtheria	101	12	30	15	17	6	80	11	5	2	1	–	–	2	–	–	–	–
Whooping-cough	199	89	58	30	13	2	192	6	–	1	–	–	–	–	–	–	–	–
Typhus	416	15	30	22	36	23	126	59	32	24	32	38	41	29	26	9	–	–
Diarrhœa & Dysentery	598	420	72	16	13	5	526	3	2	2	1	4	4	8	13	21	13	1
Cholera	22	2	2	–	1	–	5	2	1	1	2	–	3	3	2	2	1	–
Other Zymotic Dis.	249	39	39	26	26	15	145	29	4	4	1	13	12	14	12	7	8	–
Cancer	70	–	–	–	–	–	–	1	1	2	1	10	3	20	22	7	3	–
Scrofula and Tabes	217	85	50	21	12	4	172	13	9	9	2	4	3	3	1	1	–	–
Phthisis	1250	97	54	23	16	4	194	21	32	94	125	255	269	171	70	13	5	1
Hydrocephalus	192	75	64	13	9	5	166	24	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	1711	961	150	48	28	8	1195	31	13	16	12	44	51	80	102	113	46	3
Dis. of Heart & Dropsy	530	15	5	9	5	6	40	15	20	14	14	44	72	99	107	84	29	1
Dis. of Lungs	2025	531	253	84	36	19	923	23	10	18	26	69	163	217	290	203	77	6
Dis. of Stom. and Liver	418	82	11	10	4	2	109	5	12	11	11	29	43	65	67	56	10	–
Dis. of Kidneys	133	–	2	–	2	1	5	4	4	5	6	20	19	20	23	22	4	1
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Dis. of Joints	52	2	–	–	–	1	3	9	3	6	2	2	7	12	5	2	1	–
Dis. of Skin	42	8	3	–	–	–	11	–	1	2	1	2	3	8	5	6	2	1
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	27	–	–	–	–	–	–	–	–	2	1	2	3	6	9	2	2	–
Other Violent Deaths	556	16	21	13	23	16	89	36	31	44	45	98	86	70	43	7	3	4
Other Causes	1749	1049	143	21	9	7	1229	14	4	7	9	19	38	33	60	115	175	46
372.—LEEK.																		
Mean Popul^n, 1861–71	13028	420	393	385	348	355	1901	1611	1479	1206	1014	1743	1450	1143	836	455	167	23
TOTAL DEATHS	2839	771	169	106	59	38	1143	118	60	88	82	164	154	190	241	311	229	59
Small-pox	6	–	–	1	1	1	3	2	–	–	–	1	–	–	–	–	–	–
Measles	48	11	23	5	3	3	45	2	–	1	–	–	–	–	–	–	–	–
Scarlatina	100	7	11	24	12	14	68	25	3	2	2	–	–	–	–	–	–	–
Diphtheria	21	2	3	2	4	1	12	5	3	–	–	–	–	1	–	–	–	–
Whooping-cough	46	31	7	4	1	2	45	1	–	–	–	–	–	–	–	–	–	–
Typhus	93	7	6	6	3	1	23	16	8	7	6	8	9	3	8	5	–	–
Diarrhœa & Dysentery	114	72	13	3	–	–	88	8	–	–	2	1	3	2	2	5	6	2
Cholera	8	1	–	–	–	–	1	1	–	–	–	1	–	2	3	–	–	–
Other Zymotic Dis.	77	9	4	6	4	2	25	9	1	2	1	5	3	4	12	12	2	1
Cancer	26	–	–	–	1	–	1	–	–	–	–	1	4	5	4	6	5	–
Scrofula and Tabes	43	12	3	1	1	1	18	5	2	5	3	3	1	2	2	2	–	–
Phthisis	300	3	6	1	1	2	13	4	16	41	43	76	46	29	24	8	–	–
Hydrocephalus	40	21	4	3	4	2	34	3	3	–	–	–	–	–	–	–	–	–
Dis. of Brain	419	207	28	17	2	4	258	8	5	4	2	10	9	20	27	49	23	4
Dis. of Heart & Dropsy	155	1	–	2	1	–	4	6	4	5	1	10	11	23	26	33	20	2
Dis. of Lungs	470	111	36	12	8	2	169	5	2	4	5	10	31	36	66	76	58	8
Dis. of Stom. and Liver	151	5	1	3	–	1	10	8	3	1	2	9	18	27	32	27	13	1
Dis. of Kidneys	61	1	–	–	–	–	1	1	1	2	–	6	5	8	6	23	8	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	15	1	–	–	–	–	1	2	1	3	–	3	1	1	1	2	–	–
Dis. of Skin	8	4	–	–	–	–	4	–	–	–	–	1	–	1	1	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	12	–	–	–	–	–	–	–	–	–	–	3	1	3	3	–	2	–
Other Violent Deaths	109	3	9	9	8	1	30	11	6	10	12	12	6	6	6	5	4	1
Other Causes	517	262	15	7	5	1	290	1	2	1	3	4	6	12	13	52	88	40

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
370.—WOLSTANTON.																		
Mean Popul^{n}, 1861–71	30000	1142	939	967	920	889	4857	3929	3303	2785	2692	4567	3471	2284	1293	619	177	23
TOTAL DEATHS	7327	2303	886	406	233	178	4006	312	115	178	214	439	412	366	441	492	267	55
Small-pox	54	23	8	5	3	3	42	3	1	2	1	4	1	–	–	–	–	–
Measles	251	46	97	56	28	14	241	9	–	–	–	1	–	–	–	–	–	–
Scarlatina	381	18	67	66	71	46	268	96	13	1	2	1	–	–	–	–	–	–
Diphtheria	43	8	9	13	5	1	36	5	–	1	–	1	–	–	–	–	–	–
Whooping-cough	167	72	54	21	8	6	161	6	–	–	–	–	–	–	–	–	–	–
Typhus	239	10	21	25	17	24	97	34	26	19	13	23	20	14	9	3	1	–
Diarrhœa & Dysentery	495	275	85	19	6	4	387	6	1	1	3	13	15	9	15	23	19	3
Cholera	3	–	1	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–
Other Zymotic Dis.	175	19	29	23	21	13	105	19	7	1	2	8	4	9	7	10	3	–
Cancer	69	–	–	–	–	–	–	–	–	–	–	5	11	13	28	10	2	–
Scrofula and Tabes	154	64	52	14	3	2	135	3	5	3	1	3	1	3	–	–	–	–
Phthisis	659	4	5	2	2	2	15	25	35	87	104	186	135	49	20	3	–	–
Hydrocephalus	81	29	17	10	5	5	66	14	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	1083	590	111	49	12	14	776	22	20	18	8	20	30	46	45	72	25	1
Dis. of Heart & Dropsy	298	2	2	3	3	–	10	6	11	13	13	25	36	47	62	58	16	1
Dis. of Lungs	1222	317	213	74	30	23	657	31	11	13	10	38	47	72	158	131	49	5
Dis. of Stom. and Liver	249	16	5	3	2	1	27	10	3	4	14	29	31	59	40	35	5	1
Dis. of Kidneys	35	–	2	–	–	1	3	2	–	3	4	5	6	5	6	1	–	–
Dis. of Gener. Organs	26	–	–	–	–	–	–	–	–	–	–	4	9	7	5	1	–	–
Dis. of Joints	16	–	1	1	1	1	4	1	–	–	–	2	3	2	2	2	–	–
Dis. of Skin	9	3	2	–	–	–	5	–	2	–	–	–	–	–	1	1	–	–
Childbirth and Metria	157	–	–	–	–	–	–	–	–	4	34	66	49	4	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Other Violent Deaths	102	4	14	8	10	15	51	17	6	2	2	6	1	4	4	4	4	1
Other Causes	1337	805	91	14	6	3	919	3	3	6	3	8	11	22	38	138	143	43
371.—STOKE-UPON-TRENT.																		
Mean Popul^{n}, 1861–71	40066	1405	1196	1196	1135	1099	6031	5075	4256	3936	3818	6213	4494	3174	1884	897	256	32
TOTAL DEATHS	9825	2891	1090	526	302	204	5013	433	178	257	338	703	571	550	625	638	405	114
Small-pox	42	10	6	2	4	7	29	4	1	–	2	6	–	–	–	–	–	–
Measles	252	39	102	48	34	11	234	13	3	1	–	1	–	–	–	–	–	–
Scarlatina	431	30	77	78	64	60	309	104	9	4	2	2	–	–	1	–	–	–
Diphtheria	198	15	18	18	12	13	76	20	4	3	–	–	2	2	1	–	–	–
Whooping-cough	225	90	67	45	9	9	220	5	–	–	–	–	–	–	–	–	–	–
Typhus	362	14	18	29	23	11	95	48	38	42	34	42	25	15	19	4	–	–
Diarrhœa & Dysentery	563	355	82	17	6	2	462	2	1	–	4	15	10	11	15	27	13	3
Cholera	19	9	3	–	–	1	13	–	–	–	–	–	1	3	1	1	–	–
Other Zymotic Dis.	213	28	37	29	24	16	134	20	8	3	1	9	7	8	13	7	3	–
Cancer	166	–	–	–	–	–	–	1	1	–	–	12	40	48	34	21	9	–
Scrofula and Tabes	185	86	38	18	8	2	152	6	4	8	3	6	2	–	3	1	–	–
Phthisis	1223	77	44	15	10	8	154	28	48	121	182	308	207	106	51	16	2	–
Hydrocephalus	117	55	39	18	8	7	127	18	1	1	–	–	–	–	–	–	–	–
Dis. of Brain	1370	713	141	51	26	14	945	38	9	15	17	31	41	58	69	92	48	7
Dis. of Heart & Dropsy	489	14	7	6	1	6	34	20	11	13	13	52	49	79	113	81	23	1
Dis. of Lungs	1532	411	242	90	43	23	809	35	13	15	19	70	60	83	167	161	83	17
Dis. of Stom. and Liver	376	44	11	4	3	2	64	8	8	5	11	40	41	71	59	52	16	1
Dis. of Kidneys	55	1	3	4	1	–	9	4	2	1	1	11	8	4	7	6	2	–
Dis. of Gener. Organs	55	–	–	–	–	–	–	–	1	1	4	7	10	20	10	2	–	–
Dis. of Joints	34	–	1	1	–	3	5	7	4	3	3	3	4	1	3	–	–	–
Dis. of Skin	27	5	2	2	–	–	9	2	1	–	1	2	1	1	6	2	1	1
Childbirth and Metria	151	–	–	–	–	–	–	–	–	9	36	70	34	2	–	–	–	–
Suicide	6	–	–	–	–	–	–	–	–	–	–	–	2	3	–	1	–	–
Other Violent Deaths	147	9	24	10	19	4	66	35	7	5	1	5	5	3	7	8	3	2
Other Causes	1648	886	124	41	7	5	1067	15	4	7	4	11	22	32	46	156	202	82
372.—LEEK.																		
Mean Popul^{n}, 1861–71	13421	421	388	351	336	332	1828	1649	1442	1312	1219	1952	1435	1121	798	457	178	30
TOTAL DEATHS	2791	577	156	93	52	36	914	102	72	113	109	225	188	185	214	311	285	73
Small-pox	4	2	–	–	–	–	2	–	1	–	–	–	1	–	–	–	–	–
Measles	44	15	11	10	5	2	43	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	82	5	14	16	8	6	49	24	5	2	2	–	–	–	–	–	–	–
Diphtheria	25	1	1	–	1	3	6	10	2	3	1	1	1	–	1	–	–	–
Whooping-cough	58	27	15	7	1	5	55	3	–	–	–	–	–	–	–	–	–	–
Typhus	93	2	2	5	9	4	22	11	11	12	4	7	11	11	1	3	–	–
Diarrhœa & Dysentery	194	57	8	2	1	2	70	–	1	2	–	6	3	2	6	6	6	2
Cholera	2	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	72	4	6	4	4	3	21	12	2	5	2	2	1	5	9	4	9	–
Cancer	55	–	–	–	–	–	–	–	–	–	–	–	9	15	11	15	5	–
Scrofula and Tabes	30	11	2	2	–	3	18	4	1	3	–	2	–	1	–	–	1	–
Phthisis	451	3	4	5	2	2	16	8	29	65	68	118	77	39	23	8	–	–
Hydrocephalus	34	12	5	6	4	1	28	1	5	–	–	–	–	–	–	–	–	–
Dis. of Brain	339	113	20	13	6	1	153	6	7	3	7	10	15	19	23	55	34	7
Dis. of Heart & Dropsy	181	1	2	–	–	–	3	–	2	2	3	14	17	20	39	46	32	3
Dis. of Lungs	424	82	40	11	5	2	140	7	2	2	1	14	13	41	47	80	53	11
Dis. of Stom. and Liver	124	10	2	1	–	–	13	5	2	2	7	10	14	12	29	19	8	5
Dis. of Kidneys	17	–	–	–	–	1	1	–	–	1	–	1	–	5	6	2	1	–
Dis. of Gener. Organs	15	–	–	–	–	–	–	–	–	–	2	2	1	4	4	1	–	1
Dis. of Joints	8	1	–	–	–	–	1	–	–	–	–	1	4	2	–	–	–	–
Dis. of Skin	6	3	–	–	–	–	3	–	–	–	–	1	–	–	–	1	1	–
Childbirth and Metria	61	–	–	–	–	–	–	–	–	5	10	29	17	–	–	–	–	–
Suicide	5	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	–	–
Other Violent Deaths	37	1	3	4	5	–	13	2	2	4	1	3	1	3	1	1	3	3
Other Causes	519	226	21	7	1	1	256	7	–	2	1	3	2	5	12	61	129	41

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
373.—CHEADLE.																		
Mean Popul^n, 1861–71	10588	344	282	297	307	291	1521	1357	1185	947	875	1342	1165	972	671	392	141	20
TOTAL DEATHS	2305	587	165	78	44	28	902	101	49	70	75	139	119	135	193	265	199	58
Small-pox	8	1	2	-	-	1	4	-	-	-	-	2	1	1	-	-	-	-
Measles	32	6	11	5	3	2	27	4	1	-	-	-	-	-	-	-	-	-
Scarlatina	91	12	15	15	10	9	61	21	2	2	2	3	-	-	-	-	-	-
Diphtheria	23	4	3	2	2	2	13	7	1	-	1	-	-	-	1	-	-	-
Whooping-cough	59	27	17	9	4	-	57	2	-	-	-	-	-	-	-	-	-	-
Typhus	63	3	4	2	2	1	12	6	4	11	6	9	3	3	7	2	-	-
Diarrhœa & Dysentery	81	50	4	3	-	-	57	1	1	1	-	1	1	2	3	7	5	2
Cholera	5	1	1	-	1	-	3	1	-	-	-	-	-	-	-	-	1	-
Other Zymotic Dis.	69	8	5	9	3	2	27	7	2	5	5	4	3	5	1	7	1	2
Cancer	23	-	-	1	-	-	1	-	-	1	2	1	2	1	7	5	3	-
Scrofula and Tabes	47	16	5	6	1	2	30	2	3	1	2	3	4	-	1	1	-	-
Phthisis	192	6	6	-	-	-	12	4	5	17	39	48	33	22	11	1	-	-
Hydrocephalus	29	9	9	3	1	-	22	4	1	-	-	1	-	-	1	-	-	-
Dis. of Brain	350	156	22	6	6	3	193	7	8	8	2	11	9	13	22	40	31	6
Dis. of Heart & Dropsy	134	-	-	-	-	1	1	4	1	2	2	7	9	13	31	36	25	3
Dis. of Lungs	377	83	31	10	7	2	133	10	1	3	2	9	19	29	48	77	41	5
Dis. of Stom. and Liver	149	28	7	-	1	1	37	3	4	5	-	10	7	18	29	27	7	2
Dis. of Kidneys	44	1	1	1	-	-	3	-	1	1	-	4	4	2	8	7	13	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Dis. of Joints	16	-	-	-	-	-	-	2	1	2	5	2	1	2	1	-	-	-
Dis. of Skin	8	2	-	-	-	-	2	-	1	-	-	-	1	1	1	2	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	9	-	-	-	-	-	-	-	-	-	-	1	2	1	3	1	1	-
Other Violent Deaths	120	5	5	5	2	2	19	8	11	9	7	21	13	13	6	9	3	1
Other Causes	375	169	17	1	1	-	188	8	1	2	-	2	7	9	12	42	68	36
374.—UTTOXETER.																		
Mean Popul^n, 1861–71	7104	199	172	174	169	176	890	818	765	710	550	881	787	674	526	349	135	19
TOTAL DEATHS	1420	299	57	20	23	19	418	47	29	33	32	74	75	93	135	217	200	67
Small-pox	8	1	-	-	-	-	1	-	-	-	-	2	3	-	2	-	-	-
Measles	16	6	5	1	1	1	14	1	-	-	-	1	-	-	-	-	-	-
Scarlatina	37	2	4	4	4	5	19	13	3	1	-	-	1	-	-	-	-	-
Diphtheria	14	1	1	2	2	2	8	2	-	2	-	-	1	-	-	1	-	-
Whooping-cough	22	9	7	2	1	2	21	1	-	-	-	-	-	-	-	-	-	-
Typhus	27	-	1	-	1	1	3	2	2	7	2	4	-	3	2	1	1	-
Diarrhœa & Dysentery	30	11	3	-	-	-	14	1	-	-	-	-	-	2	1	6	4	2
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Other Zymotic Dis.	32	1	-	-	2	2	5	4	-	-	-	1	1	-	6	11	3	1
Cancer	29	-	-	-	-	-	-	-	-	-	1	2	2	5	6	9	4	-
Scrofula and Tabes	26	9	4	-	1	2	16	2	3	2	-	1	1	-	-	1	-	-
Phthisis	142	-	1	2	-	1	4	3	5	12	16	40	23	21	14	4	-	-
Hydrocephalus	23	15	5	1	-	1	22	-	-	1	-	-	-	-	-	-	-	-
Dis. of Brain	205	70	8	2	5	-	85	3	-	4	3	6	7	7	20	38	26	6
Dis. of Heart & Dropsy	77	-	-	-	-	-	-	1	1	-	2	-	9	9	15	22	16	2
Dis. of Lungs	216	51	15	3	2	-	71	6	4	-	1	5	11	13	25	33	41	6
Dis. of Stom. and Liver	83	11	1	-	-	-	12	3	1	2	2	1	8	13	13	16	11	1
Dis. of Kidneys	48	-	-	-	-	-	-	-	2	-	-	1	2	6	9	17	9	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	6	-	-	-	-	-	-	-	-	-	1	2	-	1	1	1	-	-
Dis. of Skin	5	3	-	-	-	-	3	-	-	-	-	-	-	-	-	1	-	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	12	-	-	-	-	-	-	-	-	1	-	2	1	1	5	1	1	-
Other Violent Deaths	43	-	-	2	3	2	7	3	6	1	4	3	2	3	6	5	2	1
Other Causes	318	109	2	1	1	-	113	2	2	-	-	3	3	9	10	49	82	45
375.—BURTON-ON-TRENT.																		
Mean Popul^n, 1861–71	24012	807	683	713	668	653	3524	2893	2497	2332	2267	3715	2674	1898	1221	706	256	29
TOTAL DEATHS	5274	1454	421	179	131	100	2285	178	91	116	164	346	389	354	404	462	385	100
Small-pox	53	15	3	3	1	3	25	7	1	-	8	5	4	-	2	-	-	1
Measles	148	39	59	18	16	10	142	6	-	-	-	-	-	-	-	-	-	-
Scarlatina	167	13	29	21	29	24	116	42	5	1	-	2	1	-	-	-	-	-
Diphtheria	51	4	9	9	9	7	38	10	1	-	-	1	-	-	1	-	-	-
Whooping-cough	94	42	29	13	4	6	94	-	-	-	-	-	-	-	-	-	-	-
Typhus	116	6	-	-	5	3	14	10	6	11	12	13	18	13	8	7	4	-
Diarrhœa & Dysentery	190	122	27	4	2	2	157	-	4	-	-	1	1	3	3	4	14	3
Cholera	6	2	-	-	-	-	2	-	-	-	-	-	-	-	3	-	1	-
Other Zymotic Dis.	149	10	15	23	14	12	74	11	3	5	5	8	14	6	9	6	8	-
Cancer	52	-	-	-	-	-	-	-	1	-	1	1	5	7	13	19	5	-
Scrofula and Tabes	131	55	28	8	1	1	93	11	4	5	5	4	3	3	2	1	-	-
Phthisis	549	13	13	3	3	5	37	14	9	37	71	142	110	70	45	13	1	-
Hydrocephalus	119	50	33	14	6	6	109	5	5	-	-	-	-	-	-	-	-	-
Dis. of Brain	828	330	36	13	12	9	400	17	8	8	15	44	76	74	60	82	41	3
Dis. of Heart & Dropsy	276	2	1	3	-	-	6	4	3	7	2	14	24	41	72	61	37	5
Dis. of Lungs	749	226	95	28	15	3	367	15	3	14	7	24	34	49	70	99	52	15
Dis. of Stom. and Liver	244	34	7	2	2	1	46	5	5	5	10	20	32	36	38	32	13	2
Dis. of Kidneys	100	1	-	-	-	-	1	-	5	-	1	10	11	9	24	21	15	3
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	16	-	1	-	-	2	3	-	3	2	-	-	1	3	2	1	1	-
Dis. of Skin	9	5	1	1	-	-	7	-	1	-	1	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	20	-	-	-	-	-	-	-	-	-	1	2	5	3	6	2	1	-
Other Violent Deaths	272	5	6	10	12	5	38	19	24	21	23	42	34	25	21	17	5	3
Other Causes	235	480	29	6	-	1	516	2	-	-	2	13	16	12	25	97	187	65

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
	AGES OF FEMALES.																	
373.—CHEADLE.																		
Mean Populn, 1861–71	10505	343	330	306	277	276	1532	1422	1101	892	830	1430	1172	902	656	393	152	23
TOTAL DEATHS	2122	429	135	79	59	44	746	81	58	79	74	146	154	124	152	225	219	64
Small-pox	2	–	1	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–
Measles	43	5	16	7	4	6	38	4	–	–	–	1	–	–	–	–	–	–
Scarlatina	106	11	7	15	10	16	59	32	11	–	4	–	–	–	–	–	–	–
Diphtheria	21	–	2	2	7	2	13	4	1	–	2	1	–	–	–	–	–	–
Whooping-cough	56	23	19	7	4	–	53	3	–	–	–	–	–	–	–	–	–	–
Typhus	56	–	2	2	3	2	9	8	5	11	4	8	6	4	1	–	–	–
Diarrhœa & Dysentery	83	32	6	3	1	1	43	1	–	–	–	4	7	3	4	11	10	–
Cholera	5	1	–	–	–	–	1	–	–	–	–	2	–	2	–	–	–	–
Other Zymotic Dis.	53	5	7	6	–	2	20	3	3	–	1	3	2	3	8	8	2	–
Cancer	37	–	–	–	–	–	–	–	–	–	–	1	5	6	8	12	5	–
Scrofula and Tabes	51	20	7	4	1	1	33	1	4	4	1	3	2	2	1	–	–	–
Phthisis	280	7	2	1	3	–	13	7	15	41	40	73	55	22	8	2	1	–
Hydrocephalus	29	13	3	4	2	1	23	2	3	1	–	–	–	–	–	–	–	–
Dis. of Brain	262	102	13	9	7	2	133	1	6	8	2	5	9	14	13	38	27	6
Dis. of Heart & Dropsy	157	1	–	–	1	–	2	1	1	2	4	7	18	21	32	39	28	2
Dis. of Lungs	281	48	29	5	8	5	95	3	2	3	2	6	10	18	37	50	45	10
Dis. of Stom. and Liver	150	29	5	1	–	2	37	3	3	5	4	8	14	14	20	22	14	6
Dis. of Kidneys	19	–	–	1	–	–	1	–	–	–	1	1	2	5	3	4	2	–
Dis. of Gener. Organs	6	–	–	–	–	–	–	–	–	–	–	1	2	1	2	–	–	–
Dis. of Joints	12	2	–	–	–	–	2	–	2	–	1	–	1	2	3	1	–	–
Dis. of Skin	6	–	–	–	1	–	1	–	–	–	–	–	–	–	1	1	2	1
Childbirth and Metria	42	–	–	–	–	–	–	–	–	–	6	17	16	3	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Other Violent Deaths	37	4	5	4	5	–	18	3	1	–	–	2	–	1	2	2	6	2
Other Causes	327	126	11	8	2	3	150	5	1	1	2	3	5	3	8	35	77	37
374.—UTTOXETER.																		
Mean Populn, 1861–71	7453	182	186	184	171	188	911	849	762	736	657	970	817	679	527	364	159	22
TOTAL DEATHS	1452	245	73	34	18	9	379	46	31	34	60	123	102	76	123	201	210	67
Small-pox	3	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–
Measles	10	2	3	4	–	–	9	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	25	2	4	5	2	1	14	4	2	–	1	3	1	–	–	–	–	–
Diphtheria	11	–	–	2	–	–	2	5	4	–	–	–	–	–	–	–	–	–
Whooping-cough	26	11	8	1	3	–	23	3	–	–	–	–	–	–	–	–	–	–
Typhus	41	1	1	–	1	1	4	5	2	5	4	10	4	–	2	5	–	–
Diarrhœa & Dysentery	30	11	4	1	–	–	16	–	–	–	–	1	–	1	2	3	6	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	25	1	2	1	1	1	6	3	2	1	–	1	1	–	4	6	1	–
Cancer	37	–	–	–	–	–	–	–	–	–	–	–	5	8	5	13	5	1
Scrofula and Tabes	22	5	5	–	–	–	10	3	1	1	1	–	1	1	–	4	–	–
Phthisis	186	1	1	–	–	–	2	4	7	18	33	68	32	14	7	1	–	–
Hydrocephalus	22	9	4	2	–	1	16	5	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	190	58	6	6	2	1	73	5	3	2	3	6	5	10	15	23	43	2
Dis. of Heart & Dropsy	122	2	1	–	1	–	4	1	1	2	2	5	10	12	26	33	21	5
Dis. of Lungs	242	34	19	6	4	3	66	4	1	2	4	5	9	11	20	43	29	8
Dis. of Stom. and Liver	87	5	–	–	1	1	7	–	–	–	3	4	8	8	24	23	10	–
Dis. of Kidneys	22	–	–	–	–	–	–	1	2	–	–	3	2	5	5	4	–	–
Dis. of Gener. Organs	4	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–
Dis. of Joints	6	–	–	–	–	–	–	–	–	1	2	1	–	1	–	1	–	–
Dis. of Skin	4	1	–	–	–	–	1	–	–	1	–	–	–	–	1	–	1	–
Childbirth and Metria	28	–	–	–	–	–	–	–	–	1	3	9	15	–	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
Other Violent Deaths	23	2	1	3	–	–	6	–	2	–	–	2	3	1	1	6	–	2
Other Causes	324	100	14	3	3	–	120	2	1	–	4	4	5	3	8	35	94	48
375.—BURTON-ON-TRENT.																		
Mean Populn, 1861–71	22834	788	668	730	678	661	3525	2940	2339	1915	1961	3407	2584	1836	1275	725	291	36
TOTAL DEATHS	4712	1135	365	216	141	73	1930	179	108	136	149	358	322	280	333	443	352	122
Small-pox	52	17	6	3	6	4	36	6	2	2	–	4	1	–	1	–	–	–
Measles	126	17	54	22	15	10	118	6	1	1	–	–	–	–	–	–	–	–
Scarlatina	192	14	23	27	31	19	114	46	19	5	4	2	2	–	–	–	–	–
Diphtheria	55	7	5	11	6	5	34	15	3	–	–	1	–	–	1	1	–	–
Whooping-cough	122	47	40	22	8	–	117	5	–	–	–	–	–	–	–	–	–	–
Typhus	114	5	1	5	6	2	19	8	12	14	12	15	10	10	9	4	1	–
Diarrhœa & Dysentery	155	97	16	3	3	–	119	1	2	–	1	2	1	2	4	8	11	4
Cholera	7	2	–	–	–	–	2	–	–	–	–	–	1	–	–	2	1	1
Other Zymotic Dis.	153	19	22	19	19	11	90	11	8	3	–	8	5	5	5	10	5	–
Cancer	128	–	–	1	–	–	1	–	2	1	–	6	29	23	37	19	9	1
Scrofula and Tabes	103	49	18	5	1	1	74	6	5	4	1	3	4	1	2	2	1	–
Phthisis	601	19	15	11	4	4	53	18	21	67	81	158	110	57	31	5	–	–
Hydrocephalus	85	43	14	7	3	3	70	10	2	2	–	–	1	4	–	–	–	–
Dis. of Brain	650	213	35	29	9	3	319	11	6	13	15	38	31	39	60	67	46	5
Dis. of Heart & Dropsy	288	3	1	–	–	–	4	5	5	5	5	19	28	39	70	81	25	2
Dis. of Lungs	596	167	75	32	16	6	296	8	6	2	4	16	18	34	45	94	54	19
Dis. of Stom. and Liver	202	29	6	4	3	–	33	9	3	3	5	15	20	34	29	34	14	3
Dis. of Kidneys	66	–	1	–	2	–	3	1	2	1	5	12	16	7	10	6	3	–
Dis. of Gener. Organs	21	–	–	–	–	–	–	–	–	–	2	2	2	7	5	5	2	1
Dis. of Joints	18	–	1	–	1	–	2	–	5	2	–	5	–	2	2	–	–	–
Dis. of Skin	18	10	–	–	–	–	10	–	–	–	–	–	–	1	2	1	3	1
Childbirth and Metria	90	–	–	–	–	–	–	–	–	6	13	39	29	3	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
Other Violent Deaths	78	10	5	8	5	2	30	7	4	2	–	3	2	5	5	8	8	4
Other Causes	787	316	27	7	3	8	386	3	–	2	1	10	7	12	15	99	170	82

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	2
376.—TAMWORTH.																		
Mean Popul^n, 1861-71	8018	245	236	230	229	230	1170	1013	892	758	618	1096	873	706	489	280	108	15
TOTAL DEATHS	1665	437	100	47	47	36	667	70	46	41	47	85	96	93	126	171	181	39
Small-pox	16	6	-	-	3	-	9	-	1	-	-	5	-	1	-	-	-	-
Measles	22	4	7	3	1	4	19	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	79	7	8	8	13	12	48	21	4	1	1	2	1	-	1	-	-	-
Diphtheria	15	2	-	-	1	4	7	4	1	-	-	1	-	1	1	-	-	-
Whooping-cough	26	13	11	1	-	1	26	-	-	-	-	-	-	-	-	-	-	-
Typhus	81	-	2	3	5	1	11	13	11	9	8	9	8	4	4	4	-	-
Diarrhœa & Dysentery	66	36	8	2	1	2	49	1	-	-	-	1	1	-	4	3	6	1
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Other Zymotic Dis.	34	7	3	7	4	2	23	3	1	-	-	2	-	-	1	3	1	-
Cancer	21	-	-	-	-	-	-	-	-	-	-	1	3	2	3	6	4	2
Scrofula and Tabes	82	14	5	1	3	1	24	2	2	-	-	-	1	-	1	1	1	-
Phthisis	138	3	3	2	-	1	9	2	4	14	20	25	26	19	14	4	-	1
Hydrocephalus	24	11	9	1	2	1	24	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	236	109	6	5	3	2	125	4	4	1	2	3	9	17	23	24	22	2
Dis. of Heart & Dropsy	110	1	-	-	1	-	2	4	-	2	-	8	9	9	20	37	16	3
Dis. of Lungs	248	73	30	8	4	3	118	1	1	1	3	5	8	15	19	38	34	3
Dis. of Stom. and Liver	80	6	3	2	-	1	12	-	-	3	3	3	11	9	16	15	8	-
Dis. of Kidneys	42	-	-	-	2	-	2	1	-	1	-	-	3	5	5	14	10	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	5	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-
Dis. of Skin	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	10	-	-	-	-	-	-	-	-	1	-	2	1	2	1	2	1	-
Other Violent Deaths	95	2	-	2	2	-	6	10	15	6	9	16	10	11	8	2	2	-
Other Causes	280	142	5	2	2	1	152	1	1	1	-	1	3	1	5	17	74	2
377.—LICHFIELD.																		
Mean Popul^n, 1861-71	14875	440	389	424	412	384	2049	1792	1552	1343	1214	2049	1680	1334	998	594	236	3
TOTAL DEATHS	3067	732	186	108	53	43	1122	130	67	80	86	175	181	208	259	351	309	9
Small-pox	10	5	-	-	-	-	5	-	-	1	2	-	1	-	-	-	1	-
Measles	54	16	23	5	4	4	52	1	1	-	-	-	-	-	-	-	-	-
Scarlatina	116	6	11	21	11	15	64	44	6	2	-	-	-	-	-	-	-	-
Diphtheria	23	5	2	1	3	2	13	5	2	1	-	1	-	-	-	1	-	-
Whooping-cough	39	21	12	4	1	1	39	-	-	-	-	-	-	-	-	-	-	-
Typhus	77	1	2	5	2	1	11	8	6	8	8	10	4	9	5	6	2	-
Diarrhœa & Dysentery	94	42	11	4	-	1	58	3	2	1	-	1	1	3	6	7	9	-
Cholera	3	-	1	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-
Other Zymotic Dis.	71	10	8	6	5	2	31	11	-	3	2	3	6	4	2	5	3	-
Cancer	29	-	-	-	-	-	-	-	-	-	-	-	1	4	9	11	4	-
Scrofula and Tabes	50	16	6	3	2	-	27	3	8	4	1	1	2	-	4	-	-	-
Phthisis	273	7	2	2	-	-	11	6	7	33	36	67	58	32	18	5	-	-
Hydrocephalus	49	20	12	6	3	3	44	5	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	433	146	15	10	4	2	177	6	12	2	6	26	24	30	38	65	40	-
Dis. of Heart & Dropsy	201	1	-	-	-	2	3	2	3	3	1	7	16	22	45	66	30	-
Dis. of Lungs	494	138	46	24	7	2	217	8	2	-	7	9	20	36	53	77	52	1
Dis. of Stom. and Liver	159	24	3	-	3	1	31	4	3	5	5	11	11	20	31	20	14	-
Dis. of Kidneys	63	-	-	2	-	1	3	-	-	-	1	3	3	7	14	19	7	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	15	-	-	-	-	-	-	1	-	6	1	2	1	1	1	2	-	-
Dis. of Skin	6	4	-	-	-	-	4	-	-	1	-	-	-	-	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	27	-	-	-	-	-	-	-	-	-	2	2	1	8	10	4	-	-
Other Violent Deaths	168	6	5	7	7	5	30	19	14	9	11	24	19	16	9	14	1	-
Other Causes	613	264	27	8	1	1	301	4	1	1	3	8	13	14	14	49	145	6
378.—PENKRIDGE.																		
Mean Popul^n, 1861-71	10957	317	303	298	294	276	1488	1333	1217	1050	912	1466	1232	978	707	400	155	1
TOTAL DEATHS	2031	544	132	58	38	36	808	74	42	53	52	112	108	125	179	211	216	5
Small-pox	10	2	1	1	2	-	6	1	-	-	-	1	1	-	1	-	-	-
Measles	26	4	9	4	6	-	23	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	78	4	15	14	7	15	55	18	2	3	-	-	-	-	-	-	-	-
Diphtheria	24	-	4	2	2	2	10	10	2	-	-	1	-	-	-	-	1	
Whooping-cough	17	12	3	1	1	-	17	-	-	-	-	-	-	-	-	-	-	-
Typhus	52	2	1	3	2	1	9	4	5	5	4	6	9	1	5	2	2	
Diarrhœa & Dysentery	74	37	6	6	1	-	50	1	-	-	-	-	3	1	3	6	7	
Cholera	5	1	-	-	-	-	1	-	-	-	-	-	1	-	2	-	1	
Other Zymotic Dis.	33	3	4	2	4	1	14	3	1	1	-	-	3	3	3	2	2	
Cancer	20	-	-	-	-	-	-	-	-	1	1	-	3	2	6	5	2	
Scrofula and Tabes	37	19	7	1	-	2	29	-	1	1	1	2	2	-	1	-	-	
Phthisis	158	1	2	1	-	1	5	3	2	14	24	40	24	28	16	2	-	
Hydrocephalus	18	11	2	2	1	-	16	2	-	-	-	-	-	-	-	-	-	
Dis. of Brain	214	80	10	4	4	4	102	-	2	4	2	6	4	8	15	32	33	
Dis. of Heart & Dropsy	135	1	2	-	-	2	5	3	3	2	-	4	9	16	35	32	25	
Dis. of Lungs	325	108	34	8	3	3	156	5	4	2	2	7	12	18	37	43	35	
Dis. of Stom. and Liver	122	29	2	5	1	-	37	1	1	1	2	4	7	11	17	31	10	
Dis. of Kidneys	35	-	-	-	-	-	-	-	-	1	-	2	2	4	7	7	11	
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	13	-	-	-	1	-	1	2	1	-	3	2	1	-	2	-	1	
Dis. of Skin	7	2	-	-	-	-	2	-	-	-	-	1	-	1	-	-	3	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	13	-	-	-	-	-	-	-	-	1	-	4	2	4	2	-	-	
Other Violent Deaths	154	5	5	3	2	4	19	17	16	13	10	26	18	14	11	5	3	
Other Causes	461	223	25	1	1	1	251	1	2	4	3	6	7	14	16	44	80	

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
376.—TAMWORTH.																		
Mean Popul., 1861–71	8139	233	227	235	203	211	1139	1018	869	744	712	1126	894	670	488	322	135	22
TOTAL DEATHS	1618	317	99	56	45	28	545	61	34	48	61	102	100	85	115	209	191	67
Small-pox	12	5	–	2	–	1	8	–	–	1	1	1	–	1	–	–	–	–
Measles	22	4	6	2	6	1	19	2	–	–	–	1	–	–	–	–	–	–
Scarlatina	77	8	10	14	11	6	49	14	8	1	1	3	1	–	–	–	–	–
Diphtheria	12	–	1	1	2	1	5	3	2	–	–	1	–	–	–	1	–	–
Whooping-cough	29	13	10	5	1	–	29	–	–	–	–	–	–	–	–	–	–	–
Typhus	63	–	4	–	1	–	5	12	9	7	7	7	6	2	4	3	1	–
Diarrhœa & Dysentery	53	24	2	1	1	–	28	1	–	–	1	1	1	1	1	7	12	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Other Zymotic Dis.	37	4	2	3	5	4	18	3	1	–	–	1	2	1	4	5	1	1
Cancer	42	–	–	–	–	–	–	–	–	–	1	2	6	7	10	8	6	2
Scrofula and Tabes	27	13	6	–	1	1	21	2	3	–	1	–	–	–	–	–	–	–
Phthisis	168	–	3	2	2	1	8	6	3	27	33	50	23	10	6	1	1	–
Hydrocephalus	24	8	7	3	1	2	21	3	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	199	65	12	5	6	1	89	6	2	–	4	5	3	11	22	31	22	4
Dis. of Heart & Dropsy	147	–	–	–	–	–	–	1	3	2	1	8	15	17	27	46	22	5
Dis. of Lungs	296	52	27	12	4	5	100	3	–	1	1	3	10	8	14	43	41	12
Dis. of Stom. and Liver	87	9	1	–	–	–	10	1	2	1	–	2	9	11	16	24	8	3
Dis. of Kidneys	20	–	1	–	–	1	2	–	–	1	1	1	4	3	3	3	–	2
Dis. of Gener. Organs	17	–	–	–	–	–	–	–	–	–	1	3	2	3	2	5	1	–
Dis. of Joints	11	–	–	–	–	–	–	–	–	3	1	2	1	1	–	2	1	–
Dis. of Skin	3	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–
Childbirth and Metria	26	–	–	–	–	–	–	–	–	–	5	9	10	2	–	–	–	–
Suicide	6	–	–	–	–	–	–	–	–	–	1	1	2	2	–	–	–	–
Other Violent Deaths	18	2	–	1	2	4	9	1	1	2	–	–	1	–	1	1	–	2
Other Causes	281	109	7	5	2	–	123	3	–	2	1	1	4	4	4	29	74	36
377.—LICHFIELD.																		
Mean Popul., 1861–71	14977	428	393	420	417	400	2058	1828	1585	1285	1188	2114	1696	1298	967	654	260	44
TOTAL DEATHS	2913	571	179	81	73	61	965	104	73	86	88	192	186	182	215	369	331	122
Small-pox	8	1	–	–	4	2	7	–	1	–	–	–	–	–	–	–	–	–
Measles	57	12	21	9	5	3	53	3	–	–	–	–	1	–	–	–	–	–
Scarlatina	118	4	10	15	23	20	72	35	6	–	4	1	–	–	–	–	–	–
Diphtheria	28	3	2	2	3	1	11	10	4	1	–	1	1	–	–	–	–	–
Whooping-cough	45	25	10	7	–	1	43	2	–	–	–	–	–	–	–	–	–	–
Typhus	78	2	2	3	2	3	12	9	6	12	3	14	3	5	7	5	2	–
Diarrhœa & Dysentery	88	43	10	2	1	1	57	–	–	1	–	4	1	2	3	8	9	3
Cholera	3	–	2	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–
Other Zymotic Dis.	92	7	13	5	13	14	52	3	6	3	–	2	1	3	6	10	5	1
Cancer	29	–	1	–	–	–	1	–	–	–	1	2	14	18	21	30	11	1
Scrofula and Tabes	50	12	12	4	–	1	29	2	2	2	4	4	1	2	2	2	–	–
Phthisis	315	1	1	2	1	–	5	3	17	42	53	87	60	28	11	9	–	–
Hydrocephalus	27	10	5	3	4	3	25	1	–	–	–	–	–	1	–	–	–	–
Dis. of Brain	374	128	23	5	3	1	160	10	8	6	8	10	16	26	28	58	37	7
Dis. of Heart & Dropsy	221	4	1	–	1	–	6	2	9	4	3	9	24	29	40	62	29	4
Dis. of Lungs	401	90	31	16	4	6	147	8	3	4	1	12	12	16	39	78	62	19
Dis. of Stom. and Liver	164	10	3	–	1	–	14	4	6	2	3	13	20	21	30	35	15	1
Dis. of Kidneys	44	1	–	–	–	–	1	3	–	2	1	3	8	12	4	4	4	2
Dis. of Gener. Organs	21	–	1	–	–	–	1	–	–	1	–	4	2	4	4	3	2	–
Dis. of Joints	13	1	–	1	1	–	3	1	1	1	1	–	2	2	–	1	1	–
Dis. of Skin	9	1	–	–	–	1	2	–	–	–	1	–	1	–	3	2	–	–
Childbirth and Metria	38	–	–	–	–	–	–	–	–	1	5	22	10	–	–	–	–	–
Suicide	7	–	–	–	–	–	–	–	–	–	–	–	3	–	1	1	1	1
Other Violent Deaths	49	5	4	3	5	3	20	6	2	2	–	1	1	2	7	3	5	–
Other Causes	564	211	24	4	2	1	242	2	2	2	–	3	5	11	9	58	147	83
378.—PENKRIDGE.																		
Mean Popul., 1861–71	10227	314	296	295	305	290	1500	1341	1154	842	835	1415	1125	884	581	362	160	28
TOTAL DEATHS	1849	409	120	69	42	30	670	88	39	55	56	121	92	92	145	214	212	65
Small-pox	4	2	–	–	1	–	3	–	–	–	–	–	–	–	1	–	–	–
Measles	24	6	5	5	2	3	21	2	–	–	–	–	1	–	–	–	–	–
Scarlatina	78	6	9	12	9	9	45	20	8	3	–	–	2	–	–	–	–	–
Diphtheria	16	1	1	1	–	–	3	8	1	1	1	1	–	1	–	–	–	–
Whooping-cough	26	14	7	3	1	1	26	–	–	–	–	–	–	–	–	–	–	–
Typhus	61	2	2	3	–	2	9	12	6	6	8	5	4	4	3	4	–	–
Diarrhœa & Dysentery	75	33	5	2	–	1	41	3	–	1	–	–	1	1	6	8	12	2
Cholera	6	1	1	–	–	–	2	1	–	–	–	–	–	1	–	–	2	–
Other Zymotic Dis.	28	4	–	5	5	–	14	4	2	–	–	–	1	2	–	4	1	–
Cancer	34	–	–	–	–	–	–	–	–	–	–	2	9	11	18	7	5	2
Scrofula and Tabes	32	16	4	1	–	1	22	2	1	–	1	2	1	2	–	1	–	–
Phthisis	187	1	1	2	–	1	5	3	4	28	25	57	33	18	10	3	1	–
Hydrocephalus	16	5	3	3	2	1	14	1	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	195	63	12	6	3	5	89	7	4	4	2	4	2	7	22	29	22	3
Dis. of Heart & Dropsy	127	–	1	1	–	–	2	1	3	1	2	10	6	12	18	48	21	–
Dis. of Lungs	265	68	38	16	7	2	131	6	2	4	2	10	3	10	27	40	26	4
Dis. of Stom. and Liver	107	11	5	2	2	–	20	6	1	2	2	12	6	13	17	17	9	2
Dis. of Kidneys	13	–	–	–	–	–	–	–	–	–	–	1	3	1	5	3	–	–
Dis. of Gener. Organs	3	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–
Dis. of Joints	6	–	–	–	–	–	–	2	–	–	1	–	–	1	2	–	–	–
Dis. of Skin	8	4	–	–	–	–	4	–	–	–	–	1	–	–	1	1	1	–
Childbirth and Metria	33	–	–	–	–	–	–	–	–	–	9	7	15	2	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Other Violent Deaths	45	3	6	5	6	1	21	8	3	4	1	–	1	2	1	1	2	1
Other Causes	439	169	20	2	4	3	198	2	3	1	2	6	4	3	14	48	107	31

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
379.—WOLVERHAMPTON.																		
Mean Popul^n, 1861–71	66500	2251	1989	1900	1895	1863	9888	8311	7310	6532	5843	9537	7922	5687	3408	1545	464	53
TOTAL DEATHS	17052	5201	1916	888	536	391	8932	767	325	347	388	801	1010	1102	1254	1248	731	147
Small-pox	171	36	26	9	17	15	103	21	7	7	11	12	5	4	1	-	-	-
Measles	489	86	205	109	39	18	457	27	3	-	1	-	1	-	-	-	-	-
Scarlatina	816	52	130	137	139	121	579	194	31	3	1	4	-	1	-	-	-	-
Diphtheria	121	17	23	18	12	12	82	28	3	1	1	2	2	1	1	-	-	-
Whooping-cough	372	166	105	51	31	12	365	7	-	-	-	-	-	-	-	-	-	-
Typhus	652	28	35	49	36	27	175	98	56	46	25	51	69	45	52	29	6	-
Diarrhœa & Dysentery	988	657	182	40	8	6	893	13	2	2	3	4	5	6	13	22	20	5
Cholera	22	1	5	-	-	-	6	1	-	-	-	-	4	7	3	1	-	-
Other Zymotic Dis.	488	76	83	61	73	35	328	33	8	12	5	12	23	16	26	11	9	2
Cancer	118	-	-	-	1	1	2	-	-	-	1	5	18	32	29	26	4	1
Scrofula and Tabes	281	112	68	20	5	5	210	17	7	11	8	11	8	3	6	-	-	-
Phthisis	1391	56	34	18	10	12	130	30	38	88	154	300	299	219	107	35	-	-
Hydrocephalus	145	52	41	17	8	7	128	12	5	-	-	-	-	-	-	-	-	-
Dis. of Brain	1867	931	160	59	33	13	1196	36	18	33	23	51	58	92	115	161	75	9
Dis. of Heart & Dropsy	737	12	19	13	6	7	57	23	21	16	23	55	91	133	149	120	45	4
Dis. of Lungs	3130	975	468	180	66	50	1740	52	17	16	16	69	152	255	361	316	125	11
Dis. of Stom. and Liver	646	135	21	14	2	5	180	31	11	13	16	36	60	97	108	70	23	1
Dis. of Kidneys	232	4	6	-	4	-	14	5	6	6	13	21	39	30	38	36	22	2
Dis. of Gener. Organs	9	-	1	-	-	-	1	1	-	-	-	3	2	-	1	1	-	-
Dis. of Joints	54	3	-	-	1	-	4	6	3	7	7	5	9	2	7	4	-	-
Dis. of Skin	43	12	7	-	1	-	20	-	-	-	-	3	3	3	7	6	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	41	-	-	-	-	-	-	-	-	1	4	4	8	14	6	3	1	-
Other Violent Deaths	951	34	24	30	29	33	150	107	79	82	66	125	117	94	85	37	12	-
Other Causes	3285	1755	267	63	15	12	2112	25	7	3	10	28	46	48	139	367	388	112
380.—WALSALL.																		
Mean Popul^n, 1861–71	33618	1168	1016	1001	934	998	5117	4193	3758	3203	3056	4978	3953	2766	1634	726	211	23
TOTAL DEATHS	8493	2808	948	453	246	200	4655	406	167	173	222	408	446	492	568	573	320	63
Small-pox	128	31	21	16	7	7	82	11	8	3	9	9	4	2	-	-	-	-
Measles	171	39	56	37	25	8	165	5	-	-	1	-	-	-	-	-	-	-
Scarlatina	336	17	44	68	41	52	222	97	11	2	1	1	1	1	-	-	-	-
Diphtheria	46	8	12	5	8	3	36	7	1	-	-	-	1	-	-	1	-	-
Whooping-cough	136	61	39	14	7	8	129	6	1	-	-	-	-	-	-	-	-	-
Typhus	481	32	43	39	30	28	172	78	37	36	36	31	35	23	17	11	5	-
Diarrhœa & Dysentery	563	333	117	31	5	5	511	5	1	1	-	3	3	6	10	14	6	3
Cholera	7	2	-	-	-	-	2	-	-	-	1	-	-	2	2	-	-	-
Other Zymotic Dis.	201	19	38	31	20	8	116	17	3	8	2	7	9	10	18	8	3	-
Cancer	60	-	-	-	1	-	1	-	-	-	-	3	5	15	16	16	2	2
Scrofula and Tabes	203	106	38	11	7	3	165	8	9	7	3	4	4	3	-	-	-	-
Phthisis	626	19	16	5	6	4	50	23	17	47	85	145	120	70	49	16	4	-
Hydrocephalus	98	40	27	11	5	3	86	9	2	1	-	-	-	-	-	-	-	-
Dis. of Brain	1085	555	104	26	14	19	718	22	5	8	16	18	39	48	82	83	38	8
Dis. of Heart & Dropsy	403	121	14	4	1	2	42	18	13	8	5	32	48	54	75	69	31	8
Dis. of Lungs	1466	435	231	89	32	24	811	30	2	7	17	52	57	125	138	165	57	5
Dis. of Stom. and Liver	343	69	15	12	6	4	106	13	7	4	10	14	33	55	57	32	11	1
Dis. of Kidneys	93	3	-	2	-	2	7	5	3	3	3	11	19	5	16	13	8	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Dis. of Joints	19	-	-	1	4	-	5	2	2	1	3	2	1	1	1	-	1	-
Dis. of Skin	24	10	1	-	-	-	11	1	1	-	-	3	-	-	4	1	3	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	20	-	-	-	-	-	-	-	-	2	2	2	4	4	3	3	-	-
Other Violent Deaths	416	18	22	18	18	13	89	40	39	32	26	51	45	38	31	18	6	1
Other Causes	1566	970	110	33	9	7	1129	9	5	3	2	20	18	29	49	122	145	35
381.—WEST BROMWICH.																		
Mean Popul^n, 1861–71	49885	1845	1534	1513	1506	1459	7857	6529	5616	5053	4596	7248	5583	3855	2217	1018	286	27
TOTAL DEATHS	11667	3952	1403	572	381	224	6532	511	249	241	288	519	553	740	755	742	438	99
Small-pox	97	23	13	4	5	4	49	14	3	5	8	9	6	2	-	1	-	-
Measles	293	61	125	53	30	8	275	16	1	-	-	1	-	-	-	-	-	-
Scarlatina	539	44	111	96	79	68	398	116	16	6	2	1	-	-	-	-	-	-
Diphtheria	53	5	8	3	9	6	31	11	3	-	-	3	1	-	3	1	-	-
Whooping-cough	187	96	47	23	11	5	182	5	-	-	-	-	-	-	-	-	-	-
Typhus	520	24	44	29	40	22	159	53	50	41	36	51	42	31	31	19	1	-
Diarrhœa & Dysentery	732	462	149	36	10	5	662	6	3	3	-	3	4	4	12	24	9	2
Cholera	20	9	3	-	-	2	14	-	-	-	-	1	-	2	3	-	-	-
Other Zymotic Dis.	338	61	58	56	31	21	227	27	10	9	2	11	12	12	15	10	3	-
Cancer	90	-	-	1	-	-	1	-	-	-	1	4	11	19	28	16	9	1
Scrofula and Tabes	298	117	81	20	12	5	245	11	11	8	7	4	3	4	4	1	-	-
Phthisis	754	32	27	9	9	4	81	18	19	51	109	165	144	116	39	12	-	-
Hydrocephalus	212	103	61	16	9	3	192	14	6	-	-	-	-	-	-	-	-	-
Dis. of Brain	1190	539	99	24	21	10	723	28	10	10	15	35	48	81	91	105	40	4
Dis. of Heart & Dropsy	440	8	11	6	4	3	32	19	13	11	9	34	54	83	98	64	21	3
Dis. of Lungs	2109	693	325	95	59	18	1190	44	14	15	20	61	90	168	218	199	81	3
Dis. of Stom. and Liver	400	77	28	5	4	4	118	13	6	14	5	26	27	71	61	44	10	-
Dis. of Kidneys	138	-	3	1	4	2	10	5	-	3	4	13	10	25	36	21	11	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
Dis. of Joints	24	-	2	-	4	1	7	3	2	1	3	2	3	2	2	2	1	-
Dis. of Skin	26	9	2	-	-	-	11	2	2	-	2	-	2	3	3	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	24	-	-	-	-	-	-	-	1	-	3	5	5	2	6	2	-	-
Other Violent Deaths	696	40	25	31	26	21	143	90	74	58	47	72	67	77	40	19	8	-
Other Causes	2481	1529	188	44	14	12	1782	10	4	6	12	18	24	38	65	200	244	7

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
379.—WOLVERHAMPTON.																		
Mean Popul^n, 1861-71	64978	2247	1988	1906	1836	1834	9811	8252	7178	6157	5950	9508	7390	5260	3214	1628	549	81
TOTAL DEATHS	14941	4181	1827	952	591	362	7913	670	246	306	402	832	822	788	970	987	776	229
Small-pox	131	32	21	17	11	8	89	18	7	4	6	4	1	-	2	-	-	-
Measles	461	69	158	117	61	26	431	27	1	-	-	1	1	-	-	-	-	-
Scarlatina	820	45	103	150	165	107	570	194	40	5	3	4	2	2	-	-	-	-
Diphtheria	125	7	20	15	15	15	72	35	6	4	3	1	1	3	-	-	-	-
Whooping-cough	461	183	142	66	37	17	445	15	-	-	-	1	-	-	-	-	-	-
Typhus	556	20	38	37	37	42	174	77	42	46	36	49	36	40	30	23	3	-
Diarrhœa & Dysentery	882	503	206	54	9	5	777	6	2	3	3	8	7	7	12	29	24	4
Cholera	16	4	-	1	-	-	5	2	-	-	1	1	-	3	2	1	1	-
Other Zymotic Dis.	422	64	76	71	51	29	291	31	14	9	3	10	7	10	10	26	10	1
Cancer	287	-	-	1	1	-	2	2	2	-	1	19	50	75	80	42	10	4
Scrofula and Tabes	229	76	60	21	9	2	168	19	2	5	5	6	6	3	3	3	-	-
Phthisis	1279	41	39	16	11	10	111	32	40	108	169	341	253	151	59	14	1	-
Hydrocephalus	89	39	21	6	8	6	74	13	1	-	-	-	1	-	-	-	-	-
Dis. of Brain	1627	745	119	77	33	23	995	40	19	23	35	47	60	77	131	123	68	9
Dis. of Heart & Dropsy	690	15	15	10	3	3	46	25	19	22	17	58	91	107	156	108	34	7
Dis. of Lungs	2585	760	452	184	87	39	1522	43	7	16	19	70	84	145	261	248	150	20
Dis. of Stom. and Liver	548	74	23	8	4	5	114	15	11	11	19	48	72	73	95	70	19	1
Dis. of Kidneys	94	1	2	1	-	2	6	7	2	2	7	10	15	10	18	8	9	-
Dis. of Gener. Organs	62	-	-	1	-	-	1	-	-	3	2	9	18	13	8	8	-	-
Dis. of Joints	31	2	1	1	1	-	5	2	3	5	3	4	3	3	2	-	1	-
Dis. of Skin	42	14	5	-	1	1	21	1	1	1	2	2	2	1	7	3	1	-
Childbirth and Metria	241	-	-	-	-	-	-	-	-	17	50	97	73	4	-	-	-	-
Suicide	9	-	-	-	-	-	-	-	-	-	2	-	3	4	-	-	-	-
Other Violent Deaths	291	29	13	19	28	13	105	48	19	16	5	15	9	18	16	13	20	7
Other Causes	2972	1466	316	79	19	9	1889	18	8	6	11	27	27	39	78	268	425	175
380.—WALSALL.																		
Mean Popul^n, 1861-71	32253	1181	1058	1048	968	960	5215	4313	3639	3004	2901	4803	3534	2446	1442	708	226	22
TOTAL DEATHS	7278	2063	926	455	253	195	3895	384	152	170	178	404	385	358	438	486	334	94
Small-pox	87	27	14	16	13	5	75	6	1	-	2	3	-	-	-	-	-	-
Measles	186	37	56	36	25	12	166	18	-	-	1	-	1	-	-	-	-	-
Scarlatina	375	18	51	80	50	50	249	105	14	2	1	2	1	1	-	-	-	-
Diphtheria	73	10	11	11	7	6	45	17	5	-	1	3	2	-	-	-	-	-
Whooping-cough	152	48	58	18	19	4	147	5	-	-	-	-	-	-	-	-	-	-
Typhus	483	29	53	46	30	34	192	79	46	39	24	40	25	17	9	11	1	-
Diarrhœa & Dysentery	496	257	125	21	9	2	424	8	2	-	4	7	7	5	11	17	11	-
Cholera	6	-	-	2	-	-	2	1	-	-	2	-	-	-	1	-	-	-
Other Zymotic Dis.	157	18	33	26	12	9	98	15	6	3	3	7	8	5	4	5	3	-
Cancer	126	-	1	-	2	-	3	-	-	1	1	6	29	39	24	17	4	2
Scrofula and Tabes	154	72	36	12	3	3	126	6	4	5	4	3	3	-	-	2	1	-
Phthisis	554	18	20	9	3	4	54	22	21	60	66	151	99	56	23	2	-	-
Hydrocephalus	49	25	10	2	3	4	44	3	1	-	1	-	-	-	-	-	-	-
Dis. of Brain	841	377	96	42	13	10	538	17	7	8	5	21	31	37	61	77	30	9
Dis. of Heart & Dropsy	393	11	10	4	6	5	36	18	13	12	14	30	39	44	79	77	27	2
Dis. of Lungs	1099	307	195	83	34	21	640	28	8	13	11	40	38	62	103	102	48	6
Dis. of Stom. and Liver	279	39	14	3	3	5	64	5	4	5	9	24	33	42	59	28	6	-
Dis. of Kidneys	38	3	-	1	-	-	4	1	2	2	2	5	6	6	4	3	3	-
Dis. of Gener. Organs	31	-	-	-	-	-	-	-	-	-	1	3	4	13	6	1	3	-
Dis. of Joints	26	1	1	1	-	1	4	2	3	3	1	5	2	2	1	2	1	-
Dis. of Skin	17	5	2	1	-	-	8	-	-	1	-	-	1	-	1	2	3	1
Childbirth and Metria	91	-	-	-	-	-	-	-	-	3	17	35	35	1	-	-	-	-
Suicide	8	-	-	-	-	-	-	-	-	2	-	1	1	2	2	-	-	-
Other Violent Deaths	133	15	12	7	10	9	53	20	10	9	4	4	3	7	8	8	6	1
Other Causes	1424	739	128	34	11	11	923	8	5	2	4	14	17	17	43	131	187	73
381.—WEST BROMWICH.																		
Mean Popul^n, 1861-71	49668	1798	1575	1524	1460	1534	7900	6519	5684	4810	4607	7314	5375	3700	2243	1121	346	49
TOTAL DEATHS	10471	3053	1310	663	378	239	5643	471	221	241	274	578	568	506	594	755	480	140
Small-pox	88	18	9	12	5	7	51	19	7	3	-	2	3	2	1	-	-	-
Measles	291	50	114	61	32	11	268	18	1	-	3	1	-	-	-	-	-	-
Scarlatina	568	40	89	117	91	70	407	130	14	2	5	7	3	-	-	-	-	-
Diphtheria	71	5	12	13	11	10	51	17	3	-	1	-	2	-	-	-	-	-
Whooping-cough	222	85	74	37	18	9	223	9	-	-	-	-	-	-	-	-	-	-
Typhus	492	19	39	32	26	21	140	83	63	41	34	39	38	26	15	11	1	1
Diarrhœa & Dysentery	625	342	157	28	14	6	547	4	2	5	5	12	4	6	8	22	6	4
Cholera	18	6	6	1	-	-	13	-	-	-	-	1	3	-	1	-	-	-
Other Zymotic Dis.	300	40	53	50	35	25	203	35	11	7	2	9	5	13	9	5	1	-
Cancer	169	-	-	-	1	-	1	-	1	-	3	6	39	44	39	31	5	-
Scrofula and Tabes	238	107	71	17	7	3	205	8	7	3	6	5	1	3	-	-	-	-
Phthisis	813	20	29	29	8	4	81	13	35	92	93	236	152	86	25	3	-	-
Hydrocephalus	125	49	33	13	9	5	109	12	2	1	1	-	-	-	-	-	-	-
Dis. of Brain	1084	445	101	50	27	20	643	17	15	21	12	26	39	64	91	110	41	5
Dis. of Heart & Dropsy	464	12	14	4	1	5	36	13	17	11	23	41	63	62	87	79	29	3
Dis. of Lungs	1675	490	299	117	58	25	989	28	8	19	21	49	57	86	167	166	71	14
Dis. of Stom. and Liver	363	32	12	3	4	2	53	10	8	8	16	35	42	54	55	58	18	1
Dis. of Kidneys	84	1	4	1	-	1	7	3	1	-	5	16	12	11	18	8	2	1
Dis. of Gener. Organs	39	-	-	-	-	-	-	-	-	1	1	4	13	10	4	6	-	-
Dis. of Joints	15	-	-	1	1	-	2	2	3	1	-	2	1	1	2	1	-	-
Dis. of Skin	25	6	5	3	2	-	16	-	2	1	-	3	-	-	-	3	-	-
Childbirth and Metria	145	-	-	-	-	-	-	-	-	7	25	62	48	3	-	-	-	-
Suicide	16	-	-	-	-	-	-	-	-	4	2	3	2	3	-	1	1	-
Other Violent Deaths	195	36	18	24	15	4	97	33	13	8	6	4	8	5	3	6	9	3
Other Causes	2333	1250	171	54	13	8	1496	17	8	6	10	18	33	27	69	245	296	108

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
382.—DUDLEY.																		
Mean Popul^n, 1861–71	66420	2457	2165	2062	1982	2047	10713	8962	7803	6761	5892	9125	7092	5157	3063	1403	399	50
TOTAL DEATHS	17590	6048	2265	990	581	390	10274	753	411	386	395	723	793	877	1103	1092	629	154
Small-pox	236	74	47	14	24	17	176	16	8	7	10	11	5	2	1	-	-	-
Measles	516	106	200	118	42	31	497	18	1	-	-	-	-	-	-	-	-	-
Scarlatina	937	48	177	176	157	122	680	217	27	8	3	1	1	-	-	-	-	-
Diphtheria	83	9	25	9	15	6	61	12	1	3	-	2	-	1	-	-	-	-
Whooping-cough	318	156	85	38	21	9	309	9	-	-	-	-	-	-	-	-	-	-
Typhus	809	42	63	61	44	35	248	108	81	55	55	79	52	41	41	34	9	-
Diarrhœa & Dysentery	1150	663	280	69	16	8	1036	10	3	3	2	3	5	12	20	29	22	5
Cholera	24	4	7	-	2	1	14	2	-	-	-	1	1	1	2	3	-	-
Other Zymotic Dis.	416	69	81	41	46	26	269	39	3	15	8	14	12	24	17	14	8	2
Cancer	108	-	-	-	-	-	-	1	-	-	2	2	25	26	27	18	6	1
Scrofula and Tabes	237	75	80	23	5	4	187	11	9	3	6	4	8	4	4	1	-	-
Phthisis	819	28	38	14	6	2	88	15	31	62	115	187	115	98	62	13	3	-
Hydrocephalus	167	76	39	20	11	6	152	7	7	-	-	1	-	-	-	-	-	-
Dis. of Brain	1956	1059	124	61	39	16	1299	40	23	21	25	38	43	77	139	157	65	9
Dis. of Heart & Dropsy	611	13	14	10	6	6	49	18	22	13	14	53	86	100	122	100	32	2
Dis. of Lungs	3293	1111	521	155	67	40	1894	60	19	22	24	83	119	226	355	353	122	16
Dis. of Stom. and Liver	715	189	48	16	7	11	271	24	14	23	19	40	64	96	77	61	25	1
Dis. of Kidneys	205	-	7	6	4	3	20	10	3	10	7	16	20	28	44	32	15	-
Dis. of Gener. Organs	4	-	1	-	1	-	2	-	-	-	-	-	-	-	2	-	-	-
Dis. of Joints	39	-	-	-	-	-	-	5	5	6	2	5	4	4	2	5	1	-
Dis. of Skin	57	22	2	3	-	-	27	2	3	1	1	2	3	7	4	3	4	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	23	-	-	-	-	-	-	-	-	4	3	1	3	6	5	1	-	-
Other Violent Deaths	1233	25	36	61	57	39	221	119	142	128	93	152	163	76	89	40	8	2
Other Causes	3634	2279	387	86	11	8	2771	19	6	2	6	28	34	45	70	228	309	116
383.—STOURBRIDGE.																		
Mean Popul^n, 1861–71	35404	1234	1097	1041	1033	1065	5470	4729	4184	3606	3059	4836	3740	2853	1833	891	264	29
TOTAL DEATHS	8345	2869	908	391	235	187	4590	361	172	174	195	362	377	427	543	678	378	88
Small-pox	122	34	22	14	5	8	83	10	5	7	5	4	3	3	2	-	-	-
Measles	158	28	60	33	17	7	145	12	1	-	-	-	-	-	-	-	-	-
Scarlatina	472	23	94	87	73	66	343	110	14	2	-	1	-	2	-	-	-	-
Diphtheria	47	16	7	5	7	5	40	4	1	-	1	-	1	-	-	-	-	-
Whooping-cough	138	61	49	15	9	2	136	2	-	-	-	-	-	-	-	-	-	-
Typhus	312	19	28	22	23	10	102	45	32	19	15	25	22	18	23	10	1	-
Diarrhœa & Dysentery	479	289	93	22	5	2	411	5	-	-	-	4	4	6	12	20	13	4
Cholera	17	6	2	-	-	-	8	-	2	-	1	1	-	1	-	3	1	-
Other Zymotic Dis.	207	32	37	22	19	16	126	19	8	4	5	9	6	6	9	13	2	-
Cancer	71	-	-	-	-	-	-	-	-	1	-	5	8	13	22	15	6	1
Scrofula and Tabes	129	48	36	7	3	4	98	6	8	4	4	1	2	2	3	1	-	-
Phthisis	515	9	13	10	3	3	38	14	10	47	78	112	76	73	50	16	1	-
Hydrocephalus	80	34	32	6	1	2	75	5	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	920	458	42	21	12	9	542	19	15	12	8	13	46	48	53	107	48	9
Dis. of Heart & Dropsy	431	15	13	4	5	8	45	14	11	9	10	28	33	41	100	95	42	3
Dis. of Lungs	1502	547	239	78	24	21	909	22	6	8	10	32	50	79	116	179	82	9
Dis. of Stom. and Liver	331	78	4	4	5	3	94	10	5	7	7	15	25	42	54	56	14	2
Dis. of Kidneys	131	-	2	1	-	3	6	3	-	2	8	13	14	14	23	30	16	2
Dis. of Gener. Organs	2	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Dis. of Joints	30	2	-	-	1	-	3	1	6	5	1	3	-	6	2	3	-	-
Dis. of Skin	18	8	-	1	-	-	9	-	-	1	-	-	2	1	1	4	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	19	-	-	-	-	-	-	-	1	1	2	3	1	6	1	2	2	-
Other Violent Deaths	496	25	17	16	13	15	86	51	46	42	38	78	64	44	27	15	5	-
Other Causes	1718	1136	118	23	10	3	1290	9	1	3	2	15	20	21	45	109	145	58
384.—KIDDERMINSTER.																		
Mean Popul^n, 1861–71	15807	473	436	411	382	398	2100	1928	1812	1440	1240	2062	1810	1477	1033	627	256	22
TOTAL DEATHS	3507	891	256	139	97	63	1446	154	59	83	66	169	157	226	313	407	337	90
Small-pox	20	4	3	1	2	1	11	4	-	2	-	-	1	2	-	-	-	-
Measles	65	14	20	13	6	6	59	5	-	1	-	-	-	-	-	-	-	-
Scarlatina	191	21	31	34	31	20	137	50	3	-	-	1	-	-	-	-	-	-
Diphtheria	22	1	2	3	2	3	11	9	1	-	-	1	-	-	-	-	-	-
Whooping-cough	40	19	11	3	3	2	38	2	-	-	-	-	-	-	-	-	-	-
Typhus	118	16	4	7	7	5	39	19	6	10	5	5	8	5	7	9	3	2
Diarrhœa & Dysentery	166	100	28	10	-	1	139	1	1	-	1	-	3	1	7	4	7	2
Cholera	6	1	-	-	-	-	1	1	-	-	-	-	1	1	1	-	1	-
Other Zymotic Dis.	80	15	8	10	6	4	43	6	1	1	1	2	2	3	8	7	3	3
Cancer	37	-	-	-	-	-	-	-	-	-	1	2	-	5	11	11	7	-
Scrofula and Tabes	98	42	14	6	4	3	69	3	4	5	4	2	4	2	3	2	-	-
Phthisis	334	35	8	4	2	1	50	13	9	26	28	76	46	42	31	12	1	-
Hydrocephalus	37	14	10	2	4	1	31	5	-	-	1	-	-	-	-	-	-	-
Dis. of Brain	435	134	25	12	5	4	180	6	8	6	-	11	13	40	56	64	43	8
Dis. of Heart & Dropsy	252	4	1	1	2	1	9	5	4	4	6	18	21	34	56	62	27	6
Dis. of Lungs	556	127	56	22	11	4	220	7	4	7	3	13	19	34	65	103	69	12
Dis. of Stom. and Liver	162	27	1	2	-	-	30	4	3	3	2	8	11	24	32	33	11	1
Dis. of Kidneys	59	1	-	-	-	-	1	2	2	5	3	4	6	7	9	13	6	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	16	1	-	-	2	-	3	1	1	3	1	1	2	-	2	1	1	-
Dis. of Skin	5	3	-	-	-	-	3	-	-	-	-	-	-	-	-	2	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	12	-	-	-	-	-	-	-	-	-	1	1	2	2	3	2	1	-
Other Violent Deaths	133	9	9	9	5	6	38	10	11	7	7	19	10	15	9	3	3	1
Other Causes	665	306	25	-	5	1	334	1	1	3	2	5	8	9	13	79	154	54

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
	AGES OF FEMALES.																	
382.—DUDLEY.																		
Mean Popul^n, 1861–71	65775	2470	2146	1992	1963	1961	10532	9007	7642	6373	6007	9072	6929	4949	3024	1594	561	85
TOTAL DEATHS	15666	4816	2329	997	549	360	9051	663	316	296	374	693	716	658	854	987	783	245
Small-pox	259	76	48	38	31	20	213	19	4	3	3	9	4	4	–	–	–	–
Measles	468	77	186	100	52	31	446	21	–	–	–	1	–	–	–	–	–	–
Scarlatina	879	59	177	189	125	103	653	185	30	2	2	3	1	1	2	–	–	–
Diphtheria	87	5	16	9	15	8	53	21	6	–	–	–	2	–	2	–	–	–
Whooping-cough	458	198	139	77	19	15	448	8	1	–	–	1	–	–	–	–	–	–
Typhus	817	31	79	62	55	39	264	132	88	51	45	58	59	42	36	26	12	–
Diarrhœa & Dysentery	1111	559	335	52	20	7	973	10	3	5	2	11	12	4	22	31	35	3
Cholera	14	3	1	1	–	–	5	–	–	–	–	2	2	3	1	1	–	–
Other Zymotic Dis.	330	55	87	48	28	25	237	21	12	10	4	7	8	11	9	7	4	–
Cancer	219	–	–	–	–	–	–	1	–	1	1	9	34	65	63	31	11	2
Scrofula and Tabes	215	70	75	22	7	3	177	10	5	2	6	6	5	1	1	1	1	–
Phthisis	1013	26	34	12	7	6	85	28	39	108	157	249	198	97	42	8	–	2
Hydrocephalus	104	42	25	16	10	3	96	6	1	–	1	–	–	–	–	–	–	–
Dis. of Brain	1713	811	144	56	39	17	1097	37	25	23	19	37	49	73	127	135	84	7
Dis. of Heart & Dropsy	604	12	8	9	6	5	40	15	20	17	15	38	76	96	128	126	29	4
Dis. of Lungs	2508	779	499	190	83	35	1586	49	20	13	24	64	78	113	215	232	101	13
Dis. of Stom. and Liver	658	133	62	16	10	2	193	11	13	16	23	48	63	71	111	80	29	–
Dis. of Kidneys	107	3	9	7	1	2	22	6	1	4	1	16	16	14	18	6	3	–
Dis. of Gener. Organs	40	–	1	–	–	–	1	–	–	–	1	8	9	9	7	5	–	–
Dis. of Joints	34	2	3	–	–	–	5	4	5	3	4	6	3	1	–	3	–	–
Dis. of Skin	38	11	5	4	–	–	20	–	–	2	1	3	3	2	2	4	–	1
Childbirth and Metria	245	–	–	–	–	–	–	–	–	17	45	85	91	7	–	–	–	–
Suicide	14	–	–	–	–	–	–	–	2	2	3	2	4	–	–	1	–	–
Other Violent Deaths	294	18	25	13	25	25	106	61	28	7	4	11	12	4	5	24	24	8
Other Causes	3437	1818	405	76	18	14	2331	15	3	7	13	19	26	39	63	266	459	265
383.—STOURBRIDGE.																		
Mean Popul^n, 1861–71	35561	1245	1088	1093	1082	1060	5568	4771	4153	3385	3127	4936	3758	2725	1796	962	329	51
TOTAL DEATHS	7463	2224	811	368	254	174	3831	353	132	175	206	385	388	362	428	613	448	142
Small-pox	97	32	20	11	5	6	74	9	2	2	3	5	–	1	–	1	–	–
Measles	152	21	69	32	16	9	138	11	1	1	–	1	–	–	–	–	–	–
Scarlatina	465	30	75	63	81	70	319	123	19	2	1	1	–	–	–	–	–	–
Diphtheria	34	–	7	3	5	2	17	8	3	1	3	–	2	–	–	–	–	–
Whooping-cough	157	80	48	12	10	4	154	3	–	–	–	–	–	–	–	–	–	–
Typhus	296	7	15	25	22	19	88	46	28	32	19	31	15	19	7	9	2	–
Diarrhœa & Dysentery	309	194	82	21	4	3	304	5	1	3	3	4	2	3	12	29	27	6
Cholera	21	4	2	–	1	1	8	2	1	–	–	–	4	2	1	1	2	–
Other Zymotic Dis.	171	23	25	23	19	9	99	18	7	7	3	3	9	5	11	4	5	–
Cancer	143	–	–	–	1	–	1	1	–	1	–	10	24	35	35	29	7	–
Scrofula and Tabes	145	63	38	9	3	2	115	1	4	3	9	5	5	–	2	1	–	–
Phthisis	587	11	8	5	1	3	28	12	15	62	81	158	122	69	28	12	–	–
Hydrocephalus	60	24	15	7	2	1	49	8	3	–	–	–	–	–	–	–	–	–
Dis. of Brain	794	341	58	29	9	4	444	29	8	10	9	24	29	40	58	90	49	13
Dis. of Heart & Dropsy	471	19	8	3	4	1	26	7	13	19	13	32	35	62	87	115	57	5
Dis. of Lungs	1159	382	189	81	51	20	723	28	3	7	7	21	21	37	93	119	75	15
Dis. of Stom. and Liver	315	40	15	5	3	3	64	10	4	5	7	27	35	30	45	51	15	2
Dis. of Kidneys	66	–	3	2	–	2	7	3	2	1	4	7	12	4	12	9	5	–
Dis. of Gener. Organs	29	–	–	–	–	1	1	–	1	–	2	5	5	6	5	3	1	–
Dis. of Joints	16	1	–	1	–	–	2	1	2	4	3	–	1	1	1	1	–	–
Dis. of Skin	20	8	1	–	1	1	11	–	–	–	1	–	1	1	3	1	–	2
Childbirth and Metria	124	–	–	–	–	–	–	–	–	10	28	37	48	1	–	–	–	–
Suicide	6	–	–	–	–	–	–	–	–	1	–	–	2	2	1	–	–	–
Other Violent Deaths	137	13	15	11	9	11	59	28	8	2	5	6	4	6	2	6	7	4
Other Causes	1608	937	129	25	7	2	1100	9	7	2	5	8	12	18	25	132	195	95
384.—KIDDERMINSTER.																		
Mean Popul^n, 1861–71	16821	468	412	383	417	415	2095	1963	1808	1615	1503	2305	1948	1492	1057	704	280	51
TOTAL DEATHS	3244	637	193	134	78	69	1111	177	79	100	102	174	194	178	253	387	357	132
Small-pox	22	5	2	5	3	–	15	3	2	–	–	–	1	–	1	–	–	–
Measles	69	8	29	14	4	8	54	10	1	1	–	2	–	1	–	–	–	–
Scarlatina	175	10	15	26	27	23	101	55	9	1	–	3	–	2	–	1	–	–
Diphtheria	27	1	1	4	2	7	18	5	–	–	–	2	–	–	–	–	–	–
Whooping-cough	48	29	7	12	3	2	41	4	–	–	–	–	–	–	–	–	–	–
Typhus	130	6	7	8	5	2	28	28	17	12	6	11	2	6	5	9	6	–
Diarrhœa & Dysentery	164	97	24	7	3	2	133	2	2	–	1	2	2	–	3	8	8	3
Cholera	5	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	1	–
Other Zymotic Dis.	81	10	7	8	12	5	42	12	2	2	1	–	2	3	3	10	3	1
Cancer	81	–	–	–	–	–	–	–	–	–	1	3	11	19	28	11	10	1
Scrofula and Tabes	61	20	12	5	3	–	40	6	2	5	2	2	1	2	–	–	–	–
Phthisis	347	21	10	7	–	1	39	13	18	44	51	81	56	30	12	2	1	–
Hydrocephalus	28	11	3	5	2	–	21	5	1	–	–	–	1	–	–	–	–	–
Dis. of Brain	349	78	21	11	4	3	117	13	4	5	10	12	16	16	45	54	50	7
Dis. of Heart & Dropsy	264	2	2	2	–	1	7	5	4	4	4	7	21	26	50	91	39	6
Dis. of Lungs	490	70	37	8	8	4	127	3	3	5	3	13	16	24	57	88	55	6
Dis. of Stom. and Liver	159	12	–	1	–	1	14	1	6	7	4	7	20	25	20	35	15	2
Dis. of Kidneys	19	–	–	–	–	–	–	2	–	1	3	1	4	3	2	1	2	–
Dis. of Gener. Organs	22	–	–	–	–	–	–	–	–	–	–	2	6	8	3	3	–	–
Dis. of Joints	15	–	–	–	–	–	–	–	1	2	–	4	1	2	4	–	1	–
Dis. of Skin	9	2	2	–	–	–	4	–	–	–	–	–	–	–	2	1	2	–
Childbirth and Metria	58	–	–	–	–	–	–	–	–	5	10	18	25	–	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	–	–
Other Violent Deaths	60	8	5	2	–	5	20	7	4	3	2	2	2	2	3	3	8	4
Other Causes	647	223	18	9	2	2	284	–	3	3	3	2	4	6	11	70	156	102

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
385.—TENBURY.																		
Mean Popul^{n}, 1861–71	3905	100	98	96	105	104	503	450	434	361	297	526	453	363	282	162	66	8
TOTAL DEATHS	724	160	24	11	13	9	217	15	15	8	19	34	36	55	86	110	102	27
Small-pox	3	-	-	-	1	1	2	-	-	1	-	-	-	-	-	-	-	-
Measles	2	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Scarlatina	19	4	3	4	1	3	15	3	1	-	-	-	-	-	-	-	-	-
Diphtheria	4	-	-	-	-	1	1	1	1	-	-	1	-	-	-	-	-	-
Whooping-cough	16	13	1	-	2	-	16	-	-	-	-	-	-	-	-	-	-	-
Typhus	19	-	1	-	-	-	1	1	1	1	3	1	3	2	1	3	2	-
Diarrhœa & Dysentery	7	5	-	-	-	-	5	-	-	-	-	-	-	-	-	1	1	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	16	-	2	2	1	1	6	-	3	-	1	-	2	-	4	-	-	-
Cancer	10	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	5	-
Scrofula and Tabes	7	2	-	-	-	-	2	1	-	-	-	2	-	-	1	1	-	-
Phthisis	51	-	-	-	1	1	2	-	-	1	8	18	7	6	8	1	-	-
Hydrocephalus	9	6	-	1	2	-	9	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	98	14	2	1	2	-	19	3	2	-	3	1	2	12	13	27	15	1
Dis. of Heart & Dropsy	66	-	-	-	-	1	1	-	-	-	1	1	5	12	15	19	11	1
Dis. of Lungs	99	13	10	1	1	1	26	1	-	1	1	3	6	9	21	21	8	2
Dis. of Stom. and Liver	29	2	1	-	-	-	3	-	1	1	-	1	2	5	9	6	-	1
Dis. of Kidneys	11	-	-	-	-	-	-	-	-	-	1	-	1	1	3	2	1	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Dis. of Skin	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	30	1	3	1	2	-	7	1	2	2	1	3	4	3	3	3	1	-
Other Causes	223	100	-	1	-	-	101	4	4	-	-	3	2	3	7	22	57	20
386.—MARTLEY.																		
Mean Popul^{n}, 1861–71	7802	212	204	210	193	210	1029	922	826	699	571	999	895	743	577	372	149	20
TOTAL DEATHS	1353	257	60	33	25	21	396	62	24	24	30	74	69	106	130	187	193	58
Small-pox	3	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-
Measles	11	3	2	-	3	-	8	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	63	-	11	10	10	7	38	20	3	1	-	1	-	-	-	-	-	-
Diphtheria	16	1	1	2	2	2	8	6	1	-	-	-	-	1	-	-	-	-
Whooping cough	15	8	2	2	1	1	14	1	-	-	-	-	-	-	-	-	-	-
Typhus	45	2	3	2	-	3	10	5	4	3	3	5	6	2	2	3	1	1
Diarrhœa & Dysentery	33	19	4	1	-	-	24	1	-	-	-	-	-	1	1	2	4	-
Cholera	2	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Other Zymotic Dis.	22	2	2	1	-	3	8	4	1	1	1	2	1	-	1	3	-	-
Cancer	21	-	-	-	-	-	-	-	-	-	1	1	-	2	4	7	6	-
Scrofula and Tabes	22	7	3	2	1	-	13	2	1	1	1	-	8	-	-	-	-	1
Phthisis	91	3	1	-	1	-	5	2	4	6	13	25	14	9	8	4	1	-
Hydrocephalus	15	5	6	-	-	1	12	2	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	175	28	-	2	2	-	32	1	-	2	-	5	10	22	27	38	34	4
Dis. of Heart & Dropsy	155	1	-	-	-	1	2	3	3	2	3	6	9	23	32	42	27	3
Dis. of Lungs	162	37	15	4	2	-	58	4	-	-	-	5	8	12	23	24	21	7
Dis. of Stom. and Liver	85	9	1	2	1	-	13	2	-	2	1	3	2	17	18	18	9	-
Dis. of Kidneys	28	1	-	-	-	-	1	-	1	-	1	4	3	1	2	11	3	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Dis. of Joints	3	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-
Dis. of Skin	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Other Violent Deaths	79	6	-	3	2	-	11	7	2	4	5	14	12	11	6	6	1	-
Other Causes	302	122	9	2	-	2	135	-	1	1	1	1	1	3	3	29	86	41
387.—WORCESTER.																		
Mean Popul^{n}, 1861–71	15026	437	377	384	354	389	1941	1675	1590	1497	1346	2294	1791	1359	875	482	155	21
TOTAL DEATHS	4040	990	273	158	101	73	1595	142	57	96	111	285	304	324	404	357	287	78
Small-pox	41	11	3	-	1	2	17	5	1	2	2	8	3	3	-	-	-	-
Measles	58	12	18	13	6	1	55	2	-	-	-	1	-	-	-	-	-	-
Scarlatina	209	14	33	39	39	22	147	47	7	5	-	1	1	1	-	-	-	-
Diphtheria	18	2	2	2	2	4	12	6	-	-	-	-	-	-	-	-	-	-
Whooping-cough	65	38	15	6	2	1	62	2	1	-	-	-	-	-	-	-	-	-
Typhus	138	12	8	11	6	5	42	16	10	16	8	14	8	6	10	6	1	1
Diarrhœa & Dysentery	235	153	31	4	5	2	195	3	1	-	-	2	3	2	7	13	9	-
Cholera	8	1	-	1	-	-	2	1	-	-	-	2	1	1	-	1	-	-
Other Zymotic Dis.	94	11	9	13	7	7	47	1	1	5	2	8	5	8	9	5	3	-
Cancer	40	1	-	-	-	-	1	1	-	1	1	3	2	6	13	12	-	-
Scrofula and Tabes	64	23	14	7	1	2	47	2	2	2	1	4	1	3	2	-	-	-
Phthisis	356	4	1	-	1	2	8	7	6	16	47	91	87	60	29	5	-	-
Hydrocephalus	45	20	13	5	-	3	41	3	-	1	-	-	-	-	-	-	-	-
Dis. of Brain	447	117	26	12	4	5	164	8	2	10	4	24	24	32	62	71	40	6
Dis. of Heart & Dropsy	208	8	1	2	1	3	15	2	1	6	13	22	36	48	76	53	24	2
Dis. of Lungs	624	144	55	20	11	5	235	9	1	1	7	28	58	61	83	73	58	10
Dis. of Stom. and Liver	192	28	1	-	3	2	34	5	5	4	4	13	18	34	41	25	8	1
Dis. of Kidneys	86	-	-	-	1	-	1	1	-	4	2	11	14	14	16	13	8	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	17	-	1	-	-	1	2	1	3	1	-	3	2	1	2	1	1	-
Dis. of Skin	21	4	2	-	-	-	6	-	-	1	-	3	2	3	5	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	16	-	-	-	-	-	-	-	-	1	1	3	4	2	3	1	1	-
Other Violent Deaths	213	7	4	8	7	4	30	17	12	17	13	34	24	23	22	16	5	-
Other Causes	755	380	36	10	4	2	432	3	4	3	6	10	11	16	24	61	129	56

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
385.—TENBURY.																		
Mean Popul^n, 1861–71	3692	103	97	98	88	80	466	450	397	322	284	475	394	350	267	173	96	18
TOTAL DEATHS	661	117	26	12	11	14	180	23	13	23	22	29	35	41	51	77	116	51
Small-pox	3	1	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–
Measles	3	–	–	–	2	1	3	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	20	1	1	1	2	5	10	8	2	–	–	–	–	–	–	–	–	–
Diphtheria	3	1	–	–	1	–	2	–	1	–	–	–	–	–	–	–	–	–
Whooping-cough	11	8	2	1	–	–	11	–	–	–	–	–	–	–	–	–	–	–
Typhus	22	–	–	–	–	2	2	–	1	6	2	4	2	1	1	2	1	–
Diarrhœa & Dysentery	7	4	–	–	1	–	5	–	–	–	–	1	–	–	–	–	–	1
Cholera	2	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	22	6	4	3	3	1	17	2	1	1	–	–	–	–	–	1	–	–
Cancer	20	–	–	–	–	–	–	–	–	–	–	–	2	6	5	5	2	–
Scrofula and Tabes	3	2	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	–
Phthisis	54	2	–	–	–	2	4	2	3	5	9	12	8	7	3	1	–	–
Hydrocephalus	9	3	1	1	1	–	6	2	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	77	16	3	2	–	–	21	2	2	2	1	1	2	5	5	10	21	5
Dis. of Heart & Dropsy	64	–	–	–	–	–	–	–	–	2	2	3	4	8	11	17	12	5
Dis. of Lungs	75	10	8	1	1	–	20	3	1	1	2	2	5	4	10	3	10	9
Dis. of Stom. and Liver	34	1	1	–	–	–	2	–	–	3	3	–	2	4	10	6	3	1
Dis. of Kidneys	8	–	–	–	–	–	–	–	–	–	–	–	3	1	2	1	1	–
Dis. of Gener. Organs	3	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–
Dis. of Joints	3	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–
Dis. of Skin	4	–	–	–	–	1	1	–	–	–	–	–	2	–	–	–	1	–
Childbirth and Metria	6	–	–	–	–	–	–	–	–	–	1	2	3	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Other Violent Deaths	13	4	1	1	–	–	6	1	1	–	–	–	–	–	1	4	–	–
Other Causes	194	57	5	2	–	2	66	2	–	–	2	2	1	3	3	20	65	30
386.—MARTLEY.																		
Mean Popul^n, 1861–71	7901	218	177	219	193	201	1008	959	797	651	633	1052	897	741	571	387	172	33
TOTAL DEATHS	1347	233	63	31	25	29	381	39	33	32	47	82	82	80	115	184	188	84
Small-pox	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Measles	10	2	2	1	–	1	6	3	–	–	–	1	–	–	–	–	–	–
Scarlatina	59	4	3	13	10	7	37	13	3	2	1	3	–	–	–	–	–	–
Diphtheria	9	–	–	–	–	1	1	3	3	–	–	2	–	–	–	–	–	–
Whooping-cough	19	11	3	4	1	–	19	–	–	–	–	–	–	–	–	–	–	–
Typhus	46	–	1	–	4	1	6	3	3	4	1	4	6	4	6	2	2	–
Diarrhœa & Dysentery	47	20	3	2	3	1	29	–	–	–	1	1	2	–	4	3	6	1
Cholera	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	24	4	2	1	–	1	8	2	1	1	–	–	1	2	1	6	2	–
Cancer	51	–	–	–	–	1	1	–	–	–	–	–	10	11	15	12	1	1
Scrofula and Tabes	21	7	7	1	–	–	15	–	–	2	1	–	–	1	1	–	1	–
Phthisis	127	5	1	–	–	–	6	1	11	8	23	37	15	14	5	2	–	–
Hydrocephalus	14	3	4	–	–	4	11	1	1	–	1	–	–	–	–	–	–	–
Dis. of Brain	134	26	8	1	–	–	35	3	–	1	–	3	8	10	14	29	26	5
Dis. of Heart & Dropsy	146	–	–	–	–	1	1	–	1	4	5	2	11	15	35	43	26	3
Dis. of Lungs	159	37	16	2	2	7	64	3	2	2	1	1	9	4	12	29	25	7
Dis. of Stom. and Liver	71	9	–	–	1	2	12	1	1	2	1	7	7	7	12	11	9	1
Dis. of Kidneys	12	–	–	–	–	–	–	1	–	3	–	1	2	3	1	–	1	–
Dis. of Gener. Organs	10	–	–	–	–	–	–	–	–	–	–	1	1	1	3	3	1	–
Dis. of Joints	4	–	–	1	–	–	1	–	–	–	–	–	1	1	1	–	–	–
Dis. of Skin	4	1	–	–	–	–	1	–	–	–	–	1	2	–	–	–	–	–
Childbirth and Metria	29	–	–	–	–	–	–	–	–	1	5	15	7	1	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Deaths	25	1	3	3	4	2	13	2	–	2	1	–	–	1	2	1	3	–
Other Causes	324	103	9	2	–	–	114	3	2	–	1	2	–	5	3	43	85	66
387.—WORCESTER.																		
Mean Popul^n, 1861–71	16667	434	379	377	383	370	1943	1687	1618	1711	1554	2591	2007	1517	1081	669	246	43
TOTAL DEATHS	3804	825	283	152	89	79	1428	112	70	75	127	249	257	255	325	402	371	133
Small-pox	28	2	5	3	2	2	14	4	2	2	2	3	1	–	–	–	–	–
Measles	71	12	19	19	9	10	69	1	–	–	–	1	–	–	–	–	–	–
Scarlatina	195	13	30	40	31	27	141	35	11	1	2	3	2	–	–	–	–	–
Diphtheria	25	2	2	1	4	4	13	5	1	–	2	1	2	1	–	–	–	–
Whooping-cough	67	24	23	11	5	2	65	2	–	–	–	–	–	–	–	–	–	–
Typhus	136	5	7	8	7	9	36	15	10	14	9	19	14	5	6	5	3	–
Diarrhœa & Dysentery	244	168	30	5	–	–	203	2	3	–	2	2	5	5	7	8	5	2
Cholera	7	–	2	1	–	–	3	–	–	–	–	1	1	–	–	2	–	–
Other Zymotic Dis.	82	10	14	10	7	5	46	6	2	3	2	1	1	4	10	5	1	1
Cancer	107	–	–	–	–	–	–	–	–	–	–	4	17	31	33	17	5	–
Scrofula and Tabes	41	14	3	3	1	–	21	3	4	3	1	3	2	3	1	–	–	–
Phthisis	333	6	3	1	1	1	12	7	14	28	51	99	71	43	24	3	1	–
Hydrocephalus	25	5	3	6	2	4	20	4	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	364	78	17	5	4	–	104	5	4	3	9	18	22	28	51	69	45	6
Dis. of Heart & Dropsy	307	7	3	–	1	–	11	6	5	4	11	10	32	41	70	81	32	4
Dis. of Lungs	525	131	70	22	6	6	235	9	3	1	4	13	22	32	53	94	49	10
Dis. of Stom. and Liver	157	12	–	3	1	–	16	–	1	3	6	14	20	27	30	24	13	1
Dis. of Kidneys	39	–	–	–	–	1	1	–	1	1	2	3	9	6	8	4	3	1
Dis. of Gener. Organs	37	–	–	1	–	–	1	–	–	–	3	5	7	11	7	2	1	–
Dis. of Joints	20	1	1	–	–	–	2	–	1	1	2	2	–	6	3	3	–	–
Dis. of Skin	25	8	–	1	1	2	12	–	1	–	1	–	–	2	4	3	1	1
Childbirth and Metria	72	–	–	–	–	–	–	–	–	7	12	37	16	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Deaths	65	6	6	2	4	5	23	7	3	–	–	4	4	5	4	5	8	2
Other Causes	812	321	45	10	3	1	380	1	3	4	4	6	9	5	14	77	204	105

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
388.—UPTON-ON-SEVERN.																		
Mean Popul^n, 1861–71	10329	266	228	265	244	255	1258	1197	1180	1007	759	1400	1241	982	698	432	154	21
TOTAL DEATHS	2282	445	79	51	31	25	631	60	37	67	71	133	219	241	230	299	234	60
Small-pox	12	1	1	–	1	–	3	1	–	1	1	1	1	2	2	–	–	–
Measles	21	6	3	5	3	–	17	2	–	–	–	–	1	–	1	–	–	–
Scarlatina	49	1	5	5	8	8	27	16	4	1	1	–	–	–	–	–	–	–
Diphtheria	11	–	1	1	3	1	6	2	1	2	–	–	–	–	–	–	–	–
Whooping-cough	15	8	3	3	–	–	14	1	–	–	–	–	–	–	–	–	–	–
Typhus	61	1	1	3	2	5	12	5	7	2	5	11	7	5	5	2	–	–
Diarrhœa & Dysentery	63	38	6	1	1	–	46	–	–	1	–	1	4	2	2	4	2	1
Cholera	4	–	–	–	–	1	1	–	–	1	–	–	–	–	2	–	–	–
Other Zymotic Dis.	40	1	4	5	–	–	8	6	2	2	1	2	6	2	6	4	1	–
Cancer	26	–	–	–	–	–	–	–	–	–	–	2	2	5	7	9	1	–
Scrofula and Tabes	23	9	3	1	–	–	13	1	–	1	2	2	1	–	2	1	–	–
Phthisis	145	2	1	1	–	–	4	–	3	16	21	30	35	20	11	5	–	–
Hydrocephalus	16	10	1	1	2	–	14	1	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	592	122	12	6	2	1	143	4	3	8	12	39	88	95	66	84	45	3
Dis. of Heart & Dropsy	232	2	–	–	–	2	4	2	2	3	6	11	16	34	46	76	31	1
Dis. of Lungs	271	62	23	14	2	4	105	9	4	4	9	8	23	22	28	33	24	2
Dis. of Stom. and Liver	107	11	1	2	1	–	15	2	3	3	–	7	12	24	11	19	10	1
Dis. of Kidneys	46	–	1	–	–	–	1	1	–	1	–	1	6	6	13	9	7	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	7	–	–	–	–	–	–	1	–	1	–	1	–	–	2	1	1	–
Dis. of Skin	9	4	–	–	–	1	5	–	–	–	–	–	–	–	1	3	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	6	–	–	–	–	–	–	–	–	–	1	1	1	1	–	2	–	–
Other Violent Deaths	112	4	1	2	5	2	14	5	6	19	7	11	13	16	12	7	2	–
Other Causes	414	163	12	3	1	–	179	1	1	1	5	5	3	7	13	38	110	51
389.—EVESHAM.																		
Mean Popul^n, 1861–71	7515	235	204	195	204	205	1043	934	823	712	575	971	831	665	522	308	120	11
TOTAL DEATHS	1397	313	68	38	35	19	473	53	30	27	27	71	74	107	136	191	165	43
Small-pox	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Measles	12	2	4	2	2	–	10	1	–	–	–	1	–	–	–	–	–	–
Scarlatina	46	3	6	8	8	4	29	9	4	2	1	1	–	–	–	–	–	–
Diphtheria	12	1	1	1	2	1	6	3	2	–	–	–	–	1	–	–	–	–
Whooping-cough	18	12	3	–	1	1	17	1	–	–	–	–	–	–	–	–	–	–
Typhus	41	1	–	2	–	1	4	4	4	4	5	5	6	3	5	1	–	–
Diarrhœa & Dysentery	86	38	11	5	–	1	55	3	–	–	–	–	–	1	5	12	10	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	38	2	4	1	5	2	14	4	4	2	–	2	1	2	3	5	1	–
Cancer	20	–	–	–	–	–	–	–	–	–	–	1	1	2	5	10	1	–
Scrofula and Tabes	11	2	–	1	–	–	3	2	–	–	2	2	2	–	–	–	–	–
Phthisis	107	2	1	–	1	–	4	2	1	10	11	30	22	15	10	2	–	–
Hydrocephalus	17	6	4	–	2	1	13	4	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	215	62	9	4	5	1	81	5	4	4	1	7	7	17	32	36	19	2
Dis. of Heart & Dropsy	94	1	–	–	–	–	1	3	2	1	2	3	6	18	24	22	12	–
Dis. of Lungs	184	46	11	9	6	–	72	2	1	1	1	5	6	17	22	32	22	3
Dis. of Stom. and Liver	73	10	1	1	–	2	14	1	2	2	–	5	6	6	15	19	3	–
Dis. of Kidneys	32	–	–	–	–	–	–	–	2	–	–	2	5	5	7	3	8	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	2	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Dis. of Skin	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	–	–
Other Violent Deaths	58	1	1	1	1	4	8	8	2	1	4	6	6	10	3	7	3	–
Other Causes	325	124	12	3	1	–	140	1	1	–	–	–	6	7	5	41	86	38
390.—PERSHORE.																		
Mean Popul^n, 1861–71	6924	182	175	194	183	175	909	869	767	638	510	869	742	661	520	308	119	12
TOTAL DEATHS	1272	320	57	35	13	18	443	53	28	29	26	55	64	85	123	176	151	39
Small-pox	6	1	–	–	–	–	1	–	–	–	2	1	1	–	1	–	–	–
Measles	8	3	4	–	–	–	7	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	42	–	4	8	3	8	23	16	2	–	–	1	–	–	–	–	–	–
Diphtheria	15	1	1	1	–	3	6	2	3	1	–	–	2	–	1	–	–	–
Whooping-cough	8	5	1	1	–	–	7	1	–	–	–	–	–	–	–	–	–	–
Typhus	24	–	1	–	1	–	2	6	4	1	2	3	2	2	2	–	–	–
Diarrhœa & Dysentery	43	26	4	–	–	–	30	1	–	–	–	2	–	1	–	6	2	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	24	2	2	–	–	2	6	1	2	2	–	1	1	1	4	5	1	–
Cancer	16	–	–	–	1	–	1	1	–	–	–	2	–	3	4	4	1	–
Scrofula and Tabes	20	3	2	2	1	–	8	2	1	2	1	2	1	–	2	1	–	–
Phthisis	79	1	2	4	1	–	8	2	3	11	10	15	18	7	3	2	–	–
Hydrocephalus	6	1	1	–	1	2	5	1	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	199	61	2	2	2	1	68	1	3	2	3	3	4	16	25	40	33	1
Dis. of Heart & Dropsy	121	4	2	1	–	1	8	2	2	3	1	4	7	17	23	33	19	2
Dis. of Lungs	164	37	10	6	1	–	54	4	–	1	1	3	6	20	26	25	22	2
Dis. of Stom. and Liver	59	9	2	–	–	–	11	–	–	1	–	4	6	5	13	12	5	2
Dis. of Kidneys	15	–	–	–	–	–	–	–	1	–	–	2	1	2	2	6	1	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	3	–	–	1	–	–	1	–	–	1	–	1	–	–	–	–	–	–
Dis. of Skin	5	1	–	–	1	–	2	–	–	–	–	–	–	–	–	1	2	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	5	–	–	–	–	–	–	–	–	–	–	–	2	–	–	3	–	–
Other Violent Deaths	64	5	2	3	–	1	11	7	2	4	3	8	9	8	4	7	1	–
Other Causes	346	160	17	6	1	–	184	5	5	–	3	3	4	3	13	31	64	31

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
388.—UPTON-ON-SEVERN.																		
Mean Popul^n, 1861-71	11863	270	276	263	245	251	1305	1202	1136	1172	1096	1739	1457	1102	861	536	219	38
TOTAL DEATHS	2073	349	65	50	38	25	521	62	46	67	71	158	166	168	176	271	265	102
Small-pox	5	1	-	-	1	-	2	-	-	-	-	-	2	-	1	-	-	-
Measles	15	3	2	2	2	1	10	3	-	2	-	-	-	-	-	-	-	-
Scarlatina	55	5	9	7	12	6	39	10	2	1	-	1	1	1	-	-	-	-
Diphtheria	26	1	1	3	1	4	10	5	5	-	1	1	2	1	1	-	-	-
Whooping-cough	21	9	7	1	2	-	19	2	-	-	-	-	-	-	-	-	-	-
Typhus	56	1	1	4	2	1	9	9	5	7	6	5	7	5	1	2	-	-
Diarrhœa & Dysentery	35	19	2	1	3	-	25	1	-	-	-	-	-	-	3	3	1	-
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Zymotic Dis.	26	2	-	1	1	2	6	1	5	1	-	3	2	4	-	2	2	-
Cancer	52	-	-	-	-	-	-	-	-	-	-	1	10	11	10	15	5	-
Scrofula and Tabes	24	8	-	-	1	-	9	2	2	1	-	4	1	2	2	-	1	-
Phthisis	215	1	-	2	1	-	4	4	8	24	39	54	41	22	12	5	2	-
Hydrocephalus	19	6	7	3	1	1	18	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	433	106	14	7	1	3	131	8	7	13	8	29	40	48	52	53	36	8
Dis. of Heart & Dropsy	247	2	-	-	-	-	2	2	3	1	5	9	20	29	48	82	46	-
Dis. of Lungs	242	45	12	10	6	4	77	7	2	3	3	16	13	22	20	50	22	7
Dis. of Stom. and Liver	110	8	2	3	-	1	14	2	4	7	3	12	9	11	14	20	10	4
Dis. of Kidneys	18	-	-	-	1	-	1	-	1	-	1	4	5	2	1	2	1	-
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	-	-	-	2	4	1	-	-	-
Dis. of Joints	8	-	-	-	-	-	-	1	1	2	-	1	1	-	1	-	-	1
Dis. of Skin	6	1	-	-	-	-	1	-	-	-	-	1	1	-	1	2	-	-
Childbirth and Metria	26	-	-	-	-	-	-	-	-	1	5	13	6	1	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Violent Deaths	23	2	2	1	2	2	9	3	1	2	-	2	2	-	1	-	2	1
Other Causes	402	123	6	5	1	-	135	1	-	2	-	2	1	3	7	33	137	81
389.—EVESHAM.																		
Mean Popul^n, 1861-71	7680	204	219	208	194	180	1005	928	845	698	637	1026	833	693	518	334	146	17
TOTAL DEATHS	1320	251	66	42	31	23	413	52	20	49	45	82	90	75	111	144	191	57
Small-pox	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
Measles	13	1	5	3	2	-	11	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	48	3	1	10	7	8	32	14	1	1	-	-	-	-	-	-	-	-
Diphtheria	15	2	1	-	4	3	10	4	1	-	-	-	-	-	-	-	-	-
Whooping cough	21	11	4	2	3	1	21	-	-	-	-	-	-	-	-	-	-	-
Typhus	42	-	1	1	1	1	4	8	2	5	3	7	4	2	3	4	-	-
Diarrhœa & Dysentery	53	22	4	1	1	2	30	-	-	-	1	1	-	6	5	2	5	3
Cholera	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Other Zymotic Dis.	25	4	-	6	1	2	13	2	1	1	1	-	-	-	2	3	2	-
Cancer	40	-	-	-	-	-	-	-	-	-	-	1	7	14	9	4	5	-
Scrofula and Tabes	7	2	2	1	-	-	5	-	-	-	-	1	-	1	-	-	-	-
Phthisis	148	1	5	1	-	-	7	4	7	15	22	36	27	16	13	-	1	-
Hydrocephalus	7	1	2	-	-	-	3	2	1	1	-	-	-	-	-	-	-	-
Dis. of Brain	138	34	7	2	4	3	50	3	4	1	4	4	7	9	14	24	17	1
Dis. of Heart & Dropsy	117	2	2	-	-	-	4	3	-	1	5	4	11	12	21	41	14	1
Dis. of Lungs	139	30	15	7	5	1	58	5	-	3	1	2	5	2	14	23	21	5
Dis. of Stom. and Liver	67	6	1	1	1	-	9	-	-	6	4	7	6	3	13	11	8	-
Dis. of Kidneys	15	-	2	-	-	-	2	-	-	-	1	1	2	4	2	1	2	-
Dis. of Gener. Organs	11	-	-	-	-	-	-	-	-	-	-	2	-	1	2	5	1	-
Dis. of Joints	4	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-
Dis. of Skin	5	2	-	-	-	-	2	-	1	-	-	-	-	-	1	1	-	-
Childbirth and Metria	34	-	-	-	-	-	-	-	-	1	2	13	18	-	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	26	4	2	1	1	1	9	2	-	1	-	2	1	1	2	1	5	2
Other Causes	342	126	9	6	1	1	143	3	-	1	-	1	2	3	10	24	110	45
390.—PERSHORE.																		
Mean Popul^n, 1861-71	7080	201	177	203	163	183	927	883	778	634	564	926	778	625	494	321	126	24
TOTAL DEATHS	1156	206	48	31	21	11	317	43	29	48	35	81	62	74	104	146	147	70
Small-pox	3	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-
Measles	15	3	4	2	-	2	11	3	-	-	-	-	-	-	-	1	-	-
Scarlatina	34	2	2	7	9	2	22	8	2	1	-	-	1	-	-	-	-	-
Diphtheria	12	2	1	-	1	1	5	2	3	-	2	-	-	-	-	-	-	-
Whooping-cough	10	4	3	3	-	-	10	-	-	-	-	-	-	-	-	-	-	-
Typhus	30	-	2	-	-	-	2	5	6	5	4	4	1	1	1	-	1	-
Diarrhœa & Dysentery	40	17	2	3	1	-	23	-	1	1	-	-	2	-	4	5	3	1
Cholera	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Other Zymotic Dis.	39	7	1	1	3	1	13	5	-	2	2	1	1	1	9	3	1	1
Cancer	34	-	-	-	-	-	-	-	-	-	-	3	4	12	5	8	2	-
Scrofula and Tabes	8	3	-	-	-	-	3	2	-	-	2	-	1	-	-	-	-	-
Phthisis	125	2	2	1	-	1	6	4	5	2	20	42	14	7	4	1	-	-
Hydrocephalus	5	1	-	-	-	1	2	-	3	-	-	-	-	-	-	-	-	-
Dis. of Brain	137	35	3	1	1	-	40	3	2	2	2	3	3	5	18	29	25	5
Dis. of Heart & Dropsy	133	4	1	-	-	-	5	-	2	5	1	6	13	16	27	40	14	4
Dis. of Lungs	148	32	13	9	2	1	57	3	-	3	1	2	8	11	11	24	17	11
Dis. of Stom. and Liver	61	4	2	-	1	-	7	3	2	2	1	4	3	9	15	11	4	-
Dis. of Kidneys	10	1	-	-	-	-	1	1	-	2	-	1	1	-	-	2	2	-
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	-	-
Dis. of Joints	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	4	1	-	1	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Childbirth and Metria	19	-	-	-	-	-	-	-	-	1	-	11	7	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Other Violent Deaths	19	3	2	-	2	-	7	2	-	-	-	1	2	3	2	-	1	1
Other Causes	239	84	10	3	1	2	100	1	3	1	-	1	-	5	6	18	77	47

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
391.—DROITWICH.																		
Mean Popul^n, 1861–71	10180	306	270	298	272	299	1445	1305	1151	915	745	1348	1100	934	667	398	154	18
TOTAL DEATHS	2024	526	123	66	38	22	775	73	43	35	39	100	83	146	192	247	237	54
Small-pox	20	5	4	2	–	–	11	1	–	–	2	2	1	–	1	2	–	–
Measles	27	4	9	5	3	1	22	5	–	–	–	–	–	–	–	–	–	–
Scarlatina	83	9	13	15	8	7	52	23	5	2	1	–	–	–	–	–	–	–
Diphtheria	8	2	2	–	1	–	5	–	2	–	–	1	–	–	–	–	–	–
Whooping-cough	28	19	6	2	1	–	28	–	–	–	–	–	–	–	–	–	–	–
Typhus	50	5	1	1	–	2	9	6	8	4	3	5	–	5	5	4	1	–
Diarrhœa & Dysentery	114	74	11	–	3	1	89	1	–	–	–	–	–	2	2	8	10	2
Cholera	3	–	1	–	–	–	1	–	–	–	–	–	–	–	–	2	–	–
Other Zymotic Dis.	43	3	4	7	4	2	20	1	3	2	–	3	1	3	5	3	1	1
Cancer	23	–	–	–	–	–	–	–	–	–	–	–	–	6	6	7	4	–
Scrofula and Tabes	32	10	4	2	2	1	19	3	2	1	1	1	1	2	1	1	–	–
Phthisis	109	1	–	–	1	–	2	4	1	5	12	40	17	17	9	–	2	–
Hydrocephalus	35	18	9	3	1	1	32	3	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	252	54	7	9	3	2	75	5	6	1	5	8	5	29	33	48	34	3
Dis. of Heart & Dropsy	171	3	1	–	–	–	4	2	–	2	3	6	12	21	54	41	24	2
Dis. of Lungs	280	62	25	14	7	2	110	4	2	1	3	9	12	26	29	49	32	3
Dis. of Stom. and Liver	96	11	3	1	–	1	16	1	2	3	–	2	13	12	15	21	9	2
Dis. of Kidneys	36	1	–	–	1	–	2	3	1	2	1	2	2	2	6	7	8	–
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Dis. of Joints	9	1	–	1	–	–	2	1	2	–	–	–	2	–	1	1	–	–
Dis. of Skin	6	1	–	1	–	–	2	–	–	–	–	1	1	–	1	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	7	–	–	–	–	–	–	–	–	2	1	1	3	–	–	–	–	–
Other Violent Deaths	116	6	6	2	2	2	18	6	9	10	6	18	9	16	12	8	2	2
Other Causes	475	237	17	1	1	–	256	4	–	–	1	1	3	5	12	44	110	39
392.—BROMSGROVE.																		
Mean Popul^n, 1861–71	13565	417	348	364	383	376	1888	1638	1585	1333	1043	1738	1521	1260	895	480	160	24
TOTAL DEATHS	3018	870	257	120	57	42	1346	130	66	56	78	134	134	186	244	309	270	65
Small-pox	7	2	–	–	–	1	3	–	–	–	2	1	–	1	–	–	–	–
Measles	71	21	25	14	3	4	67	4	–	–	–	–	–	–	–	–	–	–
Scarlatina	97	3	12	19	9	13	46	42	7	1	–	1	–	–	–	–	–	
Diphtheria	24	–	3	3	–	5	11	7	3	–	–	1	1	–	–	1	–	–
Whooping-cough	46	22	13	6	4	1	46	–	–	–	–	–	–	–	–	–	–	–
Typhus	144	6	5	5	8	1	25	24	13	9	10	17	14	15	9	7	1	–
Diarrhœa & Dysentery	139	66	10	6	2	2	86	–	2	1	1	2	2	4	8	14	16	3
Cholera	2	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	82	9	9	8	9	4	39	8	2	3	–	2	3	5	7	7	4	2
Cancer	22	–	–	–	–	–	–	–	–	–	–	–	1	2	9	3	7	–
Scrofula and Tabes	41	18	5	3	–	–	26	4	2	2	2	1	–	2	1	–	1	–
Phthisis	275	16	12	1	1	–	30	3	3	20	40	59	51	42	21	6	–	–
Hydrocephalus	37	18	11	5	–	3	37	–	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	320	111	21	12	2	2	148	5	7	–	4	13	7	14	32	55	30	5
Dis. of Heart & Dropsy	220	6	4	2	1	–	13	4	7	5	7	4	15	35	51	58	18	3
Dis. of Lungs	416	134	67	24	7	2	234	9	2	2	2	6	15	26	34	47	36	3
Dis. of Stom. and Liver	158	29	5	3	1	2	40	6	7	4	3	11	6	17	24	32	7	1
Dis. of Kidneys	51	–	–	–	2	–	2	2	–	1	1	2	5	5	18	7	7	1
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Dis. of Joints	10	–	1	–	–	–	1	–	1	2	–	–	2	1	2	–	1	–
Dis. of Skin	7	2	1	1	–	–	4	–	–	–	–	–	–	–	3	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	10	–	–	–	–	–	–	–	–	–	–	1	2	3	3	1	–	–
Other Violent Deaths	89	5	8	3	6	2	24	9	10	5	3	12	8	4	5	4	3	2
Other Causes	749	400	45	15	2	–	462	3	–	1	3	1	2	10	17	66	139	45
393.—KING'S NORTON.																		
Mean Popul^n, 1861–71	26367	870	797	783	746	744	3940	3344	2967	2620	2220	3761	3059	2212	1367	660	193	24
TOTAL DEATHS	4865	1412	409	199	121	86	2227	197	94	92	139	237	284	374	419	437	297	68
Small-pox	37	13	1	5	2	1	22	2	1	–	2	7	3	–	–	–	–	–
Measles	84	18	34	13	8	3	76	8	–	–	–	–	–	–	–	–	–	–
Scarlatina	264	17	37	49	43	31	177	62	18	1	2	3	1	–	–	–	–	–
Diphtheria	65	6	6	6	8	7	33	19	3	1	3	2	1	–	1	1	1	–
Whooping-cough	96	42	31	12	2	7	94	2	–	–	–	–	–	–	–	–	–	–
Typhus	155	7	10	10	6	4	37	14	14	13	11	16	13	12	15	7	3	–
Diarrhœa & Dysentery	275	177	34	6	4	2	223	2	2	–	1	–	3	3	6	16	16	3
Cholera	12	4	–	1	–	1	6	–	–	–	–	1	–	1	2	2	–	–
Other Zymotic Dis.	137	20	19	10	9	5	63	10	4	5	4	6	18	12	16	6	3	–
Cancer	56	–	–	–	–	–	–	–	–	–	1	3	–	13	19	14	6	–
Scrofula and Tabes	88	38	14	3	2	3	60	7	8	3	1	4	2	1	–	–	2	–
Phthisis	428	5	4	1	1	2	13	6	8	30	66	107	95	59	32	11	–	1
Hydrocephalus	82	30	20	16	8	1	75	4	2	1	–	–	–	–	–	–	–	–
Dis. of Brain	537	167	35	11	8	5	226	14	8	8	11	17	24	45	68	75	40	1
Dis. of Heart & Dropsy	239	7	–	–	–	1	8	4	3	9	12	13	28	40	61	58	19	4
Dis. of Lungs	868	287	93	29	15	6	430	18	5	5	4	21	39	78	88	108	58	14
Dis. of Stom. and Liver	256	58	11	3	1	2	75	7	3	4	6	9	23	48	39	28	14	–
Dis. of Kidneys	102	2	1	1	–	–	4	1	3	2	2	9	9	18	17	26	9	2
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Dis. of Joints	24	2	2	–	–	1	5	1	2	2	3	–	1	3	4	2	1	–
Dis. of Skin	14	6	2	–	–	–	8	–	–	–	–	–	–	1	1	4	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	33	–	–	–	–	–	–	–	–	1	3	3	6	8	9	2	1	–
Other Violent Deaths	141	18	7	11	3	4	43	14	10	6	5	13	12	12	11	8	5	2
Other Causes	851	488	48	12	1	–	549	2	–	1	2	2	16	20	30	69	119	41

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
391.—DROITWICH.																		
Mean Popul^{n}, 1861–71	10686	312	275	300	263	259	1409	1284	1118	911	924	1542	1158	954	722	447	189	28
TOTAL DEATHS	1872	444	101	60	30	27	662	69	37	61	59	122	98	118	149	211	210	76
Small-pox	6	3	1	–	–	–	4	–	–	2	–	–	–	–	–	–	–	–
Measles	23	2	10	2	3	2	19	3	–	–	–	–	–	–	–	–	1	–
Scarlatina	81	4	11	14	8	13	50	22	4	2	–	2	1	–	–	–	–	–
Diphtheria	12	2	–	2	1	2	7	5	–	–	–	–	–	–	–	–	–	–
Whooping-cough	33	20	5	5	2	1	33	–	–	–	–	–	–	–	–	–	–	–
Typhus	57	1	1	1	2	1	6	6	9	12	5	5	4	2	3	2	3	–
Diarrhœa & Dysentery	83	54	5	2	1	–	62	1	–	–	1	–	–	2	4	3	6	4
Cholera	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	52	9	7	8	5	1	30	4	3	2	–	3	–	3	1	2	3	1
Cancer	59	–	–	–	–	–	–	–	–	–	–	–	11	10	17	17	3	1
Scrofula and Tabes	36	17	3	4	–	–	24	2	–	3	–	4	2	–	–	1	–	–
Phthisis	178	3	2	–	–	2	7	2	8	22	33	53	26	16	10	1	–	–
Hydrocephalus	32	17	5	2	1	–	25	4	3	–	–	–	–	–	–	–	–	–
Dis. of Brain	177	38	6	4	–	–	48	3	2	4	2	6	7	19	26	31	24	5
Dis. of Heart & Dropsy	165	1	1	–	–	–	2	2	3	2	3	10	12	20	39	44	27	1
Dis. of Lungs	242	63	29	12	3	4	111	1	2	1	1	6	6	16	18	44	31	5
Dis. of Stom. and Liver	105	6	4	1	–	1	12	1	2	3	1	12	10	16	15	15	17	1
Dis. of Kidneys	14	1	–	–	1	–	2	–	1	–	1	1	–	1	3	2	3	–
Dis. of Gener. Organs	11	–	–	–	–	–	–	–	–	–	1	3	–	3	1	3	–	–
Dis. of Joints	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Dis. of Skin	5	3	–	–	–	–	3	–	–	–	–	–	–	–	–	2	–	–
Childbirth and Metria	35	–	–	–	–	–	–	–	–	3	6	14	11	1	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Other Violent Deaths	48	10	2	1	1	–	14	10	–	3	2	1	3	1	4	4	3	3
Other Causes	414	190	8	2	2	–	202	3	–	2	1	2	5	8	7	40	89	55
392.—BROMSGROVE.																		
Mean Popul^{n}, 1861–71	14040	464	391	393	351	353	1952	1738	1513	1323	1240	1956	1571	1223	843	472	183	26
TOTAL DEATHS	2827	652	251	94	66	52	1115	121	63	79	94	167	155	137	233	297	274	92
Small-pox	9	1	1	2	1	–	5	–	–	1	2	1	–	–	–	–	–	–
Measles	58	9	22	10	5	3	49	8	1	–	–	–	–	–	–	–	–	–
Scarlatina	91	6	13	10	11	9	49	29	9	1	–	1	1	–	1	–	–	–
Diphtheria	28	–	8	1	2	4	15	8	2	2	1	–	–	–	–	–	–	–
Whooping-cough	49	21	13	7	5	3	49	–	–	–	–	–	–	–	–	–	–	–
Typhus	129	5	3	4	4	7	23	17	20	9	10	12	9	14	9	3	3	–
Diarrhœa & Dysentery	112	46	13	8	6	2	75	3	–	–	1	–	2	3	5	9	10	4
Cholera	9	1	–	–	–	–	1	1	–	–	1	1	1	1	1	1	1	–
Other Zymotic Dis.	67	12	11	7	10	7	47	5	–	1	1	1	3	3	3	2	–	1
Cancer	67	–	–	–	–	–	–	1	–	–	–	4	11	13	21	13	4	–
Scrofula and Tabes	39	12	7	1	2	1	23	6	1	2	1	3	2	–	1	–	–	–
Phthisis	273	3	4	2	1	–	10	6	9	34	44	79	48	23	16	4	–	–
Hydrocephalus	30	11	9	2	1	–	23	6	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	299	74	27	4	2	2	109	8	3	5	5	12	10	17	40	46	41	3
Dis. of Heart & Dropsy	238	2	1	1	–	2	6	2	9	9	8	16	19	23	49	71	20	6
Dis. of Lungs	356	109	63	16	13	3	204	11	3	3	5	9	7	8	30	38	33	5
Dis. of Stom. and Liver	134	14	4	1	–	1	20	2	2	4	4	8	12	17	29	20	12	4
Dis. of Kidneys	21	1	–	–	–	1	2	2	–	–	2	1	2	3	3	4	2	–
Dis. of Gener. Organs	12	–	–	–	–	–	–	–	–	–	–	–	4	4	4	–	–	–
Dis. of Joints	13	2	1	–	–	–	3	2	1	2	1	1	1	2	–	–	–	–
Dis. of Skin	5	2	1	–	–	–	3	–	–	–	–	–	–	–	–	2	–	–
Childbirth and Metria	35	–	–	–	–	–	–	–	–	1	6	13	15	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Other Violent Deaths	37	10	6	3	–	2	21	2	2	–	–	2	2	1	1	3	3	–
Other Causes	715	311	44	15	3	5	378	2	–	4	2	3	6	5	20	81	145	69
393.—KING'S NORTON.																		
Mean Popul^{n}, 1861–71	30709	820	742	764	744	714	3784	3349	3034	3314	3434	5049	3512	2454	1549	899	290	41
TOTAL DEATHS	4798	1099	427	202	123	91	1942	171	114	120	136	290	354	320	351	516	377	107
Small-pox	22	9	1	2	1	–	13	2	2	1	1	2	–	1	–	–	–	–
Measles	97	15	34	24	16	8	92	5	–	–	–	–	–	–	–	–	–	–
Scarlatina	209	13	36	32	28	32	141	43	14	3	2	4	2	–	–	–	–	–
Diphtheria	66	4	12	8	8	3	35	16	7	–	3	1	1	3	–	–	–	–
Whooping-cough	126	53	36	22	7	4	122	3	1	–	–	–	–	–	–	–	–	–
Typhus	179	5	7	9	6	10	37	31	18	14	13	21	12	15	8	8	2	–
Diarrhœa & Dysentery	274	180	40	2	–	1	223	1	1	–	1	1	7	1	9	16	14	–
Cholera	5	1	–	–	–	–	1	1	–	1	–	–	1	1	–	–	–	–
Other Zymotic Dis.	127	15	16	16	10	6	63	8	6	4	5	4	9	7	13	3	5	–
Cancer	155	–	–	–	–	–	–	–	–	1	–	4	23	50	43	25	8	1
Scrofula and Tabes	69	28	9	1	2	1	41	6	6	4	3	2	4	1	–	2	–	–
Phthisis	480	15	8	2	3	1	29	7	18	44	65	122	116	49	27	3	–	–
Hydrocephalus	66	22	15	11	5	1	54	9	2	–	1	–	–	–	–	–	–	–
Dis. of Brain	462	132	29	9	8	8	186	7	9	13	9	17	19	34	30	83	48	7
Dis. of Heart & Dropsy	286	4	1	1	1	1	8	4	10	8	8	10	29	40	62	79	24	4
Dis. of Lungs	803	191	106	40	20	12	369	8	3	9	8	23	26	41	68	114	83	21
Dis. of Stom. and Liver	244	34	5	2	–	1	42	5	12	5	5	20	23	33	39	37	22	1
Dis. of Kidneys	49	–	1	–	–	–	1	–	1	1	2	4	9	9	11	10	1	–
Dis. of Gener. Organs	40	–	–	–	–	–	–	–	–	1	–	3	9	11	10	5	1	–
Dis. of Joints	23	1	–	1	–	2	4	5	1	3	1	4	3	1	–	1	–	–
Dis. of Skin	20	2	2	–	–	–	4	1	–	–	–	2	1	4	2	2	4	–
Childbirth and Metria	81	–	–	–	–	–	–	–	–	2	8	35	35	1	–	–	–	–
Suicide	10	–	–	–	–	–	–	–	1	–	–	5	1	1	1	–	1	–
Other Violent Deaths	83	23	6	11	4	4	48	6	1	3	–	1	5	5	1	8	4	1
Other Causes	822	352	63	9	4	1	429	3	1	3	1	5	19	12	27	90	160	72

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
394.—BIRMINGHAM.																		
Mean Popul^n, 1861–71	108703	3655	3052	3100	2938	2868	15613	13017	11818	11077	10648	17061	12783	8802	5031	2205	567	51
TOTAL DEATHS	30851	8594	3531	1663	1037	659	15484	1322	501	615	804	1851	2263	2413	2343	2031	1045	179
Small-pox	216	50	22	14	12	8	106	23	11	15	17	24	10	5	3	-	-	-
Measles	809	119	330	201	77	35	762	35	-	1	1	-	1	-	-	-	-	-
Scarlatina	1494	82	240	267	250	186	1025	387	58	11	5	6	2	-	-	-	-	-
Diphtheria	360	54	77	57	37	40	265	55	14	6	4	6	2	4	3	1	-	-
Whooping-cough	893	307	316	132	69	32	856	26	1	-	-	-	-	-	-	-	-	-
Typhus	869	27	49	54	55	38	223	134	62	72	71	81	69	74	51	25	9	1
Diarrhœa & Dysentery	2324	1551	414	83	29	12	2089	23	3	3	3	14	21	27	43	56	39	3
Cholera	23	10	3	1	-	1	15	1	1	-	-	-	3	2	-	-	1	-
Other Zymotic Dis.	877	180	177	86	89	54	586	55	8	20	11	37	43	38	34	33	10	2
Cancer	238	-	-	1	-	-	1	1	-	4	11	19	37	46	61	49	9	-
Scrofula and Tabes	430	156	93	24	10	12	295	27	20	22	13	16	8	15	6	6	1	1
Phthisis	3466	52	50	28	16	13	159	71	72	203	380	830	830	596	256	66	3	-
Hydrocephalus	467	154	172	50	34	21	431	32	2	1	-	1	-	-	-	-	-	-
Dis. of Brain	3075	944	258	119	62	30	1413	83	32	51	51	140	250	285	320	333	110	7
Dis. of Heart & Dropsy	1392	21	19	21	7	10	78	43	38	42	37	139	214	268	277	185	68	3
Dis. of Lungs	5426	1410	767	302	134	66	2709	92	21	32	45	164	333	514	729	568	200	19
Dis. of Stom. and Liver	983	181	29	18	8	6	242	33	24	25	26	77	118	173	166	75	19	3
Dis. of Kidneys	509	5	4	15	6	13	43	22	18	17	24	62	67	84	87	55	24	6
Dis. of Gener. Organs	12	-	-	-	-	1	1	-	-	-	-	1	2	5	1	2	-	-
Dis. of Joints	144	4	3	3	1	2	13	18	24	11	9	21	16	10	13	8	1	-
Dis. of Skin	109	54	6	4	-	-	44	1	4	4	2	8	9	15	9	10	3	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	145	-	-	-	-	-	-	-	1	3	8	20	31	32	36	9	2	-
Other Violent Deaths	1730	393	98	79	94	65	729	118	76	63	78	154	150	139	101	68	49	5
Other Causes	4869	2830	404	104	47	14	3399	33	9	9	8	31	44	81	147	482	497	129
395.—ASTON.																		
Mean Popul^n, 1861–71	60936	2147	1825	1876	1791	1752	9391	7734	6621	5839	5717	9518	7126	4734	2677	1228	324	27
TOTAL DEATHS	13078	4427	1561	690	393	276	7347	571	226	236	290	607	693	838	909	814	455	92
Small-pox	77	27	5	2	1	4	39	7	4	-	9	10	4	3	1	-	-	-
Measles	355	65	148	72	31	17	333	19	1	-	-	1	-	1	-	-	-	-
Scarlatina	730	58	122	123	111	82	496	184	36	8	1	4	-	1	-	-	-	-
Diphtheria	208	30	39	44	33	22	168	20	3	3	3	6	2	2	-	1	-	-
Whooping-cough	370	139	125	59	27	12	362	8	-	-	-	-	-	-	-	-	-	-
Typhus	396	12	36	19	28	18	113	67	33	25	30	38	28	28	15	12	7	-
Diarrhœa & Dysentery	1106	742	208	36	11	5	1002	10	1	3	-	6	4	12	16	33	15	4
Cholera	24	5	-	-	-	2	7	1	-	-	1	-	5	2	5	3	-	-
Other Zymotic Dis.	400	103	71	45	28	17	264	32	11	10	6	17	12	12	16	14	5	1
Cancer	102	-	-	-	-	-	-	-	-	1	1	6	14	21	29	24	6	-
Scrofula and Tabes	228	103	49	20	6	3	181	11	10	4	2	6	2	4	4	3	1	-
Phthisis	1232	27	26	15	4	5	77	19	17	91	156	287	270	192	97	24	2	-
Hydrocephalus	252	118	65	19	15	8	225	18	6	1	1	-	1	-	-	-	-	-
Dis. of Brain	1276	497	114	38	15	23	687	33	19	24	17	33	58	79	129	131	61	5
Dis. of Heart & Dropsy	560	13	5	6	3	2	29	17	16	16	15	45	69	99	119	88	43	4
Dis. of Lungs	2414	787	354	128	49	23	1341	34	9	15	19	60	112	184	270	245	111	14
Dis. of Stom. and Liver	476	105	12	8	2	5	132	8	13	10	10	26	49	70	77	68	13	-
Dis. of Kidneys	175	1	2	3	3	3	12	7	3	-	4	20	15	31	30	38	13	2
Dis. of Gener. Organs	6	2	-	-	-	-	2	-	-	-	-	-	1	-	3	-	-	-
Dis. of Joints	47	2	-	-	1	-	3	12	5	4	4	3	-	6	5	4	1	-
Dis. of Skin	33	8	8	2	1	1	20	-	1	-	-	-	-	5	3	3	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	54	-	-	-	-	-	-	-	-	2	2	5	8	17	16	3	1	-
Other Violent Deaths	462	127	27	23	17	16	210	56	32	15	9	24	21	38	25	20	11	1
Other Causes	2095	1456	145	28	7	8	1644	8	6	4	-	10	18	31	49	100	164	61
396.—MERIDEN.																		
Mean Popul^n, 1861–71	5546	155	132	142	133	148	710	664	648	502	375	672	623	526	442	267	108	9
TOTAL DEATHS	1050	228	54	17	13	22	334	32	27	33	26	47	59	64	88	155	151	34
Small-pox	9	1	-	-	1	-	2	1	-	-	1	1	3	-	1	-	-	-
Measles	10	2	7	1	-	-	10	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	33	2	8	3	3	4	20	10	3	-	-	-	-	-	-	-	-	-
Diphtheria	21	1	1	1	1	6	10	4	2	2	-	-	2	-	1	-	-	-
Whooping-cough	9	6	2	-	-	-	8	1	-	-	-	-	-	-	-	-	-	-
Typhus	17	-	-	-	-	1	1	1	-	2	2	1	2	4	2	1	1	-
Diarrhœa & Dysentery	35	18	3	1	-	-	22	1	-	-	-	-	-	2	1	3	5	1
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Other Zymotic Dis.	25	1	-	-	-	3	4	3	3	1	1	2	1	2	2	4	1	1
Cancer	7	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	-	-
Scrofula and Tabes	9	1	1	-	1	-	3	-	2	1	1	-	-	1	-	1	-	-
Phthisis	81	2	-	-	1	-	3	-	4	11	13	23	15	6	5	1	-	-
Hydrocephalus	7	2	4	-	-	1	7	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	138	20	6	2	2	2	32	7	3	3	1	4	5	10	13	30	26	4
Dis. of Heart & Dropsy	77	4	1	-	-	-	5	1	2	4	3	1	5	6	7	23	19	1
Dis. of Lungs	185	52	11	1	2	3	69	1	3	3	-	2	8	6	13	39	33	3
Dis. of Stom. and Liver	76	6	1	-	-	-	7	1	2	2	-	-	6	13	22	15	7	1
Dis. of Kidneys	42	-	1	-	-	-	1	-	-	2	1	3	4	5	6	11	8	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Dis. of Skin	7	2	1	-	-	-	3	-	1	-	-	1	-	1	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	11	-	-	-	-	-	-	-	-	-	-	2	2	1	4	2	-	-
Other Violent Deaths	43	3	3	5	1	1	13	1	2	2	2	3	4	3	6	4	3	-
Other Causes	205	105	4	3	1	1	114	-	-	-	1	4	2	1	2	17	42	22

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
394.—BIRMINGHAM.																		
Mean Popul^n, 1861–71	113116	3697	3029	3029	3013	2869	15637	13159	11570	11357	11480	18003	13549	9258	5522	2687	792	102
TOTAL DEATHS	28220	7234	3359	1601	1038	681	13913	1311	490	584	806	1639	1772	1835	2125	2076	1360	309
Small-pox	169	47	29	12	10	7	96	19	10	8	15	11	4	6	–	–	–	–
Measles	768	130	298	171	82	37	718	46	2	–	–	2	–	–	–	–	–	–
Scarlatina	1443	65	206	230	251	189	941	395	62	18	12	10	2	3	–	–	–	–
Diphtheria	390	37	80	61	51	47	276	76	17	5	5	3	3	2	3	–	–	–
Whooping-cough	1056	307	388	184	88	44	1011	52	1	1	–	1	–	–	–	–	–	–
Typhus	885	19	59	63	66	42	249	140	83	61	55	82	72	58	47	26	12	–
Diarrhœa & Dysentery	2161	1335	393	95	55	23	1881	18	4	8	1	14	12	30	45	79	58	11
Cholera	30	8	4	2	1	1	16	1	–	–	1	–	1	4	1	5	1	–
Other Zymotic Dis.	729	147	136	94	67	46	490	66	17	15	17	19	26	21	26	26	6	–
Cancer	601	–	2	–	–	–	2	1	2	2	9	45	111	167	158	71	30	3
Scrofula and Tabes	369	161	77	23	15	2	278	19	13	13	10	15	9	6	4	1	1	–
Phthisis	2614	36	47	30	23	19	155	62	77	234	339	695	562	337	115	34	4	–
Hydrocephalus	333	122	88	40	20	19	289	32	10	–	–	1	–	1	–	–	–	–
Dis. of Brain	2584	680	256	115	70	34	1135	70	42	43	53	132	149	236	293	291	129	11
Dis. of Heart & Dropsy	1469	20	22	11	6	10	69	41	38	49	55	115	197	237	329	241	94	10
Dis. of Lungs	4910	1171	747	299	148	94	2459	100	28	28	51	129	216	379	622	622	255	21
Dis. of Stom. and Liver	1003	110	26	12	9	6	163	18	10	18	48	88	147	151	172	124	57	7
Dis. of Kidneys	235	2	11	4	3	1	21	15	6	7	7	28	33	49	42	20	7	–
Dis. of Gener. Organs	145	2	–	–	–	–	2	–	–	3	8	22	36	35	22	12	5	–
Dis. of Joints	87	3	–	3	1	3	10	10	13	14	7	1	7	9	12	4	–	–
Dis. of Skin	87	25	10	1	–	1	37	1	3	1	4	9	7	9	6	6	4	–
Childbirth and Metria	307	–	–	–	–	–	–	–	–	19	65	135	85	3	–	–	–	–
Suicide	48	–	–	–	–	–	–	–	1	4	8	5	12	10	4	3	1	–
Other Violent Deaths	1118	371	88	61	65	45	630	97	49	32	19	43	40	47	47	52	45	17
Other Causes	4669	2436	421	90	27	11	2985	29	2	10	17	34	41	35	177	459	651	229
395.—ASTON.																		
Mean Popul^n, 1861–71	62733	2148	1924	1983	1780	1705	9540	7844	6571	6029	5868	9985	7193	4870	2914	1424	436	59
TOTAL DEATHS	12646	3699	1490	712	435	267	6603	536	229	279	331	736	733	762	816	824	619	178
Small-pox	55	13	2	4	3	3	25	6	6	5	8	3	–	–	2	–	–	–
Measles	329	63	107	77	47	16	310	17	–	1	1	–	–	–	–	–	–	–
Scarlatina	681	38	91	125	130	86	470	157	37	7	6	4	–	–	–	–	–	–
Diphtheria	258	29	58	36	24	20	167	62	11	1	4	9	1	1	1	–	1	–
Whooping-cough	476	179	160	74	35	17	465	10	1	–	–	–	–	–	–	–	–	–
Typhus	451	21	33	32	28	24	138	67	38	40	25	46	40	20	17	14	6	–
Diarrhœa & Dysentery	1043	654	217	46	14	4	935	2	2	–	4	6	7	12	18	26	23	8
Cholera	20	4	3	1	1	–	9	1	–	–	–	1	2	2	2	2	1	–
Other Zymotic Dis.	315	58	66	46	32	17	219	26	8	4	3	9	9	10	11	9	5	2
Cancer	238	–	1	–	1	–	2	–	–	1	2	10	39	74	70	29	7	4
Scrofula and Tabes	217	100	45	15	4	5	169	17	6	5	7	4	1	7	1	–	–	–
Phthisis	1159	16	19	11	5	4	55	23	36	127	148	306	251	144	49	9	2	–
Hydrocephalus	198	79	58	21	9	7	174	20	3	1	–	–	–	–	–	–	–	–
Dis. of Brain	1269	394	87	41	29	12	563	34	21	18	16	38	49	95	113	142	100	20
Dis. of Heart & Dropsy	646	11	10	5	2	2	30	12	22	18	13	59	70	114	140	119	45	4
Dis. of Lungs	2108	600	341	119	44	29	1133	37	10	12	24	59	78	129	222	252	131	21
Dis. of Stom. and Liver	534	66	15	10	4	4	99	10	8	9	17	45	68	73	96	72	32	5
Dis. of Kidneys	122	2	–	3	2	3	10	5	3	3	8	20	24	21	12	10	4	–
Dis. of Gener. Organs	62	1	–	–	–	–	1	–	–	1	1	9	12	16	16	4	2	–
Dis. of Joints	32	–	1	2	–	–	3	4	4	3	1	1	5	3	3	4	–	1
Dis. of Skin	46	10	7	4	1	1	23	1	2	–	2	5	3	3	5	2	–	–
Childbirth and Metria	171	–	–	–	–	–	–	–	–	8	30	83	47	3	–	–	–	–
Suicide	24	–	–	–	–	–	–	–	–	2	2	2	7	7	4	–	–	–
Other Violent Deaths	303	147	20	9	10	6	192	19	8	10	8	7	9	12	10	9	16	3
Other Causes	1958	1214	149	31	10	7	1411	6	3	3	1	10	11	14	24	121	244	110
396.—MERIDEN.																		
Mean Popul^n, 1861–71	5597	141	148	140	148	136	713	675	575	447	443	731	650	538	407	278	123	17
TOTAL DEATHS	1001	142	51	29	16	17	255	38	32	36	25	61	62	69	71	140	162	50
Small-pox	3	2	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–
Measles	13	2	5	3	–	2	12	–	–	1	–	–	–	–	–	–	–	–
Scarlatina	33	–	2	5	4	4	15	9	7	1	–	–	1	–	–	–	–	–
Diphtheria	27	1	5	1	3	–	10	6	4	3	1	3	–	–	–	–	–	–
Whooping-cough	17	7	4	3	–	–	14	3	–	–	–	–	–	–	–	–	–	–
Typhus	21	1	–	1	2	4	8	4	2	1	1	2	1	1	1	–	–	–
Diarrhœa & Dysentery	32	10	2	2	–	1	15	–	–	1	–	1	1	–	–	3	11	–
Cholera	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	26	1	1	2	1	–	5	1	4	–	1	1	1	–	2	4	7	–
Cancer	33	–	–	–	–	–	–	–	–	–	–	1	6	3	8	11	4	–
Scrofula and Tabes	15	2	1	–	2	–	5	–	2	3	–	2	–	3	–	–	–	–
Phthisis	98	1	–	–	–	–	1	–	6	12	15	33	17	11	3	–	–	–
Hydrocephalus	4	–	2	–	1	1	4	–	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	121	19	3	4	2	2	30	7	2	5	3	4	7	9	8	24	21	1
Dis. of Heart & Dropsy	96	–	–	–	–	–	–	2	2	1	–	1	4	9	17	28	29	3
Dis. of Lungs	163	24	16	7	1	3	51	3	2	3	–	1	7	9	15	31	29	12
Dis. of Stom. and Liver	74	4	1	–	–	–	5	2	1	–	2	4	4	14	10	20	10	2
Dis. of Kidneys	11	–	–	–	–	–	–	–	–	–	–	1	3	2	2	3	–	–
Dis. of Gener. Organs	16	–	–	–	–	–	–	–	–	1	–	3	1	5	2	4	–	–
Dis. of Joints	4	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	1	–
Dis. of Skin	8	2	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–
Childbirth and Metria	11	–	–	–	–	–	–	–	–	1	1	3	6	–	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–
Other Violent Deaths	9	1	2	–	–	–	3	1	–	1	–	–	–	–	–	1	3	–
Other Causes	167	65	6	1	–	–	72	–	–	–	1	–	1	3	1	10	47	32

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
397.—ATHERSTONE.																		
Mean Popul^n, 1861–71	5952	177	167	166	151	161	822	769	666	559	452	738	618	557	395	260	105	11
TOTAL DEATHS	1281	305	94	47	30	20	496	46	23	21	26	49	61	61	103	165	144	36
Small-pox	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	25	6	12	4	–	2	24	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	50	2	6	12	6	10	36	11	2	–	–	–	1	–	–	–	–	–
Diphtheria	10	–	1	2	–	–	3	–	4	–	–	2	1	–	–	–	–	–
Whooping-cough	24	10	11	2	1	–	24	–	–	–	–	–	–	–	–	–	–	–
Typhus	39	–	3	1	4	1	9	6	3	4	2	3	4	3	3	1	1	–
Diarrhœa & Dysentery	89	56	9	6	1	1	73	1	–	–	–	–	–	1	2	2	9	1
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Other Zymotic Dis.	35	3	5	3	2	3	16	1	1	–	1	1	3	–	3	6	2	1
Cancer	19	–	–	–	–	–	–	–	–	1	–	–	2	–	7	5	4	–
Scrofula and Tabes	21	6	2	1	3	–	12	1	2	1	3	–	1	–	–	1	–	–
Phthisis	89	2	2	1	1	–	6	2	2	4	12	28	18	10	5	2	–	–
Hydrocephalus	19	7	3	1	2	–	13	5	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	144	60	6	–	1	–	67	5	1	3	3	3	6	6	8	24	16	2
Dis. of Heart & Dropsy	104	1	–	–	–	–	1	1	1	1	1	3	8	14	16	41	14	–
Dis. of Lungs	171	28	20	5	5	3	61	3	2	1	–	2	5	9	25	31	28	4
Dis. of Stom. and Liver	74	8	1	–	1	–	10	1	–	–	1	1	4	10	19	19	9	–
Dis. of Kidneys	19	–	–	–	–	–	–	1	–	–	1	1	1	–	2	9	3	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	5	1	–	–	–	–	1	1	1	–	–	–	–	–	1	1	–	–
Dis. of Skin	3	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	6	–	–	–	–	–	–	–	–	–	–	–	2	3	1	–	–	–
Other Violent Deaths	58	1	2	7	3	–	13	5	3	5	2	4	4	3	9	4	5	1
Other Causes	225	111	11	2	–	–	124	1	–	1	–	1	1	2	2	15	52	23
398.—NUNEATON.																		
Mean Popul^n, 1861–71	6044	174	167	160	162	156	819	716	694	570	446	725	712	577	412	256	104	13
TOTAL DEATHS	1460	382	114	44	39	22	601	66	22	44	36	58	59	91	120	175	144	44
Small-pox	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Measles	30	9	11	1	6	1	28	–	1	1	–	–	–	–	–	–	–	–
Scarlatina	45	–	7	10	5	3	25	18	1	–	–	–	–	–	1	–	–	–
Diphtheria	5	–	1	–	1	1	3	2	–	–	–	–	–	–	–	–	–	–
Whooping-cough	11	3	4	3	–	–	10	1	–	–	–	–	–	–	–	–	–	–
Typhus	64	2	3	–	2	5	12	12	6	9	6	5	3	5	5	1	–	–
Diarrhœa & Dysentery	38	23	4	1	1	–	29	–	–	–	–	–	–	–	–	2	5	2
Cholera	3	3	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	35	7	6	3	4	3	23	3	1	–	–	2	2	2	–	1	1	–
Cancer	29	–	–	–	–	–	–	–	1	2	–	2	2	2	12	5	3	–
Scrofula and Tabes	35	8	11	3	1	2	25	–	1	–	1	1	1	4	1	1	–	–
Phthisis	109	1	–	2	–	1	4	4	2	16	16	25	15	16	7	3	–	1
Hydrocephalus	19	6	6	–	1	2	15	4	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	196	66	9	4	3	1	83	6	–	1	3	7	4	12	24	35	17	4
Dis. of Heart & Dropsy	88	1	–	1	–	–	2	3	–	3	2	4	8	14	22	17	12	1
Dis. of Lungs	230	54	23	12	8	1	98	5	1	2	4	2	8	13	19	45	26	7
Dis. of Stom. and Liver	47	3	2	–	–	–	5	1	2	2	–	2	2	5	9	13	5	1
Dis. of Kidneys	32	–	1	1	–	–	2	–	1	1	1	2	3	3	9	9	1	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	5	–	–	–	–	–	–	–	–	2	–	–	–	2	–	1	–	–
Dis. of Skin	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	6	–	–	–	–	–	–	–	–	–	–	–	2	1	–	2	–	1
Other Violent Deaths	57	4	5	–	4	1	14	2	5	4	3	5	6	8	5	5	–	–
Other Causes	373	191	21	3	3	1	219	5	–	1	–	1	3	3	6	34	74	27
399.—FOLESHILL.																		
Mean Popul^n, 1861–71	8961	298	269	240	248	262	1317	1190	1021	833	671	1045	973	797	611	363	128	12
TOTAL DEATHS	2114	694	192	85	52	29	1052	66	54	58	53	75	84	85	143	207	183	54
Small-pox	13	7	–	–	–	–	7	–	2	–	–	3	1	–	–	–	–	–
Measles	39	7	15	11	2	1	36	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	75	9	15	15	16	12	67	7	1	–	–	–	–	–	–	–	–	–
Diphtheria	17	3	2	4	2	1	12	2	2	–	1	–	–	–	–	–	–	–
Whooping-cough	19	10	5	3	1	–	19	–	–	–	–	–	–	–	–	–	–	–
Typhus	84	5	1	4	8	4	22	13	11	11	3	7	5	8	2	2	–	–
Diarrhœa & Dysentery	86	49	17	–	1	–	67	–	–	–	1	–	2	2	4	6	4	–
Cholera	4	1	–	–	–	–	1	–	–	–	1	–	–	–	–	1	1	–
Other Zymotic Dis.	48	9	4	8	4	2	27	4	2	1	–	2	2	–	4	4	1	1
Cancer	18	–	–	–	–	–	–	–	–	–	–	–	2	2	7	3	3	1
Scrofula and Tabes	83	35	18	6	3	2	64	3	6	4	2	1	2	–	1	–	–	–
Phthisis	155	4	3	3	3	–	13	5	6	16	33	35	23	15	6	3	–	–
Hydrocephalus	17	4	7	2	–	–	13	4	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	216	88	11	3	3	1	106	4	5	1	2	5	3	10	22	35	21	2
Dis. of Heart & Dropsy	98	3	1	–	2	–	6	2	3	3	2	4	10	13	25	19	9	2
Dis. of Lungs	318	106	55	17	5	3	186	9	4	1	3	2	5	8	27	40	28	–
Dis. of Stom. and Liver	107	30	5	2	1	1	39	1	2	4	–	2	6	6	15	25	6	1
Dis. of Kidneys	16	1	–	–	–	–	1	–	–	–	1	1	4	1	2	4	2	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	4	–	–	–	–	–	–	–	1	1	–	–	–	2	–	–	–	–
Dis. of Skin	7	3	1	–	–	–	4	–	–	2	–	–	–	–	–	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	7	–	–	–	–	–	–	–	–	1	1	1	2	2	–	–	–	–
Other Violent Deaths	95	3	1	5	1	2	12	8	8	13	3	12	15	7	7	3	4	3
Other Causes	533	317	31	2	–	–	350	1	1	–	–	–	2	9	21	61	104	44

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
397.—ATHERSTONE.																		
Mean Popul^n. 1861–71	6044	183	171	165	171	164	854	732	647	494	508	821	638	539	417	273	106	15
TOTAL DEATHS	1175	223	93	30	24	19	389	40	21	34	42	69	75	70	105	154	126	50
Small-pox	2	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Measles	16	-	8	2	2	1	13	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	47	3	8	9	6	6	32	13	1	-	-	-	1	-	-	-	-	-
Diphtheria	11	-	2	-	2	2	6	3	2	-	-	-	-	-	-	-	-	-
Whooping-cough	28	15	8	2	2	-	27	1	-	-	-	-	-	-	-	-	-	-
Typhus	39	-	2	2	-	3	7	4	5	5	4	6	3	1	3	1	-	-
Diarrhœa & Dysentery	81	39	12	1	1	1	54	2	-	-	-	2	1	1	6	5	11	2
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	15	2	1	1	4	-	8	1	1	-	1	-	-	-	-	3	-	1
Cancer	27	-	-	-	-	-	-	-	-	-	1	1	3	7	9	4	1	1
Scrofula and Tabes	28	7	5	1	-	-	13	2	2	2	4	2	1	1	-	1	-	-
Phthisis	125	2	1	1	-	1	5	-	3	15	25	32	21	12	7	2	-	-
Hydrocephalus	15	4	4	1	-	-	9	1	3	1	-	1	-	-	-	-	-	-
Dis. of Brain	137	43	6	3	-	1	53	3	-	1	1	4	7	15	11	23	11	5
Dis. of Heart & Dropsy	105	1	-	-	-	-	1	1	1	2	-	3	10	10	25	37	11	1
Dis. of Lungs	146	21	20	4	3	3	51	3	2	-	1	1	5	4	18	27	22	9
Dis. of Stom. and Liver	85	4	-	1	1	-	6	1	1	1	1	2	6	13	18	26	9	1
Dis. of Kidneys	10	1	-	-	-	-	1	-	-	-	-	2	2	-	2	2	1	-
Dis. of Gener. Organs	5	-	-	-	-	-	-	-	-	-	1	-	-	3	-	1	-	-
Dis. of Joints	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-
Dis. of Skin	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-
Childbirth and Metria	25	-	-	-	-	-	-	-	-	3	2	10	10	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Other Violent Deaths	19	-	1	1	2	1	5	-	-	3	1	-	1	1	-	1	2	5
Other Causes	198	77	14	1	1	-	93	2	-	-	-	2	1	2	2	20	51	25
398.—NUNEATON.																		
Mean Popul^n. 1861–71	6699	181	172	157	152	166	828	769	694	642	601	892	781	651	448	276	102	15
TOTAL DEATHS	1501	330	114	46	35	35	560	55	36	42	59	99	85	80	110	188	139	48
Small-pox	9	3	1	-	-	3	7	-	1	1	-	-	-	-	-	-	-	-
Measles	27	3	12	6	2	3	26	-	-	-	-	1	-	-	-	-	-	-
Scarlatina	57	3	11	9	10	11	44	9	-	1	-	3	-	-	-	-	-	-
Diphtheria	13	-	-	1	2	1	4	8	-	-	1	-	-	-	-	-	-	-
Whooping-cough	14	8	2	1	1	1	13	-	1	-	-	-	-	-	-	-	-	-
Typhus	63	1	3	3	3	3	13	5	7	8	9	8	3	5	1	3	1	-
Diarrhœa & Dysentery	44	23	4	-	-	-	27	-	1	-	1	1	3	-	-	7	4	-
Cholera	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	33	6	9	3	1	1	20	5	1	-	-	1	1	1	3	-	1	-
Cancer	40	-	-	-	-	-	-	-	-	2	-	-	8	7	7	12	2	2
Scrofula and Tabes	24	9	4	2	1	-	16	3	1	1	1	1	-	1	-	-	-	-
Phthisis	198	1	2	1	1	1	6	3	14	21	36	51	35	20	10	2	-	-
Hydrocephalus	21	5	3	2	2	2	14	5	1	-	1	-	-	-	-	-	-	-
Dis. of Brain	170	53	17	1	3	2	76	2	2	3	-	2	7	6	21	27	16	8
Dis. of Heart & Dropsy	112	-	1	-	-	1	2	1	2	2	2	8	6	14	26	38	11	-
Dis. of Lungs	189	46	31	9	5	5	96	8	1	2	1	2	4	9	12	26	23	5
Dis. of Stom. and Liver	79	5	1	2	-	-	8	2	1	-	2	6	8	11	16	18	4	3
Dis. of Kidneys	10	-	-	-	-	-	-	-	1	-	1	3	-	-	-	4	1	-
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	-	2	2	2	2	1	-	-
Dis. of Joints	5	1	-	-	-	-	1	1	-	-	2	-	-	-	-	1	-	-
Dis. of Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Childbirth and Metria	11	-	-	-	-	-	-	-	-	-	1	5	7	1	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Other Violent Deaths	16	-	-	2	1	-	3	1	2	1	1	1	1	1	2	3	-	-
Other Causes	350	163	13	4	2	1	183	2	-	-	-	3	-	2	10	45	75	30
399.—FOLESHILL.																		
Mean Popul^n. 1861–71	9662	274	261	270	257	259	1321	1179	1064	872	859	1260	1069	858	623	396	140	21
TOTAL DEATHS	2099	516	150	79	60	49	845	78	54	67	72	156	97	85	148	237	199	61
Small-pox	5	-	-	1	-	1	2	-	1	-	1	1	-	-	-	-	-	-
Measles	50	5	20	8	9	2	44	6	-	-	-	-	-	-	-	-	-	-
Scarlatina	73	8	7	14	17	11	57	14	1	1	-	-	-	-	-	-	-	-
Diphtheria	21	4	1	-	6	5	16	4	-	1	-	-	-	-	-	-	-	-
Whooping-cough	19	9	6	2	2	-	19	-	-	-	-	-	-	-	-	-	-	-
Typhus	110	2	1	4	5	3	15	19	17	11	13	12	4	3	6	6	-	1
Diarrhœa & Dysentery	75	46	10	4	-	-	60	1	-	-	-	1	-	1	2	4	6	-
Cholera	2	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Other Zymotic Dis.	42	10	6	6	5	3	30	2	2	-	-	-	2	2	2	2	-	-
Cancer	34	-	-	1	-	-	1	-	-	1	1	2	3	4	11	7	3	1
Scrofula and Tabes	67	28	14	7	1	3	53	3	1	4	3	1	1	1	-	-	-	-
Phthisis	234	3	9	6	1	2	21	2	11	26	35	77	37	15	4	3	-	-
Hydrocephalus	13	3	4	3	1	-	11	2	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	167	56	7	5	4	1	73	-	3	1	4	5	4	10	16	34	12	2
Dis. of Heart & Dropsy	169	4	-	-	1	1	6	5	8	4	6	11	15	11	30	47	13	1
Dis. of Lungs	237	56	34	12	2	2	106	10	1	3	1	9	5	6	26	38	28	4
Dis. of Stom. and Liver	105	22	6	1	2	1	32	2	2	1	3	7	8	15	21	10	3	1
Dis. of Kidneys	7	-	1	-	1	-	2	-	-	-	-	1	-	-	1	2	1	-
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	-	-	-	2	3	1	-	1	-
Dis. of Joints	7	-	-	1	-	1	2	2	-	1	-	-	-	1	-	1	-	-
Dis. of Skin	3	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1	-
Childbirth and Metria	43	-	-	-	-	-	-	-	-	3	3	25	11	1	-	-	-	-
Suicide	6	-	-	-	-	-	-	-	-	1	1	1	-	1	1	1	-	-
Other Violent Deaths	34	7	1	1	3	2	14	1	4	1	1	1	-	-	4	3	3	2
Other Causes	578	253	22	3	-	1	279	5	-	2	-	2	5	8	22	78	128	49

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
400.—COVENTRY.																		
Mean Popul^{n}, 1861-71	19313	590	522	520	493	498	2623	2299	2093	1825	1629	2695	2249	1792	1240	658	190	20
TOTAL DEATHS	4347	1224	376	154	98	79	1931	191	87	104	127	201	242	260	381	440	311	72
Small-pox	38	8	7	5	–	3	23	11	1	–	2	1	–	–	–	–	–	–
Measles	85	13	43	13	8	2	79	5	1	–	–	–	–	–	–	–	–	–
Scarlatina	188	11	25	26	33	24	119	60	6	1	–	2	–	–	–	–	–	–
Diphtheria	23	4	5	3	–	4	16	5	1	–	–	–	1	–	–	–	–	–
Whooping-cough	90	38	29	14	6	1	88	2	–	–	–	–	–	–	–	–	–	–
Typhus	152	5	6	8	13	5	37	30	19	12	5	8	10	5	10	11	5	–
Diarrhœa & Dysentery	329	224	50	9	3	2	288	1	–	–	–	2	–	–	6	10	17	5
Cholera	8	2	–	–	–	–	2	–	–	–	–	–	1	1	2	1	1	–
Other Zymotic Dis.	98	12	9	6	11	8	46	7	5	3	4	3	7	2	12	8	1	2
Cancer	52	–	–	–	–	–	–	1	–	1	–	3	7	10	13	15	1	1
Scrofula and Tabes	94	36	17	9	3	5	70	4	5	4	2	1	2	1	–	4	1	–
Phthisis	419	9	7	2	1	3	22	10	9	49	77	93	81	50	26	2	–	–
Hydrocephalus	55	17	13	10	5	–	45	7	1	2	–	–	–	–	–	–	–	–
Dis. of Brain	536	162	32	10	2	7	213	14	7	4	6	16	21	43	64	83	52	10
Dis. of Heart & Dropsy	257	5	2	–	–	2	9	6	9	10	5	22	30	35	55	51	23	2
Dis. of Lungs	666	158	71	20	9	7	265	7	1	7	5	16	25	52	82	131	70	5
Dis. of Stom. and Liver	206	22	4	1	1	1	29	9	7	5	5	12	22	25	46	30	14	2
Dis. of Kidneys	88	2	–	–	–	1	3	1	2	1	3	5	8	13	18	22	10	2
Dis. of Gener. Organs	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–
Dis. of Joints	20	1	–	1	–	–	2	–	2	2	4	2	3	–	2	2	1	–
Dis. of Skin	8	4	–	–	–	–	4	1	1	–	–	–	1	–	–	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	30	–	–	–	–	–	–	–	–	–	1	3	4	6	12	3	1	–
Other Violent Deaths	104	8	6	5	–	2	21	7	10	3	7	5	11	9	9	13	7	2
Other Causes	798	483	50	12	3	2	550	3	2	–	1	7	5	8	23	51	107	41
401.—RUGBY.																		
Mean Popul^{n}, 1861-71	12389	356	324	306	287	304	1577	1458	1573	1464	903	1524	1308	1082	813	495	170	22
TOTAL DEATHS	2297	567	161	60	48	46	882	75	65	45	46	117	146	119	194	269	264	75
Small-pox	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Measles	25	4	12	2	–	3	21	4	–	–	–	–	–	–	–	–	–	–
Scarlatina	63	5	12	6	9	9	41	13	6	2	–	–	1	–	–	–	–	–
Diphtheria	29	3	4	2	2	2	13	7	5	–	–	1	–	1	1	1	–	–
Whooping-cough	38	22	8	4	2	2	38	–	–	–	–	–	–	–	–	–	–	–
Typhus	95	2	1	4	5	3	15	8	9	9	4	9	8	10	11	9	3	–
Diarrhœa & Dysentery	92	40	15	3	1	1	60	1	–	2	1	–	–	4	8	9	5	2
Cholera	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–
Other Zymotic Dis.	65	1	7	5	11	4	28	5	3	2	1	3	3	6	5	4	4	1
Cancer	33	–	–	–	–	–	–	–	1	–	–	–	3	2	7	11	9	–
Scrofula and Tabes	29	8	4	4	–	–	16	–	1	3	–	3	1	3	–	2	–	–
Phthisis	165	6	2	2	–	–	10	4	10	11	16	42	39	11	11	11	–	–
Hydrocephalus	25	8	7	3	1	1	20	2	2	1	–	–	–	–	–	–	–	–
Dis. of Brain	320	115	17	5	2	3	142	6	6	2	6	8	18	13	22	52	41	4
Dis. of Heart & Dropsy	137	5	2	–	2	–	9	2	4	2	4	12	11	12	20	32	26	3
Dis. of Lungs	370	106	47	11	8	9	181	7	6	3	1	12	18	23	38	39	32	10
Dis. of Stom. and Liver	105	12	3	2	3	1	21	2	3	1	3	9	6	12	21	23	3	1
Dis. of Kidneys	57	1	–	–	–	–	1	2	1	1	–	2	10	7	14	11	8	–
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Dis. of Joints	6	–	–	1	–	–	1	–	–	–	2	2	–	–	–	1	–	–
Dis. of Skin	6	1	–	–	–	–	1	–	–	–	–	–	–	–	2	1	2	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	13	–	–	–	–	–	–	–	–	–	–	1	4	1	4	3	–	–
Other Violent Deaths	107	4	4	4	1	7	20	10	8	6	8	10	16	11	9	6	2	1
Other Causes	513	224	16	2	1	1	244	1	–	–	–	2	8	3	21	52	129	53
402.—SOLIHULL.																		
Mean Popul^{n}, 1861-71	6941	194	167	201	184	181	927	855	741	598	515	885	790	661	522	328	105	14
TOTAL DEATHS	1172	282	48	24	20	14	388	50	23	22	29	59	61	83	119	155	132	51
Small-pox	2	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
Measles	14	2	4	1	2	1	10	4	–	–	–	–	–	–	–	–	–	–
Scarlatina	34	2	3	5	7	3	20	8	3	2	1	–	–	–	–	–	–	–
Diphtheria	21	2	2	2	3	2	11	6	–	1	–	2	–	–	–	–	1	–
Whooping-cough	16	11	1	2	1	–	15	1	–	–	–	–	–	–	–	–	–	–
Typhus	27	–	2	1	1	1	5	1	2	1	4	3	4	1	3	3	–	–
Diarrhœa & Dysentery	40	25	2	–	1	–	28	–	–	–	–	–	1	2	–	2	5	2
Cholera	2	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	22	4	3	–	2	–	9	1	–	1	–	1	2	–	3	5	–	–
Cancer	28	–	–	–	–	–	–	–	–	1	–	1	1	4	2	13	3	3
Scrofula and Tabes	36	22	2	2	–	2	28	2	2	1	–	1	1	1	–	–	–	–
Phthisis	97	2	–	–	–	1	3	1	4	8	14	30	17	12	7	1	–	–
Hydrocephalus	7	4	1	1	1	–	7	–	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	132	40	5	2	1	2	50	6	1	2	–	2	5	9	14	17	23	3
Dis. of Heart & Dropsy	91	1	–	–	–	–	1	2	1	–	3	7	6	15	24	21	13	1
Dis. of Lungs	200	57	15	4	1	1	78	5	1	–	1	5	9	16	31	24	25	5
Dis. of Stom. and Liver	73	9	1	–	–	–	10	3	1	2	2	2	5	8	17	18	5	–
Dis. of Kidneys	37	–	1	–	–	–	1	–	–	–	–	1	4	3	8	14	5	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	5	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	1
Dis. of Skin	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	10	–	–	–	–	–	–	–	–	–	1	–	1	6	1	1	–	–
Other Violent Deaths	34	3	2	2	–	1	8	4	6	1	1	3	4	3	1	1	2	–
Other Causes	240	96	4	2	–	–	102	4	–	1	1	1	1	3	7	35	50	35

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
400.—COVENTRY.																		
Mean Popul^n, 1861–71	21567	601	546	531	540	524	2742	2313	2209	2213	2007	3269	2568	1937	1320	735	222	32
TOTAL DEATHS	4322	974	325	198	135	83	1715	172	75	129	154	277	254	269	341	463	366	107
Small-pox	29	10	1	2	5	2	20	4	1	1	-	-	1	2	-	-	-	-
Measles	97	11	31	25	15	4	86	11	-	-	-	-	-	-	-	-	-	-
Scarlatina	198	15	19	34	42	32	142	53	3	-	-	-	-	-	-	-	-	-
Diphtheria	39	1	7	5	5	3	21	6	-	2	-	1	-	-	-	-	-	-
Whooping-cough	105	33	30	23	11	5	102	3	-	-	-	-	-	-	-	-	-	-
Typhus	157	2	6	10	9	11	38	15	15	15	13	15	10	7	4	4	1	-
Diarrhœa & Dysentery	289	186	48	8	1	-	243	5	-	-	-	2	1	5	5	13	10	5
Cholera	3	1	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-
Other Zymotic Dis.	91	9	16	5	8	4	42	9	4	6	2	5	2	10	2	6	5	1
Cancer	115	-	1	-	-	1	2	-	-	1	1	4	20	31	31	17	7	1
Scrofula and Tabes	95	35	12	9	6	-	62	9	5	6	4	3	1	-	4	1	-	-
Phthisis	422	6	6	-	3	-	15	7	15	63	72	125	78	32	13	2	-	-
Hydrocephalus	40	11	6	5	4	3	29	8	2	-	1	-	-	-	-	-	-	-
Dis. of Brain	485	123	20	12	7	5	167	12	6	9	13	21	20	32	61	84	56	4
Dis. of Heart & Dropsy	284	4	2	1	2	-	9	4	7	5	6	12	28	38	61	75	35	4
Dis. of Lungs	703	131	69	38	9	4	251	12	3	4	10	24	20	40	83	141	97	18
Dis. of Stom. and Liver	206	11	3	2	1	3	20	3	7	4	10	18	19	40	40	28	14	3
Dis. of Kidneys	49	-	-	1	-	-	1	1	1	1	6	6	12	5	5	8	3	-
Dis. of Gener. Organs	23	-	-	1	-	-	1	-	-	-	-	4	7	7	2	2	-	-
Dis. of Joints	17	-	2	-	1	1	4	1	2	2	1	2	1	1	2	1	-	-
Dis. of Skin	11	4	-	1	-	-	5	-	1	-	-	-		2	-	2	1	-
Childbirth and Metria	59	-	-	-	-	-	-	-	-	3	8	26	21	1	-	-	-	-
Suicide	10	-	-	-	-	-	-	-	-	2	-	2	1	2	2	-	1	-
Other Violent Deaths	51	8	2	1	3	3	17	5	1	-	3	2	1	4	3	8	6	1
Other Causes	770	373	41	15	3	2	437	4	2	5	4	5	11	9	22	71	130	70
401.—RUGBY.																		
Mean Popul^n, 1861–71	12354	320	309	318	281	298	1526	1406	1294	1109	1069	1753	1469	1160	826	519	200	23
TOTAL DEATHS	2201	420	123	79	38	32	692	86	47	69	65	150	146	118	186	295	258	89
Small-pox	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
Measles	20	2	8	3	1	3	17	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	58	3	7	11	8	5	34	15	4	3	1	1	-	-	-	-	-	-
Diphtheria	24	-	4	3	4	1	12	9	-	1	1	-	-	1	-	-	-	-
Whooping-cough	36	12	7	10	2	1	32	3	1	-	-	-	-	-	-	-	-	-
Typhus	74	-	1	5	-	3	9	20	5	9	9	5	4	-	6	3	4	-
Diarrhœa & Dysentery	93	30	13	2	-	1	46	1	-	1	1	3	2	2	6	13	13	5
Cholera	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Other Zymotic Dis.	49	3	5	5	4	3	20	5	4	3	1	1	2	2	5	3	3	-
Cancer	64	-	-	-	-	-	-	-	1	-	1	2	8	14	12	13	12	1
Scrofula and Tabes	40	13	3	1	1	-	18	-	3	2	2	3	3	4	4	1	-	-
Phthisis	220	4	3	1	-	1	9	5	11	30	28	62	43	20	8	4	-	-
Hydrocephalus	16	6	5	2	-	-	13	1	-	1	1	-	-	-	-	-	-	-
Dis. of Brain	250	65	14	6	6	3	94	4	3	7	2	10	8	14	22	53	26	7
Dis. of Heart & Dropsy	181	2	1	-	1	-	4	-	6	1	3	9	14	21	30	58	25	5
Dis. of Lungs	325	69	31	19	5	6	130	10	5	3	7	8	16	18	31	49	39	9
Dis. of Stom. and Liver	122	5	3	1	-	1	10	1	1	4	3	13	18	14	21	26	11	-
Dis. of Kidneys	23	2	-	-	2	-	4	-	-	1	-	4	1	1	9	2	1	-
Dis. of Gener. Organs	13	-	-	-	-	-	-	-	-	-	-	-	3	2	2	6	-	-
Dis. of Joints	10	-	-	-	-	-	-	1	1	1	-	-	2	-	1	3	1	-
Dis. of Skin	6	3	-	-	-	-	3	-	-	-	-	1	-	-	1	-	1	-
Childbirth and Metria	37	-	-	-	-	-	-	-	-	-	1	21	15	-	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-
Other Violent Deaths	34	9	3	1	3	2	18	3	1	2	-	2	1	1	1	2	1	2
Other Causes	493	192	15	9	1	2	219	5	1	-	-	3	4	-	23	58	121	60
402.—SOLIHULL.																		
Mean Popul^n, 1861–71	7344	196	190	197	171	177	931	844	759	687	625	1031	827	660	507	317	137	19
TOTAL DEATHS	1150	197	50	31	17	10	305	45	19	29	31	79	77	72	96	169	169	59
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	6	1	-	3	-	1	5	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	30	3	7	1	6	2	19	9	2	-	-	-	-	-	-	-	-	-
Diphtheria	20	-	1	2	1	1	5	8	2	2	-	1	1	1	-	-	-	-
Whooping-cough	17	9	3	2	1	1	16	1	-	-	-	-	-	-	-	-	-	-
Typhus	22	-	-	2	-	-	2	3	4	2	2	5	2	1	-	-	1	-
Diarrhœa & Dysentery	28	6	5	1	-	-	12	1	-	-	-	1	-	-	-	5	8	1
Cholera	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-
Other Zymotic Dis.	17	3	1	-	-	1	5	1	1	1	-	-	3	1	2	3	-	-
Cancer	51	-	-	1	-	-	1	-	-	-	-	-	6	9	19	8	5	3
Scrofula and Tabes	25	15	2	2	-	-	19	1	-	-	1	-	2	-	1	-	1	-
Phthisis	110	-	-	-	-	-	-	2	2	12	15	38	26	12	2	-	1	-
Hydrocephalus	8	2	2	2	1	-	7	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	143	23	5	4	4	2	38	5	4	3	5	4	4	11	19	29	16	5
Dis. of Heart & Dropsy	112	2	1	-	-	-	3	1	-	3	-	7	8	5	23	34	26	2
Dis. of Lungs	185	48	12	6	-	2	68	6	2	1	3	13	13	9	16	30	18	6
Dis. of Stom. and Liver	76	7	-	-	1	-	8	3	1	2	2	4	4	10	9	26	7	-
Dis. of Kidneys	8	-	-	-	-	-	-	-	1	1	-	-	1	2	-	1	2	-
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-
Dis. of Joints	6	-	-	-	-	-	-	-	-	-	1	1	1	-	3	-	-	-
Dis. of Skin	3	1	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-
Childbirth and Metria	11	-	-	-	-	-	-	-	-	-	-	1	4	6	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Other Violent Deaths	19	4	2	2	1	-	9	-	-	1	1	-	-	-	-	1	2	5
Other Causes	244	72	9	3	2	-	86	1	-	-	-	-	1	4	3	29	78	42

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
403.—WARWICK.																		
Mean Populn, 1861–71	21044	608	513	513	464	528	2626	2409	2253	1958	1644	2855	2482	2070	1505	913	296	33
TOTAL DEATHS	4742	1035	281	123	88	57	1584	157	102	110	144	305	316	396	459	592	478	99
Small-pox	25	6	6	–	1	–	13	1	–	1	1	2	4	2	1	–	–	–
Measles	102	19	35	19	10	10	93	4	2	–	–	–	2	1	–	–	–	–
Scarlatina	134	6	15	15	17	12	65	47	11	5	–	2	2	–	–	2	–	–
Diphtheria	28	3	1	1	6	2	13	6	4	1	–	–	3	–	1	–	–	–
Whooping-cough	64	29	19	8	5	3	64	–	–	–	–	–	–	–	–	–	–	–
Typhus	149	5	5	4	7	8	29	18	15	11	7	19	9	10	14	12	2	–
Diarrhœa & Dysentery	181	129	23	3	–	–	155	3	–	–	–	1	3	1	4	7	6	1
Cholera	5	4	–	–	–	–	4	–	–	–	–	–	1	–	–	–	–	–
Other Zymotic Dis.	112	11	9	10	9	4	43	6	4	4	6	5	6	7	16	8	7	–
Cancer	55	–	–	–	–	–	–	–	–	–	–	2	2	12	17	18	4	–
Scrofula and Tabes	90	36	16	4	3	4	63	7	6	2	2	4	1	2	2	1	–	–
Phthisis	538	13	2	5	1	–	21	6	12	35	67	130	109	95	46	16	1	–
Hydrocephalus	62	20	21	5	6	1	53	6	1	2	–	–	–	–	–	–	–	–
Dis. of Brain	707	138	28	15	5	2	188	21	12	12	16	39	56	59	96	122	76	10
Dis. of Heart & Dropsy	338	10	2	1	1	–	14	8	3	3	7	11	21	57	61	100	44	6
Dis. of Lungs	558	171	61	19	10	5	266	1	4	3	6	21	24	37	59	77	52	8
Dis. of Stom. and Liver	298	36	5	2	2	–	45	6	7	5	6	12	25	59	57	56	20	–
Dis. of Kidneys	130	–	1	–	1	–	2	3	1	2	4	9	13	10	22	31	30	3
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Dis. of Joints	20	–	1	–	–	–	1	–	4	1	2	4	–	2	2	1	3	–
Dis. of Skin	21	9	–	–	–	–	9	–	–	2	–	–	2	2	4	2	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	26	–	–	–	–	–	–	–	–	–	2	7	6	4	2	4	1	–
Other Violent Deaths	199	12	2	5	4	5	28	12	16	16	15	26	22	25	18	12	7	2
Other Causes	899	378	29	7	–	1	415	2	–	2	3	7	5	11	37	123	225	69
404.—STRATFORD-ON-AVON.																		
Mean Populn, 1861–71	10831	301	297	291	275	302	1466	1306	1168	952	818	1390	1234	1041	775	476	188	17
TOTAL DEATHS	1991	431	107	47	32	27	644	70	32	43	52	113	100	136	210	276	239	76
Small-pox	6	–	–	–	–	–	–	–	–	–	–	–	3	1	1	1	–	–
Measles	27	5	11	7	1	1	25	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	42	4	7	4	5	6	26	15	–	1	–	–	–	–	–	–	–	–
Diphtheria	19	1	2	3	4	3	13	4	2	–	–	–	–	–	–	–	–	–
Whooping-cough	24	14	7	1	2	–	24	–	–	–	–	–	–	–	–	–	–	–
Typhus	39	–	1	–	–	1	2	4	–	4	3	3	4	6	5	5	3	–
Diarrhœa & Dysentery	68	35	6	3	–	–	44	1	–	–	1	1	–	2	1	8	9	1
Cholera	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
Other Zymotic Dis.	42	10	4	4	4	2	24	–	4	1	–	–	–	3	5	2	3	–
Cancer	18	–	–	–	–	–	–	–	–	–	–	1	1	5	5	6	–	–
Scrofula and Tabes	46	21	4	5	–	2	32	3	2	2	2	3	1	–	–	1	–	–
Phthisis	177	–	2	1	1	–	4	4	5	15	28	55	27	19	18	2	–	–
Hydrocephalus	33	12	7	2	1	–	22	9	1	–	–	–	1	–	–	–	–	–
Dis. of Brain	233	51	5	1	3	2	62	3	3	8	3	10	8	16	36	51	30	3
Dis. of Heart & Dropsy	134	–	1	1	2	–	4	–	2	2	3	6	9	16	37	44	9	2
Dis. of Lungs	236	71	25	10	6	4	116	6	–	2	1	6	9	22	39	57	30	5
Dis. of Stom. and Liver	110	16	1	1	–	–	18	4	3	1	4	5	13	11	26	15	10	–
Dis. of Kidneys	81	–	–	–	–	–	–	–	1	2	3	5	8	10	15	24	12	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	5	–	–	–	–	–	–	2	–	–	–	–	–	–	–	3	–	–
Dis. of Skin	9	2	1	–	–	–	3	–	1	–	–	1	–	–	2	2	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	9	–	–	–	–	–	–	–	–	–	–	–	2	2	2	3	–	–
Other Violent Deaths	80	6	3	1	1	5	16	11	7	4	4	12	7	9	5	2	2	1
Other Causes	494	183	20	3	2	1	209	2	1	1	–	5	7	14	13	48	131	63
405.—ALCESTER.																		
Mean Populn, 1861–71	8716	237	243	251	232	200	1163	1063	1026	787	687	1086	942	814	605	384	146	13
TOTAL DEATHS	1673	397	106	42	38	21	604	65	28	51	43	61	65	124	148	230	203	51
Small-pox	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Measles	17	1	10	3	2	–	16	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	61	3	11	8	14	6	42	19	3	–	–	–	–	–	–	–	–	–
Diphtheria	8	2	2	1	–	1	6	2	–	–	–	–	–	–	–	–	–	–
Whooping-cough	13	8	3	–	2	–	13	–	–	–	–	–	–	–	–	–	–	–
Typhus	28	1	1	1	1	1	5	3	5	6	2	2	–	2	1	2	–	–
Diarrhœa & Dysentery	66	28	9	1	1	–	39	–	–	–	3	–	2	4	4	3	11	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Other Zymotic Dis.	32	5	1	4	2	1	13	2	–	3	1	1	2	3	2	3	2	–
Cancer	23	–	–	–	–	–	–	–	–	–	–	2	–	3	10	4	3	1
Scrofula and Tabes	31	13	4	3	–	–	20	2	1	4	1	1	–	–	1	–	1	–
Phthisis	143	1	2	1	1	–	5	3	6	14	20	31	18	27	8	8	1	2
Hydrocephalus	15	6	2	1	2	–	11	4	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	214	44	6	8	4	4	66	9	3	2	2	4	3	13	19	52	37	4
Dis. of Heart & Dropsy	133	1	–	–	1	2	4	3	1	4	5	6	7	10	31	39	21	2
Dis. of Lungs	301	42	31	5	2	4	104	8	1	4	4	4	15	24	32	45	25	5
Dis. of Stom. and Liver	97	9	3	2	–	–	14	2	1	5	1	3	8	16	15	21	11	–
Dis. of Kidneys	29	–	–	–	–	1	1	–	–	1	1	1	1	4	8	8	4	–
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
Dis. of Joints	7	–	–	–	–	–	–	–	1	2	1	–	1	1	–	1	–	–
Dis. of Skin	3	1	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	8	–	–	–	–	–	–	–	–	–	–	–	1	2	3	2	–	–
Other Violent Deaths	62	6	4	4	2	1	17	5	6	6	1	3	5	7	4	6	2	–
Other Causes	374	176	17	–	4	–	197	2	–	–	–	2	1	8	10	32	85	37

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
403.—WARWICK.																		
Mean Popul^n, 1861–71	25400	546	502	531	516	523	2618	2439	2282	2472	2534	3883	3123	2604	1818	1150	422	55
TOTAL DEATHS	4831	809	285	145	95	62	1396	179	116	142	175	329	279	365	475	640	563	172
Small-pox	18	3	1	–	2	1	7	1	2	2	1	–	3	1	1	–	–	–
Measles	101	17	39	18	11	4	89	6	4	1	–	–	1	–	–	–	–	–
Scarlatina	137	8	12	23	19	16	78	37	13	5	1	–	1	1	–	1	–	–
Diphtheria	41	2	2	5	7	7	23	12	2	1	1	–	–	–	1	1	–	–
Whooping-cough	86	30	25	16	9	3	83	3	–	–	–	–	–	–	–	–	–	–
Typhus	155	3	5	7	9	8	52	32	10	19	21	7	10	6	6	8	4	–
Diarrhœa & Dysentery	155	85	26	2	–	–	113	1	–	1	–	2	1	2	5	6	15	9
Cholera	5	–	1	–	–	–	1	–	–	–	1	–	1	–	–	2	–	–
Other Zymotic Dis.	106	12	3	8	8	5	36	11	3	2	1	7	2	5	13	10	13	3
Cancer	188	1	–	–	–	–	1	–	–	1	–	12	21	49	51	36	14	3
Scrofula and Tabes	93	33	14	5	3	–	55	6	3	4	7	3	3	6	4	1	1	–
Phthisis	607	7	1	6	1	4	19	12	31	53	89	169	95	76	45	13	2	–
Hydrocephalus	42	6	17	4	3	2	32	7	2	1	–	–	–	–	–	–	–	–
Dis. of Brain	576	108	25	12	7	4	156	13	10	14	11	29	39	49	79	100	66	10
Dis. of Heart & Dropsy	435	5	2	1	1	1	10	6	8	7	11	21	27	56	100	128	55	6
Dis. of Lungs	519	125	61	29	7	4	226	13	4	6	7	11	14	32	46	99	52	9
Dis. of Stom. and Liver	307	30	3	1	2	2	38	6	6	7	6	17	29	32	64	60	35	7
Dis. of Kidneys	57	–	1	–	1	–	2	3	1	1	3	5	8	12	8	11	3	–
Dis. of Gener. Organs	27	–	–	–	–	–	–	–	–	1	–	1	5	10	7	3	–	–
Dis. of Joints	18	1	–	–	–	–	1	1	1	2	2	–	–	5	1	4	1	–
Dis. of Skin	27	5	2	3	–	–	10	–	2	1	–	3	–	–	6	2	2	1
Childbirth and Metria	54	–	–	–	–	–	–	–	–	2	9	30	12	1	–	–	–	–
Suicide	14	–	–	–	–	–	–	–	1	3	1	1	–	6	1	1	–	–
Other Violent Deaths	84	13	9	2	4	–	28	5	6	6	2	6	2	3	5	9	10	2
Other Causes	979	315	36	3	1	1	356	4	4	2	1	5	5	13	32	145	290	122
404.—STRATFORD-ON-AVON.																		
Mean Popul^n, 1861–71	10980	311	270	292	278	275	1426	1323	1155	927	864	1527	1260	1052	737	494	187	28
TOTAL DEATHS	2006	381	114	47	32	32	606	71	45	73	64	127	116	118	163	273	275	75
Small-pox	8	2	1	–	–	–	3	–	–	1	1	–	1	–	1	1	–	–
Measles	42	7	18	7	5	2	39	1	1	1	–	–	–	–	–	–	–	–
Scarlatina	46	1	6	10	5	5	27	10	4	2	–	2	1	–	–	–	–	–
Diphtheria	25	1	1	4	1	5	12	10	1	1	–	–	1	–	–	–	–	–
Whooping-cough	29	13	8	4	2	1	28	–	1	–	–	–	–	–	–	–	–	–
Typhus	44	–	–	–	2	–	2	9	3	11	2	5	2	3	3	3	1	–
Diarrhœa & Dysentery	74	32	7	–	1	3	43	1	–	1	1	1	1	1	2	12	11	–
Cholera	2	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–
Other Zymotic Dis.	48	8	3	3	5	4	23	4	3	–	–	2	2	–	1	7	5	1
Cancer	70	–	–	–	–	–	–	–	–	–	–	3	3	20	19	18	7	–
Scrofula and Tabes	46	13	10	2	–	–	25	3	3	4	6	1	2	1	–	1	–	–
Phthisis	202	4	2	3	1	1	11	8	9	28	27	62	33	15	9	–	–	–
Hydrocephalus	13	3	7	–	–	–	10	3	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	217	36	4	1	2	2	45	6	6	5	5	9	11	20	17	48	40	5
Dis. of Heart & Dropsy	165	2	–	–	–	–	2	2	2	3	6	8	9	17	35	57	23	1
Dis. of Lungs	255	61	25	8	5	5	104	2	2	4	–	5	11	12	26	41	40	8
Dis. of Stom. and Liver	122	17	2	–	–	1	20	4	4	3	3	3	8	18	29	22	8	–
Dis. of Kidneys	30	–	1	–	–	–	1	2	1	–	2	2	4	3	5	10	–	–
Dis. of Gener. Organs	10	–	–	–	–	–	–	–	–	1	1	1	1	3	2	–	1	–
Dis. of Joints	9	–	–	–	1	–	1	–	1	1	–	2	1	2	–	1	–	–
Dis. of Skin	13	7	–	–	–	–	7	–	–	–	–	–	1	–	2	2	1	–
Childbirth and Metria	41	–	–	–	–	–	–	–	–	3	7	16	15	–	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Other Violent Deaths	33	8	1	1	1	1	12	4	2	1	–	1	5	1	1	2	3	1
Other Causes	469	165	18	4	1	1	190	2	2	2	3	4	3	2	11	47	135	59
405.—ALCESTER.																		
Mean Popul^n, 1861–71	8809	237	232	221	226	234	1150	1079	909	824	741	1177	960	811	597	383	155	23
TOTAL DEATHS	1682	343	80	66	33	19	541	75	34	60	59	114	88	93	159	193	203	63
Small-pox	3	2	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–
Measles	19	2	5	5	3	–	15	2	–	1	–	–	1	–	–	–	–	–
Scarlatina	72	5	6	15	8	11	45	22	4	–	–	1	–	–	–	–	–	–
Diphtheria	15	–	1	1	1	1	4	6	1	2	1	–	–	1	–	–	–	–
Whooping-cough	29	13	4	9	–	1	27	2	–	–	–	–	–	–	–	–	–	–
Typhus	31	2	1	2	2	1	8	4	4	6	1	2	1	1	2	2	–	–
Diarrhœa & Dysentery	53	25	5	1	2	–	33	6	1	–	1	2	2	2	2	2	2	–
Cholera	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	39	6	–	3	2	–	11	12	2	2	1	2	1	5	2	–	1	–
Cancer	45	–	–	–	–	–	–	–	–	–	–	4	2	8	19	8	3	1
Scrofula and Tabes	35	16	5	3	2	–	26	–	1	2	1	1	1	2	1	–	–	–
Phthisis	173	2	1	–	–	–	3	4	8	25	29	47	34	9	6	3	5	–
Hydrocephalus	10	2	3	2	1	1	9	1	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	185	37	8	3	5	–	53	7	7	3	3	8	7	7	22	37	27	4
Dis. of Heart & Dropsy	195	1	1	–	–	–	2	–	2	4	7	14	10	25	52	48	28	3
Dis. of Lungs	236	58	25	15	5	2	105	5	1	6	5	11	12	8	21	27	29	6
Dis. of Stom. and Liver	99	7	–	–	–	–	7	–	2	2	4	6	7	12	20	22	15	2
Dis. of Kidneys	6	–	–	–	–	–	–	–	–	–	–	1	–	1	2	2	–	–
Dis. of Gener. Organs	9	–	–	–	–	–	–	–	–	1	1	2	–	1	2	2	–	–
Dis. of Joints	6	–	–	–	–	–	–	1	–	–	1	1	–	1	–	2	–	–
Dis. of Skin	5	1	–	1	–	–	2	–	–	–	–	–	–	–	1	2	–	–
Childbirth and Metria	24	–	–	–	–	–	–	–	–	4	3	8	8	1	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Other Violent Deaths	30	10	1	3	2	1	17	1	1	–	–	2	1	2	1	1	4	–
Other Causes	361	153	14	3	–	1	171	2	–	2	1	1	1	7	6	34	89	47

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
406.—SHIPSTON-ON-STOUR.																		
Mean Populn, 1861–71	9933	272	249	278	260	246	1305	1249	1142	910	701	1187	1067	913	740	512	190	17
TOTAL DEATHS	1875	443	108	56	36	32	675	64	39	40	33	86	85	101	172	256	263	61
Small-pox	3	1	–	–	–	–	1	1		–	–	–	–	–	1	–	–	–
Measles	18	3	8	2	3	1	17	1			–	–	–	–	–	–	–	–
Scarlatina	80	6	6	17	13	9	51	19	4	2	2	–		1	–	1	–	–
Diphtheria	6		1	1	1	–	3	2		–	–	1	–	–	–	–	–	–
Whooping cough	32	18	6	3	2	3	32	–	–	–	–	–		–	–	–	–	–
Typhus	28	1	1	1	1	2	6	4	2	3	3	3	3	1	7	4	2	–
Diarrhœa & Dysentery	52	29	10	2	–	1	34	–	–		–	–	1	3	2	4	6	3
Cholera	4	1	1	1	–	–	3					–		–	–	1	–	–
Other Zymotic Dis.	52	9	5	4	3	2	23	1	2	1	1	4	1	5	6	5	3	–
Cancer	23		–	1		–	1	–	–	–		2	2	3	4	8	3	–
Scrofula and Tabes	41	9	6	2	1	2	20	1	3	6	3	5	–	2	1	–	–	–
Phthisis	162	6	2	2	1	3	14	8	4	11	15	45	32	22	3	8	–	–
Hydrocephalus	31	6	11	3		1	21	8	2		–	–	–	–	–	–	–	–
Dis. of Brain	198	43	8	2	1	1	55	2	1	3	2	4	7	13	23	39	42	7
Dis. of Heart & Dropsy	146	3	1	–	–		4	1	1	3	–	3	6	15	31	44	35	3
Dis. of Lungs	238	72	26	6	1	–	105	3	4	1	–	2	8	11	29	38	30	7
Dis. of Stom. and Liver	95	14	–	2	1	1	18	3	2	1	–	3	5	10	22	20	9	2
Dis. of Kidneys	43	–	–	–	–	–	–	–	1	1	–	1	2	2	10	17	9	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	8	–	–	–	–	–	–	1	1	1	1	1	2	–	–	1	–	–
Dis. of Skin	7	1	1	–	–	–	2	1	–	–	–	–	1	–	1	2	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	11	–	–	–	–	–	–	–	–	–	–	2	1	2	4	2	–	–
Other Violent Deaths	74	2	1	3	5	4	15	2	10	5	4	6	8	7	11	4	1	1
Other Causes	513	228	14	4	3	2	251	6	2	2	2	4	6	4	17	58	123	38
407.—SOUTHAM.																		
Mean Populn, 1861–71	5343	143	140	131	144	141	699	654	601	487	381	675	581	532	403	239	84	7
TOTAL DEATHS	991	245	59	24	8	13	349	42	32	27	28	39	48	65	90	137	116	18
Small-pox	6	2	–	–	–	–	2	–	–	–	–	–	1	1	–	1	1	–
Measles	18	3	3	3	–	1	10	3	4	1	–	–	–	–	–	–	–	–
Scarlatina	16	1	3	4	–	–	8	5	2	–	1	–	–	–	–	–	–	–
Diphtheria	9	2	–	–	1	2	5	2	1	1	–	–	–	–	–	–	–	–
Whooping-cough	14	5	5	1	1	1	13	1	–	–	–	–	–	–	–	–	–	–
Typhus	14	3	2	3	1	1	10	7	1	3	3	4	6	4	3	2	1	–
Diarrhœa & Dysentery	18	5	1	–	–	–	6	–	–	–	1	1	–	1	–	3	4	2
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	14	2	2	2	1	–	7	2	–	–	–	1	1	1	1	–	1	–
Cancer	3	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–
Scrofula and Tabes	14	6	3	1	–	–	10	1	–	1	1	–	1	–	–	–	–	–
Phthisis	83	6	–	–	–	1	7	1	5	5	13	19	14	6	11	2	–	–
Hydrocephalus	5	2	2	–	–	–	4	1	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	113	22	9	2	2	1	36	1	3	4	1	1	3	11	9	29	11	1
Dis. of Heart & Dropsy	72	1	–	–	–	1	2	–	3	3	–	–	–	5	20	21	16	2
Dis. of Lungs	144	49	12	6	1	1	69	5	1	2	3	3	5	9	14	17	14	2
Dis. of Stom. and Liver	69	7	3	1	–	–	11	2	1	–	1	2	8	12	12	13	7	–
Dis. of Kidneys	26	–	–	–	–	–	–	1	–	2	2	–	1	3	2	7	6	2
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	7	–	–	–	–	–	–	–	–	1	1	2	2	1	–	–	–	–
Dis. of Skin	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	6	–	–	–	–	–	–	–	–	–	–	–	2	2	2	–	–	–
Other Violent Deaths	52	1	2	–	1	3	7	7	10	1	1	5	3	1	6	9	2	–
Other Causes	255	123	12	1	–	1	142	3	–	3	–	1	1	4	9	31	53	8

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
406.—SHIPSTON-ON-STOUR.																		
Mean Popul^{n}, 1861–71	9831	281	245	280	262	257	1325	1242	1061	792	750	1251	1106	919	702	481	180	22
TOTAL DEATHS	1734	268	105	57	33	20	483	61	49	59	57	113	89	103	151	261	242	66
Small-pox	7	1	–	1	1	1	4	2	–	1	–	–	–	–	–	–	–	–
Measles	10	2	3	2	1	–	8	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	67	4	14	10	8	9	45	14	–	3	4	–	1	–	–	–	–	–
Diphtheria	7	–	–	–	2	–	2	2	2	1	–	–	–	–	–	–	–	–
Whooping-cough	32	9	12	6	1	2	30	1	1	–	–	–	–	–	–	–	–	–
Typhus	57	1	1	–	–	–	2	10	14	6	3	7	3	5	3	4	–	–
Diarrhœa & Dysentery	59	20	5	3	2	–	30	1	–	–	2	3	1	2	1	3	11	5
Cholera	10	3	1	1	1	–	6	–	–	–	–	–	–	–	–	2	2	–
Other Zymotic Dis.	34	6	4	4	1	–	15	2	2	–	–	–	1	2	7	3	2	–
Cancer	47	–	–	–	–	–	–	–	–	–	–	1	3	6	17	16	4	–
Scrofula and Tabes	52	15	5	7	2	–	29	2	2	2	2	3	4	5	3	–	–	–
Phthisis	176	–	–	–	1	–	1	2	14	30	28	41	26	21	9	1	3	–
Hydrocephalus	11	4	2	1	1	–	8	1	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	185	19	12	5	2	2	40	3	2	5	2	12	8	18	22	36	34	3
Dis. of Heart & Dropsy	173	1	–	–	–	–	1	1	2	4	1	7	9	13	34	60	38	3
Dis. of Lungs	201	33	16	8	3	3	66	1	4	3	3	5	8	6	26	38	33	8
Dis. of Stom. and Liver	102	2	5	1	–	–	8	3	2	1	4	13	5	13	13	20	17	3
Dis. of Kidneys	14	–	–	–	–	–	–	1	–	–	1	–	1	2	1	6	2	–
Dis. of Gener. Organs	4	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–
Dis. of Joints	4	–	1	–	–	–	1	–	–	–	–	–	–	2	1	–	–	–
Dis. of Skin	6	2	1	1	–	–	4	1	–	–	–	1	–	–	–	–	–	–
Childbirth and Metria	30	–	–	–	–	–	–	–	–	–	3	17	10	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Deaths	37	3	1	3	5	2	14	9	–	–	–	–	3	–	1	5	3	2
Other Causes	409	140	22	4	2	1	169	3	2	3	4	3	5	6	13	67	92	42
407.—SOUTHAM.																		
Mean Popul^{n}, 1861–71	5115	147	154	148	150	138	737	681	566	411	343	670	567	473	354	215	83	10
TOTAL DEATHS	936	197	60	28	16	13	314	34	22	33	37	61	49	45	55	132	121	33
Small-pox	2	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
Measles	23	7	9	3	1	2	22	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	19	–	3	3	3	4	13	3	1	1	1	–	–	–	–	–	–	–
Diphtheria	8	1	1	–	1	–	3	3	2	–	–	–	–	–	–	–	–	–
Whooping-cough	16	10	3	2	1	–	16	–	–	–	–	–	–	–	–	–	–	–
Typhus	56	1	4	6	–	1	12	10	5	5	2	8	6	1	2	4	1	–
Diarrhœa & Dysentery	24	7	3	–	–	–	10	–	–	–	1	1	1	1	3	2	5	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	20	2	1	2	2	3	10	–	–	–	1	2	–	1	1	3	2	–
Cancer	15	–	–	–	–	–	–	–	–	–	–	–	2	3	2	7	1	–
Scrofula and Tabes	17	5	3	–	–	–	8	–	–	1	5	2	–	1	–	–	–	–
Phthisis	103	6	2	1	1	1	11	5	8	14	14	29	13	6	2	–	1	–
Hydrocephalus	8	3	3	–	1	–	7	1	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	89	17	5	4	1	–	27	1	–	2	2	3	2	5	8	17	18	4
Dis. of Heart & Dropsy	82	–	–	–	–	–	–	1	2	1	4	4	5	7	14	27	13	4
Dis. of Lungs	117	36	16	6	2	–	60	2	1	3	–	2	3	2	4	22	16	2
Dis. of Stom. and Liver	53	6	2	–	1	–	9	3	1	1	3	3	5	6	11	8	5	1
Dis. of Kidneys	10	–	–	–	–	–	–	–	–	1	–	2	1	5	1	–	–	–
Dis. of Gener. Organs	6	–	–	–	–	–	–	–	–	–	–	2	–	1	1	2	–	–
Dis. of Joints	2	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
Dis. of Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	14	–	–	–	–	–	–	–	–	–	3	3	7	1	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
Other Violent Deaths	15	4	–	–	2	1	7	4	–	2	–	–	–	–	–	1	1	
Other Causes	222	92	5	1	–	1	99	–	–	1	1	–	4	3	6	38	58	22

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
408.—LUTTERWORTH.																		
Mean Popul^n, 1861–71	7390	202	172	176	191	193	934	936	872	661	449	796	844	774	587	382	137	18
TOTAL DEATHS	1364	307	78	28	17	15	445	50	27	31	33	56	52	70	136	207	194	63
Small-pox	5	2	1	1	-	-	4	1	-	-	-	-	-	-	-	-	-	-
Measles	11	3	6	-	-	-	9	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	30	1	4	4	5	4	18	7	4	1	-	-	-	-	-	-	-	-
Diphtheria	12	1	1	1	1	-	4	5	3	-	-	-	-	-	-	-	-	-
Whooping cough	11	7	3	-	-	-	10	1	-	-	-	-	-	-	-	-	-	-
Typhus	30	1	-	1	-	1	3	6	4	5	1	4	-	2	5	-	-	-
Diarrhœa & Dysentery	25	9	5	-	-	-	14	-	1	-	-	-	1	-	2	4	1	2
Cholera	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	30	4	4	1	2	3	14	6	-	-	-	2	2	1	2	1	2	-
Cancer	38	-	-	-	-	-	-	-	-	-	-	1	3	4	15	9	5	1
Scrofula and Tabes	25	12	1	-	-	-	13	1	2	2	1	2	1	2	-	1	-	-
Phthisis	101	1	-	1	-	2	4	-	2	12	16	28	13	15	6	5	-	-
Hydrocephalus	14	3	6	1	-	-	10	2	1	-	-	1	-	-	-	-	-	-
Dis. of Brain	192	63	18	1	2	1	85	5	4	4	1	4	5	6	23	22	25	8
Dis. of Heart & Dropsy	108	1	-	2	1	-	4	1	-	-	1	4	9	9	19	40	19	2
Dis. of Lungs	195	46	14	8	3	1	72	4	3	2	4	3	2	10	29	36	24	6
Dis. of Stom. and Liver	85	13	1	1	1	1	17	4	-	4	3	1	6	9	12	19	10	-
Dis. of Kidneys	41	-	-	1	-	-	1	-	-	-	4	-	3	3	10	12	10	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	4	-	-	-	-	1	1	-	-	1	-	1	-	-	1	-	-	-
Dis. of Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	9	-	-	-	-	-	-	-	-	-	-	-	1	2	4	2	-	-
Other Violent Deaths	28	1	2	1	-	1	5	2	3	-	2	4	3	2	1	6	-	-
Other Causes	364	139	12	4	2	-	157	2	-	-	-	1	3	4	6	50	98	43
409.—MARKET HARBOROUGH.																		
Mean Popul^n, 1861–71	7892	217	220	192	196	206	1031	966	888	688	613	996	862	774	580	365	119	10
TOTAL DEATHS	1488	406	92	51	26	21	596	41	23	24	36	79	69	88	140	186	164	42
Small-pox	5	1	-	1	-	-	2	-	-	-	2	-	-	1	-	-	-	-
Measles	40	7	13	10	2	4	36	4	-	-	-	-	-	-	-	-	-	-
Scarlatina	19	-	1	4	6	-	11	6	1	-	1	-	-	-	-	-	-	-
Diphtheria	9	1	2	2	1	-	6	1	-	1	-	-	1	-	-	-	-	-
Whooping-cough	24	15	4	2	1	1	23	1	-	-	-	-	-	-	-	-	-	-
Typhus	33	-	-	2	3	1	6	5	4	3	3	3	2	2	3	2	-	-
Diarrhœa & Dysentery	54	33	5	1	-	-	39	-	-	1	-	1	1	1	1	5	5	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	34	2	4	5	3	3	17	2	2	2	-	5	4	2	-	-	-	-
Cancer	23	-	1	-	-	-	1	-	-	1	-	-	1	4	11	4	1	-
Scrofula and Tabes	19	5	1	2	1	-	9	1	3	-	2	2	1	-	1	-	-	-
Phthisis	129	1	3	1	1	-	6	5	2	7	17	43	21	15	9	4	-	-
Hydrocephalus	26	10	6	2	1	6	25	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	195	89	6	3	1	1	100	3	1	2	1	-	4	14	16	33	20	1
Dis. of Heart & Dropsy	110	1	1	-	-	-	2	1	1	1	4	5	10	10	30	31	14	1
Dis. of Lungs	177	53	27	12	3	-	95	6	2	1	1	6	6	11	21	15	12	1
Dis. of Stom. and Liver	79	6	1	1	-	1	9	3	3	3	1	3	6	13	12	21	5	-
Dis. of Kidneys	11	-	-	-	-	-	-	-	-	-	1	-	2	1	4	1	2	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Dis. of Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	10	-	-	-	-	-	-	-	-	-	-	-	2	2	1	4	1	-
Other Violent Deaths	64	16	3	-	2	2	23	1	3	1	3	10	5	8	2	6	2	-
Other Causes	423	165	14	3	1	2	185	1	1	1	-	-	3	4	27	60	102	39
410.—BILLESDON.																		
Mean Popul^n, 1861–71	3683	104	90	92	90	92	468	413	371	362	301	477	440	351	263	171	61	5
TOTAL DEATHS	496	74	24	13	10	8	129	21	9	6	15	19	36	37	53	72	88	11
Small-pox	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Measles	5	1	-	4	-	-	5	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	17	3	5	2	3	3	16	1	-	-	-	-	-	-	-	-	-	-
Diphtheria	9	1	1	-	-	3	5	3	1	-	-	-	-	-	-	-	-	-
Whooping-cough	6	4	2	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-
Typhus	14	-	2	-	-	-	2	2	-	1	4	3	1	-	-	1	-	-
Diarrhœa & Dysentery	8	5	-	-	-	-	5	-	-	-	-	-	-	1	-	2	-	-
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Zymotic Dis.	15	-	2	2	-	-	4	1	3	-	-	-	2	1	1	3	-	-
Cancer	7	-	-	-	-	-	-	1	-	-	-	-	1	-	3	-	2	-
Scrofula and Tabes	6	1	2	-	-	-	3	-	1	-	-	1	1	-	-	-	-	-
Phthisis	28	-	1	-	-	-	1	1	1	2	6	8	7	1	1	-	-	-
Hydrocephalus	4	1	1	-	2	-	4	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	75	22	2	2	1	1	28	4	-	-	1	3	8	9	7	9	6	-
Dis. of Heart & Dropsy	45	1	-	-	1	-	2	-	1	1	1	-	4	6	12	12	6	-
Dis. of Lungs	57	8	3	2	2	1	16	2	-	-	1	3	1	5	9	7	13	-
Dis. of Stom. and Liver	25	3	-	-	1	-	4	-	-	1	1	-	3	6	7	3	-	-
Dis. of Kidneys	10	-	-	-	-	-	-	-	-	-	-	-	2	3	1	2	2	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-
Other Violent Deaths	19	1	1	-	-	-	2	3	1	1	1	-	4	1	4	1	1	-
Other Causes	140	23	2	1	-	-	26	3	1	-	-	-	1	3	5	32	58	11

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
408.—LUTTERWORTH.																		
Mean Populn, 1861–71	7495	195	172	169	180	189	905	901	793	618	576	941	903	747	558	378	159	16
TOTAL DEATHS	1506	266	71	44	21	18	420	40	34	42	48	108	88	114	141	210	198	63
Small-pox	6	2	–	–	–	–	2	–	–	–	–	–	1	–	1	1	–	1
Measles	16	–	8	6	1	1	16	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	43	1	6	12	7	5	31	8	2	1	1	–	–	–	–	–	–	–
Diphtheria	10	2	–	1	–	2	5	3	1	–	–	1	–	–	–	–	–	–
Whooping-cough	18	6	8	1	–	–	15	3	–	–	–	–	–	–	–	–	–	–
Typhus	40	1	–	1	–	1	3	10	7	5	–	4	3	3	1	2	2	–
Diarrhœa & Dysentery	38	14	1	–	–	–	15	1	–	–	–	–	1	1	6	8	4	2
Cholera	6	1	–	–	–	–	1	–	–	1	–	–	–	–	1	–	3	–
Other Zymotic Dis.	31	3	3	4	4	1	15	4	–	2	–	–	3	1	3	–	3	–
Cancer	43	–	–	–	–	–	–	–	–	–	–	–	7	16	11	7	2	–
Scrofula and Tabes	14	2	–	2	1	1	6	2	–	–	1	2	2	1	–	–	–	–
Phthisis	175	1	1	–	–	–	2	2	10	20	25	62	21	23	9	1	–	–
Hydrocephalus	16	4	2	4	2	2	14	1	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	189	59	9	4	4	2	78	3	3	3	–	5	7	14	25	29	18	4
Dis. of Heart & Dropsy	138	2	–	–	–	–	2	–	3	2	7	10	7	21	27	41	17	1
Dis. of Lungs	179	39	15	5	–	3	62	1	2	4	5	8	6	12	19	25	25	10
Dis. of Stom. and Liver	117	10	4	2	1	–	17	–	2	2	4	9	14	12	25	26	4	2
Dis. of Kidneys	16	1	–	–	–	–	1	–	–	–	1	1	2	2	3	2	4	–
Dis. of Gener. Organs	9	–	–	–	–	–	–	–	–	–	1	1	2	2	3	–	–	–
Dis. of Joints	6	–	–	–	–	–	–	–	–	1	–	–	1	2	1	1	–	–
Dis. of Skin	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Childbirth and Metria	12	–	–	–	–	–	–	–	–	–	3	4	5	–	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–
Other Violent Deaths	22	9	2	–	–	–	11	1	1	–	–	–	–	1	1	5	2	–
Other Causes	257	109	12	2	1	–	124	1	2	1	–	1	4	1	5	62	113	43
409.—MARKET HARBOROUGH.																		
Mean Populn, 1861–71	8179	213	215	213	212	193	1046	995	872	699	653	1088	933	755	582	387	153	16
TOTAL DEATHS	1507	333	77	42	39	22	513	41	27	50	47	84	91	94	110	191	207	52
Small-pox	3	2	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–
Measles	33	3	13	5	5	5	31	–	1	1	–	–	–	–	–	–	–	–
Scarlatina	28	3	1	5	8	–	17	8	2	1	–	–	–	–	–	–	–	–
Diphtheria	15	2	–	2	2	–	6	6	2	1	–	–	–	–	–	–	–	–
Whooping-cough	27	10	4	6	5	2	27	–	–	–	–	–	–	–	–	–	–	–
Typhus	52	–	1	2	1	1	5	6	3	13	4	5	4	6	3	4	–	–
Diarrhœa & Dysentery	55	30	3	–	1	1	35	–	–	–	–	1	1	4	3	5	5	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	33	7	4	4	4	3	22	2	1	1	–	–	1	–	1	4	1	–
Cancer	44	–	–	–	–	–	–	–	–	–	–	3	6	16	7	7	3	2
Scrofula and Tabes	6	1	1	–	1	–	3	–	1	–	–	1	1	–	–	–	–	–
Phthisis	171	6	2	1	–	–	9	3	8	18	33	36	38	20	3	2	1	–
Hydrocephalus	18	7	2	4	2	–	15	–	2	1	–	–	–	–	–	–	–	–
Dis. of Brain	169	59	5	5	3	3	75	7	5	3	–	2	4	7	18	28	17	3
Dis. of Heart & Dropsy	131	1	1	1	–	–	3	2	–	3	3	9	13	14	34	37	12	1
Dis. of Lungs	144	41	23	3	3	3	75	2	1	4	1	5	4	6	7	26	13	–
Dis. of Stom. and Liver	73	6	–	1	–	–	7	2	1	1	3	8	6	13	10	17	4	1
Dis. of Kidneys	9	–	–	–	1	–	1	–	–	–	2	–	–	2	2	1	1	–
Dis. of Gener. Organs	7	–	–	–	–	–	–	–	–	1	–	–	1	–	4	–	1	–
Dis. of Joints	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Dis. of Skin	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Childbirth and Metria	16	–	–	–	–	–	–	–	–	1	–	7	7	1	–	–	–	–
Suicide	5	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	–	–
Other Violent Deaths	19	7	1	–	2	–	10	1	–	–	1	2	–	–	–	1	4	–
Other Causes	415	148	16	3	1	2	170	2	–	–	–	5	4	2	15	58	145	44
410.—BILLESDON.																		
Mean Populn, 1861–71	3737	91	88	94	85	91	449	442	349	327	329	555	444	330	258	176	71	7
TOTAL DEATHS	458	81	35	8	8	8	140	16	13	13	19	31	22	31	33	69	54	17
Small pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	5	5	–	–	–	–	5	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	14	2	3	2	–	2	9	5	–	–	–	–	–	–	–	–	–	–
Diphtheria	13	1	4	–	1	2	8	2	2	–	1	–	–	–	–	–	–	–
Whooping-cough	11	5	5	–	1	–	11	–	–	–	–	–	–	–	–	–	–	–
Typhus	13	–	2	1	–	–	3	–	2	3	1	–	–	–	4	–	–	–
Diarrhœa & Dysentery	6	5	–	–	–	–	5	–	–	–	–	–	–	1	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	10	1	1	1	1	1	5	3	2	–	–	–	–	–	–	–	–	–
Cancer	7	–	–	–	–	–	–	–	–	–	–	2	–	2	–	3	–	–
Scrofula and Tabes	5	–	2	–	–	–	2	–	1	–	1	–	1	–	–	–	–	–
Phthisis	62	2	1	–	–	–	3	4	1	8	12	16	7	10	1	–	–	–
Hydrocephalus	5	1	1	–	–	1	3	–	–	1	–	1	–	–	–	–	–	–
Dis. of Brain	60	19	6	2	–	1	28	1	2	–	–	1	8	4	2	9	4	1
Dis. of Heart & Dropsy	40	1	1	–	–	–	2	–	1	–	2	5	1	6	12	9	2	–
Dis. of Lungs	32	2	7	1	1	–	11	1	1	–	–	2	2	–	5	7	3	–
Dis. of Stom. and Liver	18	3	–	–	2	1	6	–	1	–	–	1	–	3	1	5	1	–
Dis. of Kidneys	4	1	–	–	–	–	1	–	–	–	1	1	–	1	–	–	–	–
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Dis. of Joints	2	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Dis. of Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	6	–	–	–	–	–	–	–	–	–	1	2	3	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Other Violent Deaths	5	2	–	–	1	–	3	–	–	–	–	–	–	–	–	1	1	–
Other Causes	137	30	2	1	1	–	34	–	–	1	–	–	–	1	7	35	43	16

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
411.—BLABY.																		
Mean Popul^n, 1861-71	7089	211	203	197	173	186	970	912	828	661	505	832	745	646	521	328	127	14
TOTAL DEATHS	1477	493	112	64	35	26	730	34	20	23	36	73	50	67	106	157	140	41
Small-pox	16	2	1	5	4	1	13	-	1	-	-	2	-	-	-	-	-	-
Measles	30	7	13	5	3	2	30	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	32	-	5	6	5	9	25	4	3	-	-	-	-	-	-	-	-	-
Diphtheria	6	-	2	2	1	1	6	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	26	13	6	5	2	-	26	-	-	-	-	-	-	-	-	-	-	-
Typhus	31	-	5	-	2	1	8	2	-	2	7	5	3	-	-	2	2	-
Diarrhœa & Dysentery	81	51	8	1	3	-	63	-	-	-	-	1	-	-	1	4	11	1
Cholera	4	2	-	-	-	-	2	-	-	-	-	1	-	-	-	-	1	-
Other Zymotic Dis.	36	7	4	5	-	-	16	2	2	1	-	-	2	3	3	1	3	3
Cancer	17	-	-	-	-	-	-	-	-	-	-	-	1	2	5	7	2	-
Scrofula and Tabes	52	21	9	7	-	-	37	4	-	2	1	-	4	1	1	2	-	-
Phthisis	98	2	2	1	1	1	7	-	2	8	21	29	13	12	4	1	1	-
Hydrocephalus	16	10	1	1	-	3	15	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	229	100	11	3	7	1	125	11	2	2	1	3	7	9	20	27	21	1
Dis. of Heart & Dropsy	85	8	-	1	-	-	9	-	2	1	-	3	4	16	19	20	9	2
Dis. of Lungs	223	66	22	11	3	1	103	4	1	2	1	8	9	17	25	31	18	4
Dis. of Stom. and Liver	61	14	4	3	1	-	22	1	3	1	1	3	2	2	8	12	6	-
Dis. of Kidneys	35	2	-	1	-	-	3	-	1	-	1	2	1	2	8	10	6	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Dis. of Joints	9	-	-	-	-	1	1	-	1	1	2	3	-	-	1	-	-	-
Dis. of Skin	6	2	-	-	-	-	2	-	1	-	-	1	-	-	-	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	1	-	-	-	-	4	-	-	-
Other Violent Deaths	52	3	4	4	2	4	17	5	1	2	-	10	2	3	3	7	2	-
Other Causes	326	183	12	3	1	1	200	-	-	-	1	2	1	-	4	32	57	29
412.—HINCKLEY.																		
Mean Popul^n, 1861-71	8003	241	213	224	205	211	1094	1013	900	768	577	932	879	750	568	369	135	18
TOTAL DEATHS	1803	551	135	78	49	29	842	59	24	37	48	69	76	74	110	228	189	47
Small-pox	2	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Measles	48	7	18	8	6	3	42	6	-	-	-	-	-	-	-	-	-	-
Scarlatina	84	9	10	22	20	6	67	13	2	1	-	1	-	-	-	-	-	-
Diphtheria	6	1	1	1	1	-	4	-	-	-	-	-	1	-	1	-	-	-
Whooping-cough	37	18	13	4	2	-	37	-	-	-	-	-	-	-	-	-	-	-
Typhus	85	4	7	8	5	2	24	8	9	10	7	6	8	4	3	2	4	-
Diarrhœa & Dysentery	79	46	8	-	-	1	55	-	-	-	-	-	2	4	2	8	6	2
Cholera	7	2	1	-	-	-	3	-	-	-	-	-	1	-	1	2	-	-
Other Zymotic Dis.	35	7	5	2	2	1	17	3	3	-	-	1	2	2	2	3	1	1
Cancer	13	-	-	-	-	-	-	-	-	-	-	-	2	2	2	3	4	-
Scrotula and Tabes	31	9	6	2	-	1	18	4	1	2	1	1	1	1	-	2	-	-
Phthisis	140	2	6	3	1	1	13	1	4	16	26	35	22	10	9	3	1	-
Hydrocephalus	25	9	5	7	1	1	23	2	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	251	125	9	3	2	3	142	4	1	3	1	3	3	14	12	40	27	4
Dis. of Heart & Dropsy	89	4	-	1	1	-	6	2	1	1	1	5	8	7	14	28	16	-
Dis. of Lungs	246	64	19	6	2	2	93	2	-	1	3	6	12	16	35	50	26	2
Dis. of Stom. and Liver	86	18	4	-	2	1	25	3	2	1	2	2	3	5	10	25	8	-
Dis. of Kidneys	39	-	1	1	1	1	4	3	-	-	2	1	3	2	7	8	9	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Dis. of Joints	11	-	-	-	-	1	1	2	-	1	1	-	-	3	2	1	-	-
Dis. of Skin	8	4	-	-	-	1	5	-	-	-	-	-	1	-	1	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-
Other Violent Deaths	42	5	2	2	4	4	17	4	-	1	4	6	4	3	1	2	-	-
Other Causes	431	216	20	8	1	-	245	2	1	-	-	2	2	1	6	49	85	38
413.—MARKET BOSWORTH.																		
Mean Popul^n, 1861-71	6848	188	183	181	179	171	902	841	796	701	515	786	728	633	491	318	117	20
TOTAL DEATHS	1334	363	61	36	32	22	514	41	25	24	44	48	44	79	106	194	163	52
Small-pox	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Measles	15	3	2	6	3	-	14	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	54	8	8	9	6	9	40	9	2	1	1	-	1	-	-	-	-	-
Diphtheria	11	3	2	-	2	3	10	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	19	12	6	-	1	-	19	-	-	-	-	-	-	-	-	-	-	-
Typhus	40	1	-	-	2	1	4	6	4	2	4	3	2	5	7	3	-	-
Diarrhœa & Dysentery	27	14	2	-	-	-	16	1	-	-	-	1	-	-	1	3	4	1
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	28	2	2	2	4	4	14	2	-	-	1	-	-	3	2	4	2	-
Cancer	23	-	-	-	1	-	1	-	-	1	1	-	1	2	4	10	3	-
Scrofula and Tabes	23	4	2	3	-	-	9	1	2	2	2	3	2	1	-	-	1	-
Phthisis	113	2	-	1	-	1	4	2	4	8	24	26	15	10	11	9	-	-
Hydrocephalus	13	4	2	2	-	2	10	3	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	258	168	6	5	4	-	183	2	3	1	-	2	3	9	12	24	16	3
Dis. of Heart & Dropsy	109	-	-	1	-	-	1	3	2	4	2	3	5	7	25	36	19	2
Dis. of Lungs	163	46	20	3	4	1	74	2	1	2	2	3	3	15	16	29	13	3
Dis. of Stom. and Liver	50	3	1	2	-	-	6	1	1	-	1	2	2	8	9	17	3	-
Dis. of Kidneys	33	-	-	-	-	-	-	-	1	1	-	1	3	3	9	13	2	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	3	-	1	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-
Dis. of Skin	6	-	-	-	-	-	-	-	1	-	1	-	-	1	2	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-
Other Violent Deaths	47	1	1	1	3	1	7	6	4	1	4	3	6	10	1	4	1	-
Other Causes	294	92	6	1	2	-	101	1	-	1	-	1	-	2	6	40	99	43

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
411.—BLABY.																		
Mean Popln. 1861–71	7404	212	194	194	182	191	973	912	781	664	638	1010	836	672	490	299	113	16
Total Deaths	1159	370	104	44	29	15	562	42	30	46	39	65	80	81	116	186	164	48
Small-pox	17	4	–	2	2	–	8	3	2	–	1	–	1	–	1	1	–	–
Measles	35	6	13	10	3	–	32	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	33	3	15	3	4	2	27	4	1	1	–	–	–	–	–	–	–	–
Diphtheria	4	2	–	–	1	–	3	1	–	–	–	–	–	–	–	–	–	–
Hooping-cough	23	10	9	2	1	1	23	3	–	–	–	–	–	–	–	–	–	–
Typhus	47	1	–	1	1	2	5	6	4	12	2	4	3	3	4	3	1	–
Diarrhœa & Dysentery	84	45	5	1	1	1	53		1	–	1	2	1	3	2	8	12	1
Cholera	7	1	–	–	–	–	1	–	1	–	–	–	–	2	2	–	1	–
Other Zymotic Dis.	35	5	2	4	2	2	15	3	–	1	1	2	1	3	3	4	–	2
Cancer	36	–	–	–	–	–	–	–	–	–	–	–	3	6	8	12	6	1
Scrofula and Tabes	43	19	8	–	1	1	29	3	–	4	2	2	1	2	–	–	–	–
Phthisis	121	–	–	–	–	–	–	1	10	20	21	19	23	16	5	2	1	–
Hydrocephalus	12	5	2	3	1	–	11	1	–	–	–	–	–	–	–	–	–	–
Ds. of Brain	182	60	12	8	5	2	87	6	2	–	2	1	6	5	19	27	22	5
Ds. of Heart & Dropsy	86	2	1	–	–	–	3	2	3	1	1	6	8	9	21	23	8	1
Ds. of Lungs	214	48	23	8	4	3	86	1	3	4	2	7	8	10	21	41	26	5
Ds. of Stom. and Liver	83	8	3	–	1	–	12	2	–	1	–	3	14	12	15	11	7	1
Ds. of Kidneys	18	–	–	–	–	–	–	–	1	–	–	1	3	3	5	3	2	–
Ds. of Gener. Organs	8	–	–	–	–	–	–	–	–	–	–	2	1	2	–	2	1	–
Ds. of Joints	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–
Ds. of Skin	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–
Childbirth and Metria	18	–	–	–	–	–	–	–	–	2	3	8	5	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Deaths	21	3	1	–	1	1	6	3	2	–	–	1	1	2	–	3	3	–
Other Causes	323	148	10	2	1	–	161	–	–	–	–	1	–	3	9	45	72	32
412.—HINCKLEY.																		
Mean Popln. 1861–71	8257	261	225	222	198	222	1128	1001	921	781	686	1097	917	714	524	346	132	10
Total Deaths	1771	423	133	69	43	28	696	51	36	82	68	110	102	93	124	185	178	46
Small-pox	2	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Measles	48	4	25	7	7	3	46	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	97	7	19	22	16	13	77	17	–	1	2	–	–	–	–	–	–	–
Diphtheria	7	–	1	1	–	–	2	2	2	1	–	–	–	–	–	–	–	–
Hooping-cough	37	16	11	8	2	–	37	–	–	–	–	–	–	–	–	–	–	–
Typhus	95	3	5	2	2	5	17	10	11	15	5	9	9	5	3	7	4	–
Diarrhœa & Dysentery	75	35	13	2	1	1	52	1	–	–	1	3	2	3	2	6	5	–
Cholera	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	27	6	3	1	2	–	12	3	–	–	–	1		3	3	3	2	–
Cancer	38	–	–	–	–	–	–	–	–	–	–	2	8	10	9	7	2	–
Scrofula and Tabes	35	6	4	2	1	–	13	2	7	3	2	2	2	–	4	–	–	–
Phthisis	192	3	1	3	–	–	7	1	6	47	35	49	21	17	8	1		–
Hydrocephalus	17	6	2	3	2	1	14	1	1	1	–	–	–	–	–	–	–	–
Ds. of Brain	215	85	12	2	2	4	105	2	2	2	4	5	6	14	19	30	25	1
Ds. of Heart & Dropsy	117	1	1	–	1	–	3	–	3	1	1	8	10	11	29	31	16	4
Ds. of Lungs	195	55	20	8	4	1	88	1	2	2	2	8	8	8	16	36	20	4
Ds. of Stom. and Liver	80	12	3	–	2	–	17	2	1	1	6	4	9	12	16	9	2	1
Ds. of Kidneys	20	–	–	–	–	–	–	–	–	–	2	2	5	3	3	5	–	–
Ds. of Gener. Organs	9	–	–	–	–	–	–	–	–	–	–	3	1	2	–	2	1	–
Ds. of Joints	9	–	–	1	–	–	1	–	–	1	–	–	1	1	2	2	1	–
Ds. of Skin	6	3	1	–	–	–	4	–		–	–	–	–	–	–	–	1	1
Childbirth and Metria	37	–	–	–	–	–	–	–	–	4	6	11	16	–	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Other Violent Deaths	20	7	2	2	–	–	11	3	–	–	1	–	1	1	–	1	1	1
Other Causes	390	173	10	5	–	–	188	4	1	3	–	2	3	2	10	45	98	34
413.—MARKET BOSWORTH.																		
Mean Popln. 1861–71	6739	213	175	179	168	172	907	859	722	547	537	852	733	636	512	299	114	21
Total Deaths	1278	285	83	36	27	15	446	49	19	54	48	83	64	62	106	153	145	49
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	23	6	8	3	3	–	20	1	1	–	–	–	1	–	–	–	–	–
Scarlatina	45	4	7	5	8	6	30	14	1	–	–	–	–	–	–	–	–	–
Diphtheria	10	1	1	3	1	–	6	4	–	–	–	–	–	–	–	–	–	–
Hooping-cough	27	11	9	1	1	1	26	1	–	–	–	–	–	–	–	–	–	–
Typhus	53	1	4	–	–	1	6	10	6	8	4	6	4	2	6	–	1	–
Diarrhœa & Dysentery	26	17	3	–	–	–	20	–	–	–	–	2	1	–	1	2	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	26	6	1	5	3	2	17	3	–	–	–	–	–	–	2	3	1	–
Cancer	32	–	–	–	–	–	–	–	–	–	–	–	3	9	10	7	3	–
Scrofula and Tabes	16	4	2	1	–	1	8	–	1	2	1	2	–	–	–	2	–	–
Phthisis	172	2	1	3	2	–	8	2	5	31	27	42	24	16	13	4	–	–
Hydrocephalus	7	–	2	–	–	2	4	3	–	–	–	–	–	–	–	–	–	–
Ds. of Brain	211	113	13	3	1	–	130	3	1	6	5	7	4	9	18	21	7	–
Ds. of Heart & Dropsy	105	1	–	–	–	–	1	1	–	2	1	6	4	14	21	34	18	–
Ds. of Lungs	121	27	20	8	4	2	61	3	–	–	2	2	4	3	11	23	7	2
Ds. of Stom. and Liver	50	9	1	2	–	–	12	1	–	1	4	5	6	3	7	9	1	1
Ds. of Kidneys	12	1	–	–	–	–	1	1	–	–	–	2	1	2	4	1	–	–
Ds. of Gener. Organs	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–
Ds. of Joints	5	–	–	–	1	–	1	–	–	1	–	–	–	1	1	1	–	–
Ds. of Skin	5	–	–	–	–	–	–	–	1	–	–	1	1	1	1	–	–	–
Childbirth and Metria	18	–	–	–	–	–	–	–	–	–	3	6	9	–	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–
Other Violent Deaths	20	3	–	1	2	–	6	2	3	2	–	1	1	1	–	3	1	1
Other Causes	287	76	11	1	1	–	89	–	–	1	–	1	1	1	3	40	106	45

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
414.—ASHBY-DE-LA-ZOUCH.																		
Mean Popul^n, 1861-71	15174	482	453	432	409	394	2170	1924	1792	1634	1155	1913	1620	1279	895	541	224	27
TOTAL DEATHS	3093	974	251	90	54	40	1409	81	63	105	98	128	147	167	228	295	289	83
Small-pox	10	5	1	–	–	–	6	1	–	1	1	1	–	–	–	–	–	–
Measles	58	15	24	13	3	2	57	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	54	8	9	7	11	10	45	6	3	–	–	–	–	–	–	–	–	–
Diphtheria	15	1	3	2	2	1	9	4	–	2	–	–	–	–	–	–	–	–
Whooping-cough	22	14	6	–	–	1	21	1	–	–	–	–	–	–	–	–	–	–
Typhus	128	6	5	5	7	3	26	11	16	18	17	9	12	4	7	3	2	–
Diarrhœa & Dysentery	77	42	13	2	1	–	58	1	1	–	–	–	1	2	2	8	4	–
Cholera	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
Other Zymotic Dis.	70	9	8	11	8	3	39	3	2	3	1	2	4	2	7	2	5	–
Cancer	33	–	–	–	–	–	–	–	–	–	1	1	2	7	10	6	4	2
Scrofula and Tabes	38	13	7	2	–	–	22	2	2	4	1	2	–	1	2	2	–	–
Phthisis	225	8	10	1	–	1	20	–	4	28	37	52	36	23	17	6	2	–
Hydrocephalus	36	7	12	5	1	–	25	11	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	559	323	45	11	4	2	385	7	4	9	6	11	12	20	30	46	28	1
Dis. of Heart & Dropsy	198	2	–	–	–	1	3	3	–	5	2	7	11	24	43	66	29	5
Dis. of Lungs	487	196	66	16	8	7	293	8	3	6	6	12	16	26	35	49	31	2
Dis. of Stom. and Liver	147	26	4	2	3	2	37	5	3	5	4	3	14	15	21	22	17	1
Dis. of Kidneys	50	–	1	–	–	1	2	–	–	3	3	3	4	7	11	13	3	1
Dis. of Gener. Organs	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	9	–	–	–	–	–	–	–	2	1	1	1	1	–	3	–	–	–
Dis. of Skin	11	2	–	–	–	–	2	–	1	–	–	–	1	–	1	3	2	1
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	11	–	–	–	–	–	–	–	–	–	–	2	1	4	2	1	1	–
Other Violent Deaths	170	4	6	5	3	5	23	11	22	18	18	17	21	19	15	5	1	–
Other Causes	682	293	31	7	3	1	335	3	–	2	–	5	10	13	22	62	160	70
415.—LOUGHBOROUGH.																		
Mean Popul^n, 1861-71	11787	375	338	302	304	327	1646	1484	1354	1094	813	1459	1278	1066	817	562	192	22
TOTAL DEATHS	2774	835	187	104	57	37	1220	82	54	60	71	113	122	161	208	332	279	72
Small-pox	14	2	2	–	1	1	6	2	3	–	3	–	–	–	–	–	–	–
Measles	41	8	15	9	7	2	41	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	57	1	6	12	12	8	39	13	3	–	–	–	–	2	–	–	–	–
Diphtheria	18	2	1	3	–	1	7	7	3	–	–	–	1	–	–	–	–	–
Whooping-cough	37	22	8	6	–	–	36	1	–	–	–	–	–	–	–	–	–	–
Typhus	103	3	5	4	6	2	20	19	10	10	6	11	8	4	5	8	–	2
Diarrhœa & Dysentery	120	80	19	–	1	–	100	1	–	–	–	1	1	1	2	6	4	4
Cholera	4	–	1	1	–	–	2	1	–	–	–	–	–	1	–	–	–	
Other Zymotic Dis.	54	6	5	9	5	4	29	4	4	1	1	1	2	2	3	3	3	1
Cancer	36	–	–	–	1	–	1	–	–	–	–	–	2	7	10	11	4	1
Scrofula and Tabes	77	48	16	4	–	2	70	2	2	1	–	–	–	1	–	–	1	–
Phthisis	253	14	5	3	–	–	22	–	11	30	40	56	45	32	13	4	–	–
Hydrocephalus	33	11	5	7	4	–	27	1	5	–	–	–	–	–	–	–	–	–
Dis. of Brain	375	187	7	9	7	3	213	5	2	2	8	6	9	23	31	49	26	1
Dis. of Heart & Dropsy	148	2	1	–	2	–	5	2	2	3	–	8	7	25	40	40	15	1
Dis. of Lungs	452	140	62	22	5	7	236	7	2	5	4	11	20	19	42	66	31	9
Dis. of Stom. and Liver	118	11	–	1	–	3	15	3	1	1	3	8	9	21	24	23	10	–
Dis. of Kidneys	51	–	–	–	–	–	–	1	–	–	1	2	3	11	8	15	9	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	2	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Dis. of Skin	6	2	1	1	–	–	4	–	–	–	–	–	–	–	–	2	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	17	–	–	–	–	–	–	–	–	–	–	1	4	3	4	4	1	–
Other Violent Deaths	82	4	1	6	3	2	16	9	6	6	5	6	6	4	7	11	6	–
Other Causes	676	291	27	7	3	2	330	4	–	–	–	2	5	5	19	90	169	52
416.—BARROW-ON-SOAR.																		
Mean Popul^n, 1861-71	10263	311	282	275	289	284	1441	1292	1204	935	727	1233	1091	921	752	471	173	23
TOTAL DEATHS	2173	638	141	77	41	27	924	76	56	48	60	82	81	91	211	273	213	53
Small-pox	2	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Measles	35	11	10	6	3	3	33	1	–	–	1	–	–	–	–	–	–	–
Scarlatina	56	2	8	14	9	6	39	13	2	1	–	1	–	–	–	–	–	–
Diphtheria	11	4	1	2	4	–	11	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	50	29	11	8	2	–	50	–	–	–	–	–	–	–	–	–	–	–
Typhus	56	3	2	2	4	1	12	13	5	5	2	6	3	4	3	2	1	–
Diarrhœa & Dysentery	105	57	16	–	3	–	76	–	1	–	–	–	1	2	5	9	9	2
Cholera	4	–	1	–	–	–	1	–	–	–	1	–	–	–	1	1	–	–
Other Zymotic Dis.	50	6	5	4	4	1	20	2	3	–	1	1	2	2	5	8	2	4
Cancer	19	–	–	–	–	–	–	–	1	1	–	1	2	2	8	2	1	1
Scrofula and Tabes	63	39	7	3	–	–	49	3	1	3	–	2	2	–	2	1	–	–
Phthisis	179	7	3	2	–	1	13	5	8	28	30	37	24	17	11	5	1	–
Hydrocephalus	28	9	4	2	1	2	18	6	4	–	–	–	–	–	–	–	–	–
Dis. of Brain	309	150	14	6	2	2	174	6	4	1	3	8	5	10	24	46	26	2
Dis. of Heart & Dropsy	156	3	–	–	–	–	3	2	1	–	3	6	8	12	38	57	23	3
Dis. of Lungs	346	88	34	14	7	3	146	5	7	3	4	7	10	16	45	50	47	6
Dis. of Stom. and Liver	96	12	2	3	–	3	20	2	2	–	1	5	8	8	29	19	2	–
Dis. of Kidneys	49	–	1	1	–	–	2	1	1	–	1	–	2	4	13	19	5	1
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Dis. of Joints	5	–	–	–	–	1	1	1	–	–	–	–	1	–	1	1	–	–
Dis. of Skin	3	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	16	–	–	–	–	–	–	–	–	–	–	–	1	6	5	4	–	–
Other Violent Deaths	96	9	2	7	2	3	23	8	11	5	11	3	9	5	11	8	2	2
Other Causes	438	208	20	3	–	1	232	8	5	1	1	4	3	4	9	41	94	36

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
414.—ASHBY-DE-LA-ZOUCH.																		
Mean Popul^n, 1861–71	14832	477	428	427	463	391	2186	1977	1608	1303	1202	2015	1613	1263	864	541	226	34
TOTAL DEATHS	2896	724	185	105	47	43	1104	87	56	78	98	200	170	166	220	318	311	88
Small-pox	8	2	–	1	1	1	5	2	–	–	1	–	–	–	–	–	–	–
Measles	57	11	19	11	9	1	54	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	34	3	4	7	4	1	19	9	2	1	–	1	1	–	1	–	–	–
Diphtheria	9	–	2	2	2	1	7	1	1	–	–	–	–	–	–	–	–	–
Whooping-cough	34	14	13	3	2	1	33	1	–	–	–	–	–	–	–	–	–	–
Typhus	159	4	4	5	3	4	20	18	20	23	15	27	14	7	8	7	–	–
Diarrhœa & Dysentery	106	46	10	3	–	1	60	1	–	1	1	7	1	1	9	12	10	–
Cholera	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Other Zymotic Dis.	54	4	3	8	4	6	25	5	–	1	1	3	2	–	3	10	4	–
Cancer	60	–	–	–	–	–	–	–	–	–	–	2	5	19	16	11	7	–
Scrofula and Tabes	25	9	3	5	–	–	17	1	2	–	1	1	–	–	1	1	1	–
Phthisis	302	3	6	5	2	2	18	4	13	30	48	79	52	32	18	8	–	–
Hydrocephalus	28	5	7	4	3	2	21	6	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	463	214	28	12	3	2	289	10	6	3	6	7	15	21	25	45	35	1
Dis. of Heart & Dropsy	255	3	2	2	–	1	8	–	2	7	5	15	25	38	54	62	33	6
Dis. of Lungs	413	132	59	20	10	10	231	8	2	4	5	10	10	15	38	48	37	5
Dis. of Stom. and Liver	105	9	1	4	3	2	19	4	3	2	4	7	4	17	14	25	6	–
Dis. of Kidneys	23	–	2	1	–	–	3	–	–	–	1	3	3	3	6	4	–	–
Dis. of Gener. Organs	14	–	–	–	–	–	–	–	–	–	3	2	6	–	2	1	–	–
Dis. of Joints	8	–	–	–	1	–	1	–	–	–	–	1	–	3	2	1	–	–
Dis. of Skin	3	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–
Childbirth and Metria	36	–	–	–	–	–	–	–	–	4	6	22	22	2	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	–
Other Violent Deaths	41	4	4	3	–	7	18	10	1	–	–	3	1	–	–	3	5	–
Other Causes	636	231	18	6	–	1	256	4	3	2	1	9	9	5	23	79	170	75
415.—LOUGHBOROUGH.																		
Mean Popul^n, 1861–71	12477	334	327	313	326	300	1600	1447	1316	1170	1047	1712	1370	1149	855	571	209	31
TOTAL DEATHS	2789	656	186	74	70	39	1025	93	59	95	105	186	154	143	235	333	280	81
Small-pox	9	3	1	2	1	–	7	1	–	–	–	1	–	–	–	–	–	–
Measles	39	7	15	6	6	2	36	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	50	4	9	4	10	6	33	11	3	1	–	1	1	–	–	–	–	–
Diphtheria	31	2	2	2	7	4	17	8	6	–	–	–	–	–	–	–	–	–
Whooping cough	43	26	7	3	2	4	42	1	–	–	–	–	–	–	–	–	–	–
Typhus	125	4	3	8	7	7	29	24	17	17	7	12	5	4	5	4	1	–
Diarrhœa & Dysentery	100	55	9	5	1	1	71	–	1	1	–	–	4	2	7	5	8	1
Cholera	3	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–
Other Zymotic Dis.	34	3	4	4	4	1	16	2	2	–	1	–	2	–	3	6	1	1
Cancer	63	–	–	–	–	–	–	–	–	–	1	1	5	16	23	9	8	–
Scrofula and Tabes	76	41	11	6	2	–	60	–	2	4	5	1	2	1	–	1	–	–
Phthisis	338	9	8	1	4	–	22	7	10	49	57	102	51	30	9	2	–	–
Hydrocephalus	36	11	9	–	4	–	24	9	2	1	–	–	–	–	–	–	–	–
Dis. of Brain	301	123	13	4	5	–	145	8	1	4	5	9	13	17	30	41	24	4
Dis. of Heart & Dropsy	243	3	–	1	2	–	6	1	4	4	7	13	26	33	65	57	25	2
Dis. of Lungs	382	94	52	19	11	10	186	9	4	3	8	13	14	14	35	65	27	4
Dis. of Stom. and Liver	124	16	2	1	1	–	20	3	2	2	3	12	10	16	22	28	6	–
Dis. of Kidneys	15	–	–	–	–	–	–	–	–	–	1	1	3	1	5	3	1	–
Dis. of Gener. Organs	12	–	–	–	–	–	–	–	–	–	–	1	3	4	3	1	–	–
Dis. of Joints	3	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–
Dis. of Skin	6	2	–	–	–	–	2	–	–	–	–	1	–	–	2	1	–	–
Childbirth and Metria	42	–	–	–	–	–	–	–	–	7	7	14	13	1	–	–	–	–
Suicide	5	–	–	–	–	–	–	–	–	–	3	–	–	1	1	–	–	–
Other Violent Deaths	41	8	1	2	2	3	16	5	5	–	–	1	–	–	2	7	4	1
Other Causes	667	215	40	6	1	1	293	1	–	1	–	2	2	2	22	101	175	68
416.—BARROW-ON-SOAR.																		
Mean Popul^n, 1861–71	10406	314	292	263	260	248	1377	1305	1088	905	826	1420	1165	955	716	455	173	21
TOTAL DEATHS	2139	560	133	62	43	27	825	65	26	71	65	160	130	85	171	253	215	73
Small-pox	8	–	2	2	–	–	4	1	–	–	–	2	–	–	–	1	–	–
Measles	37	7	16	6	3	2	34	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	40	6	6	5	3	6	26	13	1	–	–	–	–	–	–	–	–	–
Diphtheria	10	1	1	3	–	1	6	3	–	–	–	–	1	–	–	–	–	–
Whooping-cough	48	26	10	5	5	1	47	1	–	–	–	–	–	–	–	–	–	–
Typhus	81	–	–	3	3	3	9	13	8	11	5	18	10	1	4	1	1	–
Diarrhœa & Dysentery	118	61	16	3	2	1	83	–	1	–	1	2	3	–	4	10	12	2
Cholera	4	1	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	1
Other Zymotic Dis.	56	2	7	3	6	2	20	5	–	1	–	4	4	3	2	13	4	–
Cancer	46	–	–	–	–	–	–	–	–	1	–	–	5	8	13	14	5	–
Scrofula and Tabes	47	28	6	2	–	1	37	2	1	–	2	1	1	1	1	1	–	–
Phthisis	277	7	5	1	1	3	17	3	9	40	43	83	48	23	7	3	–	1
Hydrocephalus	22	4	1	3	4	2	14	6	1	1	–	–	–	–	–	–	–	–
Dis. of Brain	312	131	12	7	6	–	159	5	3	2	4	7	7	12	34	46	31	2
Dis. of Heart & Dropsy	151	2	–	–	–	1	3	2	–	4	–	10	12	17	35	48	19	1
Dis. of Lungs	270	64	24	11	5	3	107	3	–	3	2	10	6	7	27	57	38	10
Dis. of Stom. and Liver	93	11	2	1	1	–	15	1	2	2	4	5	9	7	25	16	7	–
Dis. of Kidneys	15	–	–	–	–	1	1	–	–	1	–	–	3	2	4	3	1	–
Dis. of Gener. Organs	10	1	–	–	–	–	1	–	–	–	1	1	–	2	3	1	1	–
Dis. of Joints	6	1	2	–	–	–	3	–	–	1	–	1	–	1	–	–	–	–
Dis. of Skin	8	–	1	–	–	–	1	–	–	–	–	2	3	–	1	–	1	–
Childbirth and Metria	18	–	–	–	–	–	–	–	–	1	2	6	9	–	–	–	–	–
Suicide	11	–	–	–	–	–	–	–	–	1	–	2	2	1	1	3	1	–
Other Violent Deaths	25	5	4	1	3	–	13	2	–	2	–	1	–	–	1	3	3	–
Other Causes	426	199	18	6	1	–	224	2	–	–	1	5	6	–	9	32	91	56

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
417.—LEICESTER.																		
Mean Popul^n, 1861–71	38404	1357	1130	1031	1003	983	5504	4533	4088	3886	3396	5694	4358	3237	2189	1142	336	41
TOTAL DEATHS	10966	3995	1058	461	268	148	5930	285	151	247	246	536	589	635	793	884	551	119
Small-pox	66	17	5	8	5	5	40	7	2	2	6	5	1	3	-	-	-	-
Measles	352	81	138	81	34	8	345	6	-	-	1	-	-	-	-	-	-	-
Scarlatina	329	26	48	78	54	45	251	58	10	4	-	3	3	-	-	-	-	-
Diphtheria	38	17	5	3	1	2	28	3	1	2	1	1	1	-	1	-	-	-
Whooping-cough	210	85	67	31	18	7	208	2	-	-	-	-	-	-	-	-	-	-
Typhus	281	17	17	18	12	9	73	41	27	27	11	21	26	15	19	12	2	1
Diarrhœa & Dysentery	1122	821	161	29	9	1	1024	6	-	-	3	3	7	7	16	23	30	3
Cholera	19	4	1	-	1	-	6	-	-	-	1	1	1	3	6	1	-	-
Other Zymotic Dis.	190	31	25	16	21	6	102	12	2	3	2	10	4	16	10	20	9	-
Cancer	97	-	-	-	-	-	-	1	2	1	3	2	6	30	28	16	8	-
Scrofula and Tabes	209	87	28	13	8	5	141	10	10	11	4	12	6	5	6	3	1	-
Phthisis	958	50	34	10	7	2	102	20	9	93	133	243	188	87	65	16	2	-
Hydrocephalus	142	68	39	13	6	2	128	10	3	1	-	-	-	-	-	-	-	-
Dis. of Brain	1460	686	110	33	16	18	863	29	12	22	16	51	76	83	118	120	60	7
Dis. of Heart & Dropsy	566	9	5	3	1	2	20	8	17	23	14	59	81	101	96	108	29	2
Dis. of Lungs	1613	455	201	85	39	18	798	18	9	12	13	33	72	129	214	227	103	18
Dis. of Stom. and Liver	416	79	7	1	5	2	91	9	10	10	7	22	38	57	82	67	19	1
Dis. of Kidneys	194	2	2	2	2	1	9	5	3	5	6	15	23	17	42	45	21	3
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-
Dis. of Joints	37	1	-	-	-	-	1	2	5	5	2	6	3	7	-	5	1	-
Dis. of Skin	24	8	-	2	-	-	10	-	-	-	-	2	3	2	3	2	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	53	-	-	-	-	-	-	-	2	1	4	4	10	19	10	2	1	-
Other Violent Deaths	312	34	15	7	17	9	82	28	21	18	13	29	24	35	26	21	11	4
Other Causes	2242	1414	148	25	12	6	1605	10	6	2	2	8	12	19	50	196	252	80
418.—MELTON MOWBRAY.																		
Mean Popul^n, 1861–71	9896	264	255	264	236	249	1268	1211	1086	938	712	1223	1094	945	758	471	175	15
TOTAL DEATHS	1874	478	81	40	22	24	645	65	25	55	56	112	107	105	184	254	215	51
Small-pox	5	1	-	-	-	-	1	-	-	-	-	2	-	2	-	-	-	-
Measles	21	3	6	7	2	1	19	1	1	-	-	-	-	-	-	-	-	-
Scarlatina	25	2	4	3	3	4	16	6	1	1	-	-	-	-	-	1	-	-
Diphtheria	19	4	1	-	1	1	7	6	1	3	-	1	-	-	-	1	-	-
Whooping-cough	25	14	5	2	1	1	23	2	-	-	-	-	-	-	-	-	-	-
Typhus	62	2	-	2	2	1	7	5	4	10	3	5	9	6	6	5	2	-
Diarrhœa & Dysentery	78	33	10	1	1	-	45	1	-	2	1	-	3	4	3	8	10	1
Cholera	6	-	-	-	-	1	1	1	-	-	-	-	2	-	-	1	1	-
Other Zymotic Dis.	38	4	1	2	1	2	10	4	4	-	1	1	1	3	4	4	4	2
Cancer	19	-	-	-	-	-	-	-	-	-	-	1	1	3	5	5	4	-
Scrofula and Tabes	24	11	2	-	-	-	13	3	-	2	1	2	1	-	2	-	-	-
Phthisis	182	-	1	-	-	-	1	5	2	20	30	55	37	13	14	5	-	-
Hydrocephalus	11	3	4	1	1	-	9	1	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	244	110	6	5	1	5	127	10	3	-	4	8	9	7	19	37	18	2
Dis. of Heart & Dropsy	148	5	2	2	-	-	9	-	1	2	4	8	9	16	32	40	26	1
Dis. of Lungs	252	72	27	8	4	2	113	4	-	2	3	9	9	17	29	34	26	6
Dis. of Stom. and Liver	117	18	-	1	-	2	21	4	1	3	2	7	11	11	21	21	9	-
Dis. of Kidneys	32	1	-	-	-	-	1	-	1	1	-	2	2	3	9	10	3	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	8	-	-	-	-	-	-	-	-	1	1	-	1	2	3	-	-	-
Dis. of Skin	4	2	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	12	-	-	-	-	-	-	-	-	-	-	4	-	-	5	3	-	-
Other Violent Deaths	62	4	2	1	1	1	9	6	5	7	6	2	5	6	4	10	2	-
Other Causes	480	189	10	5	4	3	211	6	-	1	-	5	7	8	28	65	110	39
419.—OAKHAM.																		
Mean Popul^n, 1861–71	5481	151	142	138	149	140	720	678	629	504	386	661	616	517	413	254	91	12
TOTAL DEATHS	1112	256	58	22	24	18	378	37	25	29	35	57	59	73	96	142	145	36
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	7	1	2	2	2	-	7	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	50	1	8	3	8	4	24	20	4	2	-	-	-	-	-	-	-	-
Diphtheria	14	2	1	1	1	4	9	2	1	-	-	-	1	1	-	-	-	-
Whooping-cough	25	15	6	1	2	-	24	1	-	-	-	-	-	-	-	-	-	-
Typhus	40	-	2	-	3	4	9	4	5	6	4	2	3	1	3	3	-	-
Diarrhœa & Dysentery	47	19	3	1	1	1	25	-	1	-	-	1	1	3	4	8	2	2
Cholera	4	1	-	-	-	-	1	-	-	-	-	-	1	-	2	-	-	-
Other Zymotic Dis.	37	6	1	2	2	2	13	1	1	3	-	-	2	3	1	7	5	1
Cancer	18	-	-	-	-	-	-	-	-	-	-	-	1	3	5	4	4	1
Scrofula and Tabes	12	3	2	1	-	-	6	-	-	1	1	2	1	-	1	-	-	-
Phthisis	102	1	3	-	-	-	4	2	2	5	19	25	18	17	9	1	-	-
Hydrocephalus	9	3	5	-	-	-	8	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	158	64	3	3	3	2	75	2	1	2	-	5	7	6	13	22	24	1
Dis. of Heart & Dropsy	68	4	1	-	-	-	5	-	1	2	2	4	4	10	13	19	8	-
Dis. of Lungs	134	29	12	5	1	-	47	1	-	6	2	5	5	5	20	23	19	1
Dis. of Stom. and Liver	75	4	1	1	1	-	7	1	3	-	3	10	4	9	12	17	7	2
Dis. of Kidneys	26	-	-	-	-	1	1	-	-	-	-	1	2	2	3	9	8	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	4	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-
Dis. of Skin	6	1	1	-	-	-	2	-	-	-	-	-	1	-	1	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	9	-	-	-	-	-	-	-	-	1	1	-	2	2	2	1	-	-
Other Violent Deaths	30	1	-	-	-	-	1	2	5	1	-	-	4	7	2	5	3	-
Other Causes	237	101	7	2	-	-	110	-	-	-	1	1	2	4	5	22	64	28

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
417.—LEICESTER.																		
Mean Popul^n, 1861–71	43302	1324	1113	1076	1020	970	5503	4640	4291	4706	4455	6757	4995	3704	2452	1326	423	50
TOTAL DEATHS	10454	3175	1025	471	233	166	5070	279	203	297	345	625	603	618	720	887	636	171
Small-pox	62	15	5	7	7	6	40	12	2	3	2	1	1	1	–	–	–	–
Measles	315	57	123	73	34	16	303	10	–	–	–	–	–	–	–	–	–	–
Scarlatina	304	19	59	70	47	30	216	65	10	5	2	6	–	–	–	–	–	–
Diphtheria	42	10	8	11	1	5	35	4	–	1	–	–	–	2	–	–	–	–
Hooping-cough	245	92	77	39	19	12	239	6	–	–	–	–	–	–	–	–	–	–
Typhus	361	18	23	29	19	18	109	50	45	42	29	38	23	11	11	4	1	1
Diarrhœa & Dysentery	992	696	150	26	6	5	883	2	2	3	3	8	4	9	25	28	20	5
Cholera	3	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–	1	–
Other Zymotic Dis.	175	25	18	20	13	8	84	10	5	7	4	5	10	7	15	16	12	–
Cancer	226	–	–	–	–	–	–	–	–	–	1	5	42	59	68	32	19	–
Scrofula and Tabes	174	70	24	8	1	1	104	4	9	8	11	9	4	8	9	7	1	–
Phthisis	1202	45	36	13	4	2	100	16	51	153	160	314	230	126	40	10	2	–
Hydrocephalus	105	45	31	9	3	5	93	5	3	2	–	–	–	–	–	–	–	–
Dis. of Brain	1267	531	96	47	28	15	717	26	18	19	29	40	56	73	94	117	69	9
Dis. of Heart & Dropsy	584	9	3	2	5	2	21	7	16	17	18	34	63	104	125	127	44	8
Dis. of Lungs	1336	346	211	80	29	21	690	24	15	9	17	33	46	94	147	209	96	16
Dis. of Stom. and Liver	411	68	11	3	3	3	88	7	8	9	20	42	46	56	79	68	16	2
Dis. of Kidneys	91	1	–	–	–	3	4	1	3	1	7	8	9	21	13	16	5	3
Dis. of Gener. Organs	67	–	–	–	–	–	–	–	–	1	2	7	20	9	17	7	4	–
Dis. of Joints	24	1	–	–	–	–	1	3	6	1	–	1	2	3	2	2	–	2
Dis. of Skin	26	8	–	–	1	–	9	–	–	–	3	2	3	2	5	1	1	–
Childbirth and Metria	92	–	–	–	–	–	–	–	–	5	21	42	23	1	–	–	–	–
Suicide	26	–	–	–	–	–	–	–	1	4	2	3	5	6	4	1	–	–
Other Violent Deaths	149	31	16	13	5	5	70	11	3	7	5	7	4	5	8	13	13	3
Other Causes	2087	1087	141	21	8	6	1263	16	6	–	8	20	12	21	58	229	332	122
418.—MELTON MOWBRAY.																		
Mean Popul^n, 1861–71	10153	279	241	255	257	251	1283	1185	1113	911	839	1352	1141	946	727	460	172	24
TOTAL DEATHS	1843	368	97	40	24	19	548	57	59	61	73	116	114	138	138	260	219	69
Small-pox	3	–	–	1	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Measles	30	8	5	2	6	1	22	6	1	1	–	–	–	–	–	–	–	–
Scarlatina	23	2	2	6	6	3	19	3	–	1	–	–	–	–	–	–	–	–
Diphtheria	17	2	1	–	1	–	4	7	3	2	–	–	–	1	–	–	–	–
Hooping-cough	23	15	7	3	–	–	25	1	–	–	–	–	–	–	–	–	–	–
Typhus	86	1	2	2	–	–	5	7	13	10	8	10	10	15	4	4	–	–
Diarrhœa & Dysentery	79	31	10	1	1	1	47	1	–	–	2	2	3	1	3	11	8	1
Cholera	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Other Zymotic Dis.	33	2	4	–	1	2	9	4	1	–	–	1	4	–	–	5	8	1
Cancer	46	–	–	–	–	–	–	–	–	–	–	1	9	14	11	9	2	–
Scrofula and Tabes	19	9	2	–	1	1	13	–	1	–	1	1	2	1	–	–	–	–
Phthisis	245	2	4		2	3	11	3	14	32	41	59	33	36	12	4	–	–
Hydrocephalus	8	4	2	–	–	1	7	1	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	180	60	5	7	1	–	82	5	3	1	6	5	4	13	17	29	15	–
Dis. of Heart & Dropsy	161	2	–	1	–	–	3	1	1	2	4	6	9	26	24	49	32	4
Dis. of Lungs	233	56	28	11	4	2	101	6	4	4	2	4	10	8	22	33	31	8
Dis. of Stom. and Liver	112	10	1	1	–	–	12	1	1	2	3	9	10	13	19	26	13	3
Dis. of Kidneys	14	–	–	–	–	1	1	1	–	1	1	4	1	–	4	1	–	–
Dis. of Gener. Organs	6	–	–	–	–	–	–	–	–	–	–	–	1	3	1	1	–	–
Dis. of Joints	11	1	–	–	–	–	1	–	3	1	1	2	1	–	1	–	1	–
Dis. of Skin	7	1	–	–	–	–	1	1	1	–	–	1	1	–	2	–	–	–
Childbirth and Metria	20	–	–	–	–	–	–	–	–	2	2	5	11	–	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–
Other Violent Deaths	30	3	2	1	1	2	9	4	2	2	–	–	–	2	1	4	4	2
Other Causes	419	147	22	4	–	2	175	4	1	–	2	6	4	4	15	83	105	50
419.—OAKHAM.																		
Mean Popul^n, 1861–71	5645	155	145	138	148	141	727	674	604	489	428	754	641	497	426	288	107	10
TOTAL DEATHS	1060	200	38	32	18	21	309	39	19	27	48	63	70	83	87	128	143	44
Small-pox	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Measles	11	1	3	4	–	1	9	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	42	2	3	5	7	6	23	13	3	1	1	–	1	–	–	–	–	–
Diphtheria	11	1	1	2	1	1	6	4	1	–	–	–	–	–	–	–	–	–
Hooping-cough	19	7	2	4	2	3	18	1	–	–	–	–	–	–	–	–	–	–
Typhus	41	–	–	1	–	2	3	1	2	4	5	4	10	4	2	1	2	–
Diarrhœa & Dysentery	42	16	6	–	1	–	23	–	–	–	2	1	2	2	4	4	4	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Other Zymotic Dis.	18	2	–	1	–	3	6	–	–	1	–	1	1	2	1	3	3	–
Cancer	31	–	–	–	–	–	–	–	–	–	–	–	2	5	11	9	3	1
Scrofula and Tabes	11	1	1	–	–	1	3	1	1	2	–	1	1	1	1	–	–	–
Phthisis	127	–	2	2	2	–	6	2	6	13	30	30	20	13	7	–	–	–
Hydrocephalus	8	4	2	2	–	–	8	–	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	110	29	3	3	3	1	39	2	3	1	3	3	2	9	10	21	13	1
Dis. of Heart & Dropsy	81	1	–	–	–	–	1	2	1	1	–	4	10	7	11	25	15	1
Dis. of Lungs	113	25	5	5	–	1	34	4	1	1	2	4	5	11	9	21	18	1
Dis. of Stom. and Liver	68	3	–	–	–	1	4	2	–	2	–	2	8	17	13	19	1	–
Dis. of Kidneys	8	–	–	–	–	–	–	–	–	–	1	1	–	4	2	–	–	–
Dis. of Gener. Organs	13	–	–	–	–	–	–	–	–	–	–	3	3	3	2	1	–	1
Dis. of Joints	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Dis. of Skin	6	2	–	–	1	1	4	–	–	–	–	–	–	1	–	1	–	–
Childbirth and Metria	13	–	–	–	–	–	–	–	–	–	4	6	3	–	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
Other Violent Deaths	10	2	1	–	–	–	3	1	–	–	–	–	–	1	–	2	2	1
Other Causes	272	104	9	3	1	–	117	1	1	–	–	2	2	2	10	18	81	38

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 upwards
420.—UPPINGHAM.																		
Mean Popul^n, 1861–71	6175	177	160	160	155	155	807	721	795	671	406	695	637	567	449	310	106	11
TOTAL DEATHS	1126	253	57	36	16	20	382	49	33	26	29	57	54	72	102	140	145	37
Small-pox	2	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Measles	18	2	7	5	-	3	17	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	59	4	5	13	7	8	37	14	4	3	-	1	-	-	-	-	-	-
Diphtheria	10	1	2	1	-	1	5	2	3	-	-	-	-	-	-	-	-	-
Whooping-cough	19	10	6	1	1	-	18	1	-	-	-	-	-	-	-	-	-	-
Typhus	35	-	-	1	-	2	3	5	5	3	3	3	5	5	1	2	-	-
Diarrhœa & Dysentery	30	18	-	-	-	-	18	-	-	-	1	-	1	1	-	7	2	-
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Other Zymotic Dis.	22	3	1	1	1	-	6	2	2	-	-	2	1	1	3	2	3	-
Cancer	14	-	-	-	-	-	-	-	-	-	-	-	1	3	5	3	2	-
Scrofula and Tabes	13	4	-	-	1	-	5	3	-	2	-	1	-	2	-	-	-	-
Phthisis	86	3	2	1	-	-	6	2	2	4	12	24	16	12	5	2	-	1
Hydrocephalus	10	4	3	1	-	-	8	1	-	-	1	-	-	-	-	-	-	-
Dis. of Brain	163	67	9	7	2	-	85	3	2	2	3	2	6	11	15	18	13	3
Dis. of Heart & Dropsy	61	-	-	-	1	-	1	3	3	1	1	3	1	9	17	11	8	-
Dis. of Lungs	152	30	13	3	2	3	51	3	2	3	1	5	9	10	24	21	19	4
Dis. of Stom. and Liver	49	6	-	-	-	-	6	2	3	1	2	2	1	7	11	7	7	-
Dis. of Kidneys	19	-	-	-	-	-	-	-	2	1	-	4	-	1	2	5	3	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	5	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-
Dis. of Skin	3	2	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	12	-	-	-	-	-	-	-	-	-	2	2	1	2	2	3	-	-
Other Violent Deaths	42	2	-	-	-	2	4	7	4	3	-	5	7	4	3	2	3	-
Other Causes	301	96	9	2	1	1	109	-	-	1	2	1	5	3	14	53	85	28
421.—STAMFORD.																		
Mean Popul^n, 1861–71	8690	244	239	222	215	218	1138	1082	966	872	662	1079	915	783	639	400	134	20
TOTAL DEATHS	1780	406	92	45	32	34	609	71	40	35	47	86	91	143	167	242	201	48
Small-pox	3	2	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
Measles	33	8	15	5	1	1	30	1	1	-	1	-	-	-	-	-	-	-
Scarlatina	78	3	8	8	10	10	39	28	4	3	1	2	1	-	-	-	-	-
Diphtheria	12	-	-	2	3	2	7	4	1	-	-	-	-	-	-	-	-	-
Whooping-cough	24	11	8	1	1	2	23	1	-	-	-	-	-	-	-	-	-	-
Typhus	63	2	2	3	1	1	9	7	6	7	3	8	8	5	5	3	2	-
Diarrhœa & Dysentery	68	38	9	2	-	-	49	-	-	-	-	2	-	1	3	7	6	-
Cholera	6	1	-	1	-	-	2	-	-	-	-	-	-	1	-	2	1	-
Other Zymotic Dis.	69	10	4	5	4	2	25	5	2	2	1	4	5	6	2	13	3	1
Cancer	33	-	-	-	-	1	1	-	-	-	-	1	4	6	9	9	3	-
Scrofula and Tabes	40	16	6	1	1	1	25	3	3	1	3	2	2	1	-	-	-	-
Phthisis	118	2	-	3	-	-	5	1	3	5	22	37	20	16	8	1	-	-
Hydrocephalus	14	7	3	1	1	1	13	-	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	257	58	5	4	1	2	70	4	5	2	2	6	7	17	35	50	54	5
Dis. of Heart & Dropsy	106	1	-	1	-	2	4	1	2	1	2	3	11	17	22	28	13	2
Dis. of Lungs	238	70	23	5	6	2	106	6	1	-	3	7	9	24	38	53	38	3
Dis. of Stom. and Liver	98	13	-	-	-	1	14	4	2	2	-	5	5	18	19	20	9	-
Dis. of Kidneys	50	-	-	-	-	1	1	-	-	3	1	1	7	6	8	13	10	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	14	-	-	-	-	-	-	1	2	3	-	1	2	1	1	3	-	-
Dis. of Skin	7	2	-	-	-	-	2	-	-	-	1	-	1	1	1	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	16	-	-	-	-	-	-	-	1	1	1	1	1	5	1	4	1	-
Other Violent Deaths	82	8	1	1	1	4	15	5	5	4	6	5	7	14	8	8	4	1
Other Causes	301	151	8	2	2	1	167	-	-	1	-	1	1	4	7	27	57	36
422.—BOURN.																		
Mean Popul^n, 1861–71	10032	285	267	274	299	250	1375	1230	1164	934	746	1215	1051	965	714	450	163	25
TOTAL DEATHS	1946	521	89	53	26	24	713	82	44	46	51	90	92	106	170	257	225	70
Small-pox	4	-	1	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-
Measles	15	4	6	3	1	-	14	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	68	4	7	11	7	9	38	24	2	3	-	-	1	-	-	-	-	-
Diphtheria	21	2	-	1	1	4	8	8	1	-	-	-	1	-	3	-	-	-
Whooping-cough	30	22	7	-	-	-	29	1	-	-	-	-	-	-	-	-	-	-
Typhus	106	1	2	3	4	3	13	12	11	8	6	12	13	5	12	11	2	1
Diarrhœa & Dysentery	80	39	4	2	1	1	47	1	-	-	1	-	2	2	3	9	14	1
Cholera	5	1	2	-	-	-	3	-	-	-	-	-	-	-	1	-	1	-
Other Zymotic Dis.	40	4	3	5	2	1	15	6	3	1	1	1	1	3	4	5	-	-
Cancer	28	-	-	-	-	-	-	-	-	-	-	1	-	5	8	8	5	1
Scrofula and Tabes	37	19	1	2	-	-	22	3	3	1	2	-	1	1	4	-	-	-
Phthisis	143	2	3	2	-	-	7	2	1	11	22	38	20	23	11	8	-	-
Hydrocephalus	25	9	5	3	-	1	18	5	1	1	-	-	-	-	-	-	-	-
Dis. of Brain	267	104	11	8	2	-	125	5	8	8	4	6	11	10	23	32	30	5
Dis. of Heart & Dropsy	141	7	-	-	-	1	8	4	2	-	3	6	2	15	26	44	33	1
Dis. of Lungs	234	67	18	9	1	2	97	4	1	1	2	8	13	18	23	42	22	3
Dis. of Stom. and Liver	119	21	4	1	2	1	29	1	2	4	5	5	8	10	20	29	6	-
Dis. of Kidneys	35	1	-	-	-	-	1	1	-	-	-	4	4	4	8	7	6	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	9	-	-	-	-	-	-	-	1	4	-	1	1	-	1	1	-	-
Dis. of Skin	9	4	-	-	1	1	6	-	-	-	-	-	-	1	1	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	15	-	-	-	-	-	-	-	-	-	-	2	1	2	6	4	-	-
Other Violent Deaths	68	8	4	1	2	-	15	4	5	4	4	4	10	5	5	5	5	2
Other Causes	444	202	11	2	2	-	217	-	3	-	1	-	2	2	11	52	100	56

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
420.—UPPINGHAM.																		
Mean Popul^n, 1861–71	6130	153	148	170	151	145	767	773	667	532	448	788	690	584	452	303	112	14
TOTAL DEATHS	1145	207	71	25	23	18	347	38	35	31	37	73	77	65	85	156	163	38
Small-pox	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Measles	23	2	8	3	5	-	18	3	1	1	-	-	-	-	-	-	-	-
Scarlatina	52	4	6	8	7	8	33	10	6	1	-	1	1	-	-	-	-	-
Diphtheria	6	1	2	2	-	-	5	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough	16	6	4	2	2	1	15	1	-	-	-	-	-	-	-	-	-	-
Typhus	32	-	-	2	2	-	4	5	4	5	2	6	3	2	1	-	-	-
Diarrhœa & Dysentery	27	12	4	-	-	1	17	1	-	1	1	-	-	-	1	4	-	2
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	19	2	-	-	2	1	5	1	2	2	-	2	-	1	1	2	3	-
Cancer	27	-	-	-	-	-	-	-	-	-	-	1	2	7	6	9	2	-
Scrofula and Tabes	7	2	2	-	-	1	5	-	-	-	-	-	-	1	1	-	-	-
Phthisis	130	2	1	-	1	-	4	1	10	14	21	31	27	16	2	1	-	-
Hydrocephalus	9	3	-	1	1	1	6	3	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	145	50	9	2	2	-	63	2	3	2	4	4	9	6	17	22	11	2
Dis. of Heart & Dropsy	75	1	-	-	-	-	1	1	3	1	3	4	6	9	12	28	4	1
Dis. of Lungs	130	20	16	2	3	3	44	3	3	-	2	7	7	7	10	22	23	2
Dis. of Stom. and Liver	68	10	2	-	-	1	13	2	2	1	-	4	8	10	11	11	5	1
Dis. of Kidneys	4	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	1	-	-	4	1	1	-	-	-
Dis. of Joints	3	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-
Dis. of Skin	2	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Childbirth and Metria	12	-	-	-	-	-	-	-	-	-	2	7	3	-	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-
Other Violent Deaths	16	4	2	-	-	-	6	1	-	-	-	-	1	1	2	3	2	-
Other Causes	332	85	15	3	1	1	105	2	1	2	1	3	4	3	16	52	113	30
421.—STAMFORD.																		
Mean Popul^n, 1861–71	9326	243	209	225	229	224	1130	1023	1044	884	830	1262	992	868	681	428	165	19
TOTAL DEATHS	1644	310	91	53	32	28	514	65	43	52	47	108	99	85	154	213	191	73
Small-pox	10	1	2	1	-	-	4	1	-	-	1	1	3	-	-	-	-	-
Measles	34	5	15	10	1	2	33	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	70	4	6	11	11	8	40	19	8	2	-	1	-	-	-	-	-	-
Diphtheria	19	1	3	2	2	-	8	9	2	-	-	-	-	-	-	-	-	-
Whooping-cough	34	15	8	6	1	4	34	-	-	-	-	-	-	-	-	-	-	-
Typhus	49	1	1	1	-	2	5	3	6	5	3	3	6	3	1	4	1	-
Diarrhœa & Dysentery	63	42	7	3	-	2	54	-	-	-	1	1	-	1	1	4	6	-
Cholera	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	55	10	3	3	3	3	22	3	-	1	2	1	4	4	5	6	6	1
Cancer	51	-	-	-	-	-	-	-	-	-	-	-	8	13	20	10	3	-
Scrofula and Tabes	22	6	2	2	-	-	10	2	4	-	-	-	1	2	2	1	-	-
Phthisis	158	5	3	-	-	-	8	4	5	24	22	44	32	9	6	3	1	-
Hydrocephalus	10	4	2	-	1	-	7	1	2	-	-	-	-	-	-	-	-	-
Dis. of Brain	193	36	4	2	3	1	46	3	2	3	2	7	12	16	23	48	28	3
Dis. of Heart & Dropsy	124	1	1	-	-	1	3	1	4	2	2	5	8	8	27	39	24	1
Dis. of Lungs	241	51	20	5	8	1	85	9	-	4	-	8	4	8	28	42	45	8
Dis. of Stom. and Liver	109	3	-	-	-	1	4	5	2	6	3	10	10	8	23	27	9	2
Dis. of Kidneys	28	-	-	-	-	-	-	1	3	2	2	6	1	-	4	7	2	-
Dis. of Gener. Organs	17	-	-	-	-	-	-	-	-	-	-	1	6	5	3	-	2	-
Dis. of Joints	9	-	1	-	-	-	1	-	-	-	1	3	-	3	-	1	-	-
Dis. of Skin	9	-	2	-	-	-	2	-	2	-	-	-	-	1	-	-	2	2
Childbirth and Metria	22	-	-	-	-	-	-	-	-	-	6	12	3	1	-	-	-	-
Suicide	8	-	-	-	-	-	-	-	-	-	1	2	1	1	3	-	-	-
Other Violent Deaths	29	5	1	1	1	2	10	2	1	-	-	3	-	-	2	3	1	7
Other Causes	280	119	10	6	1	1	137	1	2	3	1	-	-	2	6	18	61	49
422.—BOURN.																		
Mean Popul^n, 1861–71	10016	285	277	267	267	262	1358	1264	1108	922	774	1275	1056	884	692	461	191	31
TOTAL DEATHS	1764	380	98	45	36	29	597	73	43	47	72	101	97	84	140	184	240	86
Small-pox	2	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Measles	18	3	6	3	2	1	15	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	53	1	7	6	8	6	28	16	5	1	-	1	1	1	-	-	-	-
Diphtheria	20	3	-	2	1	2	8	7	3	1	1	-	-	-	-	-	-	-
Whooping-cough	36	18	13	3	-	1	35	1	-	-	-	-	-	-	-	-	-	-
Typhus	117	7	2	-	1	4	14	15	15	15	8	13	10	6	5	8	7	1
Diarrhœa & Dysentery	79	31	9	3	1	1	48	1	1	-	-	2	1	2	1	5	12	6
Cholera	3	2	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-
Other Zymotic Dis.	49	6	2	5	7	5	25	2	1	1	2	1	3	2	5	3	3	1
Cancer	54	-	-	-	-	-	-	-	-	-	2	3	6	9	17	14	2	1
Scrofula and Tabes	21	8	3	1	-	-	12	2	1	-	3	2	1	-	-	-	-	-
Phthisis	167	4	1	-	-	1	6	1	7	22	32	38	36	8	13	4	-	-
Hydrocephalus	23	8	7	-	2	1	18	5	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	198	77	5	7	4	1	94	3	3	1	6	9	3	8	17	29	20	5
Dis. of Heart & Dropsy	145	3	-	1	1	2	7	2	2	1	6	4	9	14	30	43	24	3
Dis. of Lungs	184	44	22	10	1	2	79	8	2	1	-	7	5	6	15	22	30	9
Dis. of Stom. and Liver	101	13	1	2	1	-	17	2	1	-	5	5	9	13	20	17	14	1
Dis. of Kidneys	20	-	-	-	1	-	1	-	-	-	2	3	2	2	6	2	2	-
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	-	1	1	4	1	1	1	-
Dis. of Joints	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Dis. of Skin	7	3	-	-	-	-	3	-	-	-	-	1	-	-	-	1	2	-
Childbirth and Metria	15	-	-	-	-	-	-	-	-	-	2	7	5	1	-	-	-	-
Suicide	8	-	-	-	-	-	-	-	-	2	1	-	1	1	1	-	2	-
Other Violent Deaths	34	5	6	1	4	1	17	3	-	-	2	2	-	1	1	1	7	-
Other Causes	397	150	13	1	2	1	167	3	1	-	-	2	4	5	8	34	114	59

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
423.—SPALDING.																		
Mean Popul^n, 1861-71	11213	322	279	301	307	278	1487	1371	1276	1169	816	1313	1182	1097	812	493	180	17
TOTAL DEATHS	2289	632	154	56	41	39	922	90	57	58	65	98	112	157	201	250	230	19
Small-pox	6	4	–	–	–	–	4	–	–	–	1	–	–	1	–	–	–	–
Measles	35	10	14	6	3	–	33	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	83	5	15	8	9	12	49	21	10	–	–	2	1	–	–	–	–	–
Diphtheria	36	2	3	3	5	5	18	9	6	1	1	–	–	1	–	–	–	–
Whooping-cough	64	42	14	1	1	2	60	3	1	–	–	–	–	–	–	–	–	–
Typhus	68	1	5	2	3	3	14	10	7	6	6	4	4	6	7	4	–	–
Diarrhœa & Dysentery	73	35	6	1	3	1	46	3	–	–	–	–	1	2	4	4	10	3
Cholera	4	2	–	–	–	–	2	–	–	–	–	–	–	1	1	–	–	–
Other Zymotic Dis.	60	13	7	4	2	2	28	7	2	1	–	3	4	1	6	3	5	–
Cancer	52	–	–	–	–	–	–	1	–	–	–	1	5	7	18	14	6	–
Scrofula and Tabes	17	2	3	1	1	–	7	5	–	–	2	1	–	–	–	2	–	–
Phthisis	211	1	3	1	–	1	6	3	4	20	29	58	31	27	26	6	1	–
Hydrocephalus	18	9	4	–	1	1	15	2	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	281	119	14	6	3	1	143	6	1	1	7	5	5	22	17	42	27	5
Dis. of Heart & Dropsy	151	3	–	–	1	–	4	3	3	2	–	4	22	21	30	30	31	1
Dis. of Lungs	350	76	38	10	3	1	128	3	3	3	4	8	9	29	35	69	50	9
Dis. of Stom. and Liver	87	9	2	3	–	1	15	1	4	4	2	2	7	9	19	17	7	–
Dis. of Kidneys	53	–	–	–	–	–	–	–	1	–	2	2	2	8	10	12	13	3
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Dis. of Joints	8	–	–	–	–	–	–	–	1	2	2	–	–	2	–	–	1	–
Dis. of Skin	7	1	–	–	–	–	1	–	–	–	–	–	1	–	3	1	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	14	–	–	–	–	–	–	–	–	2	–	1	1	3	2	5	–	–
Other Violent Deaths	113	3	4	6	4	9	26	9	12	14	8	6	10	7	13	6	2	–
Other Causes	497	295	22	4	2	–	323	2	1	2	1	–	9	10	10	35	76	28
424.—HOLBEACH.																		
Mean Popul^n, 1861-71	9452	259	235	260	245	248	1247	1149	1028	986	734	1157	1007	892	694	398	145	15
TOTAL DEATHS	1802	563	101	46	27	24	761	59	47	45	47	86	76	117	164	187	170	43
Small-pox	4	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–
Measles	35	12	8	6	4	3	33	1	1	–	–	–	–	–	–	–	–	–
Scarlatina	17	2	–	7	1	3	13	3	1	–	–	–	–	–	–	–	–	–
Diphtheria	53	1	3	5	3	6	18	19	8	3	3	1	–	–	–	1	–	–
Whooping-cough	29	18	7	2	1	–	28	–	1	–	–	–	–	–	–	–	–	–
Typhus	66	3	1	5	2	–	11	7	6	4	3	11	4	5	7	6	2	–
Diarrhœa & Dysentery	64	38	6	2	–	–	46	–	1	–	–	2	1	–	1	3	10	–
Cholera	5	1	–	–	–	–	1	–	–	–	–	–	–	–	2	2	–	–
Other Zymotic Dis.	39	3	2	4	–	4	13	1	1	1	1	3	3	2	5	6	3	–
Cancer	29	–	–	–	–	–	–	–	–	–	–	–	2	4	8	11	4	–
Scrofula and Tabes	20	6	4	–	–	–	10	2	2	3	–	2	1	–	–	–	–	–
Phthisis	146	1	3	–	–	–	4	1	8	13	24	30	20	25	15	5	1	–
Hydrocephalus	31	10	6	2	2	2	22	5	3	–	–	–	–	1	–	–	–	–
Dis. of Brain	242	110	10	1	6	1	128	5	5	5	3	4	5	11	15	29	28	4
Dis. of Heart & Dropsy	88	4	1	–	1	–	6	3	–	3	1	6	5	14	17	20	13	–
Dis. of Lungs	290	75	24	8	3	2	112	–	2	5	2	6	15	25	40	42	32	9
Dis. of Stom. and Liver	83	11	1	1	–	–	13	2	–	1	1	3	5	13	15	18	11	1
Dis. of Kidneys	42	–	–	–	–	1	1	4	1	2	1	2	1	3	8	9	10	–
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Dis. of Joints	5	–	–	–	–	–	–	–	–	2	–	2	1	–	–	–	–	–
Dis. of Skin	5	2	–	–	–	–	2	–	1	2	–	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	13	–	–	–	–	–	–	–	–	–	–	2	3	2	3	3	–	–
Other Violent Deaths	71	5	4	1	2	2	14	3	4	1	6	8	5	8	13	7	2	–
Other Causes	424	261	21	2	2	–	286	3	2	–	–	2	5	4	15	25	53	29
425.—BOSTON.																		
Mean Popul^n, 1861-71	18665	536	497	482	476	491	2482	2345	2051	1889	1433	2302	1968	1728	1333	789	304	41
TOTAL DEATHS	3646	924	192	97	79	58	1350	150	80	102	113	196	201	242	313	413	360	126
Small-pox	6	3	1	–	1	–	5	–	–	–	1	–	–	–	–	–	–	–
Measles	30	10	8	3	7	–	28	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	139	12	15	22	21	16	86	35	9	3	3	2	1	–	–	–	–	–
Diphtheria	44	6	1	4	4	9	24	8	7	1	1	2	–	–	–	1	–	–
Whooping-cough	73	48	12	7	4	1	72	1	–	–	–	–	–	–	–	–	–	–
Typhus	124	4	1	6	1	4	16	22	6	10	11	12	10	10	9	9	8	1
Diarrhœa & Dysentery	114	69	6	2	1	1	79	–	–	–	1	–	–	–	7	17	8	2
Cholera	6	–	1	–	1	–	2	1	–	1	–	1	–	–	–	1	–	–
Other Zymotic Dis.	85	12	2	9	4	3	30	8	3	3	1	2	4	8	8	13	4	1
Cancer	37	–	–	–	–	–	–	–	–	–	–	–	3	5	9	11	8	1
Scrofula and Tabes	35	11	3	2	–	–	16	4	3	1	2	2	1	4	2	–	–	–
Phthisis	375	9	2	1	1	1	14	9	9	40	53	100	63	42	32	11	2	–
Hydrocephalus	45	16	8	3	7	3	37	5	2	1	–	–	–	–	–	–	–	–
Dis. of Brain	504	204	34	16	6	4	264	8	5	6	2	10	20	23	45	64	48	9
Dis. of Heart & Dropsy	193	6	1	1	1	1	10	4	2	6	3	11	11	26	43	47	25	5
Dis. of Lungs	420	109	36	9	8	7	169	5	–	8	3	3	25	34	50	57	52	14
Dis. of Stom. and Liver	187	11	3	–	4	2	20	8	9	2	2	15	20	31	31	34	13	2
Dis. of Kidneys	95	–	1	–	1	–	2	2	1	3	3	5	7	12	15	32	12	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	5	–	–	1	–	–	1	1	–	–	–	1	–	2	–	–	–	–
Dis. of Skin	6	1	–	–	–	–	1	–	–	–	–	–	–	–	1	2	2	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	19	–	–	–	–	–	–	–	–	1	4	2	3	2	2	3	2	–
Other Violent Deaths	150	8	12	4	5	3	32	15	21	15	18	18	15	8	20	9	8	1
Other Causes	924	385	45	7	2	3	442	12	3	1	5	10	18	35	39	102	163	89

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 upwards.
423.—SPALDING.																		
Mean Popul^n, 1861–71	11443	295	287	291	294	292	1459	1372	1237	1163	904	1452	1250	1058	818	514	191	25
TOTAL DEATHS	1928	412	97	56	35	41	641	99	47	66	82	127	107	112	169	207	210	61
Small-pox	3	1	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–
Measles	17	1	6	3	1	2	13	3	1	–	–	–	–	–	–	–	–	–
Scarlatina	72	7	6	9	9	10	41	23	7	1	–	–	–	–	–	–	–	–
Diphtheria	42	2	1	5	5	5	18	14	3	5	–	1	–	–	–	–	–	1
Whooping-cough	54	28	13	6	4	1	52	2	–	–	–	–	–	–	–	–	–	–
Typhus	64	2	1	5	–	3	11	9	8	10	7	7	2	3	5	2	–	–
Diarrhœa & Dysentery	72	24	4	5	1	–	34	1	–	–	1	3	2	1	6	8	10	6
Cholera	5	1	1	–	–	–	2	1	–	–	1	–	–	–	–	–	1	–
Other Zymotic Dis.	62	11	3	1	4	6	25	8	2	4	2	4	5	1	4	4	2	1
Cancer	48	–	–	–	–	–	–	–	–	–	–	–	7	15	11	11	4	–
Scrofula and Tabes	12	1	1	–	1	–	3	1	1	1	–	2	–	2	1	–	–	1
Phthisis	234	4	1	1	–	1	7	4	9	38	42	55	41	18	17	3	–	–
Hydrocephalus	18	3	3	2	1	3	12	3	2	–	–	1	–	–	–	–	–	–
Dis. of Brain	226	72	12	4	2	3	93	9	3	3	8	3	7	15	26	24	34	1
Dis. of Heart & Dropsy	140	2	–	–	1	–	3	5	2	–	–	9	8	23	33	35	22	–
Dis. of Lungs	228	45	17	4	4	3	74	3	2	1	4	6	4	12	28	49	58	7
Dis. of Stom. and Liver	81	2	–	1	–	–	3	2	1	2	6	5	6	7	16	26	7	–
Dis. of Kidneys	20	–	1	2	–	–	3	1	1	–	–	3	3	–	6	2	1	–
Dis. of Gener. Organs	7	–	–	–	–	–	–	–	–	–	–	1	1	2	2	1	–	–
Dis. of Joints	4	–	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–	–
Dis. of Skin	9	1	1	–	–	–	2	–	–	–	–	–	1	–	3	1	2	–
Childbirth and Metria	41	–	–	–	–	–	–	–	–	–	8	22	11	–	–	–	–	–
Suicide	7	–	–	–	–	–	–	–	1	–	–	–	3	2	1	–	–	–
Other Violent Deaths	33	6	4	3	2	2	17	2	2	–	–	1	1	2	2	4	2	–
Other Causes	429	198	22	5	–	2	227	8	1	1	1	1	5	9	8	37	87	41
424.—HOLBEACH.																		
Mean Popul^n, 1861–71	9425	288	239	258	247	239	1271	1137	1049	934	784	1207	1026	864	617	374	142	20
TOTAL DEATHS	1699	413	108	41	26	24	612	61	49	58	65	124	95	116	136	160	175	48
Small-pox	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Measles	26	4	13	5	1	–	23	1	2	–	–	–	–	–	–	–	–	–
Scarlatina	23	–	3	1	1	2	7	12	2	–	–	2	–	–	–	–	–	–
Diphtheria	42	1	1	3	4	6	15	13	8	1	2	2	1	–	–	–	–	–
Whooping-cough	44	21	12	4	4	2	43	1	–	–	–	–	–	–	–	–	–	–
Typhus	69	2	5	2	3	1	13	9	5	8	5	10	5	4	6	1	8	–
Diarrhœa & Dysentery	52	22	5	3	–	–	30	1	–	1	1	1	1	3	1	7	5	1
Cholera	5	–	–	–	1	–	1	–	–	2	–	–	–	–	1	–	1	–
Other Zymotic Dis.	42	6	1	4	2	1	14	3	4	2	1	1	1	3	6	4	2	1
Cancer	51	–	–	–	–	–	–	–	–	–	–	–	7	16	13	8	5	2
Scrofula and Tabes	22	5	1	1	2	–	9	–	–	2	5	4	1	–	–	–	1	–
Phthisis	213	3	3	–	–	–	6	4	12	27	33	62	33	19	13	4	–	–
Hydrocephalus	18	8	3	–	2	2	15	1	–	2	–	–	–	–	–	–	–	–
Dis. of Brain	187	66	13	4	–	1	84	4	1	3	2	7	5	12	11	27	25	6
Dis. of Heart & Dropsy	111	1	–	1	–	–	2	–	5	–	3	4	6	19	23	27	20	2
Dis. of Lungs	219	47	21	6	3	3	80	2	2	4	1	5	17	15	25	35	23	7
Dis. of Stom. and Liver	90	11	1	1	1	1	15	3	–	1	6	3	4	14	14	12	17	1
Dis. of Kidneys	33	1	–	1	–	1	3	2	1	1	2	2	3	4	9	4	2	–
Dis. of Gener. Organs	12	–	–	–	–	–	–	–	–	–	1	1	1	1	3	3	2	–
Dis. of Joints	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Dis. of Skin	5	3	–	–	–	–	3	–	–	–	–	–	–	1	–	1	–	–
Childbirth and Metria	20	–	–	–	–	–	–	–	–	1	3	12	4	–	–	–	–	–
Suicide	5	–	–	–	–	–	–	–	–	1	–	–	2	–	1	–	1	–
Other Violent Deaths	28	6	1	–	2	2	11	2	3	–	–	3	2	–	1	1	5	–
Other Causes	380	206	25	5	–	2	238	3	4	1	–	4	2	5	9	26	60	28
425.—BOSTON.																		
Mean Popul^n, 1861–71	19737	540	467	500	483	475	2465	2334	2047	1914	1672	2644	2117	1850	1390	885	358	61
TOTAL DEATHS	3542	677	186	92	58	49	1062	172	96	114	113	249	201	231	284	395	457	168
Small-pox	8	5	–	–	1	–	6	–	1	1	–	–	–	–	–	–	–	–
Measles	40	9	10	8	6	2	35	4	–	1	–	–	–	–	–	–	–	–
Scarlatina	135	2	18	18	8	16	62	38	19	4	4	2	4	1	–	1	–	–
Diphtheria	63	5	3	8	3	1	20	20	11	5	–	2	2	2	1	–	–	–
Whooping-cough	66	31	20	6	2	1	60	6	–	–	–	–	–	–	–	–	–	–
Typhus	136	3	3	2	2	2	12	27	15	10	8	15	7	10	11	7	10	1
Diarrhœa & Dysentery	99	38	9	3	1	2	53	2	2	–	1	3	2	3	3	8	18	4
Cholera	10	3	–	–	–	–	3	–	–	–	1	–	–	1	2	–	3	–
Other Zymotic Dis.	68	10	4	4	3	1	22	8	–	3	–	4	2	6	6	13	4	–
Cancer	108	–	–	–	–	1	1	–	1	–	1	9	15	21	28	20	9	–
Scrofula and Tabes	38	11	6	1	1	2	24	2	5	3	–	3	1	–	–	–	–	–
Phthisis	434	4	–	1	3	2	10	9	22	56	61	135	68	41	22	9	1	–
Hydrocephalus	42	13	9	2	4	2	30	10	1	–	–	1	–	–	–	–	–	–
Dis. of Brain	485	158	21	9	5	7	200	14	5	7	5	16	16	31	47	63	67	14
Dis. of Heart & Dropsy	206	3	1	1	2	–	7	2	1	2	6	8	14	29	42	57	32	6
Dis. of Lungs	368	67	40	17	9	–	133	6	2	4	–	7	15	14	33	72	64	18
Dis. of Stom. and Liver	202	8	5	1	–	3	17	4	2	4	10	16	18	31	35	43	18	4
Dis. of Kidneys	46	–	1	–	–	–	1	2	1	2	2	5	6	6	8	10	3	–
Dis. of Gener. Organs	15	–	–	–	–	–	–	–	–	–	–	2	4	6	1	2	–	–
Dis. of Joints	12	–	–	–	–	1	1	–	1	–	1	1	3	2	1	2	–	–
Dis. of Skin	6	1	–	–	–	–	1	–	–	–	–	1	1	2	1	–	–	–
Childbirth and Metria	28	–	–	–	–	–	–	–	–	3	3	9	12	1	–	–	–	–
Suicide	8	–	–	–	–	–	–	–	–	4	1	–	–	1	2	–	–	–
Other Violent Deaths	79	4	4	5	4	2	19	9	4	1	5	1	–	6	7	6	9	3
Other Causes	832	299	32	6	4	4	345	9	3	4	4	9	11	14	34	82	219	113

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
426.—SLEAFORD.																		
Mean Popul^n, 1861–71	12684	361	354	338	347	343	1743	1593	1453	1293	962	1532	1339	1123	884	533	201	28
TOTAL DEATHS	2332	639	125	59	45	33	901	97	45	57	60	126	118	126	180	291	248	83
Small-pox	6	3	-	-	1	-	4	-	-	1	-	1	-	-	-	-	-	-
Measles	28	9	11	3	1	1	25	1	-	-	-	1	1	-	-	-	-	-
Scarlatina	81	2	15	16	11	8	52	23	3	1	-	2	-	-	-	-	-	-
Diphtheria	34	2	3	1	1	3	10	17	3	1	-	1	-	-	1	1	-	-
Whooping-cough	49	28	11	3	4	2	48	1	-	-	-	-	-	-	-	-	-	-
Typhus	81	3	1	3	2	1	10	5	7	3	12	10	12	8	6	4	3	1
Diarrhœa & Dysentery	118	51	7	5	1	1	65	2	-	-	-	1	6	2	6	19	15	2
Cholera	4	-	-	-	1	-	1	-	-	-	-	-	-	-	-	3	-	-
Other Zymotic Dis.	54	4	4	1	4	2	15	5	-	2	3	3	4	5	4	7	4	2
Cancer	25	-	-	-	-	-	-	-	-	-	1	2	1	2	7	8	4	-
Scrofula and Tabes	59	28	6	1	1	2	38	4	2	4	1	4	2	1	1	2	-	-
Phthisis	179	7	2	1	2	-	12	3	2	20	25	46	31	25	8	5	2	-
Hydrocephalus	33	15	5	3	3	1	27	4	1	-	-	1	-	-	-	-	-	-
Dis. of Brain	321	138	7	2	5	4	156	9	4	5	5	6	9	12	33	45	30	7
Dis. of Heart & Dropsy	145	2	-	-	3	1	6	4	3	1	2	8	11	13	27	39	26	5
Dis. of Lungs	306	86	21	10	2	1	123	4	3	1	2	14	14	13	22	63	37	10
Dis. of Stom. and Liver	124	17	-	2	-	-	19	4	3	3	2	6	8	16	21	26	14	2
Dis. of Kidneys	50	-	1	-	-	1	2	-	1	4	2	2	5	9	8	12	2	3
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Dis. of Joints	9	-	-	-	-	-	-	-	2	2	-	2	-	-	-	2	1	-
Dis. of Skin	7	2	-	-	-	-	2	-	-	1	-	-	1	-	2	-	-	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-
Other Violent Deaths	104	9	5	6	2	3	25	7	10	6	4	10	9	9	9	10	4	1
Other Causes	510	233	23	2	1	2	261	4	1	2	1	5	4	10	21	44	105	49
427.—GRANTHAM.																		
Mean Popul^n, 1861–71	14680	447	409	414	383	378	2031	1842	1616	1409	1068	1931	1634	1338	965	598	225	23
TOTAL DEATHS	2901	771	150	83	53	39	1096	101	57	85	93	167	138	172	246	367	307	72
Small-pox	6	5	-	-	-	-	5	-	-	-	-	-	-	1	-	-	-	-
Measles	29	6	13	4	3	1	27	1	-	1	-	-	-	-	-	-	-	-
Scarlatina	75	7	11	11	16	10	55	16	3	1	-	-	-	-	-	-	-	-
Diphtheria	28	1	3	1	3	4	12	9	4	2	-	1	-	-	-	-	-	-
Whooping-cough	55	32	12	5	4	1	54	1	-	-	-	-	-	-	-	-	-	-
Typhus	104	2	3	8	5	5	23	27	15	16	8	18	15	21	15	5	1	-
Diarrhœa & Dysentery	136	91	9	6	-	-	106	1	-	-	1	-	1	-	4	12	10	1
Cholera	6	-	2	1	-	1	4	-	-	-	-	1	-	-	1	-	-	-
Other Zymotic Dis.	74	18	5	8	3	2	31	6	3	1	-	3	2	3	8	10	6	1
Cancer	66	1	-	-	-	1	2	-	1	-	-	2	4	7	21	18	9	2
Scrofula and Tabes	60	24	11	3	1	2	41	4	5	1	2	1	2	3	1	-	-	-
Phthisis	265	7	5	-	-	1	13	6	9	32	51	65	34	28	19	6	2	-
Hydrocephalus	46	22	7	8	2	-	39	6	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	342	131	11	5	3	1	154	6	2	4	4	13	13	23	30	49	49	4
Dis. of Heart & Dropsy	196	4	1	-	2	-	7	1	1	4	9	9	14	9	45	60	34	3
Dis. of Lungs	429	134	30	12	5	2	183	3	2	4	5	9	14	27	39	70	53	11
Dis. of Stom. and Liver	178	21	1	1	-	1	24	2	2	7	2	11	13	21	31	46	19	-
Dis. of Kidneys	50	-	-	-	-	-	-	-	-	1	1	5	4	7	7	13	10	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	4	-	-	-	-	1	1	-	1	-	-	-	-	1	-	1	-	-
Dis. of Skin	8	3	1	-	-	-	4	-	-	-	-	-	-	1	1	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	26	-	-	-	-	-	-	-	-	1	1	5	3	4	6	5	1	-
Other Violent Deaths	111	4	2	5	5	3	19	9	6	9	8	14	12	9	8	12	4	1
Other Causes	556	263	29	5	1	3	292	3	2	1	1	10	7	7	10	59	117	47
428.—LINCOLN.																		
Mean Popul^n, 1861–71	24657	735	650	641	646	640	3312	3034	2717	2443	2068	3373	2777	2144	1527	918	305	39
TOTAL DEATHS	5503	1666	314	164	102	69	2255	204	113	124	182	338	363	369	481	535	425	114
Small-pox	42	10	4	2	-	3	19	3	1	3	10	4	1	-	1	-	-	-
Measles	51	14	14	14	3	4	49	1	-	-	-	1	-	-	-	-	-	-
Scarlatina	233	14	36	43	35	23	148	54	13	11	1	3	2	-	1	-	-	-
Diphtheria	56	5	6	4	5	4	24	15	8	2	1	2	-	1	2	1	-	-
Whooping-cough	93	46	21	12	4	1	87	6	-	-	-	-	-	-	-	-	-	-
Typhus	199	4	3	6	5	5	23	28	12	18	15	32	20	15	15	18	3	-
Diarrhœa & Dysentery	196	129	19	3	1	1	153	2	-	-	1	1	2	1	4	17	14	1
Cholera	15	2	-	1	-	-	3	3	-	-	-	-	1	2	4	2	-	-
Other Zymotic Dis.	95	11	15	9	3	7	45	3	5	1	4	5	2	7	11	11	2	-
Cancer	68	-	-	-	-	1	1	-	-	-	3	6	8	9	22	8	11	-
Scrofula and Tabes	73	35	8	2	2	-	47	8	6	2	4	3	1	1	-	1	-	-
Phthisis	460	11	1	1	3	1	17	6	11	45	79	109	88	54	40	9	1	1
Hydrocephalus	63	26	13	4	5	1	49	9	5	-	-	-	-	-	-	-	-	-
Dis. of Brain	1043	479	48	17	15	11	570	14	10	7	9	39	90	80	87	98	36	3
Dis. of Heart & Dropsy	277	6	2	-	-	-	8	2	4	5	3	32	28	45	63	57	27	3
Dis. of Lungs	623	151	50	21	10	2	234	8	4	3	12	36	43	53	88	87	49	11
Dis. of Stom. and Liver	203	17	3	5	1	-	26	4	3	5	5	12	23	34	53	28	10	-
Dis. of Kidneys	99	3	1	-	-	1	5	5	3	2	2	9	10	14	20	24	5	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	57	1	1	1	-	-	3	6	4	3	3	5	4	2	5	2	-	-
Dis. of Skin	10	4	-	-	-	-	4	-	1	-	-	1	-	1	1	2	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	19	-	-	-	-	-	-	-	-	-	1	3	4	3	4	3	1	-
Other Violent Deaths	227	21	8	7	4	4	44	20	21	16	22	23	21	26	17	13	4	-
Other Causes	1315	617	61	12	6	-	696	7	2	1	7	12	15	21	43	154	262	95

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
	AGES OF FEMALES.																	
426.—SLEAFORD.																		
Mean Populn, 1861–71	12693	378	334	354	344	352	1762	1605	1341	1240	990	1657	1384	1126	815	515	226	32
TOTAL DEATHS	2175	518	131	73	42	24	788	87	66	53	73	126	118	122	165	239	239	99
Small-pox	7	2	–	3	–	–	5	–	–	–	–	1	1	–	–	–	–	–
Measles	13	4	4	1	2	–	11	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	76	2	17	16	7	4	46	22	6	–	1	–	1	–	–	–	–	–
Diphtheria	34	3	3	6	2	3	17	10	2	2	1	–	–	–	1	–	–	1
Whooping-cough	51	29	16	3	–	–	48	2	–	–	1	–	–	–	–	–	–	–
Typhus	95	–	3	2	3	3	11	10	21	7	8	12	4	8	4	7	3	–
Diarrhœa & Dysentery	98	40	10	7	2	1	60	–	1	–	–	1	–	2	2	9	15	8
Cholera	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	48	8	2	5	3	2	20	4	3	2	1	3	–	2	3	5	3	2
Cancer	68	–	–	–	–	–	–	–	–	–	–	1	9	12	20	17	8	1
Scrofula and Tabes	49	24	5	2	2	–	33	5	3	2	–	6	–	–	–	–	–	–
Phthisis	230	3	4	–	–	–	7	5	15	27	42	52	38	28	12	4	–	–
Hydrocephalus	20	9	4	1	4	–	18	1	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	304	90	10	8	5	3	116	10	4	1	2	13	12	19	30	51	39	7
Dis. of Heart & Dropsy	129	1	2	–	2	–	5	–	3	3	2	3	11	16	22	36	27	1
Dis. of Lungs	269	68	25	12	6	2	113	2	3	2	4	5	9	16	22	42	33	9
Dis. of Stom. and Liver	109	11	2	–	–	1	14	5	2	–	4	8	10	9	22	25	10	–
Dis. of Kidneys	19	–	–	–	1	1	2	–	–	1	–	1	1	4	4	3	3	–
Dis. of Gener. Organs	12	–	–	–	–	–	–	–	–	–	–	1	1	3	4	3	–	–
Dis. of Joints	7	–	–	–	–	–	–	1	–	–	1	1	1	–	1	1	1	–
Dis. of Skin	11	3	–	–	–	–	3	–	–	–	–	–	2	–	2	2	2	–
Childbirth and Metria	35	–	–	–	–	–	–	–	–	3	5	14	13	–	–	–	–	–
Suicide	5	–	–	–	–	–	–	–	–	–	–	2	–	1	2	–	–	–
Other Violent Deaths	36	5	6	5	1	2	19	3	2	–	1	–	–	–	3	2	3	3
Other Causes	458	215	18	2	2	2	239	5	–	3	–	2	5	2	11	32	92	67
427.—GRANTHAM.																		
Mean Populn, 1861–71	15066	430	384	399	422	386	2021	1828	1624	1356	1258	2055	1692	1328	978	633	268	25
TOTAL DEATHS	2803	641	165	73	65	52	996	123	62	91	93	196	186	183	185	351	319	105
Small-pox	9	6	–	–	–	–	6	–	–	–	–	2	–	–	1	–	–	–
Measles	31	5	7	4	12	2	30	–	–	–	1	–	–	–	–	–	–	–
Scarlatina	89	11	11	6	9	10	47	34	1	2	3	1	1	–	–	–	–	–
Diphtheria	38	2	1	4	2	5	14	14	3	1	3	1	2	–	–	–	–	–
Whooping-cough	67	27	23	10	3	1	64	3	–	–	–	–	–	–	–	–	–	–
Typhus	155	2	4	4	5	7	22	16	18	24	15	21	13	8	7	8	3	–
Diarrhœa & Dysentery	117	66	16	4	1	–	87	1	–	–	1	1	2	1	1	6	15	2
Cholera	5	4	–	–	–	–	4	–	–	–	–	–	–	1	–	–	–	–
Other Zymotic Dis.	71	14	1	2	5	4	26	5	7	2	2	3	3	3	9	8	3	–
Cancer	97	–	–	–	–	–	–	–	–	–	–	5	8	28	18	32	5	1
Scrofula and Tabes	49	15	6	5	2	–	28	3	4	1	1	4	2	2	–	3	1	–
Phthisis	305	1	3	–	–	–	4	13	14	35	42	92	54	33	12	6	–	–
Hydrocephalus	27	9	6	4	1	2	22	2	3	–	–	–	–	–	–	–	–	–
Dis. of Brain	319	93	15	2	5	8	123	8	5	2	4	9	14	26	23	45	51	9
Dis. of Heart & Dropsy	245	1	–	–	1	–	2	3	2	4	4	15	23	27	47	71	40	7
Dis. of Lungs	367	82	41	19	10	5	157	11	1	5	2	9	13	16	18	61	58	16
Dis. of Stom. and Liver	173	19	2	2	2	–	25	5	2	6	3	9	17	21	25	41	16	3
Dis. of Kidneys	21	–	–	–	–	–	–	–	1	1	2	3	5	1	–	3	5	–
Dis. of Gener. Organs	21	–	–	–	–	–	–	–	–	–	–	4	6	3	5	3	–	–
Dis. of Joints	8	–	–	–	–	–	–	1	–	1	1	–	2	–	3	–	–	–
Dis. of Skin	12	6	–	–	1	1	8	1	–	–	–	1	1	–	–	1	–	–
Childbirth and Metria	28	–	–	–	–	–	–	–	–	–	6	13	9	–	–	–	–	–
Suicide	8	–	–	–	–	–	–	–	–	3	–	1	–	2	1	1	–	–
Other Violent Deaths	57	11	8	1	5	4	29	3	–	2	2	1	2	4	1	7	3	3
Other Causes	374	237	21	6	1	3	298	–	1	2	4	1	9	7	14	55	119	64
428.—LINCOLN.																		
Mean Populn, 1861–71	25019	737	683	665	640	631	3356	2978	2658	2321	2170	3539	2818	2214	1593	965	353	54
TOTAL DEATHS	5040	1184	307	150	115	69	1825	196	118	169	186	423	324	289	375	516	458	161
Small-pox	35	8	–	3	5	1	17	7	–	2	–	2	2	2	1	2	–	–
Measles	66	9	20	11	5	13	58	7	1	–	–	–	–	–	–	–	–	–
Scarlatina	178	16	24	27	27	14	108	45	12	7	1	4	–	–	–	1	–	–
Diphtheria	65	3	8	7	11	4	33	12	7	2	4	4	–	1	2	–	–	–
Whooping-cough	99	41	28	17	7	3	96	3	–	–	–	–	–	–	–	–	–	–
Typhus	215	2	10	13	7	6	38	28	30	20	13	34	19	15	8	7	3	–
Diarrhœa & Dysentery	169	100	16	7	3	–	126	2	–	–	3	1	1	3	11	10	11	1
Cholera	4	2	1	–	–	–	3	1	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	89	10	8	7	8	4	37	10	7	4	1	3	4	8	5	4	6	–
Cancer	135	–	–	–	2	–	2	–	–	–	–	5	19	33	34	35	5	2
Scrofula and Tabes	55	19	10	3	–	1	33	3	2	4	3	3	3	4	–	–	–	–
Phthisis	630	3	3	2	2	1	11	14	25	82	102	196	111	57	28	4	–	–
Hydrocephalus	39	13	11	5	3	1	33	5	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	788	350	47	11	13	6	427	17	7	15	5	31	34	38	80	79	47	8
Dis. of Heart & Dropsy	261	5	1	–	–	1	7	3	8	7	8	17	29	35	54	67	22	4
Dis. of Lungs	481	110	49	19	10	9	197	13	5	4	9	20	19	24	53	82	47	8
Dis. of Stom. and Liver	221	12	1	5	2	–	20	8	2	5	11	23	32	33	41	35	11	–
Dis. of Kidneys	24	–	1	–	–	–	1	1	4	1	–	5	4	3	2	–	3	–
Dis. of Gener. Organs	31	–	–	–	–	–	–	–	–	1	2	7	9	5	3	4	–	–
Dis. of Joints	15	–	–	–	–	–	–	3	–	–	4	1	2	1	2	2	–	–
Dis. of Skin	17	5	2	–	–	–	7	–	–	–	–	2	1	1	2	1	3	–
Childbirth and Metria	80	–	–	–	–	–	–	–	–	5	13	39	20	3	–	–	–	–
Suicide	7	–	–	–	–	–	–	–	–	2	–	2	1	1	1	–	–	–
Other Violent Deaths	67	9	7	2	5	4	27	5	3	2	4	7	–	5	6	4	3	1
Other Causes	1269	467	60	11	5	1	544	9	4	6	3	17	14	17	42	179	297	137

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 upwards.
429.—HORNCASTLE.																		
Mean Popul^n, 1861-71	12064	337	320	332	312	314	1615	1517	1346	1212	867	1464	1318	1133	826	518	216	27
TOTAL DEATHS	2161	552	83	45	41	26	747	91	72	54	72	96	115	136	180	265	252	81
Small-pox	10	4	-	-	1	1	6	-	-	-	-	1	1	1	1	-	-	-
Measles	10	1	2	4	2	-	9	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	51	2	5	8	5	8	28	10	10	3	1	1	-	1	-	-	-	-
Diphtheria	61	1	2	2	6	3	14	24	13	4	3	1	-	2	-	-	-	-
Whooping-cough	39	23	11	2	-	1	37	2	-	-	-	-	-	-	-	-	-	-
Typhus	79	2	4	2	3	1	12	16	9	3	7	6	3	7	3	10	2	1
Diarrhœa & Dysentery	37	16	-	2	1	-	19	1	-	1	1	-	2	-	3	5	3	2
Cholera	4	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-	-
Other Zymotic Dis.	37	7	2	4	1	2	16	4	3	3	1	2	2	-	2	2	2	-
Cancer	22	-	-	-	-	-	-	-	-	-	-	2	1	5	5	5	4	-
Scrofula and Tabes	13	12	3	-	-	1	16	6	4	1	2	3	4	1	3	2	1	-
Phthisis	191	-	2	-	1	1	4	3	8	17	35	43	39	19	19	4	-	-
Hydrocephalus	27	7	5	1	5	1	19	3	4	1	-	-	-	-	-	-	-	-
Dis. of Brain	315	180	13	5	3	1	202	6	4	3	4	3	6	17	21	42	30	4
Dis. of Heart & Dropsy	139	3	-	-	-	1	4	1	3	2	3	7	16	13	33	38	18	1
Dis. of Lungs	191	40	16	5	1	3	65	2	2	1	4	7	9	23	24	39	15	-
Dis. of Stom. and Liver	116	12	1	2	3	1	19	3	3	2	5	5	16	18	20	20	5	-
Dis. of Kidneys	32	-	-	-	-	-	-	-	1	-	1	-	2	1	8	12	7	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Dis. of Joints	5	1	-	-	-	-	1	-	-	-	-	1	-	3	-	-	-	-
Dis. of Skin	7	2	1	-	-	-	3	-	-	-	-	-	-	-	2	2	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	11	-	-	-	-	-	-	-	-	1	-	-	1	4	1	3	-	1
Other Violent Deaths	80	3	2	4	5	1	15	6	4	10	4	5	8	9	10	4	4	1
Other Causes	620	236	14	4	4	-	258	2	4	2	1	8	4	11	22	76	161	71
430.—SPILSBY.																		
Mean Popul^n, 1861-71	14342	376	387	381	388	387	1919	1894	1671	1402	1054	1663	1530	1303	977	640	256	33
TOTAL DEATHS	2642	655	131	85	51	35	957	124	47	73	95	164	126	159	192	310	305	90
Small-pox	15	4	1	-	-	-	5	2	-	-	1	3	3	1	-	-	-	-
Measles	14	4	4	4	1	-	13	-	1	-	-	-	-	-	-	-	-	-
Scarlatina	59	3	7	7	14	3	34	14	5	2	1	1	1	-	1	-	-	-
Diphtheria	61	6	2	7	5	6	26	25	5	3	1	-	-	1	-	-	-	-
Whooping-cough	36	17	11	5	-	1	34	2	-	-	-	-	-	-	-	-	-	-
Typhus	87	1	1	2	1	3	8	14	10	6	5	11	8	6	8	10	1	-
Diarrhœa & Dysentery	54	28	3	-	2	3	36	3	-	1	-	-	1	1	2	6	4	-
Cholera	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Other Zymotic Dis.	44	12	3	1	4	-	20	9	1	4	1	1	-	1	4	1	2	-
Cancer	40	-	-	-	-	-	-	-	-	-	1	2	4	4	14	8	7	-
Scrofula and Tabes	31	6	2	2	-	1	11	2	-	5	2	-	4	2	3	2	-	-
Phthisis	317	6	4	3	5	1	19	9	9	32	51	80	43	45	20	9	-	-
Hydrocephalus	43	14	12	4	3	2	35	5	3	-	-	-	-	-	-	-	-	-
Dis. of Brain	469	273	20	12	4	3	312	5	2	4	10	12	10	16	25	45	24	4
Dis. of Heart & Dropsy	144	1	1	1	1	1	5	5	1	1	1	9	7	19	22	47	25	2
Dis. of Lungs	216	40	26	9	4	3	82	6	1	2	9	10	5	15	26	39	17	4
Dis. of Stom. and Liver	136	12	1	2	-	1	16	8	3	2	3	11	10	20	25	28	10	-
Dis. of Kidneys	45	1	-	-	-	1	2	1	-	1	-	1	4	6	11	11	5	3
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Dis. of Joints	5	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	1	-
Dis. of Skin	6	2	-	-	-	-	2	-	-	-	-	1	1	1	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	21	-	-	-	-	-	-	-	-	-	-	-	4	3	7	6	1	-
Other Violent Deaths	108	9	7	13	5	2	36	8	4	6	7	13	12	11	3	4	3	1
Other Causes	688	215	26	13	2	4	260	6	2	3	1	7	9	7	20	94	203	76
431.—LOUTH.																		
Mean Popul^n, 1861-71	17201	514	474	482	481	476	2427	2171	1948	1626	1285	2189	1854	1531	1142	748	245	35
TOTAL DEATHS	3218	876	164	77	54	43	1214	126	63	103	83	157	147	193	268	424	359	81
Small-pox	3	1	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-
Measles	22	5	8	3	3	1	20	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	56	5	3	11	9	8	36	10	2	3	2	2	-	1	-	-	-	-
Diphtheria	31	4	-	2	2	2	10	8	3	4	-	4	-	-	2	-	-	-
Whooping-cough	58	39	10	5	3	-	57	1	-	-	-	-	-	-	-	-	-	-
Typhus	79	2	1	2	2	8	15	16	8	3	6	5	4	4	7	3	1	2
Diarrhœa & Dysentery	80	46	3	1	1	-	51	1	-	-	1	1	2	3	4	7	7	3
Cholera	7	5	-	-	-	-	5	-	-	-	-	-	-	-	1	1	-	-
Other Zymotic Dis.	79	19	8	3	6	10	46	9	1	2	-	-	5	6	4	3	3	-
Cancer	46	-	-	-	-	-	-	1	-	-	-	1	1	6	16	15	5	1
Scrofula and Tabes	35	9	3	-	-	-	12	4	2	4	4	4	2	1	2	-	-	-
Phthisis	288	10	8	4	2	-	24	13	7	44	44	76	33	33	12	2	-	-
Hydrocephalus	42	10	9	6	2	2	29	12	-	1	-	-	-	-	-	-	-	-
Dis. of Brain	517	280	21	5	8	3	317	9	8	4	3	11	16	15	35	66	29	4
Dis. of Heart & Dropsy	210	3	-	-	-	1	4	1	5	3	3	8	21	36	43	65	19	2
Dis. of Lungs	282	51	26	5	2	1	85	5	4	6	5	14	22	25	46	45	20	3
Dis. of Stom. and Liver	128	9	3	4	1	-	17	4	3	3	3	6	15	13	22	29	10	3
Dis. of Kidneys	59	-	-	1	-	-	1	1	1	1	-	2	5	6	13	19	10	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	19	1	1	-	-	1	3	2	2	2	-	3	1	1	2	3	-	-
Dis. of Skin	9	3	-	-	-	-	3	-	-	-	-	-	-	-	-	1	4	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	13	-	-	-	-	-	-	-	-	1	-	-	1	4	3	3	1	-
Other Violent Deaths	122	6	11	9	5	2	33	11	5	3	10	8	5	12	11	13	6	-
Other Causes	1033	368	49	16	8	4	445	16	12	9	2	12	12	27	45	149	244	60

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
429.—HORNCASTLE.																		
Mean Populn, 1861-71	12177	344	332	330	316	306	1628	1477	1369	1118	1001	1594	1291	1061	820	528	241	49
TOTAL DEATHS	2219	465	83	52	39	30	669	112	75	98	93	151	142	116	155	224	270	114
Small-pox	6	2	-	1	-	-	3	-	1	-	1	-	1	-	-	-	-	-
Measles	14	6	2	2	2	-	12	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	60	5	4	4	6	8	27	19	8	5	-	-	1	-	-	-	-	-
Diphtheria	82	3	3	6	8	6	26	26	19	5	1	2	1	1	-	1	-	-
Whooping-cough	47	28	10	6	-	1	45	2	-	-	-	-	-	-	-	-	-	-
Typhus	87	2	2	4	1	2	11	11	12	16	10	11	7	1	3	3	2	-
Diarrhœa & Dysentery	29	14	1	1	2	1	19	-	-	1	1	-	2	1	3	2	-	-
Cholera	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-
Other Zymotic Dis.	30	4	-	4	1	2	11	6	-	1	-	2	1	1	3	2	3	-
Cancer	57	-	-	-	-	-	-	-	-	-	-	-	11	20	16	8	2	-
Scrofula and Tabes	48	11	3	-	1	3	18	4	3	4	3	10	2	2	2	-	-	-
Phthisis	267	2	-	-	-	-	2	4	13	45	59	71	43	20	6	4	-	-
Hydrocephalus	20	4	7	2	1	1	15	4	-	1	-	-	-	-	-	-	-	-
Dis. of Brain	306	137	11	9	4	-	161	11	6	6	1	5	14	15	21	39	24	3
Dis. of Heart & Dropsy	154	2	-	-	2	-	4	1	1	4	2	6	15	15	33	25	25	3
Dis. of Lungs	145	29	11	5	3	-	48	6	2	1	2	6	4	10	20	26	15	5
Dis. of Stom. and Liver	112	5	-	-	2	-	7	3	-	1	3	12	14	12	24	28	5	3
Dis. of Kidneys	6	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	1	-
Dis. of Gener. Organs	14	-	-	-	-	-	-	-	-	-	-	2	4	7	1	-	-	-
Dis. of Joints	5	1	1	-	-	-	2	-	-	1	-	-	-	1	1	-	-	-
Dis. of Skin	2	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	36	-	-	-	-	-	-	-	-	1	6	15	13	1	-	-	-	-
Suicide	9	-	-	-	-	-	-	-	-	1	1	3	-	-	2	2	-	-
Other Violent Deaths	32	2	5	-	4	1	12	6	1	1	1	-	1	1	1	1	7	-
Other Causes	668	208	22	8	2	5	245	6	9	3	2	5	7	6	19	80	186	100
430.—SPILSBY.																		
Mean Populn, 1861-71	14681	414	408	388	396	389	1995	1772	1662	1383	1149	1854	1595	1288	1008	686	242	47
TOTAL DEATHS	2551	518	104	70	48	35	775	131	91	106	99	203	141	146	183	279	293	104
Small-pox	3	-	2	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-
Measles	17	3	6	2	1	1	13	3	1	-	-	-	-	-	-	-	-	-
Scarlatina	65	1	2	8	8	6	25	28	2	7	1	1	1	-	-	-	-	-
Diphtheria	78	-	5	3	7	3	18	31	20	3	1	2	-	1	-	2	-	-
Whooping cough	42	24	10	4	3	-	41	1	-	-	-	-	-	-	-	-	-	-
Typhus	119	2	2	5	2	3	14	15	25	8	17	11	11	8	4	3	3	-
Diarrhœa & Dysentery	39	19	2	1	1	-	23	2	-	1	-	1	-	-	2	4	4	2
Cholera	3	1	-	-	1	-	2	-	-	-	-	-	-	-	-	1	-	-
Other Zymotic Dis.	71	12	6	13	2	3	36	5	6	2	2	2	5	5	2	3	3	-
Cancer	77	-	-	-	-	-	-	-	-	-	-	2	14	21	17	16	6	1
Scrofula and Tabes	29	10	1	2	-	1	14	2	2	1	1	5	2	-	1	-	1	-
Phthisis	423	5	6	4	2	1	18	13	24	66	59	122	57	33	27	4	-	-
Hydrocephalus	25	9	3	3	3	1	19	4	1	-	-	1	-	-	-	-	-	-
Dis. of Brain	346	182	23	7	4	1	217	3	3	4	2	9	5	13	22	39	22	7
Dis. of Heart & Dropsy	147	4	-	-	2	-	6	2	3	2	6	15	8	16	40	36	11	2
Dis. of Lungs	158	31	13	6	4	7	61	6	-	3	2	3	2	13	22	32	14	-
Dis. of Stom. and Liver	106	14	-	1	-	-	15	3	-	2	4	10	5	20	21	17	7	2
Dis. of Kidneys	13	-	1	1	-	-	2	2	-	-	-	2	4	1	1	1	-	-
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	-	-	-	5	1	1	-	-	-
Dis. of Joints	8	1	-	-	-	1	2	1	-	-	-	2	1	1	-	1	-	-
Dis. of Skin	5	-	-	-	-	-	-	1	-	-	-	-	1	-	1	2	-	-
Childbirth and Metria	31	-	-	-	-	-	-	-	-	1	4	11	15	-	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	-
Other Violent Deaths	43	6	6	6	2	5	25	4	1	1	-	1	1	2	5	1	1	1
Other Causes	691	194	16	4	6	2	222	5	3	4	-	2	4	9	16	116	221	89
431.—LOUTH.																		
Mean Populn, 1861-71	17558	491	460	485	482	458	2376	2181	1912	1595	1446	2366	1884	1520	1140	777	307	54
TOTAL DEATHS	3236	710	178	82	55	51	1106	105	81	139	142	255	190	157	228	353	323	147
Small-pox	6	2	-	-	-	-	2	-	2	1	1	-	-	-	-	-	-	-
Measles	32	8	12	4	2	2	28	3	-	-	-	-	-	1	-	-	-	-
Scarlatina	69	5	12	7	6	11	41	12	9	2	2	2	-	-	1	-	-	-
Diphtheria	41	2	3	3	4	2	14	10	6	-	2	3	2	1	1	2	-	-
Whooping-cough	82	51	17	3	8	-	79	3	-	-	-	-	-	-	-	-	-	-
Typhus	82	1	4	5	3	4	17	6	8	11	9	12	4	5	1	4	5	-
Diarrhœa & Dysentery	82	43	6	1	1	3	54	2	-	1	-	-	1	3	5	8	6	2
Cholera	6	2	1	-	-	-	3	1	-	-	-	-	-	-	1	1	-	-
Other Zymotic Dis.	68	17	7	9	3	5	41	6	3	1	-	2	4	5	2	3	1	-
Cancer	70	-	-	-	1	-	1	-	-	1	-	4	11	10	24	11	7	1
Scrofula and Tabes	21	4	1	1	1	1	8	2	-	1	3	1	4	-	2	-	-	-
Phthisis	463	7	8	4	-	3	22	5	29	79	79	131	68	30	19	1	-	-
Hydrocephalus	38	9	7	5	4	3	28	4	3	-	1	2	-	-	-	-	-	-
Dis. of Brain	421	211	15	6	8	1	241	5	4	10	11	12	7	16	32	47	32	7
Dis. of Heart & Dropsy	208	3	2	1	-	1	7	3	4	3	1	6	19	24	45	63	29	4
Dis. of Lungs	228	40	22	10	6	4	82	7	2	8	4	11	16	12	25	38	17	6
Dis. of Stom. and Liver	124	7	1	2	1	-	11	3	3	6	4	12	12	16	24	22	10	1
Dis. of Kidneys	18	-	-	-	-	-	-	-	-	1	4	1	2	3	4	1	2	-
Dis. of Gener. Organs	10	-	-	-	-	-	-	-	-	-	-	3	1	2	3	1	-	-
Dis. of Joints	6	-	-	-	-	1	1	2	-	-	1	-	-	1	1	-	-	-
Dis. of Skin	7	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	-	-
Childbirth and Metria	53	-	-	-	-	-	-	-	-	2	7	29	18	-	-	-	-	-
Suicide	9	-	-	-	-	-	-	-	-	-	1	2	2	1	-	3	-	-
Other Violent Deaths	47	7	5	-	4	1	17	10	3	2	-	4	-	2	1	3	3	2
Other Causes	1039	321	55	21	3	9	409	21	5	10	12	18	18	21	44	143	211	124

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
432.—CAISTOR.																		
Mean Popul^{n}, 1861–71	21996	649	589	595	594	562	2989	2608	2309	2371	1895	3131	2511	1917	1234	739	261	31
TOTAL DEATHS	4202	1242	295	141	128	89	1895	200	108	116	132	235	230	220	272	382	332	80
Small-pox	36	11	–	–	2	3	16	5	2	2	1	2	5	2	1	–	–	–
Measles	39	10	16	5	3	2	36	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	258	18	34	37	39	33	161	71	26	4	2	–	–	–	–	–	–	–
Diphtheria	66	1	6	7	5	10	29	20	4	5	3	3	–	1	1	–	–	–
Whooping-cough	77	36	25	8	5	1	75	2	–	–	–	–	–	–	–	–	–	–
Typhus	163	4	6	4	13	3	30	15	15	11	12	27	13	11	15	12	2	–
Diarrhœa & Dysentery	217	152	27	7	2	1	189	1	–	–	–	1	1	1	2	11	9	2
Cholera	12	5	–	–	–	1	6	1	–	–	–	2	–	3	–	–	–	–
Other Zymotic Dis.	95	29	9	10	9	1	58	4	1	4	–	4	1	3	7	6	7	–
Cancer	31	–	–	–	–	–	–	–	2	–	–	1	1	8	5	13	4	–
Scrofula and Tabes	68	21	16	1	1	1	40	6	3	4	1	6	3	1	2	2	–	–
Phthisis	306	6	8	2	–	–	16	8	16	25	59	76	53	29	15	9	–	–
Hydrocephalus	87	23	22	13	12	4	74	13	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	689	343	29	12	13	3	400	11	4	10	10	12	26	29	50	77	51	9
Dis. of Heart & Dropsy	278	2	1	2	–	1	6	1	4	4	4	18	37	35	52	68	45	4
Dis. of Lungs	450	133	42	18	13	11	217	9	5	6	9	22	24	22	42	52	35	7
Dis. of Stom. and Liver	201	39	3	–	2	4	48	6	4	7	6	5	23	26	35	35	6	–
Dis. of Kidneys	85	1	1	–	1	–	3	3	–	3	1	7	6	12	8	25	14	3
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	11	–	–	–	–	–	–	2	4	2	1	–	–	1	–	1	–	–
Dis. of Skin	13	4	1	–	–	1	6	2	–	–	–	1	1	1	1	–	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	20	–	–	–	–	–	–	–	1	–	–	3	5	4	5	2	–	–
Other Violent Deaths	232	14	7	8	7	7	43	14	20	25	22	41	23	19	14	7	3	1
Other Causes	765	390	42	7	1	2	442	3	3	4	1	4	8	12	17	62	155	54
433.—GLANFORD BRIGG.																		
Mean Popul^{n}, 1861–71	17565	542	518	470	483	484	2497	2184	1931	1699	1349	2228	1859	1561	1185	761	272	39
TOTAL DEATHS	3502	929	182	113	70	49	1343	194	98	99	121	183	152	201	264	405	330	112
Small-pox	17	3	1	1	2	–	7	–	–	–	1	6	1	1	–	1	–	–
Measles	38	11	15	7	–	1	34	4	–	–	–	–	–	–	–	–	–	–
Scarlatina	165	8	16	28	18	14	84	59	14	2	1	2	3	–	–	–	–	–
Diphtheria	53	3	3	2	8	3	19	19	5	3	1	1	2	3	–	–	–	–
Whooping-cough	57	25	13	10	4	2	54	3	–	–	–	–	–	–	–	–	–	–
Typhus	138	5	2	1	6	1	15	24	18	13	6	9	13	13	11	12	4	–
Diarrhœa & Dysentery	137	91	10	3	1	–	105	–	–	–	–	2	–	1	2	8	11	8
Cholera	9	1	–	1	–	–	2	–	–	–	–	–	4	2	–	1	–	–
Other Zymotic Dis.	86	10	7	8	4	5	34	13	6	3	–	4	2	5	8	5	6	–
Cancer	43	–	–	–	–	–	–	–	–	–	–	2	2	9	9	15	4	2
Scrofula and Tabes	59	12	5	3	3	2	25	5	8	3	6	2	5	2	2	1	–	–
Phthisis	299	4	2	1	1	2	10	6	10	38	54	80	46	27	21	6	1	–
Hydrocephalus	67	11	19	10	3	4	47	11	8	–	–	–	1	–	–	–	–	–
Dis. of Brain	544	239	14	5	4	4	296	6	3	4	8	16	13	23	44	76	49	6
Dis. of Heart & Dropsy	204	1	1	1	2	1	6	4	6	–	3	5	13	30	48	58	28	3
Dis. of Lungs	466	121	35	19	7	4	186	9	3	5	8	9	14	32	43	79	65	13
Dis. of Stom. and Liver	188	14	2	3	–	–	19	5	3	6	2	13	15	26	36	45	16	2
Dis. of Kidneys	73	–	–	–	1	1	2	–	–	2	1	6	4	5	14	22	13	4
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Dis. of Joints	12	–	–	–	–	–	–	1	–	4	1	2	1	–	–	3	–	–
Dis. of Skin	8	2	–	–	–	–	2	1	–	–	–	–	–	3	–	1	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	13	–	–	–	–	–	–	–	–	2	2	4	1	3	1	–	–	–
Other Violent Deaths	136	9	4	4	5	4	26	13	8	13	23	16	9	8	11	7	2	–
Other Causes	689	329	33	6	1	1	370	11	6	1	4	4	2	8	14	65	130	74
434.—GAINSBOROUGH.																		
Mean Popul^{n}, 1861–71	13245	369	350	347	358	345	1769	1573	1421	1310	1047	1686	1394	1211	960	601	238	35
TOTAL DEATHS	2876	771	135	87	54	43	1090	138	65	81	89	140	124	163	243	336	302	105
Small-pox	10	5	–	–	–	–	5	–	–	1	–	2	1	–	–	1	–	–
Measles	56	4	4	6	5	1	20	6	–	–	–	–	–	–	–	–	–	–
Scarlatina	120	2	15	15	18	14	64	47	7	1	–	1	–	–	–	–	–	–
Diphtheria	43	6	4	5	5	1	21	13	3	3	–	1	1	1	–	–	–	–
Whooping-cough	35	18	10	5	–	–	33	2	–	–	–	–	–	–	–	–	–	–
Typhus	141	4	1	5	2	2	14	11	7	12	19	15	15	15	18	11	4	–
Diarrhœa & Dysentery	120	84	5	5	3	–	97	2	–	1	–	–	1	5	7	9	5	3
Cholera	13	1	–	–	–	–	1	1	–	–	1	1	2	2	2	3	–	–
Other Zymotic Dis.	69	10	9	10	2	5	36	4	3	3	1	3	2	5	5	5	1	1
Cancer	44	–	–	–	1	–	1	–	–	–	–	1	2	9	9	11	9	2
Scrofula and Tabes	41	11	8	3	1	2	25	4	4	3	–	1	–	3	–	1	–	–
Phthisis	187	–	2	–	–	1	3	4	2	28	38	50	23	18	14	6	–	1
Hydrocephalus	31	10	6	1	3	2	22	5	3	–	–	–	–	–	–	1	–	–
Dis. of Brain	387	169	14	5	4	3	195	6	6	8	5	8	10	17	30	57	36	9
Dis. of Heart & Dropsy	154	2	1	–	1	–	4	3	4	1	3	12	11	13	21	44	26	2
Dis. of Lungs	288	112	30	14	3	3	162	9	6	5	6	18	14	24	43	54	35	12
Dis. of Stom. and Liver	194	37	2	2	–	1	42	2	2	3	2	6	19	24	37	31	23	3
Dis. of Kidneys	55	–	–	–	–	–	–	–	2	–	1	–	1	7	9	24	8	3
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Dis. of Joints	8	–	–	–	–	–	–	1	1	–	–	2	1	–	1	2	–	–
Dis. of Skin	6	–	–	–	–	–	–	–	–	–	–	–	1	2	2	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	14	–	–	–	–	–	–	–	–	–	–	–	1	4	4	4	–	1
Other Violent Deaths	120	6	2	5	5	7	25	11	12	9	10	13	11	7	12	7	3	–
Other Causes	658	290	22	6	1	1	320	7	3	2	2	6	8	7	19	64	152	68

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
432.—CAISTOR.																		
Mean Popul^{n}, 1861–71	21205	645	616	573	576	577	2937	2586	2258	1957	1932	3031	2362	1782	1215	737	265	43
TOTAL DEATHS	3868	949	271	133	97	58	1508	173	107	134	173	300	217	207	251	342	333	123
Small-pox	21	4	2	–	–	2	8	–	3	2	3	3	2	–	–	–	–	–
Measles	43	8	17	11	2	2	40	2	–	–	–	–	1	–	–	–	–	–
Scarlatina	220	10	27	39	31	20	127	58	23	5	2	4	1	–	–	–	–	–
Diphtheria	83	2	9	14	10	4	39	23	13	4	1	2	1	–	–	–	–	–
Whooping-cough	77	31	30	5	6	2	74	3	–	–	–	–	–	–	–	–	–	–
Typhus	177	2	5	5	4	9	25	29	19	23	18	21	15	10	11	12	–	–
Diarrhœa & Dysentery	200	117	31	5	1	–	157	3	–	–	–	3	1	–	5	14	11	6
Cholera	9	4	1	–	1	–	6	1	–	–	–	–	–	1	1	–	–	–
Other Zymotic Dis.	88	13	13	6	4	6	42	6	–	4	5	3	4	6	6	6	6	–
Cancer	76	–	–	–	–	–	–	–	–	–	1	4	10	22	18	16	5	–
Scrofula and Tabes	53	15	11	1	1	1	29	1	5	8	3	3	3	–	1	–	–	–
Phthisis	444	5	4	2	2	–	13	10	18	57	87	138	68	32	17	3	1	–
Hydrocephalus	48	20	5	7	9	–	41	5	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	563	246	30	7	6	3	292	10	5	8	12	17	20	19	33	70	60	14
Dis. of Heart & Dropsy	259	3	1	–	1	2	7	5	6	1	6	11	17	38	43	77	45	3
Dis. of Lungs	377	85	31	18	7	4	145	7	4	7	9	19	16	14	41	49	51	15
Dis. of Stom. and Liver	235	22	6	3	3	–	34	4	4	8	6	24	22	31	39	41	29	2
Dis. of Kidneys	25	2	1	–	–	–	3	2	–	–	1	6	4	6	3	–	–	–
Dis. of Gener. Organs	37	–	–	–	–	–	–	–	–	1	3	5	5	10	9	4	–	–
Dis. of Joints	7	1	–	–	–	–	1	–	2	–	–	1	1	–	2	–	–	–
Dis. of Skin	12	5	–	–	–	–	5	–	1	–	–	–	1	3	2	–	–	–
Childbirth and Metria	64	–	–	–	–	–	–	–	–	3	12	29	17	3	–	–	–	–
Suicide	5	–	–	–	–	–	–	–	–	–	–	–	1	3	1	–	–	–
Other Violent Deaths	58	11	5	6	7	–	29	5	1	2	1	2	2	6	3	3	2	2
Other Causes	687	343	39	4	2	3	391	5	1	1	3	5	5	3	13	47	132	81
433.—GLANFORD BRIGG.																		
Mean Popul^{n}, 1861–71	17920	500	505	490	474	485	2454	2271	1927	1653	1424	2428	1918	1546	1182	787	281	44
TOTAL DEATHS	3440	767	161	115	63	63	1169	170	110	138	132	249	217	176	238	351	372	118
Small-pox	16	6	1	–	1	–	8	4	1	1	–	–	1	1	–	–	–	–
Measles	29	2	9	8	4	–	23	3	1	–	–	1	1	–	–	–	–	–
Scarlatina	189	7	16	31	18	24	96	57	18	2	3	4	–	–	–	–	–	–
Diphtheria	64	2	6	7	7	4	26	20	10	1	2	2	1	1	1	–	–	–
Whooping-cough	69	34	11	13	4	4	66	3	–	–	–	–	–	–	–	–	–	–
Typhus	160	2	6	4	5	7	24	22	21	23	12	15	10	13	10	6	4	–
Diarrhœa & Dysentery	125	75	9	3	1	–	88	1	–	2	–	5	–	1	5	9	8	3
Cholera	6	–	–	2	1	–	3	–	–	–	–	–	–	1	2	–	–	–
Other Zymotic Dis.	61	3	5	5	4	3	20	5	4	4	–	5	3	1	6	6	5	2
Cancer	85	–	–	–	1	–	1	–	–	–	–	3	14	15	17	23	10	2
Scrofula and Tabes	51	9	5	1	–	2	17	4	5	4	6	4	6	3	2	–	–	–
Phthisis	336	3	2	4	–	–	9	3	19	65	71	127	63	28	9	2	–	–
Hydrocephalus	57	12	12	4	4	5	37	12	4	3	–	–	1	–	–	–	–	–
Dis. of Brain	463	208	19	9	2	–	238	7	5	8	6	11	11	19	34	60	57	7
Dis. of Heart & Dropsy	272	2	1	1	–	1	5	1	5	6	5	17	19	31	54	75	45	9
Dis. of Lungs	380	89	24	13	6	3	135	10	3	1	5	12	13	29	39	65	75	12
Dis. of Stom. and Liver	189	21	2	1	1	3	28	–	4	4	3	11	24	25	31	36	20	3
Dis. of Kidneys	28	–	–	–	–	–	–	2	1	2	1	3	6	2	4	4	3	–
Dis. of Gener. Organs	15	–	–	–	–	–	–	–	1	–	1	–	3	4	3	2	1	–
Dis. of Joints	6	–	–	–	–	–	–	1	1	–	–	2	–	1	1	–	–	–
Dis. of Skin	9	4	–	–	–	–	4	1	–	–	1	–	–	–	2	–	1	–
Childbirth and Metria	65	–	–	–	–	–	–	–	–	4	9	20	31	1	–	–	–	–
Suicide	7	–	–	–	–	–	–	–	–	1	–	2	2	–	2	–	–	–
Other Violent Deaths	55	5	7	4	1	5	22	6	1	3	2	1	4	4	1	1	7	3
Other Causes	642	283	26	5	3	2	319	8	6	4	5	4	4	5	12	62	136	77
434.—GAINSBOROUGH.																		
Mean Popul^{n}, 1861–71	13357	379	344	323	351	358	1755	1579	1364	1232	1105	1769	1428	1211	965	626	283	40
TOTAL DEATHS	2644	567	129	88	54	44	882	127	57	97	124	174	140	131	211	270	331	97
Small-pox	6	2	–	1	–	–	3	1	1	–	–	1	–	–	–	–	–	–
Measles	31	5	6	9	4	3	27	2	1	–	–	1	–	–	–	–	–	–
Scarlatina	126	8	11	27	15	15	76	35	11	2	2	–	–	–	–	–	–	–
Diphtheria	54	4	4	4	6	7	25	18	2	1	–	4	–	3	–	1	–	–
Whooping-cough	50	27	11	7	2	1	48	2	–	–	–	–	–	–	–	–	–	–
Typhus	116	4	1	1	4	3	13	14	7	14	19	10	16	4	9	6	3	1
Diarrhœa & Dysentery	111	51	8	2	1	–	62	2	–	–	2	2	3	3	6	12	15	4
Cholera	19	–	–	1	–	–	1	–	–	–	–	5	3	5	2	1	2	–
Other Zymotic Dis.	53	8	2	5	4	5	24	5	1	2	–	5	1	5	3	7	1	2
Cancer	68	–	–	–	–	–	–	–	–	–	–	2	6	17	21	17	5	–
Scrofula and Tabes	28	12	4	3	1	2	22	2	1	–	1	2	–	–	–	–	–	–
Phthisis	303	4	–	–	–	1	5	6	11	53	68	82	45	21	10	1	1	–
Hydrocephalus	24	7	8	3	3	1	22	1	–	–	–	1	–	–	–	–	–	–
Dis. of Brain	320	125	13	7	7	1	153	6	1	4	4	6	7	14	26	43	50	6
Dis. of Heart & Dropsy	174	3	–	–	–	–	3	6	3	2	3	11	9	25	33	50	26	3
Dis. of Lungs	311	80	34	10	3	3	130	8	4	4	6	11	9	11	33	45	39	11
Dis. of Stom. and Liver	142	25	2	–	2	–	29	1	3	1	6	9	14	15	29	15	16	4
Dis. of Kidneys	15	–	–	1	–	–	1	2	–	1	–	1	5	–	2	1	2	–
Dis. of Gener. Organs	12	–	–	–	–	–	–	–	–	–	1	1	4	1	4	1	–	–
Dis. of Joints	14	1	–	1	1	–	3	–	5	1	–	1	–	1	3	–	–	–
Dis. of Skin	7	4	–	–	–	–	4	–	–	–	–	–	–	–	2	–	1	–
Childbirth and Metria	26	–	–	–	–	–	–	–	–	4	6	10	6	–	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–
Other Violent Deaths	53	6	3	1	–	1	11	11	3	4	1	2	3	4	2	3	7	2
Other Causes	575	191	22	5	1	1	220	5	3	4	4	7	8	5	25	67	163	64

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 upwds.
435.—EAST RETFORD.																		
Mean Popul^n, 1861–71	11116	322	292	297	272	284	1467	1337	1261	1017	807	1331	1188	1021	813	571	226	27
TOTAL DEATHS	2204	569	104	55	34	38	800	89	42	46	46	106	108	119	179	276	310	83
Small-pox	5	2	–	–	–	–	2	1	1	–	–	–	1	–	–	–	–	–
Measles	25	7	9	4	2	1	23	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	58	5	9	6	8	7	35	20	2	1	–	–	–	–	–	–	–	–
Diphtheria	18	1	2	3	1	1	8	5	2	–	–	–	1	1	–	1	–	–
Whooping-cough	33	13	10	5	2	2	32	1	–	–	–	–	–	–	–	–	–	–
Typhus	70	1	4	1	1	2	9	8	11	9	4	4	5	3	6	6	4	1
Diarrhœa & Dysentery	58	29	2	1	–	2	34	1	–	1	–	–	–	–	4	2	12	4
Cholera	7	1	1	1	–	–	3	–	–	–	–	–	–	2	–	1	1	–
Other Zymotic Dis.	65	6	4	6	4	3	23	8	1	2	1	1	1	2	8	8	9	1
Cancer	30	–	–	–	–	–	–	–	–	–	–	1	1	3	11	9	4	1
Scrofula and Tabes	47	10	5	1	1	1	18	4	3	5	5	4	1	4	2	–	–	1
Phthisis	168	3	1	2	–	–	6	3	5	11	26	51	28	24	10	4	–	–
Hydrocephalus	16	7	2	4	–	2	15	1	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	371	185	15	2	2	4	208	11	3	3	2	5	13	14	31	37	39	5
Dis. of Heart & Dropsy	120	2	–	–	–	1	3	–	–	1	–	2	9	14	23	35	32	1
Dis. of Lungs	339	79	21	10	7	6	123	2	1	–	3	6	17	11	23	70	65	18
Dis. of Stom. and Liver	160	11	–	–	2	1	14	5	3	4	2	11	16	24	27	35	17	2
Dis. of Kidneys	53	–	–	–	–	–	–	2	1	–	–	2	4	4	6	20	12	2
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Dis. of Joints	9	1	–	–	–	–	1	1	2	–	–	1	–	2	–	–	2	–
Dis. of Skin	6	2	–	–	–	–	2	–	–	–	–	–	–	–	1	1	2	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	9	–	–	–	–	–	–	–	–	1	–	3	1	–	1	–	3	–
Other Violent Deaths	81	3	1	3	2	3	12	11	6	7	3	12	6	6	9	4	4	1
Other Causes	455	201	18	6	2	2	229	3	1	1	–	2	4	5	17	43	101	46
436.—WORKSOP.																		
Mean Popul^n, 1861–71	11855	366	332	304	294	292	1588	1375	1185	1165	1101	1736	1342	1033	752	409	155	14
TOTAL DEATHS	2366	636	158	75	52	40	961	106	39	48	70	119	150	152	192	244	238	47
Small-pox	12	2	1	1	1	1	6	–	1	1	1	2	–	–	1	–	–	–
Measles	24	4	7	5	2	4	22	1	1	–	–	–	–	–	–	–	–	–
Scarlatina	78	4	13	7	9	12	45	26	2	3	1	–	1	–	–	–	–	–
Diphtheria	22	2	1	6	3	2	14	3	3	–	–	–	–	1	–	1	–	–
Whooping-cough	33	19	8	2	2	2	33	–	–	–	–	–	–	–	–	–	–	–
Typhus	90	2	2	3	2	3	12	11	11	5	11	14	10	6	6	4	–	–
Diarrhœa & Dysentery	73	37	8	6	2	2	55	1	1	–	–	2	1	–	3	4	5	1
Cholera	5	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	1	–
Other Zymotic Dis.	72	4	11	4	8	1	28	10	3	2	1	1	4	3	3	6	8	3
Cancer	28	–	–	–	–	–	–	–	–	–	–	1	3	3	9	9	3	–
Scrofula and Tabes	41	21	9	1	1	1	33	1	–	–	1	1	1	1	1	1	1	–
Phthisis	204	6	1	1	–	1	9	6	3	11	32	51	43	24	15	10	–	–
Hydrocephalus	25	12	5	2	2	–	21	4	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	357	181	17	11	5	1	215	7	3	7	3	4	13	21	33	31	19	1
Dis. of Heart & Dropsy	145	3	–	1	–	2	6	4	4	3	3	7	9	27	28	35	17	2
Dis. of Lungs	369	101	38	15	8	4	166	10	–	5	5	10	17	19	43	45	42	7
Dis. of Stom. and Liver	195	12	1	2	3	–	18	5	–	1	1	8	18	12	20	15	6	1
Dis. of Kidneys	38	–	2	1	–	–	3	1	–	3	–	1	8	3	3	8	8	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	6	–	–	–	–	–	–	1	–	1	1	1	–	2	–	–	–	–
Dis. of Skin	7	4	–	–	–	–	4	–	–	–	–	–	–	–	1	1	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	14	–	–	–	–	–	–	–	–	1	1	1	–	5	1	3	2	–
Other Violent Deaths	92	3	1	3	4	2	13	11	4	4	9	9	13	14	4	5	5	1
Other Causes	526	219	33	4	–	2	258	4	3	1	–	6	9	9	21	64	120	31
437.—MANSFIELD.																		
Mean Popul^n, 1861–71	16720	504	494	426	462	441	2327	2025	1785	1623	1381	2271	1878	1453	1107	626	225	19
TOTAL DEATHS	3626	1127	253	95	68	68	1611	147	71	115	100	160	166	179	277	399	334	67
Small-pox	19	8	5	2	–	–	15	–	–	–	–	1	2	–	1	–	–	–
Measles	54	20	22	6	3	2	53	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	133	8	18	17	21	17	81	40	7	2	1	1	–	–	1	–	–	–
Diphtheria	16	2	3	2	1	1	9	5	–	–	–	–	1	1	–	–	–	–
Whooping-cough	44	24	11	4	2	1	42	1	1	–	–	–	–	–	–	–	–	–
Typhus	131	2	5	7	2	7	23	24	13	23	13	12	6	6	7	4	–	–
Diarrhœa & Dysentery	94	55	13	4	–	2	74	1	–	1	1	1	1	1	1	6	5	2
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Other Zymotic Dis.	50	10	5	2	4	4	25	2	1	2	–	1	3	2	5	3	6	–
Cancer	35	–	–	–	1	–	1	–	1	–	–	2	3	5	13	7	3	–
Scrofula and Tabes	58	19	11	6	2	–	38	3	5	2	–	2	1	3	–	4	–	–
Phthisis	310	5	7	1	1	–	14	7	9	36	56	78	46	33	21	7	–	–
Hydrocephalus	67	25	19	7	7	3	61	4	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	601	325	32	10	5	10	382	24	3	9	2	10	19	22	38	65	22	5
Dis. of Heart & Dropsy	237	4	5	1	3	1	14	1	5	14	6	1	17	24	54	68	30	3
Dis. of Lungs	500	139	52	9	11	8	219	16	2	6	8	17	20	23	55	72	49	7
Dis. of Stom. and Liver	163	16	1	2	–	1	20	3	6	5	2	9	13	25	30	39	10	1
Dis. of Kidneys	47	1	–	–	–	–	1	–	–	–	2	4	4	6	9	11	9	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	17	–	–	–	–	2	2	–	3	2	–	2	–	4	1	3	–	–
Dis. of Skin	8	2	1	–	–	–	3	–	–	–	1	2	–	–	–	2	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	28	–	–	–	–	–	–	–	–	1	1	1	4	8	5	8	–	–
Other Violent Deaths	113	8	2	3	1	5	19	13	13	8	5	12	13	5	11	8	4	2
Other Causes	900	454	41	12	4	4	515	2	–	4	2	4	13	5	21	92	196	46

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
435.—EAST RETFORD.																		
Mean Popul^n, 1861–71	11740	333	238	307	294	306	1528	1378	1235	1074	949	1584	1237	1057	851	574	240	33
TOTAL DEATHS	2141	428	101	58	31	29	647	68	47	74	78	147	119	135	152	274	284	116
Small-pox	8	3	-	-	-	-	3	-	-	-	3	1	1	-	-	-	-	-
Measles	25	6	10	5	1	1	23	1	-	-	1	-	-	-	-	-	-	-
Scarlatina	45	5	8	8	4	5	30	9	3	-	-	-	3	-	-	-	-	-
Diphtheria	28	3	1	3	3	2	12	5	5	2	2	1	1	-	-	-	-	-
Whooping-cough	42	19	8	9	3	1	40	2	-	-	-	-	-	-	-	-	-	-
Typhus	88	1	3	3	2	4	13	8	8	12	5	8	7	9	4	12	2	-
Diarrhœa & Dysentery	55	29	6	1	1	-	37	1	-	-	-	-	1	-	3	6	2	5
Cholera	5	3	1	-	1	-	5	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	44	3	3	2	6	2	16	3	4	1	1	2	2	-	2	5	5	3
Cancer	73	-	-	-	-	-	-	-	-	-	-	4	8	23	26	10	7	-
Scrofula and Tabes	42	9	6	1	-	1	17	4	3	3	2	4	4	2	-	2	1	-
Phthisis	241	1	3	-	-	-	4	6	9	30	36	73	42	28	10	3	-	-
Hydrocephalus	14	2	1	1	-	2	6	5	3	-	-	-	-	-	-	-	-	-
Dis. of Brain	315	141	9	5	-	3	158	9	2	4	2	9	6	14	19	38	47	7
Dis. of Heart & Dropsy	142	2	-	-	-	-	2	1	1	2	5	9	8	14	33	42	22	3
Dis. of Lungs	344	68	18	13	6	3	108	8	1	1	4	7	4	13	21	59	57	21
Dis. of Stom. and Liver	131	1	-	1	2	-	4	-	3	9	7	10	9	14	19	37	19	-
Dis. of Kidneys	11	-	1	-	-	-	1	-	-	-	1	1	-	1	2	4	1	-
Dis. of Gener. Organs	14	-	-	-	-	-	-	-	-	-	-	2	1	4	4	3	-	-
Dis. of Joints	13	1	-	-	-	-	1	-	3	2	2	1	2	1	-	-	1	-
Dis. of Skin	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-
Childbirth and Metria	23	-	-	-	-	-	-	-	-	2	4	7	10	-	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-
Other Violent Deaths	48	3	5	2	2	3	15	3	1	-	2	2	3	5	3	5	7	2
Other Causes	417	128	15	4	-	2	152	3	1	6	1	4	6	6	6	47	110	75
436.—WORKSOP.																		
Mean Popul^n, 1861–71	11171	352	323	320	312	297	1604	1339	1238	931	978	1559	1233	985	705	427	152	20
TOTAL DEATHS	2129	459	152	69	61	34	775	94	55	66	62	146	127	132	170	211	218	73
Small-pox	6	4	-	-	1	-	5	-	-	-	-	-	-	1	-	-	-	-
Measles	33	5	15	5	2	3	30	2	-	-	1	-	-	-	-	-	-	-
Scarlatina	112	4	13	18	22	14	71	26	8	2	-	2	1	1	1	-	-	-
Diphtheria	25	-	1	2	2	1	6	16	3	-	-	-	-	-	-	-	-	-
Whooping-cough	44	23	9	7	1	2	42	2	-	-	-	-	-	-	-	-	-	-
Typhus	93	4	1	4	4	4	17	11	12	12	8	13	11	2	2	3	-	2
Diarrhœa & Dysentery	53	24	10	1	-	-	35	-	-	-	-	1	2	-	3	7	3	2
Cholera	3	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-
Other Zymotic Dis.	55	8	7	5	6	3	29	5	1	3	1	1	-	4	-	5	7	-
Cancer	47	-	-	-	-	-	-	1	-	1	-	3	7	10	15	6	4	-
Scrofula and Tabes	49	15	5	4	2	2	28	1	2	1	1	3	1	2	1	-	-	-
Phthisis	222	1	1	1	1	-	4	3	12	26	28	67	37	27	14	3	1	-
Hydrocephalus	9	4	4	1	-	-	9	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	275	122	20	7	5	2	156	2	6	2	2	10	7	14	22	28	25	1
Dis. of Heart & Dropsy	159	4	1	-	-	1	6	4	1	5	3	9	18	27	34	30	18	4
Dis. of Lungs	240	57	34	9	7	2	109	6	3	2	1	5	7	9	18	41	32	7
Dis. of Stom. and Liver	121	6	2	-	2	-	10	4	4	5	4	3	12	15	31	23	8	2
Dis. of Kidneys	18	1	-	-	1	-	2	1	-	-	4	1	1	4	2	2	-	1
Dis. of Gener. Organs	13	-	-	-	-	-	-	-	-	-	1	1	2	4	2	2	1	-
Dis. of Joints	10	1	1	-	-	-	2	-	1	2	-	2	1	1	1	-	-	-
Dis. of Skin	10	3	1	-	-	-	4	-	-	-	-	2	1	-	1	1	1	-
Childbirth and Metria	34	-	-	-	-	-	-	-	-	-	7	16	11	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Violent Deaths	22	1	3	2	2	-	8	3	1	4	-	2	2	1	-	-	1	-
Other Causes	483	172	21	3	3	-	202	6	1	1	1	4	6	9	22	60	117	54
437.—MANSFIELD.																		
Mean Popul^n, 1861–71	16493	503	490	431	436	463	2333	2056	1792	1587	1387	2287	1785	1393	1012	627	209	25
TOTAL DEATHS	3576	884	248	129	74	15	1380	122	90	129	158	230	224	167	255	402	341	78
Small-pox	11	4	2	-	2	-	8	1	-	-	2	-	-	-	-	-	-	-
Measles	75	13	25	15	9	4	66	8	1	-	-	-	-	-	-	-	-	-
Scarlatina	106	3	12	28	19	10	72	27	5	1	-	1	-	-	-	-	-	-
Diphtheria	23	3	3	2	3	4	15	5	-	1	1	1	-	-	-	-	-	-
Whooping-cough	64	31	14	9	5	3	62	2	-	-	-	-	-	-	-	-	-	-
Typhus	127	1	3	6	11	3	24	8	19	25	13	10	12	6	5	3	2	-
Diarrhœa & Dysentery	110	62	17	2	-	1	82	2	-	-	-	3	2	-	2	12	5	2
Cholera	3	1	-	1	-	-	2	-	-	-	-	1	-	-	-	-	-	-
Other Zymotic Dis.	63	7	4	10	4	1	26	7	2	-	2	2	2	5	8	7	2	-
Cancer	74	1	-	-	-	-	1	-	-	-	-	4	11	15	18	18	6	1
Scrofula and Tabes	59	23	8	6	-	1	38	4	5	1	4	1	2	3	1	-	-	-
Phthisis	430	6	5	5	-	-	16	9	25	63	76	107	81	33	15	5	-	-
Hydrocephalus	41	14	11	3	3	2	33	5	2	1	-	-	-	-	-	-	-	-
Dis. of Brain	470	231	30	10	4	6	281	8	5	8	7	8	12	15	35	59	27	5
Dis. of Heart & Dropsy	267	2	-	-	1	-	3	4	7	8	10	22	16	44	51	74	24	4
Dis. of Lungs	444	118	57	16	6	4	201	13	9	7	10	18	19	15	41	63	44	4
Dis. of Stom. and Liver	160	6	2	1	1	-	10	4	1	6	8	15	22	18	32	29	12	3
Dis. of Kidneys	31	-	2	-	2	-	4	-	1	1	1	3	4	1	6	7	3	-
Dis. of Gener. Organs	21	-	-	-	-	-	-	-	-	-	-	2	8	4	5	1	1	-
Dis. of Joints	12	2	-	-	-	1	3	1	1	1	-	1	-	1	2	2	-	-
Dis. of Skin	4	2	-	-	-	-	2	-	-	-	-	1	-	-	-	-	1	-
Childbirth and Metria	59	-	-	-	-	-	-	-	-	2	19	19	18	1	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	1	1	-	2	1	-	-	-	-
Other Violent Deaths	43	3	4	3	-	2	12	5	4	-	3	3	1	1	4	2	7	1
Other Causes	874	351	49	12	4	3	419	9	3	3	1	8	12	4	30	120	207	53

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
438.—BASFORD.																		
Mean Popul^n, 1861–71	40092	1344	1160	1121	1145	1148	5918	5037	4537	3987	3331	5337	4298	3383	2363	1382	469	50
TOTAL DEATHS	8642	3014	721	319	220	144	4418	342	183	235	259	346	360	399	597	728	588	187
Small-pox	39	17	4	1	3	2	27	2	1	1	1	3	1	2	1	-	-	-
Measles	201	38	67	41	24	13	183	15	3	-	-	-	-	-	-	-	-	-
Scarlatina	362	32	54	56	53	45	240	100	13	4	-	3	-	2	-	-	-	-
Diphtheria	58	9	11	13	8	6	47	8	-	-	-	-	-	-	1	2	-	-
Whooping-cough	157	89	41	12	5	5	155	2	-	-	-	-	-	-	-	-	-	-
Typhus	301	6	17	21	10	12	66	35	32	42	33	28	18	16	12	16	4	1
Diarrhœa & Dysentery	347	234	41	11	1	3	293	2	1	2	1	2	6	8	7	12	13	-
Cholera	42	19	6	-	-	2	27	3	-	-	-	1	2	3	2	3	1	-
Other Zymotic Dis.	166	24	23	13	18	5	83	19	5	5	3	9	5	3	12	13	8	1
Cancer	64	1	-	-	-	-	1	-	1	-	1	2	8	9	16	23	2	1
Scrofula and Tabes	159	57	31	12	5	3	108	7	8	11	9	7	4	-	4	1	-	-
Phthisis	772	43	21	6	2	2	74	28	28	89	128	158	109	73	61	21	3	-
Hydrocephalus	106	50	25	5	1	8	89	12	3	1	-	1	-	-	-	-	-	-
Dis. of Brain	1233	759	62	19	12	9	861	24	14	10	6	17	20	48	77	102	39	15
Dis. of Heart & Dropsy	499	7	1	-	4	1	13	9	8	10	7	31	50	73	106	117	59	7
Dis. of Lungs	1331	504	198	73	43	15	833	25	7	9	15	22	46	53	122	115	68	16
Dis. of Stom. and Liver	349	67	7	10	5	3	92	10	5	9	11	12	27	40	58	55	24	6
Dis. of Kidneys	118	2	-	-	2	-	4	2	2	-	4	11	10	10	16	39	17	3
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Dis. of Joints	24	1	1	2	-	-	4	3	3	3	-	1	2	2	4	2	-	-
Dis. of Skin	17	8	-	-	-	-	8	2	1	-	1	-	-	1	-	1	2	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	27	-	-	-	-	-	-	-	-	-	1	-	3	5	11	7	-	-
Other Violent Deaths	360	22	14	9	14	6	65	30	46	37	31	33	35	26	31	15	11	-
Other Causes	1918	1025	91	15	10	4	1145	6	2	2	7	5	14	25	56	184	336	133
439.—RADFORD.																		
Mean Popul^n, 1861–71	15129	481	452	429	399	402	2163	1922	1650	1468	1262	2154	1738	1302	900	449	113	8
TOTAL DEATHS	3594	1171	343	138	102	67	1821	165	74	100	96	187	183	201	251	313	169	34
Small-pox	8	1	4	-	-	-	5	-	-	1	2	-	-	-	-	-	-	-
Measles	82	24	27	17	11	2	81	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	156	9	22	20	34	16	101	46	8	1	-	-	-	-	-	-	-	-
Diphtheria	25	5	4	2	3	2	16	7	1	1	-	-	-	-	-	-	-	-
Whooping-cough	59	17	21	13	1	4	56	3	-	-	-	-	-	-	-	-	-	-
Typhus	147	6	9	9	12	7	43	22	18	8	5	9	4	1	15	11	9	2
Diarrhœa & Dysentery	292	219	29	5	3	-	256	1	-	-	1	-	1	1	6	13	11	2
Cholera	11	2	1	1	-	-	4	2	1	-	-	-	1	-	1	2	-	-
Other Zymotic Dis.	79	11	12	3	5	3	34	10	3	4	1	1	4	6	7	7	2	-
Cancer	34	-	-	-	-	-	-	-	1	-	1	-	4	12	5	9	1	1
Scrofula and Tabes	70	25	16	4	2	2	49	4	4	3	2	3	2	1	1	1	-	-
Phthisis	394	18	10	4	-	3	35	9	18	48	62	90	58	45	23	6	-	-
Hydrocephalus	64	21	22	8	6	2	59	4	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	633	280	26	11	5	10	332	22	6	10	9	45	54	47	49	62	20	7
Dis. of Heart & Dropsy	132	2	-	1	-	2	5	6	3	4	3	8	11	18	27	40	7	-
Dis. of Lungs	576	184	90	25	12	6	317	12	1	6	5	11	16	24	56	81	43	4
Dis. of Stom. and Liver	117	19	5	2	2	1	29	2	-	3	2	4	8	17	24	29	8	-
Dis. of Kidneys	51	1	1	-	3	1	6	-	-	2	1	4	3	7	8	11	8	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	17	1	-	1	-	-	2	1	-	2	-	2	1	4	1	2	2	-
Dis. of Skin	12	4	1	-	-	-	5	1	-	-	-	-	-	2	1	2	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	23	-	-	-	-	-	-	-	-	-	-	3	4	6	7	3	-	-
Other Violent Deaths	64	10	4	2	1	4	21	6	6	6	1	5	3	3	3	4	4	2
Other Causes	518	312	39	10	2	2	365	6	3	1	1	2	9	7	17	39	53	15
440.—NOTTINGHAM.																		
Mean Popul^n, 1861–71	36668	1151	1011	930	877	901	4870	4151	3869	3542	3169	5542	4441	3279	2223	1191	358	33
TOTAL DEATHS	9635	2899	785	390	264	158	4496	321	158	241	289	508	614	619	776	876	600	137
Small-pox	29	5	2	3	3	1	14	2	2	2	7	-	1	1	-	-	-	-
Measles	173	43	55	41	18	9	166	7	-	-	-	-	-	-	-	-	-	-
Scarlatina	352	23	53	57	70	51	254	78	14	1	2	2	1	-	-	-	-	-
Diphtheria	37	5	7	6	5	3	26	7	-	-	1	2	-	1	-	-	-	-
Whooping-cough	173	68	44	33	20	4	169	4	-	-	-	-	-	-	-	-	-	-
Typhus	328	14	19	14	14	14	75	37	30	28	26	35	31	20	22	15	7	2
Diarrhœa & Dysentery	568	441	47	7	5	-	500	3	1	-	2	2	3	5	7	20	18	7
Cholera	18	3	-	-	-	-	3	-	1	1	-	1	-	1	4	3	3	1
Other Zymotic Dis.	168	19	24	22	21	8	94	8	1	8	2	7	11	7	12	9	7	2
Cancer	81	-	1	-	-	-	1	-	-	-	1	5	12	21	17	19	4	1
Scrofula and Tabes	326	159	76	20	11	7	273	13	13	4	6	2	5	7	3	-	-	-
Phthisis	1005	23	17	5	2	4	51	23	35	110	154	239	201	107	64	17	3	1
Hydrocephalus	184	68	59	23	11	6	167	13	2	2	-	-	-	-	-	-	-	-
Dis. of Brain	1356	700	76	35	17	4	832	28	13	19	10	32	60	90	98	118	51	5
Dis. of Heart & Dropsy	485	5	2	3	5	1	16	7	11	11	13	35	63	74	114	101	35	5
Dis. of Lungs	1499	343	191	74	41	24	673	24	5	14	15	46	74	117	209	217	94	11
Dis. of Stom. and Liver	385	54	3	5	-	1	63	9	7	8	13	33	50	56	65	60	19	3
Dis. of Kidneys	212	1	1	4	-	-	6	6	-	5	4	20	24	33	42	45	26	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Dis. of Joints	39	-	2	1	-	-	3	7	6	6	5	-	5	3	2	2	-	-
Dis. of Skin	30	9	-	2	-	-	11	-	-	-	2	1	2	3	6	2	3	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	53	-	-	-	-	-	-	-	-	2	3	10	12	14	8	4	-	1
Other Violent Deaths	288	36	8	9	12	14	79	36	16	14	19	21	28	29	24	14	7	1
Other Causes	1844	880	98	26	9	7	1020	9	1	6	4	15	31	30	79	230	322	97

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
438.—BASFORD.																		
Mean Popul^n, 1861–71	39367	1342	1245	1162	1105	1117	5971	5117	4255	3629	3397	5571	4246	3263	2200	1231	436	51
TOTAL DEATHS	8468	2295	719	360	216	169	3759	325	205	317	333	572	438	424	597	719	635	144
Small-pox	22	10	1	1	1	–	13	2	3	2	1	–	–	1	–	–	–	–
Measles	195	26	85	32	25	9	177	17	1	–	–	–	–	–	–	–	–	–
Scarlatina	424	28	63	84	60	55	295	101	19	1	1	5	2	–	–	–	–	–
Diphtheria	69	11	6	11	7	8	43	10	4	2	3	5	1	–	1	–	–	–
Whooping-cough	170	71	53	24	16	4	168	2	–	–	–	–	–	–	–	–	–	–
Typhus	332	9	13	18	8	16	64	41	50	44	30	44	18	22	20	12	6	1
Diarrhœa & Dysentery	283	168	33	16	1	–	218	1	1	1	3	4	5	10	12	10	11	7
Cholera	29	17	2	–	–	1	20	–	1	–	–	1	–	1	3	1	2	–
Other Zymotic Dis.	172	23	24	21	16	8	92	17	6	3	3	11	4	6	12	13	3	2
Cancer	168	–	–	–	1	–	1	1	–	–	2	9	26	44	49	19	15	2
Scrofula and Tabes	129	36	31	7	2	7	83	11	9	5	–	6	5	4	3	3	–	–
Phthisis	1180	37	20	10	5	4	76	30	49	176	203	305	173	95	53	18	2	–
Hydrocephalus	74	29	25	10	8	2	65	6	3	–	–	–	–	–	–	–	–	–
Ds. of Brain	978	521	61	26	15	10	653	23	9	10	11	14	25	43	55	87	63	5
Ds. of Heart & Dropsy	598	7	1	–	1	2	11	10	17	15	16	44	47	73	160	148	56	1
Ds. of Lungs	1123	380	164	68	27	21	660	32	15	16	11	16	30	42	84	127	86	4
Ds. of Stom. and Liver	285	38	5	4	4	2	53	3	4	8	9	26	28	32	67	39	13	3
Ds. of Kidneys	43	1	2	–	–	1	4	1	2	2	3	6	5	7	4	7	2	–
Ds. of Gener. Organs	35	–	–	–	–	–	–	–	–	1	–	4	8	9	10	1	2	–
Ds. of Joints	25	–	1	1	1	3	6	2	4	1	2	2	2	2	1	2	1	–
Ds. of Skin	19	6	2	–	–	1	9	1	–	1	1	–	–	2	1	1	2	1
Childbirth and Metria	130	–	–	–	–	–	–	–	–	10	21	56	41	2	–	–	–	–
Suicide	16	–	–	–	–	–	–	–	–	1	3	1	3	3	3	1	–	1
Other Violent Deaths	140	28	16	10	13	4	71	11	5	5	6	6	2	6	8	11	5	4
Other Causes	1809	858	106	17	5	11	997	3	3	13	4	7	13	20	51	219	366	113
439.—RADFORD.																		
Mean Popul^n, 1861–71	17005	524	449	417	412	407	2209	1852	1727	1738	1657	2720	1975	1487	992	485	151	12
TOTAL DEATHS	3835	972	354	157	105	63	1651	141	81	163	160	279	218	244	312	317	224	45
Small-pox	12	3	1	–	3	2	9	1	1	–	–	1	–	–	–	–	–	–
Measles	92	13	34	20	16	6	89	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	152	7	26	28	24	20	105	41	3	1	–	2	–	–	–	–	–	–
Diphtheria	26	2	3	3	5	2	15	7	1	–	1	–	1	1	–	–	–	–
Whooping-cough	98	31	34	18	8	5	96	2	–	–	–	–	–	–	–	–	–	–
Typhus	197	8	15	11	5	8	47	24	24	15	15	10	11	11	7	16	14	3
Diarrhœa & Dysentery	271	194	29	2	2	–	227	1	1	2	1	2	3	1	6	9	16	2
Cholera	6	3	–	–	1	–	4	–	–	–	–	–	–	–	1	1	–	–
Other Zymotic Dis.	76	9	13	5	2	4	33	5	7	–	2	5	3	5	6	7	3	–
Cancer	93	–	–	–	–	–	–	–	–	1	1	8	16	25	23	16	3	–
Scrofula and Tabes	66	17	15	3	2	1	38	9	2	6	1	3	3	3	1	–	–	–
Phthisis	573	24	4	3	3	1	35	11	25	98	91	156	72	54	27	3	1	–
Hydrocephalus	43	5	20	7	–	2	34	7	2	–	–	–	–	–	–	–	–	–
Ds. of Brain	538	213	29	9	10	5	266	9	6	10	15	28	34	27	58	52	28	5
Ds. of Heart & Dropsy	218	1	1	1	–	–	3	5	4	14	5	12	17	39	54	46	17	2
Ds. of Lungs	547	135	72	31	14	4	256	5	1	3	5	8	10	36	77	90	50	6
Ds. of Stom. and Liver	130	6	2	3	1	–	12	6	1	3	8	16	15	22	28	18	1	–
Ds. of Kidneys	31	1	–	–	–	–	1	1	–	3	2	6	6	5	2	4	1	–
Ds. of Gener. Organs	16	–	–	–	–	–	–	–	–	–	1	2	5	4	1	2	1	–
Ds. of Joints	10	–	–	–	–	–	–	–	2	3	1	1	–	–	2	1	–	–
Ds. of Skin	9	8	–	–	–	–	8	–	–	–	–	–	–	1	–	–	–	–
Childbirth and Metria	35	–	–	–	–	–	–	–	–	2	9	12	11	1	–	–	–	–
Suicide	6	–	–	–	–	–	–	–	1	1	1	–	2	–	–	1	–	–
Other Violent Deaths	50	13	4	3	3	1	24	2	–	1	1	1	1	3	5	6	2	4
Other Causes	549	279	52	10	6	2	349	2	–	–	–	6	8	6	14	45	87	23
440.—NOTTINGHAM.																		
Mean Popul^n, 1861–71	43989	1110	1005	918	888	894	4815	4414	4261	4894	4676	7263	5330	3811	2632	1428	415	50
TOTAL DEATHS	9888	2262	832	402	244	166	3906	311	204	352	419	781	622	653	869	1000	621	150
Small-pox	37	7	6	1	1	3	18	2	–	4	10	–	–	2	1	–	–	–
Measles	178	29	71	45	15	12	172	4	1	–	1	–	–	–	–	–	–	–
Scarlatina	348	18	50	69	61	43	241	79	21	3	3	1	–	–	–	–	–	–
Diphtheria	47	7	8	6	3	10	34	8	2	–	–	1	1	1	–	–	–	–
Whooping-cough	237	83	75	44	29	9	231	6	–	–	–	–	–	–	–	–	–	–
Typhus	260	10	22	17	24	18	91	38	26	57	36	34	16	21	11	17	13	–
Diarrhœa & Dysentery	486	323	55	11	3	2	394	3	–	1	4	4	3	5	14	32	23	5
Cholera	7	2	–	–	–	–	2	–	–	–	–	–	–	–	2	2	1	–
Other Zymotic Dis.	111	15	12	18	14	9	68	8	6	5	6	9	12	6	10	9	3	1
Cancer	265	1	1	–	–	–	2	–	1	1	1	15	49	71	85	32	8	–
Scrofula and Tabes	300	151	75	27	9	4	246	21	8	4	5	4	6	5	1	–	–	–
Phthisis	1385	23	21	2	4	2	52	28	77	193	228	402	206	112	62	11	4	–
Hydrocephalus	98	30	27	15	8	5	85	8	3	–	–	1	–	1	–	–	–	–
Ds. of Brain	1135	516	70	32	19	15	652	33	12	11	21	35	39	59	83	130	53	7
Ds. of Heart & Dropsy	672	2	2	1	–	2	7	12	11	20	18	55	91	108	158	139	48	5
Ds. of Lungs	1540	290	268	79	40	21	647	29	11	15	19	63	61	127	218	229	107	14
Ds. of Stom. and Liver	393	38	4	2	2	1	47	9	10	8	18	47	48	46	84	61	15	–
Ds. of Kidneys	104	3	2	–	1	–	6	2	3	4	4	25	14	19	16	11	–	–
Ds. of Gener. Organs	57	–	–	–	–	–	–	–	–	2	2	9	9	17	11	6	1	–
Ds. of Joints	31	–	–	–	1	–	1	4	1	5	1	3	3	5	5	3	–	–
Ds. of Skin	33	7	2	2	1	–	12	–	1	1	1	4	4	2	4	3	1	–
Childbirth and Metria	98	–	–	–	–	–	–	–	1	5	18	48	25	1	–	–	–	–
Suicide	19	–	–	–	–	–	–	–	–	–	3	3	1	4	3	4	1	–
Other Violent Deaths	122	27	10	6	9	1	53	13	5	6	2	5	4	4	11	9	7	3
Other Causes	1791	691	111	25	9	9	845	4	4	7	8	13	30	37	90	302	336	115

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
441.—SOUTHWELL.																		
Mean Popul^{n}, 1861–71	11443	300	292	297	294	297	1480	1336	1227	1101	812	1337	1213	1100	946	612	242	37
TOTAL DEATHS	2221	470	112	48	27	31	688	63	47	67	78	107	93	155	195	326	301	101
Small-pox	9	3	–	–	–	1	4	–	–	–	2	2	–	1	–	–	–	–
Measles	16	3	8	2	2	–	15	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	45	3	10	4	2	8	27	15	1	2	–	–	–	–	–	–	–	–
Diphtheria	24	1	2	2	4	7	16	3	–	1	1	–	–	1	2	–	–	–
Whooping-cough	22	11	8	2	–	–	21	1	–	–	–	–	–	–	–	–	–	–
Typhus	72	–	1	–	2	1	4	9	12	8	5	7	4	7	8	5	3	–
Diarrhœa & Dysentery	44	17	4	–	–	–	21	–	1	–	–	–	2	1	2	13	4	–
Cholera	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Other Zymotic Dis.	42	5	3	2	1	1	12	–	1	2	–	1	4	1	5	9	7	–
Cancer	36	–	–	–	–	–	–	–	–	–	–	1	–	11	9	11	3	1
Scrofula and Tabes	17	6	2	1	–	–	9	–	1	1	–	1	2	1	2	–	–	–
Phthisis	208	3	7	–	1	–	11	1	6	26	48	44	30	24	16	2	–	–
Hydrocephalus	33	13	5	5	–	2	25	4	2	1	–	–	1	–	–	–	–	–
Dis. of Brain	421	233	14	8	7	1	263	5	3	3	4	9	6	14	34	48	30	2
Dis. of Heart & Dropsy	157	1	–	2	–	–	3	–	3	3	2	16	8	30	26	48	17	1
Dis. of Lungs	275	60	20	10	3	5	98	6	4	6	6	6	9	18	33	48	32	9
Dis. of Stom. and Liver	117	8	–	3	1	1	13	6	3	4	4	8	10	17	14	29	8	1
Dis. of Kidneys	52	1	–	–	–	–	1	1	–	2	1	3	3	4	11	23	3	–
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Dis. of Joints	9	–	–	–	–	–	–	–	1	1	–	1	2	1	2	–	1	–
Dis. of Skin	5	1	–	–	–	–	1	–	–	–	–	–	1	–	–	2	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	23	–	–	–	–	–	–	–	–	–	2	2	1	4	8	6	–	–
Other Violent Deaths	80	5	3	4	1	4	17	8	8	5	2	4	8	12	7	6	1	2
Other Causes	512	96	25	3	3	–	127	3	1	2	–	2	2	8	16	75	191	85
442.—NEWARK.																		
Mean Popul^{n}, 1861–71	14637	423	396	397	397	408	2021	1838	1669	1400	1012	1772	1560	1327	1048	682	269	39
TOTAL DEATHS	3043	788	182	93	54	40	1157	135	66	72	98	152	160	149	258	354	342	100
Small-pox	10	3	1	–	–	–	4	–	–	–	4	1	–	1	–	–	–	–
Measles	58	9	20	12	3	6	50	4	3	–	1	–	–	–	–	–	–	–
Scarlatina	110	9	16	12	14	10	61	33	7	3	3	1	2	–	–	–	–	–
Diphtheria	43	6	5	2	8	2	23	11	2	–	4	1	1	1	–	–	–	–
Whooping-cough	32	16	8	3	3	–	30	1	–	1	–	–	–	–	–	–	–	–
Typhus	98	3	–	4	3	3	13	10	8	9	5	8	15	9	13	5	3	–
Diarrhœa & Dysentery	113	52	10	2	1	1	66	–	–	1	1	1	2	1	5	13	21	2
Cholera	4	1	–	1	–	–	2	–	–	–	–	–	2	–	–	–	–	–
Other Zymotic Dis.	61	10	3	9	1	4	27	9	2	2	–	2	4	4	3	3	5	–
Cancer	50	1	–	–	–	–	1	1	–	–	1	2	5	6	14	19	1	–
Scrofula and Tabes	77	43	10	4	–	1	58	9	2	2	3	–	–	–	2	1	–	–
Phthisis	267	5	2	3	2	–	12	12	5	29	46	63	53	23	16	8	–	–
Hydrocephalus	63	22	12	8	3	4	49	10	2	–	1	–	1	–	–	–	–	–
Dis. of Brain	397	189	19	3	5	1	217	5	5	6	4	15	10	18	38	46	29	4
Dis. of Heart & Dropsy	226	3	1	–	–	–	4	2	5	7	3	8	15	20	51	62	45	4
Dis. of Lungs	404	106	32	16	4	3	161	10	5	3	6	12	14	25	42	73	44	9
Dis. of Stom. and Liver	128	7	–	2	–	1	10	2	4	1	6	15	8	16	24	32	10	–
Dis. of Kidneys	67	1	–	–	–	–	1	2	2	2	–	2	1	7	20	15	15	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	15	–	–	1	–	1	2	2	2	–	1	1	3	2	–	2	–	–
Dis. of Skin	8	4	1	–	–	–	5	–	–	–	–	–	–	–	–	2	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	9	–	–	–	–	–	–	–	–	–	1	1	2	2	2	1	–	–
Other Violent Deaths	123	6	5	4	5	2	22	9	12	6	7	15	16	9	10	6	8	3
Other Causes	680	292	37	7	2	1	339	3	–	–	1	4	6	5	18	66	160	78
443.—BINGHAM.																		
Mean Popul^{n}, 1861–71	7388	220	190	203	196	216	1025	943	850	651	449	831	790	692	598	391	150	18
TOTAL DEATHS	1395	328	61	41	18	23	471	48	33	46	40	62	68	86	134	174	189	44
Small-pox	5	1	1	1	–	–	3	–	1	1	–	–	–	–	–	–	–	–
Measles	14	4	1	3	1	2	11	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	45	5	6	9	4	5	29	12	3	–	1	–	–	–	–	–	–	–
Diphtheria	6	–	–	1	1	–	2	2	–	–	1	–	–	1	–	–	–	–
Whooping-cough	4	3	1	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–
Typhus	28	–	1	1	1	3	6	3	2	5	2	2	4	1	–	2	1	–
Diarrhœa & Dysentery	63	36	5	3	–	–	44	–	1	–	–	–	1	1	3	7	5	1
Cholera	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Other Zymotic Dis.	14	1	1	1	–	–	3	–	–	1	–	–	1	2	4	3	–	–
Cancer	18	–	–	–	–	–	–	–	1	–	–	1	3	3	3	4	3	–
Scrofula and Tabes	46	18	5	3	1	2	29	4	3	1	2	3	–	1	3	–	–	–
Phthisis	122	4	3	–	–	1	8	2	5	17	23	24	20	14	7	1	1	–
Hydrocephalus	13	3	5	1	2	–	11	–	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	205	95	11	6	–	1	113	6	3	1	2	3	9	5	17	23	19	4
Dis. of Heart & Dropsy	115	–	–	–	–	–	–	–	–	2	1	5	3	18	26	35	22	3
Dis. of Lungs	283	63	10	8	4	7	92	6	3	7	1	5	10	8	27	43	69	12
Dis. of Stom. and Liver	102	4	1	1	1	–	7	4	1	1	1	5	6	15	22	24	16	–
Dis. of Kidneys	38	–	–	–	–	–	–	–	1	1	1	1	3	3	6	9	11	2
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	14	–	1	1	–	1	3	2	–	–	1	1	1	1	2	3	–	–
Dis. of Skin	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	7	–	–	–	–	–	–	–	–	–	–	–	2	4	1	–	–	–
Other Violent Deaths	71	3	5	2	3	1	14	4	7	9	3	10	4	4	7	6	2	1
Other Causes	178	88	4	–	–	–	92	–	–	–	1	2	1	3	5	14	39	21

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
441.—SOUTHWELL.																		
Mean Popul^n, 1861-71	11738	293	277	284	282	282	1423	1380	1259	1028	927	1458	1271	1180	889	634	250	39
TOTAL DEATHS	2193	377	92	63	36	29	597	74	46	77	86	154	113	131	177	309	314	115
Small-pox	2	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Measles	15	3	4	4	4	-	15	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	60	1	11	11	11	6	40	11	3	1	-	3	1	1	-	-	-	-
Diphtheria	30	4	1	4	2	4	15	9	1	-	1	1	1	-	1	1	-	-
Whooping-cough	39	17	8	8	2	1	36	2	1	-	-	-	-	-	-	-	-	-
Typhus	58	2	-	2	-	2	6	7	8	10	8	6	3	4	2	4	-	-
Diarrhœa & Dysentery	37	11	2	2	1	-	16	1	1	-	1	1	1	-	-	9	6	1
Cholera	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Other Zymotic Dis.	45	6	-	5	2	3	16	2	1	1	-	1	1	4	2	7	5	5
Cancer	71	-	-	-	-	-	-	1	-	-	2	2	8	12	18	22	4	2
Scrofula and Tabes	24	4	1	-	1	-	6	1	2	4	-	4	3	-	2	2	-	-
Phthisis	331	6	2	1	3	1	13	6	15	44	54	98	48	26	24	3	-	-
Hydrocephalus	26	11	8	-	-	-	19	6	-	-	1	-	-	-	-	-	-	-
Dis. of Brain	350	179	10	11	2	2	204	6	2	4	1	8	5	16	26	43	31	4
Dis. of Heart & Dropsy	195	2	-	-	-	-	2	2	4	2	2	6	9	25	32	74	36	1
Dis. of Lungs	210	46	24	8	2	2	82	4	2	1	5	2	8	15	27	37	23	4
Dis. of Stom. and Liver	98	7	1	2	1	-	11	3	1	4	3	9	11	12	20	16	8	-
Dis. of Kidneys	10	-	-	-	-	-	-	1	2	1	1	2	1	1	-	1	-	-
Dis. of Gener. Organs	8	-	-	-	-	-	-	-	-	-	1	-	2	3	1	-	1	-
Dis. of Joints	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
Dis. of Skin	6	1	1	-	-	-	2	-	-	-	-	-	-	-	-	4	-	-
Childbirth and Metria	18	-	-	-	-	-	-	-	-	-	5	7	6	-	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	1	-	-	1	1	-	1	1	-	-
Other Violent Deaths	29	4	3	1	2	5	15	1	-	1	-	-	1	2	1	4	3	1
Other Causes	523	72	16	3	3	3	97	11	2	2	1	3	3	9	20	81	197	97
442.—NEWARK.																		
Mean Popul^n, 1861-71	15264	415	381	414	373	404	1987	1865	1687	1361	1193	1990	1659	1381	1077	728	289	47
TOTAL DEATHS	3078	674	145	75	68	57	1019	131	82	106	99	209	196	186	241	352	336	121
Small-pox	10	1	-	-	-	1	2	1	1	2	-	3	-	-	-	1	-	-
Measles	43	6	11	12	6	4	39	4	-	-	-	-	-	-	-	-	-	-
Scarlatina	88	4	8	6	14	20	52	20	10	3	1	2	-	-	-	-	-	-
Diphtheria	56	1	5	4	10	6	26	16	8	1	3	2	-	-	-	-	-	-
Whooping-cough	44	22	12	5	2	2	43	1	-	-	-	-	-	-	-	-	-	-
Typhus	137	3	3	3	4	5	18	21	16	19	7	16	16	6	8	4	3	-
Diarrhœa & Dysentery	107	57	9	4	-	1	71	-	-	-	-	3	2	3	2	6	11	9
Cholera	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-
Other Zymotic Dis.	65	7	5	5	8	2	27	4	4	2	2	5	-	-	6	9	6	-
Cancer	126	-	-	-	-	-	-	1	-	-	2	7	17	27	32	25	14	1
Scrofula and Tabes	57	18	13	2	2	-	35	7	3	3	2	4	1	-	2	-	-	-
Phthisis	399	8	7	-	2	1	18	11	15	51	58	100	70	45	20	9	1	1
Hydrocephalus	50	22	6	3	3	4	38	6	2	3	1	-	-	-	-	-	-	-
Dis. of Brain	336	150	7	5	3	1	166	8	9	3	2	10	14	16	30	64	38	6
Dis. of Heart & Dropsy	253	-	-	2	2	-	4	3	5	6	1	11	23	34	53	68	37	5
Dis. of Lungs	362	103	32	16	5	7	163	7	1	1	3	10	12	12	31	62	47	10
Dis. of Stom. and Liver	128	10	1	2	2	-	15	4	2	1	3	13	11	19	19	22	18	1
Dis. of Kidneys	19	-	1	-	-	-	1	1	1	-	-	2	3	3	6	2	-	-
Dis. of Gener. Organs	20	-	-	-	-	-	-	-	-	-	-	3	4	6	4	3	-	-
Dis. of Joints	13	-	1	-	-	-	1	1	2	2	-	-	2	1	-	4	-	-
Dis. of Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	28	-	-	-	-	-	-	-	-	2	9	9	8	-	-	-	-	-
Suicide	11	-	-	-	-	-	-	-	-	1	1	1	3	3	1	1	-	-
Other Violent Deaths	50	8	3	1	1	1	14	5	2	4	1	4	5	2	7	-	5	1
Other Causes	642	253	21	5	4	2	285	7	1	2	3	4	5	8	13	71	156	87
443.—BINGHAM.																		
Mean Popul^n, 1861-71	7779	214	190	202	194	191	991	1003	807	665	582	939	867	746	588	367	153	21
TOTAL DEATHS	1437	310	61	25	28	19	443	49	37	66	61	94	87	79	111	192	169	49
Small-pox	8	1	1	-	-	1	3	2	2	-	-	-	1	-	-	-	-	-
Measles	11	3	2	1	3	-	9	1	1	-	-	-	-	-	-	-	-	-
Scarlatina	46	2	-	3	13	7	25	15	6	-	-	-	-	-	-	-	-	-
Diphtheria	4	-	1	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-
Whooping-cough	11	6	4	-	-	-	10	1	-	-	-	-	-	-	-	-	-	-
Typhus	51	-	1	-	1	1	3	7	8	11	5	8	3	4	-	1	1	-
Diarrhœa & Dysentery	56	31	3	-	-	-	34	1	-	2	-	2	-	1	2	4	8	2
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	13	2	-	-	-	-	2	2	-	1	-	-	1	1	5	1	-	-
Cancer	30	-	-	-	-	-	-	-	-	1	-	-	4	8	6	8	3	-
Scrofula and Tabes	35	18	5	2	-	1	26	2	-	2	2	-	-	-	-	2	1	-
Phthisis	219	6	3	-	1	-	10	1	9	37	36	48	35	22	14	4	3	-
Hydrocephalus	11	4	2	1	-	2	9	1	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	196	89	8	5	2	1	105	4	-	4	3	4	4	3	11	34	22	2
Dis. of Heart & Dropsy	127	-	-	-	-	-	-	1	-	2	-	7	8	14	26	48	18	3
Dis. of Lungs	288	63	27	9	8	2	109	7	2	-	1	3	5	5	19	57	59	21
Dis. of Stom. and Liver	107	3	-	1	-	1	5	-	3	3	5	11	17	14	17	20	12	-
Dis. of Kidneys	4	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-
Dis. of Gener. Organs	20	-	-	-	-	-	-	-	-	-	1	1	3	3	7	4	1	-
Dis. of Joints	7	-	-	-	-	-	-	-	-	1	-	2	1	1	1	1	-	-
Dis. of Skin	3	1	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-
Childbirth and Metria	10	-	-	-	-	-	-	-	-	-	3	4	3	-	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-
Other Violent Deaths	19	3	-	2	-	2	7	2	2	1	1	1	-	-	1	3	-	1
Other Causes	158	78	4	1	-	1	84	2	1	-	1	3	1	-	1	4	41	20

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
444.—SHARDLOW.																		
Mean Popul^n, 1861–71	16047	491	447	447	416	431	2232	1996	1875	1563	1236	1997	1640	1403	1095	710	271	29
TOTAL DEATHS	3109	738	169	80	65	46	1098	119	93	69	91	154	174	169	274	415	354	99
Small-pox	7	3	-	-	-	-	3	-	-	1	-	1	-	1	1	-	-	-
Measles	40	10	15	6	3	4	38	1	-	-	1	-	-	-	-	-	-	-
Scarlatina	111	11	17	16	11	12	67	31	10	-	1	1	1	-	-	-	-	-
Diphtheria	18	3	-	1	6	2	12	1	4	-	-	1	-	-	-	-	-	-
Whooping-cough	31	21	8	1	1	-	31	3	-	-	-	-	-	-	-	-	-	-
Typhus	85	3	5	7	2	1	18	10	9	3	4	13	6	4	10	5	2	1
Diarrhœa & Dysentery	82	43	7	-	-	-	50	1	2	-	2	-	1	1	4	4	12	5
Cholera	11	3	2	-	1	-	6	-	-	-	-	1	-	-	1	2	1	-
Other Zymotic Dis.	64	2	13	4	7	3	29	6	1	-	1	1	7	3	6	8	2	-
Cancer	42	-	-	-	-	-	-	-	-	1	-	-	2	6	13	15	2	3
Scrofula and Tabes	63	23	7	2	-	3	35	5	7	5	1	3	2	3	2	-	-	-
Phthisis	300	6	4	1	2	-	13	5	11	28	53	67	52	35	25	11	-	-
Hydrocephalus	57	19	16	3	6	2	46	7	3	-	-	-	1	-	-	-	-	-
Dis. of Brain	457	185	19	8	9	2	223	20	11	8	4	13	20	18	39	57	40	4
Dis. of Heart & Dropsy	202	3	1	-	1	1	6	6	4	1	2	11	15	24	35	61	32	5
Dis. of Lungs	441	115	33	15	7	5	175	5	2	1	3	10	19	21	47	97	58	6
Dis. of Stom. and Liver	160	20	4	3	-	2	29	1	1	2	1	6	12	22	38	33	14	1
Dis. of Kidneys	74	1	-	-	-	-	1	3	2	2	-	4	6	3	13	20	19	1
Dis. of Gener. Organs	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	15	1	-	-	-	-	1	2	5	1	3	-	-	2	-	-	1	-
Dis. of Skin	10	4	-	-	-	-	4	-	1	-	-	-	1	1	1	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	22	-	-	-	-	-	-	-	-	2	-	4	3	4	5	4	-	-
Other Violent Deaths	163	9	5	8	8	9	39	8	19	12	12	14	17	11	14	12	5	-
Other Causes	647	252	13	5	1	-	271	4	1	2	3	4	9	10	20	85	165	73
445.—DERBY.																		
Mean Popul^n, 1861–71	27213	909	815	741	718	700	3883	3220	2788	2659	2669	4207	3134	2275	1470	695	189	24
TOTAL DEATHS	6587	1912	503	259	206	120	3000	285	126	187	207	411	350	454	533	533	330	81
Small-pox	45	8	8	3	2	3	24	8	3	2	2	3	1	2	-	-	-	-
Measles	147	30	59	23	19	5	139	6	1	-	1	-	-	-	-	-	-	-
Scarlatina	313	15	43	48	55	46	207	84	13	4	1	4	-	-	-	-	-	-
Diphtheria	26	3	2	6	5	-	16	6	1	1	-	1	-	-	-	1	-	-
Whooping-cough	128	45	42	17	10	5	119	7	-	-	-	1	-	-	-	1	-	-
Typhus	200	6	6	10	14	8	44	20	19	24	12	22	20	16	14	8	1	-
Diarrhœa & Dysentery	317	219	40	15	7	2	283	5	1	1	-	1	-	2	2	13	7	2
Cholera	9	2	1	-	-	-	3	-	-	-	1	1	-	1	-	3	-	-
Other Zymotic Dis.	128	22	19	13	7	9	70	6	5	2	1	6	4	3	14	13	4	-
Cancer	39	-	-	-	-	-	-	-	-	-	1	-	4	10	14	7	3	-
Scrofula and Tabes	85	35	16	2	4	1	58	4	7	5	-	1	2	1	2	5	-	-
Phthisis	796	28	10	1	4	2	45	17	13	81	109	203	137	107	58	22	4	-
Hydrocephalus	80	28	20	11	3	6	68	10	1	-	-	-	-	1	-	-	-	-
Dis. of Brain	1159	621	99	29	23	8	780	27	13	11	11	31	33	58	84	69	39	3
Dis. of Heart & Dropsy	368	6	1	-	1	-	8	12	10	13	12	29	44	61	75	71	30	3
Dis. of Lungs	896	226	120	47	29	12	434	12	8	9	14	34	42	81	104	110	39	6
Dis. of Stom. and Liver	246	33	9	8	3	1	54	9	5	7	5	15	15	37	49	38	11	1
Dis. of Kidneys	126	1	1	1	4	1	8	7	3	4	2	9	17	20	25	20	11	-
Dis. of Gener. Organs	3	2	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-
Dis. of Joints	29	1	1	-	-	1	3	4	-	4	3	5	2	4	3	1	-	-
Dis. of Skin	13	5	3	-	1	-	9	-	-	1	-	-	-	-	1	2	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	31	-	-	-	-	-	-	-	-	1	1	3	1	13	9	2	1	-
Other Violent Deaths	260	20	12	8	8	5	53	31	22	15	26	30	18	23	21	14	7	-
Other Causes	1146	556	81	14	7	5	663	10	1	2	5	12	10	14	58	132	173	66
446.—BELPER.																		
Mean Popul^n, 1861–71	26525	818	746	719	700	728	3711	3219	2864	2668	2310	3662	2836	2281	1705	934	306	29
TOTAL DEATHS	5697	1601	406	207	127	98	2439	234	146	153	178	310	274	345	474	607	450	87
Small-pox	30	14	3	4	-	1	22	1	1	-	2	2	1	-	1	-	-	-
Measles	103	27	37	12	16	4	96	6	-	1	-	-	-	-	-	-	-	-
Scarlatina	194	13	31	35	29	22	130	46	11	4	2	1	-	-	-	-	-	-
Diphtheria	28	4	5	8	2	1	20	5	-	1	-	1	-	-	1	-	-	-
Whooping-cough	74	30	22	12	4	3	71	3	-	-	-	-	-	-	-	-	-	-
Typhus	316	12	15	16	15	14	72	36	28	34	27	33	23	16	19	25	3	-
Diarrhœa & Dysentery	175	103	13	4	-	3	123	2	-	-	-	2	1	5	7	8	27	-
Cholera	13	-	1	-	1	1	3	-	-	-	-	1	2	1	3	3	-	-
Other Zymotic Dis.	157	20	17	18	10	11	76	18	5	5	1	6	5	9	13	8	10	1
Cancer	47	-	-	-	-	-	-	-	-	-	-	2	5	6	14	11	8	1
Scrofula and Tabes	112	36	22	8	3	4	73	10	8	4	4	8	1	1	-	3	-	-
Phthisis	515	10	15	5	1	1	32	21	21	52	84	109	78	54	47	17	-	-
Hydrocephalus	72	29	20	7	3	2	61	8	2	1	-	-	-	-	-	-	-	-
Dis. of Brain	1004	578	49	29	8	13	677	19	4	6	9	17	25	41	59	83	55	9
Dis. of Heart & Dropsy	440	7	6	1	3	2	19	9	9	8	6	24	34	59	99	121	51	1
Dis. of Lungs	808	232	90	33	16	9	380	17	9	6	5	18	29	54	95	123	64	8
Dis. of Stom. and Liver	244	28	4	2	2	1	37	7	3	1	2	16	24	34	45	59	16	-
Dis. of Kidneys	105	1	-	-	2	1	4	1	1	2	2	10	7	10	19	32	15	2
Dis. of Gener. Organs	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-
Dis. of Joints	31	4	-	1	1	-	6	5	2	1	1	6	3	4	2	1	-	-
Dis. of Skin	12	7	-	-	-	-	7	-	-	-	1	-	-	-	-	3	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	29	-	-	-	-	-	-	-	-	3	2	5	3	7	4	4	-	1
Other Violent Deaths	283	15	14	6	6	4	45	15	38	21	26	41	24	29	23	15	4	2
Other Causes	902	431	42	6	5	1	485	4	4	3	4	8	9	15	23	91	194	62

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
444.—SHARDLOW.																		
ean Popul^n, 1861-71	16472	444	459	448	420	391	2162	1860	1670	1514	1422	2225	1862	1532	1168	737	286	34
OTAL DEATHS	3207	590	138	95	50	44	917	93	80	131	147	237	197	175	281	421	417	111
ll-pox	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
sles	29	6	11	6	3	1	27	2	-	-	-	-	-	-	-	-	-	-
latina	100	4	17	18	13	16	68	25	3	1	2	1	-	-	-	-	-	-
itheria	16	-	1	2	4	4	11	3	1	1	-	-	-	-	-	-	-	-
ooping-cough	51	31	13	5	3	-	52	-	1	-	-	-	-	-	-	-	-	-
hus	118	1	4	4	2	5	16	11	18	16	16	11	11	8	4	6	1	-
rrhœa & Dysentery	74	30	4	2	-	-	36	2	-	-	-	4	2	3	4	12	10	1
lera	7	-	-	-	-	-	-	1	1	-	-	-	2	-	1	1	1	-
er Zymotic Dis.	63	6	9	9	5	1	30	4	1	2	1	2	3	3	3	10	4	-
cer	92	-	-	1	-	-	1	-	-	-	1	3	8	17	32	26	1	3
fula and Tabes	45	13	5	3	1	1	23	1	1	7	3	3	3	1	2	-	1	-
hisis	473	6	3	6	1	2	18	7	24	74	85	119	72	38	25	8	3	-
rocephalus	30	6	6	8	4	1	25	3	2	-	-	-	-	-	-	-	-	-
of Brain	380	133	19	6	2	3	163	10	6	9	8	14	15	14	47	56	35	3
of Heart & Dropsy	264	-	2	2	-	-	4	6	2	2	5	19	20	28	59	76	39	4
of Lungs	340	87	23	13	8	5	138	2	4	2	2	11	11	19	32	67	44	8
of Stom. and Liver	181	15	2	2	-	1	20	2	7	3	6	11	15	20	38	41	18	-
of Kidneys	29	1	-	-	1	-	2	1	4	-	1	4	5	2	4	5	1	-
of Gener. Organs	24	-	-	-	-	-	-	-	-	-	2	2	6	6	3	4	-	-
of Joints	15	-	1	-	-	1	2	1	-	4	-	-	1	1	2	2	2	-
of Skin	10	4	-	-	-	-	4	-	-	1	1	-	-	-	1	2	1	-
dbirth and Metria	52	-	-	-	-	-	-	-	-	2	11	22	15	2	-	-	-	-
cide	9	-	-	-	-	-	-	-	-	1	1	1	-	2	2	1	1	-
er Violent Deaths	59	11	3	4	1	2	21	6	1	3	2	5	1	5	2	7	4	2
er Causes	743	231	13	4	2	1	254	6	4	3	-	5	7	6	20	97	251	90
445.—DERBY.																		
ean Popul^n, 1861-71	29479	888	791	794	718	692	3883	3244	2942	2943	2913	4741	3451	2518	1647	874	288	35
OTAL DEATHS	6593	1472	556	232	185	131	2576	270	132	239	294	543	489	403	535	569	425	118
ll-pox	49	14	6	4	8	1	33	6	2	-	4	4	-	-	-	-	-	-
sles	148	23	66	26	11	12	138	8	2	-	-	-	-	-	-	-	-	-
latina	253	15	47	53	46	40	201	74	14	2	-	1	1	-	-	-	-	-
itheria	42	6	8	2	6	4	26	9	4	1	1	1	-	-	-	-	-	-
ooping-cough	120	41	40	14	14	8	117	3	-	-	-	-	-	-	-	-	-	-
hus	225	3	11	12	8	10	44	42	27	24	15	24	15	9	16	6	3	-
rrhœa & Dysentery	360	193	47	6	2	1	249	3	1	4	1	6	2	2	9	17	13	2
lera	8	3	-	1	-	-	4	1	-	-	-	1	-	-	2	-	-	-
er Zymotic Dis.	98	12	14	7	12	3	48	10	4	1	2	2	4	5	6	9	6	1
cer	120	-	-	-	-	-	-	-	-	-	1	3	28	31	38	22	6	-
fula and Tabes	88	31	17	8	2	-	58	4	4	5	1	7	5	-	2	2	-	-
hisis	1058	31	13	7	5	3	59	9	36	146	185	303	173	97	37	13	-	-
rocephalus	50	14	11	4	6	4	39	10	1	-	-	-	-	-	-	-	-	-
of Brain	925	439	82	32	20	13	586	20	9	12	8	29	35	45	76	66	31	8
of Heart & Dropsy	486	-	2	1	1	1	5	13	8	8	23	36	68	87	99	91	42	3
of Lungs	814	175	102	31	21	11	343	23	5	9	11	34	41	40	114	121	61	12
of Stom. and Liver	278	21	4	3	3	4	35	9	4	8	7	20	39	50	56	34	14	2
of Kidneys	67	-	-	1	-	1	2	1	4	2	6	8	12	8	14	8	2	-
of Gener. Organs	49	-	-	-	-	-	-	-	-	-	1	8	16	9	8	7	-	-
of Joints	20	-	1	1	-	1	3	2	1	3	1	5	-	-	4	-	1	-
of Skin	13	3	2	1	1	-	7	-	-	-	-	-	2	-	2	1	1	-
dbirth and Metria	89	-	-	-	-	-	-	-	-	6	23	29	30	1	-	-	-	-
cide	12	-	-	-	-	-	-	-	-	1	-	2	3	3	1	2	-	-
er Violent Deaths	113	18	7	3	8	7	43	14	5	6	2	9	6	6	8	6	7	1
er Causes	1113	430	73	15	11	4	536	9	1	1	2	11	9	10	43	164	238	89
446.—BELPER.																		
ean Popul^n, 1861-71	25762	841	779	738	727	721	3806	3137	2796	2266	2181	3629	2858	2219	1594	917	324	35
OTAL DEATHS	5612	1217	370	184	120	94	1985	246	132	201	217	462	342	342	479	589	469	148
ll-pox	34	9	6	1	3	2	21	4	1	2	1	4	-	-	1	-	-	-
sles	88	18	24	16	13	10	81	6	-	-	-	1	-	-	-	-	-	-
rlatina	202	14	33	28	26	22	123	66	8	2	-	2	1	-	-	-	-	-
hitheria	48	6	3	7	5	5	26	15	2	1	-	2	1	-	1	-	-	-
ooping-cough	97	44	36	9	2	2	93	4	-	-	-	-	-	-	-	-	-	-
hus	271	8	16	9	11	9	53	36	35	31	16	33	19	15	16	10	6	1
rrhœa & Dysentery	156	72	16	-	2	1	91	1	1	-	1	5	3	8	9	16	18	3
olera	4	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-
er Zymotic Dis.	111	12	13	16	6	5	52	8	1	6	1	5	3	5	8	9	11	2
cer	86	-	-	-	-	-	-	-	2	-	-	3	9	20	26	18	6	2
fula and Tabes	121	41	15	4	2	2	67	8	6	7	10	8	7	7	-	-	1	-
hisis	725	11	9	6	3	1	33	13	31	91	126	221	105	58	34	9	1	-
rocephalus	50	16	13	7	1	4	41	5	2	1	-	-	1	-	-	-	-	-
of Brain	896	403	48	19	11	12	493	18	11	15	11	19	34	37	61	79	51	7
of Heart & Dropsy	545	2	-	1	2	2	7	12	10	9	8	34	51	84	130	143	52	5
of Lungs	721	175	81	36	19	6	317	12	7	8	14	21	25	38	79	105	83	12
of Stom. and Liver	273	10	5	7	2	3	27	8	8	8	9	31	27	40	58	35	20	2
of Kidneys	40	-	-	-	-	1	1	1	1	-	2	5	4	5	10	10	1	-
of Gener. Organs	40	-	-	-	-	-	-	-	-	-	-	7	10	9	8	5	1	-
of Joints	17	1	-	-	-	-	1	1	1	-	-	4	2	2	1	5	-	-
of Skin	13	5	1	-	-	-	6	-	-	-	-	-	-	-	-	5	2	-
dbirth and Metria	102	-	-	-	-	-	-	-	-	8	13	48	31	2	-	-	-	-
cide	6	-	-	-	-	-	-	-	-	-	-	2	1	1	2	-	-	-
er Violent Deaths	67	8	7	5	5	6	31	14	2	2	2	3	2	1	3	2	4	1
er Causes	939	356	44	13	7	1	421	14	3	7	3	2	6	10	31	137	212	115

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85
447.—ASHBORNE.																		
Mean Populn, 1861-71	10139	274	255	269	266	253	1317	1224	1098	981	743	1251	1098	966	750	501	184	2
TOTAL DEATHS	1981	307	101	43	28	29	598	62	59	49	46	93	111	128	197	303	270	7
Small-pox	4	2	–	1	–	–	3	–	–	–	–	1	–	–	–	–	–	
Measles	15	2	10	–	–	–	12	1	–	1	1	–	–	–	–	–	–	
Scarlatina	19	–	2	2	4	3	11	5	1	–	–	–	1	1	–	–	–	
Diphtheria	18	1	2	2	2	3	10	6	–	–	–	–	–	–	1	1	–	
Whooping-cough	29	13	10	1	2	1	27	2	–	–	–	–	–	–	–	–	–	
Typhus	78	8	8	1	1	1	19	8	11	7	7	7	7	2	3	4	2	
Diarrhœa & Dysentery	43	21	3	2	–	1	27	–	–	–	1	1	–	–	3	7	3	
Cholera	2	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	
Other Zymotic Dis.	74	7	2	3	2	8	22	7	2	1	1	3	2	5	6	10	13	
Cancer	26	–	–	–	–	–	–	–	–	2	–	–	3	3	6	8	4	
Scrofula and Tabes	52	18	6	2	3	–	29	2	7	4	2	2	1	1	1	3	–	
Phthisis	163	1	–	2	–	–	3	5	7	18	21	42	30	23	9	5	–	
Hydrocephalus	30	8	9	4	2	1	24	5	–	1	–	–	–	–	–	–	–	
Dis. of Brain	324	154	9	6	1	2	172	7	3	2	2	9	9	16	25	41	35	
Dis. of Heart & Dropsy	164	1	–	1	–	–	2	1	5	2	1	4	2	12	43	60	30	
Dis. of Lungs	245	33	15	7	4	3	62	6	2	5	1	5	18	22	31	60	31	
Dis. of Stom. and Liver	114	4	1	1	–	3	9	3	2	2	1	4	15	14	29	25	10	
Dis. of Kidneys	41	–	–	–	–	–	–	1	2	–	–	1	2	5	7	16	8	
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Dis. of Joints	3	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	
Dis. of Skin	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Suicide	14	–	–	–	–	–	–	–	–	–	–	–	2	5	5	–	1	
Other Violent Deaths	69	4	2	3	4	1	14	1	6	2	6	6	10	8	6	4	6	
Other Causes	449	119	22	5	3	2	151	2	2	2	–	8	7	10	22	58	127	6
448.—CHESTERFIELD.																		
Mean Populn, 1861-71	36442	1216	1070	1020	985	995	5286	4413	3877	3607	3411	5666	4216	2831	1848	963	295	2
TOTAL DEATHS	8087	2608	691	325	202	143	3969	344	185	238	286	419	422	460	530	659	465	11
Small-pox	87	28	12	7	3	6	56	3	3	8	9	2	2	2	2	–	–	
Measles	175	41	67	35	16	5	164	10	1	–	–	–	–	–	–	–	–	
Scarlatina	422	27	57	69	67	52	272	117	23	6	1	2	–	1	–	–	–	
Diphtheria	56	4	9	8	4	4	29	15	4	2	1	1	–	1	2	–	1	
Whooping-cough	153	79	49	13	9	3	153	–	–	–	–	–	–	–	–	–	–	
Typhus	372	15	22	16	22	17	92	44	31	37	45	36	29	19	24	10	4	
Diarrhœa & Dysentery	288	179	41	10	1	–	231	2	–	–	1	2	3	7	5	17	18	
Cholera	28	6	1	1	1	1	10	–	1	–	1	–	2	2	7	4	1	
Other Zymotic Dis.	154	33	29	20	13	7	102	9	5	–	2	3	5	2	9	13	2	
Cancer	49	–	–	–	–	–	–	–	–	–	–	1	6	10	9	10	13	
Scrofula and Tabes	144	58	27	14	4	2	105	4	–	3	10	4	7	6	4	1	–	
Phthisis	610	17	14	6	3	4	44	18	18	67	93	126	109	78	42	13	2	
Hydrocephalus	123	48	45	12	8	2	115	8	–	–	–	–	–	–	–	–	–	
Dis. of Brain	1351	873	79	26	10	9	997	22	4	10	13	25	26	41	67	94	46	
Dis. of Heart & Dropsy	412	9	2	2	2	5	20	13	12	12	14	28	37	62	73	91	41	
Dis. of Lungs	1275	412	151	54	25	10	682	31	10	12	13	29	58	78	126	152	74	1
Dis. of Stom. and Liver	335	60	8	4	2	3	77	11	8	8	17	33	28	45	56	45	7	
Dis. of Kidneys	102	3	1	2	–	1	7	2	–	2	6	10	18	14	12	20	10	
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Dis. of Joints	41	2	1	–	2	–	5	6	5	7	–	7	3	5	4	1	1	
Dis. of Skin	19	7	2	–	–	–	9	–	–	–	–	1	1	–	3	5	–	
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Suicide	34	–	–	–	–	–	–	–	–	2	2	5	3	10	8	2	2	
Other Violent Deaths	566	28	20	13	7	12	80	19	56	62	57	93	74	58	40	29	6	
Other Causes	1288	649	54	13	3	–	719	10	4		1	11	11	19	37	161	237	7
449.—BAKEWELL.																		
Mean Populn, 1861-71	14949	419	412	394	359	375	1959	1778	1635	1387	1171	1923	1682	1420	1078	668	231	1
TOTAL DEATHS	3279	666	189	83	52	61	1051	98	64	102	116	218	198	238	318	428	378	7
Small-pox	18	6	1	2	–	–	9	2	–	1	2	2	–	2	–	–	–	
Measles	32	3	11	8	1	3	26	6	–	–	–	–	–	–	–	–	–	
Scarlatina	86	6	12	17	12	10	57	19	4	3		2	1	–	–	–	–	
Diphtheria	32	3	6	1	1	3	14	10	2	4	–	–	1	–	1	–	–	
Whooping-cough	42	18	22	2	1	2	40	2	–	–	–	–	–	–	–	–	–	
Typhus	91	–		3	–	6	9	10	13	12	13	15	6	2	7	4	–	
Diarrhœa & Dysentery	47	16	4	1	1	1	23	–	–	1	–	–	1	4	2	8	8	
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	
Other Zymotic Dis.	82	12	8	8	6	4	38	6	2	1	1	6	5	3	5	7	8	
Cancer	38	–	–	–	–	–	–	–	–	–	–	2	2	9	12	10	3	
Scrofula and Tabes	37	7	6	–	–	–	13	2	2	6	1	4	4	2	2	1	–	
Phthisis	310	5	4	2	–	7	18	2	9	30	49	30	43	30	28	10	1	
Hydrocephalus	33	7	9	2	5	4	27	4	1	–	1	–	–	–	–	–	–	
Dis. of Brain	584	323	24	13	5	5	370	8	3	9	1	11	14	18	36	64	46	
Dis. of Heart & Dropsy	260	4	1	2	1	–	8	7	6	4	4	7	15	35	56	89	34	
Dis. of Lungs	394	64	25	7	5	5	106	2	4	11	11	23	26	38	53	68	45	7
Dis. of Stom. and Liver	173	17	5	1	2	2	27	3	1	4	4	9	18	32	34	28	13	
Dis. of Kidneys	64	–	–	–	2	–	2	1	3	–	1	5	9	10	10	12	9	2
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Dis. of Joints	12	–	–	–	–	–	–	–	–	–	–	5	1	2	1	3	–	
Dis. of Skin	8	2	1	–	–	–	3	–	–	–	–	–	–	1	–	3	1	
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Suicide	17	–	–	–	–	–	–	–	–	1	1	–	5	5	4	1	–	
Other Violent Deaths	117	6	5	1	2	1	15	5	3	10	14	19	17	15	11	6	2	
Other Causes	801	172	45	13	8	8	246	9	11	5	13	18	30	30	55	123	208	6

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
447.—ASHBORNE.																		
an Populn, 1861-71	10463	278	252	251	248	253	1282	1211	1076	1028	839	1349	1135	988	767	503	205	30
TAL DEATHS	2098	319	109	43	40	20	531	72	51	92	92	159	124	144	179	291	278	85
l-pox	3	2	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
les	22	9	5	2	1	1	18	2	1	-	-	-	1	-	-	-	-	-
atina	19	2	4	1	1	-	8	6	2	2	-	-	1	-	-	-	-	-
theria	21	2	1	4	2	1	10	9	3	1	-	-	-	-	1	-	-	-
oping-cough	30	9	9	3	6	-	27	3	-	-	-	-	-	-	-	-	-	-
us	96	5	4	6	4	1	20	13	8	13	11	8	7	3	3	4	1	-
rhœa & Dysentery	43	12	4	2	1	-	19	-	-	-	-	3	1	1	4	12	6	2
era	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
r Zymotic Dis.	86	6	4	2	5	5	22	7	-	4	2	4	3	4	7	14	17	2
er	50	-	-	-	-	-	-	-	-	-	1	-	5	16	10	15	3	-
ula and Tabes	35	10	3	4	1	-	18	3	3	1	3	2	3	1	-	1	-	-
isis	329	-	1	-	1	1	3	3	21	46	53	90	57	31	15	8	2	-
rocephalus	20	5	5	3	4	1	18	-	1	-	1	-	-	-	-	-	-	-
of Brain	306	109	16	2	3	2	132	11	7	9	7	4	7	14	26	46	36	7
of Heart & Dropsy	203	3	-	-	-	-	3	1	-	1	3	9	11	21	46	71	31	6
of Lungs	203	29	24	5	5	2	65	3	-	3	5	9	7	15	21	34	34	7
of Stom. and Liver	107	4	1	2	2	2	11	-	1	3	2	10	8	15	23	23	10	1
of Kidneys	9	-	-	1	-	-	1	-	-	-	-	2	-	5	-	1	-	-
of Gener. Organs	16	-	-	-	-	-	-	-	-	-	1	2	3	3	4	3	-	-
of Joints	9	-	-	-	-	-	-	1	1	1	1	1	1	-	2	1	-	-
of Skin	5	-	-	-	-	1	1	-	1	-	-	-	-	1	-	2	-	-
birth and Metria	22	-	-	-	-	-	-	-	-	2	1	12	5	2	-	-	-	-
de	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
r Violent Deaths	28	6	2	2	2	1	13	5	-	-	1	-	-	3	-	1	3	2
r Causes	427	106	26	4	2	2	140	5	1	1	-	3	4	8	17	55	135	58
448.—CHESTERFIELD.																		
an Populn, 1861-71	33150	1217	1088	1098	1019	979	5401	4546	3686	2798	2714	4805	3675	2532	1687	964	305	37
TAL DEATHS	7221	2031	626	315	217	142	3361	353	167	225	244	491	404	342	431	597	492	114
l pox	82	29	12	5	11	3	60	7	3	3	4	2	1	1	-	1	-	-
les	167	29	68	26	16	11	150	15	1	-	1	-	-	-	-	-	-	-
atina	447	28	54	67	74	49	272	126	27	4	2	4	1	-	-	-	1	-
theria	55	3	10	4	8	3	28	17	5	1	2	1	1	-	-	-	-	-
oping cough	163	73	50	17	14	2	156	7	-	-	-	-	-	-	-	-	-	-
us	344	14	20	26	18	19	97	40	29	32	19	38	23	15	14	5	2	-
rhœa & Dysentery	265	152	44	7	1	-	204	6	1	-	3	4	5	1	12	16	11	2
era	12	5	1	2	-	-	8	1	-	-	1	-	1	-	1	-	-	-
r Zymotic Dis.	159	24	20	29	10	13	96	18	4	3	2	4	6	2	9	9	6	-
er	119	-	-	-	-	-	-	-	-	-	-	5	18	38	28	20	7	3
ula and Tabes	115	54	17	6	5	2	84	6	6	6	-	2	5	-	4	2	1	-
isis	822	23	15	9	5	6	58	13	43	90	135	245	120	67	38	11	2	-
rocephalus	93	30	28	14	6	5	83	8	-	1	1	-	-	-	-	-	-	-
of Brain	999	629	45	30	14	5	723	16	9	18	7	15	24	28	49	64	39	7
of Heart & Dropsy	486	4	3	2	3	2	14	9	14	13	12	29	44	74	97	132	54	4
of Lungs	989	311	154	45	36	14	560	29	7	16	15	25	35	44	81	113	58	6
of Stom. and Liver	272	33	8	2	3	-	46	6	4	10	11	21	36	35	40	44	16	3
of Kidneys	35	-	-	1	-	-	1	-	1	-	2	7	8	6	2	7	1	-
of Gener. Organs	22	-	-	1	-	-	1	-	-		1	3	7	5	2	3	-	-
of Joints	26	3	-	-	1	-	4	3	4	6	1	1	-	-	7	-		-
of Skin	19	4	-	-	2	-	6	1	-	-	-	2	2	3	1	4	-	-
birth and Metria	113	-	-	-	-	-	-	-	-	12	20	68	43	-		-	-	-
de	17	-	-	-	-	-	-	-	-	3	-	4	2	5	3	-	-	-
Violent Deaths	141	30	17	11	15	3	76	15	8	2	2	3	6	6	5	8	9	1
r Causes	1258	553	60	11	5	5	634	10	1	5	3	8	16	12	28	158	285	88
449.—BAKEWELL.																		
an Populn, 1861 71	15546	419	407	403	375	400	2004	1801	1690	1422	1357	2125	1789	1434	1054	639	218	23
TAL DEATHS	3102	527	148	72	62	36	845	111	74	139	142	236	243	185	322	408	338	59
l-pox	13	3	2	-	-	-	5	-	1	2	3	1	1	-	-	-	-	-
les	31	6	8	2	3	4	23	7	1	-	-	-	-	-	-	-	-	-
atina	67	4	13	8	8	4	37	21	5	2	2	-	-	-	-	-	-	-
theria	34	1	3	3	7	2	16	12	3	1	-	2	-	-	-	-	-	-
oping-cough	47	22	10	11	1	2	46	1	-	-	-	-	-	-	-	-	-	-
us	91	5	-	4	1	1	11	8	11	14	10	15	14	3	3	2	-	-
rhœa & Dysentery	37	12	1	1	-	-	14	-	-	-	1	1	1	1	5	7	7	-
era	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
r Zymotic Dis.	66	10	5	4	6	3	28	4	-	1	1	3	5	2	9	9	4	-
er	58	-	-	-	-	-	-	-	-	-	-	1	6	13	24	12	2	-
ula and Tabes	34	6	3	2	-	-	11	3	4	3	3	5	3	-	2	-	-	-
isis	481	3	5	1	2	1	12	8	23	79	64	112	73	29	23	8	-	-
rocephalus	22	8	7	1	4	2	22	-	-	-	-	-	-	-	-	-	-	-
of Brain	433	226	30	9	8	5	278	11	3	6	5	14	13	26	29	41	33	4
of Heart & Dropsy	286	4	1	-	1	2	8	3	5	9	5	15	29	29	76	66	33	4
of Lungs	332	63	25	13	4	2	108	5	6	6	9	8	29	19	47	73	48	4
of Stom. and Liver	143	10	1	3	1	4	19	2	3	3	7	7	13	19	33	30	5	2
of Kidneys	17	-	-	-	-	-	-	1	-	-	2	1	2	4	3	3	1	-
of Gener. Organs	14	-	-	-	-	-	-	-	-	-	1	-	5	5	2	1	-	-
of Joints	10	-	-	-	-	-	-	1	-	1	1	-	-	3	2	1	1	-
of Skin	12	3	-	1	-	-	4	1	1	1	-	-	1	-	1	2	1	-
birth and Metria	43	-	-	-	-	-	-	-	-	1	7	21	14	-	-	-	-	-
de	7	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	1	-
r Violent Deaths	31	1	1	1	4	1	8	4	1	-	-	3	1	4	-	7	2	1
r Causes	781	139	33	8	12	3	195	19	7	10	21	26	31	25	61	145	197	44

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 upwards.
450.—CHAPEL-EN-LE-FRITH.																		
Mean Popul^n, 1861–71	7699	213	204	199	197	188	1001	872	752	695	676	1183	926	720	511	268	89	6
TOTAL DEATHS	1618	380	87	38	24	25	554	54	42	44	44	102	114	156	187	172	120	29
Small-pox	10	2	–	1	–	1	4	1	–	–	–	2	1	–	2	–	–	–
Measles	12	3	4	–	1	1	9	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	25	2	1	4	2	4	13	8	2	1	1	–	–	–	–	–	–	–
Diphtheria	16	2	2	1	3	3	11	1	2	1	–	–	–	1	–	–	–	–
Whooping-cough	26	14	6	2	1	–	23	3	–	–	–	–	–	–	–	–	–	–
Typhus	56	–	–	–	2	3	5	10	5	2	7	6	9	4	5	3	–	–
Diarrhœa & Dysentery	43	15	3	–	–	–	18	1	1	–	2	1	–	2	6	6	5	1
Cholera	2	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Other Zymotic Dis.	45	3	3	4	4	3	17	2	2	–	–	4	2	5	9	4	–	–
Cancer	18	–	–	–	–	–	–	–	–	–	–	–	1	5	6	4	2	–
Scrofula and Tabes	30	14	2	2	–	–	18	5	1	–	–	1	1	2	2	–	–	–
Phthisis	125	–	7	3	–	1	11	2	7	17	12	31	16	11	15	–	1	–
Hydrocephalus	23	11	5	3	2	–	21	1	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	313	128	16	7	2	1	154	4	6	4	5	8	21	22	34	38	15	2
Dis. of Heart & Dropsy	100	1	–	–	1	–	2	4	4	4	3	10	8	14	19	21	11	–
Dis. of Lungs	245	51	22	7	3	3	86	3	2	3	3	8	19	33	27	34	25	2
Dis. of Stom. and Liver	116	7	1	1	2	1	12	2	1	5	–	7	10	26	32	17	4	–
Dis. of Kidneys	23	1	–	–	–	–	1	1	2	–	1	2	2	3	3	5	2	1
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Dis. of Joints	7	1	–	–	–	–	1	2	1	–	–	1	–	1	–	–	1	–
Dis. of Skin	4	2	–	–	–	–	2	–	–	–	1	–	–	–	–	–	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	9	–	–	–	–	–	–	–	–	–	–	1	3	4	1	–	–	–
Other Violent Deaths	99	1	4	–	1	4	10	1	4	7	9	18	14	16	9	8	1	2
Other Causes	271	121	11	3	–	–	135	–	1	–	–	2	6	6	16	32	52	21
451.—HAYFIELD.																		
Mean Popul^n, 1861–71	15414	444	412	399	397	377	2029	1849	1691	1582	1365	2139	1752	1484	956	434	119	14
TOTAL DEATHS	3540	957	299	115	83	64	1518	161	96	128	123	178	161	240	350	347	199	39
Small-pox	15	2	2	–	1	2	7	4	1	–	1	1	1	–	–	–	–	–
Measles	52	13	20	5	7	3	48	3	1	–	–	–	–	–	–	–	–	–
Scarlatina	112	8	17	24	10	16	75	28	6	2	–	–	1	–	–	–	–	–
Diphtheria	30	3	5	–	10	3	21	5	2	1	1	–	–	–	–	–	–	–
Whooping-cough	83	41	28	7	3	1	80	3	–	–	–	–	–	–	–	–	–	–
Typhus	141	4	3	8	7	7	29	18	16	13	14	11	8	10	9	11	2	–
Diarrhœa & Dysentery	143	86	18	2	3	–	109	2	1	–	1	1	1	5	4	9	8	2
Cholera	4	1	–	–	–	–	1	–	–	–	–	1	2	–	–	–	–	–
Other Zymotic Dis.	125	15	20	14	11	9	69	19	3	6	3	4	4	8	4	5	–	–
Cancer	26	–	–	–	–	–	–	–	1	–	–	2	4	7	10	2	–	–
Scrofula and Tabes	69	25	11	3	3	–	42	8	2	7	3	3	1	–	3	–	–	–
Phthisis	370	7	3	2	2	1	15	5	17	58	65	85	44	38	33	10	–	–
Hydrocephalus	88	21	35	6	5	4	71	11	5	–	–	–	–	–	1	–	–	–
Dis. of Brain	499	241	29	10	7	6	293	22	8	10	7	9	11	25	31	56	23	4
Dis. of Heart & Dropsy	224	4	1	2	1	2	10	4	5	7	9	11	23	28	58	47	20	2
Dis. of Lungs	594	158	49	14	8	4	233	13	1	3	4	14	25	54	99	95	47	6
Dis. of Stom. and Liver	206	25	1	2	2	–	30	5	5	5	7	13	17	31	45	40	8	–
Dis. of Kidneys	56	1	2	–	–	–	3	–	1	4	2	4	4	4	10	18	6	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	12	–	1	–	–	–	1	1	1	2	1	2	–	–	–	3	1	–
Dis. of Skin	13	6	–	–	–	1	7	–	1	1	–	1	–	2	1	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	9	–	–	–	–	–	–	–	–	1	–	2	–	–	5	1	–	–
Other Violent Deaths	123	9	6	9	3	3	30	7	16	8	5	12	10	14	14	5	2	–
Other Causes	516	287	48	7	–	2	344	3	3	–	–	2	5	14	23	45	82	23

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
450.—CHAPEL-EN-LE-FRITH.																		
Mean Populn, 1861–71	7200	209	187	196	177	199	968	826	712	669	706	1082	865	650	414	215	85	8
TOTAL DEATHS	1487	280	93	49	32	16	479	50	46	69	66	128	99	106	133	159	127	25
Small-pox	10	2	1	2	2	1	8	–	–	1	–	–	–	–	1	–	–	–
Measles	14	2	5	2	3	–	12	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	24	1	3	4	4	3	15	4	1	–	1	1	–	1	1	–	–	–
Diphtheria	17	1	1	2	5	–	9	4	2	–	1	–	–	–	1	–	–	–
Whooping-cough	38	18	14	2	1	1	36	1	1	–	–	–	–	–	–	–	–	–
Influenza	62	1	1	2	1	2	7	8	8	9	5	13	2	5	4	–	1	–
Diarrhœa & Dysentery	41	17	3	1	2	–	23	3	1	1	1	–	–	1	4	5	5	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	51	6	6	6	3	2	23	6	1	1	–	5	1	3	4	6	–	1
Cancer	27	–	–	–	–	–	–	–	–	–	1	–	2	8	11	4	1	–
Scrofula and Tabes	27	11	2	3	–	1	17	1	1	1	1	4	2	–	–	–	–	–
Phthisis	137	4	2	–	–	2	8	1	13	36	28	59	26	18	7	1	–	–
Hydrocephalus	16	8	5	–	–	–	13	1	2	–	–	–	–	–	–	–	–	–
Disease of Brain	236	88	12	11	3	1	115	3	3	5	6	9	7	17	23	30	15	3
Disease of Heart & Dropsy	109	–	–	–	1	–	1	–	3	4	3	6	12	16	23	33	5	–
Disease of Lungs	185	34	24	9	5	3	75	6	2	3	5	9	12	12	15	26	19	1
Disease of Stom. and Liver	103	5	3	–	–	–	8	2	2	4	6	7	17	11	24	16	5	1
Disease of Kidneys	12	–	1	–	–	–	1	–	1	–	1	1	3	1	2	2	–	–
Disease of Gener. Organs	8	–	–	–	–	–	–	–	–	–	1	–	2	4	1	–	–	–
Disease of Joints	5	–	–	–	–	–	–	–	–	1	–	2	–	–	–	2	–	–
Disease of Skin	3	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–
Childbirth and Metria	18	–	–	–	–	–	–	–	–	1	5	8	4	–	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–
Other Violent Deaths	30	9	1	1	–	–	11	4	3	–	1	1	2	2	1	2	2	1
All Other Causes	247	82	9	4	2	–	97	3	2	2	–	1	4	6	8	32	74	18
451.—HAYFIELD.																		
Mean Populn, 1861–71	16887	456	407	425	415	377	2080	1900	1768	1730	1654	2565	2044	1555	975	470	133	13
TOTAL DEATHS	3419	760	228	116	57	42	1203	113	102	159	132	265	224	270	350	356	213	32
Small-pox	18	4	1	4	–	2	11	1	3	2	–	–	–	1	–	–	–	–
Measles	43	6	16	8	7	–	37	4	1	–	–	1	–	–	–	–	–	–
Scarlatina	91	6	15	20	13	7	61	22	4	3	–	1	–	–	–	–	–	–
Diphtheria	21	1	3	6	2	3	15	4	1	1	–	–	–	–	–	–	–	–
Whooping-cough	89	31	26	11	4	2	77	1	1	1	–	–	–	–	–	–	–	–
Influenza	144	–	3	7	2	4	16	24	29	14	15	15	10	12	9	8	1	–
Diarrhœa & Dysentery	135	78	11	4	1	–	94	3	–	1	–	2	1	3	12	9	7	3
Cholera	3	1	1	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	92	11	12	11	10	5	49	2	4	4	–	4	9	6	8	5	1	–
Cancer	68	–	–	–	–	–	–	–	–	–	1	2	7	18	20	15	4	1
Scrofula and Tabes	41	14	9	2	–	1	26	2	2	3	2	1	2	–	–	3	–	–
Phthisis	501	10	1	–	2	3	16	12	25	97	73	132	62	51	27	5	1	–
Hydrocephalus	61	24	18	6	1	3	52	8	1	–	–	–	–	–	–	–	–	–
Disease of Brain	446	172	28	11	5	7	223	12	9	8	10	13	11	33	49	49	27	2
Disease of Heart & Dropsy	269	3	1	–	1	–	5	3	4	4	7	22	28	53	61	61	20	1
Disease of Lungs	532	137	45	11	5	3	201	7	6	5	9	17	31	41	82	90	40	3
Disease of Stom. and Liver	217	14	1	1	2	1	19	2	10	9	5	18	19	37	55	34	9	–
Disease of Kidneys	14	–	–	–	–	–	–	–	–	–	1	3	2	3	1	4	–	–
Disease of Gener. Organs	16	–	–	–	–	–	–	–	1	–	1	3	4	2	4	1	–	–
Disease of Joints	12	2	–	–	–	–	2	1	3	2	1	–	–	1	–	2	–	–
Disease of Skin	11	1	1	1	–	–	3	–	–	–	–	1	–	–	3	3	1	–
Childbirth and Metria	59	–	–	–	–	–	–	–	–	–	5	26	28	–	–	–	–	–
Suicide	7	–	–	–	–	–	–	–	–	1	–	1	1	2	1	–	1	–
Other Violent Deaths	34	3	–	6	1	–	10	2	5	1	–	1	3	3	2	6	1	–
All Other Causes	504	212	36	4	1	1	284	3	1	3	2	2	6	4	16	61	100	22

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85
452.—STOCKPORT.																		
Mean Populn, 1861–71	44629	1392	1172	1183	1103	1148	5998	5296	4788	4669	3994	6386	5189	4071	2629	1244	341	24
TOTAL DEATHS	12257	3454	1078	493	348	243	5616	537	249	319	400	622	729	892	1157	1062	573	10
Small pox	49	15	4	6	2	1	28	10	3	1	2	2	2	1	–	–	–	–
Measles	341	77	123	62	39	18	319	17	4	1	–	–	–	–	–	–	–	–
Scarlatina	663	47	102	114	107	85	451	175	27	3	3	1	–	–	–	–	–	–
Diphtheria	63	5	7	5	8	9	34	15	5	1	1	3	2	1	–	–	1	–
Whooping-cough	267	127	75	30	19	6	257	10	–	–	–	–	–	–	–	–	–	–
Typhus	495	29	26	22	19	20	116	74	35	46	35	46	39	31	36	30	7	–
Diarrhœa & Dysentery	795	555	119	20	7	2	703	3	2	1	1	4	6	12	17	22	23	1
Cholera	29	6		–	1	–	7	1	–	2	1	4	3	4	4	1	2	–
Other Zymotic Dis.	267	40	56	33	28	23	180	19	13	2	2	7	9	8	13	4	10	–
Cancer	69	–	1	–	–	–	1	–	1	–	1	1	9	12	19	19	5	1
Scrofula and Tabes	159	43	27	15	5	3	93	18	8	14	7	7	5	3	4	–	–	–
Phthisis	1101	4	8	3	4	2	21	16	35	158	216	245	182	135	73	17	3	–
Hydrocephalus	181	86	46	15	9	7	163	11	7	–	–	–	–	–	–	–	–	–
Dis. of Brain	1799	823	91	46	33	12	1005	46	19	8	11	59	90	109	151	208	85	8
Dis. of Heart & Dropsy	591	7	4	2	2	5	20	13	18	21	22	44	74	94	131	125	26	3
Dis. of Lungs	2565	621	238	84	40	26	1009	44	7	10	33	72	125	273	426	372	174	21
Dis. of Stom. and Liver	631	45	14	4	2	2	67	10	16	14	13	30	64	95	128	71	22	1
Dis. of Kidneys	153	1	–	–	3	–	4	6	4	6	7	10	14	19	40	31	10	2
Dis. of Gener. Organs	4	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–
Dis. of Joints	29	1	–	–	–	2	3	6	4	2	3	1	3	–	5	2	–	–
Dis. of Skin	32	10	4	–	–	–	14	–	–	–	2	–	3	3	5	4	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	54	–	–	–	–	–	–	–	–	–	1	6	11	10	17	8	1	–
Other Violent Deaths	484	20	17	22	15	17	91	32	38	28	36	64	62	48	51	23	10	1
Other Causes	1545	892	116	11	5	3	1027	11	3	1	3	15	25	33	37	124	193	63
453.—MACCLESFIELD.																		
Mean Populn, 1861–71	28629	819	749	735	705	720	3728	3376	3141	2741	2143	3697	3537	2898	2010	1019	302	32
TOTAL DEATHS	6884	1690	469	233	149	107	2648	266	139	243	229	358	412	519	662	803	494	111
Small-pox	19	6	1	2	1	1	11	4	–	3	1	–	–	–	–	–	–	–
Measles	136	27	56	22	9	6	122	13	1	–	–	–	–	–	–	–	–	–
Scarlatina	224	14	28	41	34	21	138	72	8	4	1	–	1	–	–	–	–	–
Diphtheria	59	2	6	5	5	9	27	22	2	3	1	–	4	–	–	–	–	–
Whooping-cough	135	70	37	15	7	1	130	5	–	–	–	–	–	–	–	–	–	–
Typhus	235	13	4	13	10	7	47	22	16	25	13	18	21	26	17	25	4	1
Diarrhœa & Dysentery	225	125	18	3	1	2	149	4	1	1	2	1	4	9	13	21	17	3
Cholera	5	–	–	–	–	–	–	–	1	–	–	2	–	1	–	1	–	–
Other Zymotic Dis.	110	15	12	13	13	2	55	10	7	7	2	6	3	4	19	15	12	–
Cancer	71	–	–	2	–	–	2	–	–	1	–	4	6	11	26	15	6	–
Scrofula and Tabes	132	43	20	13	5	5	86	9	4	3	8	7	5	1	5	2	1	1
Phthisis	854	4	4	3	2	4	17	17	38	138	139	181	137	108	61	15	2	1
Hydrocephalus	98	39	25	15	5	5	89	7	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	1010	459	51	21	11	10	552	22	21	9	13	23	46	63	89	118	47	7
Dis. of Heart & Dropsy	469	7	2	2	2	1	14	9	4	11	11	24	56	72	94	131	37	6
Dis. of Lungs	1276	303	130	48	23	18	522	16	6	4	10	29	55	105	172	218	125	11
Dis. of Stom. and Liver	313	34	3	2	–	3	42	2	10	5	8	26	20	54	62	66	17	1
Dis. of Kidneys	125	–	1	2	1	1	5	3	3	5	1	9	6	17	22	32	21	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	30	–	–	–	2	1	3	4	1	4	3	1	2	2	3	7	–	–
Dis. of Skin	16	6	1	–	–	–	7	–	1	2	–	1	1	–	–	2	2	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	24	–	–	–	–	–	–	–	–	–	2	1	5	7	8	–	1	–
Other Violent Deaths	228	16	15	5	9	7	52	21	11	17	9	17	23	23	29	18	8	–
Other Causes	1060	505	55	6	9	3	578	4	2	1	5	8	17	16	42	117	193	77
454.—ALTRINCHAM.																		
Mean Populn, 1861–71	21615	641	605	590	594	584	3014	2585	2365	2013	1870	3050	2505	1892	1338	730	229	24
TOTAL DEATHS	4411	1071	285	157	89	73	1655	184	86	106	123	290	307	331	379	517	345	88
Small-pox	18	2	–	–	1	1	4	2	–	2	2	3	3	–	1	1	–	–
Measles	57	14	20	10	5	6	55	1	1	–	–	–	–	–	–	–	–	–
Scarlatina	185	12	31	24	28	19	114	49	14	7	–	1	–	–	–	–	–	–
Diphtheria	61	7	5	8	4	8	32	19	5	1	–	2	1	–	–	–	1	–
Whooping-cough	66	35	18	7	3	1	64	2	–	–	–	–	–	–	–	–	–	–
Typhus	114	–	3	4	3	4	14	12	10	11	10	18	8	11	8	11	1	–
Diarrhœa & Dysentery	191	129	18	8	2	2	159	1	–	–	1	–	2	3	4	13	4	–
Cholera	5	–	–	–	1	–	1	–	–	–	–	–	1	1	1	1	–	–
Other Zymotic Dis.	117	18	18	12	4	6	58	12	6	1	3	8	12	3	5	4	5	–
Cancer	45	–	–	–	–	–	–	–	–	–	–	–	6	7	12	16	4	–
Scrofula and Tabes	52	10	9	3	1	1	24	10	4	2	2	5	4	–	–	1	–	–
Phthisis	485	12	4	5	2	–	23	12	7	42	58	128	103	72	30	7	2	1
Hydrocephalus	80	37	16	8	4	3	68	9	1	1	–	–	–	1	–	–	–	–
Dis. of Brain	555	244	33	12	8	8	305	10	7	8	7	11	25	41	39	69	28	–
Dis. of Heart & Dropsy	283	2	4	1	–	1	8	8	3	4	2	13	26	38	60	85	33	–
Dis. of Lungs	725	179	65	20	9	7	280	11	3	4	2	32	37	53	92	117	78	10
Dis. of Stom. and Liver	308	28	6	1	2	–	37	7	4	3	6	17	35	51	57	68	21	3
Dis. of Kidneys	99	1	1	1	1	–	4	1	1	2	1	8	8	16	15	26	13	–
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Dis. of Joints	18	–	–	–	1	–	1	1	2	2	1	2	1	2	1	4	1	–
Dis. of Skin	17	7	–	1	–	–	8	–	–	–	1	–	–	–	2	3	2	1
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	22	–	–	–	–	–	–	–	–	–	3	4	3	4	7	1	–	–
Other Violent Deaths	203	12	10	7	5	6	40	13	15	13	22	25	23	16	25	7	4	–
Other Causes	704	322	24	5	5	–	356	4	3	3	2	13	9	12	20	82	148	6

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
452.—STOCKPORT.																		
Mean Popln, 1861-71	51406	1398	1159	1283	1143	1088	6071	5270	5008	5372	5344	8369	6344	4768	3007	1424	378	51
TOTAL DEATHS	11985	2721	978	481	362	271	4813	512	237	347	439	816	869	937	1195	1100	591	129
Small-pox	25	5	4	3	1	1	14	3	3	1	1	–	2	1	–	–	–	–
Measles	310	55	125	56	29	23	288	18	2	–	–	1	1	–	–	–	–	–
Scarlatina	661	28	73	122	117	101	441	187	19	7	6	1	–	–	–	–	–	–
Diphtheria	51	6	4	7	9	8	34	11	1	2	2	–	1	–	–	–	–	–
Hooping-cough	313	141	96	35	20	13	305	7	–	–	–	–	–	–	1	–	–	–
Typhus	507	16	23	28	33	27	127	79	51	41	30	55	44	30	31	14	5	–
Diarrhœa & Dysentery	728	464	113	14	3	8	602	9	2	2	4	5	11	9	26	31	24	1
Cholera	27	9	3	1	–	–	13	3	–	1	2	2	2	1	3	–	–	–
Other Zymotic Dis.	263	52	39	42	27	18	158	17	9	5	4	6	13	14	19	12	5	1
Cancer	222	–	–	–	1	–	1	–	–	–	–	10	49	62	60	35	5	–
Scrofula and Tabes	111	40	16	13	1	7	77	14	4	1	4	4	3	4	2	1	–	–
Phthisis	1134	12	7	1	5	3	28	27	73	213	251	367	242	151	61	19	–	1
Hydrocephalus	104	45	30	10	10	3	98	5	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	1499	608	75	30	29	16	758	36	21	9	16	56	66	113	148	183	89	4
Dis. of Heart & Dropsy	760	6	2	1	4	3	16	16	17	24	22	56	88	147	193	173	40	8
Dis. of Lungs	2411	481	230	76	46	28	861	37	15	13	20	74	147	254	403	469	154	21
Dis. of Stom. and Liver	561	38	7	7	4	1	57	10	7	7	11	59	80	83	140	86	24	–
Dis. of Kidneys	73	–	3	1	5	–	9	3	3	–	5	9	11	11	16	4	2	–
Dis. of Gener. Organs	43	–	–	–	–	–	–	–	–	–	–	5	8	16	10	3	1	–
Dis. of Joints	43	–	–	–	–	1	1	7	1	5	2	7	5	3	6	5	1	–
Dis. of Skin	19	3	2	1	–	1	7	1	–	–	1	1	1	1	1	2	3	1
Childbirth and Metria	188	–	–	–	–	–	–	–	–	8	49	72	58	1	–	–	–	–
Suicide	17	–	–	–	–	–	–	–	–	2	3	3	1	2	4	1	1	–
Other Violent Deaths	155	18	14	13	10	7	62	15	3	4	3	8	15	8	9	12	13	3
Other Causes	1455	714	112	20	8	2	856	7	5	2	3	15	21	26	59	150	222	89
453.—MACCLESFIELD.																		
Mean Popln, 1861-71	31812	806	747	726	687	702	3668	3520	3183	3180	2925	4808	4014	3111	1959	1084	320	40
TOTAL DEATHS	7202	1356	475	242	151	97	2321	261	173	272	280	611	547	565	670	844	532	126
Small-pox	17	6	–	1	1	1	9	2	2	2	1	–	1	–	–	–	–	–
Measles	113	23	43	22	13	5	106	6	–	–	–	1	–	–	–	–	–	–
Scarlatina	238	12	32	44	43	29	160	60	15	1	–	1	1	–	–	–	–	–
Diphtheria	44	2	7	7	1	4	21	14	6	3	–	–	–	–	–	–	–	–
Hooping-cough	188	83	58	21	12	6	180	7	1	–	–	–	–	–	–	–	–	–
Typhus	228	10	7	4	10	6	37	35	29	17	20	18	15	22	16	15	4	–
Diarrhœa & Dysentery	250	110	33	10	1	2	156	4	1	–	4	5	8	5	14	23	25	5
Cholera	8	1	–	–	–	–	1	–	–	–	–	–	–	–	2	4	1	–
Other Zymotic Dis.	125	10	16	9	8	4	47	12	5	6	6	6	9	7	7	16	2	2
Cancer	190	–	–	1	–	–	1	–	–	–	1	14	26	47	55	36	9	1
Scrofula and Tabes	117	37	23	10	3	2	75	4	4	5	3	5	5	5	6	4	1	–
Phthisis	1131	2	2	3	3	2	12	20	63	181	175	318	187	115	41	15	1	–
Hydrocephalus	77	25	22	14	6	3	70	6	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	828	305	43	23	10	11	392	20	11	11	10	33	34	72	85	99	51	10
Dis. of Heart & Dropsy	581	–	1	2	–	–	3	10	7	15	11	42	60	104	132	137	52	8
Dis. of Lungs	1290	213	106	44	28	11	402	31	7	10	6	41	66	95	169	265	123	15
Dis. of Stom. and Liver	366	18	5	4	1	3	31	11	5	9	9	35	36	53	76	69	29	3
Dis. of Kidneys	46	–	–	–	–	–	–	1	5	1	–	6	9	10	6	5	2	1
Dis. of Gener. Organs	36	–	–	–	–	–	–	–	–	1	–	3	8	9	9	5	1	–
Dis. of Joints	20	2	–	1	–	–	3	1	3	–	2	2	1	3	2	2	1	–
Dis. of Skin	17	6	–	–	–	1	7	–	–	–	–	–	2	2	1	4	–	1
Childbirth and Metria	144	–	–	–	–	–	–	–	–	2	19	65	55	3	–	–	–	–
Suicide	7	–	–	–	–	–	–	–	–	–	–	3	1	2	–	1	–	–
Other Violent Deaths	82	12	7	7	5	7	38	10	4	2	1	2	4	3	8	6	3	1
Other Causes	1119	479	70	15	6	–	570	7	4	6	12	11	19	8	38	138	227	79
454.—ALTRINCHAM.																		
Mean Popln, 1861-71	23600	614	580	587	551	559	2891	2673	2307	2319	2316	3792	2819	1982	1409	804	258	30
TOTAL DEATHS	4183	796	244	118	90	78	1326	203	97	114	153	316	318	283	389	494	393	97
Small-pox	12	2	1	–	–	1	4	1	2	–	2	–	1	1	–	1	–	–
Measles	43	7	17	7	6	2	39	3	1	–	–	–	–	–	–	–	–	–
Scarlatina	139	11	10	16	18	13	68	47	13	5	3	3	–	–	–	–	–	–
Diphtheria	87	4	9	7	11	11	42	31	9	–	5	–	–	–	–	–	–	–
Hooping-cough	73	28	19	17	2	2	68	5	–	–	–	–	–	–	–	–	–	–
Typhus	96	–	3	2	1	3	9	12	10	12	5	15	9	9	10	3	2	–
Diarrhœa & Dysentery	169	87	21	1	1	–	110	5	1	1	1	2	4	2	8	11	21	3
Cholera	4	1	–	–	–	–	1	–	–	–	–	–	–	1	2	–	–	–
Other Zymotic Dis.	91	13	5	8	9	6	41	10	4	3	3	11	5	2	2	7	3	–
Cancer	102	–	–	–	–	–	–	–	–	–	1	3	14	22	36	18	5	3
Scrofula and Tabes	55	12	9	4	1	1	27	14	5	1	1	1	3	3	–	–	–	–
Phthisis	550	7	6	2	1	4	20	8	22	56	79	140	115	61	31	17	–	1
Hydrocephalus	61	22	16	5	6	4	53	6	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	559	183	33	14	7	10	247	16	3	10	8	17	22	39	51	88	51	7
Dis. of Heart & Dropsy	316	1	–	1	1	–	3	3	8	6	3	26	26	45	70	81	38	7
Dis. of Lungs	612	128	58	17	11	13	230	13	2	6	8	19	29	42	75	108	65	15
Dis. of Stom. and Liver	281	10	7	3	2	2	24	7	3	5	7	28	35	28	53	61	19	8
Dis. of Kidneys	49	1	–	1	–	2	4	1	1	–	3	7	14	3	11	4	1	–
Dis. of Gener. Organs	30	–	–	–	1	–	1	–	–	–	1	6	4	8	5	4	1	–
Dis. of Joints	22	–	–	–	–	–	–	4	4	1	1	4	2	2	2	2	–	–
Dis. of Skin	10	3	1	–	–	–	4	–	–	1	–	1	1	–	3	–	–	–
Childbirth and Metria	72	–	–	–	–	–	–	–	–	2	18	28	23	1	–	–	–	–
Suicide	10	–	–	–	–	–	–	–	1	1	1	–	2	2	2	–	1	–
Other Violent Deaths	69	11	3	6	4	2	26	10	3	4	2	2	3	5	7	3	4	–
Other Causes	671	265	26	7	5	2	305	7	3	–	1	3	6	7	21	83	182	53

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
455.—RUNCORN.																		
Mean Popul^{n}, 1861–71	14749	448	421	411	407	389	2076	1826	1643	1441	1367	2179	1618	1223	808	427	128	13
TOTAL DEATHS	3487	925	281	124	103	62	1495	167	82	106	110	231	234	214	299	307	200	42
Small-pox	41	9	4	3	4	2	22	4	–	3	3	4	1	2	2	–	–	–
Measles	100	19	37	17	12	10	95	5	–	–	–	–	–	–	–	–	–	–
Scarlatina	120	7	15	21	19	12	74	33	7	3	1	1	1	–	–	–	–	–
Diphtheria	57	5	7	5	7	5	29	13	6	5	1	2	–	–	–	1	–	–
Whooping-cough	61	32	16	4	6	–	58	3	–	–	–	–	–	–	–	–	–	–
Typhus	138	5	5	2	5	1	18	22	5	12	12	19	17	18	8	6	1	–
Diarrhœa & Dysentery	184	99	23	5	1	2	130	2	–	1	–	2	5	4	10	14	12	4
Cholera	17	2	2	–	–	1	5	–	–	–	–	1	3	4	2	1	1	–
Other Zymotic Dis.	111	22	17	10	7	7	63	5	3	2	2	6	4	9	5	10	2	–
Cancer	42	–	–	–	–	–	–	–	–	–	–	3	7	7	12	9	4	–
Scrofula and Tabes	71	26	18	2	6	1	53	6	3	3	2	–	2	2	–	–	–	–
Phthisis	346	14	8	6	7	–	35	6	9	32	47	80	62	33	35	6	1	–
Hydrocephalus	38	12	14	3	–	[1]	30	7	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	414	186	22	9	9	2	228	10	5	5	2	13	21	17	39	40	33	1
Dis. of Heart & Dropsy	161	2	2	3	–	–	7	3	3	6	4	7	15	23	36	38	18	1
Dis. of Lungs	528	175	45	14	10	5	249	5	3	2	5	29	31	38	62	72	39	2
Dis. of Stom. and Liver	200	35	6	4	2	3	50	6	3	–	5	13	21	12	38	40	10	2
Dis. of Kidneys	68	–	1	2	1	–	4	1	1	1	4	8	6	11	13	13	5	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	18	1	2	2	–	–	5	1	4	1	–	1	–	1	4	1	–	–
Dis. of Skin	9	2	–	–	–	1	3	1	–	–	–	–	–	2	2	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	14	–	–	–	–	–	–	–	–	1	2	1	3	1	4	1	1	–
Other Violent Deaths	235	10	5	6	5	8	34	32	28	27	19	41	31	19	15	7	2	–
Other Causes	494	262	32	6	2	1	303	2	1	2	1	9	4	11	12	47	71	31
456.—NORTHWICH.																		
Mean Popul^{n}, 1861–71	17821	555	507	526	507	516	2611	2408	1941	1716	1383	2447	1910	1492	1081	601	211	20
TOTAL DEATHS	4085	1176	318	163	107	85	1849	200	105	92	99	200	222	236	305	408	287	82
Small-pox	13	3	–	1	1	–	5	–	–	–	–	4	3	1	–	–	–	–
Measles	83	18	32	8	8	7	73	10	–	–	–	–	–	–	–	–	–	–
Scarlatina	199	10	30	41	23	24	128	61	6	–	3	–	–	1	–	–	–	–
Diphtheria	33	6	5	4	1	4	20	12	–	–	–	1	–	–	–	–	–	–
Whooping-cough	46	23	11	4	5	2	45	1	–	–	–	–	–	–	–	–	–	–
Typhus	138	2	6	8	3	5	24	16	16	9	10	17	19	14	8	4	1	–
Diarrhœa & Dysentery	126	68	21	8	1	1	99	4	1	–	–	1	1	4	3	5	8	–
Cholera	48	–	4	4	2	1	11	3	3	2	2	4	7	4	3	6	3	–
Other Zymotic Dis.	78	10	8	11	9	3	41	9	2	4	2	2	1	7	5	2	2	1
Cancer	45	–	–	–	–	–	–	1	–	2	–	1	1	10	16	11	2	1
Scrofula and Tabes	94	39	17	7	5	5	73	3	6	5	1	–	1	1	3	1	–	–
Phthisis	296	5	6	–	–	–	11	11	14	26	34	79	52	30	26	12	1	–
Hydrocephalus	66	29	18	7	5	4	63	1	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	651	338	36	12	10	4	400	11	12	2	5	18	22	23	38	68	46	6
Dis. of Heart & Dropsy	243	4	2	–	–	1	7	4	3	9	4	16	25	33	52	62	25	3
Dis. of Lungs	590	195	71	26	12	5	309	11	3	5	8	13	21	32	61	78	45	4
Dis. of Stom. and Liver	192	26	4	2	4	2	38	2	5	2	7	10	22	28	39	29	10	–
Dis. of Kidneys	83	–	1	–	–	1	2	5	2	2	1	6	10	10	9	23	17	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	17	2	–	–	1	–	3	–	1	1	2	2	–	2	3	3	–	–
Dis. of Skin	8	1	1	–	1	–	3	1	–	–	–	–	–	–	–	2	2	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	9	–	–	–	–	–	–	–	–	–	1	1	3	1	3	–	–	–
Other Violent Deaths	236	10	8	14	11	12	55	28	24	20	13	17	22	21	14	15	3	2
Other Causes	786	387	37	6	5	4	439	6	5	3	4	8	12	14	22	87	122	64
457.—CONGLETON.																		
Mean Popul^{n}, 1861–71	17292	543	453	509	466	465	2436	2134	1975	1684	1389	2329	1981	1513	1061	567	195	28
TOTAL DEATHS	3837	1104	261	120	106	58	1649	155	83	113	124	203	202	248	320	391	270	79
Small-pox	7	2	1	–	1	–	4	–	1	1	–	–	–	–	1	–	–	–
Measles	76	16	27	16	6	5	70	5	–	1	–	–	–	–	–	–	–	–
Scarlatina	118	4	16	16	24	16	76	38	2	2	–	–	–	–	–	–	–	–
Diphtheria	24	6	5	–	1	3	15	5	2	1	–	1	–	–	–	–	–	–
Whooping-cough	50	24	16	4	3	1	48	2	–	–	–	–	–	–	–	–	–	–
Typhus	126	7	3	4	6	3	23	14	13	11	6	16	14	12	7	8	2	–
Diarrhœa & Dysentery	125	86	7	3	2	3	101	1	1	–	–	1	2	3	4	4	7	1
Cholera	9	1	–	2	–	–	3	1	–	–	–	–	–	–	3	1	1	–
Other Zymotic Dis.	82	15	11	4	13	4	47	6	2	2	2	1	2	4	6	6	2	2
Cancer	36	–	–	–	1	–	1	–	–	–	–	2	1	7	13	7	5	–
Scrofula and Tabes	105	42	13	7	5	3	70	6	6	5	4	3	1	6	2	2	–	–
Phthisis	398	7	4	4	2	–	17	8	18	47	77	94	66	36	30	5	–	–
Hydrocephalus	100	24	21	14	12	5	76	15	5	3	–	–	–	1	–	–	–	–
Dis. of Brain	447	227	20	12	4	1	264	13	9	3	4	11	16	20	39	48	17	3
Dis. of Heart & Dropsy	169	–	1	–	2	1	4	2	2	3	6	14	14	30	33	45	16	–
Dis. of Lungs	606	172	62	14	16	3	267	14	3	4	5	20	21	53	75	102	40	2
Dis. of Stom. and Liver	212	36	6	1	1	1	45	–	3	9	4	12	20	32	46	35	6	–
Dis. of Kidneys	52	–	–	1	–	–	1	1	2	2	1	3	1	9	16	11	5	–
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Dis. of Joints	13	–	1	–	–	–	1	–	1	4	1	1	1	–	3	1	–	–
Dis. of Skin	5	2	–	–	–	–	2	1	–	–	1	–	–	–	1	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	14	–	–	–	–	–	–	–	–	1	1	–	3	1	6	2	–	–
Other Violent Deaths	182	9	6	9	6	9	39	19	13	10	11	21	29	20	12	6	2	–
Other Causes	880	424	41	9	1	–	475	4	–	4	1	3	11	14	22	108	167	71

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
		Ages of Females.																
455.—RUNCORN.																		
Mean Populn, 1861–71	13915	485	403	405	406	379	2078	1741	1546	1204	1148	1989	1562	1161	807	485	171	23
TOTAL DEATHS	3107	718	290	127	85	62	1282	123	68	87	108	209	188	197	265	316	200	64
Small-pox	30	8	4	4	4	1	21	2	2	1	–	3	1	–	–	–	–	–
Measles	80	11	28	19	13	2	73	6	–	–	–	1	–	–	–	–	–	–
Scarlatina	108	2	20	18	15	13	68	24	10	3	2	1	–	–	–	–	–	–
Diphtheria	47	4	6	3	9	5	27	6	6	1	1	2	3	–	1	–	–	–
Whooping-cough	79	37	22	12	4	2	77	2	–	–	–	–	–	–	–	–	–	–
Typhus	105	1	1	4	4	3	13	14	12	9	3	18	12	10	11	3	1	–
Diarrhœa & Dysentery	176	68	38	7	3	2	118	5	1	–	2	4	5	1	7	21	10	2
Cholera	9	1	1	–	–	–	2	–	–	–	–	1	–	2	2	2	–	–
Other Zymotic Dis.	85	14	15	7	11	8	55	9	1	2	1	1	–	5	2	6	3	–
Cancer	64	–	–	–	–	–	–	–	–	–	1	2	12	12	21	13	2	1
Scrofula and Tabes	71	33	7	5	2	2	49	6	1	4	2	1	1	2	4	1	–	–
Phthisis	338	12	7	–	3	2	24	6	20	49	61	91	53	45	15	4	–	–
Hydrocephalus	34	17	7	4	1	–	29	5	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	334	133	19	7	3	6	168	9	2	5	10	9	12	28	48	45	24	4
Dis. of Heart & Dropsy	166	–	2	1	–	1	4	4	4	6	3	13	21	20	36	42	13	–
Dis. of Lungs	455	114	62	18	4	10	208	5	7	–	7	7	13	18	51	80	49	10
Dis. of Stom. and Liver	172	27	7	2	2	2	40	5	1	2	3	10	18	25	28	29	10	1
Dis. of Kidneys	32	–	1	–	–	–	1	–	–	–	–	1	4	5	9	8	3	1
Dis. of Gener. Organs	16	–	–	–	–	–	–	–	–	–	1	2	3	5	5	–	–	–
Dis. of Joints	18	–	–	–	1	–	1	3	1	2	–	2	1	3	1	2	–	2
Dis. of Skin	9	3	1	–	–	–	4	–	–	–	–	–	–	2	–	2	1	–
Childbirth and Metria	55	–	–	–	–	–	–	–	–	1	9	27	18	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Other Violent Deaths	71	4	7	7	4	3	25	10	–	–	–	7	7	7	7	4	4	–
Other Causes	491	229	35	9	2	–	275	2	–	2	2	5	4	7	17	54	80	43
456.—NORTHWICH.																		
Mean Populn, 1861–71	17503	577	523	530	527	519	2676	2281	1905	1488	1418	2453	1933	1461	1039	588	228	33
TOTAL DEATHS	3746	920	288	155	101	83	1547	164	77	88	130	253	250	188	266	386	306	91
Small-pox	13	2	–	1	2	1	6	2	1	–	1	2	1	–	–	–	–	–
Measles	75	19	18	13	7	7	64	11	–	–	–	–	–	–	–	–	–	–
Scarlatina	180	9	29	37	26	23	124	43	9	1	1	2	–	–	–	–	–	–
Diphtheria	50	3	7	9	5	8	32	11	5	–	1	–	–	1	–	–	–	–
Whooping-cough	83	36	23	16	3	2	80	3	–	–	–	–	–	–	–	–	–	–
Typhus	143	3	7	5	5	5	25	21	19	13	11	18	14	5	9	7	1	–
Diarrhœa & Dysentery	100	59	10	3	1	2	75	–	–	–	–	1	2	1	3	7	10	1
Cholera	40	1	1	1	1	2	6	5	2	1	3	4	5	4	3	6	1	–
Other Zymotic Dis.	79	2	13	10	9	8	42	6	2	3	–	3	4	2	7	5	3	2
Cancer	76	–	–	1	–	–	1	–	1	2	–	3	16	20	16	14	3	–
Scrofula and Tabes	75	36	20	1	3	–	60	4	2	1	2	–	1	2	2	1	–	–
Phthisis	377	6	5	3	3	3	20	4	9	34	64	100	82	26	24	12	2	–
Hydrocephalus	33	10	12	5	3	–	30	1	1	–	–	1	–	–	–	–	–	–
Dis. of Brain	493	232	26	9	5	8	280	10	4	7	9	15	19	24	37	56	31	1
Dis. of Heart & Dropsy	249	1	–	1	1	1	4	2	7	6	6	25	32	26	54	68	17	2
Dis. of Lungs	554	148	74	17	12	7	258	15	1	5	4	17	15	25	46	87	49	12
Dis. of Stom. and Liver	195	14	2	4	1	1	22	6	5	4	5	18	19	29	34	37	15	1
Dis. of Kidneys	32	–	–	–	1	–	1	1	1	1	1	–	7	6	5	3	7	–
Dis. of Gener. Organs	12	–	–	–	–	–	–	–	–	–	–	2	4	2	2	–	2	–
Dis. of Joints	11	–	1	–	1	–	2	1	1	1	2	–	–	1	1	2	–	–
Dis. of Skin	12	3	1	–	–	–	4	–	–	–	1	1	2	–	2	1	1	–
Childbirth and Metria	60	–	–	–	–	–	–	–	–	2	13	25	20	–	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–
Other Violent Deaths	75	8	8	4	4	4	28	10	5	5	4	2	3	5	4	4	3	2
Other Causes	745	328	31	15	8	1	383	8	2	2	3	7	5	7	18	72	168	70
457.—CONGLETON.																		
Mean Populn, 1861–71	18012	563	476	480	451	445	2415	2141	1954	1867	1687	2587	2043	1522	1017	565	191	23
TOTAL DEATHS	3782	797	245	119	83	60	1304	118	98	159	192	331	284	242	302	367	312	73
Small-pox	5	–	–	1	–	–	1	–	–	–	2	2	–	–	–	–	–	–
Measles	80	17	28	16	9	3	73	5	1	1	–	–	–	–	–	–	–	–
Scarlatina	117	3	13	23	15	14	68	35	10	2	1	1	–	–	–	–	–	–
Diphtheria	19	–	1	4	2	3	10	3	4	–	1	1	–	–	–	–	–	–
Whooping-cough	48	26	8	6	5	3	48	–	–	–	–	–	–	–	–	–	–	–
Typhus	141	1	4	6	4	8	23	14	11	18	12	23	13	8	15	4	–	–
Diarrhœa & Dysentery	88	45	15	1	–	–	61	1	–	1	3	2	1	3	5	6	4	1
Cholera	3	–	–	–	1	–	1	1	–	–	–	1	–	–	–	–	–	–
Other Zymotic Dis.	79	14	9	12	5	6	46	6	3	2	1	5	4	6	2	–	4	–
Cancer	70	–	–	–	–	–	–	–	–	–	–	2	7	19	26	11	5	–
Scrofula and Tabes	95	42	13	8	2	2	67	2	4	4	3	5	5	2	2	1	–	–
Phthisis	647	1	5	2	1	–	9	6	35	100	127	175	119	53	19	4	–	–
Hydrocephalus	63	19	19	5	5	5	53	8	5	1	–	1	–	–	–	–	–	–
Dis. of Brain	396	151	20	7	13	1	192	7	5	7	15	12	17	29	30	55	24	3
Dis. of Heart & Dropsy	172	1	1	1	–	–	3	2	5	1	2	19	29	22	40	32	15	2
Dis. of Lungs	533	110	63	16	13	9	211	7	5	5	2	17	27	40	77	94	42	6
Dis. of Stom. and Liver	193	11	1	3	–	–	15	4	5	6	4	20	15	37	40	38	9	–
Dis. of Kidneys	19	–	–	–	–	–	–	–	–	–	–	5	2	5	5	1	1	–
Dis. of Gener. Organs	19	–	–	–	–	–	–	–	1	–	3	1	2	3	6	3	–	–
Dis. of Joints	17	–	–	–	2	–	2	2	1	3	1	4	2	1	–	–	1	–
Dis. of Skin	3	1	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–
Childbirth and Metria	71	–	–	–	–	–	–	–	–	4	9	28	29	1	–	–	–	–
Suicide	7	–	–	–	–	–	–	–	–	1	1	–	2	2	1	–	–	–
Other Violent Deaths	34	6	6	2	4	4	22	9	–	1	–	1	2	4	3	3	8	1
Other Causes	838	349	39	6	2	2	398	6	3	2	5	5	7	7	31	115	199	60

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
458.—NANTWICH.																		
Mean Popul^n, 1861–71	23923	824	663	692	694	661	3534	3040	2567	2193	2081	3477	2648	2002	1318	760	273	30
TOTAL DEATHS	1938	1472	375	185	122	86	2240	247	84	104	153	267	232	294	352	468	384	113
Small-pox	14	2	1	1	–	–	4	1	–	–	3	4	2	–	–	–	–	–
Measles	89	15	34	12	9	7	77	11	–	–	–	–	1	–	–	–	–	–
Scarlatina	185	10	35	30	29	23	127	46	6	2	–	3	1	–	–	–	–	–
Diphtheria	66	6	7	9	10	7	39	18	3	1	–	2	1	–	2	–	–	–
Whooping-cough	65	35	19	6	4	1	65	–	–	–	–	–	–	–	–	–	–	–
Typhus	212	9	11	9	12	6	47	41	14	8	22	20	15	16	17	9	2	1
Diarrhœa & Dysentery	134	73	17	4	1	2	97	–	–	1	–	2	1	3	6	12	12	–
Cholera	10	–	1	–	–	–	1	2	–	–	–	2	–	3	–	1	1	–
Other Zymotic Dis.	133	19	20	13	7	9	68	16	1	7	3	6	4	1	11	10	6	–
Cancer	65	–	–	–	–	–	–	–	–	–	1	2	5	12	17	20	7	1
Scrofula and Tabes	169	82	25	10	6	5	128	9	5	7	4	2	3	4	3	3	1	–
Phthisis	409	5	3	3	2	1	14	11	13	38	70	111	74	41	21	9	1	–
Hydrocephalus	95	45	21	7	4	2	82	9	3	–	–	1	–	–	–	–	–	–
Dis. of Brain	792	448	40	25	7	8	528	26	4	5	10	17	18	28	42	54	53	7
Dis. of Heart & Dropsy	304	2	7	3	–	–	12	14	6	7	5	22	31	41	67	68	28	3
Dis. of Lungs	654	291	75	25	15	7	323	15	2	3	4	14	19	39	64	91	64	16
Dis. of Stom. and Liver	267	35	1	6	3	1	46	4	8	7	5	17	23	35	53	52	16	1
Dis. of Kidneys	78	–	–	–	1	1	2	2	2	2	3	4	5	11	8	22	16	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	13	–	1	1	1	–	3	–	2	1	1	1	–	2	3	–	–	–
Dis. of Skin	5	2	–	–	–	–	2	–	–	–	–	–	–	–	–	2	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	22	–	–	–	–	–	–	–	–	–	2	2	1	11	4	2	–	–
Other Violent Deaths	211	12	6	10	8	5	41	15	14	15	20	25	24	30	8	13	6	–
Other Causes	946	471	48	11	3	1	534	7	1	–	–	10	4	14	23	100	170	83
459.—CHESTER.																		
Mean Popul^n, 1861–71	30586	886	798	885	782	831	4182	3709	3457	3048	2642	4304	3455	2668	1773	972	334	42
TOTAL DEATHS	7543	1680	565	268	164	121	2798	276	164	176	276	570	634	645	646	670	531	157
Small-pox	69	23	7	6	1	1	38	11	–	2	1	6	7	2	1	1	–	–
Measles	107	27	39	20	4	6	96	9	2	–	–	–	–	–	–	–	–	–
Scarlatina	259	15	44	49	50	29	187	55	10	3	1	1	1	1	–	–	–	–
Diphtheria	68	10	11	7	9	8	45	14	3	3	–	2	–	–	–	1	–	–
Whooping-cough	129	60	43	15	4	2	124	5	–	–	–	–	–	–	–	–	–	–
Typhus	316	14	17	17	7	10	65	29	22	21	27	41	30	24	31	17	8	1
Diarrhœa & Dysentery	247	152	28	7	2	1	190	2	–	–	2	4	5	8	8	16	8	4
Cholera	80	7	3	2	2	–	14	7	6	1	3	12	10	9	11	7	–	–
Other Zymotic Dis.	154	14	23	13	17	9	76	12	3	2	3	5	11	10	12	11	8	1
Cancer	104	–	–	–	–	–	–	–	–	2	–	3	7	22	34	28	7	1
Scrofula and Tabes	82	19	17	5	3	2	46	5	9	1	4	6	5	1	4	1	–	–
Phthisis	780	3	12	4	2	–	21	9	15	66	120	209	161	103	52	22	2	–
Hydrocephalus	113	31	31	15	11	6	97	14	1	1	–	–	–	–	–	–	–	–
Dis. of Brain	1310	538	76	17	13	12	656	22	13	6	20	76	139	106	105	107	46	14
Dis. of Heart & Dropsy	500	4	2	4	2	–	12	12	12	15	14	47	58	73	99	104	50	4
Dis. of Lungs	850	210	94	34	18	20	376	12	8	3	13	33	42	99	88	112	57	7
Dis. of Stom. and Liver	332	32	3	7	–	2	44	6	12	3	8	34	37	71	65	33	18	1
Dis. of Kidneys	138	3	3	–	–	–	6	1	–	3	3	13	20	21	19	29	19	4
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Dis. of Joints	38	–	–	4	1	1	6	3	6	2	3	4	3	6	3	2	–	–
Dis. of Skin	23	6	3	1	–	–	10	–	2	–	1	–	1	4	1	–	3	1
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	23	–	–	–	–	–	–	–	–	–	2	3	5	6	1	4	2	–
Other Violent Deaths	404	11	18	16	11	8	64	26	33	30	39	61	59	39	29	12	12	–
Other Causes	1415	498	91	25	7	4	625	22	7	12	12	10	32	39	83	163	291	119
460.—WIRRAL.																		
Mean Popul^n, 1861–71	10125	300	266	288	289	267	1410	1296	1260	1134	816	1343	1055	862	539	286	109	15
TOTAL DEATHS	1936	429	115	76	50	39	709	102	55	75	63	139	114	146	146	188	156	43
Small-pox	14	3	–	1	2	1	7	1	–	1	2	2	1	–	–	–	–	–
Measles	29	1	8	9	3	3	24	3	2	–	–	–	–	–	–	–	–	–
Scarlatina	76	5	5	13	9	12	44	27	4	–	1	–	–	–	–	–	–	–
Diphtheria	33	5	3	3	5	1	17	10	2	1	–	1	–	–	1	1	–	–
Whooping-cough	16	7	2	3	3	1	16	–	–	–	–	–	–	–	–	–	–	–
Typhus	70	1	3	3	2	1	10	8	5	9	7	10	6	3	5	6	1	–
Diarrhœa & Dysentery	61	36	6	1	–	–	43	1	1	1	–	–	–	2	2	3	7	1
Cholera	37	2	2	2	3	1	10	2	2	1	1	4	3	3	6	3	2	–
Other Zymotic Dis.	46	7	11	5	1	5	29	5	1	1	1	2	1	–	–	4	2	–
Cancer	22	–	–	–	–	–	–	–	–	–	–	1	3	–	10	7	1	–
Scrofula and Tabes	46	15	5	3	2	2	27	4	5	3	2	3	1	1	–	–	–	–
Phthisis	217	3	2	1	–	2	8	5	6	32	26	54	32	36	17	1	–	–
Hydrocephalus	35	16	8	5	2	2	33	1	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	217	91	14	6	6	2	119	6	3	4	3	10	7	9	13	25	13	5
Dis. of Heart & Dropsy	135	1	1	–	–	–	2	4	6	4	2	7	15	22	23	32	17	1
Dis. of Lungs	280	72	20	12	4	2	110	8	3	4	1	11	8	18	27	43	44	3
Dis. of Stom. and Liver	93	16	1	1	1	–	19	1	3	1	2	6	7	18	14	17	4	1
Dis. of Kidneys	42	–	1	1	2	–	4	3	–	2	–	3	4	7	4	7	8	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	3	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–
Dis. of Skin	7	2	–	–	–	–	2	–	–	1	–	–	1	–	2	–	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	8	–	–	–	–	–	–	–	–	–	–	2	1	2	1	1	1	–
Other Violent Deaths	128	4	2	1	4	2	13	9	8	9	13	22	20	18	8	6	1	1
Other Causes	321	142	21	6	1	2	172	1	3	1	2	1	4	7	13	32	54	31

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
458.—NANTWICH.																		
Mean Popul^n, 1861–71	23438	763	707	741	667	661	3539	3009	2457	2152	1949	3479	2609	1880	1241	780	293	50
TOTAL DEATHS	4549	1138	332	202	139	86	1897	197	93	115	155	286	296	254	304	418	386	148
Small-pox	18	6	1	–	1	–	8	2	–	2	2	–	4	–	–	–	–	–
Measles	91	14	33	15	15	5	82	9	–	–	–	–	–	–	–	–	–	–
Scarlatina	183	8	25	28	40	18	119	41	6	3	5	5	–	–	1	–	–	–
Diphtheria	81	3	7	16	7	6	39	25	8	5	2	–	–	1	–	–	–	–
Whooping-cough	83	31	26	13	4	6	80	2	1	–	–	–	–	–	–	–	–	–
Typhus	200	8	7	13	4	11	43	36	13	14	20	21	15	17	19	5	–	–
Diarrhœa & Dysentery	137	71	15	3	7	1	97	2	–	–	1	2	–	5	6	15	7	2
Cholera	4	1	–	1	–	–	2	1	–	–	–	–	–	–	1	–	–	–
Other Zymotic Dis.	107	12	13	14	10	8	57	11	2	3	4	6	2	4	7	9	2	–
Cancer	96	–	–	–	2	1	3	–	–	1	2	5	9	25	23	17	11	–
Scrofula and Tabes	160	77	25	9	8	3	122	8	7	3	3	6	4	3	2	2	–	–
Phthisis	478	6	6	7	2	–	21	7	21	48	68	131	94	62	20	5	1	–
Hydrocephalus	56	26	11	8	1	4	53	2	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	632	284	42	20	15	5	366	11	11	9	8	19	12	25	36	69	53	13
Dis. of Heart & Dropsy	305	4	–	4	1	–	9	7	6	6	8	15	44	39	68	68	31	4
Dis. of Lungs	571	170	72	27	13	12	294	9	2	3	5	10	23	23	51	72	64	18
Dis. of Stom. and Liver	203	19	3	2	–	1	25	11	4	4	4	15	27	29	40	27	12	5
Dis. of Kidneys	23	1	–	–	1	–	2	1	1	1	1	1	3	2	8	3	–	–
Dis. of Gener. Organs	15	–	–	–	–	–	–	–	–	–	2	1	4	5	1	–	2	–
Dis. of Joints	18	1	–	1	–	–	2	1	2	2	1	1	2	3	1	3	–	–
Dis. of Skin	14	6	1	–	–	–	7	–	1	–	–	–	–	–	1	4	1	–
Childbirth and Metria	100	–	–	–	–	–	–	–	–	6	18	34	42	–	–	–	–	–
Suicide	7	–	–	–	–	–	–	–	–	3	1	2	–	–	1	–	–	–
Other Violent Deaths	58	6	5	11	4	–	26	8	1	1	–	3	3	1	3	3	7	2
Other Causes	906	384	37	10	4	2	437	5	6	1	–	9	8	10	15	116	195	104
459.—CHESTER.																		
Mean Popul^n, 1861–71	31803	897	757	841	779	794	4068	3572	3387	3036	2871	4714	3643	2806	1943	1196	486	81
TOTAL DEATHS	6879	1339	484	284	181	120	2408	262	131	211	249	523	506	507	558	717	596	211
Small-pox	40	11	4	4	3	1	23	5	2	1	3	2	2	1	1	–	–	–
Measles	99	26	32	22	6	6	92	6	1	–	–	–	–	–	–	–	–	–
Scarlatina	248	14	39	39	48	31	174	59	7	1	1	2	3	1	–	–	–	–
Diphtheria	91	16	12	9	10	6	47	27	6	8	1	–	–	2	–	–	–	–
Whooping-cough	135	38	39	26	11	10	127	8	–	–	–	–	–	–	–	–	–	–
Typhus	272	11	11	13	10	4	49	27	17	24	24	28	27	29	15	23	8	1
Diarrhœa & Dysentery	250	129	28	11	5	1	174	2	–	–	1	6	7	7	9	16	20	8
Cholera	89	3	4	2	5	1	15	5	1	–	4	17	13	14	10	8	1	1
Other Zymotic Dis.	113	17	22	11	8	8	69	13	2	4	4	7	4	8	11	12	6	3
Cancer	197	–	–	–	–	–	–	–	–	3	–	13	19	45	59	40	18	–
Scrofula and Tabes	66	9	9	2	5	7	32	6	6	5	2	4	7	4	–	–	–	–
Phthisis	795	7	3	2	3	5	20	10	32	102	124	230	153	73	39	12	–	–
Hydrocephalus	80	26	18	13	5	2	64	13	3	–	–	–	–	–	–	–	–	–
Dis. of Brain	971	385	67	33	11	10	506	20	8	8	17	44	50	86	69	98	59	6
Dis. of Heart & Dropsy	505	2	1	–	5	1	9	6	15	11	15	40	56	68	104	115	58	8
Dis. of Lungs	750	176	81	43	23	10	333	13	4	7	6	18	33	57	75	121	73	10
Dis. of Stom. and Liver	355	28	5	5	2	1	41	11	8	8	11	27	45	47	83	53	19	2
Dis. of Kidneys	45	–	1	–	1	–	2	1	–	1	2	4	11	9	6	7	2	–
Dis. of Gener. Organs	33	–	–	–	–	–	–	–	–	2	–	6	9	8	4	4	–	–
Dis. of Joints	24	1	1	–	–	–	2	2	7	2	1	2	2	3	1	2	–	–
Dis. of Skin	16	4	1	2	–	–	7	1	–	–	–	2	2	3	–	1	–	–
Childbirth and Metria	95	–	–	–	–	–	–	–	–	4	15	41	32	–	–	–	–	–
Suicide	7	–	–	–	–	–	–	–	–	1	3	1	1	–	1	–	–	–
Other Violent Deaths	107	14	8	8	8	6	44	10	3	8	4	4	4	7	6	9	6	2
Other Causes	1166	423	48	36	9	7	578	17	9	11	11	22	26	35	65	196	324	170
460.—WIRRAL.																		
Mean Popul^n, 1861–71	10794	290	289	285	288	259	1411	1244	1142	1070	1062	1675	1209	891	599	337	131	23
TOTAL DEATHS	1847	319	131	75	41	43	609	99	54	73	65	129	106	119	167	194	163	69
Small-pox	9	2	–	–	–	–	2	–	1	2	1	1	–	–	2	–	–	–
Measles	17	5	4	7	–	1	17	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	107	3	11	13	14	11	55	35	13	2	–	1	1	–	–	–	–	–
Diphtheria	37	2	7	3	4	4	20	12	1	2	–	–	1	–	1	–	–	–
Whooping-cough	31	15	8	3	1	3	30	1	–	–	–	–	–	–	–	–	–	–
Typhus	81	2	1	1	5	2	11	9	6	10	5	8	4	9	7	9	3	–
Diarrhœa & Dysentery	51	19	9	1	1	1	31	–	2	–	–	3	1	–	3	1	9	1
Cholera	28	1	2	1	2	–	6	–	–	3	3	1	4	5	3	2	1	–
Other Zymotic Dis.	41	4	6	4	3	3	24	4	2	–	3	1	2	2	1	4	2	–
Cancer	49	–	–	–	–	–	–	1	–	1	–	–	3	11	17	11	5	–
Scrofula and Tabes	47	11	12	6	2	2	33	7	3	1	–	1	2	–	–	–	–	–
Phthisis	202	2	2	1	–	1	6	4	7	32	36	59	31	15	12	–	–	–
Hydrocephalus	23	7	4	4	1	2	18	3	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	220	67	17	12	1	3	100	6	3	1	2	8	8	12	21	31	26	2
Dis. of Heart & Dropsy	132	1	1	–	–	2	4	–	6	3	2	7	11	11	20	39	17	9
Dis. of Lungs	227	48	24	10	3	1	84	5	1	3	3	6	4	15	28	39	27	10
Dis. of Stom. and Liver	103	10	4	2	1	1	18	2	1	2	3	5	13	20	18	13	10	1
Dis. of Kidneys	26	–	1	1	–	1	3	–	1	1	–	4	5	3	2	6	1	–
Dis. of Gener. Organs	10	–	–	–	–	–	–	–	–	–	1	2	1	2	4	–	–	–
Dis. of Joints	10	–	1	–	–	–	1	1	2	2	–	–	1	1	1	1	–	–
Dis. of Skin	14	5	–	–	–	–	5	–	–	–	–	–	1	–	4	1	2	1
Childbirth and Metria	36	–	–	–	–	–	–	–	–	3	4	20	9	–	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–
Other Violent Deaths	33	1	2	3	2	1	12	5	1	2	1	–	1	2	4	3	2	3
Other Causes	304	111	15	3	1	1	131	4	2	2	1	2	3	6	19	34	58	42

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
460b.—BIRKENHEAD.																		
Mean Popul^n, 1861–71	34017	1122	991	1038	984	919	5054	4229	3507	3240	3310	5695	4142	2761	1413	532	122	12
TOTAL DEATHS	8404	2300	923	437	295	209	4164	448	178	201	259	568	663	682	558	436	211	36
Small-pox	121	26	21	7	15	10	79	10	2	1	7	12	11	1	–	–	–	–
Measles	218	36	95	38	23	14	206	11	–	1	–	–	–	–	–	–	–	–
Scarlatina	531	23	82	87	90	66	348	112	25	8	3	2	2	1	–	–	–	–
Diphtheria	102	10	15	17	17	10	69	22	4	2	1	2	–	2	–	–	–	–
Whooping-cough	219	100	51	31	17	8	210	8	1	–	–	–	–	–	–	–	–	–
Typhus	332	10	10	16	10	12	58	32	19	20	22	50	54	50	16	9	2	–
Diarrhœa & Dysentery	446	230	111	17	5	2	395	4	1	2	1	1	3	11	6	13	7	2
Cholera	59	4	4	2	1	1	12	4	4	1	4	4	14	9	4	8	–	–
Other Zymotic Dis.	235	29	40	27	19	19	134	22	3	7	8	14	11	14	8	8	4	–
Cancer	51	–	–	–	–	1	1	–	–	–	–	3	8	18	12	9	3	–
Scrofula and Tabes	156	50	38	13	4	2	107	20	6	7	7	1	2	–	6	–	–	–
Phthisis	730	5	11	5	3	4	28	23	17	60	99	161	164	109	57	11	1	–
Hydrocephalus	209	75	55	39	11	14	185	20	4	–	–	–	–	–	–	–	–	–
Dis. of Brain	977	440	71	32	15	11	569	35	11	15	8	34	55	63	76	73	33	[illegible]
Dis. of Heart & Dropsy	388	6	6	3	4	–	19	10	11	12	9	42	61	85	68	49	18	1
Dis. of Lungs	1341	382	185	61	39	18	685	27	6	10	18	62	94	132	139	117	44	7
Dis. of Stom. and Liver	313	72	9	5	–	1	87	10	3	3	11	29	42	58	51	18	9	1
Dis. of Kidneys	114	2	2	4	1	2	11	5	4	1	5	17	10	17	17	17	10	–
Dis. of Gener. Organs	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–
Dis. of Joints	31	4	1	1	1	–	7	5	4	4	1	3	1	6	3	–	–	–
Dis. of Skin	21	8	3	1	–	–	12	1	–	–	–	–	2	3	2	3	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	19	–	–	–	–	–	–	–	–	1	1	6	4	5	2	–	–	–
Other Violent Deaths	571	30	10	18	11	9	78	28	51	46	48	109	84	62	41	21	3	–
Other Causes	1205	728	100	22	9	5	864	9	2	–	6	25	35	35	50	84	76	29
461.—LIVERPOOL.																		
Mean Popul^n, 1861–71	124810	3715	2926	3246	2997	2970	15854	13325	12291	11858	12360	22116	16855	11628	5944	2080	449	50
TOTAL DEATHS	51131	12163	5527	2615	1566	1077	22948	2194	821	1120	1757	4419	5069	5084	4217	2479	875	14
Small-pox	447	110	50	37	28	24	249	53	12	14	45	43	23	6	1	1	–	–
Measles	1316	260	498	258	143	78	1237	73	2	1	1	2	–	–	–	–	–	–
Scarlatina	1958	137	310	316	336	250	1349	520	61	6	12	9	–	1	–	–	–	–
Diphtheria	225	40	58	34	28	14	174	24	4	7	4	5	2	5	–	–	–	–
Whooping-cough	1406	491	445	219	113	74	1342	61	3	–	–	–	–	–	–	–	–	–
Typhus	4046	63	99	92	81	89	424	236	137	218	285	623	827	686	412	165	28	–
Diarrhœa & Dysentery	3048	1570	741	160	67	20	2558	50	11	9	19	65	72	80	92	62	23	[illegible]
Cholera	802	70	45	47	26	21	209	82	58	22	38	90	113	109	52	20	9	–
Other Zymotic Dis.	957	138	186	144	86	46	600	54	7	17	21	47	57	57	51	34	11	[illegible]
Cancer	290	–	–	–	2	–	2	2	–	7	2	21	42	88	89	41	5	–
Scrofula and Tabes	823	223	200	77	44	30	574	96	38	28	22	28	13	16	6	2	–	–
Phthisis	5139	62	76	57	30	26	251	131	129	371	639	1468	1225	803	331	81	10	–
Hydrocephalus	918	358	259	119	57	42	835	64	14	3	–	–	–	–	2	–	–	–
Dis. of Brain	4257	1895	397	175	88	57	2612	123	43	44	62	186	252	297	327	229	75	[illegible]
Dis. of Heart & Dropsy	2115	18	25	19	23	17	102	87	52	54	81	304	440	417	327	192	55	[illegible]
Dis. of Lungs	9447	2039	1185	473	201	140	4038	192	41	66	150	511	797	1293	1408	715	208	2
Dis. of Stom. and Liver	1408	201	34	14	12	12	273	34	24	32	47	154	238	295	202	91	16	[illegible]
Dis. of Kidneys	649	7	6	7	13	9	42	25	8	13	21	95	124	118	106	71	23	[illegible]
Dis. of Gener. Organs	8	–	–	–	–	–	–	–	–	–	–	–	1	4	2	1	–	–
Dis. of Joints	217	8	4	5	5	9	31	37	29	19	18	29	21	14	15	3	1	–
Dis. of Skin	127	15	11	3	1	1	31	3	2	9	9	22	11	15	18	6	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	167	–	–	–	–	–	–	–	1	3	11	31	48	36	24	12	1	–
Other Violent Deaths	3137	557	90	83	72	51	853	139	112	151	218	471	450	567	260	98	15	[illegible]
Other Causes	7915	3901	808	276	110	67	5162	108	33	26	52	210	313	377	492	655	325	9
462.—WEST DERBY.																		
Mean Popul^n, 1861–71	134571	4676	4027	4113	3964	3817	20597	17062	14720	12001	11899	22241	16513	11047	5674	2234	533	5
TOTAL DEATHS	37655	10704	4332	1969	1348	872	19225	1916	730	794	1016	2572	2987	3011	2512	1824	892	17
Small-pox	426	81	39	38	21	19	201	39	19	27	46	55	26	11	1	–	1	–
Measles	912	160	353	180	107	48	848	61	1	–	1	–	1	–	–	–	–	–
Scarlatina	2239	148	320	377	382	297	1524	582	79	21	11	15	5	2	–	–	–	–
Diphtheria	325	52	61	41	45	33	232	66	10	3	3	6	2	1	2	–	–	–
Whooping-cough	1163	460	368	160	87	46	1121	42	–	–	–	–	–	–	–	–	–	–
Typhus	2636	56	95	80	92	59	382	219	111	151	188	448	449	366	209	93	20	–
Diarrhœa & Dysentery	2254	1424	479	75	30	12	2020	20	4	11	7	25	22	32	38	42	27	–
Cholera	373	80	23	15	8	13	139	39	10	15	7	44	47	40	19	12	1	–
Other Zymotic Dis.	941	132	183	100	89	61	565	43	17	26	21	42	41	57	45	36	12	–
Cancer	246	–	1	2	–	1	4	–	1	2	1	9	31	71	70	38	15	–
Scrofula and Tabes	772	309	191	71	22	15	608	62	37	19	9	13	11	6	5	2	–	–
Phthisis	4138	103	76	52	32	23	286	138	136	301	429	955	926	618	284	62	3	–
Hydrocephalus	1108	446	327	126	79	39	1017	79	8	1	1	1	1	–	–	–	–	–
Dis. of Brain	3975	1776	355	125	84	65	2405	115	41	33	37	144	226	271	316	252	122	[illegible]
Dis. of Heart & Dropsy	1588	31	21	9	15	7	81	60	42	36	39	185	249	278	304	244	66	[illegible]
Dis. of Lungs	5621	1666	805	292	148	61	2972	103	42	32	61	196	382	571	610	449	174	2
Dis. of Stom. and Liver	1378	300	45	23	10	10	388	44	37	23	29	100	145	247	222	115	24	–
Dis. of Kidneys	484	5	8	7	14	7	41	25	11	7	15	49	67	88	81	72	20	–
Dis. of Gener. Organs	4	2	–	–	–	–	2	–	–	–	1	–	1	–	–	–	–	–
Dis. of Joints	144	6	9	–	6	2	23	23	28	14	9	14	12	11	7	2	1	–
Dis. of Skin	96	44	10	3	–	–	57	2	3	1	–	3	3	7	8	8	3	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	108	–	–	–	–	–	–	–	–	3	7	14	33	26	17	7	1	–
Other Violent Deaths	1426	321	63	49	36	26	495	90	76	56	61	163	182	157	86	47	12	–
Other Causes	5328	3099	500	144	43	28	3814	58	17	12	33	91	122	151	185	343	390	11

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
460B.—BIRKENHEAD.																		
Mean Populn, 1861–71	36425	1099	977	1000	961	943	4980	4208	3612	3552	3724	6305	4455	2910	1661	769	219	30
TOTAL DEATHS	7688	1855	886	448	313	190	3692	410	163	182	214	581	541	519	507	504	304	71
Small-pox	100	25	14	13	11	5	68	13	3	1	3	8	1	2	1	–	–	–
Measles	232	36	81	55	31	10	213	15	1	2	–	1	–	–	–	–	–	–
Scarlatina	504	21	68	69	87	62	307	139	29	9	8	8	1	2	–	–	–	–
Diphtheria	111	6	24	16	14	13	73	25	4	3	–	1	1	2	–	–	2	–
Whooping-cough	289	107	96	48	24	6	281	7	1	–	–	–	–	–	–	–	–	–
Typhus	333	3	12	14	22	12	63	37	17	21	25	47	39	46	27	9	2	–
Diarrhœa & Dysentery	423	213	110	16	3	3	345	6	2	1	2	3	6	11	14	18	8	7
Cholera	47	5	3	1	1	1	11	5	2	1	1	6	7	3	6	4	1	–
Other Zymotic Dis.	200	32	47	32	21	5	137	14	7	4	1	6	5	7	8	7	3	1
Cancer	155	–	–	–	–	–	–	1	–	1	1	8	32	34	43	27	7	1
Scrofula and Tabes	115	35	17	13	6	4	75	9	6	9	4	5	4	1	1	1	–	–
Phthisis	803	5	16	7	4	5	37	17	27	81	86	237	169	103	35	11	–	–
Hydrocephalus	144	42	43	19	10	13	127	15	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	793	336	61	28	18	14	457	24	13	13	11	27	35	51	53	73	35	1
Dis. of Heart & Dropsy	379	7	5	1	3	1	17	8	20	10	13	34	64	55	67	59	31	2
Dis. of Lungs	1124	292	169	59	28	23	571	30	6	7	13	45	47	78	123	122	72	10
Dis. of Stom. and Liver	333	36	7	6	5	5	59	7	7	4	10	31	44	53	51	49	18	–
Dis. of Kidneys	84	–	2	1	–	2	5	5	4	3	6	12	15	16	13	3	2	–
Dis. of Gener. Organs	30	–	–	–	–	–	–	–	–	–	1	5	8	8	2	4	2	–
Dis. of Joints	19	–	1	1	1	–	3	8	3	2	–	1	1	–	1	–	–	–
Dis. of Skin	34	11	1	2	–	–	14	–	–	1	3	5	1	5	2	2	1	–
Childbirth and Metria	125	–	–	–	–	–	–	–	–	5	16	67	34	3	–	–	–	–
Suicide	7	–	–	–	–	–	–	–	–	–	1	2	1	2	1	–	–	–
Other Violent Deaths	119	12	10	15	10	4	51	13	6	2	5	10	5	11	6	7	2	1
Other Causes	1183	631	99	32	14	2	778	12	3	2	4	12	22	25	53	108	118	48
461.—LIVERPOOL.																		
Mean Populn, 1861–71	129267	3648	3033	3148	3055	2930	15814	13167	12059	12011	13353	23422	17518	11671	6590	2754	796	112
TOTAL DEATHS	46999	10326	5492	2664	1646	1109	21237	1994	740	910	1472	4097	4218	4320	3796	2634	1296	285
Small-pox	306	85	59	46	34	23	247	39	14	15	21	15	12	3	–	–	–	–
Measles	1278	233	478	269	146	81	1207	57	5	2	3	4	–	–	–	–	–	–
Scarlatina	1781	112	286	297	303	218	1216	436	78	16	9	18	7	1	–	–	–	–
Diphtheria	204	27	52	31	26	15	151	32	4	3	3	3	1	1	1	4	1	–
Whooping-cough	1848	585	599	315	182	101	1782	83	2	1	–	–	–	–	–	–	–	–
Typhus	3826	81	96	99	90	104	467	265	119	202	255	596	734	605	386	134	31	2
Diarrhœa & Dysentery	2862	1451	741	158	60	21	2431	48	15	4	12	36	59	67	84	63	36	7
Cholera	875	68	39	33	28	31	199	91	35	22	37	161	137	96	57	31	6	3
Other Zymotic Dis.	833	133	173	123	82	47	558	46	14	16	14	40	34	46	41	30	13	1
Cancer	661	–	–	1	1	2	4	2	1	3	4	60	151	200	146	73	19	1
Scrofula and Tabes	709	195	181	87	45	40	548	61	26	20	18	12	7	5	8	3	1	–
Phthisis	4935	44	80	51	37	27	239	117	142	338	610	1525	1120	577	196	62	8	1
Hydrocephalus	658	241	193	94	44	25	600	51	5	–	–	2	–	–	–	–	–	–
Dis. of Brain	3667	1464	365	169	107	70	2175	97	39	39	52	173	153	298	298	244	80	19
Dis. of Heart & Dropsy	2049	10	25	19	21	18	93	64	55	52	76	272	335	408	393	234	64	3
Dis. of Lungs	8836	1680	1118	471	232	128	3629	195	49	48	104	438	725	1222	1294	815	273	44
Dis. of Stom. and Liver	1360	125	35	10	13	12	195	25	18	25	47	173	232	275	213	113	43	1
Dis. of Kidneys	339	3	4	5	6	–	18	12	10	11	33	62	56	60	45	26	6	–
Dis. of Gener. Organs	145	–	1	1	–	–	2	–	–	1	10	30	45	35	15	5	2	–
Dis. of Joints	146	4	5	5	9	5	28	24	17	19	9	21	5	8	12	3	–	–
Dis. of Skin	104	23	8	3	3	1	38	8	3	3	4	7	7	13	11	6	3	1
Childbirth and Metria	465	–	–	–	–	–	–	–	–	19	83	225	131	7	–	–	–	–
Suicide	46	–	–	–	–	–	–	–	1	5	3	7	17	9	3	–	1	–
Other Violent Deaths	1424	525	78	78	55	51	790	131	31	18	30	82	59	95	94	51	39	4
Other Causes	7539	3234	879	229	122	86	4620	110	27	28	35	135	191	289	499	737	670	198
462.—WEST DERBY.																		
Mean Populn, 1861–71	149813	4663	3978	4073	3985	3693	20392	16968	14698	13834	14827	26723	18618	12224	7094	3348	959	128
TOTAL DEATHS	37204	8858	4160	1960	1317	911	17206	1791	753	850	1108	2887	2934	2889	2718	2365	1377	326
Small-pox	302	81	39	31	21	21	196	52	11	21	22	39	15	5	–	1	–	–
Measles	970	157	376	173	133	55	894	63	7	2	–	4	–	–	–	–	–	–
Scarlatina	2174	130	319	363	319	294	1425	564	108	25	11	31	6	3	1	–	–	–
Diphtheria	380	44	69	53	44	45	255	75	20	6	5	10	2	4	2	–	1	–
Whooping-cough	1491	491	504	235	138	63	1444	53	4	–	–	–	–	–	–	–	–	–
Typhus	2506	39	74	91	84	63	351	214	142	161	150	307	433	380	235	102	28	3
Diarrhœa & Dysentery	2132	1243	445	81	27	12	1808	22	4	3	8	28	28	41	55	75	53	7
Cholera	363	67	30	12	10	13	132	22	12	9	10	51	55	37	26	8	1	–
Other Zymotic Dis.	789	139	124	118	74	41	496	74	25	13	15	29	22	35	37	32	11	–
Cancer	792	–	1	–	–	2	3	2	–	3	7	46	158	239	209	95	27	3
Scrofula and Tabes	634	231	180	62	27	19	519	35	19	11	12	10	9	10	5	3	1	–
Phthisis	4325	92	84	39	22	30	267	137	197	365	518	1239	892	492	167	45	6	–
Hydrocephalus	774	292	219	102	59	42	714	50	7	1	2	–	–	–	–	–	–	–
Dis. of Brain	3639	1351	321	149	83	51	1955	113	32	38	39	108	194	291	345	346	157	21
Dis. of Heart & Dropsy	1789	20	16	15	8	8	67	40	54	54	62	197	241	331	358	297	81	7
Dis. of Lungs	5287	1326	731	247	151	80	2335	126	24	34	47	171	280	466	682	595	278	49
Dis. of Stom. and Liver	1555	198	39	21	13	10	281	30	25	41	45	143	233	272	246	169	59	11
Dis. of Kidneys	273	6	5	6	9	3	29	14	14	9	12	49	38	34	42	25	7	–
Dis. of Gener. Organs	130	–	–	–	–	–	–	1	–	1	4	25	24	40	23	11	1	–
Dis. of Joints	112	6	6	5	6	3	26	23	14	9	7	8	6	11	3	4	1	–
Dis. of Skin	107	41	9	4	1	1	56	2	3	2	1	5	4	7	10	8	8	1
Childbirth and Metria	560	–	–	–	–	–	–	–	–	18	99	279	162	2	–	–	–	–
Suicide	45	–	–	–	–	–	–	–	–	1	3	8	9	10	12	1	1	–
Other Violent Deaths	711	325	57	33	23	22	460	34	10	11	10	34	34	35	38	21	21	3
Other Causes	5304	2973	512	120	65	33	3303	45	21	12	19	66	89	144	222	527	636	220

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
463.—PRESCOT.																		
Mean Popul^n, 1861-71	42056	1497	1332	1339	1275	1201	6644	5366	4570	3003	3898	6619	4847	3256	1906	805	218	24
TOTAL DEATHS	10981	2792	1144	589	392	249	5166	551	226	237	327	665	706	767	712	599	335	70
Small-pox	134	30	24	15	11	9	92	17	2	1	3	6	7	2	1	-	-	-
Measles	242	45	85	45	18	6	199	11	1	-	-	1	-	-	-	-	-	-
Scarlatina	555	62	71	132	116	87	468	155	16	4	8	3	1	-	-	-	-	-
Diphtheria	100	5	21	11	19	13	72	16	3	5	2	1	-	-	1	-	-	-
Whooping cough	165	70	52	16	13	5	156	9	-	-	-	-	-	-	-	-	-	-
Typhus	424	18	14	23	20	15	90	52	36	34	45	52	42	40	16	14	3	-
Diarrhœa & Dysentery	509	281	115	21	4	3	427	6	4	2	-	7	10	9	13	16	13	2
Cholera	35	5	3	1	-	-	9	3	-	-	-	2	4	8	2	6	1	-
Other Zymotic Dis.	306	40	65	44	10	23	213	30	5	4	4	8	8	6	14	8	6	-
Cancer	70	-	-	1	1	-	2	1	-	-	-	-	10	19	14	13	9	2
Scrofula and Tabes	185	66	44	19	8	5	142	19	5	4	4	4	2	5	-	-	-	-
Phthisis	875	23	28	8	8	4	71	23	18	68	112	208	179	118	64	15	1	-
Hydrocephalus	252	90	70	30	20	9	219	26	7	-	-	-	-	-	-	-	-	-
Dis. of Brain	1360	588	77	36	15	14	730	30	15	18	28	76	130	114	97	84	32	6
Dis. of Heart & Dropsy	408	7	10	4	3	3	27	15	15	9	7	41	47	68	72	78	28	1
Dis. of Lungs	2019	580	310	113	65	31	1099	55	11	7	19	70	99	174	218	165	91	15
Dis. of Stom. and Liver	397	64	15	8	2	5	94	21	12	10	10	33	46	58	56	44	11	2
Dis. of Kidneys	129	3	2	1	-	1	7	4	3	6	3	16	13	20	28	21	7	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	40	-	-	3	1	-	4	7	4	6	1	5	2	8	2	1	-	-
Dis. of Skin	29	10	1	-	1	2	14	2	-	-	1	3	1	3	2	2	-	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	37	-	-	-	-	-	-	-	1	-	4	8	7	4	7	4	2	-
Other Violent Deaths	680	16	30	30	16	10	102	42	60	52	73	109	87	74	54	22	5	-
Other Causes	1360	786	106	25	8	4	929	7	5	4	3	12	20	37	51	108	144	40
464.—ORMSKIRK.																		
Mean Popul^n, 1861-71	25037	764	710	748	709	672	3603	3254	2863	2490	2108	3430	2664	2043	1488	806	258	30
TOTAL DEATHS	5879	1103	436	222	148	119	2328	276	151	146	196	493	445	421	489	559	361	101
Small-pox	25	8	-	1	-	-	9	2	-	1	4	6	1	1	-	1	-	-
Measles	79	20	26	15	11	4	76	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	311	19	41	54	46	35	198	85	18	4	3	2	1	-	-	-	-	-
Diphtheria	57	5	8	4	6	5	28	18	7	1	1	-	-	1	1	-	-	-
Whooping-cough	69	36	20	4	3	2	65	3	1	-	-	-	-	-	-	-	-	-
Typhus	227	4	4	5	8	8	29	22	21	23	20	28	26	24	19	10	5	-
Diarrhœa & Dysentery	251	140	44	8	2	1	195	2	-	-	2	3	2	5	7	16	16	3
Cholera	61	14	6	3	1	1	25	4	1	1	1	2	8	5	8	5	1	-
Other Zymotic Dis.	192	17	33	29	15	16	110	16	7	4	5	6	7	13	11	7	6	-
Cancer	48	-	-	1	-	-	1	1	-	-	2	2	2	9	13	9	7	2
Scrofula and Tabes	91	27	12	5	3	1	48	7	14	5	3	5	3	2	3	1	-	-
Phthisis	634	23	11	7	-	2	43	8	20	57	83	148	121	80	56	13	-	-
Hydrocephalus	85	31	17	6	7	4	68	11	5	-	1	-	-	-	-	-	-	-
Dis. of Brain	806	336	39	16	14	11	416	26	11	3	5	26	41	59	80	75	51	7
Dis. of Heart & Dropsy	307	1	-	2	-	3	6	4	6	4	12	27	35	43	65	89	20	5
Dis. of Lungs	930	225	92	30	13	13	373	23	7	11	5	44	57	50	109	164	70	17
Dis. of Stom. and Liver	322	40	4	1	1	5	51	8	5	5	7	23	45	51	51	56	16	1
Dis. of Kidneys	92	-	1	2	1	-	4	3	1	1	3	11	13	9	15	16	14	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	24	1	1	2	-	1	5	4	4	2	1	2	2	1	3	-	-	-
Dis. of Skin	15	6	1	1	-	-	8	-	-	-	-	-	3	1	-	1	-	2
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	28	-	-	-	-	-	-	-	-	-	-	2	3	10	6	6	1	-
Other Violent Deaths	324	12	13	18	13	5	61	12	24	19	31	53	54	30	25	13	2	-
Other Causes	904	435	60	8	4	2	509	14	2	5	2	10	18	18	26	86	152	62
465.—WIGAN.																		
Mean Popul^n, 1861-71	52018	1874	1623	1619	1511	1410	8037	6392	5922	5367	5021	7561	5676	4046	2461	1138	360	37
TOTAL DEATHS	15576	1787	1945	878	523	380	8513	773	380	445	468	742	787	841	949	953	504	131
Small-pox	114	22	10	18	10	4	64	14	3	4	13	10	5	1	-	-	-	-
Measles	528	94	219	108	49	39	509	15	3	-	-	-	1	-	-	-	-	-
Scarlatina	891	62	134	148	134	105	584	263	31	8	1	3	1	-	-	-	-	-
Diphtheria	44	6	7	2	5	5	25	13	1	-	1	2	-	1	1	-	-	-
Whooping-cough	369	185	101	38	23	13	360	9	-	-	-	-	-	-	-	-	-	-
Typhus	725	31	71	57	25	29	213	102	42	66	53	58	64	64	33	22	8	-
Diarrhœa & Dysentery	1191	696	271	61	20	12	1057	8	7	4	3	13	11	12	27	26	18	5
Cholera	96	5	5	4	4	2	20	4	2	-	6	12	15	14	10	11	2	-
Other Zymotic Dis.	572	58	129	110	66	45	408	54	12	12	3	14	13	14	14	19	7	2
Cancer	50	-	-	-	-	-	-	-	-	-	-	2	4	10	14	13	6	1
Scrofula and Tabes	209	83	44	15	7	3	152	14	8	14	9	4	1	2	3	2	-	-
Phthisis	902	24	21	12	5	6	68	32	44	101	134	194	161	100	52	16	-	-
Hydrocephalus	133	44	37	19	11	8	119	14	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	1810	1113	140	61	30	18	1362	42	24	18	18	38	48	47	86	102	51	4
Dis. of Heart & Dropsy	478	5	8	9	7	6	35	16	19	11	16	31	62	94	89	76	24	5
Dis. of Lungs	2829	903	367	99	62	32	1468	50	15	19	32	67	123	217	317	293	111	17
Dis. of Stom. and Liver	455	89	26	3	6	2	117	9	5	8	15	24	42	66	85	57	25	2
Dis. of Kidneys	102	3	1	2	1	1	8	5	1	1	2	4	8	12	22	23	15	1
Dis. of Gener. Organs	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Dis. of Joints	47	3	2	2	-	3	10	7	5	8	3	1	5	2	2	2	1	1
Dis. of Skin	54	16	5	3	1	-	25	-	1	4	-	1	-	1	1	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	34	-	-	-	-	-	-	-	-	-	-	2	7	6	9	9	1	-
Other Violent Deaths	1341	44	34	40	21	21	160	48	142	162	154	236	188	124	74	40	12	1
Other Causes	2690	1308	313	66	36	25	1748	54	15	5	5	26	28	54	110	241	312	92

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
463.—PRESCOT.																		
Mean Popul^n, 1861–71	40783	1450	1286	1271	1264	1209	6480	5466	4445	3647	3551	6283	4604	3092	1935	934	298	48
TOTAL DEATHS	9209	2246	1064	575	408	266	4559	453	188	185	271	591	617	580	636	696	411	112
Small-pox	140	31	18	21	24	9	106	15	4	2	2	5	3	3	–	–	–	–
Measles	296	41	81	41	21	11	201	5	–	–	–	–	–	–	–	–	–	–
Scarlatina	591	43	102	113	97	74	429	125	19	3	8	5	–	2	–	–	–	–
Diphtheria	128	13	18	20	23	14	88	29	4	4	1	–	1	–	–	1	–	–
Whooping-cough	227	88	57	43	18	11	217	9	1	–	–	–	–	–	–	–	–	–
Typhus	362	15	16	19	25	17	93	56	31	29	18	37	34	50	20	10	4	–
Diarrhœa & Dysentery	482	255	115	23	9	1	403	2	1	–	1	8	10	5	19	20	11	2
Cholera	23	4	1	–	2	2	9	2	1	–	1	–	2	1	5	2	–	–
Other Zymotic Dis.	313	35	62	59	42	24	222	30	8	2	5	5	7	11	8	5	9	1
Cancer	120	–	–	–	–	–	–	–	–	–	2	4	25	38	32	29	9	–
Scrofula and Tabes	180	65	49	16	7	5	142	10	8	3	2	6	4	1	2	1	1	–
Phthisis	993	17	16	7	6	7	53	21	38	77	141	273	185	88	46	9	2	–
Hydrocephalus	193	76	45	20	17	14	172	14	7	–	–	–	–	–	–	–	–	–
Dis. of Brain	1065	436	73	35	14	13	571	23	13	8	14	46	78	86	89	85	48	4
Dis. of Heart & Dropsy	459	4	2	4	5	7	22	17	9	10	8	30	51	68	86	92	39	7
Dis. of Lungs	1643	399	253	99	57	33	841	47	12	15	20	44	51	123	186	178	100	23
Dis. of Stom. and Liver	364	45	15	8	4	4	76	13	7	8	14	24	49	50	60	41	22	–
Dis. of Kidneys	65	–	–	1	–	1	2	2	2	3	1	9	10	10	14	9	2	1
Dis. of Gener. Organs	27	–	1	–	–	–	1	–	–	–	1	3	5	10	4	1	2	–
Dis. of Joints	32	3	1	–	2	–	6	5	6	2	3	1	3	3	3	–	–	–
Dis. of Skin	22	8	3	–	–	1	12	–	–	–	–	–	–	4	2	4	–	–
Childbirth and Metria	168	–	–	–	–	–	–	–	–	8	20	72	63	5	–	–	–	–
Accidents	6	–	–	–	–	–	–	–	–	1	–	2	–	3	–	–	–	–
Other Violent Deaths	171	10	24	20	17	10	81	20	4	6	6	6	12	11	11	6	3	5
Other Causes	1290	655	112	23	11	8	812	8	13	4	3	11	21	28	49	113	159	69
464.—ORMSKIRK.																		
Mean Popul^n, 1861–71	27745	742	737	711	700	676	3566	3173	2906	2746	2702	4187	3112	2363	1701	921	319	49
TOTAL DEATHS	5583	1090	431	224	174	115	2034	272	141	166	192	447	413	371	459	551	405	132
Small pox	21	3	4	2	–	–	9	2	–	2	2	3	–	–	3	–	–	–
Measles	91	8	33	18	14	6	79	10	2	–	–	–	–	–	–	–	–	–
Scarlatina	311	18	35	59	45	42	199	78	24	5	2	2	–	–	1	–	–	–
Diphtheria	63	2	3	6	6	6	23	21	8	4	3	2	1	1	–	–	–	–
Whooping-cough	99	48	28	9	10	2	97	2	–	–	–	–	–	–	–	–	–	–
Typhus	247	3	10	11	10	7	41	32	24	26	17	28	23	23	22	5	6	–
Diarrhœa & Dysentery	253	130	36	4	6	1	177	2	–	2	3	12	9	9	11	15	8	5
Cholera	67	17	8	4	1	2	32	4	2	1	2	4	6	5	5	4	2	–
Other Zymotic Dis.	162	19	29	19	19	17	103	11	7	6	–	6	6	3	5	7	5	–
Cancer	99	–	–	–	–	–	–	–	–	–	–	2	17	26	30	18	5	1
Scrofula and Tabes	75	22	15	4	1	1	43	4	5	–	4	5	7	4	2	1	–	–
Phthisis	751	8	15	4	9	4	40	18	28	81	100	210	141	71	46	14	2	–
Hydrocephalus	75	26	19	5	9	5	64	9	–	–	1	–	1	–	–	–	–	–
Dis. of Brain	682	246	44	20	12	5	327	14	10	6	6	30	35	43	69	80	51	11
Dis. of Heart & Dropsy	279	4	–	1	–	1	6	7	4	3	8	20	23	38	65	76	25	3
Dis. of Lungs	821	171	82	31	19	7	310	28	6	10	9	21	42	51	84	151	96	13
Dis. of Stom. and Liver	328	21	5	2	1	2	31	4	2	6	8	30	36	49	72	61	29	–
Dis. of Kidneys	53	1	–	–	1	–	2	1	–	–	5	8	11	16	3	5	2	–
Dis. of Gener. Organs	23	–	–	–	–	–	–	–	–	–	3	3	2	3	4	6	2	–
Dis. of Joints	10	–	–	–	–	–	–	–	1	–	1	2	2	1	1	1	1	–
Dis. of Skin	22	8	–	2	–	–	10	–	–	–	1	1	4	1	1	3	–	1
Childbirth and Metria	95	–	–	–	–	–	–	–	–	5	16	44	30	–	–	–	–	–
Accidents	11	–	–	–	–	–	–	–	1	1	–	1	2	5	1	–	–	–
Other Violent Deaths	80	4	10	7	7	3	31	7	6	2	–	5	6	3	8	7	3	2
Other Causes	865	331	55	16	4	4	410	15	11	6	1	8	9	19	26	97	167	96
465.—WIGAN.																		
Mean Popul^n, 1861–71	51199	1853	1563	1597	1523	1417	7953	6525	5627	5074	4727	7399	5655	4055	2468	1266	398	52
TOTAL DEATHS	14002	3839	1959	857	478	317	7450	746	278	387	405	754	727	757	827	923	607	144
Small-pox	93	25	11	12	8	4	60	11	2	7	8	4	1	–	–	–	–	–
Measles	529	102	216	105	41	22	489	28	1	–	–	1	–	–	–	–	–	–
Scarlatina	889	42	141	156	125	88	552	245	38	10	3	3	–	–	2	–	–	–
Diphtheria	43	5	12	5	3	3	28	10	4	1	1	–	–	–	1	–	–	–
Whooping-cough	469	199	171	55	27	17	449	18	1	1	–	–	–	–	–	–	–	–
Typhus	777	43	61	51	41	24	221	108	50	71	55	58	63	67	42	29	10	1
Diarrhœa & Dysentery	1188	617	281	57	19	14	988	13	2	5	4	20	14	11	21	34	18	8
Cholera	84	3	2	3	4	–	12	10	4	3	3	9	11	14	10	7	1	–
Other Zymotic Dis.	524	61	110	98	60	33	382	51	6	7	8	14	7	17	19	8	5	–
Cancer	117	–	1	–	–	–	1	–	–	–	–	7	16	29	33	24	6	1
Scrofula and Tabes	172	61	52	12	1	–	129	5	5	7	8	5	4	4	3	2	–	–
Phthisis	1135	22	38	17	11	7	95	30	56	160	188	273	190	94	35	13	1	–
Hydrocephalus	89	35	27	10	3	5	80	7	1	–	1	–	–	–	–	–	–	–
Dis. of Brain	1498	815	129	54	26	20	1044	40	15	14	13	33	37	57	82	107	45	11
Dis. of Heart & Dropsy	529	8	11	3	4	4	30	13	21	21	21	50	64	84	98	93	31	3
Dis. of Lungs	2491	649	353	107	50	39	1198	51	16	30	35	76	115	204	255	226	94	12
Dis. of Stom. and Liver	486	50	16	9	2	6	83	12	8	13	9	40	49	81	85	70	25	4
Dis. of Kidneys	40	1	3	1	–	–	5	2	3	2	1	5	10	5	6	1	–	–
Dis. of Gener. Organs	30	–	–	–	–	–	–	–	1	–	–	2	10	6	6	4	1	–
Dis. of Joints	31	1	2	1	1	2	7	4	6	3	–	3	3	2	1	–	2	–
Dis. of Skin	33	10	5	1	1	2	19	–	–	2	–	2	–	5	3	1	1	–
Childbirth and Metria	216	–	–	–	–	–	–	–	–	20	37	97	88	4	–	–	–	–
Accidents	11	–	–	–	–	–	–	–	–	1	1	2	2	4	–	–	1	–
Other Violent Deaths	252	37	27	18	16	7	105	42	23	9	2	10	10	9	11	17	12	2
Other Causes	2519	1052	290	82	29	20	1473	30	15	10	7	34	33	60	114	287	354	102

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
466.—WARRINGTON.																		
Mean Popul^n, 1861–71	24916	888	747	771	719	724	3849	3066	2658	2459	2340	3940	2883	1874	1117	542	168	20
TOTAL DEATHS	6699	1883	700	310	222	160	3275	339	148	190	220	429	463	450	471	405	244	65
Small-pox	62	12	3	6	1	8	30	7	3	5	3	8	2	4	–	–	–	–
Measles	251	50	110	44	25	8	237	13	–	1	–	–	–	–	–	–	–	–
Scarlatina	405	29	51	63	99	58	294	94	13	2	1	1	–	–	–	–	–	–
Diphtheria	47	2	10	9	4	5	30	10	4	–	–	–	1	1	1	–	–	–
Whooping-cough	159	83	46	17	6	3	155	3	1	–	–	–	–	–	–	–	–	–
Typhus	267	2	10	5	13	6	36	30	16	22	20	32	44	46	13	6	2	–
Diarrhœa & Dysentery	401	249	78	12	6	1	346	5	2	1	1	2	4	5	8	19	7	1
Cholera	20	1	3	1	1	1	7	1	2	1	–	–	1	4	1	2	1	–
Other Zymotic Dis.	209	26	32	32	30	20	140	26	2	5	6	4	3	5	8	7	3	–
Cancer	43	–	–	–	–	–	–	–	–	–	–	3	5	7	15	10	3	–
Scrofula and Tabes	111	42	26	10	1	2	81	9	4	7	–	5	2	1	2	–	–	–
Phthisis	562	14	10	11	9	5	49	20	10	59	83	134	103	63	25	11	–	–
Hydrocephalus	124	46	45	9	4	8	112	12	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	938	488	48	21	6	5	568	24	11	12	15	49	79	63	69	66	26	[illegible]
Dis. of Heart & Dropsy	243	2	3	2	1	1	9	9	9	8	8	17	21	46	54	50	8	[illegible]
Dis. of Lungs	1033	292	120	41	10	14	477	17	7	10	18	46	61	96	135	104	56	[illegible]
Dis. of Stom. and Liver	258	30	5	3	2	2	42	7	7	6	12	28	35	40	47	26	7	[illegible]
Dis. of Kidneys	69	1	1	–	3	–	5	3	2	2	1	5	12	8	16	4	9	[illegible]
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	19	–	1	1	–	–	2	4	1	–	2	3	–	3	2	1	1	[illegible]
Dis. of Skin	8	–	2	–	–	–	2	–	1	–	1	–	–	1	1	–	–	[illegible]
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	26	–	–	–	–	–	–	–	–	–	2	1	9	5	7	1	1	–
Other Violent Deaths	478	11	22	11	10	10	64	36	50	43	44	83	61	37	31	16	7	–
Other Causes	916	503	71	12	–	3	589	9	3	1	3	8	15	15	34	82	113	4
467.—LEIGH.																		
Mean Popul^n, 1861–71	19200	658	582	534	543	511	2828	2382	2066	1885	1685	2672	2158	1617	1112	583	193	1
TOTAL DEATHS	5015	1499	508	204	139	94	2444	204	99	134	160	229	278	301	370	435	303	5
Small-pox	10	8	–	2	–	1	6	1	1	–	–	1	1	–	–	–	–	–
Measles	162	30	66	28	21	7	152	10	–	–	–	–	–	–	–	–	–	–
Scarlatina	206	13	33	34	33	28	141	58	5	1	–	1	–	–	–	–	–	–
Diphtheria	9	1	4	1	–	–	6	2	–	1	–	–	–	–	–	–	–	–
Whooping-cough	75	37	20	9	4	3	73	2	–	–	–	–	–	–	–	–	–	–
Typhus	222	17	17	14	11	8	67	18	13	17	23	18	22	14	14	12	4	
Diarrhœa & Dysentery	279	155	59	5	6	5	230	2	1	–	4	2	1	3	7	16	10	
Cholera	21	5	–	–	–	1	6	1	–	–	2	–	1	3	5	3	–	
Other Zymotic Dis.	145	21	23	17	11	7	79	22	1	1	4	6	5	11	4	5	6	
Cancer	42	–	–	–	–	–	–	–	1	–	–	–	6	8	15	11	1	
Scrofula and Tabes	225	139	37	10	4	3	193	7	3	7	2	4	5	1	1	2	–	
Phthisis	439	8	7	6	5	2	28	15	30	62	70	76	71	42	27	18	–	
Hydrocephalus	74	40	18	8	2	1	69	4	1	–	–	–	–	–	–	–	–	
Dis. of Brain	700	364	39	17	9	7	436	14	5	4	8	15	19	32	42	74	43	
Dis. of Heart & Dropsy	271	5	2	2	2	2	13	7	4	8	5	12	26	35	64	58	35	
Dis. of Lungs	949	301	113	31	19	12	476	19	6	6	9	28	39	67	95	99	94	
Dis. of Stom. and Liver	263	39	10	3	–	1	53	6	8	8	9	13	31	31	51	42	10	
Dis. of Kidneys	66	1	1	–	–	–	2	1	–	1	–	1	3	6	4	22	22	
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
Dis. of Joints	18	–	–	2	1	–	3	3	3	3	–	3	1	1	1	–	–	
Dis. of Skin	13	6	–	–	–	–	6	1	1	–	–	1	–	1	1	1	1	
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Suicide	32	–	–	–	–	–	–	–	–	1	1	1	5	8	10	5	1	
Other Violent Deaths	232	5	18	10	8	6	47	9	16	12	21	43	30	26	11	14	2	
Other Causes	561	309	41	5	3	–	358	2	–	2	1	4	12	12	18	53	74	
468.—BOLTON.																		
Mean Popul^n, 1861–71	69323	2403	2080	1912	1917	1858	10170	8541	7607	7155	6317	10164	7881	5799	3510	1661	475	
TOTAL DEATHS	19487	5616	2095	922	559	456	9648	838	431	587	563	1006	1101	1362	1565	1405	827	
Small-pox	71	16	5	7	3	3	34	11	1	7	8	5	3	2	–	–	–	
Measles	662	129	277	121	60	44	631	26	4	1	–	–	–	–	–	–	–	
Scarlatina	1081	65	168	187	161	158	739	267	54	5	10	4	2	–	–	–	–	
Diphtheria	54	7	12	4	7	3	33	11	2	4	–	1	1	1	1	–	–	
Whooping-cough	387	155	128	47	25	14	369	18	–	–	–	–	–	–	–	–	–	
Typhus	690	59	57	31	32	22	201	81	44	65	50	68	55	67	36	22	1	
Diarrhœa & Dysentery	1123	733	206	34	13	9	995	10	6	3	5	10	7	15	21	38	16	
Cholera	149	56	15	4	4	3	82	4	1	2	2	3	11	7	20	13	3	
Other Zymotic Dis.	565	77	102	75	43	41	338	55	19	12	11	31	19	24	24	19	12	
Cancer	140	–	–	–	–	–	–	1	1	1	2	5	21	26	46	25	10	
Scrofula and Tabes	373	149	86	18	12	5	270	23	18	16	7	14	9	4	8	3	1	
Phthisis	2008	101	77	27	19	15	239	39	73	245	274	403	310	239	129	54	3	
Hydrocephalus	212	73	58	23	15	11	180	24	6	2	–	–	–	–	–	–	–	
Dis. of Brain	2371	1206	148	80	32	22	1488	63	33	27	21	51	79	119	189	194	101	
Dis. of Heart & Dropsy	685	6	5	1	2	5	19	13	20	34	25	44	68	138	148	130	42	
Dis. of Lungs	4221	1148	474	164	86	64	1936	76	37	42	43	128	252	400	552	495	237	
Dis. of Stom. and Liver	753	155	29	17	5	5	211	27	15	16	13	50	84	92	121	98	25	
Dis. of Kidneys	248	3	9	3	3	5	23	14	4	14	7	30	16	29	47	33	29	
Dis. of Gener. Organs	4	–	–	1	–	–	1	–	–	–	–	–	1	–	1	–	1	
Dis. of Joints	86	3	2	1	2	2	10	8	8	14	8	11	8	5	9	5	–	
Dis. of Skin	36	11	3	1	–	1	16	3	2	1	1	2	1	2	3	3	2	
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Suicide	81	–	–	–	–	–	–	–	–	–	2	10	11	23	23	8	1	
Other Violent Deaths	838	37	39	39	26	18	159	48	73	68	67	99	99	98	84	26	15	
Other Causes	2644	1427	195	37	9	6	1674	16	10	8	7	37	44	71	100	239	328	

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	Upwards of 85.
466.—WARRINGTON.																		
Mean Popul^{n}, 1861–71	24219	845	751	747	716	695	3754	3031	2575	2288	2195	3732	2842	1809	1151	610	206	26
TOTAL DEATHS	6219	1522	723	374	206	161	2986	280	100	145	189	381	401	385	443	488	328	84
Small-pox	60	21	9	3	4	3	40	4	2	3	2	6	1	1	1	–	–	–
Measles	230	46	96	48	18	17	225	4	–	–	–	1	–	–	–	–	–	–
Scarlatina	423	28	67	92	58	49	294	106	14	3	2	3	–	1	–	–	–	–
Diphtheria	61	5	11	9	8	10	43	12	4	1	–	1	–	–	–	–	–	–
Whooping-cough	182	77	59	29	10	3	178	4	–	–	–	–	–	–	–	–	–	–
Typhus	245	7	7	5	10	9	38	37	19	20	25	25	25	24	20	10	2	–
Diarrhœa & Dysentery	370	206	83	22	6	3	320	2	1	–	1	6	8	3	7	13	8	1
Cholera	20	4	4	–	–	1	9	3	–	–	–	–	3	1	1	2	1	–
Other Zymotic Dis.	226	37	45	45	25	11	163	11	6	2	9	4	6	5	6	7	5	2
Cancer	97	–	–	–	–	2	2	–	–	–	–	6	15	25	25	15	9	–
Scrofula and Tabes	102	31	23	8	4	4	70	9	7	3	1	2	3	4	2	1	–	–
Phthisis	574	13	15	8	10	9	55	14	23	57	69	137	117	65	28	8	1	–
Hydrocephalus	93	29	28	11	6	7	81	10	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	784	350	61	21	16	7	455	15	5	14	20	34	37	50	61	55	33	5
Dis. of Heart & Dropsy	267	1	2	1	–	1	5	4	7	6	9	22	35	34	65	64	16	–
Dis. of Lungs	916	187	97	46	24	15	369	22	11	9	6	35	54	83	114	136	68	9
Dis. of Stom. and Liver	282	24	4	2	–	1	31	6	4	9	12	30	34	55	46	43	11	1
Dis. of Kidneys	34	–	–	–	–	–	–	2	3	2	3	5	5	5	4	3	1	1
Dis. of Gener. Organs	17	–	–	–	–	–	–	–	–	–	1	1	5	4	4	2	–	–
Dis. of Joints	20	–	1	–	–	2	3	4	–	2	3	–	4	1	1	1	1	–
Dis. of Skin	10	4	–	–	–	–	4	–	–	–	–	2	–	–	1	2	–	1
Childbirth and Metria	91	–	–	–	–	–	–	–	–	3	16	44	31	–	–	–	–	–
Suicide	12	–	–	–	–	–	–	–	–	2	1	2	3	2	1	1	–	–
Other Violent Deaths	113	17	18	12	4	3	54	8	1	4	4	6	5	6	10	7	5	3
Other Causes	987	435	93	12	3	4	547	3	–	5	5	9	10	16	46	118	167	61
467.—LEIGH.																		
Mean Popul^{n}, 1861–71	20612	622	585	575	504	530	2816	2434	2207	2137	1918	3048	2327	1739	1141	600	223	22
TOTAL DEATHS	5077	1194	484	264	157	103	2202	211	93	191	205	354	318	315	347	432	388	71
Small-pox	21	9	3	2	–	2	16	–	1	–	2	1	1	–	–	–	–	–
Measles	201	52	65	45	18	8	189	12	–	–	–	–	–	–	–	–	–	–
Scarlatina	219	11	22	44	40	35	152	51	10	2	4	–	–	–	–	–	–	–
Diphtheria	9	–	3	1	1	3	8	1	–	–	–	–	–	–	–	–	–	–
Whooping-cough	123	50	34	19	11	6	120	3	–	–	–	–	–	–	–	–	–	–
Typhus	224	13	15	11	13	6	58	34	19	22	15	16	15	17	13	11	4	–
Diarrhœa & Dysentery	210	124	46	8	2	1	181	2	–	1	3	4	1	6	9	15	15	3
Cholera	24	9	1	–	–	–	10	–	–	–	–	2	1	5	4	1	1	–
Other Zymotic Dis.	146	17	23	19	12	9	80	9	3	4	5	6	5	10	7	9	7	1
Cancer	95	–	–	–	–	–	–	–	–	–	–	3	21	14	26	22	7	2
Scrofula and Tabes	200	116	42	13	5	1	177	7	2	6	1	3	1	–	2	1	–	–
Phthisis	636	5	5	5	3	3	21	21	21	110	109	176	89	57	25	6	1	–
Hydrocephalus	50	21	9	8	4	3	45	3	–	1	1	–	–	–	–	–	–	–
Dis. of Brain	584	249	33	19	12	8	321	18	10	3	10	9	20	32	47	67	45	6
Dis. of Heart & Dropsy	346	4	1	2	1	1	9	10	4	7	7	32	43	55	66	75	32	6
Dis. of Lungs	901	238	111	45	23	7	424	12	4	8	10	26	40	48	81	124	101	23
Dis. of Stom. and Liver	265	27	9	4	1	3	44	4	10	10	7	18	30	39	42	44	15	2
Dis. of Kidneys	13	–	–	1	2	–	3	–	1	2	1	1	3	–	1	1	–	–
Dis. of Gener. Organs	20	–	–	–	–	–	–	–	–	–	–	2	6	7	2	3	–	–
Dis. of Joints	15	–	–	–	1	1	2	4	1	2	–	1	2	2	–	1	–	
Dis. of Skin	4	2	1	–	–	–	3	–	–	–	–	–	–	–	1	–	–	–
Childbirth and Metria	109	–	–	–	–	–	–	–	–	10	28	43	26	2	–	–	–	–
Suicide	9	–	–	–	–	–	–	–	–	–	–	1	2	3	1	1	1	–
Other Violent Deaths	87	6	11	12	7	4	40	14	3	2	1	8	1	8	3	3	4	–
Other Causes	532	241	49	6	1	2	299	6	4	1	1	2	11	10	17	48	105	23
468.—BOLTON.																		
Mean Popul^{n}, 1861–71	75015	2369	2043	2050	1901	1883	10246	8686	7811	7654	7282	11853	8779	6226	3863	1944	607	64
TOTAL DEATHS	17799	4394	1913	850	586	431	8174	820	341	581	610	1134	1174	1084	1375	1367	953	186
Small-pox	65	13	5	8	5	2	33	10	5	2	3	10	2	–	–	–	–	–
Measles	565	91	240	107	62	33	536	26	–	2	–	1	–	–	–	–	–	–
Scarlatina	1079	69	146	193	165	137	710	295	47	12	2	10	2	1	–	–	–	–
Diphtheria	64	7	19	5	6	8	45	10	2	2	1	1	1	–	1	1	–	–
Whooping-cough	507	195	132	67	49	19	482	22	2	1	–	–	–	–	–	–	–	–
Typhus	676	48	51	27	30	28	184	82	56	64	44	64	65	57	31	19	8	2
Diarrhœa & Dysentery	1051	605	223	21	10	6	868	12	1	2	2	11	13	6	33	57	59	7
Cholera	112	43	16	1	2	–	62	2	–	–	2	5	10	7	15	8	–	1
Other Zymotic Dis.	519	74	87	58	59	40	318	55	6	12	7	24	19	22	16	29	9	2
Cancer	305	–	–	–	–	1	1	–	–	–	1	17	46	86	83	55	15	1
Scrofula and Tabes	279	126	71	18	5	6	226	15	5	13	3	4	4	–	6	3	–	–
Phthisis	2104	67	52	29	10	13	171	46	93	291	331	477	388	175	95	28	6	–
Hydrocephalus	180	57	39	22	14	10	142	30	6	2	–	–	–	–	–	–	–	–
Dis. of Brain	2035	814	131	62	35	26	1098	59	18	36	31	47	68	112	200	232	118	16
Dis. of Heart & Dropsy	905	6	2	3	2	1	14	17	29	32	29	99	126	160	192	147	57	3
Dis. of Lungs	3418	843	419	160	87	56	1565	61	25	47	49	122	179	251	436	418	236	29
Dis. of Stom. and Liver	728	106	20	8	10	6	150	19	16	16	27	53	74	95	141	101	31	2
Dis. of Kidneys	149	7	3	2	–	2	14	5	6	9	6	21	29	27	19	11	2	–
Dis. of Gener. Organs	49	–	–	1	–	–	1	–	–	–	2	10	11	15	7	3	–	–
Dis. of Joints	41	1	2	1	–	2	6	5	4	9	1	2	4	5	2	3	–	–
Dis. of Skin	85	15	3	1	–	–	19	1	1	–	1	2	–	3	3	3	2	–
Childbirth and Metria	248	–	–	–	–	–	–	–	–	8	51	110	77	2	–	–	–	–
Suicide	28	–	–	–	–	–	–	–	–	–	3	4	4	6	5	5	1	–
Other Violent Deaths	262	23	24	27	25	24	123	33	9	7	7	10	16	8	15	19	12	3
Other Causes	2395	1151	298	26	10	11	1406	15	7	14	7	30	36	46	75	225	414	120

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–
469.—BURY.																	
Mean Popul^n, 1861–71	50545	1601	1359	1371	1316	1229	6876	6015	5492	5229	4928	7468	5807	4386	2681	1282	350
TOTAL DEATHS	12788	3444	1152	518	313	265	5692	546	301	197	417	690	785	939	1151	1080	666
Small-pox	107	32	5	8	2	3	50	13	4	11	6	17	2	2	2	-	-
Measles	208	55	76	35	13	16	195	10	-	3	-	-	-	-	-	-	-
Scarlatina	601	44	95	111	79	61	390	171	27	10	2	-	-	1	-	-	-
Diphtheria	43	12	10	2	5	1	30	9	1	-	-	-	-	2	1	-	-
Whooping-cough	176	91	48	13	7	11	172	4	-	-	-	-	-	-	-	-	-
Typhus	553	14	29	25	10	16	94	55	42	68	43	64	45	52	53	29	7
Diarrhœa & Dysentery	637	283	111	19	10	6	529	9	4	1	2	9	9	12	13	26	19
Cholera	40	4	-	-	-	1	5	1	1	-	1	3	4	9	5	8	3
Other Zymotic Dis.	354	35	68	51	37	29	220	29	6	7	11	10	20	14	18	11	8
Cancer	74	-	-	-	-	-	-	-	1	1	2	3	7	16	23	17	4
Scrofula and Tabes	150	54	31	12	8	1	106	14	9	7	3	4	3	4	-	-	-
Phthisis	1333	24	19	10	12	8	73	23	54	162	217	287	229	146	100	39	3
Hydrocephalus	254	86	71	28	22	12	219	20	9	3	1	-	1	1	-	-	-
Dis. of Brain	2001	1000	139	49	35	28	1251	42	29	24	21	56	70	119	135	171	72
Dis. of Heart & Dropsy	729	15	11	12	7	8	53	30	22	21	29	42	68	124	174	139	44
Dis. of Lungs	2207	549	276	104	37	41	1007	42	16	14	15	52	125	204	320	265	132
Dis. of Stom. and Liver	500	39	10	5	2	1	57	9	14	21	12	32	58	84	112	71	29
Dis. of Kidneys	171	2	-	-	1	2	5	7	6	8	10	19	13	14	24	41	22
Dis. of Gener. Organs	6	2	-	-	-	-	2	-	-	-	-	-	1	-	-	3	-
Dis. of Joints	39	1	1	1	-	1	4	2	6	3	4	3	2	3	4	7	1
Dis. of Skin	16	2	3	1	-	-	6	1	-	-	-	1	2	2	1	1	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	70	-	-	-	-	-	-	-	-	1	-	5	6	21	23	10	4
Other Violent Deaths	478	13	13	10	16	18	70	40	48	34	37	59	76	46	33	23	12
Other Causes	2041	985	136	22	10	1	1154	15	2	8	10	24	44	63	110	228	305
470.—BARTON-UPON-IRWELL.																	
Mean Popul^n, 1861–71	21199	660	581	604	576	529	2950	2652	2458	2066	1863	3084	2356	1819	1168	610	161
TOTAL DEATHS	4993	1300	407	189	125	100	2121	264	140	134	164	292	305	333	429	464	301
Small-pox	15	5	1	-	-	1	7	3	-	2	2	-	-	1	-	-	-
Measles	104	23	39	20	6	5	93	10	1	-	-	-	-	-	-	-	-
Scarlatina	233	7	36	34	34	27	138	77	13	3	2	-	-	-	-	-	-
Diphtheria	29	2	4	6	2	4	18	4	2	2	-	1	-	1	-	1	-
Whooping-cough	77	35	23	7	5	1	71	6	-	-	-	-	-	-	-	-	-
Typhus	226	17	14	8	10	2	51	28	16	12	24	26	24	18	14	11	2
Diarrhœa & Dysentery	275	172	45	5	4	2	228	2	-	-	-	-	4	7	8	15	9
Cholera	21	5	1	-	-	-	6	3	-	1	-	2	2	3	1	3	-
Other Zymotic Dis.	127	19	23	19	5	8	74	8	5	5	2	7	5	5	9	6	-
Cancer	58	-	-	-	-	-	-	1	-	-	-	4	5	10	20	15	3
Scrofula and Tabes	109	40	8	8	4	4	64	14	12	7	2	3	1	5	-	1	-
Phthisis	464	18	7	2	4	3	34	15	23	54	79	103	84	41	27	4	-
Hydrocephalus	55	15	15	6	2	8	46	8	1	-	-	-	-	-	-	-	-
Dis. of Brain	617	268	37	14	8	7	334	14	9	7	4	23	25	40	54	70	32
Dis. of Heart & Dropsy	252	4	2	2	1	1	10	6	8	11	3	11	23	28	59	65	25
Dis. of Lungs	839	201	80	36	22	14	353	12	2	4	7	26	56	74	107	113	77
Dis. of Stom. and Liver	245	40	9	1	4	2	56	5	6	2	6	16	15	28	50	49	11
Dis. of Kidneys	98	-	4	2	3	-	9	4	3	2	3	11	11	8	24	13	10
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	20	-	-	-	1	-	1	2	5	1	2	3	2	-	2	1	1
Dis. of Skin	9	4	-	-	-	-	4	-	-	-	1	3	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	11	-	-	-	-	-	-	-	-	-	-	-	-	5	3	2	1
Other Violent Deaths	295	7	10	13	6	8	44	32	30	21	25	46	33	30	19	9	5
Other Causes	814	418	49	6	4	3	480	10	4	-	2	7	15	29	31	86	125
471.—CHORLTON.																	
Mean Popul^n, 1861–71	90299	3081	2642	2587	2516	2357	13183	10653	9184	8876	9171	15256	10901	7201	3938	1541	363
TOTAL DEATHS	23960	6916	2682	1209	738	538	12083	1086	407	592	712	1475	1716	1796	1858	1478	654
Small-pox	110	26	7	4	3	6	46	7	3	5	15	14	10	7	1	2	-
Measles	537	106	212	99	51	29	497	39	1	-	-	-	-	-	-	-	-
Scarlatina	1315	97	187	202	212	178	876	369	42	13	3	11	-	1	-	-	-
Diphtheria	160	22	25	23	14	20	104	36	8	3	1	3	1	-	3	1	-
Whooping-cough	726	279	236	103	53	35	706	19	-	-	-	-	1	-	-	-	-
Typhus	957	20	44	45	40	40	189	105	56	89	74	105	101	105	76	45	12
Diarrhœa & Dysentery	1687	1128	318	50	18	12	1526	12	1	3	4	8	14	23	36	39	18
Cholera	45	11	3	1	-	1	16	2	1	2	-	3	6	6	7	2	-
Other Zymotic Dis.	549	84	104	75	47	30	340	35	19	9	9	27	21	32	32	16	9
Cancer	160	-	1	2	-	-	3	-	-	-	2	9	24	40	40	34	7
Scrofula and Tabes	423	154	90	34	21	8	307	34	26	21	9	11	7	3	2	3	-
Phthisis	2675	22	21	14	9	7	73	51	89	279	382	697	584	336	155	27	2
Hydrocephalus	606	219	181	84	36	25	545	48	11	2	-	-	-	-	-	-	-
Dis. of Brain	3044	1271	241	130	55	34	1731	83	39	32	44	93	174	211	286	248	92
Dis. of Heart & Dropsy	840	9	13	9	5	3	39	21	16	36	35	109	149	153	154	102	24
Dis. of Lungs	4457	1087	533	187	108	58	2023	83	21	36	42	183	304	500	614	479	156
Dis. of Stom. and Liver	855	138	34	13	6	4	195	25	18	16	26	55	112	146	149	84	29
Dis. of Kidneys	310	3	1	2	5	9	20	17	6	11	10	34	44	44	62	46	10
Dis. of Gener. Organs	5	1	-	-	-	-	1	-	-	-	-	2	-	1	-	1	-
Dis. of Joints	89	2	2	4	4	3	15	13	13	9	9	7	8	8	5	2	-
Dis. of Skin	48	22	2	1	1	1	27	1	-	-	2	-	2	3	6	2	5
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	70	-	-	-	-	-	-	-	-	3	4	9	15	17	17	5	-
Other Violent Deaths	469	58	34	37	24	17	170	50	23	13	23	36	43	36	42	26	6
Other Causes	3823	2157	343	90	26	18	2634	36	14	10	18	59	96	124	171	314	278

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 upwards
469.—BURY.																		
Mean Popul^n, 1861–71	51600	1562	1376	1404	1304	1308	6954	6108	5617	5624	5454	8660	6526	4762	2945	1448	461	41
TOTAL DEATHS	12199	2738	1199	524	351	248	4970	566	252	130	189	872	870	856	990	1033	714	157
Small-pox	78	29	13	5	8	5	51	6	5	2	3	5	3	2	1	–	–	–
Measles	200	44	77	45	18	14	199	9	1	–	–	–	–	–	–	–	–	–
Scarlatina	566	27	89	88	89	68	361	167	24	9	2	2	–	1	–	–	–	–
Diphtheria	63	6	14	8	3	7	38	19	1	1	1	1	–	1	1	–	–	–
Hooping cough	225	84	71	30	24	12	221	4	–	–	–	–	–	–	–	–	–	–
Diarrhœa	321	12	20	30	24	22	108	67	39	52	39	57	44	46	30	25	4	–
Dysentery	675	262	122	20	4	6	514	4	4	5	3	15	19	10	29	36	26	8
Cholera	24	1	–	–	–	–	1	–	–	–	2	3	3	3	7	3	1	–
Other Zymotic Dis.	350	31	55	56	41	25	212	35	7	10	9	9	16	15	15	15	5	2
Cancer	20	–	–	–	–	1	1	1	–	–	4	9	22	58	61	34	12	1
Scrofula and Tabes	146	63	26	11	5	1	106	4	2	8	1	9	8	3	1	1	–	–
Phthisis	1585	18	21	13	6	2	60	22	67	227	285	392	306	140	61	22	3	–
Hydrocephalus	165	50	42	17	9	19	128	22	6	3	1	–	1	3	1	–	–	–
Disease of Brain	1733	724	138	78	32	21	993	81	21	22	16	52	63	90	130	161	93	8
Disease of Heart & Dropsy	852	15	14	2	4	6	41	30	16	22	19	79	109	147	182	152	35	–
Disease of Lungs	1880	425	278	78	51	30	842	38	18	16	22	56	99	143	236	256	145	27
Disease of Stom. and Liver	531	35	7	4	4	2	52	13	11	17	26	45	60	102	118	62	24	1
Disease of Kidneys	88	–	2	3	3	2	10	6	–	7	3	17	10	11	12	6	5	1
Disease of Gener. Organs	54	–	1	–	–	–	1	–	1	3	4	4	11	19	7	1	3	–
Disease of Joints	43	1	–	2	–	–	3	4	2	6	1	4	6	3	6	6	1	1
Disease of Skin	13	2	–	–	–	–	2	–	–	–	–	–	1	1	4	5	–	–
Childbirth and Metria	195	–	–	–	–	–	–	–	–	7	36	82	67	3	–	–	–	–
Suicide	24	–	–	–	–	–	–	–	–	–	2	5	2	7	6	1	1	–
Other Violent Deaths	142	10	9	15	21	6	61	18	10	7	1	8	10	3	6	11	5	2
Other Causes	1818	802	130	18	5	4	959	16	7	6	9	18	19	45	76	236	351	106
470.—BARTON-UPON-IRWELL.																		
Mean Popul^n, 1861–71	24105	679	604	628	597	548	3056	2674	2536	2443	2522	3833	2810	2049	1262	689	213	19
TOTAL DEATHS	4826	1080	358	167	137	95	1837	195	140	162	189	376	322	327	445	430	327	76
Small-pox	22	4	1	–	1	1	7	3	2	2	–	6	1	1	–	–	–	–
Measles	95	18	39	15	7	8	87	8	–	–	–	–	–	–	–	–	–	–
Scarlatina	290	15	19	32	37	21	124	60	12	4	–	–	–	–	–	–	–	–
Diphtheria	36	6	3	4	5	2	20	9	3	2	1	1	–	–	–	–	–	–
Hooping-cough	78	32	25	11	5	4	77	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	248	18	10	7	10	9	54	32	25	18	17	44	24	11	12	7	3	1
Dysentery	238	138	28	6	1	–	173	4	1	1	–	1	1	4	14	15	20	4
Cholera	16	2	1	–	–	–	3	–	2	–	2	2	2	1	1	2	1	–
Other Zymotic Dis.	114	11	11	11	11	13	60	9	2	5	4	6	5	7	7	6	3	–
Cancer	103	–	–	–	–	–	–	–	–	–	–	4	15	24	32	18	10	–
Scrofula and Tabes	74	25	12	9	2	1	49	5	8	2	4	1	3	1	2	–	1	–
Phthisis	655	15	14	3	5	3	40	11	19	98	108	156	111	54	24	4	–	–
Hydrocephalus	49	11	12	4	–	5	32	5	3	–	–	–	–	–	–	–	–	–
Disease of Brain	323	200	45	29	16	6	288	16	6	9	4	15	17	37	63	61	43	4
Disease of Heart & Dropsy	204	2	2	2	2	2	10	7	8	5	8	30	32	50	80	55	23	2
Disease of Lungs	779	166	80	27	20	9	302	9	6	4	5	28	29	70	110	109	59	8
Disease of Stom. and Liver	265	26	5	1	3	–	35	2	4	5	8	22	29	30	59	52	18	1
Disease of Kidneys	39	–	1	–	–	1	2	1	1	1	5	3	5	12	4	4	1	–
Disease of Gener. Organs	14	–	–	–	–	–	–	–	–	–	–	3	2	1	4	1	1	1
Disease of Joints	15	1	–	–	1	–	2	1	1	3	2	4	–	1	1	–	–	–
Disease of Skin	10	2	–	2	–	–	4	1	–	–	1	3	–	1	2	2	1	1
Childbirth and Metria	75	–	–	–	–	–	–	–	–	1	17	33	23	1	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–
Other Violent Deaths	64	6	4	5	6	5	26	3	3	2	1	4	8	7	1	2	6	1
Other Causes	790	582	42	8	5	5	442	8	4	–	2	10	14	13	27	92	134	53
471.—CHORLTON.																		
Mean Popul^n, 1861–71	100183	3123	2581	2632	2447	2351	13134	10817	9251	9306	10810	17807	12528	8528	5046	2239	560	67
TOTAL DEATHS	2377[illegible]	5739	2571	1281	712	508	10832	1630	424	619	805	1759	1698	1759	1981	1771	937	163
Small-pox	107	32	7	7	6	5	57	9	1	10	11	11	5	1	1	1	–	–
Measles	566	84	197	112	67	22	482	20	2	–	1	1	–	–	–	–	–	–
Scarlatina	1304	71	212	245	184	158	870	310	60	9	13	9	3	–	–	–	–	–
Diphtheria	203	18	24	29	23	25	129	55	11	3	–	1	1	–	–	2	1	–
Hooping-cough	497	290	502	146	89	48	896	41	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1[illegible]	28	41	49	46	42	206	132	70	87	76	108	118	100	61	34	8	–
Dysentery	1[illegible]	931	302	69	11	5	1[illegible]	11	5	3	4	11	12	31	38	57	40	4
Cholera	27	6	2	–	–	–	8	2	1	–	–	2	4	2	5	3	–	–
Other Zymotic Dis.	453	78	70	60	46	27	281	38	5	8	9	22	22	22	24	14	8	–
Cancer	442	–	–	–	–	–	–	2	–	–	1	28	77	144	107	67	15	1
Scrofula and Tabes	333	122	65	27	18	8	250	23	23	15	12	10	9	5	6	–	–	–
Phthisis	2684	25	23	11	11	7	77	22	83	306	417	827	564	236	92	24	1	–
Hydrocephalus	478	153	161	67	22	24	427	37	8	–	1	–	–	–	–	–	–	–
Disease of Brain	2795	990	241	113	51	44	1429	86	41	29	39	88	135	204	271	246	115	12
Disease of Heart & Dropsy	1[illegible]	17	14	5	12	4	51	21	27	28	37	119	159	206	232	170	46	–
Disease of Lungs	4[illegible]	844	500	216	111	57	1727	77	35	41	40	158	235	450	705	601	227	24
Disease of Stom. and Liver	977	97	24	18	8	7	156	17	18	25	28	88	125	169	176	119	35	1
Disease of Kidneys	169	1	2	1	4	4	12	5	4	7	9	26	32	31	27	10	6	–
Disease of Gener. Organs	111	–	–	–	–	–	–	–	–	2	8	17	21	29	20	13	1	–
Disease of Joints	69	2	1	2	1	2	8	7	5	12	4	5	11	3	8	5	1	–
Disease of Skin	39	10	3	1	1	–	15	–	–	–	2	6	5	3	6	2	–	–
Childbirth and Metria	340	–	–	–	–	–	–	–	–	17	63	162	86	7	–	–	–	–
Suicide	20	–	–	–	–	–	–	–	–	1	3	4	4	1	5	2	–	–
Other Violent Deaths	267	31	33	27	11	12	119	19	9	5	4	11	13	25	22	12	17	8
Other Causes	3678	1835	332	85	29	19	2320	36	11	11	18	42	57	90	175	389	416	113

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–
472.—SALFORD.																	
Mean Popul", 1861-71	55403	1948	1631	1644	1514	1473	8210	6559	5729	5493	5454	9004	6626	4548	2512	1030	221
TOTAL DEATHS	15950	4510	1899	771	491	341	8042	720	302	370	428	951	1121	1240	1259	1000	440
Small-pox	93	19	7	11	4	6	47	13	6	7	9	6	3	2	–	–	–
Measles	452	91	199	91	42	17	451	20	1	–	–	–	–	–	–	–	–
Scarlatina	732	48	137	107	120	97	509	188	27	2	2	3	1	–	–	–	–
Diphtheria	119	16	36	18	19	7	96	16	2	2	1	1	–	–	1	–	–
Whooping-cough	513	212	149	77	35	21	497	15	1	–	–	–	–	–	–	–	–
Typhus	757	28	31	43	37	33	172	97	60	61	58	77	61	83	53	28	3
Diarrhœa & Dysentery	1429	903	317	46	18	7	1291	11	3	2	–	7	20	18	21	37	15
Cholera	45	7	2	–	1	1	11	3	–	–	–	4	5	8	8	4	2
Other Zymotic Dis.	382	88	67	47	32	20	254	34	10	5	3	5	19	15	19	14	4
Cancer	117	–	–	1	–	–	1	1	–	3	1	3	15	24	43	20	6
Scrofula and Tabes	263	72	70	25	13	7	187	25	11	7	7	11	7	7	1	–	–
Phthisis	1515	9	16	16	8	14	61	39	44	160	220	406	330	175	69	9	–
Hydrocephalus	299	118	77	45	23	12	275	23	1	–	–	–	–	–	–	–	–
Dis. of Brain	2067	983	185	58	31	23	1280	41	21	23	15	57	94	125	179	178	47
Dis. of Heart & Dropsy	559	12	8	7	9	6	42	21	13	17	13	70	80	113	102	67	18
Dis. of Lungs	2990	632	333	106	61	33	1205	51	9	16	37	116	231	381	468	332	124
Dis. of Stom. and Liver	498	67	6	5	3	5	86	19	16	12	17	38	73	98	82	48	8
Dis. of Kidneys	202	3	2	5	4	4	18	9	7	6	5	23	19	36	33	32	14
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Dis. of Joints	75	3	–	2	1	2	8	15	14	6	4	6	7	5	6	4	–
Dis. of Skin	33	15	1	2	–	1	19	1	1	–	–	1	1	2	1	5	1
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	42	–	–	–	–	–	–	–	–	–	–	9	9	8	11	4	1
Other Violent Deaths	508	21	22	16	15	15	89	61	40	31	30	75	61	50	39	27	3
Other Causes	2259	1173	223	43	15	7	1461	17	12	10	6	33	82	90	123	190	194
473.—MANCHESTER.																	
Mean Popul", 1861-71	118020	3890	3267	3231	3079	2989	16456	13560	12199	11660	11171	19132	14549	10453	5838	2408	55
TOTAL DEATHS	41759	10728	4458	2015	1233	967	19401	1900	794	1095	1304	2811	3382	3611	3513	2619	115
Small-pox	212	39	22	17	10	13	101	40	11	14	15	20	10	–	1	–	–
Measles	941	192	353	198	110	46	899	39	–	1	2	–	–	–	–	–	–
Scarlatina	2020	114	302	335	320	309	1380	530	92	11	4	1	2	–	–	–	–
Diphtheria	186	30	46	26	20	14	136	26	6	6	2	3	1	2	3	1	–
Whooping-cough	1139	415	353	186	82	48	1084	51	3	–	1	–	–	–	–	–	–
Typhus	2096	46	78	79	74	80	357	242	111	170	150	253	289	284	167	60	12
Diarrhœa & Dysentery	3182	1985	708	124	39	16	2873	25	5	5	5	19	22	49	70	71	32
Cholera	81	13	1	3	2	–	19	4	1	2	2	7	10	16	15	5	–
Other Zymotic Dis.	833	135	171	102	73	69	550	71	14	15	19	25	45	29	33	20	11
Cancer	265	–	–	–	–	1	1	–	1	4	7	16	37	65	64	56	14
Scrofula and Tabes	756	270	186	77	33	23	589	50	27	21	19	22	11	4	8	5	–
Phthisis	4338	68	65	30	26	21	210	99	135	422	604	1098	882	561	267	56	4
Hydrocephalus	743	285	196	84	46	41	652	73	14	3	1	–	–	–	–	–	–
Dis. of Brain	4842	2058	344	160	77	51	2690	106	47	48	62	231	362	379	438	350	110
Dis. of Heart & Dropsy	1448	14	16	18	12	16	76	62	41	54	49	186	243	266	256	181	33
Dis. of Lungs	7840	1639	925	331	175	89	3159	159	40	61	98	327	606	995	1224	858	29
Dis. of Stom. and Liver	1206	141	27	19	10	7	204	38	28	36	33	117	177	214	209	121	2
Dis. of Kidneys	629	5	9	14	10	15	53	26	12	20	21	62	97	123	110	73	3
Dis. of Gener. Organs	8	–	–	–	–	–	–	–	–	–	–	–	2	1	4	1	–
Dis. of Joints	193	4	3	2	2	4	15	21	18	24	19	21	18	26	21	7	3
Dis. of Skin	93	30	7	–	1	2	40	3	2	2	2	5	4	12	4	15	4
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	150	–	–	–	–	–	–	–	–	3	5	17	41	31	32	19	2
Other Violent Deaths	2168	104	73	73	57	75	384	190	164	139	159	259	302	288	183	68	23
Other Causes	6390	3138	573	137	54	27	3929	45	22	34	25	122	221	266	404	652	548
474.—ASHTON-UNDER-LYNE.																	
Mean Popul", 1861-71	62280	2012	1730	1709	1592	1612	8655	7379	6779	6479	5784	9157	7222	5567	3420	1446	37
TOTAL DEATHS	16838	5611	1644	678	436	331	8100	692	352	536	540	891	946	1238	1497	1263	68
Small-pox	48	11	6	4	2	4	27	6	1	3	3	4	3	1	–	–	–
Measles	412	84	145	91	46	25	391	19	2	–	–	–	–	–	–	–	–
Scarlatina	843	65	148	124	137	115	589	214	31	7	–	2	–	–	–	–	–
Diphtheria	59	8	13	6	3	5	35	18	2	1	1	–	–	1	1	–	–
Whooping-cough	298	134	97	30	22	4	287	11	–	–	–	–	–	–	–	–	–
Typhus	578	18	36	30	26	23	133	83	49	51	49	55	53	35	41	25	–
Diarrhœa & Dysentery	986	632	179	31	6	6	854	5	2	1	3	4	8	23	33	31	1
Cholera	43	12	1	4	1	–	18	1	–	–	1	4	3	7	4	5	–
Other Zymotic Dis.	376	47	69	47	42	30	235	26	7	10	3	16	10	21	30	13	–
Cancer	98	–	–	–	1	–	1	1	–	2	2	4	16	28	27	11	–
Scrofula and Tabes	192	79	37	10	3	4	133	11	10	13	5	10	2	3	3	2	–
Phthisis	1775	27	20	11	7	7	72	33	69	248	312	380	286	214	124	37	–
Hydrocephalus	296	116	85	28	13	22	264	22	8	2	–	–	–	–	–	–	–
Dis. of Brain	2440	1295	187	72	43	22	1619	64	34	25	28	49	72	118	173	187	6
Dis. of Heart & Dropsy	955	15	13	6	5	7	46	36	27	40	18	77	112	157	220	174	4
Dis. of Lungs	2796	794	314	98	35	28	1269	54	15	21	32	94	135	309	438	300	11
Dis. of Stom. and Liver	645	72	18	7	5	6	108	13	20	30	21	53	67	122	118	69	2
Dis. of Kidneys	201	–	4	1	4	1	10	2	6	8	3	20	17	24	39	46	2
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Dis. of Joints	75	5	4	1	2	1	13	8	8	14	2	7	7	6	6	2	–
Dis. of Skin	45	19	3	1	–	–	23	–	–	3	4	1	1	4	5	3	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	74	–	–	–	–	–	–	–	–	1	1	8	13	18	23	8	–
Other Violent Deaths	627	22	17	25	18	13	95	51	52	48	47	73	77	78	51	40	1
Other Causes	2974	1556	248	51	15	8	1878	14	9	8	5	29	64	69	161	310	35

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
472.—SALFORD.																		
Mean Popul^n. 1861–71	61709	1962	1630	1616	1517	1453	8178	6614	5919	5982	6519	10732	7554	5217	3118	1430	407	39
TOTAL DEATHS	15545	3721	1817	848	510	336	7220	628	276	411	533	1026	1103	1174	1249	1166	616	134
Small-pox	81	23	8	7	6	5	49	7	5	5	3	7	4	1	–	–	–	–
Measles	394	67	151	92	41	20	374	15	3	1	1	–	–	–	–	–	–	–
Scarlatina	725	48	120	123	120	90	501	185	25	8	5	2	–	–	1	–	–	–
Diphtheria	113	13	20	18	22	9	82	17	6	3	1	–	2	1	–	1	–	–
Hooping-cough	612	187	227	114	56	26	610	30	1	–	1	–	–	–	–	–	–	–
Typhus	818	24	33	48	36	27	168	93	67	60	52	85	120	85	53	29	5	1
Diarrhœa & Dysentery	1377	796	317	51	15	8	1187	8	3	–	5	13	17	29	28	52	28	7
Cholera	27	3	8	2	–	1	9	1	1	–	–	2	1	6	6	1	–	–
Other Zymotic Dis.	320	61	71	50	33	20	235	23	9	4	4	12	10	4	15	7	6	–
Cancer	202	–	–	–	–	–	–	–	–	–	3	22	48	87	89	30	11	2
Scrofula and Tabes	203	61	63	23	9	5	164	18	7	6	2	–	4	1	1	–	–	–
Phthisis	1561	11	11	14	10	7	53	33	60	205	282	444	307	127	40	10	–	–
Hydrocephalus	226	75	70	29	17	15	206	17	2	–	1	–	–	–	–	–	–	–
Disease of Brain	1834	813	138	65	34	27	1077	40	16	26	26	55	77	124	155	169	65	4
Disease of Heart & Dropsy	705	9	4	6	3	8	30	20	22	29	28	78	93	135	129	106	27	3
Disease of Lungs	2771	493	319	114	66	39	1022	58	12	18	22	97	193	334	444	419	151	21
Disease of Stom. and Liver	524	38	21	8	7	2	76	12	13	10	16	38	64	101	108	59	25	2
Disease of Kidneys	128	1	4	2	1	2	10	10	5	9	7	17	21	21	13	15	–	–
Disease of Gener. Organs	47	–	1	–	–	–	1	–	–	–	3	5	9	16	10	2	1	–
Disease of Joints	57	3	1	1	–	3	8	6	7	8	5	1	2	9	6	3	2	–
Disease of Skin	43	15	3	3	–	–	21	1	–	2	2	3	1	4	3	4	2	–
Childbirth and Metria	218	–	–	–	–	–	–	–	–	7	49	102	58	2	–	–	–	–
Suicide	17	–	–	–	–	–	–	–	–	–	1	1	5	9	1	–	–	–
Other Violent Deaths	239	23	22	24	12	9	92	37	6	4	4	20	17	8	16	17	16	2
Other Causes	2174	952	210	54	19	19	1254	19	6	6	10	22	45	70	131	242	277	92
473.—MANCHESTER.																		
Mean Popul^n. 1861–71	129952	3919	3285	3205	3156	2977	16542	13677	12297	12396	13439	22164	16651	11654	6788	3081	852	111
TOTAL DEATHS	39583	8855	4440	2036	1309	878	17518	1576	712	940	1284	2897	3207	3352	3415	2904	1474	304
Small-pox	201	48	22	16	11	5	102	21	9	17	19	21	9	2	1	–	–	–
Measles	949	182	355	227	98	41	903	44	–	1	–	1	–	–	–	–	–	–
Scarlatina	1850	111	288	321	326	253	1299	431	88	17	5	8	2	–	–	–	–	–
Diphtheria	293	19	54	49	21	23	157	22	6	5	4	8	3	–	3	–	–	–
Hooping-cough	1419	464	486	220	147	73	1390	58	1	–	–	–	–	–	–	–	–	–
Typhus	2127	29	64	90	80	81	344	200	166	163	139	262	314	283	173	69	14	–
Diarrhœa & Dysentery	3135	1748	770	157	52	14	2741	26	4	4	10	33	39	50	80	84	54	10
Cholera	67	5	4	–	2	2	13	4	1	3	4	8	9	11	10	2	2	–
Other Zymotic Dis.	739	97	144	124	81	51	497	53	18	21	15	34	51	21	32	22	9	1
Cancer	676	–	–	1	1	–	2	1	3	2	8	49	149	216	138	85	19	4
Scrofula and Tabes	634	205	171	74	28	16	494	45	25	13	16	11	11	6	9	3	1	–
Phthisis	4261	50	53	32	17	23	175	84	173	422	635	1216	907	430	177	41	3	–
Hydrocephalus	558	180	173	73	35	29	490	55	11	–	–	2	–	–	–	–	–	–
Disease of Brain	4467	1602	303	103	80	54	2151	86	53	36	67	183	250	346	404	364	127	20
Disease of Heart & Dropsy	1690	19	15	12	18	9	73	36	41	53	76	189	273	351	346	203	65	4
Disease of Lungs	7568	1268	896	331	186	117	2793	139	47	63	77	299	533	936	1215	944	318	19
Disease of Stom. and Liver	1327	117	36	23	16	12	204	34	12	21	38	131	212	240	263	136	33	3
Disease of Kidneys	338	–	4	4	4	8	20	9	4	11	25	53	67	68	48	26	4	–
Disease of Gener. Organs	156	–	1	1	–	–	2	–	–	3	6	33	32	40	17	20	3	–
Disease of Joints	191	2	5	1	1	3	12	30	17	5	15	11	13	11	10	5	2	–
Disease of Skin	77	23	10	3	1	2	41	2	5	–	3	1	3	7	5	8	4	–
Childbirth and Metria	472	–	–	–	–	–	–	–	–	29	89	206	140	8	–	–	–	–
Suicide	42	–	–	–	–	–	–	–	1	–	1	10	11	9	5	4	1	–
Other Violent Deaths	848	85	76	43	35	36	275	149	39	27	23	49	65	71	76	45	31	7
Other Causes	6205	2359	540	140	69	23	3335	51	19	21	28	81	131	246	403	843	784	236
474.—ASHTON-UNDER-LYNE.																		
Mean Popul^n. 1861–71	70410	2020	1704	1653	1636	1610	8623	7433	6984	7212	7187	11380	8732	6536	3998	1810	478	37
TOTAL DEATHS	16563	3001	1512	665	498	317	6893	661	359	558	644	1271	1164	1210	1478	1372	816	137
Small-pox	42	10	6	7	1	3	27	2	3	2	3	2	–	2	1	–	–	–
Measles	477	82	167	89	52	15	405	28	3	1	–	–	–	–	–	–	–	–
Scarlatina	788	34	114	135	133	101	519	214	55	10	6	2	2	–	–	–	–	–
Diphtheria	73	5	14	8	6	10	43	18	5	–	3	1	2	1	–	–	–	–
Hooping-cough	379	147	127	40	17	27	367	9	2	–	1	–	–	–	–	–	–	–
Typhus	281	17	27	23	35	30	135	79	56	53	46	67	46	41	33	22	6	–
Diarrhœa & Dysentery	862	496	148	18	15	3	680	8	1	4	4	10	22	19	37	48	27	2
Cholera	36	11	5	–	–	–	16	2	–	–	–	2	3	3	4	4	2	–
Other Zymotic Dis.	371	37	56	47	36	16	192	31	12	16	11	13	12	19	25	19	12	1
Cancer	291	–	–	–	–	1	1	–	–	–	2	21	47	62	50	89	9	–
Scrofula and Tabes	163	51	37	9	6	2	105	9	7	4	8	6	9	8	7	–	–	–
Phthisis	2167	20	12	12	12	6	62	27	93	329	371	600	356	193	97	25	4	–
Hydrocephalus	192	66	56	21	15	15	169	15	5	1	–	–	1	–	–	1	–	–
Disease of Brain	2186	978	167	79	48	30	1302	57	33	25	21	65	84	130	136	186	77	6
Disease of Heart & Dropsy	1186	7	17	6	5	5	40	25	29	31	40	118	157	221	284	206	44	4
Disease of Lungs	2379	581	317	96	50	25	1069	66	21	10	23	102	143	265	397	321	149	12
Disease of Stom. and Liver	693	67	16	2	5	9	99	19	16	25	24	60	85	115	132	92	24	2
Disease of Kidneys	99	1	–	1	1	–	3	4	3	4	6	19	15	17	16	9	3	–
Disease of Gener. Organs	64	–	1	–	–	–	1	–	–	2	2	9	12	20	13	4	1	–
Disease of Joints	74	–	1	1	2	1	5	6	6	6	5	9	6	9	13	7	2	–
Disease of Skin	20	9	2	–	–	–	11	–	–	–	–	–	–	2	4	2	1	–
Childbirth and Metria	257	–	–	–	–	–	–	–	–	7	46	126	74	4	–	–	–	–
Suicide	25	–	–	–	–	–	–	–	–	2	–	3	3	7	5	4	1	–
Other Violent Deaths	216	19	18	10	11	13	80	25	21	11	6	3	16	17	14	12	10	1
Other Causes	2890	1261	234	41	17	8	1561	14	8	15	13	28	59	55	153	371	441	169

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–
475.—OLDHAM.																	
Mean Popul^n, 1861-71	58019	1874	1620	1601	1551	1486	8132	6795	6148	5825	5711	9074	6946	4897	2891	1246	329
TOTAL DEATHS	15808	4684	1628	739	153	380	7884	758	353	399	168	797	929	1084	1289	1099	654
Small-pox	77	22	3	4	7	4	40	12	1	7	5	8	2	2	–	–	–
Measles	387	83	161	76	35	12	367	18	1	–	–	–	1	–	–	–	–
Scarlatina	1035	57	147	186	146	143	679	286	51	12	3	3	–	1	1	–	–
Diphtheria	92	17	21	6	11	8	63	19	2	1	–	1	3	1	2	–	–
Whooping-cough	324	145	96	41	16	15	316	7	1	–	–	–	–	–	–	–	–
Typhus	330	24	20	12	22	18	96	59	48	51	52	65	58	49	30	14	8
Diarrhœa & Dysentery	755	462	143	29	10	2	644	10	2	4	1	2	7	9	25	28	18
Cholera	60	12	3	–	1	1	17	2	1	1	1	2	6	10	12	7	1
Other Zymotic Dis.	476	62	83	53	46	32	276	33	16	17	11	21	20	24	22	18	11
Cancer	70	–	–	–	–	–	–	–	2	–	1	3	4	13	30	11	6
Scrofula and Tabes	309	162	60	11	7	5	245	13	11	12	7	6	4	4	7	–	–
Phthisis	1568	28	26	16	6	13	89	47	66	179	246	339	261	207	95	32	7
Hydrocephalus	241	97	64	28	16	9	214	21	5	1	–	–	–	–	–	–	–
Dis. of Brain	2129	1036	193	75	44	38	1386	71	38	24	25	53	75	95	152	143	61
Dis. of Heart & Dropsy	777	17	11	3	6	10	47	35	25	15	18	58	100	132	178	128	39
Dis. of Lungs	2754	822	322	103	42	36	1325	41	13	10	24	64	162	271	375	308	145
Dis. of Stom. and Liver	605	84	10	8	7	2	111	20	17	21	14	46	61	102	112	75	26
Dis. of Kidneys	159	1	1	2	3	1	8	5	4	1	7	19	15	19	27	38	13
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	46	–	–	2	–	1	3	4	4	6	4	3	7	4	7	3	1
Dis. of Skin	30	15	–	3	–	2	20	1	3	1	1	1	1	1	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	88	–	–	–	–	–	–	–	1	–	2	12	13	27	18	12	3
Other Violent Deaths	502	9	22	31	19	15	96	34	24	28	35	67	69	58	49	30	10
Other Causes	2793	1529	242	47	9	13	1840	20	15	8	11	24	54	55	116	232	305
476.—ROCHDALE.																	
Mean Popul^n, 1861-71	48366	1497	1336	1266	1210	1207	6516	5662	5258	4993	4597	7335	5851	4163	2515	1142	314
TOTAL DEATHS	12333	3207	1183	508	375	259	5532	565	263	364	370	702	818	980	1087	976	591
Small-pox	94	23	11	7	6	6	53	7	3	10	10	7	4	–	–	–	–
Measles	327	80	127	57	29	18	311	16	–	–	–	–	–	–	–	–	–
Scarlatina	715	38	106	103	129	93	469	197	33	11	2	3	–	–	–	–	–
Diphtheria	63	13	13	6	5	7	44	11	2	1	2	–	3	–	–	–	–
Whooping-cough	218	95	73	32	4	6	210	8	–	–	–	–	–	–	–	–	–
Typhus	420	14	21	10	18	11	74	45	41	46	30	55	50	37	15	20	4
Diarrhœa & Dysentery	522	313	91	16	2	5	427	9	4	2	3	4	7	11	22	12	20
Cholera	42	5	2	1	4	–	12	–	–	1	–	4	5	6	5	5	4
Other Zymotic Dis.	327	56	38	48	29	27	198	28	5	8	9	13	19	15	17	7	8
Cancer	83	–	–	–	–	1	1	–	–	–	3	2	9	22	22	17	7
Scrofula and Tabes	237	93	56	14	6	3	172	18	14	7	9	8	2	5	2	–	–
Phthisis	1269	15	15	13	7	1	51	22	42	175	177	308	230	158	82	23	1
Hydrocephalus	246	89	70	28	16	8	211	25	6	1	1	1	1	–	–	–	–
Dis. of Brain	1609	675	123	51	36	28	913	56	26	20	25	41	66	90	127	158	82
Dis. of Heart & Dropsy	611	14	12	6	5	6	43	21	14	15	13	50	71	114	134	98	33
Dis. of Lungs	2244	559	209	68	48	17	901	38	11	12	29	75	160	235	343	256	126
Dis. of Stom. and Liver	569	84	17	4	3	6	114	16	17	17	14	38	55	99	115	60	21
Dis. of Kidneys	165	1	5	3	3	3	15	6	6	4	4	10	18	29	31	29	12
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	46	–	2	2	2	2	8	2	7	5	4	4	1	6	5	4	–
Dis. of Skin	28	10	3	1	–	–	14	2	1	2	–	1	1	1	1	3	2
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	58	–	–	–	–	–	–	–	–	1	–	6	12	13	15	9	2
Other Violent Deaths	404	12	16	17	14	9	68	31	19	24	26	44	55	63	47	14	11
Other Causes	2036	1018	173	21	9	2	1223	4	9	2	9	23	49	76	104	221	258
477.—HASLINGDEN.																	
Mean Popul^n, 1861-71	36097	1137	956	992	957	894	4936	4192	4064	3846	3516	5408	4156	3103	1862	792	205
TOTAL DEATHS	8584	2551	798	315	238	157	4059	427	221	250	265	431	503	577	705	693	379
Small-pox	20	3	2	–	–	–	5	1	1	–	3	5	3	2	–	–	–
Measles	188	48	82	28	17	10	185	2	–	–	–	–	1	–	–	–	–
Scarlatina	516	38	71	81	66	48	304	164	37	8	2	1	–	–	–	–	–
Diphtheria	45	5	14	7	2	5	33	8	–	–	–	1	–	–	–	2	1
Whooping-cough	168	86	54	13	9	5	167	1	–	–	–	–	–	–	–	–	–
Typhus	306	12	13	10	7	8	50	45	17	26	33	40	31	18	26	15	5
Diarrhœa & Dysentery	342	204	47	6	6	2	265	1	1	1	–	9	3	11	24	18	9
Cholera	28	3	1	–	–	–	4	1	1	–	1	4	4	6	4	3	–
Other Zymotic Dis.	239	40	46	35	35	12	168	23	7	11	4	9	14	11	9	6	6
Cancer	51	1	–	–	–	–	1	–	1	–	1	1	6	14	15	11	1
Scrofula and Tabes	197	93	40	7	5	–	145	11	15	3	6	6	5	3	1	2	–
Phthisis	805	26	14	7	5	5	57	15	32	119	136	179	123	76	52	13	3
Hydrocephalus	208	86	56	18	11	7	178	23	6	1	–	–	–	–	–	–	–
Dis. of Brain	1182	506	73	22	16	18	635	48	24	15	10	27	45	80	98	121	74
Dis. of Heart & Dropsy	411	4	3	2	6	–	15	7	15	6	14	27	40	73	92	88	33
Dis. of Lungs	1556	468	172	48	32	19	739	30	16	12	15	47	90	114	184	200	98
Dis. of Stom. and Liver	597	159	27	4	5	4	199	12	19	17	12	22	55	60	110	71	19
Dis. of Kidneys	139	2	3	2	2	1	10	4	4	1	6	6	19	22	22	31	12
Dis. of Gener. Organs	3	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–
Dis. of Joints	51	2	2	1	1	–	6	8	9	6	2	5	5	4	3	2	1
Dis. of Skin	24	9	4	–	–	1	14	1	–	1	–	1	–	2	1	4	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	28	–	–	–	–	–	–	–	–	–	1	5	5	7	6	3	1
Other Violent Deaths	309	11	19	15	11	11	67	19	17	17	18	25	41	48	30	19	5
Other Causes	1141	745	55	9	2	1	812	3	5	6	1	10	13	26	27	83	111

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
475.—OLDHAM.																		
Mean Popul^n, 1861–71	61110	1917	1646	1636	1526	1603	8328	6870	6193	6032	5984	9916	7467	5261	3140	1463	410	41
TOTAL DEATHS	14644	3628	1605	708	454	338	6733	702	276	456	512	1010	966	952	1114	1133	673	117
Small-pox	55	6	2	6	4	2	20	6	7	8	5	8	–	1	–	–	–	–
Measles	400	96	154	91	21	15	380	19	–	–	–	–	1	–	–	–	–	–
Scarlatina	950	51	158	159	139	123	630	263	42	8	4	2	1	–	–	–	–	–
Diphtheria	99	13	14	17	7	11	62	24	6	–	2	3	1	–	–	–	1	–
Whooping-cough	401	160	124	52	29	20	385	16	–	–	–	–	–	–	–	–	–	–
Typhus	487	17	23	15	23	19	97	50	43	57	41	52	44	45	31	21	6	–
Diarrhœa & Dysentery	698	364	154	15	10	5	548	5	3	1	6	15	7	9	26	47	29	2
Cholera	46	8	3	1	–	3	15	2	1	–	–	4	6	5	8	4	1	–
Other Zymotic Dis.	410	53	75	53	48	37	266	32	8	7	11	17	16	15	26	17	5	–
Cancer	200	–	–	–	–	–	–	1	–	–	1	8	30	58	53	38	11	–
Scrofula and Tabes	244	124	56	20	3	3	206	6	7	5	5	4	2	4	3	1	1	–
Phthisis	1713	32	27	7	5	5	76	44	69	256	264	473	290	151	59	30	1	–
Hydrocephalus	169	72	48	17	10	5	152	14	3	–	–	–	–	–	–	–	–	–
Dis. of Brain	1706	698	184	63	50	26	1021	63	32	17	20	41	64	76	129	150	73	5
Dis. of Heart & Dropsy	961	18	11	7	4	9	49	35	20	36	25	84	124	186	186	155	58	3
Dis. of Lungs	2356	572	302	101	57	33	1065	38	8	15	23	72	129	228	328	314	124	12
Dis. of Stom. and Liver	614	71	14	9	8	4	106	14	10	10	17	51	74	91	117	99	25	–
Dis. of Kidneys	61	1	–	1	3	–	5	4	1	4	4	9	8	9	11	5	1	–
Dis. of Gener. Organs	53	–	–	–	–	–	–	–	–	–	–	4	17	12	13	6	1	–
Dis. of Joints	38	2	1	–	–	–	3	5	1	4	2	6	5	5	4	3	–	–
Dis. of Skin	30	8	4	3	1	2	18	–	–	–	2	1	2	–	4	2	1	–
Childbirth and Metria	293	–	–	–	–	–	–	–	–	11	61	122	96	3	–	–	–	–
Suicide	24	–	–	–	–	–	–	–	–	3	2	5	3	6	3	1	–	1
Other Violent Deaths	131	12	10	17	8	6	53	22	8	5	2	5	11	3	5	10	5	2
Other Causes	2475	1250	241	54	21	10	1576	13	7	9	6	24	35	45	108	230	330	92
476.—ROCHDALE.																		
Mean Popul^n, 1861–71	52440	1507	1304	1350	1221	1203	6585	5745	5341	5476	5356	8492	6443	4587	2705	1293	383	34
TOTAL DEATHS	11727	2582	1168	524	348	265	4887	566	283	408	482	854	824	768	948	978	620	109
Small-pox	64	12	8	9	3	5	37	6	5	5	6	5	–	–	–	–	–	–
Measles	284	56	124	62	21	9	271	11	1	1	–	–	–	–	–	–	–	–
Scarlatina	708	45	98	101	109	94	447	205	33	5	7	7	3	1	–	–	–	–
Diphtheria	49	8	6	7	7	8	36	7	4	–	1	–	–	–	1	–	–	–
Whooping-cough	294	113	98	36	20	12	279	15	–	–	–	–	–	–	–	–	–	–
Typhus	467	11	25	18	16	17	87	64	46	56	35	61	48	20	22	17	9	2
Diarrhœa & Dysentery	457	267	72	18	1	2	360	6	–	–	5	3	6	10	19	28	18	2
Cholera	28	7	2	–	–	1	10	3	1	–	1	1	2	2	2	3	3	–
Other Zymotic Dis.	285	41	41	31	38	22	176	29	6	3	6	6	13	9	12	17	7	1
Cancer	217	–	–	–	–	–	–	1	–	–	1	7	44	57	74	21	11	1
Scrotula and Tabes	164	55	48	4	9	8	124	8	4	6	6	2	7	5	2	–	–	–
Phthisis	1422	7	14	6	6	10	43	24	65	218	244	378	251	131	49	16	3	–
Hydrocephalus	206	64	59	21	10	14	168	26	11	–	–	1	–	–	–	–	–	–
Dis. of Brain	1425	503	133	65	37	23	761	59	20	21	27	36	53	88	116	157	71	7
Dis. of Heart & Dropsy	749	11	9	2	3	2	27	16	33	26	35	74	87	122	161	129	37	2
Dis. of Lungs	1835	451	228	91	35	22	827	33	11	21	26	77	98	136	244	243	108	11
Dis. of Stom. and Liver	613	64	16	2	3	1	86	18	12	19	22	47	79	99	119	81	30	1
Dis. of Kidneys	98	1	2	2	6	6	17	3	3	8	1	17	15	14	10	6	4	–
Dis. of Gener. Organs	41	–	–	–	–	–	–	–	–	–	1	8	7	12	6	6	1	–
Dis. of Joints	37	2	1	1	1	–	5	5	3	4	2	1	9	5	1	2	–	–
Dis. of Skin	20	6	2	1	–	–	9	–	–	–	–	2	–	1	1	3	3	1
Childbirth and Metria	202	–	–	–	–	–	–	–	–	7	42	91	60	2	–	–	–	–
Suicide	33	–	–	–	–	–	–	–	–	4	3	3	8	5	6	4	–	–
Other Violent Deaths	125	7	8	12	8	5	40	15	10	1	6	6	5	10	8	13	9	2
Other Causes	1904	851	172	35	15	4	1077	12	6	3	5	21	29	39	95	232	306	79
477.—HASLINGDEN.																		
Mean Popul^n, 1861–71	38772	1165	1028	976	959	941	5069	4355	4197	4192	3980	6047	4558	3308	1913	888	236	29
TOTAL DEATHS	8326	1967	809	323	249	188	3536	390	187	322	342	635	532	569	633	684	388	108
Small-pox	17	5	1	1	–	1	8	–	–	2	3	1	1	2	–	–	–	–
Measles	221	53	102	31	18	10	214	4	1	1	–	1	–	–	–	–	–	–
Scarlatina	523	28	65	82	76	74	325	152	32	7	4	3	–	–	–	–	–	–
Diphtheria	41	7	5	5	5	4	26	12	1	1	1	–	–	–	–	–	–	–
Whooping-cough	225	89	86	20	20	5	220	4	–	1	–	–	–	–	–	–	–	–
Typhus	335	11	20	7	13	11	62	38	25	50	25	37	32	29	18	14	5	–
Diarrhœa & Dysentery	358	176	48	9	3	–	236	4	1	2	4	13	12	13	17	28	26	2
Cholera	28	8	2	–	1	–	11	2	1	–	1	1	2	2	5	2	1	–
Other Zymotic Dis.	293	37	42	32	41	21	176	30	6	7	10	11	13	14	12	9	4	1
Cancer	142	–	–	–	–	1	1	–	–	–	1	2	18	44	43	28	5	–
Scrofula and Tabes	170	79	39	10	1	1	130	6	7	7	6	5	5	3	1	–	–	–
Phthisis	952	21	12	3	5	3	44	13	56	167	156	212	139	84	38	11	2	–
Hydrocephalus	162	60	51	13	9	7	140	17	3	1	1	–	–	–	–	–	–	–
Dis. of Brain	1035	373	55	33	21	21	503	26	12	21	18	34	42	78	106	132	52	11
Dis. of Heart & Dropsy	519	3	5	2	1	2	13	5	13	11	18	60	66	100	114	82	36	1
Dis. of Lungs	1307	340	177	55	20	16	608	25	8	12	16	45	61	81	135	197	96	23
Dis. of Stom. and Liver	561	98	23	3	3	1	128	19	9	12	27	57	51	78	90	72	13	5
Dis. of Kidneys	71	2	1	–	–	1	4	3	2	3	4	7	13	7	14	13	3	1
Dis. of Gener. Organs	19	–	–	–	–	–	–	–	–	–	–	6	2	6	4	1	–	–
Dis. of Joints	37	–	–	–	–	–	–	3	3	3	1	2	8	6	4	5	2	–
Dis. of Skin	21	7	2	–	–	–	9	2	1	–	–	1	–	2	–	3	3	–
Childbirth and Metria	194	–	–	–	–	–	–	–	–	7	41	95	51	–	–	–	–	–
Suicide	12	–	–	–	–	–	–	–	–	–	2	–	4	3	2	–	1	–
Other Violent Deaths	102	9	12	7	6	3	37	22	4	2	2	5	3	3	10	5	9	–
Other Causes	978	561	61	10	6	3	641	3	2	5	1	7	9	14	20	82	130	64

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	8
478.—BURNLEY.																		
Mean Popul^{n}, 1861–71	39860	1234	1142	1110	1052	1041	5579	4765	4348	4166	3794	5887	4588	3390	2031	961	274	2
TOTAL DEATHS	10054	3089	1045	418	260	190	5002	445	216	339	310	468	527	591	776	790	499	9
Small-pox	37	9	4	8	1	–	22	2	1	2	1	6	1	–	2	–	–	
Measles	234	59	91	35	20	15	223	10	1	–	–	–	–	–	–	–	–	
Scarlatina	502	27	87	87	71	68	340	136	14	5	3	3	1	–	–	–	–	
Diphtheria	55	10	8	14	6	7	45	5	2	1	1	–	–	1	–	–	–	
Whooping-cough	214	96	73	19	15	8	211	3	–	–	–	–	–	–	–	–	–	
Typhus	441	26	24	21	16	11	98	70	38	41	41	43	36	24	27	16	5	
Diarrhœa & Dysentery	391	254	60	7	5	2	328	7	3	1	2	3	1	8	15	12	11	
Cholera	49	15	4	2	1	1	23	1	–	1	1	2	2	8	6	4	1	
Other Zymotic Dis.	279	26	54	36	30	20	166	33	4	5	3	11	14	12	13	12	4	
Cancer	74	–	–	–	–	–	–	–	–	1	1	4	5	10	28	21	3	
Scrofula and Tabes	198	63	44	7	6	1	126	14	11	13	6	10	4	4	5	3	2	
Phthisis	1100	31	39	17	11	6	104	19	49	162	165	204	153	118	85	34	6	
Hydrocephalus	117	38	32	14	7	6	97	16	4	–	–	–	–	–	–	–	–	
Dis. of Brain	1597	925	92	33	18	8	1076	21	14	21	13	19	42	71	110	125	68	1
Dis. of Heart & Dropsy	527	10	6	4	3	4	27	19	16	14	18	39	65	75	112	104	33	
Dis. of Lungs	1581	476	221	58	33	18	806	32	6	21	15	39	67	116	182	193	93	
Dis. of Stom. and Liver	487	75	17	11	3	3	109	14	21	11	9	31	58	76	78	57	21	
Dis. of Kidneys	136	1	–	2	1	1	5	7	5	7	7	4	7	15	26	34	18	
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
Dis. of Joints	47	4	3	1	–	–	8	11	7	1	4	3	4	3	5	1	–	
Dis. of Skin	25	7	1	2	1	–	11	–	–	2	–	–	–	3	1	6	2	
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Suicide	26	–	–	–	–	–	–	–	–	–	–	3	8	6	7	2	–	
Other Violent Deaths	271	5	16	12	9	7	49	15	18	18	19	31	38	25	26	22	9	
Other Causes	1665	927	166	28	3	4	1128	7	2	7	1	12	21	16	48	144	223	5
479.—CLITHEROE.																		
Mean Popul^{n}, 1861–71	10469	292	284	254	262	258	1350	1199	1222	1076	862	1347	1182	954	691	408	154	2
TOTAL DEATHS	2139	494	153	55	46	24	772	70	52	68	55	94	123	116	195	292	236	6
Small-pox	11	3	–	2	1	–	6	–	–	–	1	–	2	1	1	–	–	
Measles	34	9	15	5	2	–	31	3	–	–	–	–	–	–	–	–	–	
Scarlatina	72	8	10	7	18	4	47	16	4	8	2	–	–	–	–	–	–	
Diphtheria	13	–	3	2	–	3	8	1	3	–	–	–	–	1	–	–	–	
Whooping-cough	35	17	10	2	1	2	32	3	–	–	–	–	–	–	–	–	–	
Typhus	66	2	2	3	2	2	11	7	7	5	5	6	7	4	8	5	1	
Diarrhœa & Dysentery	48	29	5	1	–	–	35	–	2	–	–	2	2	1	–	1	5	
Cholera	3	–	1	–	–	–	1	–	–	–	–	–	–	1	1	–	–	
Other Zymotic Dis.	62	8	4	3	5	–	20	8	5	1	1	2	4	–	8	7	6	
Cancer	9	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	4	
Scrofula and Tabes	45	19	5	5	–	1	30	3	4	2	1	1	2	–	1	1	–	
Phthisis	186	–	1	–	–	–	1	3	2	32	27	46	34	19	15	7	–	
Hydrocephalus	22	13	2	2	1	–	18	4	–	–	–	–	–	–	–	–	–	
Dis. of Brain	315	107	22	7	6	1	143	6	4	2	1	9	11	23	37	44	26	
Dis. of Heart & Dropsy	136	–	1	1	1	2	5	–	3	2	2	5	10	12	27	47	21	
Dis. of Lungs	347	77	43	6	5	3	134	4	6	4	5	7	17	20	45	61	36	
Dis. of Stom. and Liver	134	7	2	–	1	–	10	2	6	6	5	5	15	16	19	30	18	
Dis. of Kidneys	40	–	–	–	–	–	–	2	–	–	2	1	3	3	9	17	2	
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Dis. of Joints	17	–	–	–	–	1	1	3	–	3	–	2	–	2	2	4	–	
Dis. of Skin	8	1	1	–	–	1	3	–	–	–	–	–	–	–	2	2	1	
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Suicide	3	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	
Other Violent Deaths	54	2	1	1	1	2	7	4	4	7	2	3	8	5	5	5	2	
Other Causes	479	192	25	8	2	2	229	1	2	1	1	3	7	6	13	60	112	4
480.—BLACKBURN.																		
Mean Popul^{n}, 1861–71	63162	2247	1920	1845	1797	1663	9472	7726	7279	6437	5894	9348	7215	4976	2978	1400	397	4
TOTAL DEATHS	17432	5878	1952	813	489	343	9475	689	330	519	500	869	947	1063	1148	1103	656	13
Small-pox	37	8	1	5	2	–	16	2	6	6	4	1	2	–	–	–	–	
Measles	487	123	203	79	49	21	475	10	1	–	–	1	–	–	–	–	–	
Scarlatina	794	58	132	157	125	98	570	188	22	8	4	2	–	–	–	–	–	
Diphtheria	36	5	10	4	3	4	26	4	1	1	3	1	–	–	–	–	–	
Whooping-cough	326	153	92	45	18	10	318	8	–	–	–	–	–	–	–	–	–	
Typhus	677	30	40	41	28	26	165	96	53	69	64	76	49	55	33	9	8	
Diarrhœa & Dysentery	1000	685	154	21	4	5	869	6	5	2	7	12	11	10	17	37	19	
Cholera	44	4	5	3	–	1	13	4	–	1	–	1	3	8	9	4	1	
Other Zymotic Dis.	513	76	124	82	50	31	363	36	12	8	11	8	18	18	19	14	6	
Cancer	89	–	–	–	–	–	–	–	–	1	1	5	8	16	28	24	6	
Scrofula and Tabes	425	206	84	35	10	6	341	22	22	10	6	11	6	2	4	–	1	
Phthisis	1689	76	50	17	11	7	161	35	52	228	248	395	278	168	87	36	1	
Hydrocephalus	268	120	75	25	15	8	243	20	3	1	–	1	–	–	–	–	–	
Dis. of Brain	2327	1173	182	73	53	30	1511	63	28	36	30	66	75	113	155	152	90	
Dis. of Heart & Dropsy	760	70	22	9	8	9	118	24	19	29	21	53	90	105	136	129	34	
Dis. of Lungs	3481	1121	482	156	72	49	1880	81	19	35	37	92	191	258	361	343	162	1
Dis. of Stom. and Liver	697	155	24	5	2	5	191	19	27	23	23	42	75	101	91	81	22	
Dis. of Kidneys	192	5	3	3	1	3	15	6	2	9	4	21	15	33	37	28	22	
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
Dis. of Joints	73	–	2	1	1	1	5	7	9	15	3	5	6	13	6	3	1	
Dis. of Skin	29	8	2	2	–	–	12	1	–	2	1	1	2	1	3	5	1	
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Suicide	66	–	–	–	–	–	–	–	–	1	3	10	12	14	19	7	–	
Other Violent Deaths	521	5	30	23	29	23	113	50	44	27	25	42	63	76	44	28	8	
Other Causes	2900	1797	235	24	8	6	2070	7	5	7	5	23	43	71	99	203	274	9

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
478.—BURNLEY.																		
Mean Popul^n, 1861-71	41841	1259	1189	1125	1071	1033	5677	4780	4486	4376	4162	6488	4833	3537	2134	1035	302	31
TOTAL DEATHS	9537	2320	952	418	280	187	4157	437	210	363	490	664	653	591	727	768	470	97
Small-pox	48	16	7	2	9	2	36	5	–	4	1	1	1	–	–	–	–	–
Measles	247	46	107	52	19	8	232	12	1	–	1	–	1	–	–	–	–	–
Scarlatina	503	24	64	75	89	63	317	142	37	4	1	1	–	–	1	–	–	–
Diphtheria	52	8	9	7	6	4	34	12	3	1	1	1	–	–	–	–	–	–
Hooping-cough	229	86	66	28	21	10	221	8	–	–	–	–	–	–	–	–	–	–
Typhus	421	23	41	28	25	18	136	64	34	47	26	38	26	24	14	12	3	–
Diarrhœa & Dysentery	393	293	54	10	3	1	301	2	1	5	2	11	6	6	21	28	12	1
Cholera	49	14	3	–	2	5	24	5	–	–	3	2	–	5	4	5	1	–
Other Zymotic Dis.	235	35	37	29	27	13	141	29	6	3	5	6	8	14	12	10	1	–
Cancer	155	–	–	–	1	–	1	1	–	1	–	4	21	40	49	32	5	1
Scrofula and Tabes	155	59	33	9	4	2	107	1	7	7	9	5	8	5	6	1	–	–
Phthisis	1355	42	25	15	3	4	89	25	56	211	205	332	227	109	71	26	1	1
Hydrocephalus	100	37	30	11	5	6	89	7	2	1	–	1	–	–	–	–	–	–
Dis. of Brain	1313	577	117	37	19	18	768	31	15	17	25	34	51	79	115	115	55	8
Dis. of Heart & Dropsy	655	8	7	1	4	2	22	19	13	15	25	58	105	110	143	104	38	1
Dis. of Lungs	1249	312	174	57	26	20	619	25	9	15	24	32	50	84	126	164	91	9
Dis. of Stom. and Liver	468	40	9	6	2	2	59	17	7	13	19	34	64	73	90	76	15	1
Dis. of Kidneys	68	3	1	–	–	–	4	2	2	3	1	5	7	8	18	7	8	3
Dis. of Gener. Organs	29	–	–	–	–	–	–	–	–	1	2	4	1	8	5	5	1	2
Dis. of Joints	41	1	–	1	2	–	4	3	7	2	1	6	6	3	5	1	3	–
Dis. of Skin	18	5	3	1	–	–	9	–	1	–	–	–	1	2	2	2	1	–
Childbirth and Metria	170	–	–	–	–	–	–	–	–	6	41	72	48	3	–	–	–	–
Suicide	7	–	–	–	–	–	–	–	1	–	–	1	2	–	–	2	1	–
Other Violent Deaths	98	6	11	16	5	6	44	16	3	3	3	5	5	2	6	5	5	1
Other Causes	1476	705	152	33	7	3	900	10	5	4	5	11	15	16	39	173	229	69
479.—CLITHEROE.																		
Mean Popul^n, 1861-71	10310	308	275	281	241	248	1353	1121	1069	978	912	1444	1196	946	691	430	154	16
TOTAL DEATHS	2087	387	115	54	39	28	623	83	47	83	93	174	158	108	173	265	221	59
Small-pox	11	5	–	–	–	–	5	1	–	–	3	1	1	–	–	–	–	–
Measles	34	8	11	4	3	2	28	5	–	–	–	–	1	–	–	–	–	–
Scarlatina	74	3	11	7	9	10	40	22	7	1	–	2	1	1	–	–	–	–
Diphtheria	12	–	–	3	2	–	5	3	3	–	–	–	1	–	–	–	–	–
Hooping-cough	48	26	12	5	1	2	46	2	–	–	–	–	–	–	–	–	–	–
Typhus	67	1	4	1	5	1	12	13	9	8	3	5	5	5	5	2	–	–
Diarrhœa & Dysentery	34	17	2	1	–	–	20	–	2	–	–	3	2	1	–	4	1	1
Cholera	2	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Other Zymotic Dis.	51	4	4	9	2	1	20	7	–	3	1	3	3	1	5	6	1	1
Cancer	33	–	–	–	–	–	–	–	–	–	–	1	1	8	12	8	3	–
Scrofula and Tabes	32	12	4	4	1	–	21	1	1	–	1	2	3	2	–	1	–	–
Phthisis	281	2	1	1	–	1	5	2	11	46	50	78	47	18	16	6	2	–
Hydrocephalus	22	9	4	6	1	1	21	–	–	1	–	–	–	–	–	–	–	–
Dis. of Brain	225	77	8	3	6	4	98	7	4	1	3	6	6	12	22	36	26	4
Dis. of Heart & Dropsy	147	1	2	–	1	–	4	1	4	7	4	16	12	13	32	36	17	1
Dis. of Lungs	296	48	26	7	3	4	88	9	1	6	6	13	18	24	30	61	33	7
Dis. of Stom. and Liver	127	6	2	–	–	–	8	2	3	2	6	12	17	9	30	30	8	–
Dis. of Kidneys	14	–	–	–	–	–	–	–	–	1	–	3	3	1	2	3	1	–
Dis. of Gener. Organs	8	–	–	–	–	–	–	–	–	1	1	–	1	1	3	1	–	–
Dis. of Joints	8	–	–	–	1	–	1	1	–	2	1	–	1	–	–	–	2	–
Dis. of Skin	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	59	–	–	–	–	–	–	–	–	1	10	26	21	1	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–
Other Violent Deaths	26	1	4	2	3	–	10	5	–	1	1	–	1	–	3	1	3	1
Other Causes	471	165	20	1	1	2	189	2	2	2	3	3	12	9	12	69	124	44
480.—BLACKBURN.																		
Mean Popul^n, 1861-71	68714	2174	1916	1902	1818	1699	9509	8044	7458	7265	6923	10843	7840	5521	3284	1529	449	49
TOTAL DEATHS	16530	4592	1823	853	482	339	8089	721	329	577	651	1120	1051	981	1170	1045	655	150
Small-pox	33	9	2	5	1	4	21	2	2	4	1	2	1	–	–	–	–	–
Measles	456	93	196	100	29	17	435	18	1	–	1	–	–	–	–	1	–	–
Scarlatina	788	50	135	127	124	89	525	209	34	10	3	4	3	–	–	–	–	–
Diphtheria	63	9	9	12	7	5	42	12	3	2	–	–	–	2	1	–	1	–
Hooping-cough	400	171	128	40	31	12	382	17	1	–	–	–	–	–	–	–	–	–
Typhus	776	34	35	42	36	33	180	117	75	107	79	81	47	34	38	12	3	–
Diarrhœa & Dysentery	935	601	138	29	7	5	780	8	3	1	10	11	8	16	33	33	30	2
Cholera	33	1	2	2	1	2	8	2	1	–	–	4	5	3	3	7	–	–
Other Zymotic Dis.	460	63	88	57	59	37	334	29	10	10	11	16	10	7	15	11	7	–
Cancer	204	–	–	–	–	–	–	–	1	1	3	11	33	62	59	25	11	–
Scrofula and Tabes	301	153	64	23	6	6	255	13	6	6	3	4	6	5	1	1	1	–
Phthisis	1957	48	37	19	9	5	118	43	100	293	332	523	305	152	73	17	1	–
Hydrocephalus	183	83	47	15	15	8	168	8	2	1	2	–	1	–	1	–	–	–
Dis. of Brain	1951	863	161	72	34	40	1173	64	19	23	23	54	65	113	180	157	69	11
Dis. of Heart & Dropsy	842	61	23	16	2	4	106	27	17	19	31	91	124	143	143	108	30	3
Dis. of Lungs	3210	854	495	185	93	48	1678	65	23	28	45	105	182	238	355	321	149	21
Dis. of Stom. and Liver	685	97	10	7	6	2	122	18	10	22	31	53	97	115	114	77	24	2
Dis. of Kidneys	90	1	3	5	1	–	10	3	4	6	3	14	12	10	18	8	2	–
Dis. of Gener. Organs	49	–	–	–	–	–	–	1	–	1	4	7	10	8	10	6	2	–
Dis. of Joints	46	2	2	1	–	1	6	4	4	9	3	6	1	5	6	2	–	–
Dis. of Skin	30	9	1	1	–	–	11	–	–	1	–	6	2	4	2	1	2	1
Childbirth and Metria	236	–	–	–	–	–	–	–	–	17	54	97	85	3	–	–	–	–
Suicide	15	–	–	–	–	–	–	–	–	–	1	1	10	1	2	–	–	–
Other Violent Deaths	201	20	23	28	7	14	92	35	11	5	2	5	7	9	11	13	10	1
Other Causes	2373	1367	221	37	11	7	1643	26	2	11	9	22	37	51	105	245	313	109

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
481.—CHORLEY.																		
Mean Popul^n, 1861-71	20692	640	597	603	594	537	2971	2526	2386	2096	1761	2675	2172	1809	1322	705	235	34
TOTAL DEATHS	1885	1353	408	170	118	86	2135	245	118	162	145	204	261	278	411	480	333	113
Small-pox	27	6	3	3	2	–	14	–	–	4	3	4	2	–	–	–	–	–
Measles	89	13	48	14	3	4	82	7	–	–	–	–	–	–	–	–	–	–
Scarlatina	211	15	29	28	32	28	132	65	8	5	1	–	–	–	–	–	–	–
Diphtheria	26	4	2	1	4	2	13	9	2	–	2	–	–	–	–	–	–	–
Whooping-cough	97	57	20	8	8	1	94	3	–	–	–	–	–	–	–	–	–	–
Typhus	191	9	11	10	6	9	45	28	17	18	10	18	11	13	14	12	5	–
Diarrhœa & Dysentery	164	82	27	9	5	2	125	–	1	1	1	5	3	1	5	13	8	1
Cholera	19	7	1	–	–	–	8	2	–	–	–	–	1	–	4	2	2	–
Other Zymotic Dis.	188	25	34	24	22	9	114	28	6	4	3	3	9	8	3	6	4	–
Cancer	26	–	–	–	–	–	–	–	–	–	–	–	4	5	6	8	2	1
Scrofula and Tabes	99	38	17	2	3	–	60	7	7	1	4	5	7	5	2	1	–	–
Phthisis	440	5	12	2	–	1	20	10	24	72	76	69	65	51	30	21	2	–
Hydrocephalus	43	25	10	1	2	2	40	3	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	560	263	28	17	3	4	315	18	10	10	6	10	25	24	54	51	32	5
Dis. of Heart & Dropsy	215	3	–	1	1	2	7	15	5	6	5	11	19	25	58	62	21	1
Dis. of Lungs	791	192	65	30	11	10	308	21	7	7	9	29	43	64	108	123	58	14
Dis. of Stom. and Liver	194	16	1	–	1	2	20	–	6	5	7	13	23	28	51	20	10	2
Dis. of Kidneys	84	–	–	–	1	–	1	1	–	5	4	5	11	7	7	26	16	1
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Dis. of Joints	16	–	–	1	–	–	1	3	4	–	1	1	2	–	3	1	–	–
Dis. of Skin	8	4	1	–	–	–	5	–	–	1	–	1	–	–	–	–	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	27	–	–	–	–	–	–	–	–	–	1	5	4	6	7	4	–	–
Other Violent Deaths	236	11	19	10	8	10	58	20	16	20	8	21	22	26	28	8	5	4
Other Causes	1133	578	80	9	6	–	673	5	5	3	4	4	10	15	51	112	167	84
482.—PRESTON.																		
Mean Popul^n, 1861-71	53198	1731	1570	1487	1471	1376	7635	6404	5886	5568	4845	7611	5937	4399	2922	1479	459	53
TOTAL DEATHS	15887	5036	1650	690	424	265	8065	656	316	416	455	885	932	995	1106	1128	744	18
Small-pox	39	9	1	3	1	2	16	5	4	2	4	6	–	2	–	–	–	–
Measles	412	90	176	78	31	20	395	12	3	1	1	–	–	–	–	–	–	–
Scarlatina	663	51	99	104	110	55	419	180	45	10	4	3	1	1	–	–	–	–
Diphtheria	137	17	36	24	17	12	106	22	3	1	1	1	2	–	–	–	1	–
Whooping-cough	339	165	87	46	21	8	327	11	–	–	–	–	1	–	–	–	–	–
Typhus	465	10	19	18	23	17	87	49	25	37	28	60	52	52	36	30	7	2
Diarrhœa & Dysentery	1376	988	214	26	5	5	1238	12	3	10	6	8	15	10	22	30	13	9
Cholera	62	20	5	2	2	1	30	3	–	–	1	3	1	12	7	3	2	–
Other Zymotic Dis.	432	70	103	56	54	23	306	33	8	7	3	11	13	11	10	17	12	1
Cancer	120	–	–	–	–	1	1	1	–	–	1	1	16	19	31	39	11	–
Scrofula and Tabes	332	126	70	27	10	7	240	25	22	8	11	13	5	3	2	2	1	–
Phthisis	1603	32	27	15	16	7	97	39	54	201	243	441	300	162	87	32	7	–
Hydrocephalus	252	124	63	19	9	9	224	22	6	–	–	–	–	–	–	–	–	–
Dis. of Brain	1858	895	140	62	35	26	1158	69	22	20	16	46	57	82	138	162	79	9
Dis. of Heart & Dropsy	593	8	1	2	1	6	18	15	22	17	23	50	70	101	127	103	42	5
Dis. of Lungs	2918	804	363	133	46	39	1385	65	20	23	29	91	168	272	363	329	153	26
Dis. of Stom. and Liver	613	124	17	9	8	6	164	14	16	16	16	39	72	91	97	66	21	1
Dis. of Kidneys	241	3	5	2	3	5	18	16	7	8	8	19	32	40	41	33	18	1
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Dis. of Joints	69	1	3	2	4	–	10	8	11	6	8	3	7	5	5	4	2	–
Dis. of Skin	32	7	2	2	1	–	12	–	1	2	2	–	4	2	1	4	2	2
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	49	–	–	–	–	–	–	–	–	4	4	7	8	13	10	3	–	–
Other Violent Deaths	494	21	34	25	20	10	110	43	39	35	35	51	53	43	38	36	8	3
Other Causes	2727	1471	185	85	7	6	1704	12	5	8	10	32	55	74	91	235	365	13
483.—FYLDE.																		
Mean Popul^n, 1861-71	13371	410	365	378	365	347	1865	1691	1705	1402	966	1624	1399	1185	845	485	180	2
TOTAL DEATHS	3036	742	214	105	99	43	1203	113	54	98	111	193	197	187	239	315	250	7
Small-pox	13	3	–	2	–	–	5	–	1	–	2	2	2	–	1	–	–	–
Measles	39	9	15	9	3	1	37	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	92	3	15	17	16	9	60	26	3	2	–	1	–	–	–	–	–	–
Diphtheria	14	1	2	1	3	1	8	2	1	2	–	–	1	–	–	–	–	–
Whooping-cough	35	12	12	6	3	1	34	1	–	–	–	–	–	–	–	–	–	–
Typhus	93	18	4	3	8	1	34	9	6	10	8	7	5	2	7	4	1	–
Diarrhœa & Dysentery	89	68	7	–	1	–	76	–	–	–	–	–	–	1	–	6	6	–
Cholera	11	3	2	–	–	–	5	–	–	–	1	1	1	1	1	1	–	–
Other Zymotic Dis.	108	12	21	11	18	10	72	9	4	2	1	2	1	2	5	8	1	–
Cancer	29	–	–	–	–	–	–	–	–	–	2	1	3	3	8	7	4	–
Scrofula and Tabes	64	25	13	7	2	1	48	3	2	4	1	3	1	1	–	1	–	–
Phthisis	274	1	2	–	4	–	7	6	8	32	35	71	47	27	30	11	–	–
Hydrocephalus	70	24	15	8	6	5	58	6	5	1	–	–	–	–	–	–	–	–
Dis. of Brain	358	112	18	12	7	8	152	9	6	11	9	10	22	30	36	48	21	–
Dis. of Heart & Dropsy	143	6	2	2	1	–	11	10	–	2	–	6	23	15	32	28	16	–
Dis. of Lungs	398	113	40	16	9	4	182	7	3	1	6	18	20	27	39	58	37	–
Dis. of Stom. and Liver	215	28	3	1	–	2	34	3	2	4	6	18	27	37	33	40	8	–
Dis. of Kidneys	43	–	–	–	3	–	3	–	1	1	3	3	6	4	3	11	8	–
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
Dis. of Joints	15	–	–	–	–	–	–	2	3	3	–	1	1	1	3	–	1	–
Dis. of Skin	15	3	2	–	1	–	6	–	1	1	–	2	–	1	1	2	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	15	–	–	–	–	–	–	–	–	–	–	2	2	9	2	–	–	–
Other Violent Deaths	186	3	5	5	8	4	25	8	8	18	35	36	19	16	13	5	2	–
Other Causes	715	298	36	5	6	1	346	10	–	4	2	8	16	10	25	35	144	6

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	All Ages.	Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
	AGES OF FEMALES.																	
481.—CHORLEY.																		
Mean Populn, 1861-71	21649	635	592	617	558	560	2962	2537	2397	2276	1997	3096	2353	1871	1248	634	246	32
TOTAL DEATHS	4063	1082	403	198	100	71	1854	202	110	212	201	317	289	271	380	398	337	92
Small-pox	26	7	3	3	1	2	16	2	1	2	3	1	-	1	-	-	-	-
Measles	92	21	36	20	9	1	87	4	1	-	-	-	-	-	-	-	-	-
Scarlatina	189	12	24	39	17	22	114	62	11	-	1	1	-	-	-	-	-	-
Diphtheria	22	3	4	3	1	2	13	6	2	-	-	-	-	-	1	-	-	-
Whooping-cough	130	64	37	14	6	3	124	6	-	-	-	-	-	-	-	-	-	-
Typhus	213	7	7	10	11	4	39	31	21	32	28	20	16	9	7	5	2	-
Diarrhœa & Dysentery	147	72	24	5	-	-	101	1	2	2	2	4	6	9	4	10	6	-
Cholera	9	2	-	1	-	1	4	2	-	-	-	2	-	-	1	-	-	-
Other Zymotic Dis.	171	34	31	25	18	13	121	11	7	4	3	3	1	3	7	9	2	-
Cancer	53	-	-	-	-	-	-	-	-	-	1	3	3	13	18	13	2	-
Scrofula and Tabes	80	28	20	5	2	1	56	-	3	6	2	3	8	1	1	-	-	-
Phthisis	664	5	12	5	-	1	23	17	37	123	111	158	94	53	36	11	-	1
Hydrocephalus	27	15	5	2	2	1	25	1	-	-	-	-	-	1	-	-	-	-
Dis. of Brain	487	202	29	16	5	1	253	11	7	5	4	16	19	22	55	59	31	5
Dis. of Heart & Dropsy	243	4	2	2	-	2	10	1	5	2	12	28	27	40	49	48	21	-
Dis. of Lungs	710	140	75	27	19	10	271	23	4	20	3	24	36	55	103	105	60	6
Dis. of Stom. and Liver	190	17	4	3	1	-	25	4	1	4	5	15	22	29	46	30	7	2
Dis. of Kidneys	20	1	-	-	-	-	1	2	-	1	2	3	2	2	5	2	-	-
Dis. of Gener. Organs	14	-	-	-	-	-	-	-	-	-	-	2	4	3	4	1	-	-
Dis. of Joints	6	-	1	-	-	1	2	1	1	-	-	1	-	-	-	-	1	-
Dis. of Skin	9	4	2	-	-	1	7	-	-	1	-	-	-	1	-	-	-	-
Childbirth and Metria	95	-	-	-	-	-	-	-	-	4	19	30	40	2	-	-	-	-
Suicide	6	-	-	-	-	-	-	-	-	1	1	-	2	1	-	1	-	-
Other Violent Deaths	59	3	8	3	5	3	22	8	3	2	1	1	1	5	2	7	5	2
Other Causes	1001	441	79	15	3	2	540	6	4	3	3	2	8	21	41	97	200	76
482.—PRESTON.																		
Mean Populn, 1861-71	59987	1765	1563	1480	1467	1398	7673	6454	6108	6139	6161	9665	7071	5209	3287	1650	507	63
TOTAL DEATHS	15634	4089	1520	684	448	306	7047	569	293	527	576	1162	1099	1014	1242	1163	764	178
Small-pox	46	12	1	2	2	2	19	5	5	5	4	5	2	-	1	-	-	-
Measles	420	99	163	71	41	29	403	15	-	-	-	2	-	-	-	-	-	-
Scarlatina	648	39	106	106	101	81	433	165	30	9	4	5	2	-	-	-	-	-
Diphtheria	142	27	35	19	20	17	118	18	3	2	-	-	-	-	-	1	-	-
Whooping cough	453	178	136	74	37	15	440	13	-	-	-	-	-	-	-	-	-	-
Typhus	587	10	27	28	16	17	98	78	40	50	34	59	81	62	50	32	3	-
Diarrhœa & Dysentery	1207	825	179	34	8	3	1049	10	2	5	4	16	15	19	29	31	26	1
Cholera	37	20	2	1	2	-	25	2	1	-	-	-	3	3	3	-	-	-
Other Zymotic Dis.	421	55	83	64	62	39	303	27	8	5	5	10	13	14	18	14	4	-
Cancer	273	-	-	-	1	1	2	-	-	-	6	18	35	69	69	57	15	2
Scrofula and Tabes	250	80	60	24	13	8	185	22	12	9	8	9	1	2	2	-	-	-
Phthisis	2078	32	27	14	13	7	93	30	88	303	338	584	381	158	75	22	6	-
Hydrocephalus	215	77	57	23	15	11	183	20	8	1	-	1	1	-	1	-	-	-
Dis. of Brain	1619	676	111	41	33	22	883	27	25	24	16	43	68	95	156	176	81	15
Dis. of Heart & Dropsy	760	11	2	2	7	2	24	19	19	31	29	77	109	124	168	110	45	5
Dis. of Lungs	2752	641	334	118	47	34	1174	42	12	27	43	114	157	258	408	345	150	22
Dis. of Stom. and Liver	632	106	25	4	5	3	143	14	14	15	19	57	80	87	102	89	31	1
Dis. of Kidneys	151	2	5	4	1	-	12	2	4	4	10	26	19	25	27	19	3	-
Dis. of Gener. Organs	61	-	-	-	-	-	-	-	-	2	1	7	7	18	16	6	4	-
Dis. of Joints	59	2	2	1	1	1	7	6	10	4	2	4	8	7	5	5	1	-
Dis. of Skin	29	9	5	1	2	1	18	-	-	-	1	1	3	2	-	2	2	-
Childbirth and Metria	221	-	-	-	-	-	-	-	-	12	43	86	72	8	-	-	-	-
Suicide	15	-	-	-	-	-	-	-	-	-	2	1	2	8	2	-	-	-
Other Violent Deaths	193	17	18	17	9	8	69	36	9	7	2	10	10	14	13	9	10	4
Other Causes	2345	1171	142	36	12	5	1366	8	3	12	5	27	30	41	97	245	383	128
483.—FYLDE.																		
Mean Populn, 1861-71	14783	384	358	365	361	328	1796	1655	1566	1423	1415	2170	1741	1360	910	522	198	27
TOTAL DEATHS	2958	577	164	115	79	60	995	137	71	88	119	218	208	199	270	307	258	88
Small-pox	19	6	-	1	1	-	8	2	1	2	-	5	1	-	-	-	-	-
Measles	38	6	12	9	4	4	35	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	112	9	12	13	16	17	67	33	6	1	3	1	-	1	-	-	-	-
Diphtheria	30	2	4	5	4	3	18	9	-	2	-	-	1	-	-	-	-	-
Whooping-cough	39	14	13	7	-	1	35	3	1	-	-	-	-	-	-	-	-	-
Typhus	117	13	4	9	4	3	33	12	10	9	13	9	6	10	7	7	1	-
Diarrhœa & Dysentery	98	55	10	1	-	1	67	1	1	1	3	1	1	3	11	6	2	1
Cholera	10	2	-	-	-	-	2	-	-	-	-	3	1	1	2	-	1	-
Other Zymotic Dis.	85	6	9	19	8	7	49	7	6	1	3	4	1	2	6	4	1	1
Cancer	44	-	-	-	-	-	-	-	-	-	1	-	4	10	17	11	1	-
Scrofula and Tabes	53	13	13	4	-	1	31	6	-	5	2	6	1	1	1	-	-	-
Phthisis	367	3	4	1	1	2	11	4	15	36	55	85	71	53	24	11	2	-
Hydrocephalus	44	14	9	3	3	3	32	10	1	-	1	-	-	-	-	-	-	-
Dis. of Brain	338	90	10	14	8	5	127	14	8	8	2	16	23	11	41	57	23	8
Dis. of Heart & Dropsy	166	-	2	-	3	3	8	3	7	5	5	11	16	26	39	27	18	1
Dis. of Lungs	360	71	33	13	15	7	139	10	3	1	6	11	18	24	50	59	34	5
Dis. of Stom. and Liver	216	19	2	1	1	1	24	5	8	6	6	24	26	29	39	32	16	1
Dis. of Kidneys	25	1	-	-	-	-	1	1	-	2	-	1	4	6	4	6	-	-
Dis. of Gener. Organs	15	-	-	-	-	-	-	-	-	-	1	2	3	4	4	1	-	-
Dis. of Joints	22	1	2	-	1	-	4	1	1	1	1	4	2	2	3	2	1	-
Dis. of Skin	6	1	-	-	-	-	1	1	-	-	1	1	-	-	1	1	-	-
Childbirth and Metria	56	-	-	-	-	-	-	-	-	2	9	28	14	3	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Other Violent Deaths	47	4	7	4	4	2	21	3	3	2	2	1	3	2	3	3	3	1
Other Causes	649	247	18	11	6	-	282	9	-	3	5	5	11	11	18	80	155	70

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
484.—GARSTANG.																		
Mean Popul^n, 1861–71	6370	185	174	172	159	169	859	770	711	679	506	762	676	543	440	295	115	14
TOTAL DEATHS	1157	234	62	42	25	22	385	63	28	50	26	76	60	57	107	126	138	41
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	11	4	2	1	2	1	10	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	37	4	2	7	5	4	22	10	1	3	1	–	–	–	–	–	–	–
Diphtheria	17	2	1	2	4	2	11	6	–	–	–	–	–	–	–	–	–	–
Whooping-cough	10	7	3	–	–	–	10	–	–	–	–	–	–	–	–	–	–	–
Typhus	26	–	1	2	–	1	4	3	2	8	2	1	1	–	1	3	1	–
Diarrhœa & Dysentery	44	23	1	1	–	1	26	1	–	–	–	–	–	3	2	5	7	–
Cholera	2	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
Other Zymotic Dis.	60	4	5	7	3	3	22	13	1	2	–	1	2	–	2	5	11	1
Cancer	14	–	–	–	–	–	–	–	–	–	1	–	–	1	6	3	3	–
Scrofula and Tabes	17	2	2	1	–	–	5	1	4	2	1	2	–	1	1	–	–	–
Phthisis	125	–	6	3	2	1	12	3	2	12	13	31	22	7	17	4	–	–
Hydrocephalus	5	3	–	–	–	1	4	1	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	152	51	6	5	2	2	66	3	4	3	1	3	6	5	26	16	18	1
Dis. of Heart & Dropsy	46	–	–	–	–	–	–	1	2	1	–	3	2	1	10	17	8	1
Dis. of Lungs	149	57	12	6	5	1	61	6	2	4	1	11	5	6	12	28	12	1
Dis. of Stom. and Liver	79	13	2	–	1	1	17	4	1	4	3	5	6	13	8	10	8	–
Dis. of Kidneys	21	1	–	–	–	–	1	1	–	–	1	–	–	1	4	5	5	3
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	6	–	–	–	–	–	–	1	–	2	–	1	1	–	1	–	–	–
Dis. of Skin	5	1	–	–	–	–	1	–	–	–	–	–	–	–	–	2	1	1
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–
Other Violent Deaths	73	3	7	5	1	1	17	4	8	7	1	9	8	6	5	4	3	1
Other Causes	253	79	12	2	–	3	96	4	1	1	1	6	6	12	11	22	61	32
485.—LANCASTER.																		
Mean Popul^n, 1861–71	18499	525	500	519	516	488	2548	2258	2098	1862	1437	2387	2094	1742	1173	642	226	32
TOTAL DEATHS	4258	879	267	130	82	75	1433	131	85	114	148	327	382	386	396	415	358	83
Small-pox	5	3	–	1	–	–	4	1	–	–	–	–	–	–	–	–	–	–
Measles	65	15	22	15	5	3	60	4	–	–	1	–	–	–	–	–	–	–
Scarlatina	126	7	21	31	11	17	87	27	10	–	–	1	1	–	–	–	–	–
Diphtheria	23	3	4	1	3	2	13	6	3	1	–	–	–	–	–	–	–	–
Whooping-cough	55	24	19	6	1	2	52	3	–	–	–	–	–	–	–	–	–	–
Typhus	77	2	2	4	1	4	13	8	9	3	3	18	8	5	3	6	1	–
Diarrhœa & Dysentery	102	62	8	1	–	–	71	–	–	1	1	3	3	6	4	4	9	–
Cholera	5	–	–	–	–	–	–	–	–	1	–	1	–	–	1	2	–	–
Other Zymotic Dis.	137	20	21	9	14	14	78	8	–	4	3	8	4	6	6	12	7	1
Cancer	47	–	–	1	–	–	1	–	–	–	–	2	–	9	15	13	6	1
Scrofula and Tabes	96	29	16	6	4	3	58	13	3	5	4	3	3	2	4	1	–	–
Phthisis	478	10	7	2	2	3	24	7	15	51	72	111	100	60	29	6	–	–
Hydrocephalus	107	47	27	8	11	3	96	10	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	794	182	26	11	6	4	229	8	8	11	21	62	126	99	92	73	55	10
Dis. of Heart & Dropsy	250	–	1	–	–	–	1	3	8	3	3	6	16	36	58	61	50	5
Dis. of Lungs	609	116	51	17	10	7	201	9	6	5	12	37	33	62	84	101	53	6
Dis. of Stom. and Liver	172	24	3	–	1	2	30	4	4	6	2	12	22	30	27	29	5	1
Dis. of Kidneys	91	1	–	–	–	1	2	1	–	–	2	7	10	16	14	21	16	2
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Dis. of Joints	19	–	–	1	–	1	2	5	3	1	1	4	1	1	–	–	1	–
Dis. of Skin	14	3	1	–	–	–	4	–	–	–	–	1	–	2	2	3	2	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	31	–	–	–	–	–	–	–	–	–	2	5	5	7	9	3	–	–
Other Violent Deaths	216	5	4	11	10	7	37	12	12	16	19	35	28	27	18	8	3	1
Other Causes	738	326	34	5	3	2	370	2	3	3	2	11	22	18	29	72	150	56
486.—ULVERSTON.																		
Mean Popul^n, 1861–71	23792	787	698	694	673	660	3512	2900	2496	2186	2241	3748	2658	1927	1223	649	230	22
TOTAL DEATHS	4996	1252	394	196	117	109	2068	212	121	160	194	354	323	332	376	423	349	84
Small-pox	34	9	–	2	4	–	15	1	3	1	3	6	2	2	1	–	–	–
Measles	129	24	53	19	13	8	117	9	–	2	–	–	–	–	1	–	–	–
Scarlatina	231	9	33	35	33	28	138	58	20	7	5	3	–	–	–	–	–	–
Diphtheria	31	4	3	8	4	3	22	5	2	1	1	–	–	–	–	–	–	–
Whooping-cough	86	36	24	17	3	4	84	2	–	–	–	–	–	–	–	–	–	–
Typhus	178	8	14	4	6	9	36	27	9	14	16	25	19	17	7	5	3	–
Diarrhœa & Dysentery	136	86	19	2	1	2	110	1	–	–	2	1	1	5	8	2	6	–
Cholera	15	–	–	–	–	2	2	2	–	–	–	1	1	3	4	2	–	–
Other Zymotic Dis.	127	31	15	16	4	9	75	12	3	–	2	8	2	2	5	16	1	1
Cancer	35	–	–	–	–	–	–	–	–	–	1	–	–	5	15	12	2	–
Scrofula and Tabes	123	29	26	10	4	8	77	6	6	10	7	5	2	4	5	1	–	–
Phthisis	528	5	5	4	2	3	19	20	21	61	71	125	81	63	49	14	4	–
Hydrocephalus	124	56	32	11	10	3	112	10	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	550	243	29	18	10	10	310	20	9	12	10	17	25	29	85	42	33	8
Dis. of Heart & Dropsy	267	4	1	1	1	2	9	5	4	7	11	11	21	30	59	73	34	3
Dis. of Lungs	659	197	76	28	14	10	325	6	3	8	6	41	38	53	64	69	41	5
Dis. of Stom. and Liver	238	34	7	6	1	–	48	10	6	5	5	23	27	41	50	35	8	–
Dis. of Kidneys	65	–	–	–	–	–	–	4	1	3	2	3	5	10	8	16	11	2
Dis. of Gener. Organs	4	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–
Dis. of Joints	13	1	–	–	–	–	1	3	3	2	2	2	1	–	1	2	1	–
Dis. of Skin	14	5	2	–	1	–	8	–	1	–	1	1	1	–	1	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	21	–	–	–	–	–	–	–	–	–	3	6	5	3	2	1	1	–
Other Violent Deaths	334	8	10	8	5	5	36	6	21	23	41	59	64	38	28	14	4	–
Other Causes	1029	463	45	7	1	3	524	5	7	4	5	17	26	25	33	118	200	65

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
484.—GARSTANG.																		
Mean Popul^n, 1861–71	5935	174	160	181	154	166	835	740	657	557	496	783	650	482	375	253	92	15
TOTAL DEATHS	1114	191	54	26	33	24	328	60	36	39	47	82	69	58	80	131	142	42
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	16	3	6	3	2	–	14	1	1	–	–	–	–	–	–	–	–	–
Scarlatina	46	2	3	5	8	4	22	17	3	1	–	2	1	–	–	–	–	–
Diphtheria	28	2	1	2	2	5	12	8	6	1	1	–	–	–	–	–	–	–
Whooping-cough	19	10	4	2	2	1	19	–	–	–	–	–	–	–	–	–	–	–
Typhus	38	2	1	–	3	–	6	7	4	3	5	4	4	–	4	–	1	–
Diarrhœa & Dysentery	30	19	1	–	–	1	21	–	–	–	–	4	2	1	–	1	1	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	41	3	3	4	7	2	19	5	–	1	–	2	1	1	2	5	5	–
Cancer	21	–	–	1	–	–	1	–	–	–	2	–	3	2	5	3	4	1
Scrofula and Tabes	6	–	–	1	1	–	2	–	1	–	–	1	1	–	1	–	–	–
Phthisis	162	1	2	2	1	1	7	4	9	23	28	57	22	11	11	6	1	–
Hydrocephalus	4	2	–	–	–	–	2	1	–	–	1	–	–	–	–	–	–	–
Dis. of Brain	124	32	8	2	1	–	43	3	5	1	3	3	8	6	13	21	16	2
Dis. of Heart & Dropsy	65	–	–	–	–	–	–	–	2	–	–	5	4	12	11	20	10	1
Dis. of Lungs	144	28	18	2	4	2	54	8	2	2	2	5	5	7	7	28	21	3
Dis. of Stom. and Liver	63	14	2	–	–	1	17	1	–	1	1	4	3	4	16	11	5	–
Dis. of Kidneys	6	–	–	–	–	–	–	–	1	–	–	1	–	3	1	–	–	–
Dis. of Gener. Organs	4	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	1
Dis. of Joints	5	–	–	–	–	–	–	–	1	–	1	–	–	–	1	2	–	–
Dis. of Skin	6	1	–	–	–	1	2	–	–	–	–	–	2	–	–	1	1	–
Childbirth and Metria	20	–	–	–	–	–	–	–	–	1	2	7	9	1	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Other Violent Deaths	17	–	1	1	2	4	8	2	–	1	–	–	1	–	2	–	3	–
Other Causes	248	72	4	1	–	2	79	3	1	3	1	5	3	7	5	33	74	34
485.—LANCASTER.																		
Mean Popul^n, 1861–71	18969	518	493	487	469	452	2419	2201	1959	1805	1581	2673	2203	1781	1269	737	301	40
TOTAL DEATHS	3975	673	244	123	85	56	1181	136	83	123	141	306	322	321	374	466	406	116
Small-pox	7	–	1	–	2	–	3	–	–	1	3	–	–	–	–	–	–	–
Measles	72	9	24	17	8	2	60	8	2	–	1	–	–	1	–	–	–	–
Scarlatina	104	14	12	19	13	13	71	22	6	2	1	2	–	–	–	–	–	–
Diphtheria	23	3	3	2	3	1	12	7	1	–	1	1	–	1	–	–	–	–
Whooping-cough	88	32	23	17	5	7	87	1	–	–	–	–	–	–	–	–	–	–
Typhus	63	2	2	1	7	3	15	3	5	7	7	4	9	3	4	3	3	–
Diarrhœa & Dysentery	97	43	4	1	–	–	48	3	–	1	5	4	6	1	7	10	10	2
Cholera	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Other Zymotic Dis.	135	10	24	13	10	5	62	15	6	3	6	2	4	5	6	10	13	3
Cancer	97	–	–	–	–	–	–	–	–	–	1	3	11	25	23	20	13	1
Scrofula and Tabes	84	21	17	4	2	4	48	7	3	5	6	4	5	3	3	–	–	–
Phthisis	583	10	5	3	4	–	22	9	27	70	74	152	107	73	38	11	–	–
Hydrocephalus	82	34	13	12	6	4	69	10	1	1	–	–	1	–	–	–	–	–
Dis. of Brain	572	112	25	10	6	3	156	10	6	10	9	40	55	65	71	93	51	6
Dis. of Heart & Dropsy	267	1	–	–	–	1	2	2	7	5	2	19	28	33	60	73	30	6
Dis. of Lungs	549	92	48	12	12	9	173	17	6	7	14	20	20	47	71	81	82	11
Dis. of Stom. and Liver	194	20	4	4	3	1	32	6	3	5	3	7	22	19	43	46	7	1
Dis. of Kidneys	52	–	–	2	1	–	3	1	1	–	2	7	6	7	11	11	3	–
Dis. of Gener. Organs	16	–	–	–	–	–	–	–	–	–	–	–	4	6	3	3	–	–
Dis. of Joints	21	1	–	–	–	–	1	3	2	4	–	2	–	5	3	1	–	–
Dis. of Skin	11	2	–	–	–	–	2	–	–	–	–	–	–	–	2	4	–	3
Childbirth and Metria	52	–	–	–	–	–	–	–	–	–	5	23	21	3	–	–	–	–
Suicide	8	–	–	–	–	–	–	–	–	–	–	2	2	2	–	2	–	–
Other Violent Deaths	48	4	6	2	2	2	16	6	1	–	–	1	4	5	6	2	4	3
Other Causes	748	262	30	4	1	1	298	6	6	2	1	13	17	17	23	95	190	80
486.—ULVERSTON.																		
Mean Popul^n, 1861–71	21618	731	667	702	638	615	3353	2882	2336	1859	1725	3146	2373	1750	1159	697	292	46
TOTAL DEATHS	4381	910	362	209	106	109	1696	214	127	155	164	337	256	270	279	361	399	123
Small-pox	25	5	3	–	2	1	11	1	1	1	1	3	3	3	–	1	–	–
Measles	107	13	40	25	6	13	97	6	2	2	–	–	–	–	–	–	–	–
Scarlatina	218	13	25	25	22	33	118	61	18	6	4	5	3	–	–	–	–	–
Diphtheria	45	3	3	7	2	6	21	14	5	1	–	–	–	3	1	–	–	–
Whooping-cough	106	45	28	13	5	2	103	3	–	–	–	–	–	–	–	–	–	–
Typhus	163	10	4	15	8	9	46	17	16	14	12	17	7	12	9	8	4	1
Diarrhœa & Dysentery	131	70	22	5	–	2	99	1	–	1	1	2	1	3	7	10	3	3
Cholera	6	–	–	–	–	–	–	–	–	–	–	–	2	1	2	1	–	–
Other Zymotic Dis.	122	10	19	17	10	9	65	9	3	3	7	7	3	5	6	9	4	1
Cancer	74	–	–	–	–	–	–	–	–	–	–	3	10	26	15	12	7	1
Scrofula and Tabes	124	33	23	15	9	4	84	10	5	6	2	6	4	3	2	–	2	–
Phthisis	610	4	10	1	4	3	22	19	40	83	90	171	87	53	34	8	3	–
Hydrocephalus	81	37	24	8	4	3	76	4	–	1	–	–	–	–	–	–	–	–
Dis. of Brain	507	168	21	25	6	6	226	24	10	13	11	19	23	30	42	52	49	6
Dis. of Heart & Dropsy	217	–	–	–	–	3	3	8	7	6	7	13	26	35	40	51	25	1
Dis. of Lungs	469	125	73	27	17	6	248	12	5	4	3	11	11	25	39	57	44	19
Dis. of Stom. and Liver	222	23	8	5	3	3	42	7	6	2	2	18	18	37	40	31	19	–
Dis. of Kidneys	22	–	1	–	–	–	1	2	–	–	–	3	4	4	4	4	–	–
Dis. of Gener. Organs	30	–	–	–	–	–	–	–	–	1	1	5	6	9	4	3	1	–
Dis. of Joints	21	1	1	–	1	–	3	2	1	2	1	5	1	1	1	2	2	–
Dis. of Skin	11	4	–	1	–	–	5	1	–	–	–	1	–	1	1	1	1	–
Childbirth and Metria	86	–	–	–	–	–	–	–	–	3	14	43	26	–	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–
Other Violent Deaths	70	9	2	5	4	2	22	12	4	3	1	1	7	–	9	4	5	2
Other Causes	911	337	45	15	3	4	404	3	4	2	6	4	12	18	23	107	250	98

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85
487.—SEDBERGH.																		
Mean Popul^n, 1861-71	2476	65	61	50	53	51	280	290	255	230	194	335	289	268	180	105	41	9
TOTAL DEATHS	378	60	22	7	3	5	97	15	9	20	19	25	15	24	35	55	40	2
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Measles	3	1	2	–	–	–	3	–	–	–	–	–	–	–	–	–	–	
Scarlatina	7	1	2	–	–	2	5	1	1	–	–	–	–	–	–	–	–	
Diphtheria	5	1	–	–	–	1	2	1	1	1	–	–	–	–	–	–	–	
Whooping-cough	8	5	3	–	–	–	8	–	–	–	–	–	–	–	–	–	–	
Typhus	12	1	–	–	–	–	1	1	3	1	–	–	2	1	2	1	–	
Diarrhœa & Dysentery	8	1	1	–	–	–	2	–	–	–	–	1	–	1	–	3	1	
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Other Zymotic Dis.	19	1	2	2	–	1	6	1	–	1	2	–	2	2	1	1	2	
Cancer	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	
Scrofula and Tabes	7	–	1	–	–	–	1	1	1	1	1	1	–	–	–	1	–	
Phthisis	57	–	–	–	–	1	1	1	–	13	13	16	4	2	6	1	–	
Hydrocephalus	7	1	1	–	1	–	3	3	–	–	1	–	–	–	–	–	–	
Dis. of Brain	42	17	1	–	1	–	19	–	–	1	–	–	–	1	4	7	6	
Dis. of Heart & Dropsy	23	–	1	–	1	–	2	–	–	–	–	2	2	3	3	5	6	
Dis. of Lungs	37	7	3	1	–	–	11	3	–	–	–	1	1	4	4	11	1	
Dis. of Stom. and Liver	33	2	–	3	–	–	5	–	2	–	1	1	2	2	6	10	4	
Dis. of Kidneys	10	–	–	–	–	–	–	–	–	–	–	–	–	3	2	3	1	
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Dis. of Joints	5	1	–	–	–	–	1	–	1	–	–	–	2	–	–	–	1	
Dis. of Skin	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Other Violent Deaths	11	–	1	–	–	–	1	1	–	2	1	2	–	1	1	1	–	
Other Causes	82	21	3	1	–	–	25	2	–	–	–	1	–	4	5	11	18	1
488.—SETTLE.																		
Mean Popul^n, 1861-71	6995	201	177	165	181	176	900	779	748	630	568	939	812	691	488	297	125	1
TOTAL DEATHS	1247	255	68	26	27	17	393	43	29	30	30	67	46	94	127	158	171	5
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Measles	10	5	4	1	–	–	10	–	–	–	–	–	–	–	–	–	–	
Scarlatina	48	8	7	2	6	3	26	14	1	3	–	1	–	2	–	–	1	
Diphtheria	9	–	3	1	–	1	5	3	–	–	–	–	–	1	–	–	–	
Whooping-cough	14	10	2	–	–	–	12	2	–	–	–	–	–	–	–	–	–	
Typhus	26	–	1	2	1	–	4	2	6	2	–	4	1	3	4	–	–	
Diarrhœa & Dysentery	13	7	1	–	–	–	8	–	–	–	–	–	–	–	1	2	2	
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	
Other Zymotic Dis.	48	7	5	4	4	1	21	2	1	2	1	3	2	3	4	4	4	
Cancer	12	–	–	–	–	–	–	–	–	–	–	–	–	2	4	3	3	
Scrofula and Tabes	18	3	2	1	–	–	6	–	4	2	2	3	–	1	–	–	–	
Phthisis	123	1	–	–	–	1	2	3	5	14	16	29	18	15	18	3	–	
Hydrocephalus	21	6	5	4	1	4	20	1	–	–	–	–	–	–	–	–	–	
Dis. of Brain	207	104	10	3	4	–	121	4	1	1	2	5	3	15	12	20	17	
Dis. of Heart & Dropsy	108	–	–	–	1	–	1	1	1	2	2	5	7	11	24	30	22	
Dis. of Lungs	144	33	12	6	5	3	64	2	1	2	1	4	8	12	16	17	14	
Dis. of Stom. and Liver	85	9	1	–	2	2	14	3	4	1	2	2	3	14	13	18	10	
Dis. of Kidneys	32	–	–	–	–	–	–	1	2	1	–	1	2	2	3	14	5	
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	
Dis. of Joints	6	–	–	–	–	–	–	–	2	–	1	–	–	2	1	–	–	
Dis. of Skin	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Suicide	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	
Other Violent Deaths	41	4	2	–	2	2	10	5	1	–	2	7	–	6	7	5	–	
Other Causes	272	52	13	2	1	–	68	–	–	–	–	3	2	5	20	38	93	4
489.—SKIPTON.																		
Mean Popul^n, 1861-71	15811	438	442	403	392	365	2040	1831	1697	1541	1338	2108	1908	1486	1020	608	215	1
TOTAL DEATHS	3395	818	204	103	75	45	1245	161	84	118	98	201	197	216	294	383	321	7
Small-pox	31	9	4	1	2	2	18	2	1	3	4	–	1	1	1	–	–	
Measles	48	15	15	9	3	4	46	1	–	–	–	–	1	–	–	–	–	
Scarlatina	127	10	20	20	13	12	75	33	11	5	1	2	–	–	–	–	–	
Diphtheria	8	2	1	–	2	–	5	–	2	1	–	–	–	–	–	–	–	
Whooping-cough	48	31	10	3	1	2	47	1	–	–	–	–	–	–	–	–	–	
Typhus	108	4	5	6	–	3	18	29	10	10	5	11	9	7	1	5	3	
Diarrhœa & Dysentery	46	15	7	–	–	–	22	1	2	1	–	1	1	3	3	7	4	
Cholera	11	3	–	–	1	–	4	1	–	1	1	1	1	–	–	1	1	
Other Zymotic Dis.	95	11	10	11	10	5	47	11	–	1	1	2	4	8	7	11	3	
Cancer	30	–	–	–	–	–	–	–	–	–	–	2	5	3	9	10	1	
Scrofula and Tabes	53	17	7	4	2	–	30	2	5	5	5	2	1	–	2	1	–	
Phthisis	398	3	6	5	2	–	16	17	13	67	47	103	64	32	32	7	–	
Hydrocephalus	53	22	6	5	6	5	44	6	2	–	–	–	1	–	–	–	–	
Dis. of Brain	558	264	29	10	11	5	319	11	16	3	11	14	23	25	38	58	35	
Dis. of Heart & Dropsy	193	1	–	–	–	–	1	4	5	7	1	11	8	30	47	55	22	
Dis. of Lungs	498	111	38	22	9	3	183	8	3	6	4	20	18	46	70	88	43	
Dis. of Stom. and Liver	142	10	3	–	–	3	16	8	4	1	7	6	19	22	30	22	5	
Dis. of Kidneys	70	–	3	–	1	–	4	4	–	–	4	5	6	5	12	20	10	
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Dis. of Joints	12	–	–	–	1	–	1	4	–	–	–	1	2	3	–	1	–	
Dis. of Skin	15	4	2	1	1	–	8	–	–	–	–	–	–	–	2	3	–	
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Suicide	9	–	–	–	–	–	–	–	–	–	–	1	1	6	1	–	–	
Other Violent Deaths	104	1	3	4	6	1	15	9	6	6	6	12	15	11	14	5	4	
Other Causes	738	285	35	2	4	–	326	9	4	1	1	7	17	14	25	89	190	5

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
487.—SEDBERGH.																		
Mean Popul^n, 1861–71	2214	61	61	61	63	54	300	269	252	199	169	287	239	214	149	94	36	6
TOTAL DEATHS	393	51	14	7	2	3	77	11	14	23	26	27	28	27	38	46	59	17
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	5	-	-	1	1	1	3	1	1	-	-	-	-	-	-	-	-	-
Diphtheria	5	-	-	1	-	-	1	-	3	-	1	-	-	-	-	-	-	-
Whooping-cough	4	4	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-
Typhus	19	-	-	1	-	2	3	1	-	3	3	3	2	-	3	1	-	-
Diarrhœa & Dysentery	14	-	1	1	-	-	5	-	-	-	-	1	1	-	1	1	1	1
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Other Zymotic Dis.	16	2	1	-	-	-	3	1	-	-	-	-	-	1	2	4	5	-
Cancer	5	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-
Scrofula and Tabes	13	2	-	-	-	-	2	1	2	2	1	-	1	2	2	-	-	-
Phthisis	84	-	1	1	-	-	2	-	5	16	16	14	16	6	6	3	-	-
Hydrocephalus	8	2	1	-	-	-	3	4	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	34	12	2	-	1	-	15	-	-	-	1	1	-	-	6	6	5	-
Dis. of Heart & Dropsy	27	-	-	-	-	-	-	-	-	-	1	4	2	8	4	4	4	-
Dis. of Lungs	35	5	4	1	-	-	10	-	1	-	2	-	2	2	4	8	5	1
Dis. of Stom. and Liver	26	1	-	-	-	-	1	2	-	1	1	1	2	5	5	5	2	1
Dis. of Kidneys	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Dis. of Joints	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Dis. of Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	3	-	2	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
Other Causes	87	18	2	1	-	-	21	1	-	-	-	1	1	1	3	11	35	13
488.—SETTLE.																		
Mean Popul^n, 1861–71	6836	176	169	187	171	167	870	804	745	658	607	916	751	609	432	293	137	14
TOTAL DEATHS	1257	203	67	34	24	18	346	51	26	55	56	103	67	91	99	137	181	45
Small-pox	2	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Measles	12	3	7	2	-	-	12	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	49	3	11	8	4	3	29	13	3	1	2	1	-	-	-	-	-	-
Diphtheria	9	-	-	1	-	-	1	6	1	-	-	-	1	-	-	-	-	-
Whooping-cough	28	14	6	3	1	1	25	3	-	-	-	-	-	-	-	-	-	-
Typhus	41	-	-	1	2	3	6	6	5	5	4	6	2	3	1	3	-	-
Diarrhœa & Dysentery	12	6	1	-	-	-	7	1	-	-	-	1	1	-	1	1	-	-
Cholera	3	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-
Other Zymotic Dis.	36	5	4	4	3	1	17	1	-	1	-	5	-	2	3	6	1	-
Cancer	13	-	-	-	-	-	-	-	-	-	-	1	1	4	4	1	2	-
Scrofula and Tabes	20	2	3	-	1	-	6	-	2	5	1	5	1	-	-	-	-	-
Phthisis	180	2	3	-	1	-	6	1	4	30	35	52	27	16	4	5	-	-
Hydrocephalus	21	8	5	2	1	1	17	4	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	191	65	9	2	5	4	85	4	4	4	2	9	6	13	19	20	22	3
Dis. of Heart & Dropsy	135	-	-	-	-	1	1	-	-	-	5	4	4	24	29	36	26	6
Dis. of Lungs	114	29	8	5	3	3	48	4	2	1	2	2	1	5	7	22	18	2
Dis. of Stom. and Liver	70	5	-	-	-	-	5	-	1	3	1	2	9	14	18	10	7	-
Dis. of Kidneys	9	-	-	-	1	-	1	-	1	-	-	2	1	1	-	2	1	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Dis. of Joints	3	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-
Dis. of Skin	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Childbirth and Metria	21	-	-	-	-	-	-	-	-	1	3	10	7	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Other Violent Deaths	17	-	-	3	2	-	5	3	2	-	1	-	1	1	2	1	1	-
Other Causes	267	60	10	3	-	1	74	3	-	3	-	2	4	6	10	28	103	34
489.—SKIPTON.																		
Mean Popul^n, 1861–71	16060	455	413	432	391	388	2079	1778	1710	1637	1486	2318	1844	1450	965	556	212	25
TOTAL DEATHS	3433	614	194	87	61	62	1018	142	103	182	153	275	228	219	280	425	318	90
Small-pox	10	1	-	-	-	1	2	-	-	3	-	1	-	3	-	1	-	-
Measles	53	10	23	9	2	-	44	6	1	-	-	2	-	-	-	-	-	-
Scarlatina	143	6	11	13	16	27	73	45	12	8	2	2	1	-	-	-	-	-
Diphtheria	29	2	3	3	1	3	12	13	3	-	-	-	1	-	-	-	-	-
Whooping-cough	40	15	16	5	2	2	40	-	-	-	-	-	-	-	-	-	-	-
Typhus	138	4	5	6	5	4	24	11	18	23	18	14	6	7	9	7	1	-
Diarrhœa & Dysentery	49	21	6	1	-	-	28	-	2	1	-	1	2	1	3	8	2	1
Cholera	11	2	1	1	-	2	6	-	-	-	-	1	-	-	2	1	1	-
Other Zymotic Dis.	112	10	14	12	9	6	51	10	7	4	3	3	5	5	8	6	9	1
Cancer	51	-	-	-	-	-	-	-	-	2	-	2	6	11	19	10	1	-
Scrofula and Tabes	62	16	17	2	-	4	39	5	5	2	-	3	2	2	1	2	1	-
Phthisis	552	6	3	2	3	-	14	7	24	103	95	151	80	45	29	4	-	-
Hydrocephalus	29	6	10	2	2	1	21	8	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	453	190	20	8	3	2	223	13	11	10	1	10	10	29	36	64	40	6
Dis. of Heart & Dropsy	246	3	2	1	2	-	8	3	3	6	4	21	34	35	50	57	21	4
Dis. of Lungs	391	75	33	11	7	6	132	8	1	2	4	15	14	19	58	91	36	11
Dis. of Stom. and Liver	189	19	3	1	1	1	25	4	3	7	7	16	19	30	30	36	10	2
Dis. of Kidneys	38	-	-	-	-	-	-	1	6	-	4	1	5	8	3	6	4	-
Dis. of Gener. Organs	12	-	-	-	-	-	-	-	-	-	1	2	1	3	4	1	-	-
Dis. of Joints	13	-	-	-	-	-	-	1	-	-	1	1	1	3	1	4	1	-
Dis. of Skin	7	3	-	-	-	-	3	-	-	-	-	1	1	1	-	-	1	-
Childbirth and Metria	59	-	-	-	-	-	-	-	-	4	9	19	26	1	-	-	-	-
Suicide	7	-	-	-	-	-	-	-	-	1	-	3	-	1	1	-	-	1
Other Violent Deaths	48	3	2	3	4	1	13	3	3	1	3	2	3	5	2	4	8	1
Other Causes	601	223	25	7	4	2	300	4		5	1	4	11	10	24	123	182	63

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–
490.—PATELEY BRIDGE.																	
Mean Popul^n, 1861–71	4631	124	123	128	124	118	617	602	529	438	311	528	530	440	328	206	90
TOTAL DEATHS	1013	227	44	29	20	12	332	37	23	30	51	49	44	58	98	131	125
Small-pox	6	1	1	–	–	–	2	–	1	–	–	–	–	2	1	–	–
Measles	7	2	2	–	–	1	5	1	–	1	–	–	–	–	–	–	–
Scarlatina	20	1	2	3	2	2	10	8	2	–	–	–	–	–	–	–	–
Diphtheria	7	–	–	–	3	–	3	2	1	–	–	–	1	–	–	–	–
Whooping-cough	8	6	1	1	–	–	8	–	–	–	–	–	–	–	–	–	–
Typhus	25	1	1	–	1	–	3	2	–	3	2	2	4	5	2	2	–
Diarrhœa & Dysentery	35	11	3	1	2	1	21	–	1	1	–	1	–	1	3	3	4
Cholera	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Other Zymotic Dis.	42	8	1	6	2	–	17	7	1	–	1	1	1	2	3	6	2
Cancer	14	–	–	–	–	–	–	–	–	–	–	–	2	6	4	2	–
Scrofula and Tabes	17	6	2	–	–	1	9	1	2	2	–	–	–	1	2	–	–
Phthisis	119	1	3	2	–	–	6	5	5	10	31	30	9	8	7	7	1
Hydrocephalus	20	8	1	2	3	2	16	4	–	–	–	–	–	–	–	–	–
Dis. of Brain	155	66	15	5	2	1	89	4	2	4	2	–	3	5	13	11	19
Dis. of Heart & Dropsy	61	–	–	–	–	–	–	–	1	1	2	–	5	8	22	12	12
Dis. of Lungs	139	21	3	5	4	2	35	–	1	–	5	5	8	13	19	32	18
Dis. of Stom. and Liver	56	8	1	–	–	–	9	1	2	3	3	3	–	4	6	16	9
Dis. of Kidneys	18	–	–	–	–	–	–	–	–	–	1	2	2	–	2	6	4
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	10	–	–	1	–	–	1	–	2	2	2	–	1	–	2	–	–
Dis. of Skin	2	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
Other Violent Deaths	40	3	3	2	1	2	11	1	2	2	1	3	5	1	5	5	3
Other Causes	205	81	4	1	–	–	86	1	–	–	–	1	3	1	6	29	53
491.—RIPON.																	
Mean Popul^n, 1861–71	7669	210	177	194	208	189	978	910	833	775	578	954	846	722	558	338	156
TOTAL DEATHS	1588	357	64	38	25	31	515	58	25	43	44	89	86	109	159	199	199
Small-pox	15	2	1	–	–	1	4	4	1	1	–	1	1	3	–	–	–
Measles	15	–	4	4	3	2	13	2	–	–	–	–	–	–	–	–	–
Scarlatina	60	4	7	6	8	9	34	17	6	1	1	1	–	–	–	–	–
Diphtheria	11	3	1	2	–	1	7	–	1	–	–	3	–	–	–	–	–
Whooping-cough	20	12	5	2	1	–	20	–	–	–	–	–	–	–	–	–	–
Typhus	36	3	–	–	–	–	3	5	1	6	4	5	2	4	3	1	2
Diarrhœa & Dysentery	28	20	1	1	–	–	22	–	–	–	–	–	1	–	–	2	2
Cholera	2	–	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–
Other Zymotic Dis.	46	8	6	3	1	2	20	4	–	1	–	3	3	5	3	5	2
Cancer	31	–	–	–	–	–	–	–	–	1	–	–	3	3	16	5	3
Scrofula and Tabes	45	16	6	4	–	1	27	7	1	1	3	2	1	1	1	1	–
Phthisis	176	4	1	–	1	–	6	1	5	23	22	35	29	27	16	10	2
Hydrocephalus	23	6	5	2	1	5	19	2	2	–	–	–	–	–	–	–	–
Dis. of Brain	265	130	12	4	4	5	155	1	–	1	1	9	5	15	23	31	20
Dis. of Heart & Dropsy	113	2	–	–	–	1	3	–	–	1	1	5	5	12	25	37	21
Dis. of Lungs	162	28	7	2	4	2	43	5	–	1	4	10	7	10	23	30	24
Dis. of Stom. and Liver	87	8	–	–	1	1	10	–	–	2	1	4	9	10	21	22	7
Dis. of Kidneys	26	–	1	–	–	–	1	1	–	2	2	4	1	1	4	6	4
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	6	–	–	1	–	–	1	–	–	–	–	–	1	–	1	3	–
Dis. of Skin	6	1	–	–	–	–	1	1	–	–	–	–	–	1	–	–	3
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	12	–	–	–	–	–	–	–	–	–	1	–	2	4	3	2	–
Other Violent Deaths	70	4	3	2	1	–	10	7	8	1	3	5	10	8	7	5	5
Other Causes	333	103	4	4	–	1	115	1	–	1	1	2	5	5	13	39	104
492*a*.—GREAT OUSEBURN;* 492*c*.—WETHERBY;* 493.—WHARFEDALE;* 514.—TADCASTE																	
Mean Popul^n, 1861–71	37716	1105	978	987	963	941	4974	4530	4352	3744	2988	4925	4112	3488	2532	1493	517
TOTAL DEATHS	8115	2001	517	231	171	109	3029	327	209	223	271	418	435	518	720	935	848
Small-pox	73	19	3	4	1	2	29	7	3	4	10	11	4	5	–	–	–
Measles	76	24	26	7	8	2	67	7	–	1	–	1	–	–	–	–	–
Scarlatina	274	23	35	46	47	34	185	62	18	5	2	2	–	–	–	–	–
Diphtheria	86	4	8	10	15	7	44	21	12	3	–	–	1	2	3	–	–
Whooping-cough	119	66	29	13	7	2	117	2	–	–	–	–	–	–	–	–	–
Typhus	258	7	9	11	8	8	43	36	18	23	17	27	20	19	23	20	8
Diarrhœa & Dysentery	259	132	22	4	2	2	162	1	3	2	1	1	3	4	16	29	28
Cholera	14	–	2	1	–	–	3	1	–	1	–	–	–	2	4	2	1
Other Zymotic Dis.	228	37	24	17	13	8	99	21	6	7	4	8	6	12	17	24	21
Cancer	107	–	–	–	–	–	–	–	1	–	2	3	7	8	36	29	17
Scrofula and Tabes	150	41	35	8	7	1	92	11	7	4	5	8	8	7	7	1	–
Phthisis	852	8	10	4	3	4	29	15	41	94	148	181	139	114	64	25	2
Hydrocephalus	152	51	41	25	12	3	132	17	2	–	–	–	1	–	–	–	–
Dis. of Brain	1409	688	77	20	13	10	808	36	22	12	16	32	48	61	106	148	113
Dis. of Heart & Dropsy	553	6	4	3	3	2	18	13	15	11	6	22	28	69	118	143	85
Dis. of Lungs	1063	237	105	34	15	12	404	23	5	13	9	40	55	81	129	177	109
Dis. of Stom. and Liver	402	37	7	1	1	2	48	6	6	12	8	17	44	47	83	98	31
Dis. of Kidneys	156	2	3	1	1	–	7	1	5	2	9	7	12	14	22	38	35
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1
Dis. of Joints	46	2	1	3	1	–	7	5	2	4	4	8	–	8	5	1	2
Dis. of Skin	21	7	2	–	–	–	9	2	–	–	–	–	–	1	2	3	4
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	40	–	–	–	–	–	–	–	–	1	1	4	8	7	11	7	1
Other Violent Deaths	325	11	15	6	11	7	50	30	27	20	26	32	35	40	29	16	14
Other Causes	1470	599	58	13	3	3	676	10	7	3	3	14	16	17	45	174	376

* In consequence of numerous and intricate changes having been made during the 10 years in the constitu

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
490.—PATELEY BRIDGE.																		
Mean Popul^n, 1861–71	4478	128	125	111	117	117	598	574	514	419	328	587	506	381	293	193	72	13
TOTAL DEATHS	931	172	42	28	11	9	262	40	19	42	48	60	73	51	78	110	112	36
Small-pox	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Measles	15	5	2	3	–	–	10	2	–	–	2	1	–	–	–	–	–	–
Scarlatina	19	3	2	1	2	1	9	7	–	–	2	–	–	1	–	–	–	–
Diphtheria	26	1	2	5	–	3	11	8	1	2	2	1	–	–	–	1	–	–
Whooping-cough	18	8	8	–	–	–	16	2	–	–	–	–	–	–	–	–	–	–
Croup	25	2	–	1	1	–	4	2	2	6	3	1	3	1	2	–	1	–
Diarrhœa & Dysentery	12	3	–	–	–	–	3	–	–	–	–	1	1	3	–	1	3	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	40	7	3	2	4	–	16	3	1	1	–	1	2	1	1	9	5	–
Cancer	18	–	–	–	–	–	–	–	–	–	–	–	2	6	3	6	1	–
Scrofula and Tabes	13	3	3	–	2	–	8	3	–	–	–	–	1	–	1	–	–	–
Phthisis	146	1	1	5	1	–	8	3	7	24	29	28	29	9	9	–	–	–
Bronchocephalus	13	4	2	1	1	1	9	1	1	–	1	1	–	–	–	–	–	–
Disease of Brain	139	65	4	1	–	2	72	4	1	1	2	4	3	7	13	19	11	2
Disease of Heart & Dropsy	74	–	–	–	–	–	–	1	1	1	1	5	5	7	22	16	14	1
Disease of Lungs	110	11	11	5	–	–	27	1	3	5	1	4	5	5	12	21	20	6
Disease of Stom. and Liver	41	3	–	–	–	–	3	1	–	–	2	5	5	7	6	5	6	1
Disease of Kidneys	9	–	–	–	–	–	–	1	–	–	–	1	–	1	5	1	–	–
Disease of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Disease of Joints	3	–	1	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–
Disease of Skin	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Childbirth and Metria	17	–	–	–	–	–	–	–	–	1	1	7	8	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Deaths	11	–	–	3	–	2	5	1	1	–	–	–	1	–	–	–	2	1
Other Causes	179	56	3	1	–	–	60	–	1	1	1	–	6	3	2	31	49	25
491.—RIPON.																		
Mean Popul^n, 1861–71	8186	221	204	182	194	195	996	928	849	802	692	1056	916	762	593	399	164	29
TOTAL DEATHS	1578	255	74	38	30	30	427	60	32	41	57	103	85	113	133	194	232	101
Small-pox	11	1	1	2	–	1	5	2	–	2	–	–	3	2	–	–	–	–
Measles	15	3	3	5	1	2	14	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	60	4	7	9	9	5	34	19	4	–	1	2	–	–	–	–	–	–
Diphtheria	16	–	2	–	1	4	7	5	1	–	–	3	–	–	–	–	–	–
Whooping-cough	19	11	4	3	1	–	19	–	–	–	–	–	–	–	–	–	–	–
Croup	65	4	–	–	2	4	10	12	5	4	7	7	5	4	6	4	1	–
Diarrhœa & Dysentery	43	13	4	–	1	–	18	2	–	2	2	2	–	–	–	5	11	1
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Other Zymotic Dis.	34	2	3	4	4	3	16	1	1	–	1	1	2	–	3	2	6	1
Cancer	53	–	–	–	–	–	–	–	–	–	–	1	3	11	10	18	9	1
Scrofula and Tabes	25	8	2	1	–	1	12	3	2	3	–	3	–	1	1	–	–	–
Phthisis	181	2	–	1	1	–	4	3	7	17	29	51	32	24	9	4	1	–
Bronchocephalus	18	7	5	–	–	3	15	1	2	–	–	–	–	–	–	–	–	–
Disease of Brain	211	82	12	3	2	1	100	1	3	4	2	2	3	18	20	28	26	4
Disease of Heart & Dropsy	146	–	–	–	–	–	–	3	–	–	–	6	9	23	32	38	30	5
Disease of Lungs	171	21	19	7	3	4	54	–	4	3	2	7	4	7	17	34	27	12
Disease of Stom. and Liver	87	6	1	–	2	2	11	1	1	3	2	4	7	14	17	16	9	2
Disease of Kidneys	13	–	–	–	–	–	–	–	–	–	2	3	2	–	–	6	–	–
Disease of Gener. Organs	7	–	–	–	–	–	–	–	–	–	–	1	1	1	3	1	–	–
Disease of Joints	7	–	–	–	–	–	–	–	–	1	1	–	–	2	–	2	1	–
Disease of Skin	2	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
Childbirth and Metria	25	–	–	–	–	–	–	–	–	1	3	8	11	2	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Other Violent Deaths	26	1	2	1	1	–	5	4	–	–	1	–	–	2	4	4	5	1
Other Causes	338	90	9	2	2	–	103	2	1	1	4	2	3	1	10	32	105	74
492a.—GREAT OUSEBURN;* 492c.—WETHERBY;* 493.—WHARFEDALE;* 514.—TADCASTER.*																		
Mean Popul^n, 1861–71	37574	1077	1004	991	947	957	4976	4389	4003	3508	3227	5288	4269	3376	2446	1456	561	75
TOTAL DEATHS	7835	1586	498	223	169	120	2596	335	215	327	339	602	483	482	603	852	784	217
Small-pox	71	20	10	4	5	2	41	9	2	8	1	2	3	2	3	–	–	–
Measles	92	19	36	14	9	5	83	6	2	–	–	1	–	–	–	–	–	–
Scarlatina	304	27	40	37	42	33	179	86	23	10	2	8	1	–	–	–	–	–
Diphtheria	95	10	5	6	6	9	36	32	16	5	4	–	1	–	–	1	–	–
Whooping-cough	145	63	36	20	14	3	136	8	–	–	–	1	–	–	–	–	–	–
Croup	233	6	11	13	8	13	51	31	33	36	30	32	21	20	16	15	8	–
Diarrhœa & Dysentery	216	91	29	6	–	1	127	–	3	–	2	8	5	6	16	22	21	6
Cholera	11	2	2	–	–	–	4	1	–	–	–	–	1	–	2	–	3	–
Other Zymotic Dis.	183	13	14	22	12	14	75	15	6	8	1	3	12	8	11	26	8	5
Cancer	193	–	–	–	–	–	–	–	–	1	–	10	27	50	63	26	15	1
Scrofula and Tabes	149	36	33	7	7	2	85	9	10	10	8	8	5	3	4	5	2	–
Phthisis	1119	11	14	6	4	4	39	27	54	189	193	311	151	95	47	11	2	–
Bronchocephalus	119	47	28	11	10	5	101	15	3	–	–	–	–	–	–	–	–	–
Disease of Brain	1119	491	72	23	14	7	610	31	16	15	16	36	35	55	72	137	80	13
Disease of Heart & Dropsy	618	3	3	–	4	3	18	14	16	10	19	42	61	82	112	158	79	7
Disease of Lungs	930	189	100	31	20	9	349	20	9	8	14	27	43	59	104	171	117	9
Disease of Stom. and Liver	442	41	3	2	4	2	52	6	7	10	19	35	43	60	86	86	33	5
Disease of Kidneys	42	–	–	1	1	2	4	1	2	3	4	4	9	6	5	3	1	–
Disease of Gener. Organs	32	–	–	–	–	–	–	–	–	–	2	5	8	7	5	4	1	–
Disease of Joints	33	2	–	1	–	–	3	1	5	3	2	3	4	3	4	4	1	–
Disease of Skin	26	5	2	–	–	–	7	–	–	–	1	–	1	2	1	6	3	–
Childbirth and Metria	101	–	–	–	–	–	–	–	–	2	16	49	32	2	–	–	–	–
Suicide	16	–	–	–	–	–	–	–	–	3	1	3	1	4	2	1	1	–
Other Violent Deaths	94	15	4	7	3	3	32	14	4	3	2	3	7	3	4	10	10	2
Other Causes	1390	487	56	12	6	3	564	9	4	3	2	6	12	15	46	168	394	169

these four Districts it has been found necessary to combine the facts relating thereto in one Table.

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–
492*b*.—KNARESBOROUGH.																	
Mean Popul^n, 1861-71	8674	235	200	208	239	218	1100	983	952	777	705	1145	1030	878	613	346	128
TOTAL DEATHS	1928	428	95	43	26	30	622	77	36	50	53	101	144	155	218	241	173
Small-pox	14	4	2	–	–	–	6	2	–	1	1	–	3	–	1	–	–
Measles	12	–	2	4	–	1	7	4	–	–	–	–	–	1	–	–	–
Scarlatina	33	3	2	4	5	7	21	9	2	1	–	–	–	–	–	–	–
Diphtheria	17	2	1	1	4	2	10	1	3	1	–	1	–	1	–	–	–
Whooping-cough	22	12	8	–	1	–	21	1	–	–	–	–	–	–	–	–	–
Typhus	63	2	–	3	1	2	8	2	3	6	2	10	7	6	9	4	5
Diarrhœa & Dysentery	94	54	9	1	2	1	67	2	–	–	2	1	2	2	3	10	5
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Other Zymotic Dis.	51	7	4	3	5	4	23	4	2	1	–	1	4	7	5	3	1
Cancer	34	–	–	–	–	–	–	–	–	1	1	2	2	4	10	8	4
Scrofula and Tabes	36	12	7	2	1	–	22	3	3	4	2	–	1	1	–	–	–
Phthisis	216	2	3	–	3	–	8	5	5	17	24	47	51	21	21	13	–
Hydrocephalus	40	17	6	6	–	1	30	9	1	–	–	–	–	–	–	–	–
Dis. of Brain	325	131	11	4	2	1	152	9	3	5	4	9	17	21	32	53	16
Dis. of Heart & Dropsy	167	5	2	–	1	–	8	4	–	4	3	8	13	26	38	35	25
Dis. of Lungs	283	53	21	9	1	7	91	10	1	2	4	7	11	21	40	49	31
Dis. of Stom. and Liver	126	16	1	2	–	1	20	3	2	–	5	7	12	17	28	25	6
Dis. of Kidneys	37	–	–	1	–	–	1	2	2	1	2	3	3	4	6	7	6
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Dis. of Joints	7	–	–	–	–	1	1	1	–	–	–	–	1	–	4	–	–
Dis. of Skin	4	2	–	–	–	–	2	–	–	–	–	–	–	2	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	10	–	–	–	–	–	–	–	–	–	–	1	4	2	2	1	–
Other Violent Deaths	63	5	2	2	–	1	10	5	8	5	1	3	5	8	12	3	2
Other Causes	272	101	11	1	–	1	114	1	1	–	2	1	5	8	7	29	69

[For Districts 492*c*.—WETHERBY, and 493.—WHARFEDALE, *see* p. 352.]

494.—KEIGHLEY.																	
Mean Popul^n, 1861-71	22972	673	604	598	567	537	2979	2748	2483	2375	2032	3221	2771	2090	1370	690	194
TOTAL DEATHS	5835	1649	489	188	148	101	2575	285	161	204	188	298	315	371	529	510	332
Small-pox	57	14	7	3	2	1	27	10	3	3	3	3	3	2	3	–	–
Measles	103	22	54	17	5	5	103	6	–	–	–	–	–	–	–	–	–
Scarlatina	332	19	44	42	48	45	198	97	26	3	8	–	–	–	–	–	–
Diphtheria	19	–	2	3	5	1	11	7	–	–	–	–	–	1	–	–	–
Whooping-cough	102	58	26	9	4	2	99	3	–	–	–	–	–	–	–	–	–
Typhus	268	3	10	5	16	8	42	36	29	21	28	26	21	22	27	11	1
Diarrhœa & Dysentery	175	103	25	1	2	1	132	4	1	4	2	3	5	5	8	4	4
Cholera	23	10	–	–	–	–	10	2	2	–	–	1	–	2	1	4	1
Other Zymotic Dis.	168	37	20	16	19	11	103	11	4	3	2	5	8	10	15	6	1
Cancer	32	–	–	–	–	–	–	1	–	–	–	1	7	10	6	4	3
Scrofula and Tabes	70	19	13	8	2	–	42	4	5	3	–	5	5	2	2	2	–
Phthisis	743	15	10	6	1	2	34	13	41	105	96	117	109	84	82	30	2
Hydrocephalus	86	29	21	8	3	5	66	12	6	1	–	–	1	–	–	–	–
Dis. of Brain	980	564	54	22	8	4	652	24	12	13	9	22	26	35	71	68	41
Dis. of Heart & Dropsy	285	1	–	1	2	2	6	12	5	8	7	18	33	42	60	69	22
Dis. of Lungs	832	239	116	34	18	7	414	13	6	2	8	23	37	76	132	127	48
Dis. of Stom. and Liver	211	24	7	1	3	–	35	2	3	4	7	13	19	35	41	35	16
Dis. of Kidneys	64	–	–	–	1	1	2	3	2	4	2	5	5	4	11	19	7
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	19	3	1	–	–	–	4	2	1	2	–	–	3	2	2	2	1
Dis. of Skin	8	6	–	–	–	–	6	–	–	1	–	–	–	–	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	28	–	–	–	–	–	–	–	–	–	–	4	6	7	8	2	1
Other Violent Deaths	154	3	4	1	7	5	20	18	10	13	10	16	19	15	14	14	4
Other Causes	1010	480	75	11	2	1	569	5	5	11	6	6	8	17	45	113	177
495.—TODMORDEN.																	
Mean Popul^n, 1861-71	15351	437	385	374	385	360	1941	1717	1637	1528	1464	2211	1841	1455	928	480	142
TOTAL DEATHS	3534	894	257	107	74	58	1390	127	83	126	101	194	200	278	343	397	259
Small-pox	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Measles	64	12	29	9	3	6	59	5	–	–	–	–	–	–	–	–	–
Scarlatina	147	10	20	24	22	19	95	42	8	2	–	–	–	–	–	–	–
Diphtheria	8	1	–	2	–	–	3	1	2	–	1	–	–	–	–	1	–
Whooping-cough	67	40	16	6	3	1	66	1	–	–	–	–	–	–	–	–	–
Typhus	149	23	18	4	8	2	55	11	10	16	11	14	9	6	4	9	4
Diarrhœa & Dysentery	112	66	17	2	1	–	86	–	1	2	–	6	1	2	5	3	5
Cholera	30	5	3	1	1	–	10	–	–	–	–	3	1	3	5	7	1
Other Zymotic Dis.	136	16	29	16	9	11	81	8	5	4	2	5	8	3	5	10	4
Cancer	21	–	–	–	–	–	–	–	–	–	–	2	1	3	8	4	3
Scrofula and Tabes	54	13	9	3	–	2	27	6	2	6	2	4	3	2	1	1	–
Phthisis	324	–	–	–	–	–	–	2	10	52	47	73	45	56	32	6	1
Hydrocephalus	29	13	8	5	–	1	27	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	434	165	14	9	10	3	201	14	9	5	8	13	20	27	47	67	21
Dis. of Heart & Dropsy	138	–	1	–	–	1	2	2	3	5	1	9	14	22	19	43	18
Dis. of Lungs	644	111	39	13	8	6	177	10	8	6	11	28	41	76	103	120	60
Dis. of Stom. and Liver	222	23	2	2	2	2	31	3	5	11	6	13	24	35	49	37	8
Dis. of Kidneys	44	–	–	–	–	1	1	1	–	2	1	2	4	3	11	10	8
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Dis. of Joints	20	–	–	–	–	–	–	1	3	3	2	1	1	3	2	3	1
Dis. of Skin	8	3	–	1	1	–	5	–	–	–	–	1	–	–	1	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	8	–	–	–	–	–	–	–	–	–	2	2	2	2	–	–	–
Other Violent Deaths	129	2	5	5	3	2	17	9	8	6	5	12	19	18	16	16	3
Other Causes	744	391	47	5	3	1	447	9	9	6	2	5	6	17	35	59	12

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 upwards.
492*b*.—KNARESBOROUGH.																		
Mean Popul^n, 1861–71	9458	230	210	209	213	214	1076	1020	931	860	884	1392	1129	898	677	416	155	20
TOTAL DEATHS	1931	357	110	49	32	26	574	71	48	71	66	139	138	145	170	227	219	63
Small-pox	5	3	-	-	-	-	3	-	1	1	-	-	-	-	-	-	-	-
Measles	23	4	10	5	-	1	20	2	-	1	-	-	-	-	-	-	-	-
Scarlatina	43	2	5	8	6	4	25	7	7	1	-	2	1	-	-	-	-	-
Diphtheria	30	6	-	8	1	2	17	5	4	3	-	-	1	-	-	-	-	-
Whooping-cough	22	10	7	4	1	-	22	-	-	-	-	-	-	-	-	-	-	-
Typhus	63	-	-	-	1	2	3	11	7	5	5	10	2	8	3	7	1	1
Diarrhœa & Dysentery	84	38	7	1	1	1	48	4	-	-	1	4	-	4	4	9	8	2
Cholera	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Other Zymotic Dis.	48	1	6	2	6	5	20	4	3	6	2	1	2	2	3	4	1	-
Cancer	84	-	-	-	-	-	-	1	1	-	1	-	13	17	15	21	11	1
Scrofula and Tabes	31	8	5	1	-	1	15	3	4	1	1	2	3	-	1	1	-	-
Phthisis	245	-	2	2	1	2	7	9	8	36	32	59	48	22	15	8	1	-
Hydrocephalus	23	8	6	3	1	1	19	4	-	-	-	-	-	-	-	-	-	-
Disease of Brain	319	116	21	5	9	-	151	7	5	3	3	12	10	22	25	43	32	6
Disease of Heart & Dropsy	148	-	2	2	1	1	6	1	1	1	2	7	10	21	35	35	24	5
Disease of Lungs	275	55	20	6	4	2	87	7	4	2	3	11	16	15	35	43	44	8
Disease of Stom. and Liver	128	14	1	-	-	3	18	2	2	6	5	9	9	20	23	22	11	1
Disease of Kidneys	15	-	-	-	-	-	-	-	-	-	2	-	4	2	3	3	1	-
Disease of Gener. Organs	11	-	-	-	-	-	-	-	-	-	-	1	5	2	1	-	2	-
Disease of Joints	7	-	-	-	-	-	-	-	-	1	-	1	-	1	2	1	1	-
Disease of Skin	5	1	-	-	-	-	1	-	1	-	-	-	-	1	-	2	-	-
Childbirth and Metria	28	-	-	-	-	-	-	-	-	2	5	12	9	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Other Violent Deaths	31	3	5	-	-	-	8	4	-	1	-	3	1	3	-	-	9	2
Other Causes	260	88	13	2	-	1	104	-	-	1	4	5	3	5	4	25	73	36

[For Districts 492*c*.—WETHERBY, and 493.—WHARFEDALE, *see* p. 353.]

494.—KEIGHLEY.																		
Mean Popul^n, 1861–71	24659	680	643	602	583	550	3058	2718	2569	2631	2410	3823	2971	2205	1354	703	192	25
TOTAL DEATHS	5629	1215	483	176	137	113	2124	266	179	275	285	420	382	309	455	520	339	75
Small-pox	64	16	8	-	2	6	32	8	4	3	10	4	-	3	-	-	-	-
Measles	112	31	39	16	10	7	103	7	1	-	-	1	-	-	-	-	-	-
Scarlatina	310	18	46	38	39	35	176	96	28	4	2	3	1	-	-	-	-	-
Diphtheria	18	3	1	2	4	-	10	5	-	-	1	1	1	-	-	-	-	-
Whooping-cough	143	69	49	11	5	5	139	4	-	-	-	-	-	-	-	-	-	-
Typhus	273	4	7	7	8	13	39	40	36	34	31	32	21	11	17	10	2	-
Diarrhœa & Dysentery	158	69	23	5	1	-	98	-	2	1	2	2	4	5	11	20	12	1
Cholera	15	4	3	1	-	-	8	2	-	1	-	-	-	2	1	1	-	-
Other Zymotic Dis.	155	28	25	20	20	13	106	8	2	2	2	2	6	7	11	5	4	-
Cancer	82	-	-	-	-	-	-	-	-	-	1	3	18	27	18	9	6	-
Scrofula and Tabes	48	9	10	2	6	-	27	3	3	4	-	5	2	2	1	1	-	-
Phthisis	971	8	14	5	4	3	34	12	55	177	163	221	146	71	68	23	1	-
Hydrocephalus	67	21	12	7	7	5	52	8	5	2	-	-	-	-	-	-	-	-
Disease of Brain	733	336	60	16	13	6	481	24	8	13	12	16	21	30	67	86	34	1
Disease of Heart & Dropsy	380	1	1	-	-	-	2	12	13	12	11	30	46	57	88	80	26	3
Disease of Lungs	692	171	108	25	10	11	325	16	3	8	8	15	29	46	90	118	31	3
Disease of Stom. and Liver	208	12	4	4	1	2	23	3	5	6	11	20	28	28	44	33	7	-
Disease of Kidneys	24	-	-	1	-	1	2	1	2	1	2	5	2	5	2	2	-	-
Disease of Gener. Organs	9	-	-	-	-	-	-	-	-	-	-	2	1	-	3	1	2	-
Disease of Joints	11	-	-	-	-	-	-	1	3	-	1	1	1	1	1	2	-	-
Disease of Skin	11	2	1	-	-	-	3	-	-	-	1	2	2	-	-	2	1	-
Childbirth and Metria	112	-	-	-	-	-	-	-	-	2	25	48	36	1	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-
Other Violent Deaths	49	6	4	5	3	4	22	8	2	1	-	-	6	1	2	3	1	3
Other Causes	929	357	68	11	4	2	442	8	7	4	1	7	11	11	29	124	212	61
495.—TODMORDEN.																		
Mean Popul^n, 1861–71	16368	449	391	385	386	341	1952	1757	1657	1634	1566	2566	2016	1571	981	504	148	16
TOTAL DEATHS	3352	639	231	104	84	56	1114	165	80	128	128	259	239	255	316	377	241	50
Small-pox	6	1	1	1	-	-	3	-	-	1	1	-	1	-	-	-	-	-
Measles	58	12	18	10	9	5	51	3	-	-	1	-	-	-	-	-	-	-
Scarlatina	135	-	14	22	20	16	72	47	11	3	-	2	-	-	-	-	-	-
Diphtheria	7	-	1	-	2	-	3	3	-	-	-	1	-	-	-	-	-	-
Whooping-cough	74	39	23	6	1	-	69	4	-	-	-	-	-	-	-	1	-	-
Typhus	157	10	11	8	5	5	39	17	17	19	13	13	11	13	6	4	5	-
Diarrhœa & Dysentery	119	43	14	3	1	1	62	1	4	4	1	3	10	4	14	10	5	1
Cholera	18	3	-	1	-	-	4	1	-	-	2	1	4	2	4	-	-	-
Other Zymotic Dis.	125	14	17	21	9	6	67	13	3	2	4	9	5	5	2	11	1	-
Cancer	58	-	-	-	-	-	-	-	-	-	1	4	10	12	11	13	6	1
Scrofula and Tabes	41	10	5	-	3	-	18	6	1	3	2	5	2	3	1	-	-	-
Phthisis	361	1	-	-	-	-	1	3	19	60	55	109	45	41	23	4	1	-
Hydrocephalus	31	10	9	4	4	1	28	2	1	-	-	-	-	-	-	-	-	-
Disease of Brain	419	112	23	7	7	4	153	25	5	7	6	12	26	38	52	63	28	4
Disease of Heart & Dropsy	191	3	1	-	1	-	5	4	5	8	3	12	25	27	43	45	14	-
Disease of Lungs	497	64	53	10	10	12	149	11	5	5	15	32	32	50	70	79	46	3
Disease of Stom. and Liver	230	22	5	3	4	1	35	7	6	5	7	12	25	33	48	42	9	1
Disease of Kidneys	23	-	1	1	-	-	2	-	-	1	-	-	4	4	5	7	-	-
Disease of Gener. Organs	11	-	-	-	-	-	-	-	-	-	-	2	5	2	2	-	-	-
Disease of Joints	11	1	-	-	-	1	2	2	-	2	1	-	2	1	-	-	1	-
Disease of Skin	5	-	1	-	-	-	1	-	-	-	-	-	-	-	1	3	-	-
Childbirth and Metria	63	-	-	-	-	-	-	-	-	3	13	27	19	1	-	-	-	-
Suicide	11	-	-	-	-	-	-	-	-	2	1	1	3	-	3	1	-	-
Other Violent Deaths	46	6	2	2	1	1	12	9	1	1	1	6	2	4	3	4	2	1
Other Causes	655	288	32	5	7	3	335	7	2	2	1	8	8	15	28	87	123	39

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–
496.—SADDLEWORTH.																	
Mean Popul^n, 1861–71	9357	286	251	243	235	243	1258	1095	1041	939	844	1284	1081	861	563	314	73
TOTAL DEATHS	2286	601	185	75	48	44	953	89	70	80	75	129	101	150	216	240	165
Small-pox	11	3	–	2	–	–	5	2	–	2	–	2	–	–	–	–	–
Measles	50	17	18	10	2	2	49	1	–	–	–	–	–	–	–	–	–
Scarlatina	83	11	11	11	10	12	55	22	4	1	–	1	–	–	–	–	–
Diphtheria	9	1	1	1	–	3	6	2	–	–	–	–	–	–	1	–	–
Whooping-cough	38	23	12	2	1	–	38	–	–	–	–	–	–	–	–	–	–
Typhus	88	3	1	5	2	8	19	14	8	5	6	9	8	7	6	5	1
Diarrhœa & Dysentery	63	32	13	1	–	1	47	–	1	1	–	–	–	–	2	4	6
Cholera	11	1	1	–	1	–	3	–	1	–	–	–	1	–	4	1	1
Other Zymotic Dis.	61	6	3	8	4	1	22	6	4	2	3	3	4	3	6	6	2
Cancer	19	–	–	1	–	–	1	–	–	–	–	–	–	4	8	3	3
Scrofula and Tabes	51	13	11	1	2	2	29	1	4	6	2	4	–	3	2	–	–
Phthisis	260	3	4	2	1	1	11	6	12	41	43	55	30	27	26	9	–
Hydrocephalus	31	13	9	6	2	–	30	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	386	202	33	9	8	3	255	10	5	2	1	9	5	16	29	37	16
Dis. of Heart & Dropsy	133	3	–	1	4	2	10	2	5	7	5	9	8	21	30	26	10
Dis. of Lungs	374	102	37	11	6	4	160	7	3	6	4	10	19	36	44	54	30
Dis. of Stom. and Liver	102	7	2	–	1	1	11	2	2	3	2	5	8	14	26	23	6
Dis. of Kidneys	31	–	–	–	2	–	2	1	2	–	1	4	1	3	4	6	6
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Dis. of Joints	13	–	1	–	–	–	1	1	2	1	1	2	2	–	1	1	1
Dis. of Skin	5	3	1	–	–	–	4	–	–	–	–	–	1	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	12	–	–	–	–	–	–	–	–	–	1	2	2	3	3	1	–
Other Violent Deaths	71	3	1	–	1	4	9	7	10	2	4	9	6	7	9	4	4
Other Causes	383	155	26	4	1	–	186	4	7	1	2	5	5	6	15	60	79
497.—HUDDERSFIELD.																	
Mean Popul^n, 1861–71	66437	2149	1962	1805	1825	1791	9532	8247	7356	6660	5738	9281	7614	5772	3727	1922	549
TOTAL DEATHS	16901	4638	1543	619	415	325	7540	781	408	536	548	894	968	1127	1460	1516	968
Small-pox	131	36	10	16	12	11	85	12	7	6	7	6	4	2	1	1	–
Measles	406	100	164	65	35	16	380	25	1	–	–	–	–	–	–	–	–
Scarlatina	895	53	123	119	124	113	532	255	76	17	8	6	–	1	–	–	–
Diphtheria	94	10	11	6	14	10	51	24	9	3	1	1	2	1	1	1	–
Whooping-cough	338	178	100	28	14	7	327	10	–	1	–	–	–	–	–	–	–
Typhus	763	17	31	39	19	29	135	76	57	85	61	103	80	48	58	39	19
Diarrhœa & Dysentery	576	323	90	21	2	1	437	4	1	4	2	2	11	13	37	24	33
Cholera	87	27	8	1	2	3	41	–	3	3	1	2	2	11	11	10	3
Other Zymotic Dis.	382	52	36	48	37	24	197	33	10	10	8	18	20	22	27	22	11
Cancer	108	–	–	–	–	1	1	–	–	3	1	2	14	21	34	25	7
Scrofula and Tabes	253	68	56	12	4	8	148	17	21	15	11	15	10	7	4	5	–
Phthisis	1949	32	44	15	14	2	107	51	76	210	292	403	303	241	176	79	11
Hydrocephalus	313	125	83	25	12	13	253	46	9	–	–	–	–	–	–	–	–
Dis. of Brain	2564	1276	183	62	36	38	1595	80	27	30	26	59	68	129	175	252	118
Dis. of Heart & Dropsy	709	8	5	8	4	1	26	13	16	24	13	34	75	113	179	158	56
Dis. of Lungs	2509	592	323	87	41	25	1068	40	14	15	20	75	115	212	339	388	202
Dis. of Stom. and Liver	820	83	15	12	6	1	117	18	17	19	14	42	103	130	174	141	44
Dis. of Kidneys	312	12	6	3	3	1	25	7	7	9	7	22	34	34	60	67	38
Dis. of Gener. Organs	3	1	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–
Dis. of Joints	110	1	5	3	1	1	11	11	16	18	11	7	12	9	10	5	–
Dis. of Skin	54	17	6	2	1	1	27	1	1	3	3	2	1	3	5	5	3
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	78	–	–	–	–	–	–	–	–	6	3	7	13	19	20	8	1
Other Violent Deaths	585	19	33	21	18	12	103	41	30	45	47	65	71	67	67	35	12
Other Causes	2862	1608	211	26	16	7	1868	17	10	10	12	23	30	43	81	251	410
498.—HALIFAX.																	
Mean Popul^n, 1861–71	68141	2097	1859	1821	1752	1735	9264	8163	7502	6971	6062	9959	8096	6081	3727	1777	501
TOTAL DEATHS	17569	4730	1675	702	443	322	7872	771	429	613	565	944	1096	1247	1509	1528	852
Small-pox	52	12	5	3	2	2	24	5	2	2	8	6	2	2	–	1	–
Measles	317	66	151	41	28	15	301	13	2	–	–	–	–	1	–	–	–
Scarlatina	857	58	124	146	131	110	569	233	37	8	1	5	1	1	–	2	–
Diphtheria	56	11	6	4	4	8	33	13	4	–	1	1	1	1	–	2	–
Whooping-cough	237	111	71	34	11	3	230	7	–	–	–	–	–	–	–	–	–
Typhus	644	25	22	36	20	18	121	60	65	75	47	75	55	55	47	34	10
Diarrhœa & Dysentery	471	251	90	12	4	–	357	5	6	2	5	3	7	11	14	37	23
Cholera	44	6	6	1	–	–	13	1	–	–	3	2	7	9	5	4	–
Other Zymotic Dis.	458	56	69	49	47	35	256	42	6	16	14	19	29	27	23	16	10
Cancer	111	–	–	–	–	1	1	1	–	–	–	2	14	16	30	34	12
Scrofula and Tabes	331	102	55	20	5	10	192	24	27	27	13	14	14	9	5	6	–
Phthisis	1898	22	15	7	7	8	59	42	92	282	291	381	343	228	134	45	1
Hydrocephalus	387	116	101	45	30	19	311	53	17	6	–	–	–	–	–	–	–
Dis. of Brain	3318	1830	281	98	51	26	2286	75	40	44	23	67	95	117	212	245	107
Dis. of Heart & Dropsy	729	11	4	7	3	7	32	23	19	32	16	63	78	126	164	156	37
Dis. of Lungs	2968	639	287	102	55	27	1110	48	24	35	47	108	171	323	478	438	168
Dis. of Stom. and Liver	852	117	27	12	4	5	165	29	14	31	26	48	89	132	141	141	30
Dis. of Kidneys	272	1	3	3	–	1	8	10	7	5	12	17	27	38	43	62	36
Dis. of Gener. Organs	5	–	–	–	–	–	–	–	–	–	–	–	2	1	–	2	–
Dis. of Joints	77	1	3	2	3	1	10	15	11	6	6	4	6	3	13	3	–
Dis. of Skin	54	14	4	2	–	–	20	–	–	1	–	4	2	4	13	5	4
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	77	–	–	–	–	–	–	–	–	3	2	16	18	16	16	5	1
Other Violent Deaths	638	13	31	27	28	17	116	44	46	27	42	76	90	87	67	32	10
Other Causes	2716	1268	320	51	10	9	1658	28	10	11	8	33	45	40	104	278	403

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
496.—SADDLEWORTH.																		
Mean Populn, 1861–71	9920	278	275	241	244	227	1265	1117	1038	983	941	1496	1218	902	564	306	83	7
TOTAL DEATHS	2159	434	180	71	50	46	781	81	68	93	89	158	149	145	180	227	156	32
Small-pox	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Measles	45	11	19	2	6	-	38	6	-	-	1	-	-	-	-	-	-	-
Scarlatina	85	4	18	12	15	12	61	18	2	2	1	1	-	-	-	-	-	-
Diphtheria	11	-	-	3	3	1	7	3	1	-	-	-	-	-	-	-	-	-
Hooping-cough	43	23	11	4	-	4	42	1	-	-	-	-	-	-	-	-	-	-
Typhus	102	-	6	4	1	8	19	14	13	18	6	7	12	5	6	1	1	-
Diarrhœa & Dysentery	63	32	11	1	-	-	44	-	-	-	-	-	1	2	2	8	5	1
Cholera	9	-	1	1	-	-	2	-	-	-	-	1	1	2	1	2	-	-
Other Zymotic Dis.	53	8	4	2	7	1	22	8	2	-	3	4	3	2	3	5	-	1
Cancer	35	-	-	-	-	-	-	-	-	-	-	2	3	11	7	7	5	-
Scrofula and Tabes	45	19	8	6	-	2	35	2	3	1	2	-	1	1	-	-	-	-
Phthisis	323	3	2	2	2	1	10	5	21	52	41	86	55	26	18	9	-	-
Hydrocephalus	20	9	3	4	2	-	18	2	-	-	-	-	-	-	-	-	-	-
Ds. of Brain	301	136	23	11	2	9	181	9	8	4	6	7	6	12	19	32	16	1
Ds. of Heart & Dropsy	172	1	1	2	1	-	5	2	8	2	5	10	21	35	38	33	13	-
Ds. of Lungs	272	62	41	3	5	4	120	3	3	4	5	8	15	21	35	32	23	3
Ds. of Stom. and Liver	100	6	4	1	1	1	13	1	2	1	5	8	8	11	21	25	5	-
Ds. of Kidneys	12	-	-	-	1	-	1	-	-	-	-	-	3	2	4	-	1	1
Ds. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	1	-	3	2	3	-	-	-
Ds. of Joints	17	-	1	-	-	1	2	-	-	-	1	2	3	4	3	2	-	-
Ds. of Skin	2	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Childbirth and Metria	38	-	-	-	-	-	-	-	-	3	8	16	9	2	-	-	-	-
Suicide	8	-	-	-	-	-	-	-	-	-	-	2	1	2	3	-	-	-
Other Violent Deaths	38	5	4	3	3	2	17	2	3	3	2	2	1	-	3	1	3	1
Other Causes	354	115	22	5	1	-	143	5	1	3	2	1	2	5	14	70	84	24
497.—HUDDERSFIELD.																		
Mean Populn, 1861–71	69306	2116	1948	1860	1801	1823	9548	8343	7467	7039	6592	10360	7947	5760	3699	1892	594	65
TOTAL DEATHS	15231	3500	1329	619	426	337	6211	749	401	616	623	1160	972	899	1159	1334	916	191
Small-pox	109	24	14	4	11	6	59	11	6	6	6	7	11	2	1	-	-	-
Measles	418	75	158	83	39	23	378	33	2	4	-	1	-	-	-	-	-	-
Scarlatina	837	46	100	116	107	123	492	247	59	16	10	11	2	-	-	-	-	-
Diphtheria	91	5	11	14	13	12	55	25	9	1	-	-	1	-	-	-	-	-
Hooping-cough	377	174	118	49	13	9	363	6	1	-	1	-	1	-	-	-	-	-
Typhus	741	10	29	26	30	26	121	88	79	75	57	109	64	48	58	34	8	-
Diarrhœa & Dysentery	593	281	92	15	9	1	401	12	4	2	6	16	11	15	29	43	47	4
Cholera	62	18	8	-	1	2	29	5	-	1	1	5	3	4	7	5	2	-
Other Zymotic Dis.	362	51	45	48	38	35	218	37	7	9	10	14	6	13	19	23	6	-
Cancer	234	-	1	-	1	-	2	-	1	1	-	12	34	71	61	38	13	1
Scrofula and Tabes	246	66	49	22	5	5	147	19	11	17	10	14	12	9	4	3	-	-
Phthisis	2144	31	30	20	6	7	94	46	100	341	344	550	329	169	110	56	5	-
Hydrocephalus	264	84	67	26	22	16	215	31	10	3	1	3	-	-	1	-	-	-
Ds. of Brain	2052	917	150	76	47	21	1211	71	36	27	31	50	65	96	165	186	106	8
Ds. of Heart & Dropsy	765	5	4	1	2	6	18	14	20	23	19	61	88	131	172	164	51	4
Ds. of Lungs	1988	433	228	66	35	30	792	45	17	24	21	59	85	124	256	368	161	16
Ds. of Stom. and Liver	704	50	13	8	7	4	82	11	13	20	24	58	73	106	149	109	54	5
Ds. of Kidneys	175	10	7	3	1	1	22	4	3	2	11	21	24	30	24	28	6	-
Ds. of Gener. Organs	63	-	-	-	-	-	-	-	-	1	4	10	12	14	13	6	3	-
Ds. of Joints	87	4	3	3	2	1	13	6	5	6	7	7	15	17	6	4	1	-
Ds. of Skin	31	6	1	-	1	-	8	-	1	1	-	5	4	1	5	4	2	-
Childbirth and Metria	272	-	-	-	-	-	-	-	-	13	48	112	97	2	-	-	-	-
Suicide	38	-	-	-	-	-	-	-	-	5	2	9	4	9	7	1	1	-
Other Violent Deaths	173	15	19	12	15	6	67	22	10	8	5	9	9	6	6	14	15	2
Other Causes	2425	1192	181	27	16	3	1419	16	7	10	5	17	22	32	66	245	435	151
498.—HALIFAX.																		
Mean Populn, 1861–71	72828	2103	1825	1734	1701	1730	9093	8305	7414	7511	7127	11449	8802	6427	3987	2030	622	61
TOTAL DEATHS	16656	3807	1523	652	430	312	6724	698	479	786	714	1179	1054	1064	1299	1451	1030	178
Small-pox	57	15	4	4	1	4	28	10	3	1	8	4	2	1	-	-	-	-
Measles	340	63	148	67	31	12	321	17	2	-	-	-	-	-	-	-	-	-
Scarlatina	827	46	109	135	134	121	545	213	45	12	6	4	1	1	-	-	-	-
Diphtheria	50	3	4	7	9	8	31	10	5	-	3	1	-	-	-	-	-	-
Hooping-cough	297	138	106	24	9	8	285	11	-	1	-	-	-	-	-	-	-	-
Typhus	727	21	32	29	22	29	133	89	77	118	60	73	44	56	42	22	13	-
Diarrhœa & Dysentery	482	243	77	10	7	2	339	6	1	5	2	13	15	15	22	28	33	3
Cholera	29	6	6	-	1	-	13	2	-	-	2	-	3	6	5	7	1	-
Other Zymotic Dis.	373	44	46	40	41	18	189	35	15	11	7	19	17	27	29	15	13	1
Cancer	295	-	-	-	-	-	-	-	-	1	2	13	41	86	79	52	20	1
Scrofula and Tabes	265	68	48	16	8	8	148	22	19	17	13	14	15	8	6	3	-	-
Phthisis	2291	20	15	8	7	4	54	42	152	461	416	580	320	162	77	25	2	-
Hydrocephalus	292	79	87	44	24	11	245	32	13	1	1	-	-	-	-	-	-	-
Ds. of Brain	2757	1422	237	89	51	22	1821	51	41	34	26	56	87	127	192	193	106	15
Ds. of Heart & Dropsy	848	12	6	5	5	5	33	16	30	25	32	76	105	131	178	162	57	3
Ds. of Lungs	2336	448	297	95	49	44	933	57	22	37	36	79	141	290	367	445	205	14
Ds. of Stom. and Liver	861	80	22	7	8	5	122	25	14	24	32	62	96	128	174	133	46	5
Ds. of Kidneys	97	1	1	-	-	1	3	3	3	4	6	13	12	14	13	12	9	-
Ds. of Gener. Organs	84	1	-	-	-	-	1	-	-	-	4	8	27	21	12	10	1	-
Ds. of Joints	70	2	4	3	1	-	10	6	10	6	6	7	2	7	6	8	2	-
Ds. of Skin	32	13	-	-	-	-	13	1	-	3	-	3	3	5	1	3	-	-
Childbirth and Metria	232	-	-	-	-	-	-	-	-	8	38	118	88	-	-	-	-	-
Suicide	24	-	-	-	-	-	-	-	-	1	1	8	4	9	1	-	-	-
Other Violent Deaths	210	26	19	16	6	6	73	27	15	6	5	10	8	15	17	12	17	5
Other Causes	2545	1056	255	53	16	4	1384	23	9	10	8	13	23	45	78	316	505	131

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85
499.—BRADFORD.																		
Mean Popul^n, 1861–71	108458	3509	3048	2893	2845	2801	15096	12837	11421	11003	9853	16847	12987	9534	5660	2505	658	5
TOTAL DEATHS	28919	9338	3083	1108	720	556	14805	1164	592	778	878	1535	1680	1908	2164	2048	1175	19
Small-pox	217	80	15	10	20	8	133	28	5	12	11	14	6	6	2	-	-	-
Measles	665	157	292	102	59	26	636	27	1	-	-	1	-	-	-	-	-	-
Scarlatina	1221	88	182	206	208	141	825	320	56	11	2	4	2	1	-	-	-	-
Diphtheria	153	29	30	18	15	11	103	23	8	4	6	4	2	3	-	-	-	-
Whooping-cough	538	271	155	65	25	11	527	11	-	-	-	-	-	-	-	-	-	-
Typhus	1201	38	67	54	50	52	261	145	91	109	95	130	100	109	81	48	34	-
Diarrhœa & Dysentery	1528	975	256	50	9	8	1298	11	5	2	3	10	13	81	44	66	41	-
Cholera	85	24	7	4	1	-	36	6	-	1	3	6	4	7	13	5	4	-
Other Zymotic Dis.	656	109	91	65	75	37	377	68	19	16	12	29	33	33	24	31	13	-
Cancer	218	1	-	-	-	-	1	1	2	2	4	10	24	39	71	43	20	-
Scrofula and Tabes	525	161	119	34	17	15	351	30	36	26	20	28	11	7	10	6	-	-
Phthisis	2839	53	55	29	11	15	163	52	106	825	429	612	528	372	186	57	9	-
Hydrocephalus	725	278	217	64	32	51	642	61	13	7	-	1	-	-	1	-	-	-
Dis. of Brain	4846	2656	426	114	54	55	3302	115	44	46	55	101	129	236	306	315	149	1
Dis. of Heart & Dropsy	1602	36	22	14	8	14	94	39	50	56	50	132	215	249	331	292	89	-
Dis. of Lungs	4740	1386	645	162	60	49	2302	76	52	34	54	155	252	413	592	575	230	2
Dis. of Stom. and Liver	1173	249	34	9	13	8	313	37	23	34	32	78	107	150	196	163	33	7
Dis. of Kidneys	376	1	1	4	3	2	11	10	9	16	15	42	44	48	69	70	87	-
Dis. of Gener. Organs	6	1	-	-	-	1	2	1	-	-	-	-	1	1	1	-	-	-
Dis. of Joints	140	9	6	3	2	1	21	13	18	15	12	10	16	9	12	12	2	-
Dis. of Skin	63	20	3	-	-	1	24	1	2	1	5	6	3	7	9	3	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	99	-	-	-	-	-	-	-	-	2	3	11	23	24	28	7	1	-
Other Violent Deaths	909	69	43	42	36	31	221	59	62	50	58	113	112	99	76	32	22	-
Other Causes	4391	2647	417	57	22	19	3162	30	10	9	9	38	55	64	112	293	490	11
500*b*.—HUNSLET;* 500*c*.—HOLBECK;* 500*d*.—BRAMLEY.*																		
Mean Popul^n, 1861–71	57757	2044	1679	1660	1626	1555	8564	7245	5965	5667	5342	9074	6805	4673	2821	1260	320	2
TOTAL DEATHS	15371	5275	1724	653	383	310	8345	597	322	398	419	757	832	936	1049	1047	577	9
Small-pox	109	40	18	9	8	6	81	4	-	3	6	9	3	3	-	-	-	
Measles	346	82	132	69	33	18	334	10	2	-	-	-	-	-	-	-	-	
Scarlatina	659	54	103	108	102	97	464	149	30	6	4	4	1	1	-	-	-	
Diphtheria	110	11	19	14	13	9	66	30	6	1	2	2	-	1	1	-	1	
Whooping-cough	323	155	108	29	18	8	318	5	-	-	-	-	-	-	-	-	-	
Typhus	605	12	16	25	16	15	84	77	59	60	51	91	59	52	36	22	14	
Diarrhœa & Dysentery	915	622	150	20	9	1	802	6	3	3	1	7	5	9	20	25	22	
Cholera	46	22	5	-	-	-	27	-	-	-	-	2	4	3	4	3	2	
Other Zymotic Dis.	367	64	59	41	31	27	222	28	10	6	5	7	21	25	18	14	10	
Cancer	114	-	-	-	-	-	-	2	1	-	-	6	14	32	28	23	7	
Scrofula and Tabes	317	133	68	18	5	5	229	22	20	14	12	9	4	4	2	-	1	
Phthisis	1380	30	28	13	2	8	81	37	55	172	204	303	247	170	89	18	4	
Hydrocephalus	369	133	121	42	25	14	335	26	6	2	-	-	-	-	-	-	-	
Dis. of Brain	2373	1255	197	69	38	40	1599	48	31	21	25	57	48	116	159	185	74	1
Dis. of Heart & Dropsy	753	24	9	4	3	10	50	17	18	20	16	75	101	120	169	133	27	
Dis. of Lungs	2711	893	427	126	39	23	1508	45	12	17	25	62	139	200	289	298	108	
Dis. of Stom. and Liver	631	137	35	12	7	5	196	20	16	22	14	29	75	82	86	71	19	
Dis. of Kidneys	207	1	3	2	1	2	9	4	5	9	9	17	24	28	39	43	19	
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	
Dis. of Joints	63	4	2	-	4	-	10	7	8	4	2	6	5	12	6	3	-	
Dis. of Skin	32	16	1	2	1	-	20	-	-	1	-	1	2	2	1	3	1	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	49	-	-	-	-	-	-	-	-	3	3	7	9	13	10	2	2	
Other Violent Deaths	437	26	22	13	15	15	91	44	36	29	32	44	47	41	45	16	11	
Other Causes	2453	1561	201	37	13	7	1819	16	4	5	7	19	21	22	46	178	255	1
501.—LEEDS.†																		
Mean Popul^n, 1861–71	62098	2050	1712	1663	1614	1631	8670	7273	6154	6058	6008	10361	7528	5277	3153	1307	286	5
TOTAL DEATHS	19977	5848	2195	850	538	359	9790	760	358	483	619	1349	1436	1545	1618	1299	641	7
Small-pox	97	29	6	3	10	3	51	9	8	5	10	8	5	1	-	-	-	
Measles	395	70	173	82	37	17	379	16	1	-	-	-	-	-	-	-	-	
Scarlatina	863	66	146	158	132	106	608	209	33	7	1	7	-	-	1	-	-	
Diphtheria	77	9	16	12	12	4	53	10	3	3	2	3	1	1	1	-	-	
Whooping-cough	847	141	123	40	23	10	337	10	-	-	-	-	-	-	-	-	-	
Typhus	925	14	20	24	32	24	114	82	59	76	88	148	126	99	73	48	11	
Diarrhœa & Dysentery	1535	1044	274	49	13	7	1387	10	6	6	5	9	10	12	33	30	23	
Cholera	29	13	2	1	1	-	17	-	-	-	-	3	2	3	4	-	-	
Other Zymotic Dis.	388	72	57	57	23	23	232	39	9	7	6	15	21	25	20	10	4	
Cancer	158	-	-	-	1	-	1	3	-	5	3	5	28	33	48	23	9	
Scrofula and Tabes	429	152	100	24	18	13	307	45	24	14	12	13	9	6	-	1	-	
Phthisis	1754	17	18	9	5	5	54	29	43	199	248	450	385	225	94	26	1	
Hydrocephalus	411	156	128	42	27	23	376	25	10	-	-	-	-	-	-	-	-	
Dis. of Brain	2826	1292	251	78	56	26	1703	72	37	30	26	71	116	163	255	243	102	
Dis. of Heart & Dropsy	1041	79	8	7	8	3	105	23	16	24	33	144	128	186	197	139	45	
Dis. of Lungs	3987	894	551	166	91	45	1747	64	18	26	55	172	281	419	554	442	195	
Dis. of Stom. and Liver	698	90	12	13	6	6	127	22	18	12	23	67	90	132	114	70	20	
Dis. of Kidneys	325	5	4	2	4	4	19	9	5	8	14	34	44	64	58	53	14	
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-	
Dis. of Joints	91	1	3	-	1	1	6	9	8	7	9	13	9	10	14	6	-	
Dis. of Skin	58	11	4	1	-	1	17	2	3	-	1	5	7	9	6	5	3	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	60	-	-	-	-	-	-	-	1	1	5	8	14	15	13	3	-	
Other Violent Deaths	847	48	27	27	21	30	153	53	48	49	71	148	115	90	65	45	10	
Other Causes	2628	1645	272	55	17	8	1997	21	7	4	7	25	44	52	68	154	204	

* In consequence of many and intricate changes having been made during the 10 years in the constituti

† Corrections have been made for changes in t

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
499.—BRADFORD.																		
Mean Popul^{n}, 1861–71	118637	3576	3155	2959	2885	2791	15366	13292	11879	12345	11922	19427	14696	10046	5963	2813	806	82
TOTAL DEATHS	28244	7475	2886	1169	741	506	12777	1112	652	1117	1206	2212	1838	1675	1946	2119	1334	256
Small-pox	255	64	39	17	11	13	144	36	11	16	18	19	9	-	2	-	-	-
Measles	691	143	287	104	74	38	646	42	3	-	-	-	-	-	-	-	-	-
Scarlatina	1142	75	166	187	181	144	753	302	56	10	7	9	4	-	1	-	-	-
Diphtheria	147	24	17	22	18	15	96	33	10	1	2	3	1	1	-	-	-	-
Whooping-cough	752	342	228	98	38	19	725	23	2	1	1	-	-	-	-	-	-	-
Typhus	1210	30	54	63	46	52	245	129	128	156	100	130	97	80	80	52	12	1
Diarrhœa & Dysentery	1473	833	268	45	8	7	1161	13	1	9	11	16	35	38	56	75	51	7
Cholera	79	23	6	5	-	-	34	8	1	2	2	2	7	4	8	8	2	1
Other Zymotic Dis.	609	104	87	57	55	41	344	60	20	16	16	24	38	18	29	30	14	-
Cancer	569	-	1	-	1	1	3	1	-	3	6	28	119	165	133	76	22	3
Scrofula and Tabes	463	127	112	32	25	8	304	28	15	23	19	26	22	13	7	5	1	-
Phthisis	3366	40	55	29	21	13	158	61	166	538	646	1623	563	275	116	55	5	-
Hydrocephalus	582	208	161	70	34	29	502	52	19	6	2	1	-	-	-	-	-	-
Dis. of Brain	4000	1973	350	116	70	37	2546	100	58	59	49	104	135	180	270	316	166	17
Dis. of Heart & Dropsy	1870	35	23	11	6	5	80	40	60	67	82	201	230	312	358	331	93	11
Dis. of Lungs	4117	1070	606	200	101	41	2018	94	39	43	46	142	191	297	457	534	237	19
Dis. of Stom. and Liver	1155	154	37	16	8	10	225	15	15	37	42	113	116	168	206	158	54	6
Dis. of Kidneys	181	2	1	4	2	4	13	6	5	4	16	30	34	20	37	11	4	1
Dis. of Gener. Organs	89	-	-	-	-	-	-	-	-	-	3	18	28	13	16	7	3	1
Dis. of Joints	118	1	5	1	3	3	13	9	19	19	5	13	11	8	14	7	-	-
Dis. of Skin	60	19	4	2	1	2	28	-	1	1	7	8	4	4	4	7	4	1
Childbirth and Metria	504	-	-	-	-	-	-	-	-	21	99	243	130	8	-	-	-	-
Suicide	33	-	-	-	-	-	-	-	1	3	6	2	3	7	6	5	-	-
Other Violent Deaths	305	48	30	30	25	15	148	38	12	9	2	14	9	12	16	16	21	8
Other Causes	4165	2160	349	60	13	9	2591	22	10	10	19	33	52	52	130	426	640	180
500*b*.—HUNSLET;* 500*c*.—HOLBECK;* 500*d*.—BRAMLEY.*																		
Mean Popul^{n}, 1861–71	60243	2062	1724	1706	1712	1596	8800	7205	6026	5724	5568	9596	7111	4980	3141	1619	425	48
TOTAL DEATHS	14727	4120	1607	673	412	278	7090	633	312	474	488	934	937	792	1009	1178	744	136
Small-pox	100	26	12	6	4	2	50	13	7	6	9	8	3	3	1	-	-	-
Measles	310	50	130	62	24	20	286	21	2	-	-	1	-	-	-	-	-	-
Scarlatina	653	44	103	95	111	91	444	161	30	7	2	6	1	1	1	-	-	-
Diphtheria	132	6	29	17	16	21	89	28	3	3	2	2	3	1	1	-	-	-
Whooping-cough	388	169	121	44	27	10	371	17	-	-	-	-	-	-	-	-	-	-
Typhus	707	9	28	34	30	18	119	106	77	73	62	82	67	43	41	27	10	-
Diarrhœa & Dysentery	889	563	159	18	4	1	745	6	2	1	5	13	11	8	23	42	24	9
Cholera	47	23	5	-	-	2	30	2	-	-	2	-	2	2	6	-	2	1
Other Zymotic Dis.	329	59	54	44	33	20	210	21	4	4	7	17	10	14	17	14	11	-
Cancer	277	-	-	-	-	-	-	-	-	2	1	11	57	70	75	48	10	3
Scrofula and Tabes	285	102	74	26	8	4	214	16	6	11	10	9	6	7	5	1	-	-
Phthisis	1489	12	14	10	4	2	42	34	71	238	230	465	233	117	59	25	5	-
Hydrocephalus	242	91	72	31	15	8	217	20	4	-	1	-	-	-	-	-	-	-
Dis. of Brain	1983	926	140	68	49	17	1200	51	23	24	34	43	77	116	140	179	87	12
Dis. of Heart & Dropsy	838	19	10	9	3	5	46	13	28	30	21	78	107	124	186	152	51	2
Dis. of Lungs	2352	628	404	134	50	39	1255	54	20	24	27	71	99	126	243	290	129	14
Dis. of Stom. and Liver	714	92	36	5	7	4	144	23	8	11	21	59	91	93	110	123	29	2
Dis. of Kidneys	123	-	3	2	1	1	7	5	3	6	4	18	25	14	20	15	3	3
Dis. of Gener. Organs	51	-	1	-	-	-	1	-	-	-	2	9	11	10	10	5	2	1
Dis. of Joints	74	5	2	1	2	1	11	10	12	5	1	6	6	5	8	6	4	-
Dis. of Skin	27	11	3	1	2	-	17	-	-	-	-	1	4	3	2	-	-	-
Childbirth and Metria	198	-	-	-	-	-	-	-	-	12	34	81	68	3	-	-	-	-
Suicide	22	-	-	-	-	-	-	-	-	2	4	1	5	9	-	1	-	-
Other Violent Deaths	171	40	18	12	10	4	84	18	6	9	6	5	9	7	7	9	8	3
Other Causes	2323	1245	189	54	12	8	1508	14	6	6	3	8	12	16	54	241	369	86
501.—LEEDS.†																		
Mean Popul^{n}, 1861–71	66366	2090	1752	1652	1690	1625	8809	7416	6363	6498	6713	10903	8074	5746	3626	1702	468	48
TOTAL DEATHS	18316	4770	2038	853	509	326	8496	700	343	465	641	1276	1255	1269	1447	1454	836	134
Small-pox	90	22	12	7	7	-	48	12	6	6	5	7	2	3	1	-	-	-
Measles	382	64	161	81	35	18	359	19	-	1	1	-	1	1	-	-	-	-
Scarlatina	748	38	165	133	135	90	561	135	27	13	4	6	2	-	-	-	-	-
Diphtheria	88	6	20	10	9	9	54	22	6	-	1	2	-	2	-	1	-	-
Whooping-cough	432	158	140	63	45	9	415	17	-	-	-	-	-	-	-	-	-	-
Typhus	582	12	28	28	32	38	138	95	73	75	78	115	113	76	71	30	15	3
Diarrhœa & Dysentery	1454	881	309	45	12	2	1240	12	5	5	5	16	15	23	34	54	38	7
Cholera	30	10	4	-	1	-	15	1	-	-	-	5	3	2	-	3	1	-
Other Zymotic Dis.	321	56	58	29	38	17	198	24	9	3	10	9	8	15	22	15	7	1
Cancer	374	-	2	-	-	-	2	-	-	5	1	16	79	118	86	54	13	-
Scrofula and Tabes	342	117	100	23	11	12	263	19	10	13	4	4	7	6	6	4	-	-
Phthisis	1641	10	14	9	3	7	43	28	80	186	285	463	313	166	66	12	1	-
Hydrocephalus	358	112	116	60	18	19	325	27	6	-	-	-	-	-	-	-	-	-
Dis. of Brain	2362	992	186	80	38	26	1322	62	32	27	38	69	76	134	192	237	101	12
Dis. of Heart & Dropsy	1070	65	14	8	3	4	94	20	19	30	30	92	143	178	234	174	50	6
Dis. of Lungs	3583	762	499	182	75	50	1568	65	20	32	38	145	199	291	412	500	254	29
Dis. of Stom. and Liver	743	52	14	13	4	3	86	9	16	15	27	86	102	117	144	99	41	1
Dis. of Kidneys	212	-	7	1	4	2	14	8	2	7	15	35	31	40	30	21	8	1
Dis. of Gener. Organs	112	-	-	-	-	-	-	-	1	1	8	29	28	24	14	7	-	-
Dis. of Joints	95	5	-	-	2	1	8	6	4	11	7	9	7	20	10	12	1	-
Dis. of Skin	46	6	2	-	2	-	10	1	1	-	2	3	5	6	5	8	5	-
Childbirth and Metria	264	-	-	-	-	-	-	-	-	17	58	111	75	3	-	-	-	-
Suicide	18	-	-	-	-	-	-	-	-	1	2	3	2	3	1	5	1	-
Other Violent Deaths	278	40	20	22	15	12	109	39	15	9	7	14	21	12	17	19	13	3
Other Causes	2449	1362	236	59	20	7	1684	19	5	8	15	37	23	29	72	190	287	71

of these three Districts it has been found necessary to combine the facts relating thereto in one Table.
constitution of this District during the 10 years.

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
502.—DEWSBURY.																		
Mean Populn, 1861–71	53023	1895	1597	1532	1442	1386	7852	6652	5848	5436	4903	8070	6026	4169	2533	1170	338	26
TOTAL DEATHS	14725	5007	1668	693	414	287	8069	716	341	411	442	738	661	777	892	993	576	109
Small-pox	257	62	39	24	31	22	178	32	7	8	11	16	4	1	–	–	–	–
Measles	287	59	125	49	20	15	268	19	–	–	–	–	–	–	–	–	–	–
Scarlatina	651	34	99	97	95	79	401	194	39	9	3	1	1	–	–	–	–	–
Diphtheria	92	8	13	12	13	6	52	29	3	2	1	2	1	2	–	–	–	–
Whooping-cough	227	106	72	28	11	5	222	5	–	–	–	–	–	–	–	–	–	–
Typhus	594	8	18	27	25	24	102	84	53	65	54	86	48	43	35	19	8	2
Diarrhœa & Dysentery	714	453	137	23	4	3	620	5	1	1	2	2	2	10	17	31	22	1
Cholera	63	32	9	4	1	1	47	1	1	1	1	2	2	3	2	3	–	–
Other Zymotic Dis.	338	48	53	47	37	13	198	27	10	9	5	13	13	13	9	28	13	–
Cancer	85	–	–	–	–	–	–	1	–	–	–	5	12	19	27	15	6	–
Scrofula and Tabes	362	139	81	20	4	8	252	27	22	9	14	17	3	7	7	4	–	–
Phthisis	1286	17	18	8	7	8	58	29	70	168	212	285	217	151	89	15	1	–
Hydrocephalus	535	229	155	54	24	22	484	43	7	–	1	–	–	–	–	–	–	–
Dis. of Brain	2431	1380	216	77	35	32	1740	63	30	29	24	41	46	66	146	167	70	9
Dis. of Heart & Dropsy	669	73	19	13	7	8	115	24	20	21	14	61	65	98	98	106	42	5
Dis. of Lungs	2408	741	345	124	64	23	1297	64	13	13	27	67	97	180	236	289	114	11
Dis. of Stom. and Liver	531	81	12	15	5	5	118	13	10	16	19	37	51	79	100	68	18	2
Dis. of Kidneys	167	2	2	4	2	1	11	7	1	5	7	13	15	25	29	28	19	7
Dis. of Gener. Organs	6	–	–	–	–	–	–	–	1	–	–	–	1	2	1	1	–	–
Dis. of Joints	67	4	2	1	–	2	9	7	10	10	7	7	6	1	8	2	–	–
Dis. of Skin	29	19	–	1	–	–	20	–	1	–	–	1	–	2	1	4	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	42	–	–	–	–	–	–	–	–	2	5	7	6	5	7	9	–	1
Other Violent Deaths	444	30	19	22	20	13	104	26	34	38	32	60	47	49	29	19	5	1
Other Causes	2440	1482	234	43	9	2	1770	16	8	5	3	15	24	21	60	185	263	70
503.—WAKEFIELD.*																		
Mean Populn, 1861–71	31887	1068	967	906	871	853	4665	3758	3318	3104	3012	4995	3632	2626	1658	843	251	25
TOTAL DEATHS	8564	2264	607	287	168	136	3462	330	191	232	302	602	725	701	747	762	423	87
Small-pox	60	20	4	3	2	4	33	5	2	5	4	8	2	–	1	–	–	–
Measles	111	28	49	16	7	6	106	4	1	–	–	–	–	–	–	–	–	–
Scarlatina	341	16	41	56	57	41	211	96	24	6	1	3	–	–	–	–	–	–
Diphtheria	68	12	10	10	7	6	45	16	1	2	–	2	–	–	2	–	–	–
Whooping-cough	94	53	18	12	6	2	91	8	–	–	–	–	–	–	–	–	–	–
Typhus	272	9	16	14	7	7	53	26	24	27	22	34	26	18	22	16	3	1
Diarrhœa & Dysentery	416	216	70	12	4	2	304	6	–	–	3	4	11	10	25	31	16	6
Cholera	16	5	2	–	–	–	7	–	–	–	–	1	–	1	4	–	4	–
Other Zymotic Dis.	190	39	14	18	7	13	91	14	3	4	6	14	17	12	11	12	6	–
Cancer	57	1	–	–	–	–	1	–	–	–	–	2	3	9	22	16	4	–
Scrofula and Tabes	190	74	42	10	5	5	136	9	5	8	9	6	10	2	5	–	–	–
Phthisis	892	13	10	6	4	1	34	19	31	93	133	210	173	108	66	25	–	–
Hydrocephalus	186	70	63	15	9	3	160	21	3	1	–	1	–	–	–	–	–	–
Dis. of Brain	1728	574	60	36	19	18	707	40	29	18	35	117	215	207	168	138	52	2
Dis. of Heart & Dropsy	464	8	7	3	3	1	22	10	5	8	13	37	59	72	100	103	30	5
Dis. of Lungs	1226	366	119	38	17	13	553	19	3	6	13	46	74	96	148	181	82	5
Dis. of Stom. and Liver	397	48	12	6	2	–	68	7	14	10	12	33	40	66	64	56	27	–
Dis. of Kidneys	113	1	2	5	1	–	9	4	3	4	5	8	10	14	19	25	11	1
Dis. of Gener. Organs	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–
Dis. of Joints	32	1	1	2	–	–	4	2	1	6	2	3	2	1	6	5	–	–
Dis. of Skin	18	3	1	–	1	–	5	1	–	–	–	1	2	1	6	1	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	43	–	–	–	–	–	–	–	–	–	2	8	8	10	6	8	1	–
Other Violent Deaths	413	13	18	16	5	7	54	19	38	33	39	57	54	52	45	16	4	2
Other Causes	1234	694	53	9	5	7	768	9	4	1	3	8	18	19	29	124	186	65
504*a*.—PONTEFRACT.*																		
Mean Populn, 1861–71	19563	634	584	591	527	555	2891	2502	2246	1969	1664	2698	2081	1586	1101	600	200	25
TOTAL DEATHS	4676	1382	478	207	126	100	2293	197	104	122	116	221	243	262	350	388	307	73
Small-pox	21	5	3	–	–	2	10	2	1	2	–	3	1	2	–	–	–	–
Measles	111	19	41	30	10	7	107	4	–	–	–	–	–	–	–	–	–	–
Scarlatina	254	17	38	49	33	34	171	53	17	7	3	2	1	–	–	–	–	–
Diphtheria	40	6	6	3	5	2	22	9	3	2	2	–	–	–	2	–	–	–
Whooping-cough	74	33	23	13	4	1	74	–	–	–	–	–	–	–	–	–	–	–
Typhus	239	8	18	10	15	8	59	26	23	18	19	31	19	20	12	7	4	1
Diarrhœa & Dysentery	268	149	70	7	4	1	231	2	1	1	–	–	3	4	4	11	10	1
Cholera	12	4	–	–	–	–	4	1	–	–	–	2	–	–	1	3	1	–
Other Zymotic Dis.	99	13	9	16	8	12	58	4	4	1	1	3	6	6	5	6	4	1
Cancer	41	–	–	–	–	–	–	1	–	–	–	–	3	8	11	11	7	–
Scrofula and Tabes	125	52	33	12	1	3	101	5	6	2	3	2	1	4	1	–	–	–
Phthisis	362	3	8	4	–	2	17	13	11	35	44	79	71	42	36	12	2	–
Hydrocephalus	76	38	18	6	2	9	73	3	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	662	364	47	23	12	5	451	13	3	5	7	9	15	19	61	49	29	1
Dis. of Heart & Dropsy	270	4	2	1	–	3	10	5	8	8	8	21	22	48	61	55	24	–
Dis. of Lungs	564	160	69	22	18	6	275	17	4	7	5	16	21	30	62	79	44	4
Dis. of Stom. and Liver	216	43	4	2	3	1	53	3	3	6	5	14	27	28	31	36	10	–
Dis. of Kidneys	69	2	1	–	1	1	5	2	–	1	–	6	5	7	16	18	9	–
Dis. of Gener. Organs	3	1	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–	–
Dis. of Joints	17	–	1	–	–	–	1	1	2	1	3	2	2	1	2	1	1	–
Dis. of Skin	11	6	1	1	–	–	8	–	–	–	–	–	–	–	1	1	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	16	–	–	–	–	–	–	–	1	–	–	6	3	1	–	5	–	–
Other Violent Deaths	224	6	8	4	8	3	29	25	16	25	15	22	29	27	21	9	4	2
Other Causes	902	449	78	4	2	–	533	8	1	1	1	3	14	15	22	84	157	63

* Corrections have been made for changes in the

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
502.—DEWSBURY.																		
Mean Popul^{n}, 1861–71	55561	1922	1628	1572	1438	1455	8065	6768	5982	5718	5415	8789	6340	4184	2618	1275	366	41
TOTAL DEATHS	13608	3869	1504	673	448	324	6818	634	340	500	475	876	791	624	884	927	609	130
Small-pox	270	58	31	42	42	23	196	43	7	13	5	6	6	3	–	–	–	–
Measles	246	43	98	44	23	14	222	21	2	1	–	–	–	–	–	–	–	–
Scarlatina	662	39	83	119	91	87	419	177	43	14	5	3	1	–	–	–	–	–
Diphtheria	112	16	10	15	19	14	74	20	16	1	–	1	–	–	–	–	–	–
Whooping-cough	328	140	115	46	13	7	321	6	1	–	–	–	–	–	–	–	–	–
Typhus	633	8	27	42	31	28	136	76	64	90	46	77	55	38	31	18	2	–
Diarrhœa & Dysentery	642	362	128	20	9	6	525	9	2	–	3	8	9	5	15	31	32	3
Cholera	44	17	9	2	–	–	28	–	–	1	1	2	–	6	3	3	–	–
Other Zymotic Dis.	326	54	49	35	35	29	202	31	7	11	6	8	11	11	15	13	10	1
Cancer	191	–	–	–	–	–	–	–	–	1	2	13	31	48	51	36	8	1
Scrofula and Tabes	287	97	58	17	15	4	191	19	13	12	13	13	9	4	9	4	–	–
Phthisis	1502	13	11	13	12	6	55	34	76	245	228	397	266	108	64	27	2	–
Hydrocephalus	341	125	102	38	31	17	313	22	7	1	–	–	–	1	–	–	–	–
Dis. of Brain	1964	1018	190	68	44	27	1347	60	27	24	19	31	56	66	125	137	63	9
Dis. of Heart & Dropsy	724	65	21	4	8	1	99	19	21	21	26	64	87	92	144	110	40	1
Dis. of Lungs	1966	533	328	96	51	31	1042	43	18	18	19	53	86	99	222	235	124	7
Dis. of Stom. and Liver	559	65	17	11	6	4	103	12	17	11	11	50	61	77	109	82	24	2
Dis. of Kidneys	69	–	2	3	1	1	7	–	3	2	6	8	10	12	8	6	7	–
Dis. of Gener. Organs	40	–	–	–	–	–	–	–	2	–	5	7	9	7	9	1	–	–
Dis. of Joints	52	–	2	3	1	–	6	4	4	4	4	6	10	7	2	3	2	–
Dis. of Skin	30	11	–	–	–	1	12	4	1	1	2	1	2	4	1	1	1	–
Childbirth and Metria	234	–	–	–	–	–	–	–	–	13	55	106	58	2	–	–	–	–
Suicide	12	–	–	–	–	–	–	–	–	1	3	3	4	1	–	–	–	–
Other Violent Deaths	179	17	21	18	7	15	78	17	8	7	13	8	3	7	11	8	16	3
Other Causes	2183	1188	202	37	9	6	1442	17	1	8	3	11	17	26	65	212	278	103
503.—WAKEFIELD.*																		
Mean Popul^{n}, 1861–71	31052	1023	897	886	892	829	4527	3789	3169	2891	2845	4731	3438	2523	1769	984	351	35
TOTAL DEATHS	7602	1692	621	322	178	134	2947	290	156	237	263	596	555	540	642	700	551	125
Small-pox	66	30	6	5	4	4	49	4	–	3	1	8	–	1	–	–	–	–
Measles	104	15	40	29	13	3	100	4	–	–	–	–	–	–	–	–	–	–
Scarlatina	338	18	50	66	49	35	218	94	12	4	4	4	2	–	–	–	–	–
Diphtheria	80	10	11	13	10	9	53	16	5	1	1	3	–	–	1	–	–	–
Whooping-cough	131	58	40	22	7	1	128	3	–	–	–	–	–	–	–	–	–	–
Typhus	268	3	19	9	6	17	54	35	33	25	19	33	22	12	18	11	6	–
Diarrhœa & Dysentery	372	184	67	9	2	1	263	1	1	1	–	3	9	12	23	29	25	5
Cholera	7	3	1	1	–	–	5	1	–	–	–	–	1	–	–	–	–	–
Other Zymotic Dis.	175	33	23	27	11	14	108	10	7	7	–	2	7	8	10	11	5	–
Cancer	170	–	–	–	–	–	–	–	2	–	1	12	28	41	38	39	8	1
Scrofula and Tabes	150	44	41	7	4	3	99	8	5	5	6	8	3	7	6	2	1	–
Phthisis	917	5	8	6	2	3	24	16	36	116	148	257	177	91	63	18	1	–
Hydrocephalus	122	49	28	10	7	7	101	15	4	–	1	1	–	–	–	–	–	–
Dis. of Brain	1197	338	69	45	26	12	520	33	12	25	20	69	104	104	122	127	54	7
Dis. of Heart & Dropsy	430	10	2	1	3	–	16	7	12	11	8	36	50	77	108	94	41	–
Dis. of Lungs	1067	248	137	42	16	16	459	12	8	11	13	41	47	75	110	160	110	21
Dis. of Stom. and Liver	320	25	13	2	–	–	40	7	2	2	7	29	38	56	68	53	16	2
Dis. of Kidneys	72	1	–	2	–	1	4	3	3	1	3	9	9	19	7	10	3	1
Dis. of Gener. Organs	28	–	–	–	–	–	–	–	–	–	–	8	4	7	6	3	–	–
Dis. of Joints	40	1	–	3	1	–	5	1	3	5	3	5	7	2	4	4	–	1
Dis. of Skin	20	10	1	–	–	–	11	–	–	1	1	1	–	3	2	1	–	–
Childbirth and Metria	115	–	–	–	–	–	–	–	–	10	22	54	27	2	–	–	–	–
Suicide	19	–	–	–	–	–	–	–	1	2	2	3	5	2	2	2	–	–
Other Violent Deaths	115	17	11	11	9	4	52	13	9	3	2	4	6	5	6	7	8	–
Other Causes	1219	560	54	12	8	4	638	7	1	4	1	6	9	16	48	129	273	87
504*a*.—PONTEFRACT.*																		
Mean Popul^{n}, 1861–71	18903	637	543	586	567	553	2886	2526	2056	1657	1546	2597	2052	1541	1111	666	237	28
TOTAL DEATHS	4246	1107	395	180	135	85	1902	211	105	121	131	238	228	199	294	390	339	88
Small-pox	20	7	–	3	–	2	12	3	2	–	1	2	–	–	–	–	–	–
Measles	96	16	34	15	15	7	87	8	–	–	–	1	–	–	–	–	–	–
Scarlatina	187	14	26	28	24	18	110	57	13	1	4	1	1	–	–	–	–	–
Diphtheria	26	3	2	5	3	–	13	6	1	2	2	1	–	–	–	1	–	–
Whooping-cough	82	37	29	6	4	4	80	2	–	–	–	–	–	–	–	–	–	–
Typhus	215	4	15	13	17	9	58	31	22	26	15	18	14	12	6	7	6	–
Diarrhœa & Dysentery	246	121	55	10	4	–	190	6	2	1	2	3	4	3	3	17	12	3
Cholera	7	2	3	–	–	–	5	–	1	–	–	–	–	–	–	1	–	–
Other Zymotic Dis.	75	11	12	11	12	3	49	11	3	–	–	1	1	3	2	2	3	–
Cancer	92	–	–	1	–	–	1	–	–	1	–	5	12	20	29	17	6	1
Scrofula and Tabes	96	48	22	6	1	1	78	4	3	2	4	2	1	–	1	1	–	–
Phthisis	459	3	2	5	5	2	17	15	23	60	68	110	74	37	20	6	–	–
Hydrocephalus	48	13	11	8	4	2	38	8	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	627	297	35	12	18	14	376	17	7	7	5	15	14	28	47	65	39	7
Dis. of Heart & Dropsy	256	3	2	3	2	1	11	7	5	6	2	16	23	35	64	57	26	4
Dis. of Lungs	483	120	69	34	11	13	247	17	5	5	8	16	19	15	39	63	46	3
Dis. of Stom. and Liver	219	24	3	2	3	1	33	3	4	4	5	14	20	25	54	38	18	1
Dis. of Kidneys	22	–	1	–	1	–	2	–	1	1	1	3	3	2	2	4	3	–
Dis. of Gener. Organs	24	–	–	–	–	–	–	–	1	–	1	4	6	7	3	2	–	–
Dis. of Joints	13	–	–	1	2	1	4	1	3	–	–	1	1	–	2	1	–	–
Dis. of Skin	14	6	1	–	–	–	7	–	–	–	–	–	–	1	3	3	–	–
Childbirth and Metria	54	–	–	–	–	–	–	–	–	3	10	21	18	2	–	–	–	–
Suicide	7	–	–	–	–	–	–	–	–	–	1	1	–	3	1	–	1	–
Other Violent Deaths	72	9	7	4	5	5	30	10	4	–	2	1	8	1	2	9	4	1
Other Causes	835	369	66	13	4	2	454	5	3	2	–	2	9	5	16	96	175	68

constitution of these Districts during the 10 years.

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
504 *b*.—HEMSWORTH.																		
Mean Populn, 1861–71	4009	97	99	101	102	94	493	469	591	384	291	484	427	335	281	181	66	7
TOTAL DEATHS	763	165	28	16	8	10	227	33	24	21	25	49	37	58	67	107	93	22
Small-pox	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Measles	5	2	1	–	–	–	3	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	27	2	2	5	2	3	14	9	3	1	–	–	–	–	–	–	–	–
Diphtheria	10	2	3	1	–	–	6	1	2	–	1	–	–	–	–	–	–	–
Whooping-cough	13	7	2	1	–	2	12	1	–	–	–	–	–	–	–	–	–	–
Typhus	36	–	–	1	1	1	3	4	4	6	3	4	4	5	1	1	1	–
Diarrhœa & Dysentery	16	4	2	–	–	–	6	–	–	–	–	–	2	–	2	2	3	1
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Other Zymotic Dis.	11	–	1	–	–	2	3	2	2	–	–	–	1	–	–	2	–	1
Cancer	14	–	–	–	–	–	–	–	–	–	–	–	–	3	3	3	5	–
Scrofula and Tabes	19	12	2	–	–	–	14	1	–	2	–	1	1	–	–	–	–	–
Phthisis	77	1	–	1	–	–	2	3	3	7	10	21	8	13	8	1	1	–
Hydrocephalus	10	4	3	2	1	–	10	–	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	122	50	3	1	1	1	56	4	2	–	–	2	4	7	11	23	13	–
Dis. of Heart & Dropsy	62	–	–	1	–	–	1	2	–	–	3	3	5	7	13	21	7	–
Dis. of Lungs	108	30	5	1	1	–	37	1	–	1	1	3	4	11	11	27	8	4
Dis. of Stom. and Liver	42	4	2	1	1	–	8	–	1	–	2	6	3	2	7	3	5	–
Dis. of Kidneys	8	–	–	–	–	–	–	–	1	–	–	1	–	1	–	1	3	1
Dis. of Gener. Organs	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Dis. of Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–
Other Violent Deaths	40	3	1	1	1	–	6	2	5	4	4	3	4	7	4	1	–	–
Other Causes	136	44	1	–	–	–	45	1	1	–	1	3	1	2	6	16	45	15
505.—BARNSLEY.																		
Mean Populn, 1861–71	26776	925	802	803	776	764	4070	3307	2907	2612	2453	4112	2996	2097	1323	689	194	16
TOTAL DEATHS	6944	2173	658	280	163	135	3409	282	206	234	268	466	393	390	442	507	297	50
Small-pox	55	12	5	1	3	1	22	6	3	3	9	9	3	–	–	–	–	–
Measles	153	26	75	23	10	6	140	13	–	–	–	–	–	–	–	–	–	–
Scarlatina	329	21	53	56	52	47	232	81	10	3	1	1	1	–	–	–	–	–
Diphtheria	25	6	2	4	2	2	16	3	2	–	–	3	–	1	–	–	–	–
Whooping-cough	103	59	24	12	7	–	102	4	–	–	–	–	–	–	–	–	–	–
Typhus	279	3	8	10	16	9	46	27	24	32	28	35	18	28	22	16	2	1
Diarrhœa & Dysentery	332	232	54	12	2	3	303	2	–	–	–	–	5	1	1	11	8	1
Cholera	20	2	2	1	–	1	6	1	–	1	–	2	2	2	3	2	1	–
Other Zymotic Dis.	138	21	20	16	8	12	77	10	5	–	2	14	5	9	3	10	2	1
Cancer	50	–	–	–	–	–	–	1	–	–	1	2	3	9	18	12	4	–
Scrofula and Tabes	137	50	42	12	2	1	107	11	6	4	5	3	1	–	–	–	–	–
Phthisis	525	17	15	3	–	5	40	18	22	52	64	106	93	66	49	15	–	–
Hydrocephalus	121	52	30	14	7	6	109	10	1	1	–	–	–	–	–	–	–	–
Dis. of Brain	1143	694	75	31	14	18	832	28	11	2	10	24	31	32	50	84	36	3
Dis. of Heart & Dropsy	415	3	5	2	–	–	10	10	13	6	7	28	27	55	93	119	45	2
Dis. of Lungs	951	324	138	50	24	10	546	20	6	7	15	27	31	61	76	97	59	6
Dis. of Stom. and Liver	195	24	4	2	1	–	31	4	9	5	6	11	25	23	37	30	13	–
Dis. of Kidneys	78	–	2	2	–	2	6	3	2	1	3	4	5	7	17	19	9	2
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Dis. of Joints	19	–	–	1	–	–	1	3	2	2	3	2	1	2	2	1	–	–
Dis. of Skin	11	6	1	1	–	–	8	–	1	–	–	–	–	1	–	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	28	–	–	–	–	–	–	–	1	–	3	5	5	2	7	4	1	–
Other Violent Deaths	804	13	8	14	7	8	50	22	84	113	106	182	123	74	33	10	5	2
Other Causes	1029	608	92	13	8	4	725	5	4	2	4	8	13	17	31	76	112	32
506.—WORTLEY.																		
Mean Populn, 1861–71	22011	730	662	644	606	598	3240	2764	2502	2274	2048	3186	2401	1689	1099	602	188	18
TOTAL DEATHS	4691	1409	321	196	130	78	2134	218	128	120	144	255	295	200	319	421	303	64
Small-pox	37	15	–	1	1	–	17	4	2	1	5	2	4	–	1	1	–	–
Measles	69	12	25	8	8	6	59	8	1	1	–	–	–	–	–	–	–	–
Scarlatina	204	24	25	39	33	22	143	45	12	1	2	1	–	–	–	–	–	–
Diphtheria	53	9	7	9	4	2	31	12	5	2	1	1	–	–	–	1	–	–
Whooping-cough	65	31	13	12	2	1	59	6	–	–	–	–	–	–	–	–	–	–
Typhus	181	7	9	13	7	4	40	19	14	17	16	25	21	9	8	10	2	–
Diarrhœa & Dysentery	168	95	20	8	3	1	127	3	–	2	–	3	–	3	9	8	9	4
Cholera	19	1	1	1	–	–	3	1	–	1	2	1	2	3	3	2	1	–
Other Zymotic Dis.	114	18	14	18	15	5	70	15	5	3	–	4	2	3	5	5	2	–
Cancer	37	–	–	1	–	–	1	1	–	–	–	4	3	8	13	7	–	–
Scrofula and Tabes	71	21	17	4	1	3	46	5	2	1	3	7	3	3	1	–	–	–
Phthisis	438	2	5	1	1	2	11	9	17	37	60	83	98	62	39	16	1	–
Hydrocephalus	102	55	17	11	3	3	89	7	4	2	–	–	–	–	–	–	–	–
Dis. of Brain	760	410	37	10	8	5	500	22	11	9	9	21	18	26	30	72	39	3
Dis. of Heart & Dropsy	223	8	1	2	2	1	14	7	9	3	6	13	32	32	32	58	15	2
Dis. of Lungs	785	205	86	33	22	11	360	23	9	10	5	19	39	66	75	101	54	4
Dis. of Stom. and Liver	181	17	4	2	2	2	27	5	8	4	5	14	16	23	39	30	12	1
Dis. of Kidneys	74	2	2	1	3	2	10	6	3	–	–	3	6	8	12	19	6	1
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Dis. of Joints	30	1	–	1	–	1	3	4	5	3	4	2	3	2	1	2	1	–
Dis. of Skin	10	4	3	–	–	–	7	–	–	–	–	1	–	–	–	1	–	1
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	14	–	–	–	–	–	–	–	–	–	–	3	3	5	3	–	–	–
Other Violent Deaths	249	11	8	12	12	6	49	11	15	22	24	84	35	26	17	11	3	2
Other Causes	823	431	27	6	3	1	468	5	6	1	2	9	10	11	31	76	158	46

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
504*b*.—HEMSWORTH.																		
Mean Popul^n, 1861–71	3944	104	90	109	86	110	499	470	510	350	282	522	431	341	277	184	68	10
TOTAL DEATHS	711	95	27	16	12	16	166	17	29	35	28	59	36	57	52	103	109	20
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Measles	10	2	2	3	1	1	9	-	1	-	-	-	-	-	-	-	-	-
Scarlatina	24	1	2	4	1	6	14	4	4	-	-	2	-	-	-	-	-	-
Diphtheria	10	1	-	1	2	2	6	2	2	-	-	-	-	-	-	-	-	-
Whooping-cough	15	9	5	1	-	-	15	-	-	-	-	-	-	-	-	-	-	-
Typhus	35	-	-	-	1	1	2	2	5	7	4	4	-	5	5	1	-	-
Diarrhœa & Dysentery	17	9	1	-	-	-	10	-	-	-	-	1	-	1	-	2	2	1
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	16	1	-	2	1	1	5	3	-	-	3	1	-	-	1	1	2	-
Cancer	32	-	-	-	-	-	-	-	-	-	-	-	3	12	9	8	-	-
Scrofula and Tabes	19	9	1	1	1	1	13	2	1	-	-	2	1	-	-	-	-	-
Phthisis	89	-	-	-	-	1	1	1	5	19	13	21	16	5	2	3	-	-
Hydrocephalus	10	3	2	-	1	2	8	2	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	95	28	6	1	-	1	36	1	2	2	-	3	1	9	7	20	14	1
Dis. of Heart & Dropsy	69	1	-	-	-	-	1	-	4	3	2	5	4	6	10	19	15	-
Dis. of Lungs	77	5	5	-	1	-	11	-	2	-	2	2	2	6	7	23	20	2
Dis. of Stom. and Liver	31	1	-	1	-	-	2	-	-	1	-	2	3	4	7	9	2	1
Dis. of Kidneys	5	-	-	-	1	-	1	-	1	1	-	1	-	1	-	-	-	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Dis. of Joints	4	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-
Dis. of Skin	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-
Childbirth and Metria	11	-	-	-	-	-	-	-	-	1	2	7	1	-	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	12	1	1	1	1	-	4	-	-	1	1	1	-	-	-	1	3	1
Other Causes	123	24	2	1	1	-	28	-	2	-	1	2	4	6	2	13	51	14
505.—BARNSLEY.																		
Mean Popul^n, 1861–71	24729	952	798	769	773	777	4069	3318	2701	2124	2137	3695	2768	1875	1198	629	190	25
TOTAL DEATHS	5798	1770	647	289	177	117	3000	249	131	187	197	361	341	278	316	390	287	70
Small-pox	57	13	5	4	7	4	33	5	5	3	5	5	-	-	1	-	-	-
Measles	126	16	50	25	17	8	116	9	1	-	-	-	-	-	-	-	-	-
Scarlatina	267	18	38	49	46	33	184	66	12	3	2	-	-	-	-	-	-	-
Diphtheria	33	5	4	2	7	3	21	10	-	1	-	1	-	-	-	-	-	-
Whooping-cough	157	70	44	30	7	4	155	2	-	-	-	-	-	-	-	-	-	-
Typhus	229	1	12	19	10	6	48	23	20	27	28	29	19	21	8	5	1	-
Diarrhœa & Dysentery	323	178	80	11	2	3	274	5	3	-	3	1	5	3	8	9	8	4
Cholera	11	3	3	-	-	-	6	-	-	-	1	1	-	-	1	1	1	-
Other Zymotic Dis.	121	20	12	23	5	9	69	8	4	4	6	4	1	9	7	5	4	-
Cancer	99	-	-	-	-	-	-	1	-	-	1	5	21	32	19	15	5	-
Scrofula and Tabes	126	43	49	10	6	1	109	5	1	3	1	3	-	2	2	-	-	-
Phthisis	623	14	13	9	5	2	43	18	37	90	92	179	103	43	13	5	-	-
Hydrocephalus	86	23	29	8	11	4	75	7	3	-	-	-	-	-	-	1	-	-
Dis. of Brain	931	549	67	24	17	17	674	21	7	8	7	25	20	26	49	70	18	6
Dis. of Heart & Dropsy	416	1	2	1	2	3	9	10	11	12	7	24	57	62	88	92	41	3
Dis. of Lungs	771	247	138	42	27	12	466	27	9	8	6	17	29	26	50	77	47	9
Dis. of Stom. and Liver	182	16	2	2	-	1	21	8	2	2	6	17	26	27	38	23	12	-
Dis. of Kidneys	27	-	-	1	-	-	1	1	-	3	1	2	5	4	3	5	2	-
Dis. of Gener. Organs	24	-	-	-	-	-	-	-	-	1	3	2	3	8	4	1	2	-
Dis. of Joints	17	-	1	-	-	1	2	1	2	1	1	1	1	3	2	2	1	-
Dis. of Skin	18	6	2	-	-	1	9	1	1	1	-	2	1	-	-	2	1	-
Childbirth and Metria	93	-	-	-	-	-	-	-	-	10	20	31	30	2	-	-	-	-
Suicide	14	-	-	-	-	-	-	-	2	2	1	-	4	3	1	-	1	-
Other Violent Deaths	89	10	9	8	3	2	32	8	7	6	3	3	6	2	4	4	9	5
Other Causes	953	537	87	21	5	3	653	4	4	2	3	9	5	5	18	73	134	43
506.—WORTLEY.																		
Mean Popul^n, 1861–71	19737	728	677	651	628	585	3269	2766	2308	1636	1624	2749	2144	1507	980	561	176	17
TOTAL DEATHS	4214	1101	381	159	114	93	1848	216	136	111	162	278	258	195	275	368	313	54
Small-pox	26	11	3	2	1	1	18	1	1	1	-	2	2	1	-	-	-	-
Measles	91	14	42	17	5	7	85	6	-	-	-	-	-	-	-	-	-	-
Scarlatina	211	14	27	24	37	26	126	52	21	2	4	2	1	-	-	-	-	-
Diphtheria	70	7	5	11	8	8	39	19	7	1	1	2	-	-	-	1	-	-
Whooping-cough	84	41	22	8	5	4	80	4	-	-	-	-	-	-	-	-	-	-
Typhus	210	10	12	9	8	5	44	28	37	18	10	23	14	13	14	5	3	1
Diarrhœa & Dysentery	136	75	28	2	1	2	108	1	1	-	2	1	2	2	7	6	6	-
Cholera	8	1	-	-	-	1	2	2	-	-	-	1	-	-	2	1	-	-
Other Zymotic Dis.	100	18	12	8	11	3	52	17	7	2	2	4	3	5	3	4	1	-
Cancer	78	-	-	-	-	-	-	-	1	-	-	5	13	19	18	13	9	-
Scrofula and Tabes	67	18	20	4	4	3	49	2	2	4	1	4	2	2	1	-	-	-
Phthisis	467	12	5	4	1	4	26	16	19	47	77	130	91	35	19	7	-	-
Hydrocephalus	58	22	17	3	5	1	48	5	5	-	-	-	-	-	-	-	-	-
Dis. of Brain	624	326	48	14	4	3	395	18	9	6	15	9	14	23	43	56	34	2
Dis. of Heart & Dropsy	258	6	-	2	1	-	9	9	7	11	6	19	31	33	51	57	22	-
Dis. of Lungs	632	186	86	40	18	11	341	17	4	3	9	15	24	19	43	88	63	6
Dis. of Stom. and Liver	180	21	3	3	1	4	32	6	4	1	8	14	19	20	31	34	9	2
Dis. of Kidneys	35	-	4	-	-	1	5	1	-	1	2	1	5	5	9	3	3	-
Dis. of Gener. Organs	12	-	-	-	-	-	-	-	-	-	1	1	3	1	2	2	1	1
Dis. of Joints	19	1	1	-	-	-	2	2	2	4	1	-	1	4	1	2	-	-
Dis. of Skin	12	7	-	1	-	-	8	-	1	-	1	-	-	-	1	-	1	-
Childbirth and Metria	78	-	-	-	-	-	-	-	-	6	19	33	19	1	-	-	-	-
Suicide	8	-	-	-	-	-	-	-	-	1	1	3	1	-	1	1	-	-
Other Violent Deaths	71	13	8	2	3	6	32	5	4	2	2	2	8	2	2	6	6	-
Other Causes	679	298	88	5	3	3	347	5	1	1	-	7	5	10	24	82	155	42

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
507.—ECCLESALL BIERLOW.																		
Mean Popul^n, 1861–71	36921	1289	1149	1054	1067	990	5549	4597	3959	3683	3459	5723	4267	2970	1764	758	175	17
TOTAL DEATHS	8793	2602	880	421	264	196	4363	453	206	240	265	495	515	556	683	608	342	67
Small-pox	134	39	13	14	16	8	90	18	4	2	4	10	6	–	–	–	–	–
Measles	155	31	70	25	12	7	145	9	1	–	–	–	–	–	–	–	–	–
Scarlatina	524	37	67	79	75	70	328	163	27	2	1	1	–	1	–	1	–	–
Diphtheria	99	11	19	14	15	6	65	14	6	3	5	2	–	1	3	–	–	–
Whooping-cough	165	76	45	21	11	7	160	4	1	–	–	–	–	–	–	–	–	–
Typhus	316	9	14	19	21	14	77	46	82	37	21	28	23	21	14	13	2	–
Diarrhœa & Dysentery	475	333	80	8	6	3	430	7	1	–	–	3	1	4	10	7	11	1
Cholera	25	8	5	–	–	–	13	3	2	–	–	1	1	2	1	1	1	–
Other Zymotic Dis.	174	26	29	24	17	8	104	17	4	2	1	7	11	7	8	8	4	1
Cancer	43	1	–	–	1	–	2	1	1	–	–	2	4	7	15	8	2	1
Scrofula and Tabes	192	92	31	8	7	4	145	14	11	4	4	5	3	4	2	–	–	–
Phthisis	1056	37	32	9	6	9	93	27	32	99	148	228	195	126	97	11	–	–
Hydrocephalus	160	65	39	26	6	5	141	13	6	–	–	–	–	–	–	–	–	–
Dis. of Brain	1292	571	98	53	22	19	763	43	12	15	15	36	44	69	120	123	45	7
Dis. of Heart & Dropsy	415	13	5	6	5	2	31	19	18	11	19	37	58	57	79	66	18	2
Dis. of Lungs	1632	472	227	80	32	19	830	25	14	18	20	55	76	129	186	196	75	8
Dis. of Stom. and Liver	391	56	11	5	1	5	78	7	8	16	10	31	29	66	83	41	19	1
Dis. of Kidneys	68	–	1	1	1	1	4	–	1	2	1	8	5	13	13	12	7	2
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Dis. of Joints	40	–	1	4	1	–	6	4	3	9	3	3	3	2	1	4	2	–
Dis. of Skin	18	11	2	–	–	–	13	–	–	1	–	1	1	–	1	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	27	–	–	–	–	–	–	–	–	1	2	6	5	8	4	1	–	–
Other Violent Deaths	218	31	9	9	6	5	60	13	20	16	6	24	26	23	13	12	4	1
Other Causes	1170	683	79	16	3	4	785	6	2	2	5	7	23	14	28	103	152	43
508.—SHEFFIELD.																		
Mean Popul^n, 1861–71	73824	2525	2223	2108	1988	2000	10844	8816	7545	6995	7218	12578	9117	5814	3228	1342	303	24
TOTAL DEATHS	22440	6663	2115	1108	725	491	11402	1092	444	523	633	1402	1653	1605	1663	1340	607	76
Small-pox	500	140	72	55	54	27	348	75	7	13	16	29	9	3	–	–	–	–
Measles	464	98	193	81	37	24	433	27	2	1	1	–	–	–	–	–	–	–
Scarlatina	1043	71	162	165	159	129	686	290	46	9	6	5	1	–	–	–	–	–
Diphtheria	124	23	20	19	22	9	93	24	3	1	2	1	–	–	–	–	–	–
Whooping-cough	541	227	162	69	42	22	522	18	–	–	–	–	1	–	–	–	–	–
Typhus	1100	34	61	75	72	56	298	138	79	82	84	124	98	83	71	35	7	1
Diarrhœa & Dysentery	1553	1015	274	74	18	12	1393	16	3	3	2	16	12	22	28	37	19	2
Cholera	55	21	8	2	1	1	33	2	1	1	1	2	2	6	4	3	–	–
Other Zymotic Dis.	372	62	54	37	40	32	225	28	9	12	8	12	19	24	21	12	2	–
Cancer	105	–	–	2	–	–	2	1	–	2	–	12	10	28	27	16	6	1
Scrofula and Tabes	413	157	92	35	14	5	303	29	25	16	8	12	9	4	3	4	–	–
Phthisis	2190	45	46	26	13	10	140	58	52	183	254	529	495	327	124	29	8	–
Hydrocephalus	364	155	110	35	15	11	326	27	9	1	–	1	–	–	–	–	–	–
Dis. of Brain	2775	1328	260	99	61	39	1787	73	31	23	31	90	129	156	226	174	53	2
Dis. of Heart & Dropsy	990	18	12	15	8	6	59	36	30	41	27	104	153	191	193	122	32	2
Dis. of Lungs	4230	1178	582	225	104	46	2135	99	23	30	49	148	325	373	520	407	123	7
Dis. of Stom. and Liver	862	119	34	10	9	8	180	26	25	26	30	63	133	144	137	81	15	2
Dis. of Kidneys	246	3	1	1	–	3	8	11	5	5	9	27	37	43	44	45	12	–
Dis. of Gener. Organs	9	–	–	–	–	–	–	–	–	–	1	1	–	3	3	1	–	–
Dis. of Joints	119	3	4	2	2	4	15	15	13	14	8	17	11	14	10	2	–	–
Dis. of Skin	45	14	4	1	–	–	19	1	–	–	1	4	4	6	7	2	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	57	–	–	–	–	–	–	–	–	–	2	6	21	13	11	3	1	–
Other Violent Deaths	972	71	32	26	34	35	198	83	71	54	80	150	124	92	73	35	9	3
Other Causes	3302	1881	232	54	20	12	2199	24	10	6	13	49	60	73	161	332	319	56
509.—ROTHERHAM.																		
Mean Popul^n, 1861–71	26083	884	757	776	738	763	3918	3205	2830	2581	2476	4030	2945	2065	1254	604	165	10
TOTAL DEATHS	6354	1936	607	308	172	127	3150	268	188	174	205	332	376	395	435	446	332	53
Small-pox	73	23	8	11	7	3	52	3	3	4	1	5	5	–	–	–	–	–
Measles	134	23	54	36	10	5	128	5	1	–	–	–	–	–	–	–	–	–
Scarlatina	295	19	43	57	48	41	208	59	20	3	2	–	1	1	1	–	–	–
Diphtheria	30	5	6	3	2	4	20	7	1	–	2	–	–	–	–	–	–	–
Whooping-cough	107	47	21	21	12	4	105	2	–	–	–	–	–	–	–	–	–	–
Typhus	392	20	20	30	20	10	100	51	39	23	43	49	37	21	18	7	4	–
Diarrhœa & Dysentery	365	203	74	22	2	1	302	4	2	1	4	–	5	4	14	15	11	3
Cholera	21	5	2	–	1	1	9	1	–	1	–	–	2	3	2	3	–	–
Other Zymotic Dis.	121	20	19	16	8	14	77	6	1	4	4	1	4	4	1	13	4	2
Cancer	44	–	–	–	2	–	2	1	–	–	–	–	6	14	7	9	4	1
Scrofula and Tabes	129	42	27	11	7	2	89	8	11	3	4	5	3	2	2	2	–	–
Phthisis	469	3	11	3	3	4	24	12	19	49	72	109	79	68	29	7	1	–
Hydrocephalus	82	45	22	3	5	2	77	4	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	920	499	65	28	10	8	610	26	15	5	4	14	36	38	50	70	48	4
Dis. of Heart & Dropsy	241	3	1	1	–	–	5	3	7	6	11	18	19	46	53	47	24	2
Dis. of Lungs	1068	304	129	33	13	15	494	28	7	9	12	33	53	90	124	123	82	13
Dis. of Stom. and Liver	301	60	7	5	–	–	72	6	7	8	8	18	25	43	55	45	13	1
Dis. of Kidneys	79	2	–	–	–	–	2	–	3	1	2	7	8	6	15	18	15	2
Dis. of Gener. Organs	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	49	1	2	1	2	1	7	6	8	8	5	3	2	5	3	–	2	–
Dis. of Skin	26	12	1	–	1	–	14	1	1	1	–	1	–	–	3	1	4	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	11	–	–	–	–	–	–	–	–	1	1	2	1	2	3	1	–	–
Other Violent Deaths	402	21	9	11	13	6	60	30	39	43	27	61	72	32	20	13	5	–
Other Causes	991	578	86	16	6	6	692	5	3	4	3	6	18	16	35	72	115	25

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
507.—ECCLESALL BIERLOW.																		
Mean Populn, 1861–71	38604	1230	1113	1083	1066	1048	5540	4578	4031	4039	3765	6101	4350	3080	1956	921	219	24
TOTAL DEATHS	8250	2094	855	426	267	200	3842	425	200	222	268	544	520	502	595	652	400	80
Small-pox	134	30	22	18	16	11	97	15	4	5	3	3	4	1	1	1	–	–
Measles	138	31	50	33	8	6	128	9	1	–	–	–	–	–	–	–	–	–
Scarlatina	523	26	77	86	77	66	332	138	37	6	3	3	3	–	1	–	–	–
Diphtheria	75	9	14	6	9	4	42	25	2	1	3	2	–	–	–	–	–	–
Whooping-cough	261	106	74	37	20	16	253	8	–	–	–	–	–	–	–	–	–	–
Typhus	326	10	19	23	16	19	87	45	40	34	23	31	23	22	13	8	–	–
Diarrhœa & Dysentery	461	298	82	12	3	4	399	6	2	1	1	8	3	4	9	17	9	2
Cholera	27	10	6	–	1	1	18	1	1	–	–	2	2	–	1	1	1	–
Other Zymotic Dis.	177	23	34	27	17	12	113	8	7	7	6	6	6	2	10	9	3	–
Cancer	184	–	–	–	1	–	1	–	2	1	–	5	32	65	47	25	6	–
Scrofula and Tabes	165	63	42	9	11	3	128	12	4	4	3	5	4	2	2	1	–	–
Phthisis	904	34	29	12	5	7	87	23	38	103	116	240	166	77	45	8	1	–
Hydrocephalus	128	48	39	10	9	7	113	11	4	–	–	–	–	–	–	–	–	–
Dis. of Brain	1045	416	80	46	18	12	572	35	15	12	18	22	45	60	94	111	53	8
Dis. of Heart & Dropsy	474	7	6	4	7	2	26	15	13	10	13	47	55	83	94	84	33	1
Dis. of Lungs	1280	355	183	73	32	15	658	34	10	13	18	40	46	73	138	169	76	5
Dis. of Stom. and Liver	417	40	12	8	3	3	66	13	9	6	13	42	43	72	85	74	23	1
Dis. of Kidneys	57	1	2	2	–	1	6	4	2	–	1	6	7	8	10	8	4	1
Dis. of Gener. Organs	26	–	1	–	–	–	1	–	–	–	–	4	7	9	4	1	–	–
Dis. of Joints	45	4	–	–	1	1	6	6	4	2	2	4	6	4	7	3	1	–
Dis. of Skin	23	8	1	–	–	–	9	–	–	–	–	4	4	1	2	3	–	–
Childbirth and Metria	136	–	–	–	–	–	–	–	–	–	7	37	56	36	–	–	–	–
Suicide	10	–	–	–	–	–	–	–	1	2	–	2	2	1	2	–	–	–
Other Violent Deaths	124	23	12	6	5	10	56	10	4	4	5	5	8	4	6	12	9	1
Other Causes	1080	552	70	14	8	–	644	7	–	4	3	7	18	14	24	117	181	61
508.—SHEFFIELD.																		
Mean Populn, 1861–71	71787	2577	2295	2108	2068	1968	11016	8909	7433	6655	6666	11541	8529	5559	3328	1656	452	43
TOTAL DEATHS	19883	5452	2420	1181	738	468	10259	1040	362	520	566	1234	1197	1161	1240	1342	800	162
Small-pox	483	104	102	71	44	49	370	58	9	8	13	16	2	3	2	2	–	–
Measles	537	83	208	105	68	30	494	41	1	–	1	–	–	–	–	–	–	–
Scarlatina	1030	68	164	189	163	102	686	285	37	13	4	3	1	1	–	–	–	–
Diphtheria	151	19	32	23	16	15	105	36	4	2	2	–	2	–	–	–	–	–
Whooping-cough	610	204	201	97	64	19	585	25	–	–	–	–	–	–	–	–	–	–
Typhus	929	25	46	71	64	42	248	144	82	100	64	97	68	47	39	33	7	–
Diarrhœa & Dysentery	1430	924	255	58	19	8	1264	10	4	3	7	12	17	11	31	40	26	5
Cholera	40	22	3	1	2	2	30	2	1	–	–	3	–	2	2	–	–	–
Other Zymotic Dis.	344	66	54	52	34	19	225	20	10	11	5	13	11	17	17	12	3	–
Cancer	355	–	–	–	1	–	1	–	–	4	4	23	68	118	73	51	13	–
Scrofula and Tabes	348	134	78	42	7	9	270	20	15	9	3	9	6	5	9	2	–	–
Phthisis	1779	62	56	17	16	15	166	63	66	186	226	494	333	147	77	16	5	–
Hydrocephalus	245	90	76	36	11	9	222	19	3	–	–	–	–	1	–	–	–	–
Dis. of Brain	2343	1087	205	88	56	42	1478	75	27	30	30	63	94	123	152	179	83	9
Dis. of Heart & Dropsy	980	15	12	5	12	7	51	26	34	31	37	90	148	177	193	144	45	4
Dis. of Lungs	3401	905	615	219	105	67	1912	98	25	34	41	107	144	232	314	350	128	16
Dis. of Stom. and Liver	852	95	27	10	8	3	143	12	7	24	27	85	118	153	168	87	28	–
Dis. of Kidneys	90	2	1	–	–	–	3	7	1	7	3	13	17	12	15	11	1	–
Dis. of Gener. Organs	86	–	–	–	–	–	–	–	1	5	9	17	17	24	8	4	1	–
Dis. of Joints	74	3	3	3	1	2	12	12	9	9	2	5	8	5	5	5	2	–
Dis. of Skin	39	9	1	1	–	–	11	1	1	–	2	2	7	4	3	6	2	–
Childbirth and Metria	283	–	–	–	–	–	–	–	–	20	62	123	75	3	–	–	–	–
Suicide	16	–	–	–	–	–	–	–	–	1	2	2	3	6	2	–	–	–
Other Violent Deaths	392	66	32	26	24	17	165	56	20	12	13	20	23	22	17	30	9	5
Other Causes	3046	1469	249	67	22	11	1818	30	5	11	9	37	35	48	113	370	447	123
509.—ROTHERHAM.																		
Mean Populn, 1861–71	24790	897	795	791	761	723	3967	3240	2742	2181	2128	3649	2733	1956	1253	676	241	24
TOTAL DEATHS	5700	1502	599	283	148	137	2669	269	119	167	215	404	323	294	361	439	347	93
Small-pox	57	14	10	12	3	8	47	4	1	2	2	–	–	1	–	–	–	–
Measles	125	26	49	22	9	11	117	6	1	–	1	–	–	–	–	–	–	–
Scarlatina	239	16	29	49	28	32	154	65	12	3	–	3	1	–	–	1	–	–
Diphtheria	37	3	4	3	6	4	20	13	–	1	–	2	–	1	–	–	–	–
Whooping-cough	151	71	41	23	5	4	144	6	–	–	1	–	–	–	–	–	–	–
Typhus	417	14	26	28	16	25	109	59	34	44	34	57	26	17	20	13	3	1
Diarrhœa & Dysentery	356	186	92	13	8	1	300	5	–	1	1	8	5	2	8	13	12	1
Cholera	14	2	3	1	1	1	8	–	1	–	–	–	2	1	1	–	1	–
Other Zymotic Dis.	133	14	18	15	12	6	65	14	3	4	4	3	3	7	9	13	6	2
Cancer	116	–	1	–	–	1	2	1	–	–	–	11	16	30	26	20	9	1
Scrofula and Tabes	129	41	23	13	6	1	84	8	8	4	9	6	3	–	3	3	1	–
Phthisis	524	9	7	4	2	2	24	12	25	61	89	166	93	33	16	3	2	–
Hydrocephalus	75	28	22	7	6	5	68	3	4	–	–	–	–	–	–	–	–	–
Dis. of Brain	730	343	52	22	10	11	438	22	5	8	10	12	19	32	40	80	54	10
Dis. of Heart & Dropsy	298	3	3	2	3	1	12	5	5	7	12	25	35	40	56	68	29	4
Dis. of Lungs	828	208	114	42	20	9	390	17	3	8	12	20	37	57	83	107	78	16
Dis. of Stom. and Liver	273	33	4	3	3	2	45	6	3	2	10	23	29	34	54	41	24	2
Dis. of Kidneys	39	1	4	2	–	–	7	2	1	–	–	5	4	6	5	4	5	–
Dis. of Gener. Organs	21	–	–	–	–	–	–	–	–	–	–	5	4	4	8	–	–	–
Dis. of Joints	21	–	–	–	–	1	1	3	3	3	1	2	3	2	3	–	–	–
Dis. of Skin	25	9	2	–	–	–	11	1	1	–	–	1	–	2	3	3	3	–
Childbirth and Metria	106	–	–	–	–	–	–	–	–	8	22	45	27	4	–	–	–	–
Suicide	12	–	–	–	–	–	–	–	–	2	2	–	4	2	2	–	–	–
Other Violent Deaths	106	11	10	7	6	5	39	10	6	6	3	3	7	10	5	6	9	2
Other Causes	868	470	88	15	4	7	584	7	3	3	2	7	5	9	19	64	114	54

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
		AGES OF MALES.																
510.—DONCASTER.																		
Mean Popul^n, 1861–71	20863	628	547	551	559	545	2830	2518	2285	1960	1719	2983	2368	1870	1324	726	247	33
TOTAL DEATHS	4813	1322	372	173	113	67	2047	198	78	121	130	311	302	313	381	460	392	110
Small-pox	31	6	4	3	3	1	17	4	–	1	1	7	1	–	–	–	–	–
Measles	80	11	30	19	8	2	70	8	2	–	–	–	–	–	–	–	–	–
Scarlatina	168	7	23	17	20	22	89	58	14	2	2	2	–	1	–	–	–	–
Diphtheria	46	5	8	5	6	2	26	10	1	2	3	2	1	–	1	–	–	–
Whooping-cough	70	35	21	6	3	1	69	1	–	–	–	–	–	–	–	–	–	–
Typhus	301	11	9	18	15	10	63	19	10	20	25	44	21	22	27	21	23	6
Diarrhœa & Dysentery	239	124	40	8	3	–	175	1	–	3	–	2	1	7	9	17	20	4
Cholera	33	1	2	2	1	–	6	5	1	1	–	–	4	5	4	6	1	–
Other Zymotic Dis.	119	17	9	15	8	4	53	12	4	6	1	5	6	4	15	5	8	–
Cancer	48	–	–	–	–	–	–	–	–	–	–	3	5	8	9	18	4	1
Scrofula and Tabes	91	38	18	10	1	1	68	6	4	1	1	1	5	4	–	1	–	–
Phthisis	380	5	2	3	1	2	13	9	4	30	49	108	79	53	25	8	1	1
Hydrocephalus	62	21	21	7	4	–	53	8	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	671	324	47	13	9	6	399	18	5	5	3	15	22	25	48	68	52	11
Dis. of Heart & Dropsy	245	12	1	3	1	–	17	1	2	10	6	22	24	37	49	45	27	5
Dis. of Lungs	608	133	58	27	17	6	241	7	3	3	11	22	28	51	76	97	57	12
Dis. of Stom. and Liver	256	29	3	3	4	2	41	4	5	7	2	20	39	26	53	46	11	2
Dis. of Kidneys	86	2	–	–	1	–	3	3	1	–	1	5	10	14	8	26	11	4
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	23	1	–	–	–	2	3	2	3	1	–	3	2	4	1	2	2	–
Dis. of Skin	10	5	–	–	–	–	5	–	–	–	–	1	1	1	–	1	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	25	–	–	–	–	–	–	–	–	2	2	4	3	2	5	5	2	–
Other Violent Deaths	236	13	6	9	5	3	36	13	16	21	21	33	30	19	24	11	10	2
Other Causes	1015	522	67	5	3	3	600	9	2	6	2	12	20	30	27	83	162	62
511.—THORNE.																		
Mean Popul^n, 1861–71	8157	256	235	234	211	187	1123	1046	884	727	550	1034	876	767	588	406	139	17
TOTAL DEATHS	1850	546	118	58	33	30	785	75	37	53	50	77	76	90	133	211	210	53
Small-pox	19	9	1	–	–	–	10	–	–	1	–	2	2	3	1	–	–	–
Measles	19	3	10	2	2	–	17	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	66	5	9	14	7	9	44	16	2	3	–	1	–	–	–	–	–	–
Diphtheria	20	–	3	1	1	1	6	9	1	1	1	1	1	–	–	–	–	–
Whooping-cough	12	6	4	1	–	–	11	1	–	–	–	–	–	–	–	–	–	–
Typhus	84	3	6	5	3	5	22	9	7	5	6	7	6	3	11	7	1	–
Diarrhœa & Dysentery	64	31	7	1	–	–	39	1	–	–	1	–	2	1	–	9	10	1
Cholera	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–
Other Zymotic Dis.	51	6	6	2	2	1	17	4	2	3	–	–	3	3	6	9	4	–
Cancer	15	–	–	–	–	–	–	1	–	–	–	1	–	–	6	4	3	–
Scrofula and Tabes	27	10	5	5	1	–	21	–	–	–	3	1	–	1	1	–	–	–
Phthisis	127	1	2	–	–	–	3	5	4	18	21	33	15	16	9	2	1	–
Hydrocephalus	21	11	6	2	1	–	20	1	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	310	149	14	4	2	2	171	3	6	2	1	3	11	15	19	36	38	5
Dis. of Heart & Dropsy	70	–	–	–	–	–	–	–	–	3	2	3	2	10	18	20	12	–
Dis. of Lungs	223	76	25	15	6	3	125	4	–	1	4	3	9	7	15	32	20	3
Dis. of Stom. and Liver	111	30	3	2	–	1	36	1	2	5	1	7	8	13	13	21	4	–
Dis. of Kidneys	42	2	–	–	–	–	2	2	1	1	–	6	2	2	7	9	3	2
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Dis. of Joints	9	–	–	–	–	–	–	1	1	3	1	1	1	1	–	–	–	–
Dis. of Skin	4	–	–	–	–	1	1	1	–	1	–	–	–	1	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	12	–	–	–	–	–	–	–	–	–	–	2	4	1	2	1	2	–
Other Violent Deaths	95	5	1	3	7	7	23	11	11	5	8	5	7	5	9	7	4	–
Other Causes	444	199	16	1	1	–	217	3	–	1	1	1	3	7	15	51	103	42
512.—GOOLE.																		
Mean Popul^n, 1861–71	7974	249	235	226	238	216	1164	996	832	796	612	1081	900	682	504	288	104	15
TOTAL DEATHS	1913	595	151	68	57	35	906	91	45	41	71	109	100	94	138	174	105	39
Small-pox	51	13	7	5	2	8	35	6	–	3	2	2	2	–	1	–	–	–
Measles	22	7	9	2	3	–	21	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	70	4	10	9	18	6	47	15	5	1	1	1	–	–	–	–	–	–
Diphtheria	15	2	2	–	3	3	10	2	1	–	–	1	1	–	–	–	–	–
Whooping-cough	23	12	4	6	–	1	23	–	–	–	–	–	–	–	–	–	–	–
Typhus	60	1	4	2	4	1	12	13	6	4	2	11	1	4	3	2	2	–
Diarrhœa & Dysentery	124	75	25	6	3	1	110	–	–	–	1	2	1	1	1	2	5	1
Cholera	31	4	2	–	1	1	8	1	–	1	2	2	4	9	3	1	–	–
Other Zymotic Dis.	36	2	2	4	5	3	16	6	–	1	–	2	1	3	4	–	3	–
Cancer	14	–	–	–	–	1	1	–	–	–	–	–	1	1	3	6	2	–
Scrofula and Tabes	37	12	12	3	1	–	28	2	3	1	2	–	–	1	–	–	–	–
Phthisis	150	1	5	1	–	1	8	8	5	9	30	33	21	15	11	9	1	–
Hydrocephalus	29	7	10	3	4	–	24	3	1	–	–	–	–	1	–	–	–	–
Dis. of Brain	251	127	12	8	2	4	153	6	3	1	3	6	12	7	16	30	13	1
Dis. of Heart & Dropsy	119	3	–	–	–	1	4	2	1	2	2	6	9	11	28	34	14	6
Dis. of Lungs	248	79	26	9	4	–	118	6	4	1	4	6	12	16	25	34	15	7
Dis. of Stom. and Liver	97	14	–	2	1	–	17	1	2	3	–	7	14	9	14	18	9	3
Dis. of Kidneys	23	1	–	–	–	–	1	1	–	1	1	–	1	3	5	7	2	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	10	–	1	1	–	–	2	–	1	1	1	–	2	1	1	1	–	–
Dis. of Skin	9	4	–	–	–	–	4	–	–	–	–	–	–	–	3	–	2	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	7	–	–	–	–	–	–	–	–	–	1	1	1	–	3	1	–	–
Other Violent Deaths	146	8	2	6	4	4	24	16	12	11	18	22	17	7	8	8	3	–
Other Causes	341	219	18	1	2	–	240	2	1	1	1	7	–	5	9	21	34	20

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
510.—DONCASTER.																		
Mean Popul^n, 1861–71	21434	621	581	585	597	544	2928	2492	2274	1925	1818	3057	2394	1949	1372	842	340	43
TOTAL DEATHS	4651	1085	321	173	97	97	1773	209	113	141	133	334	294	257	308	476	461	152
Small-pox	28	5	3	2	5	3	18	2	–	2	–	1	5	–	–	–	–	–
Measles	63	10	17	17	5	2	51	10	2	–	–	–	–	–	–	–	–	–
Scarlatina	165	6	15	38	13	22	94	50	15	3	2	1	–	–	–	–	–	–
Diphtheria	59	3	4	6	9	6	28	16	9	3	2	1	–	–	–	–	–	–
Whooping-cough	89	35	28	13	5	4	85	4	–	–	–	–	–	–	–	–	–	–
Typhus	343	4	8	12	12	16	52	41	26	30	19	34	17	22	19	27	12	4
Diarrhœa & Dysentery	228	106	45	10	2	2	165	–	–	1	2	8	4	5	7	16	15	7
Cholera	30	2	1	1	–	1	5	3	3	–	–	5	2	2	1	4	4	1
Other Zymotic Dis.	97	13	7	9	7	7	43	11	1	1	2	5	6	3	3	13	8	1
Cancer	147	–	–	–	–	–	–	–	–	–	2	6	20	39	32	32	16	–
Scrofula and Tabes	60	15	15	4	7	2	43	2	2	4	1	3	3	2	–	–	–	–
Phthisis	457	2	1	1	1	–	5	12	21	59	63	142	84	34	20	5	1	–
Hydrocephalus	57	17	19	7	2	4	49	3	5	–	–	–	–	–	–	–	–	–
Dis. of Brain	607	291	34	17	9	6	357	21	7	12	5	14	18	23	33	65	44	8
Dis. of Heart & Dropsy	268	11	–	1	–	3	15	3	2	9	7	18	21	35	44	68	38	5
Dis. of Lungs	556	118	58	16	12	11	215	11	3	10	4	17	21	22	59	93	87	14
Dis. of Stom. and Liver	287	27	3	–	2	1	33	5	5	3	6	31	41	43	44	55	15	3
Dis. of Kidneys	36	1	–	–	–	–	1	2	1	1	3	4	4	4	6	7	8	–
Dis. of Gener. Organs	17	–	–	–	–	–	–	–	–	1	–	4	5	4	1	1	1	–
Dis. of Joints	8	–	–	–	–	–	–	2	1	2	–	1	–	–	2	–	–	–
Dis. of Skin	14	5	–	–	–	1	6	–	–	1	–	–	1	–	3	1	2	–
Childbirth and Metria	54	–	–	–	–	–	–	–	–	3	8	26	17	–	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–
Other Violent Deaths	84	11	5	4	4	3	27	6	3	2	2	2	7	7	3	11	8	6
Other Causes	953	403	60	15	2	3	483	5	7	3	5	8	14	11	29	78	207	103
511.—THORNE.																		
Mean Popul^n, 1861–71	8354	223	200	223	228	245	1119	1039	862	756	621	1095	942	747	567	406	168	32
TOTAL DEATHS	1718	420	94	37	35	27	613	59	35	44	68	143	92	78	98	219	191	78
Small-pox	15	1	–	–	2	–	3	–	3	–	2	6	1	–	–	–	–	–
Measles	12	2	4	2	1	2	11	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	56	4	4	8	10	8	34	15	5	–	–	2	–	–	–	–	–	–
Diphtheria	18	2	–	–	1	4	7	6	1	2	2	–	–	–	–	–	–	–
Whooping-cough	32	16	8	5	3	–	32	–	–	–	–	–	–	–	–	–	–	–
Typhus	86	5	4	5	1	2	17	9	11	7	7	11	8	2	2	8	4	–
Diarrhœa & Dysentery	49	22	9	–	–	–	31	–	–	–	–	1	1	–	2	7	5	2
Cholera	3	–	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–
Other Zymotic Dis.	38	6	2	2	2	1	13	1	1	–	–	5	2	2	3	6	5	–
Cancer	42	–	–	–	–	–	–	–	–	–	–	1	5	13	11	6	4	2
Scrofula and Tabes	20	6	2	1	3	1	13	2	–	1	–	1	1	1	–	1	–	–
Phthisis	202	1	1	2	1	1	6	6	6	22	36	79	21	18	4	3	1	–
Hydrocephalus	16	13	–	–	–	1	14	2	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	260	131	8	3	2	1	145	4	1	2	4	5	9	5	10	41	32	2
Dis. of Heart & Dropsy	93	–	1	–	–	–	1	1	1	2	2	5	10	12	21	21	11	3
Dis. of Lungs	183	50	25	4	4	5	88	4	–	2	2	2	5	5	16	36	19	4
Dis. of Stom. and Liver	88	6	3	2	2	–	13	2	1	–	3	2	12	10	10	25	10	–
Dis. of Kidneys	14	1	–	–	–	–	1	–	2	1	1	1	1	3	–	3	1	–
Dis. of Gener. Organs	9	–	–	–	–	–	–	–	–	–	–	1	2	2	2	–	–	2
Dis. of Joints	7	–	–	–	–	–	–	–	1	–	–	–	1	1	2	1	1	–
Dis. of Skin	2	1	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	28	–	–	–	–	–	–	–	–	1	5	16	6	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Other Violent Deaths	30	4	3	1	1	–	9	3	2	1	1	1	3	1	2	3	3	1
Other Causes	414	149	20	2	1	1	173	2	–	3	1	4	4	3	13	54	95	62
512.—GOOLE.																		
Mean Popul^n, 1861–71	8237	239	238	222	226	211	1136	1015	826	759	682	1174	946	722	518	318	126	15
TOTAL DEATHS	1814	495	129	82	47	40	793	82	51	63	60	113	96	84	109	166	118	49
Small-pox	41	8	8	7	3	3	29	4	–	1	2	2	2	–	1	–	–	–
Measles	15	1	7	4	–	2	14	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	77	2	9	12	12	10	45	19	9	2	1	1	–	–	–	–	–	–
Diphtheria	11	–	–	1	2	–	3	5	–	–	1	1	1	–	–	–	–	–
Whooping-cough	30	15	10	2	2	1	30	–	–	–	–	–	–	–	–	–	–	–
Typhus	72	1	2	4	6	4	17	13	4	11	7	6	3	2	2	5	2	–
Diarrhœa & Dysentery	120	80	11	6	1	1	102	–	–	–	–	2	1	2	5	5	10	2
Cholera	33	13	1	–	–	2	16	2	–	–	1	8	3	1	–	2	2	–
Other Zymotic Dis.	33	4	3	6	5	4	22	2	1	–	–	–	3	1	–	4	2	–
Cancer	34	–	–	–	–	–	–	–	–	1	–	3	3	7	7	10	3	–
Scrofula and Tabes	37	10	6	3	2	1	22	1	1	2	1	3	3	3	1	–	–	–
Phthisis	213	2	1	–	–	1	4	4	14	23	33	68	32	17	10	6	2	–
Hydrocephalus	27	8	2	6	1	3	20	6	–	1	–	–	–	–	–	–	–	–
Dis. of Brain	188	96	6	5	4	2	113	5	3	4	–	5	6	8	18	23	13	–
Dis. of Heart & Dropsy	107	1	1	–	–	–	2	2	2	4	4	7	7	11	20	27	18	3
Dis. of Lungs	212	59	26	13	4	1	103	2	3	3	2	9	6	5	19	39	16	5
Dis. of Stom. and Liver	78	5	–	2	1	2	10	4	4	4	2	4	12	9	11	15	2	1
Dis. of Kidneys	9	–	–	–	–	–	–	–	–	1	–	–	–	4	1	2	1	–
Dis. of Gener. Organs	6	–	–	–	–	–	–	–	–	–	–	1	–	1	2	2	–	–
Dis. of Joints	3	–	–	–	–	–	–	–	2	–	–	–	–	1	2	–	–	–
Dis. of Skin	3	–	1	1	–	–	2	–	–	–	–	–	–	–	1	–	–	–
Childbirth and Metria	36	–	–	–	–	–	–	–	–	4	4	18	10	–	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–
Other Violent Deaths	49	4	6	5	3	2	20	11	7	1	1	–	2	2	–	3	–	2
Other Causes	351	186	26	5	1	1	219	1	1	–	–	4	2	9	9	23	47	35

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
513.—SELBY.																		
Mean Popul^n, 1861–71	8003	237	234	228	212	210	1121	1007	884	746	626	1014	845	725	559	323	133	20
TOTAL DEATHS	1755	533	92	51	31	26	733	73	44	42	54	75	86	97	145	182	175	49
Small-pox	3	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–
Measles	12	2	4	3	1	1	11	–	1	–	–	–	–	–	–	–	–	–
Scarlatina	43	3	5	11	9	7	35	6	2	–	–	–	–	–	–	–	–	–
Diphtheria	23	–	3	2	1	3	9	10	2	1	–	–	–	1	–	–	–	–
Whooping-cough	26	15	8	1	1	–	25	1	–	–	–	–	–	–	–	–	–	–
Typhus	57	3	2	5	2	1	13	5	2	8	7	5	7	3	4	2	1	–
Diarrhœa & Dysentery	94	68	7	2	–	–	77	2	–	–	–	1	1	–	2	4	7	–
Cholera	6	–	1	–	–	–	1	–	1	–	–	–	1	–	2	–	1	–
Other Zymotic Dis.	50	9	4	6	5	2	26	10	1	1	–	1	2	4	4	1	–	–
Cancer	24	–	–	–	–	–	–	–	–	1	–	1	1	3	6	6	4	2
Scrofula and Tabes	21	4	3	1	1	1	10	2	3	1	2	1	1	1	–	–	–	–
Phthisis	128	–	–	–	–	1	1	4	3	10	26	37	21	19	6	1	–	–
Hydrocephalus	27	7	6	3	1	1	18	4	5	–	–	–	–	–	–	–	–	–
Dis. of Brain	303	192	11	4	1	–	208	5	3	1	1	3	5	11	16	27	20	3
Dis. of Heart & Dropsy	86	–	1	–	–	–	1	1	1	4	1	4	11	10	25	22	5	1
Dis. of Lungs	151	53	19	5	2	2	81	5	3	1	2	4	6	8	9	17	11	4
Dis. of Stom. and Liver	91	11	–	2	1	–	14	1	–	3	1	3	7	16	21	16	5	1
Dis. of Kidneys	31	–	1	–	1	–	2	1	–	–	1	–	3	4	8	10	2	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	7	–	–	–	–	1	1	1	1	–	–	2	–	1	–	1	–	–
Dis. of Skin	6	–	–	–	–	–	–	1	–	1	–	1	–	1	2	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	–	–	2	–	–	2	–	–	–
Other Violent Deaths	118	4	5	1	3	6	19	10	12	9	11	8	13	11	13	5	5	2
Other Causes	444	162	12	5	2	–	181	4	3	1	1	2	6	4	22	70	114	36

[For District 514.—TADCASTER, *see* p. 352.]

515.—YORK.																		
Mean Popul^n, 1861–71	30140	881	758	783	758	730	3910	3463	3214	2982	2605	4345	3546	2819	1903	988	320	45
TOTAL DEATHS	7585	2094	439	225	162	109	3029	259	146	178	262	458	572	550	717	703	568	143
Small-pox	101	14	10	6	8	11	49	11	6	6	5	13	6	3	2	–	–	–
Measles	80	20	29	18	5	5	77	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	243	6	28	42	48	31	155	68	15	3	–	2	–	–	–	–	–	–
Diphtheria	54	5	4	10	9	3	31	13	2	2	2	1	2	–	–	1	–	–
Whooping-cough	84	47	19	8	4	4	82	2	–	–	–	–	–	–	–	–	–	–
Typhus	193	5	3	9	17	4	38	21	22	18	12	22	17	19	14	5	5	–
Diarrhœa & Dysentery	426	295	34	6	3	3	341	1	1	1	4	1	9	10	10	25	17	6
Cholera	4	1	1	–	–	–	2	–	–	–	–	–	–	1	–	–	1	–
Other Zymotic Dis.	130	25	13	8	6	4	56	8	1	2	4	7	11	6	14	11	7	3
Cancer	80	–	–	–	–	–	–	1	–	–	2	5	7	11	23	22	8	1
Scrofula and Tabes	124	40	18	9	1	3	71	9	15	6	3	7	5	5	2	1	–	–
Phthisis	859	22	11	6	5	3	47	13	20	83	143	190	168	104	66	22	3	–
Hydrocephalus	107	38	24	13	6	6	87	20	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	1416	580	64	22	12	9	687	15	9	13	15	47	123	117	172	132	75	11
Dis. of Heart & Dropsy	463	5	–	2	–	1	8	7	12	4	12	30	62	73	91	102	58	4
Dis. of Lungs	948	220	115	41	21	11	408	23	7	8	7	37	60	76	128	118	67	9
Dis. of Stom. and Liver	261	36	2	1	2	2	43	–	6	6	4	23	18	46	44	49	20	2
Dis. of Kidneys	184	1	3	1	2	1	8	5	1	1	5	17	27	24	35	40	16	5
Dis. of Gener. Organs	2	1	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Dis. of Joints	32	–	–	–	–	–	–	7	2	4	6	5	–	1	2	3	2	–
Dis. of Skin	25	4	1	–	1	1	7	2	–	1	2	3	2	1	5	1	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	30	–	–	–	–	–	–	–	–	–	4	3	3	7	9	3	1	–
Other Violent Deaths	288	26	9	6	7	6	54	25	25	18	28	27	31	18	36	19	6	1
Other Causes	1451	703	51	17	5	1	777	5	2	2	4	18	20	28	64	149	281	101
516.—POCKLINGTON.																		
Mean Popul^n, 1861–71	8411	222	222	228	194	222	1088	1014	901	962	668	990	905	806	587	343	129	18
TOTAL DEATHS	1516	413	57	35	26	21	552	69	35	38	32	73	62	97	128	186	172	72
Small-pox	9	4	–	–	–	1	5	–	–	1	1	1	–	1	–	–	–	–
Measles	20	2	8	4	3	–	17	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	40	1	3	5	7	2	18	15	6	1	–	–	–	–	–	–	–	–
Diphtheria	26	2	2	3	2	2	11	8	1	4	1	–	–	–	–	1	–	–
Whooping-cough	15	9	4	–	1	1	15	–	–	–	–	–	–	–	–	–	–	–
Typhus	44	1	–	–	–	2	3	3	5	4	2	7	2	4	8	4	2	–
Diarrhœa & Dysentery	77	49	5	2	1	1	58	2	–	–	–	1	–	2	2	5	7	–
Cholera	14	1	1	1	–	1	4	1	–	–	2	1	1	1	2	–	2	–
Other Zymotic Dis.	32	4	3	2	1	–	10	2	3	–	–	3	3	3	1	7	–	–
Cancer	21	–	–	–	–	–	–	–	–	1	–	–	1	2	9	7	1	–
Scrofula and Tabes	21	6	1	1	–	1	9	6	1	1	1	2	–	–	1	–	–	–
Phthisis	114	1	1	2	1	–	5	2	4	13	18	29	15	19	5	4	–	–
Hydrocephalus	13	6	3	2	–	–	11	2	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	261	142	6	6	5	1	160	7	3	1	–	7	3	13	17	26	22	2
Dis. of Heart & Dropsy	102	–	–	1	–	–	1	2	–	1	1	2	11	13	20	26	22	3
Dis. of Lungs	144	46	8	4	2	3	63	2	2	2	1	5	7	7	20	19	11	5
Dis. of Stom. and Liver	77	10	–	–	–	–	10	3	2	2	–	4	8	15	16	14	3	–
Dis. of Kidneys	32	–	–	–	–	1	1	–	–	–	1	–	2	4	7	9	7	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	6	–	–	–	–	–	–	–	1	1	1	1	–	1	1	–	–	–
Dis. of Skin	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Other Violent Deaths	60	1	1	1	2	4	9	8	6	5	2	6	4	4	5	8	2	1
Other Causes	384	128	11	1	1	1	142	3	1	1	1	2	5	7	14	56	92	60

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
513.—SELBY.																		
Mean Popul^n, 1861–71	3183	254	213	221	227	219	1134	1008	877	743	650	1089	895	714	554	348	151	25
TOTAL DEATHS	1643	419	106	56	31	21	633	68	38	44	49	90	89	75	118	189	177	73
Small-pox	2	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Measles	17	2	10	1	3	1	17	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	43	4	5	4	8	2	23	16	3	-	1	-	-	-	-	-	-	-
Diphtheria	28	3	3	5	2	3	16	11	-	1	-	-	-	-	-	-	-	-
Whooping-cough	35	18	12	3	-	2	35	-	-	-	-	-	-	-	-	-	-	-
Typhus	63	3	2	6	1	1	13	9	9	10	3	2	1	7	3	5	1	-
Diarrhœa & Dysentery	85	51	6	1	2	-	60	1	2	-	-	2	2	2	4	2	7	3
Cholera	7	-	1	1	-	-	2	1	-	1	-	1	-	-	-	1	1	-
Other Zymotic Dis.	48	8	6	9	2	5	30	3	2	1	-	1	1	1	3	5	1	-
Cancer	36	-	-	-	-	-	-	-	-	-	-	-	4	10	6	10	6	-
Scrofula and Tabes	17	6	3	1	2	-	12	1	1	1	1	-	-	1	-	-	-	-
Phthisis	137	-	-	-	-	1	1	4	8	19	30	39	21	8	7	-	-	-
Hydrocephalus	29	7	5	5	3	1	21	5	3	-	-	-	-	-	-	-	-	-
Ds. of Brain	281	149	14	7	1	-	171	1	2	3	4	8	15	7	14	26	25	5
Ds. of Heart & Dropsy	94	3	-	-	-	-	3	1	3	-	2	5	7	12	23	24	12	2
Ds. of Lungs	148	37	12	7	2	4	62	7	-	1	3	5	4	7	15	23	15	6
Ds. of Stom. and Liver	86	5	3	-	1	-	9	3	-	2	1	13	9	7	21	17	2	2
Ds. of Kidneys	11	-	-	-	-	-	-	-	-	1	-	-	4	2	3	-	-	1
Ds. of Gener. Organs	12	-	-	-	-	-	-	-	-	-	-	1	1	3	3	3	1	-
Ds. of Joints	4	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-
Ds. of Skin	4	2	-	-	-	-	2	-	-	-	1	-	-	-	1	-	-	-
Childbirth and Metria	24	-	-	-	-	-	-	-	-	2	2	10	10	-	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	1	-	-	3	1	-	-	-	-
Other Violent Deaths	29	-	4	2	4	1	11	3	3	-	-	-	4	3	-	2	3	-
Other Causes	398	121	20	3	-	-	144	2	2	1	1	1	2	3	14	71	103	54

[For DISTRICT 514.—TADCASTER, *see* p. 353.]

CAUSES OF DEATH.	ALL AGES.	Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
515.—YORK.																		
Mean Popul^n, 1861–71	32268	880	730	798	743	724	3875	3426	3179	3185	2967	4821	3781	3054	2115	1292	484	89
TOTAL DEATHS	7132	1568	443	215	139	92	2457	242	163	198	208	498	534	516	646	767	684	219
Small-pox	93	24	17	9	10	3	63	11	3	2	2	6	-	4	1	1	-	-
Measles	66	14	20	15	9	5	63	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	227	13	28	28	27	24	120	70	22	9	3	3	-	-	-	-	-	-
Diphtheria	56	4	6	7	3	5	25	15	5	1	1	3	3	1	1	-	1	-
Whooping-cough	95	38	30	14	4	6	92	2	1	-	-	-	-	-	-	-	-	-
Typhus	187	1	6	8	6	7	28	31	19	13	7	26	17	23	13	9	1	-
Diarrhœa & Dysentery	356	222	38	5	2	1	268	4	-	1	4	9	9	8	11	18	19	5
Cholera	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	106	17	9	7	7	3	43	7	4	3	1	5	8	4	7	7	13	4
Cancer	207	-	-	-	-	-	-	-	1	-	2	10	26	52	58	49	16	2
Scrofula and Tabes	118	22	15	12	5	5	59	11	15	7	4	8	5	6	1	2	-	-
Phthisis	887	18	7	4	1	5	35	24	39	94	108	210	194	92	42	18	1	-
Hydrocephalus	69	21	17	10	3	6	57	7	4	-	-	1	-	-	-	-	-	-
Ds. of Brain	1156	434	80	28	17	3	562	16	11	12	16	22	63	88	130	143	78	15
Ds. of Heart & Dropsy	496	5	5	-	2	1	13	6	8	8	9	26	44	81	111	127	58	5
Ds. of Lungs	879	172	99	37	25	8	341	16	11	17	12	25	40	48	109	127	114	19
Ds. of Stom. and Liver	315	19	5	4	2	3	33	5	6	4	9	30	34	43	61	61	23	6
Ds. of Kidneys	73	2	-	1	-	2	5	1	-	5	4	4	13	13	15	8	5	-
Ds. of Gener. Organs	38	-	-	-	-	-	-	-	-	1	1	6	7	6	11	6	-	-
Ds. of Joints	28	1	-	-	-	1	2	-	3	-	2	6	4	2	5	4	-	-
Ds. of Skin	21	3	-	-	2	-	5	1	1	2	-	-	6	3	2	1	-	-
Childbirth and Metria	86	-	-	-	-	-	-	-	-	4	12	44	26	-	-	-	-	-
Suicide	21	-	-	-	-	-	-	-	-	5	1	2	3	3	5	1	1	-
Other Violent Deaths	107	23	2	8	7	3	43	8	3	6	3	5	9	10	4	6	10	-
Other Causes	1444	514	59	18	7	1	599	5	6	4	7	17	23	29	59	188	341	163
516.—POCKLINGTON.																		
Mean Popul^n, 1861–71	7926	218	210	219	213	223	1083	1000	858	751	635	1027	838	703	520	338	150	23
TOTAL DEATHS	1464	347	65	30	22	16	480	59	35	31	61	97	94	83	99	171	186	68
Small-pox	3	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-
Measles	16	4	6	1	2	1	14	-	1	-	-	1	-	-	-	-	-	-
Scarlatina	33	1	4	8	7	2	22	8	-	1	-	1	1	-	-	-	-	-
Diphtheria	25	3	3	2	1	2	11	8	4	1	-	-	-	1	-	-	-	-
Whooping-cough	23	14	4	4	-	1	23	-	-	-	-	-	-	-	-	-	-	-
Typhus	42	2	3	2	-	1	8	6	4	1	3	7	2	5	-	4	2	-
Diarrhœa & Dysentery	56	36	3	-	-	-	39	1	-	-	-	4	2	2	3	3	1	1
Cholera	11	1	1	-	-	2	4	2	1	-	-	-	1	2	-	-	1	-
Other Zymotic Dis.	29	6	2	1	4	-	13	2	1	1	-	1	1	3	1	4	2	-
Cancer	38	-	-	-	-	-	-	-	-	-	-	3	9	5	11	8	1	1
Scrofula and Tabes	14	2	3	-	-	-	5	1	2	1	2	1	1	-	1	-	-	-
Phthisis	151	2	-	1	-	-	3	4	13	12	32	46	22	15	4	-	-	-
Hydrocephalus	8	4	1	-	1	-	6	2	-	-	-	-	-	-	-	-	-	-
Ds. of Brain	258	137	13	1	3	2	156	5	4	1	5	6	7	10	11	26	24	3
Ds. of Heart & Dropsy	102	-	-	-	-	-	-	1	1	1	3	6	11	10	18	26	21	1
Ds. of Lungs	132	35	14	6	-	2	57	7	1	2	3	6	7	8	17	24	20	-
Ds. of Stom. and Liver	61	5	1	-	1	1	8	3	-	2	1	3	7	3	18	15	3	1
Ds. of Kidneys	8	-	-	-	-	-	-	1	-	-	1	-	1	2	2	1	-	-
Ds. of Gener. Organs	13	-	-	-	-	-	-	-	-	-	-	-	3	4	1	2	3	-
Ds. of Joints	8	1	1	-	1	-	3	-	1	1	-	-	2	1	-	-	-	-
Ds. of Skin	3	1	-	1	-	-	2	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	24	-	-	-	-	-	-	-	-	1	6	8	7	2	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-
Other Violent Deaths	18	3	-	2	-	1	6	2	1	1	1	1	-	1	-	3	1	1
Other Causes	362	90	6	1	1	1	99	5	1	4	3	2	7	9	11	54	107	60

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–
517.—HOWDEN.																		
Mean Populn, 1861-71	7358	205	201	203	183	180	972	867	893	844	546	873	751	664	493	319	114	22
TOTAL DEATHS	1734	491	78	49	32	30	680	89	46	101	73	86	78	90	100	168	171	52
Small-pox	10	1	–	–	–	–	1	–	1	1	–	3	1	2	–	1	–	–
Measles	21	5	6	4	3	–	18	2	–	–	–	–	–	1	–	–	–	–
Scarlatina	61	5	4	6	4	5	24	18	6	10	3	–	–	–	–	–	–	–
Diphtheria	60	8	6	7	2	5	28	20	2	5	3	1	–	–	–	1	–	–
Whooping-cough	25	12	6	5	–	–	23	2	–	–	–	–	–	–	–	–	–	–
Typhus	61	–	–	3	1	–	4	6	4	13	6	6	7	5	7	3	–	–
Diarrhœa & Dysentery	76	44	6	3	1	–	54	2	–	2	1	1	2	1	1	4	7	–
Cholera	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–
Other Zymotic Dis.	37	13	3	2	5	4	27	6	1	–	–	1	–	1	–	–	1	–
Cancer	19	–	–	–	–	–	–	–	–	1	–	–	2	1	5	6	3	–
Scrofula and Tabes	31	10	5	1	–	–	16	5	2	3	1	1	–	–	2	1	–	–
Phthisis	160	4	1	1	1	1	8	2	9	27	26	37	22	20	8	1	–	–
Hydrocephalus	22	11	4	1	1	2	19	2	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	245	136	10	5	4	1	156	4	2	5	2	3	9	12	12	26	11	–
Dis. of Heart & Dropsy	83	–	–	–	–	–	–	–	1	3	2	2	5	7	18	23	20	–
Dis. of Lungs	219	41	17	5	4	6	73	6	3	16	15	12	14	14	18	25	19	–
Dis. of Stom. and Liver	89	8	2	–	–	1	11	2	3	6	6	3	8	12	9	21	7	–
Dis. of Kidneys	39	–	–	–	–	–	–	–	–	1	1	2	1	4	5	9	15	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	7	–	–	–	–	–	–	–	–	1	1	–	3	1	–	–	1	–
Dis. of Skin	4	1	–	–	–	–	1	1	–	1	–	–	–	–	–	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Other Violent Deaths	71	3	1	3	4	4	15	7	8	5	5	13	3	4	5	3	3	–
Other Causes	390	189	7	3	2	1	202	4	3	1	1	1	1	4	8	43	83	3
518.—BEVERLEY.																		
Mean Populn, 1861-71	10561	303	253	268	275	253	1352	1274	1076	1091	913	1393	1140	982	740	419	158	2
TOTAL DEATHS	2152	621	118	49	41	29	858	80	41	54	66	103	107	119	189	243	215	7
Small-pox	12	3	–	1	–	–	4	1	1	–	–	–	4	2	–	–	–	–
Measles	26	9	7	2	3	2	23	2	–	1	–	–	–	–	–	–	–	–
Scarlatina	97	3	14	13	15	11	56	30	5	2	2	–	2	–	–	–	–	–
Diphtheria	13	2	1	2	3	–	8	2	2	1	–	–	–	–	–	–	–	–
Whooping-cough	27	13	11	3	–	–	27	–	–	–	–	–	–	–	–	–	–	–
Typhus	81	–	6	4	6	2	18	8	9	5	7	10	9	4	5	3	3	–
Diarrhœa & Dysentery	91	60	7	1	–	–	68	1	1	–	–	1	–	2	4	8	4	–
Cholera	5	–	–	–	–	–	–	1	–	–	–	–	–	–	1	3	–	–
Other Zymotic Dis.	38	8	4	–	–	2	14	2	–	1	1	3	4	1	5	3	2	–
Cancer	28	–	–	–	–	–	–	–	–	1	–	–	–	4	9	10	4	–
Scrofula and Tabes	56	33	5	1	2	1	42	3	–	3	3	2	–	1	–	1	1	–
Phthisis	178	5	–	–	–	1	6	6	6	19	28	43	35	15	17	3	–	–
Hydrocephalus	17	5	6	3	–	1	15	2	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	350	166	14	8	3	1	192	7	3	3	4	2	9	12	27	50	35	–
Dis. of Heart & Dropsy	185	1	–	–	–	–	1	3	1	–	5	8	16	25	37	54	23	–
Dis. of Lungs	260	64	20	7	7	6	104	4	3	2	3	9	13	15	29	34	36	–
Dis. of Stom. and Liver	119	14	1	–	–	–	15	2	1	4	3	11	6	17	22	23	13	–
Dis. of Kidneys	47	–	–	–	1	–	1	–	1	2	–	2	1	7	9	12	10	–
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	7	–	–	–	–	–	–	1	1	1	2	1	–	–	–	–	1	–
Dis. of Skin	9	2	1	2	–	–	5	–	–	–	–	1	–	1	–	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	12	–	–	–	–	–	–	–	–	1	–	1	1	2	3	3	1	–
Other Violent Deaths	66	7	2	–	1	2	12	4	5	8	7	8	4	6	6	3	1	–
Other Causes	426	225	19	2	–	–	247	1	2	–	1	1	3	5	15	32	76	–
519.—SCULCOATES.																		
Mean Populn, 1861-71	28730	995	836	818	779	788	4216	3515	2930	2634	2555	4398	3326	2513	1580	778	254	
TOTAL DEATHS	6968	2307	622	345	206	141	3621	333	131	187	202	367	358	370	442	511	357	
Small-pox	100	21	15	13	10	7	66	9	4	2	6	5	3	5	–	–	–	
Measles	136	27	55	28	10	7	127	9	–	–	–	–	–	–	–	–	–	
Scarlatina	470	23	69	85	84	62	314	122	23	6	–	5	–	–	–	–	–	
Diphtheria	34	1	2	2	2	9	16	10	1	1	1	1	1	2	–	–	–	
Whooping-cough	147	58	40	31	11	1	141	6	–	–	–	–	–	–	–	–	–	
Typhus	313	15	16	30	21	15	97	51	24	19	8	32	23	25	18	13	3	
Diarrhœa & Dysentery	514	367	69	12	4	2	454	3	1	–	2	2	2	3	7	13	22	
Cholera	18	8	1	1	–	–	10	–	–	–	–	1	1	4	–	2	–	
Other Zymotic Dis.	100	19	12	12	11	7	61	7	1	3	1	4	4	6	5	6	2	
Cancer	56	–	–	–	–	–	–	–	–	1	–	1	6	4	23	12	8	
Scrofula and Tabes	189	85	38	5	3	1	132	10	10	9	1	7	3	2	3	3	–	
Phthisis	620	2	3	3	1	1	10	20	16	82	109	143	115	66	42	12	5	
Hydrocephalus	127	53	34	22	4	6	119	8	–	–	–	–	–	–	–	–	–	
Dis. of Brain	1088	594	65	21	14	3	697	14	11	10	11	25	27	44	74	103	67	
Dis. of Heart & Dropsy	338	5	3	3	1	1	13	6	6	12	10	31	39	50	69	70	26	
Dis. of Lungs	890	228	110	50	22	13	423	15	5	6	9	31	47	60	97	113	70	
Dis. of Stom. and Liver	253	30	2	1	2	–	35	6	4	10	7	21	20	45	40	39	23	
Dis. of Kidneys	87	–	–	–	–	–	–	–	1	4	3	9	10	10	19	20	10	
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	
Dis. of Joints	20	1	1	–	–	1	3	4	2	2	1	–	3	1	–	4	–	
Dis. of Skin	14	5	2	1	–	–	8	–	–	1	–	–	–	–	1	4	–	
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Suicide	28	–	–	–	–	–	–	–	–	3	–	5	6	5	6	2	1	
Other Violent Deaths	278	25	13	6	5	4	53	23	22	15	28	35	35	24	13	15	10	
Other Causes	1156	740	81	19	1	1	842	5	–	1	5	9	13	14	24	89	110	

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 upwards.
517.—HOWDEN.																		
Mean Popul^n, 1861-71	7256	193	192	204	194	193	935	877	817	643	593	904	778	655	479	343	151	22
TOTAL DEATHS	1584	395	68	40	25	34	562	87	36	93	82	104	75	56	80	177	173	59
Small-pox	11	3	1	-	-	-	4	1	-	2	1	1	-	1	1	-	-	-
Measles	5	-	3	2	-	-	5	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	68	1	4	8	7	11	31	17	8	11	1	-	-	-	-	-	-	-
Diphtheria	63	5	4	3	2	6	20	27	4	7	3	1	-	1	-	-	-	-
Whooping-cough	31	14	11	4	2	-	31	-	-	-	-	-	-	-	-	-	-	-
Typhus	69	1	1	3	1	2	8	8	11	14	4	5	4	1	2	2	-	1
Diarrhœa & Dysentery	62	26	9	2	2	-	39	4	-	-	-	-	3	1	-	5	8	2
Cholera	6	1	1	-	-	-	2	-	-	-	2	-	-	-	1	1	-	-
Other Zymotic Dis.	32	10	3	2	2	3	20	2	-	2	-	2	-	1	2	2	1	-
Cancer	33	-	-	-	-	-	-	-	-	1	-	2	3	8	5	9	5	-
Scrofula and Tabes	17	4	1	-	-	1	6	2	1	2	-	1	1	2	-	2	-	-
Phthisis	181	-	-	1	1	1	3	2	7	22	45	48	31	8	12	2	1	-
Hydrocephalus	10	7	2	-	-	-	9	-	-	1	-	-	-	-	-	-	-	-
Dis. of Brain	195	102	5	4	3	-	114	5	2	2	1	6	6	3	8	23	22	4
Dis. of Heart & Dropsy	85	1	-	1	-	-	2	2	-	2	2	6	3	10	13	32	13	-
Dis. of Lungs	163	33	13	8	-	6	60	3	2	21	9	5	4	2	6	28	20	3
Dis. of Stom. and Liver	70	11	1	-	-	-	12	3	-	2	4	2	6	6	12	15	7	1
Dis. of Kidneys	9	-	-	-	-	-	-	-	-	1	1	-	-	2	2	3	-	-
Dis. of Gener. Organs	5	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	-	-
Dis. of Joints	7	1	-	-	-	-	1	1	-	-	1	-	3	-	-	-	1	-
Dis. of Skin	6	2	-	-	-	1	3	-	-	-	-	-	-	-	-	3	-	-
Childbirth and Metria	35	-	-	-	-	-	-	-	-	1	4	20	10	1	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	33	2	1	1	3	2	9	4	-	2	4	1	1	3	1	1	1	6
Other Causes	395	171	8	1	2	1	183	6	1	-	-	3	-	4	13	49	94	42
518.—BEVERLEY.																		
Mean Popul^n, 1861-71	10679	329	245	276	265	267	1382	1224	1122	1001	920	1405	1151	1007	744	491	196	36
TOTAL DEATHS	2025	476	94	60	36	39	705	81	48	65	88	126	113	122	151	218	207	101
Small-pox	6	3	-	1	-	-	4	1	-	-	-	1	-	-	-	-	-	-
Measles	23	3	9	2	2	5	21	2	1	-	-	1	1	-	-	-	-	-
Scarlatina	116	3	12	18	17	12	62	33	12	3	1	4	1	-	-	-	-	-
Diphtheria	17	1	2	-	-	6	9	4	2	-	-	2	-	-	-	-	-	-
Whooping cough	27	10	8	4	3	1	26	1	-	-	-	-	-	-	-	-	-	-
Typhus	75	1	2	2	2	4	11	14	7	5	6	8	4	6	7	5	2	-
Diarrhœa & Dysentery	68	40	3	-	-	-	43	-	-	-	2	2	3	3	2	5	6	2
Cholera	5	1	1	-	-	-	2	-	-	-	-	-	-	-	2	1	-	-
Other Zymotic Dis.	20	3	1	3	-	-	7	-	2	2	1	1	-	-	2	2	3	-
Cancer	72	-	-	-	-	-	-	1	-	-	-	1	11	16	21	14	6	2
Scrofula and Tabes	45	24	7	4	-	-	37	2	1	-	1	1	-	1	1	1	-	-
Phthisis	239	3	1	-	1	1	6	1	11	40	48	56	38	25	9	2	3	-
Hydrocephalus	12	4	3	2	-	2	11	-	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	276	138	9	4	2	-	153	6	-	3	3	2	6	7	18	39	28	11
Dis. of Heart & Dropsy	173	2	1	1	-	-	4	4	2	2	3	13	17	20	35	50	18	5
Dis. of Lungs	220	47	17	14	6	5	89	3	2	4	7	5	5	7	18	35	31	14
Dis. of Stom. and Liver	115	8	-	-	1	-	9	-	3	1	7	6	10	20	25	22	12	-
Dis. of Kidneys	9	-	-	-	-	-	-	-	-	-	-	4	3	1	1	-	-	-
Dis. of Gener. Organs	9	-	-	-	-	-	-	-	-	-	-	1	2	2	2	2	-	-
Dis. of Joints	12	-	-	-	-	1	1	1	1	2	2	1	-	2	1	1	-	-
Dis. of Skin	11	-	-	-	-	-	-	-	-	1	-	2	-	1	1	5	1	-
Childbirth and Metria	25	-	-	-	-	-	-	-	-	-	5	13	6	1	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Other Violent Deaths	42	10	1	3	1	-	18	2	1	2	2	-	-	3	2	1	9	2
Other Causes	403	173	11	2	1	2	192	6	2	-	-	2	5	6	4	33	88	65
519.—SCULCOATES.																		
Mean Popul^n, 1861 71	31319	952	826	833	792	763	4166	3530	3001	2927	2896	4926	3636	2827	1919	1066	366	59
TOTAL DEATHS	6810	1781	572	284	193	137	2967	287	145	173	230	476	397	402	526	582	500	134
Small-pox	81	18	10	13	9	7	57	10	2	1	4	4	2	2	1	1	-	-
Measles	157	21	51	35	25	8	143	10	1	-	-	2	1	-	-	-	-	-
Scarlatina	392	8	52	65	61	56	242	113	26	4	2	5	-	-	-	-	-	-
Diphtheria	47	2	4	4	6	8	24	10	7	2	1	3	-	-	-	-	-	-
Whooping cough	178	82	55	20	13	4	174	3	1	-	-	-	-	-	-	-	-	-
Typhus	311	10	24	27	18	17	96	45	26	21	14	32	23	19	17	13	5	-
Diarrhœa & Dysentery	501	322	76	13	1	2	414	4	-	-	4	2	4	7	11	17	28	7
Cholera	8	-	-	-	-	1	1	-	1	-	1	1	-	1	2	1	-	-
Other Zymotic Dis.	106	12	11	10	9	7	52	9	5	2	1	6	2	6	10	9	3	1
Cancer	211	-	-	1	-	-	1	-	-	-	-	9	35	58	55	36	16	1
Scrofula and Tabes	122	58	13	10	3	3	89	5	4	4	2	5	3	4	5	1	-	-
Phthisis	765	4	3	2	2	1	12	18	40	99	122	238	124	68	31	10	3	-
Hydrocephalus	81	28	31	4	6	3	72	6	1	1	1	-	-	-	-	-	-	-
Dis. of Brain	885	385	49	20	10	6	470	16	7	12	14	20	22	49	83	114	69	9
Dis. of Heart & Dropsy	383	1	3	1	1	-	6	5	7	6	8	31	54	52	82	69	57	6
Dis. of Lungs	839	197	88	42	21	11	359	13	6	4	8	25	39	53	105	130	74	12
Dis. of Stom. and Liver	280	33	5	2	1	1	42	4	2	2	7	23	35	39	54	42	37	2
Dis. of Kidneys	55	2	-	1	-	-	3	1	1	-	3	5	10	7	11	10	3	1
Dis. of Gener. Organs	25	-	1	-	-	-	1	-	-	-	-	4	3	8	3	3	3	-
Dis. of Joints	34	2	-	-	-	-	2	1	2	3	6	5	1	6	4	1	2	-
Dis. of Skin	13	3	1	-	-	-	4	-	-	-	1	-	-	-	3	2	3	-
Childbirth and Metria	103	-	-	-	-	-	-	-	-	4	23	41	29	1	-	-	-	-
Suicide	10	-	-	-	-	-	-	-	-	-	1	1	3	2	1	2	-	-
Other Violent Deaths	69	9	6	4	4	1	24	9	3	6	-	3	-	5	3	6	9	1
Other Causes	1162	584	81	10	3	1	679	5	3	2	5	8	7	15	42	115	188	93

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
520.—HULL.																		
Mean Popul^{n}, 1861–71	30666	926	794	790	775	788	4073	3515	2962	3061	3004	5057	3777	2662	1582	754	198	21
TOTAL DEATHS	8365	2280	738	348	237	158	3761	384	182	235	327	579	567	630	663	594	375	68
Small-pox	130	31	12	17	13	8	81	18	2	4	10	8	5	-	2	-	-	-
Measles	143	26	59	32	14	9	140	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	472	29	64	68	73	62	296	140	27	6	2	1	-	-	-	-	-	-
Diphtheria	42	8	6	5	5	3	27	9	1	1	-	1	1	1	-	1	-	-
Whooping-cough	149	57	50	24	13	5	149	-	-	-	-	-	-	-	-	-	-	-
Typhus	454	39	87	29	29	10	144	58	23	27	33	57	26	32	28	21	4	1
Diarrhœa & Dysentery	464	326	62	9	3	1	401	3	2	1	1	5	5	8	10	12	15	1
Cholera	26	12	2	-	1	-	15	1	1	-	1	3	-	1	2	1	1	-
Other Zymotic Dis.	127	19	13	7	9	7	55	8	5	5	6	6	3	16	12	7	2	2
Cancer	74	-	-	-	-	-	-	-	-	2	1	3	7	15	29	13	4	-
Scrofula and Tabes	149	51	23	10	2	6	95	18	7	10	3	8	-	3	3	2	-	-
Phthisis	796	8	5	5	4	2	24	13	22	81	140	199	155	96	50	12	4	-
Hydrocephalus	122	48	34	8	6	4	105	14	3	-	-	-	-	-	-	-	-	-
Dis. of Brain	1299	611	91	33	20	8	763	20	12	6	17	52	74	80	109	103	54	6
Dis. of Heart & Dropsy	500	7	6	6	-	1	20	8	12	16	12	51	75	93	88	85	39	1
Dis. of Lungs	1169	265	160	62	21	18	529	13	6	9	24	48	68	112	147	112	63	8
Dis. of Stom. and Liver	313	37	3	1	3	-	44	10	5	9	13	34	31	53	58	38	17	1
Dis. of Kidneys	138	1	2	1	-	-	4	1	5	5	10	17	16	26	19	20	15	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Dis. of Joints	44	-	2	1	-	-	3	8	5	6	6	5	2	3	4	2	-	-
Dis. of Skin	21	7	1	-	-	2	10	-	1	-	1	-	1	3	2	3	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	29	-	-	-	-	-	-	-	-	1	2	2	10	6	6	1	1	-
Other Violent Deaths	459	16	10	7	15	10	58	33	40	41	41	61	61	55	32	21	8	-
Other Causes	1243	679	91	23	3	2	798	6	3	2	4	18	27	26	61	102	148	48
521.—PATRINGTON.																		
Mean Popul^{n}, 1861–71	4723	137	118	117	123	120	615	577	510	454	397	603	527	447	315	193	74	11
TOTAL DEATHS	828	229	39	19	15	7	309	40	17	26	24	33	34	53	78	91	95	28
Small-pox	6	1	-	-	-	-	1	1	-	-	1	-	-	2	1	-	-	-
Measles	12	4	4	2	-	-	10	1	-	-	1	-	-	-	-	-	-	-
Scarlatina	13	1	1	3	2	1	8	5	-	-	-	-	-	-	-	-	-	-
Diphtheria	18	1	1	3	2	-	7	4	2	3	-	1	1	-	-	-	-	-
Whooping-cough	13	9	3	-	1	-	13	-	-	-	-	-	-	-	-	-	-	-
Typhus	37	-	1	-	2	3	6	8	1	3	4	3	1	4	3	4	-	-
Diarrhœa & Dysentery	21	13	4	-	-	-	17	-	-	-	-	-	-	-	-	1	2	1
Cholera	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Other Zymotic Dis.	14	1	1	1	3	-	6	1	-	2	-	-	1	1	1	-	2	-
Cancer	14	-	-	-	-	-	-	-	-	-	-	-	-	3	8	1	2	-
Scrofula and Tabes	9	2	3	1	-	-	6	-	-	1	-	-	-	-	2	-	-	-
Phthisis	71	1	-	1	2	-	4	3	6	9	13	13	6	8	6	3	-	-
Hydrocephalus	6	1	2	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	117	66	5	4	1	1	77	1	-	1	1	2	3	7	8	12	5	-
Dis. of Heart & Dropsy	42	1	-	-	-	-	1	-	2	3	1	3	4	5	8	9	5	1
Dis. of Lungs	61	9	3	1	-	-	13	4	1	1	3	1	5	4	11	15	3	3
Dis. of Stom. and Liver	50	9	1	-	1	-	11	1	2	1	-	1	2	9	10	9	3	1
Dis. of Kidneys	12	-	-	-	-	-	-	-	-	-	-	1	-	1	3	4	3	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-
Other Violent Deaths	35	-	-	1	1	2	4	5	1	2	-	7	7	3	3	2	1	-
Other Causes	269	109	10	2	-	-	121	3	2	-	-	1	3	6	13	31	67	22
522.—SKIRLAUGH.																		
Mean Popul^{n}, 1861–71	4974	125	124	118	130	137	634	564	484	572	480	657	526	429	318	211	88	11
TOTAL DEATHS	965	292	40	25	20	18	395	35	22	27	33	41	52	54	79	83	118	26
Small-pox	5	1	-	-	-	-	1	-	-	-	1	-	1	1	1	-	-	-
Measles	7	1	4	2	-	-	7	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	42	3	5	6	6	7	27	8	3	-	1	2	1	-	-	-	-	-
Diphtheria	10	-	-	1	2	1	4	3	3	-	-	-	-	-	-	-	-	-
Whooping-cough	17	7	6	1	1	1	16	1	-	-	-	-	-	-	-	-	-	-
Typhus	35	1	-	-	-	3	4	6	2	1	3	2	5	2	5	3	2	-
Diarrhœa & Dysentery	42	27	2	-	-	-	29	-	-	-	-	-	-	-	1	6	6	-
Cholera	6	4	-	1	-	-	5	-	-	-	-	-	-	-	-	-	1	-
Other Zymotic Dis.	33	9	2	-	1	4	16	-	-	1	-	2	-	3	2	3	6	-
Cancer	11	-	-	-	-	-	-	-	-	-	-	-	-	3	3	3	2	-
Scrofula and Tabes	14	5	1	2	2	-	10	-	1	-	-	-	1	2	-	-	-	-
Phthisis	101	5	2	1	-	-	8	1	3	11	17	25	12	13	10	1	-	-
Hydrocephalus	7	4	-	-	-	-	4	2	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	160	93	6	3	1	-	103	5	2	2	2	1	6	5	9	9	14	-
Dis. of Heart & Dropsy	52	1	-	-	-	-	1	-	-	2	1	1	3	3	14	14	12	1
Dis. of Lungs	103	22	6	2	2	1	33	3	1	2	-	3	8	3	12	14	23	1
Dis. of Stom. and Liver	43	10	1	1	2	-	14	-	1	-	2	-	2	5	5	9	4	1
Dis. of Kidneys	20	-	-	-	-	-	-	1	-	-	-	-	2	1	2	5	9	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	5	-	-	-	-	-	-	-	2	1	-	-	1	-	1	-	-	-
Dis. of Skin	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	6	-	-	-	-	-	-	-	-	-	1	-	-	2	2	-	1	-
Other Violent Deaths	47	-	-	2	1	1	4	4	3	7	4	4	5	5	3	4	3	1
Other Causes	198	99	5	3	2	-	109	1	-	-	1	1	4	6	9	12	35	20

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
520.—HULL.																		
Mean Popul^n, 1861-71	31936	936	806	834	760	772	4103	3474	3001	2981	3206	5203	3882	2850	1845	997	343	46
TOTAL DEATHS	7649	1830	678	325	221	160	3214	333	153	197	289	635	519	495	543	647	498	123
Small-pox	111	29	13	14	11	12	79	11	4	5	4	4	2	2	-	-	-	-
Measles	125	19	54	25	41	5	114	10	-	-	1	-	-	-	-	-	-	-
Scarlatina	434	17	65	62	65	65	271	127	13	10	6	6	1	-	-	-	-	-
Diphtheria	32	-	8	2	5	2	17	7	4	-	1	1	1	-	1	-	-	-
Whooping-cough	181	70	56	33	9	11	179	2	-	-	-	-	-	-	-	-	-	-
Typhus	456	23	31	33	23	20	130	55	36	39	35	55	22	31	21	15	6	1
Diarrhœa & Dysentery	430	255	70	10	5	1	341	4	1	-	1	15	5	8	8	16	28	3
Cholera	29	12	2	1	-	-	15	2	1	-	-	1	4	3	2	1	-	-
Other Zymotic Dis.	97	12	10	7	8	5	42	7	4	2	7	7	4	9	10	5	-	-
Cancer	187	-	-	-	-	-	-	-	-	-	1	10	33	59	33	20	15	2
Scrofula and Tabes	146	60	21	4	4	2	91	9	9	13	4	5	4	8	2	1	-	-
Phthisis	791	-	2	4	3	2	11	12	31	78	134	216	159	82	31	6	1	-
Hydrocephalus	94	29	33	7	9	4	82	10	1	-	1	-	-	-	-	-	-	-
Dis. of Brain	1018	416	79	35	23	7	559	22	11	12	8	34	44	53	87	108	70	9
Dis. of Heart & Dropsy	443	2	3	3	2	3	13	6	11	10	18	55	48	68	79	89	42	4
Dis. of Lungs	1014	220	130	55	28	14	447	16	5	3	17	39	51	66	123	143	87	18
Dis. of Stom. and Liver	355	18	7	4	1	-	30	6	4	6	10	40	57	49	62	62	26	3
Dis. of Kidneys	56	1	1	1	1	-	4	2	1	1	3	13	11	8	5	6	2	-
Dis. of Gener. Organs	37	-	-	-	-	-	-	-	-	3	3	6	5	8	7	5	-	-
Dis. of Joints	36	1	1	-	-	1	3	3	4	5	3	4	5	5	2	1	1	-
Dis. of Skin	30	7	-	1	-	-	8	-	-	1	-	3	2	5	4	4	3	-
Childbirth and Metria	101	-	-	-	-	-	-	-	-	6	17	53	25	-	-	-	-	-
Suicide	15	-	-	-	-	-	-	-	-	1	-	3	3	4	-	3	1	-
Other Violent Deaths	134	25	7	5	6	4	47	18	8	1	7	7	4	7	11	14	7	3
Other Causes	1297	614	85	19	10	2	730	4	8	1	8	19	20	20	50	148	209	80
521.—PATRINGTON.																		
Mean Popul^n, 1861-71	4675	135	128	129	124	120	636	574	488	436	382	604	514	443	301	199	85	13
TOTAL DEATHS	915	223	35	24	19	15	316	42	24	33	50	60	41	53	63	90	99	44
Small-pox	7	3	-	-	-	-	3	-	-	1	-	1	-	1	-	1	-	-
Measles	10	2	2	5	1	-	10	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	35	1	4	4	3	5	17	10	4	2	1	-	1	-	-	-	-	-
Diphtheria	15	1	-	1	2	4	8	5	2	-	-	-	-	-	-	-	-	-
Whooping-cough	22	10	3	4	3	1	21	-	1	-	-	-	-	-	-	-	-	-
Typhus	40	1	1	-	1	1	4	5	5	2	5	5	4	3	3	1	3	-
Diarrhœa & Dysentery	19	12	-	-	-	-	12	1	-	-	1	1	-	1	-	2	1	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	15	1	1	2	1	-	5	3	2	-	1	1	-	1	1	1	-	-
Cancer	16	-	-	-	-	-	-	-	-	-	-	1	1	3	7	4	-	-
Scrofula and Tabes	14	7	1	-	1	-	9	-	-	2	-	1	1	1	-	-	-	-
Phthisis	111	1	2	-	-	-	3	3	5	14	28	32	12	11	2	1	-	-
Hydrocephalus	6	1	2	1	-	1	5	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	128	61	4	-	2	-	67	4	1	3	4	5	3	8	9	9	13	2
Dis. of Heart & Dropsy	41	2	-	-	-	1	3	-	-	1	2	3	4	7	7	10	7	-
Dis. of Lungs	74	16	3	3	2	1	25	2	1	3	3	2	5	5	11	8	8	1
Dis. of Stom. and Liver	62	6	2	2	-	1	11	5	-	1	-	5	6	7	10	12	3	2
Dis. of Kidneys	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
Dis. of Joints	3	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-
Dis. of Skin	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Childbirth and Metria	8	-	-	-	-	-	-	-	-	1	-	2	4	1	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
Other Violent Deaths	7	1	1	-	1	-	3	1	1	-	-	-	-	-	1	-	-	1
Other Causes	271	97	9	2	2	-	110	2	1	1	3	-	-	3	11	38	64	38
522.—SKIRLAUGH.																		
Mean Popul^n, 1861-71	4742	148	125	117	133	116	639	551	469	472	396	637	506	434	322	215	84	17
TOTAL DEATHS	929	233	45	18	15	19	330	36	28	29	38	84	47	42	66	91	102	36
Small-pox	6	1	1	-	-	-	2	1	-	1	-	1	-	-	1	-	-	-
Measles	7	5	1	-	-	1	7	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	38	1	8	3	8	4	24	8	4	1	-	1	-	-	-	-	-	-
Diphtheria	21	1	2	1	3	2	9	10	2	1	-	1	-	-	1	-	-	-
Whooping-cough	32	15	9	2	1	2	29	2	1	-	-	-	-	-	-	-	-	-
Typhus	40	-	-	2	-	1	3	1	4	6	6	5	2	3	6	2	1	1
Diarrhœa & Dysentery	46	25	4	1	-	-	30	2	-	-	-	1	1	2	-	4	5	1
Cholera	8	4	1	-	-	-	5	-	-	-	-	-	-	-	1	2	-	-
Other Zymotic Dis.	18	3	1	4	-	-	8	2	1	1	-	2	1	-	2	-	-	1
Cancer	28	-	-	-	-	-	-	-	-	-	-	2	5	5	5	7	4	-
Scrofula and Tabes	15	5	-	-	-	1	6	-	1	1	2	-	1	3	1	-	-	-
Phthisis	114	1	-	-	-	2	3	1	7	13	21	40	14	8	6	-	1	-
Hydrocephalus	9	3	2	-	1	-	6	1	2	-	-	-	-	-	-	-	-	-
Dis. of Brain	125	62	2	1	-	1	66	3	2	1	4	7	2	3	8	13	15	1
Dis. of Heart & Dropsy	58	-	-	-	-	-	-	1	1	-	-	2	5	4	17	15	11	2
Dis. of Lungs	87	16	6	1	2	3	28	3	2	1	1	4	3	3	7	16	15	4
Dis. of Stom. and Liver	58	3	1	-	-	1	5	-	-	1	1	5	6	6	5	8	2	1
Dis. of Kidneys	7	-	-	-	-	-	-	-	-	1	-	2	-	2	-	2	-	-
Dis. of Gener. Organs	8	-	-	-	-	-	-	-	-	-	-	2	1	2	2	1	-	-
Dis. of Joints	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-
Dis. of Skin	3	-	-	1	-	-	1	-	-	-	-	-	-	-	2	-	-	-
Childbirth and Metria	13	-	-	-	-	-	-	-	-	1	2	8	2	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Other Violent Deaths	13	1	2	1	-	1	5	1	1	-	-	2	1	-	-	1	1	1
Other Causes	187	87	5	1	-	-	93	-	-	-	1	-	2	1	-	19	47	24

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
523.—DRIFFIELD.																		
Mean Popul^n, 1861–71	9898	291	250	279	250	257	1327	1241	1024	1147	789	1279	1059	890	612	373	141	16
TOTAL DEATHS	2072	668	109	52	42	42	913	97	54	56	49	93	84	115	149	208	197	57
Small-pox	19	5	1	2	2	1	11	1	-	1	2	1	-	1	2	-	-	-
Measles	13	5	4	-	-	-	9	4	-	-	-	-	-	-	-	-	-	-
Scarlatina	122	9	13	17	17	19	75	27	14	3	1	2	-	-	-	-	-	-
Diphtheria	43	4	9	3	5	4	25	10	3	2	-	-	2	-	1	-	-	-
Whooping-cough	29	14	9	4	2	-	29	-	-	-	-	-	-	-	-	-	-	-
Typhus	75	2	1	2	1	4	10	15	8	6	4	7	8	5	5	5	2	-
Diarrhœa & Dysentery	84	51	3	1	1	-	56	1	-	-	-	-	-	2	1	9	10	5
Cholera	11	3	-	-	-	-	3	1	-	-	-	1	-	1	3	2	-	-
Other Zymotic Dis.	53	4	6	4	3	5	22	4	2	2	2	-	1	2	6	6	6	-
Cancer	50	-	-	-	-	-	-	-	-	-	-	2	5	7	18	11	5	2
Scrofula and Tabes	54	29	10	2	-	1	42	4	2	-	-	4	1	-	1	-	-	-
Phthisis	131	1	1	1	-	-	3	3	5	17	18	40	13	20	10	-	2	-
Hydrocephalus	21	5	6	2	1	1	15	2	3	1	-	-	-	-	-	-	-	-
Dis. of Brain	335	187	12	-	1	-	200	5	4	7	5	5	11	16	20	33	25	4
Dis. of Heart & Dropsy	122	3	4	-	1	-	8	4	3	2	3	2	9	16	22	31	17	5
Dis. of Lungs	212	57	14	8	5	1	85	7	-	1	5	4	5	16	22	31	32	4
Dis. of Stom. and Liver	125	22	3	2	-	2	29	2	-	3	4	7	13	13	18	25	10	1
Dis. of Kidneys	46	-	-	1	-	-	1	1	1	1	-	2	4	5	5	11	13	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	11	-	-	-	-	-	-	-	3	1	-	1	2	1	-	2	1	-
Dis. of Skin	4	1	-	-	1	-	2	-	-	-	-	1	1	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-
Other Violent Deaths	86	12	2	-	1	3	18	3	5	9	5	9	6	7	5	10	7	2
Other Causes	422	254	11	3	1	1	270	3	1	-	-	3	3	3	8	32	67	32
524.—BRIDLINGTON.																		
Mean Popul^n, 1861–71	7436	207	175	190	190	182	944	881	782	799	633	941	803	713	507	305	114	14
TOTAL DEATHS	1521	431	81	45	34	17	608	62	23	41	43	78	76	80	137	163	162	48
Small-pox	13	4	1	-	2	-	7	1	1	-	1	1	1	1	-	-	-	-
Measles	6	-	3	-	1	1	5	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	61	4	6	12	11	4	37	20	5	1	1	-	-	-	-	-	-	-
Diphtheria	20	1	1	4	2	1	9	6	3	1	-	-	-	1	-	-	-	-
Whooping-cough	27	13	11	3	-	-	27	-	-	-	-	-	-	-	-	-	-	-
Typhus	27	-	-	1	2	1	4	4	-	3	3	1	4	2	5	1	-	-
Diarrhœa & Dysentery	71	41	5	2	-	-	51	-	-	-	-	1	2	2	3	5	5	2
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Other Zymotic Dis.	30	4	2	3	3	2	14	2	1	-	-	1	-	2	2	5	2	1
Cancer	20	-	-	-	-	-	-	1	-	-	-	1	1	4	5	5	3	-
Scrofula and Tabes	28	18	-	2	-	1	21	1	1	1	1	-	2	1	-	-	-	-
Phthisis	105	3	1	-	-	-	4	3	1	20	19	21	16	7	7	4	-	-
Hydrocephalus	38	17	6	3	3	1	30	4	2	-	-	1	-	-	1	-	-	-
Dis. of Brain	238	130	15	5	2	1	153	3	1	5	2	7	5	15	26	25	23	3
Dis. of Heart & Dropsy	100	3	-	1	-	-	4	1	-	1	1	3	12	8	24	31	14	1
Dis. of Lungs	208	51	16	6	2	3	78	4	3	1	3	8	10	8	27	29	28	9
Dis. of Stom. and Liver	90	18	1	1	1	-	21	5	1	1	2	10	9	11	10	14	4	2
Dis. of Kidneys	30	1	-	-	1	-	2	2	1	-	-	3	3	2	4	5	7	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	10	-	-	-	-	2	2	-	-	-	-	-	-	3	2	2	1	-
Dis. of Skin	3	1	1	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-
Other Violent Deaths	73	4	1	1	2	-	8	4	3	6	6	15	4	9	10	4	4	-
Other Causes	286	115	11	1	2	-	129	-	-	1	2	2	7	4	11	30	71	2[illegible]
525.—SCARBOROUGH.																		
Mean Popul^n, 1861–71	15637	473	434	418	458	403	2186	1927	1705	1470	1272	2109	1799	1405	981	555	198	3[illegible]
TOTAL DEATHS	3750	1118	239	121	101	59	1638	160	87	86	98	222	195	242	310	362	280	7[illegible]
Small-pox	66	19	5	6	5	3	38	7	2	2	5	5	2	3	1	1	-	
Measles	45	4	24	8	3	1	40	4	1	-	-	-	-	-	-	-	-	
Scarlatina	213	9	28	37	36	26	136	58	11	3	2	2	-	1	-	-	-	
Diphtheria	29	4	6	-	2	1	13	10	4	1	1	-	-	-	-	-	-	
Whooping-cough	50	25	16	3	6	-	50	-	-	-	-	-	-	-	-	-	-	
Typhus	126	-	1	2	4	-	7	19	12	7	17	13	11	11	12	10	3	
Diarrhœa & Dysentery	157	108	11	3	-	1	123	-	1	-	1	2	1	3	5	12	8	
Cholera	12	2	-	-	1	-	3	-	-	1	-	-	-	2	2	2	2	
Other Zymotic Dis.	62	10	4	2	10	6	32	2	3	2	1	4	3	3	4	3	3	
Cancer	51	-	-	-	-	-	-	1	1	1	-	-	3	10	15	16	3	
Scrofula and Tabes	77	40	14	6	1	1	62	1	3	4	-	2	1	3	-	1	-	
Phthisis	272	9	5	5	-	2	21	5	13	26	25	81	45	29	14	10	-	
Hydrocephalus	62	21	17	6	2	4	50	10	2	-	-	-	-	-	-	-	-	
Dis. of Brain	718	377	31	14	11	6	439	17	3	8	6	19	24	47	59	57	36	
Dis. of Heart & Dropsy	244	2	1	1	1	1	6	-	6	2	3	24	23	36	49	58	36	
Dis. of Lungs	443	124	53	19	9	3	208	13	6	4	4	22	17	31	44	41	46	
Dis. of Stom. and Liver	220	26	4	5	-	-	35	3	4	5	6	15	16	31	48	47	7	
Dis. of Kidneys	84	1	-	-	4	-	5	5	3	4	2	3	8	11	16	18	9	
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
Dis. of Joints	12	-	-	-	-	-	-	-	1	2	1	3	1	-	-	4	-	
Dis. of Skin	9	6	-	-	-	-	6	-	-	-	-	-	1	1	-	1	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	10	-	-	-	-	-	-	-	-	-	1	1	1	-	5	2	-	
Other Violent Deaths	156	9	4	2	3	3	21	4	11	10	21	19	24	15	19	7	4	
Other Causes	631	322	15	2	3	1	343	1	-	4	2	4	10	5	17	72	123	

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
523.—DRIFFIELD.																		
Mean Populn, 1861–71	9347	294	276	254	264	244	1332	1144	997	836	786	1252	1011	814	598	397	153	27
TOTAL DEATHS	1963	500	122	41	32	39	734	111	61	64	79	143	102	102	109	190	191	77
Small-pox	12	2	2	–	–	–	4	3	1	1	1	1	1	–	–	–	–	–
Measles	24	2	10	4	1	3	20	2	–	–	–	1	1	–	–	–	–	–
Scarlatina	113	5	9	12	10	19	55	37	13	3	2	1	2	–	–	–	–	–
Diphtheria	44	4	8	3	5	5	25	13	4	–	1	1	–	–	–	–	–	–
Whooping-cough	39	19	11	3	4	2	39	–	–	–	–	–	–	–	–	–	–	–
Typhus	64	–	1	1	–	2	4	12	10	10	4	8	6	3	3	1	3	–
Diarrhœa & Dysentery	81	47	5	1	–	–	53	1	–	1	–	2	1	5	2	4	8	4
Cholera	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–
Other Zymotic Dis.	48	7	4	1	2	2	16	8	1	3	–	2	1	–	2	7	7	1
Cancer	57	–	–	–	–	–	–	–	–	–	1	7	4	15	7	15	5	3
Scrofula and Tabes	45	16	7	3	1	–	27	3	6	3	1	4	1	–	–	–	–	–
Phthisis	233	2	4	–	1	–	7	8	13	28	45	69	35	18	7	2	1	–
Hydrocephalus	18	6	4	–	1	1	12	3	–	1	2	–	–	–	–	–	–	–
Dis. of Brain	273	110	11	5	3	2	131	4	5	2	6	10	9	15	20	26	36	9
Dis. of Heart & Dropsy	126	1	1	–	–	1	3	2	–	3	3	8	9	17	20	39	19	3
Dis. of Lungs	181	55	24	5	1	1	86	1	1	1	3	3	5	5	13	30	21	12
Dis. of Stom. and Liver	129	12	6	1	3	–	22	3	5	5	2	3	10	15	20	23	19	2
Dis. of Kidneys	11	–	1	–	–	–	1	–	–	–	–	4	2	–	–	2	2	–
Dis. of Gener. Organs	11	–	–	–	–	–	–	–	–	–	–	1	1	2	4	2	1	–
Dis. of Joints	5	–	–	–	–	1	1	1	1	–	–	–	1	1	–	–	–	–
Dis. of Skin	4	1	–	–	–	–	1	–	–	–	–	–	–	–	2	1	–	–
Childbirth and Metria	30	–	–	–	–	–	–	–	–	2	7	12	9	–	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–
Other Violent Deaths	34	8	3	2	–	–	13	6	–	1	–	2	–	1	2	5	3	1
Other Causes	375	203	11	–	–	–	214	4	1	–	1	3	4	4	6	33	63	42
524.—BRIDLINGTON.																		
Mean Populn, 1861–71	7458	220	191	176	190	172	949	882	746	736	644	994	773	705	525	340	139	25
TOTAL DEATHS	1450	386	76	27	29	25	543	57	32	44	50	97	82	75	103	145	162	60
Small-pox	21	9	1	4	–	–	14	–	1	3	1	1	1	–	–	–	–	–
Measles	7	1	3	3	–	–	7	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	71	3	12	4	14	11	44	17	3	3	4	–	–	–	–	–	–	–
Diphtheria	16	2	1	–	2	1	6	8	2	–	–	–	–	–	–	–	–	–
Whooping-cough	27	12	12	1	1	1	27	–	–	–	–	–	–	–	–	–	–	–
Typhus	28	1	1	–	–	1	3	5	4	11	2	4	5	2	1	1	–	–
Diarrhœa & Dysentery	57	35	2	1	–	–	38	–	–	–	–	1	3	1	2	5	3	4
Cholera	5	2	–	1	–	–	3	–	–	–	–	–	–	–	–	2	–	–
Other Zymotic Dis.	24	3	4	1	3	–	11	3	–	–	1	–	1	–	–	4	3	1
Cancer	45	–	–	–	–	–	–	–	–	–	–	2	6	13	14	7	2	1
Scrofula and Tabes	22	10	1	1	–	1	13	1	2	1	2	–	–	1	2	–	–	–
Phthisis	153	1	1	1	–	1	4	5	6	18	27	46	24	13	7	2	1	–
Hydrocephalus	33	10	9	4	2	2	27	4	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	238	116	7	2	1	1	127	5	4	2	1	7	6	6	19	22	32	7
Dis. of Heart & Dropsy	92	1	–	–	–	1	2	–	–	1	1	6	9	14	14	32	13	–
Dis. of Lungs	157	43	12	1	3	4	63	2	2	2	3	6	3	10	12	23	25	6
Dis. of Stom. and Liver	77	12	1	1	1	1	16	2	3	–	2	5	3	7	18	15	4	2
Dis. of Kidneys	11	–	–	–	1	–	1	1	–	–	–	–	–	–	6	3	–	–
Dis. of Gener. Organs	7	–	–	–	–	–	–	–	–	–	–	1	1	1	2	2	–	–
Dis. of Joints	3	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–
Dis. of Skin	6	1	–	1	–	–	2	–	–	–	–	–	–	2	–	2	–	–
Childbirth and Metria	28	–	–	–	–	–	–	–	–	1	5	11	11	–	–	–	–	–
Suicide	6	–	–	–	–	–	–	–	–	–	1	–	2	1	1	–	–	1
Other Violent Deaths	22	7	–	–	1	–	8	3	2	–	–	1	1	1	–	–	4	2
Other Causes	284	117	9	1	–	–	127	–	–	2	–	6	5	3	5	25	75	36
525.—SCARBOROUGH.																		
Mean Populn, 1861–71	17855	479	424	404	424	417	2148	1916	1741	1714	1707	2734	2074	1625	1174	697	275	50
TOTAL DEATHS	3714	854	210	128	98	69	1359	166	79	110	125	261	236	244	282	365	348	130
Small-pox	48	13	4	7	4	3	31	8	1	3	1	2	2	–	–	–	–	–
Measles	47	12	13	11	6	2	44	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	220	18	20	37	34	25	134	62	13	3	4	3	1	–	–	–	–	–
Diphtheria	34	2	3	5	4	3	17	7	2	2	1	1	1	1	1	–	1	–
Whooping-cough	60	22	19	7	8	3	59	1	–	–	–	–	–	–	–	–	–	–
Typhus	125	2	–	3	7	6	18	16	15	12	11	13	13	12	9	5	1	–
Diarrhœa & Dysentery	173	114	13	1	1	2	131	2	–	1	4	–	1	4	6	5	15	4
Cholera	6	2	1	–	–	–	3	–	–	–	–	1	–	–	1	1	–	–
Other Zymotic Dis.	63	8	4	2	6	3	23	4	5	–	2	4	2	3	6	8	6	–
Cancer	119	–	–	–	–	–	–	–	1	1	1	8	13	36	26	23	9	1
Scrofula and Tabes	91	41	11	5	3	3	63	4	2	6	6	1	4	2	3	–	–	–
Phthisis	332	4	8	2	3	2	19	6	12	56	55	103	61	31	12	7	–	–
Hydrocephalus	88	15	9	3	1	3	31	5	1	–	1	–	–	–	–	–	–	–
Dis. of Brain	628	263	34	13	5	2	317	13	10	9	10	18	27	35	51	69	55	14
Dis. of Heart & Dropsy	231	–	–	–	1	–	1	5	1	2	5	15	27	31	49	65	27	3
Dis. of Lungs	448	75	48	23	8	6	160	8	3	11	8	22	23	29	38	77	61	8
Dis. of Stom. and Liver	220	19	3	3	3	2	30	5	4	6	1	17	23	33	43	39	17	2
Dis. of Kidneys	34	–	1	–	2	1	4	4	1	1	–	6	4	2	6	4	1	1
Dis. of Gener. Organs	18	–	–	–	–	–	–	–	–	–	–	–	3	8	4	2	1	–
Dis. of Joints	24	–	–	2	–	–	2	1	2	2	–	4	3	4	3	2	1	–
Dis. of Skin	11	1	–	–	1	1	3	1	–	–	1	2	1	–	–	2	1	–
Childbirth and Metria	53	–	–	–	–	–	–	–	–	2	8	30	13	–	–	–	–	–
Suicide	9	–	–	–	–	–	–	–	–	–	–	3	1	3	–	1	1	–
Other Violent Deaths	62	6	7	3	1	1	18	9	4	–	2	2	6	5	1	3	7	5
Other Causes	590	237	12	1	–	1	251	2	2	2	4	6	7	5	23	52	144	92

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
526.—MALTON.																		
Mean Popul^{n}, 1861–71	11680	327	322	303	313	295	1563	1415	1294	1229	907	1437	1238	1068	786	504	210	29
TOTAL DEATHS	2315	586	103	46	33	32	800	109	62	52	77	121	126	135	207	271	270	85
Small-pox	5	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-
Measles	21	8	9	-	1	-	18	3	-	-	-	-	-	-	-	-	-	-
Scarlatina	82	2	12	8	11	11	47	29	3	-	1	1	-	-	1	-	-	-
Diphtheria	43	2	3	4	3	3	15	17	6	-	3	1	-	-	-	1	-	-
Whooping-cough	27	17	9	1	-	-	27	-	-	-	-	-	-	-	-	-	-	-
Typhus	82	-	-	-	-	1	1	11	8	7	9	13	6	6	13	5	3	-
Diarrhœa & Dysentery	135	101	6	2	-	3	112	-	-	2	1	1	1	1	3	6	6	2
Cholera	5	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	-
Other Zymotic Dis.	62	14	8	1	1	3	27	6	5	-	-	4	-	4	3	5	8	-
Cancer	28	-	-	-	-	-	-	-	-	1	-	-	-	3	8	11	5	-
Scrofula and Tabes	33	11	3	1	1	-	16	2	4	1	3	2	2	-	3	-	-	-
Phthisis	191	1	-	1	-	-	2	2	9	22	31	52	37	20	12	4	-	-
Hydrocephalus	35	8	6	5	1	3	23	7	5	-	-	-	-	-	-	-	-	-
Dis. of Brain	358	163	10	8	3	3	187	13	6	2	3	5	13	16	36	48	25	4
Dis. of Heart & Dropsy	185	-	-	-	1	1	2	4	5	3	1	6	19	21	32	51	87	1
Dis. of Lungs	284	71	23	5	8	1	108	5	-	1	5	5	17	15	35	39	40	13
Dis. of Stom. and Liver	133	16	2	1	-	-	19	-	2	3	6	10	10	17	26	31	8	1
Dis. of Kidneys	50	-	-	-	-	-	-	2	-	-	1	4	1	8	9	12	11	2
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Dis. of Joints	9	-	-	-	-	-	-	-	2	1	-	3	1	1	1	-	-	-
Dis. of Skin	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	8	-	-	-	-	-	-	-	-	-	1	2	2	1	-	1	1	-
Other Violent Deaths	95	2	4	3	-	2	11	5	6	8	11	6	11	13	11	9	4	-
Other Causes	441	170	8	5	-	1	184	3	1	1	-	4	4	3	12	47	120	62
527.—EASINGWOLD.																		
Mean Popul^{n}, 1861–71	5203	143	135	119	141	113	651	620	588	592	405	578	512	483	388	259	113	14
TOTAL DEATHS	915	224	32	14	18	12	300	25	17	25	35	46	36	43	79	129	148	32
Small-pox	3	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-
Measles	4	2	1	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	37	2	3	6	4	8	23	10	1	2	-	1	-	-	-	-	-	-
Diphtheria	8	-	3	-	2	1	6	1	-	-	1	-	-	-	-	-	-	-
Whooping-cough	8	5	3	-	-	-	8	-	-	-	-	-	-	-	-	-	-	-
Typhus	31	2	-	1	2	-	5	3	1	1	1	3	5	5	3	3	1	-
Diarrhœa & Dysentery	48	28	2	-	-	-	30	-	-	-	-	-	1	1	2	7	7	-
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Other Zymotic Dis.	28	5	1	1	5	2	14	1	1	-	-	1	1	-	-	6	4	-
Cancer	15	-	-	-	-	-	-	-	-	-	-	1	-	-	5	5	4	-
Scrofula and Tabes	19	3	1	1	-	1	6	3	2	2	1	3	-	1	1	-	-	-
Phthisis	89	-	-	-	-	-	-	-	4	15	21	16	12	7	5	6	-	-
Hydrocephalus	13	6	2	-	1	-	9	1	3	-	-	-	-	-	-	-	-	-
Dis. of Brain	142	67	1	2	1	-	71	-	1	-	-	4	6	5	10	19	23	3
Dis. of Heart & Dropsy	58	1	-	1	-	-	2	3	1	-	1	3	3	2	12	18	13	-
Dis. of Lungs	112	35	2	-	1	-	38	1	-	-	-	1	3	6	16	21	20	6
Dis. of Stom. and Liver	54	3	1	-	1	-	5	-	1	1	3	4	2	6	15	5	10	2
Dis. of Kidneys	18	-	-	-	-	-	-	-	-	-	-	2	-	-	2	6	8	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	6	-	-	-	-	-	-	-	-	-	-	1	1	1	-	3	-	-
Dis. of Skin	6	2	1	-	-	-	3	-	-	-	-	-	-	-	-	1	1	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	6	-	-	-	-	-	-	-	-	1	-	-	1	2	-	1	1	-
Other Violent Deaths	33	3	3	-	-	-	6	-	1	2	4	4	-	5	5	4	2	-
Other Causes	176	60	8	1	1	-	70	-	-	1	-	2	1	2	3	24	53	29
528.—THIRSK.																		
Mean Popul^{n}, 1861–71	5995	174	159	158	146	145	782	723	654	588	454	738	617	551	462	295	112	19
TOTAL DEATHS	1206	270	47	34	16	21	388	40	34	36	37	69	57	75	105	166	150	49
Small-pox	3	1	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-
Measles	10	-	3	3	1	1	8	1	1	-	-	-	-	-	-	-	-	-
Scarlatina	48	3	3	7	6	6	25	16	2	3	-	-	1	1	-	-	-	-
Diphtheria	15	3	2	1	1	2	9	1	3	2	-	-	-	-	-	-	-	-
Whooping-cough	18	10	4	2	1	-	17	1	-	-	-	-	-	-	-	-	-	-
Typhus	42	2	-	1	-	-	3	3	3	5	3	8	5	3	4	4	1	-
Diarrhœa & Dysentery	37	20	5	1	2	1	29	-	-	-	-	-	-	1	2	1	4	-
Cholera	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	35	4	2	3	-	-	9	1	-	3	1	2	3	-	4	7	5	-
Cancer	22	-	-	-	-	-	-	-	-	-	-	1	-	1	9	9	2	-
Scrofula and Tabes	22	7	4	1	-	-	12	1	3	-	2	2	1	1	-	-	-	-
Phthisis	117	1	-	2	1	-	4	2	3	14	18	32	18	13	9	3	1	-
Hydrocephalus	19	9	4	1	1	-	15	3	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	182	63	5	4	-	2	79	-	2	3	-	3	6	13	17	27	25	7
Dis. of Heart & Dropsy	103	2	-	-	-	-	2	2	3	2	-	2	5	14	24	29	18	2
Dis. of Lungs	144	57	9	6	2	4	58	2	1	1	4	6	6	5	12	31	15	3
Dis. of Stom. and Liver	70	8	-	-	-	1	9	2	3	1	3	2	4	14	5	17	9	1
Dis. of Kidneys	37	-	-	-	-	1	1	-	1	-	2	1	1	2	7	6	13	3
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	8	1	-	-	-	-	1	-	3	-	-	1	-	1	-	2	-	-
Dis. of Skin	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	1	-	-	2	-	-	1	1	-	-
Other Violent Deaths	51	4	1	-	1	3	9	3	4	1	2	5	6	5	8	5	1	2
Other Causes	214	89	5	2	-	-	96	2	-	1	1	1	1	1	2	23	53	31

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	All Ages.	Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
	AGES OF FEMALES.																	
526.—MALTON.																		
Mean Popul^n, 1861-71	11502	328	298	303	311	277	1517	1369	1254	1084	971	1466	1236	1053	777	517	225	33
TOTAL DEATHS	2245	462	101	75	44	32	714	96	77	80	90	157	109	140	174	251	260	97
Small-pox	8	2	-	1	-	-	3	-	-	1	1	1	1	-	1	-	-	-
Measles	22	5	7	5	1	2	20	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	99	3	6	15	12	9	45	25	15	2	-	2	-	-	1	-	-	-
Diphtheria	40	-	2	6	6	3	17	11	8	-	1	-	-	-	2	1	-	-
Whooping-cough	38	20	11	3	2	1	37	1	-	-	-	-	-	-	-	-	-	-
Typhus	101	1	1	1	3	3	9	14	14	11	6	11	10	11	10	3	2	-
Diarrhœa & Dysentery	106	63	8	3	1	-	75	2	-	1	2	5	2	1	5	6	7	-
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Other Zymotic Dis.	52	6	1	5	2	4	18	6	1	1	1	-	1	2	6	4	9	3
Cancer	66	-	-	-	2	-	2	-	-	-	-	-	6	18	18	14	7	1
Scrofula and Tabes	41	12	4	4	2	1	23	2	4	3	4	5	-	1	2	-	-	-
Phthisis	235	1	3	-	-	-	4	5	14	34	46	76	40	22	12	2	-	-
Hydrocephalus	33	8	9	3	5	1	26	4	1	-	1	1	-	-	-	-	-	-
Dis. of Brain	322	124	9	4	2	2	141	10	8	11	1	12	10	18	26	43	29	13
Dis. of Heart & Dropsy	174	-	3	-	-	-	3	4	5	2	7	9	13	22	32	49	25	3
Dis. of Lungs	276	49	25	17	3	1	95	4	4	5	3	9	7	14	27	45	53	10
Dis. of Stom. and Liver	112	10	1	-	-	-	11	1	-	2	4	10	9	15	18	28	14	-
Dis. of Kidneys	16	1	-	-	1	-	2	1	1	-	2	-	1	5	2	1	1	-
Dis. of Gener. Organs	10	-	-	-	-	-	-	-	-	-	2	1	2	1	1	1	2	-
Dis. of Joints	9	1	-	-	-	-	1	1	-	1	1	2	-	1	-	1	-	1
Dis. of Skin	3	2	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	22	-	-	-	-	-	-	-	-	3	3	8	7	1	-	-	-	-
Suicide	9	-	-	-	-	-	-	-	-	2	1	-	-	2	3	1	-	-
Other Violent Deaths	36	3	-	3	2	1	9	2	1	1	3	4	-	2	2	4	6	2
Other Causes	400	151	10	5	-	4	170	1	1	-	1	1	-	4	6	47	105	64
527.—EASINGWOLD.																		
Mean Popul^n, 1861-71	4884	124	143	127	126	127	647	570	559	454	375	599	506	464	344	249	103	14
TOTAL DEATHS	869	150	45	21	15	7	238	34	32	22	24	63	56	53	88	95	121	43
Small-pox	3	1	1	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-
Measles	11	3	4	-	1	-	8	1	1	-	-	-	1	-	-	-	-	-
Scarlatina	24	-	3	2	3	1	9	10	2	-	-	1	2	-	-	-	-	-
Diphtheria	11	2	-	2	1	1	6	5	-	-	-	-	-	-	-	-	-	-
Whooping-cough	16	4	4	6	2	-	16	-	-	-	-	-	-	-	-	-	-	-
Typhus	21	1	2	1	1	-	5	5	4	1	-	2	3	1	2	1	-	-
Diarrhœa & Dysentery	18	4	2	-	-	-	6	-	-	-	-	-	2	1	2	2	3	2
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Other Zymotic Dis.	29	2	2	3	-	3	10	2	1	-	-	3	2	2	1	3	5	-
Cancer	41	-	-	-	-	-	-	-	-	-	-	1	4	11	15	8	5	-
Scrofula and Tabes	10	4	-	1	-	-	5	-	-	3	-	1	-	1	-	-	-	-
Phthisis	114	-	1	-	-	-	1	1	9	11	19	28	21	13	9	2	-	-
Hydrocephalus	9	4	2	1	1	-	8	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	123	52	4	1	1	-	58	3	2	1	1	7	-	3	10	15	19	4
Dis. of Heart & Dropsy	70	1	-	-	-	-	1	-	3	-	-	3	4	9	19	15	13	3
Dis. of Lungs	102	17	10	1	4	1	33	4	3	-	2	2	3	2	13	13	19	8
Dis. of Stom. and Liver	56	3	3	1	-	-	7	1	1	1	1	4	3	5	10	13	9	1
Dis. of Kidneys	14	-	-	-	-	-	-	-	2	-	-	2	2	1	3	3	1	-
Dis. of Gener. Organs	8	-	-	-	-	-	-	-	-	-	-	1	3	1	1	1	1	-
Dis. of Joints	4	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-
Dis. of Skin	6	2	-	-	-	-	2	-	-	-	-	-	-	1	-	2	-	1
Childbirth and Metria	15	-	-	-	-	-	-	-	-	1	1	6	6	1	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
Other Violent Deaths	14	5	1	-	-	-	6	1	-	-	-	-	-	-	2	-	1	4
Other Causes	140	45	6	2	1	1	55	-	1	-	-	1	-	1	1	16	45	20
528.—THIRSK.																		
Mean Popul^n, 1861-71	6238	180	143	163	154	154	794	751	652	586	533	800	640	570	453	297	138	24
TOTAL DEATHS	1272	232	55	24	19	19	349	47	28	35	53	84	75	72	116	146	189	78
Small-pox	4	2	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-
Measles	5	2	-	-	-	-	2	2	-	-	1	-	-	-	-	-	-	-
Scarlatina	53	3	8	5	5	9	30	11	2	3	3	4	-	-	-	-	-	-
Diphtheria	19	-	2	2	4	-	8	8	2	-	1	-	-	-	-	-	-	-
Whooping-cough	14	8	1	-	1	2	12	2	-	-	-	-	-	-	-	-	-	-
Typhus	18	-	2	1	1	-	4	5	7	2	5	6	3	1	3	3	7	2
Diarrhœa & Dysentery	43	25	2	-	-	1	28	-	1	-	-	2	2	1	1	4	4	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	40	5	1	1	2	4	13	2	-	1	2	1	1	3	-	7	8	2
Cancer	49	-	-	-	-	-	-	-	-	-	2	-	5	10	19	8	5	-
Scrofula and Tabes	24	8	1	4	-	1	14	1	3	2	1	-	-	1	-	1	1	-
Phthisis	106	1	-	-	-	-	1	-	5	18	24	40	26	20	9	3	-	-
Hydrocephalus	21	7	3	3	-	-	13	4	3	-	-	-	1	-	-	-	-	-
Dis. of Brain	182	75	10	2	1	1	89	2	3	-	2	-	5	7	20	27	25	2
Dis. of Heart & Dropsy	113	-	-	-	-	-	-	-	1	2	4	7	12	11	26	28	19	3
Dis. of Lungs	139	24	11	2	3	-	42	1	-	-	2	6	6	6	16	24	24	12
Dis. of Stom. and Liver	67	4	2	-	2	-	8	4	-	3	1	3	3	6	12	14	12	1
Dis. of Kidneys	12	-	-	-	-	-	-	1	-	-	-	1	3	1	3	2	1	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Dis. of Joints	10	1	-	-	-	-	1	1	-	-	1	3	-	1	1	1	1	-
Dis. of Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	19	-	-	-	-	-	-	-	-	2	1	9	7	-	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-
Other Violent Deaths	15	1	1	-	-	1	3	1	-	-	1	-	-	-	2	-	2	6
Other Causes	242	63	11	4	-	-	78	1	1	2	1	1	-	2	4	22	80	50

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
529.—HELMSLEY.																		
Mean Popul^{n}, 1861–71	6112	167	143	164	148	153	775	709	681	665	503	756	625	556	440	283	103	16
TOTAL DEATHS	1150	288	39	25	19	16	387	32	18	39	30	58	39	79	104	156	158	50
Small-pox	6	4	–	–	–	–	4	–	–	–	–	–	–	1	1	–	–	–
Measles	7	2	1	–	–	2	5	–	1	–	–	–	–	1	–	–	–	–
Scarlatina	24	–	2	4	7	3	16	6	1	–	–	–	1	–	–	–	–	–
Diphtheria	11	1	–	1	1	–	3	5	1	1	–	1	–	–	–	–	–	–
Hooping-cough	17	12	3	–	1	1	17	–	–	–	–	–	–	–	–	–	–	–
Typhus	40	–	1	2	1	1	5	2	2	10	6	2	–	4	3	3	2	1
Diarrhœa & Dysentery	37	21	3	–	–	–	27	–	–	–	–	–	1	–	2	2	3	2
Cholera	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–
Other Zymotic Dis.	41	11	4	1	2	1	19	3	–	2	–	–	5	2	3	5	4	1
Cancer	17	–	–	–	–	–	–	–	–	1	–	1	–	3	3	5	3	1
Scrofula and Tabes	12	7	–	1	–	1	9	–	–	–	–	–	–	1	1	1	–	–
Phthisis	113	4	2	1	–	1	8	2	1	16	18	30	10	12	12	4	–	–
Hydrocephalus	11	5	1	–	1	2	9	1	1	–	–	–	–	–	–	–	–	–
Disease of Brain	173	81	2	1	1	1	86	5	4	3	–	–	4	9	15	24	19	4
Disease of Heart & Dropsy	80	1	–	–	–	–	1	1	–	–	–	5	2	8	16	23	22	2
Disease of Lungs	185	41	15	6	2	–	64	3	3	2	3	6	5	11	15	31	30	12
Disease of Stom. and Liver	87	6	1	2	–	1	10	1	1	–	1	2	5	13	17	21	14	2
Disease of Kidneys	39	–	–	–	–	–	–	–	–	–	–	2	2	6	7	9	12	1
Disease of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Disease of Joints	2	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Disease of Skin	3	2	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Other Violent Deaths	41	4	2	5	1	2	14	2	3	3	–	6	–	4	3	5	1	–
Other Causes	196	83	2	1	2	–	88	–	–	1	2	2	2	3	5	21	48	24
530.—PICKERING.																		
Mean Popul^{n}, 1861–71	6042	172	153	170	168	142	805	730	595	550	519	861	675	556	403	237	100	11
TOTAL DEATHS	1239	352	52	32	26	11	473	47	23	32	44	75	69	84	113	123	124	32
Small-pox	12	3	–	1	1	1	6	–	1	–	1	2	1	1	–	–	–	–
Measles	13	4	4	3	1	–	12	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	31	1	4	6	7	2	20	8	1	–	–	1	–	–	–	1	–	–
Diphtheria	44	2	2	3	7	2	16	14	3	4	–	2	4	1	–	–	–	–
Hooping-cough	25	19	3	1	1	1	25	–	–	–	–	–	–	–	–	–	–	–
Typhus	44	–	1	1	–	1	3	4	6	5	11	9	1	2	2	–	1	–
Diarrhœa & Dysentery	31	17	1	–	–	–	18	–	1	1	–	–	–	1	3	4	3	–
Cholera	4	–	–	1	–	1	2	1	–	–	–	–	–	–	1	–	–	–
Other Zymotic Dis.	28	8	–	1	1	2	12	4	1	–	–	1	2	1	3	–	3	1
Cancer	23	–	–	–	–	–	–	–	–	–	–	–	3	4	7	5	4	–
Scrofula and Tabes	28	13	3	1	2	–	19	2	–	2	–	–	3	2	–	–	–	–
Phthisis	70	4	1	–	–	–	5	6	2	8	8	19	13	4	3	1	1	–
Hydrocephalus	22	13	4	2	2	–	21	–	1	–	–	–	–	–	–	–	–	–
Disease of Brain	170	82	8	1	–	1	92	3	2	3	1	5	6	10	11	17	16	4
Disease of Heart & Dropsy	75	2	–	–	–	–	2	–	–	–	–	–	5	12	21	17	18	–
Disease of Lungs	197	40	8	7	2	–	57	1	–	3	9	12	11	18	20	38	23	5
Disease of Stom. and Liver	68	6	–	1	1	–	8	–	–	–	2	2	5	9	18	15	8	1
Disease of Kidneys	37	1	–	–	–	–	1	1	1	–	1	1	–	5	10	8	7	2
Disease of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Disease of Joints	8	–	2	–	–	–	2	–	–	1	1	–	1	1	–	–	2	–
Disease of Skin	3	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–
Other Violent Deaths	84	6	–	2	1	–	9	2	3	5	8	17	10	13	10	3	4	–
Other Causes	218	129	11	1	–	–	141	–	1	–	2	4	4	–	2	13	32	19
531.—WHITBY.																		
Mean Popul^{n}, 1861–71	11708	397	361	345	363	339	1805	1509	1343	1109	878	1454	1261	1006	699	440	183	21
TOTAL DEATHS	2871	713	217	108	91	53	1182	142	69	89	78	136	174	179	210	279	253	80
Small-pox	51	8	4	6	4	1	23	5	2	–	5	8	5	3	–	–	–	–
Measles	53	15	17	7	8	1	48	2	–	1	–	1	–	1	–	–	–	–
Scarlatina	178	12	26	27	31	21	117	46	9	1	2	1	1	1	–	–	–	–
Diphtheria	24	3	2	4	4	1	14	7	–	1	1	–	–	–	–	1	–	–
Hooping-cough	61	28	21	8	4	1	62	2	–	–	–	–	–	–	–	–	–	–
Typhus	116	3	5	5	4	4	21	16	15	7	12	11	10	10	8	5	1	–
Diarrhœa & Dysentery	55	28	5	1	1	–	35	–	–	–	–	–	1	1	8	4	7	4
Cholera	8	–	–	–	1	–	1	1	–	–	–	2	–	1	1	1	1	–
Other Zymotic Dis.	78	10	8	10	5	4	37	10	3	4	–	–	3	4	2	11	4	–
Cancer	30	–	–	–	–	–	–	–	–	–	–	2	2	9	7	6	3	1
Scrofula and Tabes	63	17	8	2	4	1	32	9	7	5	1	2	4	1	1	1	–	–
Phthisis	258	1	4	3	3	3	14	2	9	39	35	57	49	29	16	8	–	–
Hydrocephalus	35	14	11	6	3	1	35	–	–	–	–	–	–	–	–	–	–	–
Disease of Brain	335	165	16	10	4	4	199	10	3	2	2	5	10	13	26	43	21	1
Disease of Heart & Dropsy	140	2	–	–	–	1	3	1	3	3	2	3	18	19	33	36	17	2
Disease of Lungs	379	129	51	13	5	3	201	10	3	4	4	10	19	24	41	33	28	2
Disease of Stom. and Liver	153	41	7	–	2	–	50	1	1	5	3	3	8	17	30	24	9	2
Disease of Kidneys	47	–	–	1	–	1	2	2	1	1	2	3	8	4	5	12	6	1
Disease of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Disease of Joints	14	–	1	–	–	1	2	1	2	2	1	1	2	1	–	2	–	–
Disease of Skin	3	2	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	9	–	–	–	–	–	–	–	–	1	–	–	–	4	1	3	–	–
Other Violent Deaths	157	6	7	2	3	4	22	13	9	12	6	22	22	27	12	7	4	1
Other Causes	620	229	24	3	5	1	262	4	2	1	2	4	12	10	23	82	152	66

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
529.—HELMSLEY.																		
Mean Popul^n, 1861–71	5662	153	153	150	142	143	741	691	590	533	474	724	587	514	400	281	108	19
TOTAL DEATHS	1085	222	33	29	14	10	308	38	14	40	46	74	75	70	96	126	134	64
Small-pox	6	2	1	–	1	–	4	–	–	–	1	–	1	–	–	–	–	–
Measles	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Scarlatina	23	–	1	3	4	2	10	12	–	–	–	–	1	–	–	–	–	–
Diphtheria	7	–	–	–	2	2	4	3	–	–	–	–	–	–	–	–	–	–
Whooping-cough	23	16	2	3	–	1	22	1	–	–	–	–	–	–	–	–	–	–
Typhus	32	–	1	2	–	1	4	1	2	3	6	4	5	4	1	2	–	–
Diarrhœa & Dysentery	45	21	1	2	2	–	26	–	–	–	–	3	1	–	2	3	6	4
Cholera	5	–	–	–	1	–	1	–	–	–	–	1	1	1	–	1	–	–
Other Zymotic Dis.	34	5	–	1	–	2	8	3	1	1	1	1	1	2	3	5	5	3
Cancer	21	–	–	–	–	–	–	–	–	–	–	–	4	9	8	1	2	–
Scrofula and Tabes	16	6	4	–	–	–	10	–	2	2	1	1	–	–	–	–	–	–
Phthisis	129	2	–	1	–	–	3	1	2	21	21	39	23	11	7	1	–	–
Hydrocephalus	10	–	1	2	1	1	5	5	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	132	60	3	4	1	–	68	3	2	3	2	2	2	7	5	17	18	3
Dis. of Heart & Dropsy	108	1	–	1	–	–	2	2	–	1	2	3	9	5	27	33	19	5
Dis. of Lungs	174	33	15	3	2	–	53	5	2	2	2	6	12	12	14	26	27	13
Dis. of Stom. and Liver	74	6	–	1	–	1	8	–	1	1	2	3	6	5	16	17	10	5
Dis. of Kidneys	13	–	–	–	–	–	–	–	–	3	1	2	–	2	2	2	1	–
Dis. of Gener. Organs	12	–	–	–	–	–	–	–	–	–	1	1	–	5	2	2	1	–
Dis. of Joints	4	–	1	–	–	–	1	–	–	–	–	–	–	1	1	–	–	1
Dis. of Skin	4	2	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	1
Childbirth and Metria	18	–	–	–	–	–	–	–	–	–	5	5	8	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Other Violent Deaths	19	–	–	4	–	–	4	1	1	–	1	2	1	3	1	–	3	2
Other Causes	171	68	3	2	–	–	73	1	1	1	–	1	–	3	6	16	42	27
530.—PICKERING.																		
Mean Popul^n, 1861–71	5601	169	156	163	163	166	817	686	613	501	455	742	591	522	346	216	97	15
TOTAL DEATHS	1131	250	55	31	19	15	370	46	15	38	38	87	70	77	104	121	131	34
Small-pox	10	5	–	–	–	–	5	1	–	1	–	2	–	1	–	–	–	–
Measles	7	2	2	–	–	–	4	–	1	–	–	2	–	–	–	–	–	–
Scarlatina	29	–	4	6	4	2	16	7	1	2	–	2	1	–	–	–	–	–
Diphtheria	35	4	3	5	1	2	15	14	2	1	1	2	–	–	–	–	–	–
Whooping-cough	25	13	5	4	2	–	24	1	–	–	–	–	–	–	–	–	–	–
Typhus	39	–	–	1	–	1	2	5	2	6	3	5	1	7	2	4	2	–
Diarrhœa & Dysentery	43	18	2	1	–	1	22	2	–	2	1	1	3	–	1	8	3	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Other Zymotic Dis.	23	1	–	1	2	1	5	4	1	1	–	1	–	2	6	1	2	–
Cancer	47	–	–	–	–	–	–	1	–	–	–	–	7	9	13	9	8	–
Scrofula and Tabes	29	11	6	1	–	1	19	1	2	3	–	2	1	–	–	1	–	–
Phthisis	102	1	1	1	–	–	3	–	3	12	11	36	22	9	5	1	–	–
Hydrocephalus	13	3	5	–	3	1	12	1	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	163	63	4	4	1	–	72	1	1	2	2	6	7	11	16	19	22	4
Dis. of Heart & Dropsy	86	1	–	1	1	–	3	–	–	–	1	7	9	9	15	20	22	–
Dis. of Lungs	172	28	10	2	2	3	45	4	1	1	9	9	5	11	19	28	33	7
Dis. of Stom. and Liver	85	6	–	1	–	–	7	3	1	3	5	4	5	10	21	15	10	1
Dis. of Kidneys	9	–	–	–	–	–	–	–	–	–	–	2	1	2	1	2	1	–
Dis. of Gener. Organs	5	–	–	–	–	–	–	–	–	–	2	–	1	1	1	–	–	–
Dis. of Joints	6	–	1	–	–	–	1	–	–	–	–	–	–	3	–	1	1	–
Dis. of Skin	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
Childbirth and Metria	15	–	–	–	–	–	–	–	–	2	3	5	5	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Deaths	22	4	1	2	2	2	11	1	–	1	–	–	2	1	–	2	2	2
Other Causes	163	90	11	1	1	1	104	–	–	1	–	–	–	1	2	10	25	20
531.—WHITBY.																		
Mean Popul^n, 1861–71	13011	412	338	329	344	337	1760	1558	1354	1171	1100	1777	1429	1135	855	573	248	51
TOTAL DEATHS	2766	542	212	109	74	50	987	112	78	82	94	201	158	143	191	281	315	124
Small-pox	24	6	3	4	–	1	14	1	–	–	1	4	1	1	1	–	1	–
Measles	50	12	15	11	6	4	48	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	154	11	29	18	20	20	98	36	10	2	2	2	4	–	–	–	–	–
Diphtheria	27	3	2	6	4	2	17	7	1	–	–	1	1	–	–	–	–	–
Whooping-cough	79	30	27	11	6	2	76	2	1	–	–	–	–	–	–	–	–	–
Typhus	137	2	6	6	9	5	28	15	15	10	19	20	5	4	13	4	1	3
Diarrhœa & Dysentery	80	43	6	3	–	1	53	–	–	–	–	4	3	3	1	10	2	4
Cholera	3	–	–	1	–	–	1	–	–	–	–	–	1	1	–	–	–	–
Other Zymotic Dis.	66	9	9	3	8	4	31	2	5	1	–	2	2	2	7	8	2	4
Cancer	62	–	–	–	–	–	–	–	–	–	–	2	8	16	21	10	2	3
Scrofula and Tabes	37	8	9	3	3	2	25	5	3	2	1	1	–	–	–	–	–	–
Phthisis	307	2	3	1	–	2	8	6	20	40	40	95	51	21	14	6	–	–
Hydrocephalus	31	13	8	3	4	1	29	4	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	310	116	13	7	4	–	140	10	11	9	3	9	12	21	29	26	35	5
Dis. of Heart & Dropsy	139	1	–	–	–	–	1	2	1	3	5	5	14	17	23	50	17	1
Dis. of Lungs	348	80	53	17	6	–	159	6	3	4	8	8	7	18	35	50	40	10
Dis. of Stom. and Liver	147	18	4	2	1	1	26	6	1	4	3	12	17	16	21	25	16	–
Dis. of Kidneys	15	–	–	1	–	1	2	–	2	1	–	–	1	4	3	1	1	–
Dis. of Gener. Organs	15	–	–	–	–	–	–	–	–	–	–	2	3	5	4	1	–	–
Dis. of Joints	7	–	–	–	–	–	–	–	1	1	–	1	1	1	–	2	–	–
Dis. of Skin	3	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–
Childbirth and Metria	47	–	–	–	–	–	–	–	–	–	5	25	16	1	–	–	–	–
Suicide	6	–	–	–	–	–	–	–	–	2	–	1	1	1	–	1	–	–
Other Violent Deaths	54	8	3	3	4	2	20	7	3	–	3	–	2	2	4	6	2	5
Other Causes	615	180	19	9	1	2	211	–	–	3	4	6	5	5	15	81	196	89

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
532.—GUISBROUGH.																		
Mean Popul^n, 1861–71	16410	559	471	479	455	451	2415	1971	1556	1363	1702	2894	2083	1244	663	362	133	24
TOTAL DEATHS	3605	1100	326	147	104	67	1744	185	88	108	183	262	249	197	178	197	169	45
Small-pox	100	26	10	5	6	4	51	7	–	8	10	11	8	–	4	–	1	–
Measles	102	23	41	18	9	1	92	6	2	1	–	–	1	–	–	–	–	–
Scarlatina	227	7	41	40	31	26	115	59	7	7	2	5	2	–	–	–	–	–
Diphtheria	42	8	8	7	3	3	29	8	2	3	–	–	–	–	–	–	–	–
Whooping-cough	27	17	9	–	–	–	26	1	–	–	–	–	–	–	–	–	–	–
Typhus	224	6	2	7	4	8	27	17	16	17	51	40	28	12	9	5	2	–
Diarrhœa & Dysentery	155	109	24	1	1	–	135	3	–	3	–	1	1	–	3	5	4	–
Cholera	15	3	–	–	–	–	3	3	–	–	1	3	–	1	1	3	–	–
Other Zymotic Dis.	80	11	14	7	7	6	45	10	2	–	2	5	5	1	3	3	3	1
Cancer	30	–	–	–	–	–	–	–	–	–	–	2	5	6	3	10	4	–
Scrofula and Tabes	79	35	18	6	4	1	61	4	2	–	3	4	2	–	–	–	–	–
Phthisis	193	5	2	1	1	2	11	6	11	15	32	56	33	19	6	–	1	–
Hydrocephalus	95	43	33	3	6	1	86	6	2	–	1	–	–	–	–	–	–	–
Dis. of Brain	509	315	34	18	10	5	382	11	5	2	2	5	13	18	24	24	20	3
Dis. of Heart & Dropsy	132	4	–	–	1	1	6	5	1	3	5	7	20	21	27	28	9	–
Dis. of Lungs	468	134	53	20	12	5	224	12	3	5	14	27	34	35	36	47	28	3
Dis. of Stom. and Liver	108	18	5	1	2	1	27	8	–	4	2	11	10	14	19	7	6	–
Dis. of Kidneys	62	2	–	1	–	1	4	7	2	1	3	3	9	6	6	17	3	1
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Dis. of Joints	13	2	–	1	–	–	3	–	2	–	–	1	3	3	1	–	–	–
Dis. of Skin	3	2	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	9	–	–	–	–	–	–	–	–	–	1	–	4	2	–	2	–	–
Other Violent Deaths	342	9	2	4	4	2	21	9	21	38	51	74	60	36	18	13	1	–
Other Causes	589	321	30	7	3	–	361	3	6	1	3	7	11	22	18	33	87	37
533.—STOKESLEY.																		
Mean Popul^n, 1861–71	5346	159	148	158	141	135	741	615	616	507	425	673	577	461	364	237	115	15
TOTAL DEATHS	1019	261	43	25	10	14	353	32	22	34	29	57	41	55	82	120	145	49
Small-pox	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	7	1	2	–	–	2	5	1	1	–	–	–	–	–	–	–	–	–
Scarlatina	34	3	6	7	3	2	21	7	1	2	–	2	–	1	–	–	–	–
Diphtheria	6	–	–	2	–	1	3	2	1	–	–	–	–	–	–	–	–	–
Whooping-cough	11	8	–	–	–	–	8	3	–	–	–	–	–	–	–	–	–	–
Typhus	37	1	–	–	–	–	1	2	2	8	5	4	2	2	3	7	1	–
Diarrhœa & Dysentery	24	13	1	–	–	–	14	–	–	–	–	–	–	1	3	3	3	–
Cholera	3	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–
Other Zymotic Dis.	20	4	1	2	1	2	10	–	–	–	1	–	–	1	3	2	2	1
Cancer	16	–	–	1	–	–	1	–	–	–	–	–	–	3	7	4	1	–
Scrofula and Tabes	17	3	4	–	1	1	9	1	1	2	3	–	–	–	–	1	–	–
Phthisis	92	–	–	–	–	–	–	4	2	13	11	30	11	13	6	2	–	–
Hydrocephalus	14	6	1	2	–	–	9	2	3	–	–	–	–	–	–	–	–	–
Dis. of Brain	175	94	8	5	4	2	113	5	2	2	1	5	1	6	10	18	11	1
Dis. of Heart & Dropsy	49	–	–	–	1	1	2	–	2	1	1	1	7	8	8	11	7	1
Dis. of Lungs	116	38	7	–	–	–	45	1	2	1	1	4	4	7	16	19	14	2
Dis. of Stom. and Liver	52	9	1	1	–	1	12	1	–	2	1	3	3	5	6	13	6	–
Dis. of Kidneys	17	–	–	1	–	–	1	–	–	–	1	–	2	–	4	4	4	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	8	–	–	1	–	–	1	–	2	–	1	–	–	2	1	1	–	–
Dis. of Skin	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	7	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	2	–
Other Violent Deaths	29	1	2	2	–	2	7	–	1	3	3	4	1	5	3	2	–	–
Other Causes	282	78	10	1	–	–	89	3	2	–	–	4	7	–	9	32	93	43
534.—NORTHALLERTON.																		
Mean Popul^n, 1861–71	5982	174	165	151	150	150	790	706	680	586	421	694	646	558	441	312	128	20
TOTAL DEATHS	1173	249	36	27	19	13	344	43	26	31	44	64	62	73	101	172	159	54
Small-pox	4	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–
Measles	7	4	1	1	–	1	7	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	36	2	4	7	3	3	19	12	2	–	2	1	–	–	–	–	–	–
Diphtheria	8	–	–	2	2	–	4	2	–	2	–	–	–	–	–	–	–	–
Whooping-cough	12	10	2	–	–	–	12	–	–	–	–	–	–	–	–	–	–	–
Typhus	51	–	–	1	–	1	2	2	3	4	6	6	5	3	10	6	4	–
Diarrhœa & Dysentery	29	16	1	–	1	–	18	–	–	1	–	–	–	–	–	7	1	2
Cholera	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	14	4	1	1	3	–	9	1	–	–	–	1	–	–	–	2	1	–
Cancer	21	–	–	–	–	–	–	–	–	–	–	–	–	4	6	8	2	1
Scrofula and Tabes	13	4	1	1	–	1	7	2	2	–	–	–	1	–	–	1	–	–
Phthisis	111	–	–	–	–	–	–	5	4	5	19	30	22	16	4	6	–	–
Hydrocephalus	22	7	4	2	2	–	15	6	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	182	71	8	3	3	4	89	3	2	5	4	6	3	7	12	24	23	4
Dis. of Heart & Dropsy	95	–	–	–	–	–	–	–	4	2	1	3	6	12	12	37	17	1
Dis. of Lungs	176	31	11	6	5	2	55	2	1	3	3	2	5	11	20	34	39	10
Dis. of Stom. and Liver	74	2	2	1	–	–	5	3	–	2	2	3	7	14	14	17	6	1
Dis. of Kidneys	27	–	–	–	–	–	–	–	–	4	1	2	2	2	7	4	3	2
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Dis. of Joints	7	–	–	–	–	–	–	1	2	1	–	–	1	–	–	1	1	–
Dis. of Skin	5	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–
Other Violent Deaths	48	5	–	–	–	–	5	3	4	1	5	7	5	2	8	7	1	–
Other Causes	225	92	1	2	–	1	96	1	–	1	–	2	1	1	4	17	69	33

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
532.—GUISBROUGH.																		
Mean Popul^n, 1861–71	14161	563	467	474	480	448	2432	1932	1530	1141	1198	2190	1558	1021	608	367	157	27
TOTAL DEATHS	3040	898	307	134	84	61	1484	152	82	99	108	298	184	121	132	175	222	73
Small-pox	39	24	7	2	3	–	36	3	1	1	5	3	7	3	–	–	–	–
Measles	73	13	33	6	6	6	64	5	–	–	2	2	–	–	–	–	–	–
Scarlatina	202	14	33	31	22	12	114	47	21	6	5	7	2	–	–	–	–	–
Diphtheria	31	2	2	5	1	3	13	14	2	–	1	3	1	–	–	–	–	–
Whooping-cough	65	30	17	6	4	4	61	4	–	–	–	–	–	–	–	–	–	–
Typhus	188	3	10	7	5	7	32	29	18	22	26	28	15	8	5	4	1	–
Diarrhœa & Dysentery	152	98	23	7	3	1	132	1	–	1	–	3	–	1	2	2	9	1
Cholera	5	3	–	–	–	–	3	–	–	–	–	1	–	–	1	–	–	–
Other Zymotic Dis.	63	11	9	6	8	7	41	4	2	2	–	4	4	–	3	–	1	2
Cancer	38	–	–	–	–	–	–	–	–	–	–	3	7	7	10	8	3	–
Scrofula and Tabes	107	50	28	10	3	2	93	2	2	–	3	1	2	2	2	–	–	–
Phthisis	237	–	4	–	1	–	5	8	15	41	39	79	51	24	4	1	–	–
Hydrocephalus	51	17	14	6	6	5	48	2	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	483	281	36	12	7	3	339	12	2	6	2	11	11	18	23	27	23	4
Dis. of Heart & Dropsy	130	3	1	–	–	1	5	7	3	4	5	9	17	7	29	24	18	2
Dis. of Lungs	318	97	40	19	8	5	169	4	3	2	3	10	18	15	18	26	41	9
Dis. of Stom. and Liver	106	7	3	2	1	–	13	2	2	3	5	13	14	12	15	21	6	–
Dis. of Kidneys	27	1	2	1	–	1	5	–	2	–	1	3	5	3	4	2	2	–
Dis. of Gener. Organs	11	–	–	–	–	–	–	–	–	–	–	2	4	3	2	–	–	–
Dis. of Joints	10	1	–	–	–	1	2	1	1	1	–	2	2	–	–	–	–	1
Dis. of Skin	5	1	–	1	–	–	2	–	–	–	–	–	2	–	–	1	–	–
Childbirth and Metria	54	–	–	–	–	–	–	–	–	6	9	18	18	3	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Other Violent Deaths	33	2	4	1	2	3	12	4	5	1	1	1	2	–	–	2	5	–
Other Causes	557	240	41	10	4	–	295	3	2	3	1	5	2	13	9	57	113	54
533.—STOKESLEY.																		
Mean Popul^n, 1861–71	5220	136	146	143	149	135	709	618	571	512	436	658	551	434	332	249	130	20
TOTAL DEATHS	1026	205	30	18	20	14	287	47	22	36	34	65	62	63	74	129	139	68
Small-pox	9	3	–	–	–	–	3	–	–	3	2	–	–	1	–	–	–	–
Measles	2	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	37	1	3	4	7	4	19	15	2	1	–	–	–	–	–	–	–	–
Diphtheria	12	–	–	–	–	2	2	6	–	1	–	2	1	–	–	–	–	–
Whooping-cough	21	11	4	2	2	1	20	1	–	–	–	–	–	–	–	–	–	–
Typhus	51	–	–	–	–	1	1	5	2	7	8	8	4	6	5	4	1	–
Diarrhœa & Dysentery	32	11	4	–	–	1	16	–	–	1	–	2	1	1	2	4	5	–
Cholera	3	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
Other Zymotic Dis.	27	6	1	2	–	–	9	3	1	–	–	2	2	1	1	6	2	–
Cancer	25	–	–	–	–	–	–	–	–	–	–	1	–	5	7	10	2	–
Scrofula and Tabes	13	2	–	2	1	–	5	1	1	–	2	1	–	1	1	–	1	–
Phthisis	109	1	–	–	–	–	1	2	7	16	14	33	23	9	3	1	–	–
Hydrocephalus	10	4	2	2	1	–	9	1	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	155	74	5	1	–	1	81	5	2	3	1	1	6	7	11	25	12	1
Dis. of Heart & Dropsy	50	–	–	–	–	–	–	–	–	–	–	–	5	7	16	14	8	–
Dis. of Lungs	92	19	6	1	2	2	30	2	1	–	–	2	4	4	9	18	14	8
Dis. of Stom. and Liver	44	3	–	–	–	–	3	–	–	–	3	5	6	7	10	6	3	–
Dis. of Kidneys	7	–	–	–	–	–	–	–	1	1	1	–	–	–	2	–	1	1
Dis. of Gener. Organs	8	–	–	–	–	–	–	–	–	–	1	–	1	4	1	1	–	–
Dis. of Joints	7	1	–	–	–	–	1	–	–	–	1	1	–	1	–	2	–	1
Dis. of Skin	3	1	1	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–
Childbirth and Metria	7	–	–	–	–	–	–	–	–	1	1	2	3	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Other Violent Deaths	14	2	–	2	2	2	8	1	–	1	–	–	–	2	–	–	2	–
Other Causes	288	65	4	2	5	–	76	4	5	1	–	3	4	6	6	38	88	57
534.—NORTHALLERTON.																		
Mean Popul^n, 1861–71	5918	160	141	162	153	157	773	726	626	576	443	733	619	536	418	297	142	29
TOTAL DEATHS	1141	180	34	23	21	17	275	48	19	36	49	71	70	71	95	165	172	70
Small-pox	2	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Measles	6	2	4	–	–	–	6	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	33	2	2	2	8	6	20	9	2	–	2	–	–	–	–	–	–	–
Diphtheria	13	–	–	1	1	2	4	9	–	–	–	–	–	–	–	–	–	–
Whooping-cough	17	9	4	1	–	1	15	2	–	–	–	–	–	–	–	–	–	–
Typhus	41	–	–	–	–	–	–	3	3	10	5	2	6	4	3	2	2	1
Diarrhœa & Dysentery	27	10	1	2	–	1	14	1	–	–	–	–	1	1	2	2	5	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	18	6	1	1	1	–	9	1	1	–	–	1	–	–	–	2	4	–
Cancer	40	–	–	–	–	–	–	–	–	–	–	2	6	4	12	11	9	2
Scrofula and Tabes	15	5	1	–	1	–	7	2	1	1	–	1	1	1	1	–	–	–
Phthisis	150	–	–	–	–	–	–	7	8	16	27	39	21	19	9	4	–	–
Hydrocephalus	8	2	1	3	2	–	8	–	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	155	50	4	3	–	3	60	5	1	3	2	4	9	9	13	22	22	5
Dis. of Heart & Dropsy	95	–	–	–	–	–	–	1	–	3	3	6	4	10	22	29	17	1
Dis. of Lungs	141	22	6	7	3	2	40	4	2	–	1	4	9	6	13	28	26	11
Dis. of Stom. and Liver	73	–	1	1	–	1	3	1	1	3	6	1	4	13	12	24	5	3
Dis. of Kidneys	12	–	–	–	–	–	–	–	–	–	1	1	–	1	3	4	2	–
Dis. of Gener. Organs	5	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	–	–
Dis. of Joints	5	2	1	–	–	–	3	1	–	–	–	–	1	–	–	–	–	–
Dis. of Skin	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–
Childbirth and Metria	10	–	–	–	–	–	–	–	–	–	2	3	5	–	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Other Violent Deaths	15	4	1	–	3	–	8	–	–	–	–	3	–	–	–	1	1	2
Other Causes	242	65	7	2	2	1	77	2	–	–	–	1	1	–	4	35	78	44

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
535.—BEDALE.*																		
Mean Popul^{n}, 1861–71	4035	126	109	107	109	107	558	479	455	364	290	471	444	368	300	215	82	9
TOTAL DEATHS	783	164	31	16	8	9	228	26	22	19	25	37	41	47	74	119	114	31
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	8	3	1	4	–	–	8	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	15	–	3	3	1	2	9	2	3	1	–	–	–	–	–	–	–	–
Diphtheria	12	–	1	–	1	–	2	4	3	–	1	–	–	–	–	1	1	–
Whooping-cough	17	9	7	–	1	–	17	–	–	–	–	–	–	–	–	–	–	–
Typhus	25	–	–	–	–	–	–	4	4	2	4	2	4	–	3	–	2	–
Diarrhœa & Dysentery	17	6	3	–	1	1	11	1	–	–	1	–	–	–	1	1	1	1
Cholera	5	1	–	–	–	–	1	–	–	–	–	1	–	–	2	1	–	–
Other Zymotic Dis.	13	3	–	1	–	–	4	3	–	–	–	–	1	1	1	2	1	–
Cancer	21	–	–	–	–	–	–	–	–	–	–	–	1	3	8	6	2	1
Scrofula and Tabes	11	1	2	1	–	–	4	2	–	1	–	1	2	–	1	–	–	–
Phthisis	65	–	–	1	–	–	1	1	2	8	13	18	9	7	4	2	–	–
Hydrocephalus	12	5	3	1	–	–	9	1	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	103	53	2	–	2	–	57	1	–	1	1	–	4	6	11	13	7	2
Dis. of Heart & Dropsy	58	–	–	–	–	1	1	1	–	2	–	1	2	7	12	17	15	–
Dis. of Lungs	104	21	7	1	2	1	32	–	1	2	2	5	6	8	12	21	13	1
Dis. of Stom. and Liver	45	5	–	1	–	–	6	–	1	–	–	4	6	4	7	10	5	2
Dis. of Kidneys	17	1	–	–	–	–	1	–	2	–	1	1	1	2	–	7	2	–
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Dis. of Joints	9	–	–	–	–	–	–	–	1	1	–	1	1	1	2	–	2	–
Dis. of Skin	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Other Violent Deaths	30	2	–	2	–	4	8	3	2	1	2	1	2	3	5	3	–	–
Other Causes	190	54	2	1	–	–	57	3	1	–	–	2	2	5	4	30	62	24
536.—LEYBURN.*																		
Mean Popul^{n}, 1861–71	4819	125	122	118	116	132	613	566	576	499	372	542	504	459	341	232	100	15
TOTAL DEATHS	876	183	27	16	14	10	250	29	19	20	38	42	31	56	76	131	146	38
Small-pox	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Measles	2	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	26	2	3	2	3	3	13	9	3	–	–	–	–	1	–	–	–	–
Diphtheria	9	–	1	–	2	2	5	3	–	1	–	–	–	–	–	–	–	–
Whooping-cough	18	12	5	1	–	–	18	–	–	–	–	–	–	–	–	–	–	–
Typhus	32	1	–	–	1	1	3	2	1	2	4	6	3	6	4	1	–	–
Diarrhœa & Dysentery	16	4	–	3	–	–	7	–	1	–	–	–	–	–	4	3	–	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	20	4	2	3	–	1	10	3	–	–	1	–	1	–	2	1	2	–
Cancer	23	–	–	–	–	–	–	–	–	–	–	–	–	3	5	8	6	1
Scrofula and Tabes	8	–	1	–	–	–	1	1	2	–	1	1	–	1	–	1	–	–
Phthisis	78	–	–	–	–	–	–	2	3	8	19	22	9	8	6	1	–	–
Hydrocephalus	15	5	4	–	2	–	11	2	1	1	–	–	–	–	–	–	–	–
Dis. of Brain	113	65	3	–	–	1	69	–	1	–	–	4	–	9	9	10	10	1
Dis. of Heart & Dropsy	68	1	–	–	–	–	1	2	1	–	1	1	1	5	10	27	16	3
Dis. of Lungs	136	33	6	4	3	–	46	3	2	2	3	2	3	10	15	29	16	5
Dis. of Stom. and Liver	49	6	–	–	1	–	7	1	1	1	–	3	6	7	8	8	6	1
Dis. of Kidneys	25	–	–	–	–	–	–	–	–	1	3	–	1	1	3	10	5	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	5	1	–	–	–	–	1	–	1	–	1	–	1	1	–	–	–	–
Dis. of Skin	4	1	–	–	–	–	1	–	–	–	–	–	–	1	1	–	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
Other Violent Deaths	42	5	–	1	2	2	10	1	2	4	4	2	3	2	3	9	2	–
Other Causes	184	41	2	2	–	–	45	–	–	–	–	1	3	1	4	23	82	25
537.—AYSGARTH (*late* ASKRIGG).																		
Mean Popul^{n}, 1861–71	2788	71	76	61	71	79	358	341	304	248	198	330	316	282	206	143	57	5
TOTAL DEATHS	543	134	15	13	7	5	174	18	15	13	21	25	39	25	34	77	77	22
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	7	4	1	–	1	–	6	–	–	–	–	–	1	–	–	–	–	–
Scarlatina	5	2	–	1	1	–	4	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	9	–	–	–	1	2	3	6	–	–	–	–	–	–	–	–	–	–
Whooping-cough	19	11	4	2	–	–	17	1	–	–	–	–	1	–	–	–	–	–
Typhus	11	–	–	–	–	–	–	–	1	2	2	2	4	–	–	–	–	–
Diarrhœa & Dysentery	14	5	–	–	–	–	5	–	–	–	–	1	1	–	–	3	4	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	8	1	1	1	1	–	4	1	–	1	–	–	1	–	–	1	–	–
Cancer	9	–	–	–	–	–	–	1	–	–	–	–	–	1	3	1	3	–
Scrofula and Tabes	7	2	–	–	–	–	2	1	3	–	–	–	1	–	–	–	–	–
Phthisis	47	–	–	–	–	–	–	–	2	4	16	9	13	2	–	1	–	–
Hydrocephalus	7	2	1	–	–	–	3	2	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	77	29	–	4	1	1	35	3	2	–	2	2	6	2	5	11	8	1
Dis. of Heart & Dropsy	36	–	–	–	–	–	–	–	1	2	1	2	1	5	7	10	7	–
Dis. of Lungs	80	18	3	4	1	–	28	1	3	2	2	1	3	4	5	21	6	4
Dis. of Stom. and Liver	20	2	–	–	–	–	2	1	–	–	–	5	1	8	5	5	3	–
Dis. of Kidneys	17	–	–	–	–	–	–	–	1	–	–	–	–	1	3	6	6	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	3	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–
Dis. of Skin	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
Other Violent Deaths	13	–	–	1	–	2	3	–	–	2	–	–	3	2	1	–	2	–
Other Causes	141	37	3	–	1	–	61	–	–	–	–	2	3	–	3	17	38	17

* Corrections have been made for changes in the

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
535.—BEDALE.*																		
Mean Populn, 1861–71	4273	110	114	112	99	113	548	515	469	370	312	538	460	389	325	223	102	22
TOTAL DEATHS	790	132	32	13	10	5	192	23	15	24	28	50	55	43	73	112	113	62
Small-pox	2	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Measles	4	1	-	2	-	1	4	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	11	-	3	-	1	1	5	3	1	1	-	-	1	-	-	-	-	-
Diphtheria	9	-	1	-	-	-	1	5	-	-	-	3	-	-	-	-	-	-
Whooping-cough	11	8	3	-	-	-	11	-	-	-	-	-	-	-	-	-	-	-
Typhus	18	-	-	-	-	-	-	2	-	2	2	2	2	4	3	-	1	-
Diarrhœa & Dysentery	13	5	3	1	-	-	9	-	-	-	1	-	-	-	-	1	2	-
Cholera	3	1	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-
Other Zymotic Dis.	11	2	1	1	-	-	4	-	-	-	-	-	1	1	-	2	3	-
Cancer	25	-	-	-	1	-	1	-	-	-	-	-	2	4	7	8	3	-
Scrofula and Tabes	9	1	-	-	1	-	2	-	2	-	2	2	1	-	-	-	-	-
Phthisis	83	-	1	-	-	-	1	-	4	17	13	22	17	7	1	-	1	-
Hydrocephalus	12	4	4	-	1	-	9	3	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	105	51	4	-	1	-	56	2	1	1	2	2	4	4	7	10	11	5
Dis. of Heart & Dropsy	83	-	-	2	-	-	2	2	3	-	2	6	1	4	26	25	11	1
Dis. of Lungs	76	11	4	4	-	-	22	1	1	-	3	2	4	6	4	15	16	2
Dis. of Stom. and Liver	54	-	1	-	1	1	3	1	1	-	1	2	6	8	11	15	6	-
Dis. of Kidneys	6	-	-	-	-	1	1	-	-	-	-	-	1	-	2	2	-	-
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	-	-	1	4	1	1	-	-	-
Dis. of Joints	4	-	-	-	-	1	1	-	-	-	1	-	-	1	1	-	-	-
Dis. of Skin	3	1	1	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	16	-	-	-	-	-	-	-	-	-	1	6	9	-	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-
Other Violent Deaths	12	1	-	2	2	-	5	1	2	-	-	-	-	-	1	-	1	2
Other Causes	210	43	6	-	2	-	51	3	-	3	-	-	2	3	4	34	58	52
536.—LEYBURN.*																		
Mean Populn, 1861–71	4818	128	119	119	116	114	596	559	502	480	387	597	517	469	354	229	106	22
TOTAL DEATHS	842	147	32	17	14	6	216	28	14	28	40	52	50	56	70	106	127	55
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	4	1	2	-	-	-	3	-	-	-	-	-	-	1	-	-	-	-
Scarlatina	26	2	1	3	4	3	13	7	1	3	1	1	-	-	-	-	-	-
Diphtheria	13	-	2	-	1	1	4	2	2	1	3	1	-	-	-	-	-	-
Whooping-cough	19	7	8	2	1	-	18	1	-	-	-	-	-	-	-	-	-	-
Typhus	29	-	1	-	2	-	3	1	2	1	3	5	4	-	5	2	3	-
Diarrhœa & Dysentery	16	7	2	1	-	-	10	1	-	-	-	-	1	-	2	2	-	-
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Other Zymotic Dis.	17	5	1	1	1	-	8	3	-	-	1	-	-	2	2	1	-	-
Cancer	21	-	-	-	-	-	-	-	-	-	-	-	-	6	6	4	5	-
Scrofula and Tabes	4	-	-	1	-	-	1	1	1	-	-	-	-	1	-	-	-	-
Phthisis	111	-	-	-	-	-	-	1	4	19	27	26	14	13	6	1	-	-
Hydrocephalus	9	1	2	1	2	1	7	2	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	128	61	5	1	1	-	68	2	-	3	-	3	6	10	6	17	11	2
Dis. of Heart & Dropsy	65	1	-	-	-	-	1	-	-	-	2	4	7	8	13	20	9	1
Dis. of Lungs	92	18	5	4	1	1	29	2	1	1	2	2	4	5	7	22	14	3
Dis. of Stom. and Liver	44	4	-	1	-	-	5	1	1	-	-	3	4	8	12	5	4	1
Dis. of Kidneys	7	-	-	-	-	-	-	-	1	-	-	2	1	1	1	1	-	-
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-
Dis. of Joints	4	-	-	-	-	-	-	1	-	-	-	1	-	-	2	-	-	-
Dis. of Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Childbirth and Metria	10	-	-	-	-	-	-	-	-	-	1	3	6	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Other Violent Deaths	16	7	1	1	1	-	10	1	1	-	-	-	-	-	2	-	2	-
Other Causes	198	33	2	1	-	-	36	2	-	-	-	-	1	1	4	28	78	48
537.—AYSGARTH (*late* ASKRIGG).																		
Mean Populn, 1861–71	2773	71	76	72	72	68	359	343	291	259	214	355	317	257	187	122	62	7
TOTAL DEATHS	573	95	25	14	8	4	146	16	13	25	25	42	41	40	54	78	65	28
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Measles	8	2	1	3	1	-	7	-	1	-	-	-	-	-	-	-	-	-
Scarlatina	10	-	1	3	2	1	7	1	2	-	-	-	-	-	-	-	-	-
Diphtheria	5	-	-	-	-	-	-	1	2	-	-	-	-	1	1	-	-	-
Whooping-cough	9	5	4	-	-	-	9	-	-	-	-	-	-	-	-	-	-	-
Typhus	14	-	-	-	-	-	-	1	-	3	2	3	3	1	1	-	-	-
Diarrhœa & Dysentery	8	3	1	1	-	-	5	-	-	-	-	1	-	-	1	-	1	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	19	4	1	2	1	1	9	-	1	1	1	1	2	-	-	3	1	-
Cancer	12	-	-	-	-	-	-	-	-	-	-	1	1	2	3	3	2	-
Scrofula and Tabes	16	4	1	1	-	-	6	3	1	2	1	1	-	1	-	1	-	-
Phthisis	54	-	-	-	-	-	-	-	2	9	11	16	9	3	1	-	-	-
Hydrocephalus	9	-	3	-	-	2	5	1	1	1	1	-	-	-	-	-	-	-
Dis. of Brain	60	20	3	1	-	-	24	1	-	1	2	2	4	4	6	10	6	-
Dis. of Heart & Dropsy	63	-	-	-	-	-	-	-	1	2	-	4	4	8	15	21	8	-
Dis. of Lungs	97	16	7	3	3	-	29	3	1	1	2	7	7	6	12	16	9	4
Dis. of Stom. and Liver	39	3	-	-	-	-	3	3	1	2	-	2	5	10	5	7	1	-
Dis. of Kidneys	4	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Dis. of Joints	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	13	-	-	-	-	-	-	-	-	1	2	4	5	1	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	8	-	1	-	1	-	2	1	-	1	-	-	-	-	1	-	1	2
Other Causes	121	37	2	-	-	-	39	1	-	1	-	-	-	2	5	15	36	22

constitution of these Districts during the 10 years.

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
538.—REETH.																		
Mean Popul", 1861-71	2912	84	79	74	79	72	388	369	336	332	261	390	309	254	178	71	21	3
TOTAL DEATHS	622	124	37	17	9	5	192	22	13	27	28	39	45	71	76	63	41	5
Small-pox	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	35	4	7	5	3	2	21	13	–	1	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	2	1	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Typhus	15	–	1	1	–	1	3	1	1	1	2	–	4	3	–	–	–	–
Diarrhœa & Dysentery	6	2	1	–	–	1	4	1	–	–	–	1	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–
Other Zymotic Dis.	14	4	1	2	–	1	8	1	–	–	–	–	–	–	–	5	–	–
Cancer	11	–	–	–	–	–	–	–	–	–	–	–	3	2	4	–	2	–
Scrofula and Tabes	22	3	6	2	1	–	12	–	1	2	2	–	1	1	2	1	–	–
Phthisis	106	–	–	–	–	–	–	–	5	13	19	16	18	25	8	2	–	–
Hydrocephalus	9	4	1	–	1	–	6	–	3	–	–	–	–	–	–	–	–	–
Dis. of Brain	74	33	4	1	3	–	41	3	–	1	–	1	6	4	4	10	3	1
Dis. of Heart & Dropsy	28	–	–	–	–	–	–	–	–	1	–	3	1	5	8	5	4	1
Dis. of Lungs	133	16	6	2	1	–	25	2	1	2	3	6	8	17	35	23	11	–
Dis. of Stom. and Liver	24	2	–	1	–	–	3	–	–	1	1	3	–	6	7	3	–	–
Dis. of Kidneys	13	–	–	–	–	–	–	–	–	–	–	3	–	3	2	4	1	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	2	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Dis. of Skin	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Other Violent Deaths	24	2	1	1	–	–	4	–	2	5	1	4	4	2	1	1	–	–
Other Causes	98	52	7	–	–	–	59	1	–	–	–	–	–	2	5	8	20	3
539.—RICHMOND.																		
Mean Popul", 1861-71	6623	192	166	173	165	171	867	779	882	666	496	754	645	596	454	323	142	19
TOTAL DEATHS	1181	223	43	31	24	21	342	51	25	35	48	79	65	59	95	155	168	59
Small-pox	6	1	–	–	–	–	1	–	–	–	1	1	1	–	1	1	–	–
Measles	13	3	4	3	–	1	11	1	–	–	1	–	–	–	–	–	–	–
Scarlatina	51	3	5	6	8	8	30	16	4	–	1	–	–	–	–	–	–	–
Diphtheria	11	1	2	–	2	1	6	2	2	–	–	–	–	–	1	–	–	–
Whooping-cough	15	5	5	–	3	1	14	1	–	–	–	–	–	–	–	–	–	–
Typhus	31	–	–	–	–	–	–	2	1	5	6	4	3	2	4	2	2	–
Diarrhœa & Dysentery	34	22	1	–	–	–	23	1	–	–	1	1	2	1	–	2	3	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Other Zymotic Dis.	37	2	1	4	2	2	11	4	–	3	1	1	–	–	1	4	8	4
Cancer	23	–	–	–	–	–	–	–	–	–	–	–	2	4	5	7	5	–
Scrofula and Tabes	9	–	1	1	–	–	2	2	1	–	1	1	–	2	–	–	–	–
Phthisis	131	3	–	1	–	–	4	4	3	15	20	38	24	9	8	5	1	–
Hydrocephalus	20	7	2	4	1	1	15	3	1	1	–	–	–	–	–	–	–	–
Dis. of Brain	151	50	5	5	3	1	64	3	4	3	4	2	6	7	15	23	17	3
Dis. of Heart & Dropsy	98	–	–	–	–	1	1	–	2	–	1	5	6	11	17	32	19	4
Dis of Lungs	161	43	10	3	2	2	60	1	1	–	3	7	8	5	13	32	24	9
Dis. of Stom. and Liver	66	4	1	1	1	2	9	2	–	2	–	3	2	9	13	14	12	–
Dis. of Kidneys	33	–	1	2	–	–	3	2	–	–	2	2	3	1	3	9	6	2
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	11	–	–	1	–	1	2	3	–	–	2	3	–	–	–	1	–	–
Dis. of Skin	2	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–
Other Violent Deaths	46	3	1	–	1	–	5	1	5	5	3	6	5	4	8	1	3	–
Other Causes	225	76	4	–	1	–	81	3	–	1	1	3	3	3	4	21	68	37

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
538.—REETH.																		
Mean Popul^n, 1861–71	2871	94	66	78	74	74	386	371	341	268	249	367	292	242	192	115	38	10
TOTAL DEATHS	577	84	19	13	9	12	137	14	26	27	41	40	46	27	54	70	73	22
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	3	–	2	1	–	–	3	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	28	–	1	4	5	4	14	6	6	1	1	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	8	5	2	1	–	–	8	–	–	–	–	–	–	–	–	–	–	–
Typhus	21	–	2	–	–	1	3	–	6	3	2	3	3	1	–	–	–	–
Diarrhœa & Dysentery	9	1	–	1	–	–	2	–	–	–	–	1	–	–	2	2	2	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	18	4	2	2	2	1	11	–	–	1	1	–	–	1	2	–	2	–
Cancer	12	–	–	–	–	1	1	–	–	–	–	–	1	1	1	6	1	1
Scrofula and Tabes	18	2	–	1	1	2	6	1	1	2	1	2	–	2	1	1	1	–
Phthisis	100	–	–	–	–	–	–	3	9	15	21	18	19	4	6	2	–	–
Hydrocephalus	5	1	2	1	–	–	4	–	–	1	–	–	–	–	–	–	–	–
Dis. of Brain	68	19	–	1	–	–	20	1	1	–	2	3	2	4	9	10	13	3
Dis. of Heart & Dropsy	52	–	1	–	–	1	2	–	–	–	–	4	9	6	13	10	8	–
Dis. of Lungs	62	15	5	1	1	–	22	2	2	–	4	3	2	3	7	11	6	–
Dis. of Stom. and Liver	28	2	–	–	–	–	2	1	1	2	1	–	2	4	4	10	1	–
Dis. of Kidneys	3	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Dis. of Joints	9	–	–	–	–	1	1	–	–	2	1	–	2	–	1	1	–	1
Dis. of Skin	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	13	–	–	–	–	–	–	–	–	–	4	5	4	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Deaths	2	1	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–
Other Causes	115	33	2	–	–	–	35	–	–	–	–	–	–	–	7	17	39	17
539.—RICHMOND.																		
Mean Popul^n, 1861–71	6883	187	162	174	150	181	854	780	746	690	586	857	726	642	473	340	158	31
TOTAL DEATHS	1288	198	61	24	13	16	312	46	26	31	58	92	101	74	109	172	190	77
Small-pox	4	3	–	–	–	–	3	–	–	1	–	–	–	–	–	–	–	–
Measles	4	1	–	1	–	1	3	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	38	2	6	6	3	5	22	10	4	–	–	2	–	–	–	–	–	–
Diphtheria	11	–	–	1	–	2	3	4	1	2	–	–	1	–	–	–	–	–
Whooping-cough	22	10	7	–	2	1	20	2	–	–	–	–	–	–	–	–	–	–
Typhus	23	–	–	–	–	1	1	2	3	4	–	4	4	2	2	1	–	–
Diarrhœa & Dysentery	36	16	4	1	–	–	21	–	–	–	1	1	1	1	–	5	6	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Other Zymotic Dis.	35	2	3	1	2	–	8	4	1	1	–	2	2	1	2	9	3	2
Cancer	35	–	–	–	–	–	–	–	–	–	–	2	2	7	6	10	6	2
Scrofula and Tabes	13	2	–	–	–	–	2	1	1	–	2	3	2	1	1	–	–	–
Phthisis	155	1	1	–	–	–	2	2	7	17	30	44	23	17	4	6	1	–
Hydrocephalus	18	3	6	1	–	1	11	3	2	1	–	–	1	–	–	–	–	–
Dis. of Brain	146	38	9	3	2	–	52	3	1	2	7	4	4	6	20	18	24	5
Dis. of Heart & Dropsy	111	–	–	1	–	1	2	2	3	1	2	3	11	13	26	24	27	–
Dis. of Lungs	191	46	11	6	1	2	66	3	–	–	4	4	14	9	20	36	24	11
Dis. of Stom. and Liver	96	5	3	–	–	–	8	4	2	–	7	8	12	10	14	20	10	1
Dis. of Kidneys	7	–	–	–	–	–	–	–	–	–	–	2	4	–	–	–	–	1
Dis. of Gener. Organs	9	–	–	–	–	–	–	–	–	–	1	1	–	3	1	2	1	–
Dis. of Joints	6	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	1	–
Dis. of Skin	4	1	–	–	–	–	1	–	–	–	–	1	–	–	1	–	1	–
Childbirth and Metria	20	–	–	–	–	–	–	–	–	–	2	8	9	1	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Other Violent Deaths	24	1	–	2	2	2	7	5	–	1	–	2	1	1	1	4	2	–
Other Causes	274	67	11	1	1	–	80	–	1	1	1	–	6	–	11	35	84	55

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
540.—DARLINGTON.																		
Mean Popul^{n}, 1861–71	16653	531	465	457	467	464	2384	2032	1707	1533	1566	2678	1821	1345	883	490	188	26
TOTAL DEATHS	3525	1039	233	123	96	58	1549	179	71	100	132	204	205	201	251	298	257	78
Small-pox	37	11	2	5	2	3	23	2	1	–	6	2	2	–	1	–	–	–
Measles	46	15	11	6	5	4	41	4	1	–	–	–	–	–	–	–	–	–
Scarlatina	167	16	19	26	27	12	100	51	10	5	1	1	–	1	–	–	–	–
Diphtheria	55	10	11	6	5	5	37	13	2	2	–	–	–	1	–	–	–	–
Whooping-cough	60	35	11	5	5	2	58	1	–	–	–	–	–	–	–	1	–	–
Typhus	141	2	–	2	7	7	18	25	12	13	18	16	11	10	6	9	2	1
Diarrhœa & Dysentery	149	93	10	6	1	1	120	3	–	2	–	3	1	4	3	5	7	1
Cholera	18	7	2	–	1	1	11	2	–	–	–	–	–	2	1	2	–	–
Other Zymotic Dis.	71	8	5	9	11	3	36	7	4	2	1	2	2	4	3	6	2	2
Cancer	40	–	–	–	–	–	–	–	–	1	–	–	7	8	7	13	3	1
Scrofula and Tabes	104	42	29	5	2	–	78	9	3	1	1	5	3	1	2	1	–	–
Phthisis	347	6	4	2	–	1	13	7	13	41	54	81	68	33	34	3	–	–
Hydrocephalus	62	21	17	5	5	3	51	11	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	559	301	27	10	7	3	318	3	2	5	14	18	13	22	42	43	44	5
Dis. of Heart & Dropsy	243	13	4	1	2	2	22	5	1	6	5	18	25	33	39	59	27	3
Dis. of Lungs	436	150	55	18	8	3	234	15	1	2	5	15	17	27	38	45	30	7
Dis. of Stom. and Liver	139	22	1	1	1	2	27	1	2	8	3	9	21	21	26	17	3	1
Dis. of Kidneys	51	–	1	1	1	1	4	–	2	1	2	1	4	7	4	19	6	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	15	–	1	–	–	–	1	3	–	1	–	–	1	3	2	3	1	–
Dis. of Skin	9	4	–	1	–	–	5	–	–	–	–	–	–	–	4	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	9	–	–	–	–	–	–	–	–	–	–	1	1	1	3	2	1	–
Other Violent Deaths	178	11	3	7	5	2	28	17	15	9	20	28	17	13	18	9	4	–
Other Causes	589	272	11	7	1	3	294	–	2	3	2	4	12	10	18	61	127	56
541 *a*.—STOCKTON.																		
Mean Popul^{n}, 1861–71	41468	1387	1184	1270	1149	1122	6112	4920	3980	3803	4392	7533	4949	3035	1684	779	245	36
TOTAL DEATHS	9758	3091	1029	481	291	206	5098	486	234	240	353	632	588	565	573	499	385	105
Small-pox	134	33	14	16	10	4	77	10	5	7	11	15	3	4	2	–	–	–
Measles	206	31	88	32	25	14	190	14	1	1	–	–	–	–	–	–	–	–
Scarlatina	605	39	89	108	87	71	394	167	24	10	4	4	1	1	–	–	–	–
Diphtheria	48	7	5	8	3	4	27	10	2	1	–	5	1	1	–	1	–	–
Whooping-cough	153	58	48	22	8	6	142	11	–	–	–	–	–	–	–	–	–	–
Typhus	493	16	25	22	20	14	97	58	40	30	62	79	54	36	22	14	1	–
Diarrhœa & Dysentery	414	263	60	11	5	1	340	1	1	–	2	4	7	8	14	13	20	4
Cholera	44	7	2	2	–	1	12	1	3	2	2	1	8	5	3	4	3	–
Other Zymotic Dis.	201	29	43	22	14	15	123	21	1	2	6	3	9	8	12	11	5	–
Cancer	81	–	–	–	–	–	–	1	1	1	–	5	14	18	17	13	10	1
Scrofula and Tabes	359	143	123	27	9	6	308	15	9	7	3	10	1	2	2	2	–	–
Phthisis	745	20	8	8	5	6	47	18	32	73	118	201	121	83	42	9	1	–
Hydrocephalus	263	107	67	40	16	7	237	23	3	–	–	–	–	–	–	–	–	–
Dis. of Brain	1506	807	87	31	19	17	961	22	15	12	21	52	87	97	82	88	60	9
Dis. of Heart & Dropsy	463	4	1	3	1	3	12	18	16	14	7	41	54	71	98	81	45	6
Dis. of Lungs	1292	429	220	80	46	18	793	28	7	9	14	43	68	72	106	88	55	9
Dis. of Stom. and Liver	355	67	12	10	2	5	96	10	9	13	12	18	42	36	58	41	20	–
Dis. of Kidneys	101	3	3	1	–	1	8	6	1	–	4	11	8	4	19	20	17	3
Dis. of Gener. Organs	2	–	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Dis. of Joints	31	1	–	–	–	1	2	5	4	1	3	3	3	5	3	1	–	1
Dis. of Skin	17	6	–	1	–	–	7	1	1	–	–	2	–	1	3	1	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	33	–	–	–	–	–	–	–	–	1	2	8	5	10	3	3	1	–
Other Violent Deaths	610	39	18	15	16	9	97	39	56	54	76	104	71	52	41	14	4	2
Other Causes	1602	982	116	21	5	3	1127	7	3	2	6	23	30	51	46	95	142	70
541 *b*.—HARTLEPOOL.																		
Mean Popul^{n}, 1861–71	18001	615	555	528	518	516	2732	2182	1718	1761	1929	3165	2112	1322	700	282	86	1[illegible]
TOTAL DEATHS	3960	1288	412	199	132	79	2110	225	82	104	130	279	233	201	225	222	119	3[illegible]
Small-pox	91	23	7	4	7	7	48	9	2	3	6	13	7	2	1	–	–	–
Measles	130	25	52	26	12	7	122	8	–	–	–	–	–	–	–	–	–	–
Scarlatina	262	24	33	54	40	24	175	76	8	2	–	1	–	–	–	–	–	–
Diphtheria	20	1	4	3	2	5	15	4	1	–	–	–	–	–	–	–	–	–
Whooping-cough	72	36	18	11	6	1	72	–	–	–	–	–	–	–	–	–	–	–
Typhus	161	5	11	10	8	6	40	21	12	14	12	22	13	11	7	5	2	–
Diarrhœa & Dysentery	253	169	44	11	4	1	229	3	–	3	–	1	1	1	5	7	3	–
Cholera	17	2	1	–	–	1	4	2	1	–	2	–	3	2	1	1	1	–
Other Zymotic Dis.	73	17	9	8	5	3	42	6	1	1	1	1	6	5	4	5	1	–
Cancer	39	–	–	–	–	–	–	–	–	–	–	3	4	7	14	8	3	–
Scrofula and Tabes	98	28	24	7	7	–	66	12	9	3	–	3	2	2	1	–	–	–
Phthisis	339	17	8	8	4	2	39	12	13	34	44	93	54	28	16	6	–	–
Hydrocephalus	100	31	30	9	9	4	83	14	3	–	–	–	–	–	–	–	–	–
Dis. of Brain	401	167	14	20	7	4	212	12	8	4	6	11	19	23	37	51	16	–
Dis. of Heart & Dropsy	171	3	7	2	–	1	13	5	2	1	2	20	27	29	33	29	8	–
Dis. of Lungs	497	195	87	14	9	8	313	8	2	4	7	12	25	33	35	31	22	–
Dis. of Stom. and Liver	151	48	10	2	–	–	60	2	2	3	3	10	15	15	21	16	3	–
Dis. of Kidneys	39	1	1	1	–	1	4	3	–	–	–	4	3	5	8	10	2	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	12	–	–	–	–	–	–	3	2	–	1	4	1	–	–	1	–	–
Dis. of Skin	13	6	2	1	–	–	9	–	–	–	1	–	2	–	1	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	13	–	–	–	–	–	–	–	–	–	2	1	2	3	5	–	–	–
Other Violent Deaths	283	16	11	3	8	3	41	18	16	23	38	66	32	21	18	5	8	–
Other Causes	725	474	39	5	4	1	523	7	–	9	5	14	17	14	18	47	55	1[illegible]

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
540.—DARLINGTON.																		
Mean Popul^{n}, 1861–71	16814	547	495	461	472	446	2421	2013	1732	1643	1509	2562	1827	1319	939	582	223	44
TOTAL DEATHS	3452	826	281	140	85	64	1396	178	88	107	129	249	198	150	242	332	280	103
Small-pox	35	10	4	7	1	2	24	–	3	3	–	2	1	–	2	–	–	–
Measles	46	7	22	7	3	2	41	3	–	–	1	–	–	1	–	–	–	–
Scarlatina	206	15	30	32	31	20	136	64	7	4	2	3	–	–	–	–	–	–
Diphtheria	55	6	7	2	10	2	27	22	4	1	–	1	–	–	–	–	–	–
Whooping-cough	66	28	23	9	1	2	63	3	–	–	–	–	–	–	–	–	–	–
Typhus	107	4	3	5	4	5	21	12	18	11	7	16	3	5	8	3	3	–
Diarrhœa & Dysentery	143	95	17	2	1	–	115	–	1	–	1	2	3	2	4	11	3	1
Cholera	12	3	2	1	–	–	6	–	–	–	–	–	2	–	1	2	–	1
Other Zymotic Dis.	63	11	13	6	4	2	36	4	2	–	2	2	3	2	3	4	3	2
Cancer	91	–	–	–	–	–	–	–	–	–	1	3	10	21	23	25	6	2
Scrofula and Tabes	109	47	26	6	3	4	86	5	8	2	1	5	2	–	–	–	–	–
Phthisis	437	7	5	4	–	1	17	14	16	58	76	120	78	34	20	4	–	–
Hydrocephalus	53	12	11	10	3	5	41	10	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	467	226	31	17	7	3	284	17	3	7	8	9	11	16	28	51	28	5
Dis. of Heart & Dropsy	254	12	5	–	2	1	20	4	5	8	5	22	25	27	56	59	23	–
Dis. of Lungs	403	115	55	24	8	10	212	6	5	3	5	12	16	17	36	54	27	10
Dis. of Stom. and Liver	146	17	1	2	1	3	24	4	6	3	6	8	9	14	20	29	20	3
Dis. of Kidneys	26	–	1	–	1	–	2	1	1	–	1	3	3	4	3	6	2	–
Dis. of Gener. Organs	14	–	–	–	–	–	–	–	1	–	1	3	3	1	4	1	–	–
Dis. of Joints	14	1	–	2	–	–	3	1	3	1	1	–	1	1	–	1	2	–
Dis. of Skin	11	2	1	–	–	–	3	–	–	1	1	1	–	–	1	2	2	–
Childbirth and Metria	64	–	–	–	–	–	–	–	–	4	8	30	22	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Other Violent Deaths	34	1	3	3	2	2	11	7	1	–	1	1	–	–	4	5	3	1
Other Causes	595	209	21	1	3	–	254	1	2	1	1	6	5	5	29	75	158	78
541 *a*.—STOCKTON.																		
Mean Popul^{n}, 1861–71	36935	1387	1198	1191	1141	1133	6050	4872	3906	3335	3339	5848	4000	2717	1609	851	344	64
TOTAL DEATHS	8737	2485	934	451	279	194	4343	432	167	233	286	649	536	432	500	528	435	196
Small-pox	114	38	15	13	8	6	80	12	6	5	6	2	1	1	–	1	–	–
Measles	205	39	83	31	15	12	180	20	2	–	–	1	2	–	–	–	–	–
Scarlatina	540	39	75	104	82	61	350	143	28	5	3	10	1	–	–	–	–	–
Diphtheria	48	5	6	4	6	8	29	10	3	3	–	–	2	1	–	–	–	–
Whooping-cough	187	79	51	25	14	9	178	8	–	1	–	–	–	–	–	–	–	–
Typhus	567	9	29	26	23	17	104	71	38	41	51	64	43	38	32	18	3	1
Diarrhœa & Dysentery	408	237	68	10	4	3	322	1	–	–	3	8	7	9	18	17	17	6
Cholera	49	3	1	–	1	3	8	5	2	4	–	12	4	3	8	1	2	–
Other Zymotic Dis.	162	23	21	24	21	10	99	20	2	1	1	2	4	6	4	12	9	2
Cancer	119	–	–	–	–	1	1	–	–	1	–	6	30	22	28	16	12	3
Scrofula and Tabes	336	165	93	33	12	3	306	8	5	3	2	6	1	4	1	–	–	–
Phthisis	850	7	12	6	3	2	30	20	43	95	118	270	140	79	40	13	2	–
Hydrocephalus	182	74	63	18	6	7	168	14	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	1131	581	76	29	15	12	713	23	11	17	17	37	59	54	66	85	39	10
Dis. of Heart & Dropsy	469	6	5	3	4	7	25	11	10	12	14	43	57	52	105	96	40	4
Dis. of Lungs	1157	353	206	83	47	20	712	27	4	8	12	31	33	48	76	100	74	32
Dis. of Stom. and Liver	373	40	17	7	3	3	70	7	5	10	14	43	47	54	53	48	19	3
Dis. of Kidneys	71	2	2	4	1	1	10	5	2	1	4	7	14	8	6	10	3	1
Dis. of Gener. Organs	33	–	–	–	–	–	–	–	–	1	1	6	8	8	7	1	1	–
Dis. of Joints	28	1	1	1	–	1	4	2	1	2	2	5	3	3	5	1	–	–
Dis. of Skin	17	7	2	2	–	–	11	1	–	–	–	1	1	–	1	–	2	–
Childbirth and Metria	151	–	–	–	–	–	–	–	–	3	34	66	47	1	–	–	–	–
Suicide	9	–	–	–	–	–	–	–	–	3	–	3	1	2	–	–	–	–
Other Violent Deaths	123	21	12	10	10	6	62	13	3	9	1	8	5	12	3	7	2	1
Other Causes	1465	762	98	15	4	2	881	11	2	5	3	18	26	27	47	102	210	133
541 *b*.—HARTLEPOOL.																		
Mean Popul^{n}, 1861–71	16560	606	538	536	505	469	2654	2176	1718	1507	1573	2689	1900	1188	692	338	106	19
TOTAL DEATHS	3575	1052	406	206	107	76	1847	208	68	83	114	241	253	169	183	204	112	63
Small-pox	63	14	8	8	7	1	38	11	2	3	2	3	3	–	1	–	–	–
Measles	122	24	46	21	13	5	109	11	1	–	1	–	–	–	–	–	–	–
Scarlatina	225	12	37	45	28	24	146	65	9	2	1	2	–	–	–	–	–	–
Diphtheria	19	4	6	2	1	3	16	2	–	–	–	1	–	–	–	–	–	–
Whooping-cough	88	38	31	7	4	6	86	2	–	–	–	–	–	–	–	–	–	–
Typhus	161	4	10	9	11	5	39	31	7	11	11	20	14	16	2	7	3	–
Diarrhœa & Dysentery	251	156	53	8	3	1	221	4	1	–	1	2	5	–	2	10	2	3
Cholera	20	1	–	1	–	–	2	3	–	1	1	4	4	3	1	1	–	–
Other Zymotic Dis.	58	6	9	6	8	4	33	7	–	1	3	–	5	3	5	1	–	–
Cancer	72	–	–	–	1	–	1	–	–	–	1	3	16	17	18	15	1	–
Scrofula and Tabes	80	27	22	9	4	3	65	6	3	–	–	2	–	2	2	–	–	–
Phthisis	378	4	6	9	3	2	24	9	24	41	58	98	71	35	11	7	–	–
Hydrocephalus	67	18	22	10	3	5	58	7	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	349	128	17	16	8	5	174	19	4	5	1	13	23	13	39	34	21	3
Dis. of Heart & Dropsy	154	–	4	6	–	1	11	2	5	3	4	16	20	20	33	25	13	2
Dis. of Lungs	455	168	82	27	7	7	291	11	3	2	5	11	22	12	30	39	20	9
Dis. of Stom. and Liver	167	38	4	4	1	1	48	2	1	2	5	13	24	24	23	20	4	1
Dis. of Kidneys	25	–	–	1	–	–	1	2	–	–	–	3	9	5	4	1	–	–
Dis. of Gener. Organs	23	–	–	–	–	–	–	–	–	–	–	4	6	8	3	2	–	–
Dis. of Joints	12	–	–	–	–	–	–	5	1	1	–	–	2	–	1	1	1	–
Dis. of Skin	6	2	–	–	–	–	2	–	–	–	–	1	1	1	–	1	–	–
Childbirth and Metria	68	–	–	–	–	–	–	–	–	2	16	31	19	–	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–	–
Other Violent Deaths	43	11	1	4	2	1	19	7	1	2	–	2	–	2	–	5	5	–
Other Causes	665	397	48	13	3	2	463	2	4	7	4	9	8	8	8	35	72	45

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
542.—AUCKLAND.																		
Mean Popul^n, 1861–71	31640	1155	976	1043	903	900	4977	4111	3452	3118	2922	4983	3597	2335	1360	588	169	28
TOTAL DEATHS	7573	2628	864	409	207	161	4269	405	196	245	279	391	362	320	380	390	259	77
Small-pox	101	26	9	11	6	6	58	9	3	4	11	12	4	-	-	-	-	-
Measles	223	28	99	60	16	7	210	13	-	-	-	-	-	-	-	-	-	-
Scarlatina	589	53	94	100	72	62	381	167	30	4	2	5	-	-	-	-	-	-
Diphtheria	59	13	9	5	5	8	40	13	4	1	1	-	-	-	-	-	-	-
Whooping-cough	157	63	59	22	6	2	152	5	-	-	-	-	-	-	-	-	-	-
Typhus	397	10	16	18	15	19	78	51	34	47	46	62	27	23	16	10	3	-
Diarrhœa & Dysentery	309	173	68	15	5	-	261	1	-	-	1	4	5	6	10	12	9	-
Cholera	17	7	4	1	2	1	15	-	-	-	-	1	-	-	1	-	-	-
Other Zymotic Dis.	148	25	29	14	15	11	94	13	2	6	3	2	5	8	6	6	3	-
Cancer	38	-	-	-	-	-	-	1	-	1	-	5	3	2	14	8	4	-
Scrofula and Tabes	340	144	110	35	5	6	300	15	10	10	-	3	-	-	1	1	-	-
Phthisis	577	4	5	-	3	5	17	9	28	73	102	125	100	72	42	8	1	-
Hydrocephalus	145	61	40	20	9	4	134	10	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	1136	746	69	36	15	11	877	28	13	7	13	18	34	31	43	44	25	3
Dis. of Heart & Dropsy	298	2	10	2	1	4	19	10	13	7	12	28	36	44	56	49	21	3
Dis. of Lungs	767	298	110	37	18	5	468	16	4	9	16	20	34	34	82	62	19	3
Dis. of Stom. and Liver	245	52	22	5	2	3	84	10	8	7	10	14	24	25	28	30	5	-
Dis. of Kidneys	61	-	1	1	-	-	2	2	2	2	5	6	2	7	14	11	6	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	25	-	-	2	-	-	2	2	-	4	2	7	5	-	1	1	1	-
Dis. of Skin	5	2	-	-	-	-	2	-	-	-	-	-	1	1	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	10	-	-	-	-	-	-	-	-	-	-	2	1	1	3	3	-	-
Other Violent Deaths	487	13	12	12	9	7	53	23	44	62	55	73	71	49	30	23	4	-
Other Causes	1439	908	98	13	3	-	1022	7	-	1	-	4	10	17	32	122	158	66
543.—TEESDALE.																		
Mean Popul^n, 1861–71	10313	323	281	303	274	281	1462	1344	1217	1000	775	1281	1102	899	658	395	158	2
TOTAL DEATHS	1936	416	107	55	33	21	632	78	43	69	76	125	110	133	163	245	203	5
Small-pox	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Measles	19	5	5	6	-	1	17	1	1	-	-	-	-	-	-	-	-	-
Scarlatina	68	5	11	8	9	5	38	19	5	5	1	-	-	-	-	-	-	-
Diphtheria	12	-	-	-	5	-	5	6	-	-	-	1	-	-	-	-	-	-
Whooping-cough	28	20	7	1	-	-	28	-	-	-	-	-	-	-	-	-	-	-
Typhus	51	2	1	1	1	2	7	5	2	8	9	6	5	2	5	2	-	-
Diarrhœa & Dysentery	39	18	3	-	-	-	21	-	-	-	-	4	2	1	1	5	4	1
Cholera	2	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Other Zymotic Dis.	45	5	4	1	2	1	13	6	-	3	1	3	3	1	3	7	3	1
Cancer	24	-	-	-	-	-	-	-	-	-	-	-	-	6	13	2	1	1
Scrofula and Tabes	49	12	7	2	2	1	24	6	5	1	2	5	1	1	2	2	-	-
Phthisis	201	-	1	3	-	1	5	4	4	27	29	50	37	27	15	3	-	-
Hydrocephalus	34	7	12	4	1	-	24	6	3	1	-	-	-	-	-	-	-	-
Dis. of Brain	253	90	9	9	2	4	114	8	5	5	4	11	9	12	19	43	19	-
Dis. of Heart & Dropsy	147	1	-	1	1	-	3	4	1	4	8	5	13	13	28	39	25	-
Dis. of Lungs	333	58	33	7	4	3	105	5	2	7	6	12	20	34	37	57	44	-
Dis. of Stom. and Liver	126	27	2	3	2	-	34	3	3	-	3	8	8	12	20	25	10	-
Dis. of Kidneys	45	1	-	-	-	-	1	-	-	-	2	3	1	6	6	12	12	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Dis. of Joints	17	-	-	-	-	-	-	1	-	-	5	2	1	2	-	3	3	-
Dis. of Skin	5	3	1	1	-	-	5	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	12	-	-	-	-	-	-	-	-	-	-	3	-	3	4	1	1	-
Other Violent Deaths	69	4	3	5	2	-	14	2	9	8	4	10	3	6	3	6	4	-
Other Causes	355	158	8	2	2	3	173	2	3	-	1	1	6	7	7	38	77	4
544.—WEARDALE.																		
Mean Popul^n, 1861–71	9212	290	267	266	268	250	1341	1167	1068	948	884	1317	1021	759	446	188	63	1
TOTAL DEATHS	1882	510	127	52	31	25	745	63	46	69	85	125	122	166	180	162	97	2
Small-pox	13	4	2	1	-	-	7	1	-	-	1	1	2	1	-	-	-	
Measles	18	4	11	1	-	1	17	-	1	-	-	-	-	-	-	-	-	
Scarlatina	80	8	8	16	8	11	51	21	4	3	1	-	-	-	-	-	-	
Diphtheria	16	5	2	2	-	1	10	2	-	2	1	1	-	-	-	-	-	
Whooping-cough	17	5	9	3	-	-	17	-	-	-	-	-	-	-	-	-	-	
Typhus	100	1	4	2	1	3	11	7	2	15	11	16	10	9	8	10	1	
Diarrhœa & Dysentery	51	28	10	1	-	1	40	-	2	-	-	-	2	-	2	2	2	
Cholera	6	2	-	-	1	-	3	1	-	-	-	-	-	1	1	-	-	
Other Zymotic Dis.	54	7	8	7	5	3	30	2	3	-	1	-	3	5	2	2	4	
Cancer	22	-	-	-	-	-	-	-	-	1	-	2	1	4	7	7	-	
Scrofula and Tabes	40	14	4	1	-	1	20	3	3	1	4	4	2	-	2	-	1	
Phthisis	239	1	1	1	-	-	3	2	7	20	32	59	36	42	27	9	2	
Hydrocephalus	20	8	6	-	1	-	15	2	2	1	-	-	-	-	-	-	-	
Dis. of Brain	180	72	12	4	6	-	94	9	4	4	2	5	11	8	13	16	13	
Dis. of Heart & Dropsy	101	6	1	1	-	-	8	1	2	2	4	6	7	18	20	20	10	
Dis. of Lungs	351	103	27	8	4	1	143	5	2	4	7	8	19	34	55	55	18	
Dis. of Stom. and Liver	100	25	1	-	-	-	26	1	4	4	2	6	11	17	17	8	3	
Dis. of Kidneys	37	1	1	-	1	-	3	1	1	3	3	1	1	6	7	7	4	
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	14	1	2	-	-	-	3	-	1	1	3	-	2	1	1	1	1	
Dis. of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	4	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	
Other Violent Deaths	96	2	6	3	3	3	17	4	8	8	11	16	12	12	5	1	2	
Other Causes	323	213	12	1	1	-	227	1	-	-	1	-	3	7	12	23	36	

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
542.—AUCKLAND.																		
Mean Popul^n, 1861–71	28185	1104	984	970	921	888	4867	4010	3281	2539	2438	4080	2952	1976	1198	602	209	33
Total Deaths	6764	2056	815	371	231	182	3655	396	164	291	238	462	369	277	303	325	276	98
Small-pox	68	19	10	5	6	1	41	8	2	5	1	6	4	1	–	–	–	–
Measles	213	37	78	42	17	14	188	21	2	1	–	–	–	–	–	1	–	–
Scarlatina	595	37	89	94	84	76	380	157	40	10	1	4	3	–	–	–	–	–
Diphtheria	62	5	3	12	10	9	39	16	3	4	–	–	–	–	–	–	–	–
Whooping-cough	179	77	59	14	13	8	171	6	2	–	–	–	–	–	–	–	–	–
Typhus	342	7	18	18	13	14	70	51	35	34	38	52	20	21	10	9	1	–
Diarrhœa & Dysentery	266	124	62	12	3	4	207	2	1	1	3	9	7	6	10	12	8	–
Cholera	15	8	2	–	1	–	11	–	–	–	–	2	1	1	–	–	–	–
Other Zymotic Dis.	125	20	22	14	17	5	78	11	4	–	2	3	6	6	7	5	4	–
Cancer	74	–	–	–	–	–	–	–	–	–	–	4	10	28	17	11	3	1
Scrofula and Tabes	313	130	118	12	7	9	306	13	2	3	6	5	1	4	–	–	–	–
Phthisis	654	4	6	2	4	2	18	14	32	87	118	182	116	50	31	6	–	–
Hydrocephalus	125	48	40	7	11	4	110	10	3	–	–	1	–	1	–	–	–	–
Ds. of Brain	889	553	61	26	18	9	667	33	7	7	7	15	26	19	46	45	16	1
Ds. of Heart & Dropsy	297	2	4	3	2	6	17	4	12	11	7	34	44	43	56	50	17	2
Ds. of Lungs	606	197	101	42	12	11	366	23	8	10	4	19	28	37	43	41	24	3
Ds. of Stom. and Liver	254	41	15	7	6	3	75	2	4	2	7	30	32	29	42	23	6	2
Ds. of Kidneys	26	–	2	3	–	–	5	1	–	1	1	6	4	–	4	3	1	–
Ds. of Gener. Organs	18	–	–	–	–	–	–	–	–	–	–	5	5	4	4	–	–	–
Ds. of Joints	22	–	–	–	–	1	1	1	1	1	3	3	6	4	1	–	1	–
Ds. of Skin	7	2	1	1	–	–	4	–	–	–	1	–	2	–	–	–	–	–
Childbirth and Metria	162	–	–	–	–	–	–	–	–	17	35	70	40	–	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–
Other Violent Deaths	79	10	7	11	3	3	34	11	3	5	2	2	6	7	2	1	5	1
Other Causes	1339	730	114	16	4	3	867	9	2	1	2	10	7	15	30	118	190	88
543.—TEESDALE.																		
Mean Popul^n, 1861–71	10326	280	287	250	258	269	1344	1304	1103	1053	879	1343	1097	897	648	443	179	36
Total Deaths	1938	327	99	42	32	25	525	77	61	70	95	137	127	137	169	222	239	79
Small-pox	3	1	1	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–
Measles	17	–	9	4	3	–	16	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	56	2	5	2	3	7	19	22	10	1	1	2	–	–	1	–	–	–
Diphtheria	20	1	1	1	3	1	7	5	1	–	2	4	–	–	1	–	–	–
Whooping-cough	28	13	8	4	3	–	28	–	–	–	–	–	–	–	–	–	–	–
Typhus	41	3	–	3	1	–	7	6	2	8	3	4	8	2	2	2	–	–
Diarrhœa & Dysentery	53	18	7	1	2	–	28	1	–	–	–	2	3	1	1	8	6	3
Cholera	6	–	–	–	1	1	2	1	1	–	–	–	–	–	–	2	–	–
Other Zymotic Dis.	48	8	5	–	2	1	16	4	2	1	–	1	1	4	5	6	6	2
Cancer	37	–	–	–	–	–	–	1	–	–	–	3	1	9	12	9	1	1
Scrofula and Tabes	41	13	7	3	1	1	25	3	5	2	–	2	–	2	2	–	–	–
Phthisis	287	–	2	–	–	2	4	7	20	42	58	66	43	30	14	2	1	–
Hydrocephalus	16	5	2	1	–	3	11	2	2	1	–	–	–	–	–	–	–	–
Ds. of Brain	220	59	11	8	3	2	83	12	6	4	5	8	12	15	24	33	17	1
Ds. of Heart & Dropsy	185	2	2	–	1	–	5	–	1	1	3	11	19	29	41	38	52	5
Ds. of Lungs	251	47	26	8	5	3	89	6	4	2	5	6	13	19	24	35	38	10
Ds. of Stom. and Liver	140	20	2	1	3	3	29	4	5	4	4	11	6	14	20	33	9	1
Ds. of Kidneys	25	–	–	1	–	–	1	–	–	1	6	3	2	2	3	4	3	–
Ds. of Gener. Organs	10	–	–	–	–	–	–	–	–	–	2	1	2	2	2	1	–	–
Ds. of Joints	6	–	–	–	1	–	1	1	–	–	–	1	–	1	1	1	–	–
Ds. of Skin	8	2	–	–	–	–	2	–	–	–	–	–	1	–	4	–	–	1
Childbirth and Metria	23	–	–	–	–	–	–	–	–	1	4	9	9	–	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–
Other Violent Deaths	24	2	1	3	–	1	7	–	1	1	–	–	1	1	1	6	5	1
Other Causes	387	131	10	2	–	–	143	1	–	1	2	3	6	3	11	42	121	54
544.—WEARDALE.																		
Mean Popul^n, 1861–71	8575	288	265	269	244	250	1316	1161	1024	862	756	1183	867	655	431	226	78	16
Total Deaths	1773	401	105	62	33	26	627	81	51	69	116	178	126	92	147	149	88	49
Small-pox	13	1	2	1	–	1	5	1	1	1	3	–	–	1	1	–	–	–
Measles	14	1	1	4	3	–	9	3	–	1	–	–	1	–	–	–	–	–
Scarlatina	75	3	9	15	5	15	47	16	5	1	3	3	–	–	–	–	–	–
Diphtheria	12	3	2	–	1	–	6	5	–	–	–	–	–	1	–	–	–	–
Whooping cough	25	15	6	2	1	–	24	1	–	–	–	–	–	–	–	–	–	–
Typhus	92	2	4	1	5	2	14	9	10	13	6	15	6	6	7	5	1	–
Diarrhœa & Dysentery	12	19	7	1	1	–	28	2	–	–	1	1	–	–	1	6	–	3
Cholera	8	3	1	1	1	–	6	1	–	–	–	1	–	–	–	–	–	–
Other Zymotic Dis.	11	10	3	6	3	1	23	3	1	3	–	1	1	1	3	3	2	–
Cancer	24	–	–	–	–	–	–	–	–	–	1	–	4	4	5	7	3	–
Scrofula and Tabes	50	18	10	2	1	–	31	4	1	3	3	3	3	1	1	–	–	–
Phthisis	293	1	3	1	1	3	9	5	22	26	48	81	51	19	21	7	1	–
Hydrocephalus	22	8	4	3	–	–	15	5	–	2	–	–	–	–	–	–	–	–
Ds. of Brain	141	41	10	7	2	–	64	5	2	7	3	4	5	4	16	21	8	3
Ds. of Heart & Dropsy	142	4	1	–	1	–	6	5	2	4	7	12	14	18	34	28	11	1
Ds. of Lungs	239	68	28	11	7	3	117	8	4	2	11	9	10	12	22	27	14	3
Ds. of Stom. and Liver	111	18	2	1	–	–	21	3	2	1	8	12	8	16	21	12	5	2
Ds. of Kidneys	18	–	–	–	–	–	–	1	1	2	4	3	3	1	1	1	1	–
Ds. of Gener. Organs	12	–	–	–	–	–	–	–	–	–	1	2	2	4	3	–	–	–
Ds. of Joints	10	–	–	–	–	–	–	–	–	–	2	2	1	–	1	3	1	–
Ds. of Skin	6	4	–	–	–	–	4	–	–	–	–	–	1	–	–	1	–	–
Childbirth and Metria	54	–	–	–	–	–	–	–	–	3	14	23	13	1	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Other Violent Deaths	16	6	3	2	–	1	12	1	–	–	1	–	–	–	1	–	–	1
Other Causes	311	173	9	4	1	–	187	3	–	–	–	2	3	2	9	28	41	36

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–
545.—DURHAM.																		
Mean Popul^n, 1861–71	42564	1398	1242	1293	1200	1170	6303	5198	4688	4274	4102	6638	4792	3318	2007	934	282	28
TOTAL DEATHS	8924	2662	916	421	274	197	4470	473	277	296	280	491	446	524	568	606	389	11
Small-pox	89	20	3	8	3	2	36	11	5	5	9	7	7	6	2	–	1	–
Measles	156	28	60	31	18	7	144	9	1	1	–	–	–	1	–	–	–	–
Scarlatina	647	33	81	114	104	83	415	181	35	8	2	3	–	3	–	–	–	–
Diphtheria	30	4	5	3	6	2	20	5	3	1	–	1	–	–	–	–	–	–
Whooping-cough	104	53	26	15	7	2	103	1	–	–	–	–	–	–	–	–	–	–
Typhus	499	14	28	28	22	18	110	73	32	46	43	57	50	26	35	22	4	1
Diarrhœa & Dysentery	293	131	76	16	4	3	230	4	4	–	2	4	7	6	16	12	8	–
Cholera	52	7	3	3	4	3	20	3	1	1	1	4	9	6	6	1	–	–
Other Zymotic Dis.	157	20	33	17	15	8	93	21	5	8	1	4	4	4	8	6	2	1
Cancer	57	–	–	–	–	–	–	–	–	–	3	3	5	13	10	13	8	1
Scrofula and Tabes	430	174	142	39	12	8	375	11	14	10	5	8	3	–	2	2	–	–
Phthisis	670	4	3	2	2	2	13	14	39	81	93	165	111	100	41	12	1	–
Hydrocephalus	254	111	79	27	10	5	232	15	5	2	–	–	–	–	–	–	–	–
Dis. of Brain	1177	639	75	23	15	17	769	21	12	16	17	26	45	59	72	95	42	1
Dis. of Heart & Dropsy	445	8	6	3	3	2	22	8	11	21	13	30	54	71	100	79	28	1
Dis. of Lungs	1035	305	136	46	22	23	532	31	11	13	17	37	36	72	103	124	52	7
Dis. of Stom. and Liver	338	72	16	4	2	1	95	8	11	10	7	23	24	52	46	51	10	1
Dis. of Kidneys	93	3	2	1	2	–	8	3	2	4	4	8	6	13	15	20	9	1
Dis. of Gener. Organs	4	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–
Dis. of Joints	21	–	3	–	–	1	4	1	2	2	1	3	3	–	1	2	2	–
Dis. of Skin	13	4	–	–	–	–	4	1	1	1	–	–	–	2	2	1	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	27	–	–	–	–	–	–	–	–	2	4	2	7	6	3	2	1	–
Other Violent Deaths	578	14	12	11	18	6	61	42	79	61	53	92	56	61	47	22	4	–
Other Causes	1755	1018	127	30	5	4	1184	10	4	3	5	14	18	22	52	141	207	95
546.—EASINGTON.																		
Mean Popul^n, 1861–71	15887	566	504	503	482	457	2512	2114	1829	1682	1436	2298	1684	1152	734	336	98	1
TOTAL DEATHS	3578	1167	382	171	110	90	1920	219	127	121	108	146	166	175	226	207	121	4
Small-pox	33	6	6	3	1	–	16	5	2	4	4	2	–	–	–	–	–	–
Measles	60	5	23	14	8	5	55	5	–	–	–	–	–	–	–	–	–	–
Scarlatina	322	23	44	51	43	46	207	99	11	4	–	1	–	–	–	–	–	–
Diphtheria	8	1	–	–	3	–	4	3	–	–	–	–	1	–	–	–	–	–
Whooping-cough	35	16	12	3	3	1	35	–	–	–	–	–	–	–	–	–	–	–
Typhus	133	6	9	11	3	9	38	27	12	11	11	8	11	8	5	1	–	1
Diarrhœa & Dysentery	108	66	22	5	2	–	95	2	–	2	1	2	2	–	2	–	2	–
Cholera	14	–	1	–	–	–	1	1	–	–	–	3	4	1	1	2	1	–
Other Zymotic Dis.	57	9	10	9	11	3	42	3	1	1	1	1	–	1	2	4	1	–
Cancer	22	–	–	–	–	–	–	–	–	–	1	2	4	4	8	1	2	–
Scrofula and Tabes	131	46	55	7	5	1	114	3	3	5	1	1	3	–	1	–	–	–
Phthisis	198	3	3	1	–	–	7	7	8	29	43	35	28	23	13	4	1	–
Hydrocephalus	63	23	22	3	4	4	56	6	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	518	315	29	16	11	8	379	14	1	5	3	9	11	19	35	27	14	1
Dis. of Heart & Dropsy	178	2	3	3	2	1	11	4	5	3	1	10	21	26	48	30	15	4
Dis. of Lungs	372	111	56	19	3	5	194	5	5	4	6	13	20	20	39	48	16	2
Dis. of Stom. and Liver	155	37	10	7	2	1	57	7	2	1	5	5	11	19	27	15	6	–
Dis. of Kidneys	36	1	1	1	–	1	4	4	1	2	–	1	5	2	5	10	2	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	16	–	–	–	1	–	1	4	1	–	4	2	1	1	1	1	–	–
Dis. of Skin	4	1	1	–	–	1	3	–	–	–	–	–	–	–	–	–	–	1
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	12	–	–	–	–	–	–	–	–	1	–	1	3	4	1	1	1	–
Other Violent Deaths	360	6	8	8	7	3	32	18	72	45	25	48	37	36	26	17	4	–
Other Causes	743	490	67	10	1	1	569	2	2	4	2	2	4	11	12	46	56	33
547.—HOUGHTON-LE-SPRING.																		
Mean Popul^n, 1861–71	12238	446	359	372	363	374	1914	1565	1441	1216	1110	1739	1272	939	590	313	121	1
TOTAL DEATHS	2952	952	327	138	84	70	1571	159	89	100	76	134	116	119	163	205	175	4
Small-pox	31	7	4	3	3	1	18	3	–	1	–	8	1	–	–	–	–	–
Measles	73	10	29	16	8	3	66	7	–	–	–	–	–	–	–	–	–	–
Scarlatina	212	17	27	34	36	30	144	59	8	1	–	–	–	–	–	–	–	–
Diphtheria	3	–	1	1	–	–	2	–	–	–	–	1	–	–	–	–	–	–
Whooping-cough	42	20	14	4	1	2	41	1	–	–	–	–	–	–	–	–	–	–
Typhus	113	3	4	9	4	7	27	17	15	13	9	6	12	5	4	4	1	–
Diarrhœa & Dysentery	182	101	47	7	–	2	157	3	1	2	–	–	–	–	7	8	3	1
Cholera	23	1	3	–	1	–	5	1	3	–	–	2	2	6	2	1	1	–
Other Zymotic Dis.	57	8	12	6	5	3	34	6	3	1	1	1	2	2	–	3	4	–
Cancer	21	–	–	–	–	–	–	–	–	–	–	2	–	3	7	5	4	–
Scrofula and Tabes	100	34	32	8	2	–	76	5	2	4	2	3	4	1	2	1	–	–
Phthisis	177	–	–	–	1	–	1	6	9	29	28	39	30	21	9	4	–	–
Hydrocephalus	46	17	13	3	4	4	41	4	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	356	195	17	13	5	4	234	11	2	5	4	12	3	13	19	29	22	1
Dis. of Heart & Dropsy	111	1	2	–	–	1	4	3	4	2	4	8	10	11	24	31	10	–
Dis. of Lungs	333	134	41	12	6	5	198	9	1	–	1	6	8	16	30	37	24	–
Dis. of Stom. and Liver	101	9	6	1	2	–	18	3	2	3	5	12	4	10	17	23	4	–
Dis. of Kidneys	27	1	1	1	–	–	3	1	–	1	1	1	4	2	4	2	8	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	6	–	–	–	–	–	–	1	–	2	–	–	1	1	–	1	–	–
Dis. of Skin	6	3	1	–	–	–	4	–	–	–	–	–	1	–	1	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–
Other Violent Deaths	243	10	3	5	5	7	30	17	37	32	17	27	22	21	22	9	8	1
Other Causes	685	381	70	15	1	1	468	2	1	4	4	5	11	7	13	47	86	35

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
545.—DURHAM.																		
Mean Popul^n, 1861–71	38562	1390	1210	1237	1195	1121	6153	5088	4308	3709	3425	5568	4130	2902	1864	1010	345	60
TOTAL DEATHS	8171	2240	863	419	241	177	3940	494	208	235	270	553	465	386	438	558	452	172
Small-pox	64	17	4	4	3	3	31	7	2	7	4	7	2	2	2	-	-	-
Measles	125	20	52	26	9	8	115	7	-	-	-	1	1	-	1	-	-	-
Scarlatina	696	45	99	119	95	66	424	205	49	8	4	3	2	1	-	-	-	-
Diphtheria	33	1	4	5	1	4	15	10	7	1	-	-	-	-	-	-	-	-
Whooping-cough	149	65	43	21	9	7	145	4	-	-	-	-	-	-	-	-	-	-
Typhus	476	8	39	25	22	26	120	77	37	39	35	65	37	30	21	11	4	-
Diarrhœa & Dysentery	294	120	65	15	2	2	204	7	2	1	3	15	10	5	14	15	12	6
Cholera	36	3	1	3	2	3	12	3	3	1	-	3	6	3	1	3	1	-
Other Zymotic Dis.	138	17	16	15	13	17	78	15	2	2	3	1	6	8	9	8	5	1
Cancer	117	-	-	-	-	-	-	-	1	-	1	7	17	32	30	22	7	-
Scrofula and Tabes	360	155	106	31	9	3	304	13	7	10	9	11	2	3	1	-	-	-
Phthisis	799	4	7	6	3	1	21	30	39	95	130	234	144	69	21	12	4	-
Hydrocephalus	191	74	63	26	3	8	174	11	4	1	-	-	1	-	-	-	-	-
Dis. of Brain	939	510	63	27	14	2	616	20	13	12	8	28	32	46	55	73	26	10
Dis. of Heart & Dropsy	443	6	14	2	3	2	27	14	11	14	14	32	52	65	91	82	36	5
Dis. of Lungs	811	232	126	52	28	11	449	29	11	8	12	22	32	45	55	82	52	14
Dis. of Stom. and Liver	342	48	13	3	3	3	70	11	4	5	15	32	33	35	67	57	13	-
Dis. of Kidneys	45	1	2	-	1	-	4	3	3	3	1	8	5	2	8	7	1	-
Dis. of Gener. Organs	35	-	-	-	-	-	-	-	-	1	2	6	7	9	7	3	-	-
Dis. of Joints	22	-	2	1	1	1	5	2	4	3	1	2	2	1	-	2	-	-
Dis. of Skin	16	7	1	-	-	1	9	-	-	-	-	-	-	2	3	1	1	-
Childbirth and Metria	144	-	-	-	-	-	-	-	-	11	22	61	48	2	-	-	-	-
Suicide	13	-	-	-	-	-	-	-	1	2	-	3	4	3	-	-	-	-
Other Violent Deaths	110	17	10	7	7	4	45	14	6	8	2	1	5	4	7	9	5	4
Other Causes	1773	890	133	31	13	5	1072	12	2	3	4	11	17	19	45	171	285	132
546.—EASINGTON.																		
Mean Popul^n, 1861–71	14607	539	478	490	456	441	2404	2084	1724	1370	1292	2011	1508	1106	669	309	109	21
TOTAL DEATHS	3181	973	389	161	104	83	1710	196	80	91	80	192	148	165	172	161	134	52
Small-pox	35	12	5	3	1	1	22	2	2	1	3	3	1	-	1	-	-	-
Measles	51	6	23	9	5	3	46	4	1	-	-	-	-	-	-	-	-	-
Scarlatina	333	27	43	52	48	43	213	92	19	3	2	4	-	-	-	-	-	-
Diphtheria	9	-	2	2	-	2	6	1	2	-	-	-	-	-	-	-	-	-
Whooping-cough	59	27	17	5	6	2	57	2	-	-	-	-	-	-	-	-	-	-
Typhus	130	5	7	9	7	8	36	31	16	6	10	15	6	4	5	1	-	-
Diarrhœa & Dysentery	121	55	26	7	1	-	89	2	-	3	2	3	1	2	7	7	5	-
Cholera	11	1	1	1	2	1	6	-	1	-	-	1	-	2	1	-	-	-
Other Zymotic Dis.	50	4	10	5	3	4	26	7	2	1	-	-	4	2	3	2	3	-
Cancer	44	-	-	-	-	-	-	-	-	-	1	5	4	19	8	6	1	-
Scrofula and Tabes	114	41	49	9	5	1	96	3	2	5	1	4	-	3	-	-	-	-
Phthisis	296	6	6	2	2	1	17	5	17	48	35	77	54	36	5	1	1	-
Hydrocephalus	36	14	15	4	-	1	34	2	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	396	233	31	10	5	1	280	10	3	2	3	5	11	17	31	22	12	-
Dis. of Heart & Dropsy	164	3	7	6	2	1	19	6	4	5	3	12	11	25	41	24	12	2
Dis. of Lungs	273	75	51	17	8	6	157	7	2	3	2	8	8	15	27	28	13	3
Dis. of Stom. and Liver	143	18	15	8	2	3	46	7	4	4	3	9	11	23	19	12	5	-
Dis. of Kidneys	15	-	2	-	-	-	2	3	-	-	-	3	2	1	1	2	1	-
Dis. of Gener. Organs	11	-	-	-	-	-	-	-	-	-	-	1	3	4	-	3	-	-
Dis. of Joints	4	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-
Dis. of Skin	10	6	-	-	-	-	6	-	-	-	-	-	-	1	1	2	-	-
Childbirth and Metria	80	-	-	-	-	-	-	-	-	5	13	37	24	1	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-
Other Violent Deaths	54	6	6	6	4	4	26	8	5	1	-	1	4	3	3	2	-	1
Other Causes	739	434	82	6	3	1	526	3	-	3	1	2	4	7	17	49	81	46
547.—HOUGHTON-LE-SPRING.																		
Mean Popul^n, 1861–71	11733	411	371	394	344	338	1858	1570	1358	1086	970	1608	1265	914	603	338	142	21
TOTAL DEATHS	2693	759	277	141	81	57	1315	166	53	62	77	153	128	121	157	217	198	46
Small-pox	33	10	1	2	1	1	15	10	1	4	1	2	-	-	-	-	-	-
Measles	58	8	18	20	9	2	57	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	202	10	24	33	27	29	123	59	11	4	2	3	-	-	-	-	-	-
Diphtheria	14	1	3	-	1	1	6	5	-	-	2	1	-	-	-	-	-	-
Whooping-cough	51	21	12	6	5	3	47	4	-	-	-	-	-	-	-	-	-	-
Typhus	108	4	6	6	7	2	25	21	17	7	8	13	5	8	-	2	2	-
Diarrhœa & Dysentery	145	65	42	8	2	3	120	-	-	-	-	4	3	3	4	5	5	2
Cholera	17	1	-	1	1	-	3	3	1	-	-	1	4	1	2	2	-	-
Other Zymotic Dis.	32	8	3	4	1	-	16	3	-	1	1	2	1	2	3	2	-	1
Cancer	47	-	-	-	-	-	-	-	-	-	-	2	5	8	12	15	3	2
Scrofula and Tabes	95	44	22	12	1	1	80	4	2	2	-	4	2	1	-	-	-	-
Phthisis	231	1	2	2	-	-	5	8	9	28	34	67	44	27	7	2	-	-
Hydrocephalus	26	15	5	-	3	2	25	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	308	145	28	11	5	4	193	10	2	2	4	5	7	13	22	29	19	2
Dis. of Heart & Dropsy	132	3	2	-	1	1	7	4	2	5	2	10	13	9	28	39	13	-
Dis. of Lungs	259	81	40	12	5	2	140	10	3	2	3	2	8	14	23	32	20	2
Dis. of Stom. and Liver	106	9	2	3	2	2	18	3	1	-	3	3	9	12	30	16	11	-
Dis. of Kidneys	17	-	-	1	1	-	2	1	-	-	-	2	3	3	3	2	1	-
Dis. of Gener. Organs	9	-	1	-	-	-	1	-	-	-	-	1	1	4	1	-	1	-
Dis. of Joints	5	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	1	-
Dis. of Skin	7	2	-	-	-	-	2	-	-	-	-	1	1	-	1	-	1	1
Childbirth and Metria	52	-	-	-	-	-	-	-	-	4	15	21	12	-	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-
Other Violent Deaths	63	6	5	5	6	2	24	11	1	1	1	3	4	2	3	5	8	-
Other Causes	672	325	61	15	3	2	406	8	2	1	1	5	6	12	17	65	113	36

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
548.—CHESTER-LE-STREET.																		
Mean Popul^n, 1861-71	15803	553	464	506	458	410	2391	2053	1838	1682	1459	2235	1667	1202	791	356	109	20
TOTAL DEATHS	3807	1159	413	167	120	89	1948	219	151	142	144	178	183	194	234	200	169	45
Small-pox	50	10	5	2	4	2	23	1	1	5	7	6	3	3	1	-	-	-
Measles	58	4	26	13	8	5	56	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	305	17	53	42	41	37	190	95	10	2	4	-	4	-	-	-	-	-
Diphtheria	16	2	5	-	1	-	8	3	2	-	-	1	-	2	-	-	-	-
Whooping-cough	32	12	12	4	1	2	31	1	-	-	-	-	-	-	-	-	-	-
Typhus	169	9	8	8	11	4	40	28	12	20	14	17	9	8	7	11	3	-
Diarrhœa & Dysentery	154	65	52	9	-	1	127	2	2	1	-	1	1	2	5	6	6	1
Cholera	37	5	2	2	2	4	15	2	2	-	-	3	3	7	4	-	1	-
Other Zymotic Dis.	51	6	10	11	7	1	35	6	-	3	-	3	-	-	2	2	-	-
Cancer	18	-	-	-	-	-	-	-	-	1	-	1	2	1	7	2	4	-
Scrofula and Tabes	206	80	70	17	5	2	174	9	8	6	2	2	4	1	-	-	-	-
Phthisis	282	4	3	3	-	2	12	13	17	36	46	54	42	28	27	5	2	-
Hydrocephalus	62	23	21	5	5	2	56	6	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	473	258	26	10	5	5	304	11	6	10	6	11	17	17	30	28	29	4
Dis. of Heart & Dropsy	194	10	7	4	9	1	31	9	5	5	10	6	17	29	33	27	19	3
Dis. of Lungs	436	150	54	24	14	8	250	13	4	3	14	11	11	25	45	41	17	2
Dis. of Stom. and Liver	156	33	13	-	1	5	52	7	3	2	4	5	12	22	28	16	4	1
Dis. of Kidneys	32	1	1	-	-	-	2	-	1	1	1	4	2	1	4	11	4	1
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Dis. of Joints	11	-	-	1	-	1	2	-	1	-	2	2	-	1	2	-	1	-
Dis. of Skin	6	4	1	-	-	-	5	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	12	-	-	-	-	-	-	-	-	1	2	-	1	5	2	1	-	-
Other Violent Deaths	356	6	5	5	3	4	23	8	75	41	30	45	50	36	29	13	3	-
Other Causes	689	460	39	7	3	3	512	3	2	2	2	5	5	5	7	37	76	33
549.—SUNDERLAND.																		
Mean Popul^n, 1861-71	49758	1719	1441	1545	1433	1490	7628	6563	5414	4834	4601	7585	5552	3873	2308	1058	307	35
TOTAL DEATHS	12315	3648	1395	606	336	267	6252	609	273	295	364	645	724	789	852	868	516	128
Small-pox	75	15	10	7	11	4	47	8	1	3	5	5	2	1	1	2	-	-
Measles	230	45	97	43	22	9	216	13	1	-	-	-	-	-	-	-	-	-
Scarlatina	809	66	134	131	116	99	546	217	32	6	3	2	3	-	-	-	-	-
Diphtheria	72	15	22	7	3	8	55	13	1	1	-	-	1	1	-	-	-	-
Whooping-cough	290	102	109	40	19	16	286	4	-	-	-	-	-	-	-	-	-	-
Typhus	485	14	23	21	17	18	93	67	27	28	36	48	57	49	41	33	5	1
Diarrhœa & Dysentery	670	376	171	27	6	6	586	4	3	2	3	7	7	5	14	20	16	3
Cholera	66	17	3	3	1	1	25	3	2	-	2	6	9	8	5	5	1	-
Other Zymotic Dis.	290	52	43	40	32	16	183	11	8	5	5	8	10	22	16	17	4	1
Cancer	100	-	-	-	-	-	-	-	-	3	-	4	9	14	32	30	8	-
Scrofula and Tabes	310	130	100	33	12	7	282	22	11	9	3	5	3	3	2	-	-	-
Phthisis	1001	5	13	6	-	5	29	41	42	97	160	242	191	119	65	15	-	-
Hydrocephalus	234	96	65	30	12	8	211	18	3	1	1	-	-	-	-	-	-	-
Dis. of Brain	1664	767	126	43	30	19	985	44	20	23	21	49	65	116	132	142	61	6
Dis. of Heart & Dropsy	760	7	6	10	6	6	35	20	19	18	21	74	104	114	158	140	50	7
Dis. of Lungs	1599	524	235	93	25	16	893	37	12	11	17	43	76	107	167	151	66	14
Dis. of Stom. and Liver	461	92	16	7	6	2	123	7	10	7	15	25	50	73	68	58	25	-
Dis. of Kidneys	126	1	-	3	2	3	9	4	1	4	8	14	16	20	19	25	6	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	45	1	1	2	-	3	7	12	2	2	2	2	5	6	1	5	1	-
Dis. of Skin	21	8	2	-	-	2	12	1	-	-	-	-	1	2	3	2	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	32	-	-	-	-	-	-	-	1	-	1	5	9	7	7	1	1	-
Other Violent Deaths	689	44	26	10	8	14	102	50	71	68	56	91	75	79	58	27	10	2
Other Causes	2256	1271	193	50	8	5	1527	13	6	7	5	10	31	43	63	195	262	94
550.—SOUTH SHIELDS.																		
Mean Popul^n, 1861-71	30769	1058	904	938	865	873	4638	3723	3148	2897	3214	5311	3547	2246	1277	588	162	18
TOTAL DEATHS	7407	2214	890	400	243	186	3933	417	163	199	200	436	398	412	442	456	292	59
Small-pox	78	18	3	8	9	4	42	7	1	2	14	5	6	-	1	-	-	-
Measles	172	29	78	30	12	10	159	11	1	-	1	-	-	-	-	-	-	-
Scarlatina	549	36	67	108	87	65	363	156	18	5	3	1	3	-	-	-	-	-
Diphtheria	51	8	10	7	3	5	33	9	5	-	2	-	-	-	1	1	-	-
Whooping-cough	182	78	57	19	9	9	172	10	-	-	-	-	-	-	-	-	-	-
Typhus	398	28	31	21	20	14	114	54	23	29	24	41	21	31	20	27	13	1
Diarrhœa & Dysentery	426	257	96	9	6	2	370	3	3	1	-	4	3	3	6	13	17	3
Cholera	41	8	5	-	-	-	13	3	2	1	6	4	4	4	4	-	-	-
Other Zymotic Dis.	223	38	34	29	19	14	134	14	6	3	1	7	10	13	12	11	11	1
Cancer	49	-	-	-	-	-	-	-	-	-	-	2	8	7	15	15	2	-
Scrofula and Tabes	377	121	123	44	17	5	310	22	14	5	5	4	5	5	6	-	1	-
Phthisis	477	3	7	4	2	3	19	26	20	52	58	128	90	53	18	8	-	-
Hydrocephalus	172	74	52	16	8	10	160	9	3	-	-	-	-	-	-	-	-	-
Dis. of Brain	791	355	41	25	8	5	434	18	9	12	11	20	27	45	57	97	50	11
Dis. of Heart & Dropsy	370	5	8	4	1	1	19	9	2	8	8	42	57	64	60	66	33	2
Dis. of Lungs	1053	285	190	42	25	20	562	22	4	6	10	34	60	65	106	105	69	10
Dis. of Stom. and Liver	323	89	11	3	3	3	109	2	8	10	3	19	30	44	49	33	15	1
Dis. of Kidneys	90	2	2	3	2	-	9	2	2	3	2	5	9	5	28	20	5	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Dis. of Joints	29	2	2	-	1	-	5	7	5	4	1	2	-	1	-	3	1	-
Dis. of Skin	13	5	-	1	-	2	8	-	-	-	-	-	2	-	1	-	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	16	-	-	-	-	-	-	-	-	-	-	3	6	2	5	-	-	-
Other Violent Deaths	513	33	12	14	9	10	78	27	36	58	50	107	43	49	39	17	7	2
Other Causes	1013	740	61	13	2	4	820	6	1	-	1	8	14	16	13	40	66	28

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
548.—CHESTER-LE-STREET.																		
Mean Popul^n, 1861–71	14677	543	445	488	459	406	2341	2040	1733	1351	1235	1953	1567	1161	729	409	133	25
TOTAL DEATHS	3481	949	356	191	136	88	1720	210	86	99	116	235	174	159	170	240	190	82
Small-pox	51	17	4	4	6	1	32	7	2	2	1	4	2	–	1	–	–	–
Measles	57	5	24	10	8	5	52	4	1	–	–	–	–	–	–	–	–	–
Scarlatina	310	17	47	45	52	41	202	77	17	8	5	1	–	–	–	–	–	–
Diphtheria	15	–	1	1	3	2	7	3	–	–	1	2	–	1	–	–	1	–
Whooping-cough	35	17	8	5	2	1	33	2	–	–	–	–	–	–	–	–	–	–
Typhus	189	5	12	14	7	7	45	31	19	15	20	20	14	4	9	9	–	–
Diarrhœa & Dysentery	169	69	49	16	2	2	138	2	–	–	–	–	2	3	4	8	9	3
Cholera	19	2	2	–	2	–	6	3	–	1	–	5	1	1	1	1	–	–
Other Zymotic Dis.	64	11	9	11	10	3	44	7	2	–	–	–	–	3	2	3	3	–
Cancer	40	–	–	–	–	–	–	–	–	–	–	–	6	15	10	7	–	2
Scrofula and Tabes	154	73	49	15	2	4	143	1	4	–	–	4	1	–	–	1	–	–
Phthisis	338	7	8	1	–	–	16	12	18	35	53	95	59	31	13	4	2	–
Hydrocephalus	51	23	15	6	3	1	48	2	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	419	205	19	15	6	5	250	12	8	8	7	11	10	18	28	46	16	5
Dis. of Heart & Dropsy	187	5	4	3	3	2	17	5	3	6	5	18	15	28	44	35	11	–
Dis. of Lungs	378	94	54	30	19	9	206	26	5	7	4	13	11	18	23	33	28	4
Dis. of Stom. and Liver	158	23	9	2	3	1	38	4	2	4	3	15	18	23	18	24	8	1
Dis. of Kidneys	10	–	1	1	–	–	2	–	–	–	1	1	1	1	3	1	–	–
Dis. of Gener. Organs	8	–	–	–	–	–	–	–	–	–	–	2	1	3	1	1	–	–
Dis. of Joints	9	–	–	–	1	–	1	–	1	–	1	5	–	–	–	1	–	–
Dis. of Skin	4	3	–	–	–	–	3	1	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	78	–	–	–	–	–	–	–	–	7	14	33	22	2	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Other Violent Deaths	49	5	3	2	5	–	15	6	3	4	1	3	3	4	4	3	3	–
Other Causes	687	368	38	10	2	4	422	2	–	2	–	3	7	3	9	63	109	67
549.—SUNDERLAND.																		
Mean Popul^n, 1861–71	51915	1647	1471	1531	1398	1405	7452	6454	5403	5085	4762	7932	5942	4228	2707	1406	471	73
TOTAL DEATHS	11777	2969	1210	592	375	240	5386	559	211	276	333	766	734	742	851	962	741	216
Small-pox	76	26	8	7	7	4	52	8	5	1	2	3	3	2	–	–	–	–
Measles	201	37	79	51	14	10	191	10	–	–	–	–	–	–	–	–	–	–
Scarlatina	769	55	104	123	139	98	519	201	30	6	5	7	1	–	–	–	–	–
Diphtheria	73	15	11	10	9	4	49	14	4	2	1	2	1	–	–	–	–	–
Whooping-cough	349	121	117	47	31	16	332	17	–	–	–	–	–	–	–	–	–	–
Typhus	457	8	26	21	21	19	95	58	26	37	33	46	50	40	39	26	7	–
Diarrhœa & Dysentery	599	339	127	23	9	2	500	6	2	2	1	10	11	6	9	25	22	5
Cholera	72	8	4	6	–	2	20	7	6	4	4	7	5	9	4	3	3	–
Other Zymotic Dis.	220	27	43	22	21	17	130	16	5	7	5	5	12	5	18	8	8	1
Cancer	299	–	–	–	1	–	1	–	–	–	1	17	56	77	85	47	14	1
Scrofula and Tabes	286	98	100	20	10	5	233	16	6	10	4	8	3	4	1	–	1	–
Phthisis	1156	5	9	12	6	2	34	34	56	128	152	330	231	124	47	16	4	–
Hydrocephalus	182	58	55	25	15	7	160	19	3	–	–	–	–	–	–	–	–	–
Dis. of Brain	1396	600	84	45	29	12	770	45	8	10	13	36	51	103	130	142	74	14
Dis. of Heart & Dropsy	763	7	10	1	6	4	28	8	25	23	24	56	96	130	150	160	55	8
Dis. of Lungs	1504	395	217	105	36	19	772	33	10	9	17	55	59	93	167	183	93	13
Dis. of Stom. and Liver	451	40	12	6	2	2	62	12	6	9	13	40	44	64	86	77	34	4
Dis. of Kidneys	67	–	–	3	1	–	4	5	1	3	2	13	12	13	6	8	–	–
Dis. of Gener. Organs	71	–	–	1	–	–	1	–	–	–	4	8	14	19	11	12	2	–
Dis. of Joints	47	2	–	1	2	1	6	10	8	2	1	3	–	5	6	3	3	–
Dis. of Skin	41	12	4	–	–	2	18	–	–	–	1	2	2	4	3	9	1	1
Childbirth and Metria	203	–	–	–	–	–	–	–	–	14	41	95	51	2	–	–	–	–
Suicide	19	–	–	–	–	–	–	–	–	–	1	3	4	7	1	2	1	–
Other Violent Deaths	192	32	20	15	7	9	83	26	9	5	5	2	9	11	14	10	13	5
Other Causes	2284	1084	180	48	9	5	1326	14	1	4	3	18	19	24	74	231	406	164
550.—SOUTH SHIELDS.																		
Mean Popul^n, 1861–71	29130	1012	874	942	880	852	4560	3697	3016	2591	2603	4592	3363	2240	1432	746	256	34
TOTAL DEATHS	6889	1813	869	401	225	170	3478	369	140	170	176	434	363	351	439	473	392	104
Small-pox	58	16	7	8	4	1	36	10	1	1	–	4	3	2	–	–	1	–
Measles	175	25	70	43	18	7	163	12	–	–	–	–	–	–	–	–	–	–
Scarlatina	500	29	78	95	67	67	336	135	19	3	2	4	–	1	–	–	–	–
Diphtheria	47	4	9	6	9	6	34	10	–	–	2	–	1	–	–	–	–	–
Whooping-cough	250	94	84	37	11	12	238	12	–	–	–	–	–	–	–	–	–	–
Typhus	392	20	27	20	18	18	103	60	31	22	17	39	27	26	21	25	18	3
Diarrhœa & Dysentery	392	216	83	11	1	1	312	2	1	–	2	6	3	6	12	16	26	6
Cholera	51	11	11	2	3	–	27	4	2	1	–	3	3	4	3	3	1	–
Other Zymotic Dis.	166	21	27	14	22	9	93	12	7	6	2	5	5	4	7	14	10	1
Cancer	160	–	–	–	–	1	1	1	–	–	–	8	37	38	41	23	10	1
Scrofula and Tabes	330	114	111	42	12	6	285	15	11	7	–	3	3	3	2	1	–	–
Phthisis	593	6	8	7	5	6	32	23	28	76	77	193	82	49	25	7	1	–
Hydrocephalus	137	52	35	15	7	5	114	16	5	1	–	–	–	1	–	–	–	–
Dis. of Brain	705	238	47	23	3	11	322	10	10	14	12	21	33	49	81	76	65	9
Dis. of Heart & Dropsy	335	–	4	3	4	–	11	4	9	8	7	23	50	49	58	69	42	5
Dis. of Lungs	855	236	170	51	29	12	498	19	8	3	6	20	32	39	83	134	99	23
Dis. of Stom. and Liver	325	84	8	3	3	2	100	6	–	7	8	22	28	41	47	56	27	3
Dis. of Kidneys	55	–	3	–	–	–	3	1	3	1	4	6	11	4	8	11	2	1
Dis. of Gener. Organs	34	–	1	–	–	–	1	–	–	1	–	8	4	6	8	5	1	–
Dis. of Joints	16	–	–	2	1	1	4	1	2	4	1	–	1	2	1	–	–	–
Dis. of Skin	19	2	1	1	–	–	4	–	–	1	1	2	–	3	3	3	1	1
Childbirth and Metria	106	–	–	–	–	–	–	–	–	10	23	47	22	1	–	–	–	–
Suicide	8	–	–	–	–	–	–	–	–	–	1	–	–	3	4	–	–	–
Other Violent Deaths	109	18	9	6	3	2	38	9	3	3	4	12	7	8	7	5	10	3
Other Causes	971	627	76	12	5	3	723	7	–	1	4	5	11	12	28	45	87	48

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
551.—GATESHEAD.																		
Mean Popul^n, 1861–71	35479	1254	1082	1098	1049	1037	5520	4455	3820	3421	3268	5581	3979	2787	1685	737	206	20
TOTAL DEATHS	8907	2767	1092	424	266	212	4761	465	174	214	247	428	466	521	586	599	361	85
Small-pox	71	24	5	3	5	2	39	8	1	–	5	7	4	3	3	1	–	–
Measles	201	33	102	32	12	10	189	12	–	–	–	–	–	–	–	–	–	–
Scarlatina	670	46	120	91	93	90	449	173	31	10	3	3	–	1	–	–	–	–
Diphtheria	31	8	3	5	1	3	20	6	4	–	–	1	–	–	–	–	–	–
Whooping-cough	214	83	66	35	7	6	197	16	1	–	–	–	–	–	–	–	–	–
Typhus	389	10	35	17	12	15	89	48	28	27	32	40	33	35	33	21	3	–
Diarrhœa & Dysentery	395	216	88	14	6	1	325	4	2	–	2	3	4	8	9	25	9	4
Cholera	33	8	3	1	1	–	13	1	1	1	–	1	3	5	2	4	2	–
Other Zymotic Dis.	229	27	58	31	30	12	158	10	4	4	7	6	9	8	11	7	5	–
Cancer	65	–	1	1	–	–	2	–	–	–	1	1	6	14	19	16	6	–
Scrofula and Tabes	468	196	151	44	12	9	412	21	8	11	2	6	4	1	1	2	–	–
Phthisis	783	11	7	8	3	2	31	21	20	89	116	184	153	100	59	10	4	–
Hydrocephalus	187	77	47	20	7	9	160	21	2	3	–	–	–	1	–	–	–	–
Dis. of Brain	1146	553	92	17	19	15	702	26	6	8	11	36	50	66	85	97	53	6
Dis. of Heart & Dropsy	419	6	6	3	1	2	18	8	9	12	10	27	54	69	93	110	36	3
Dis. of Lungs	1146	315	180	55	23	18	621	18	6	7	13	38	56	80	126	117	52	12
Dis. of Stom. and Liver	337	71	11	6	3	3	94	11	4	9	14	22	26	51	52	40	13	1
Dis. of Kidneys	98	2		–	1	–	5	3	2	1	1	5	4	12	23	25	15	2
Dis. of Gener. Organs	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–
Dis. of Joints	32	1	–	–	3	2	6	3	4	4	2	2	5	3	2	1	–	–
Dis. of Skin	12	4	2	–	–	–	6	1	1	–	–	–	–	1	2	–	–	1
Childbirth and Metria	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–
Suicide	28	–	–	–	–	–	–	–	–	–	2	2	2	9	6	4	2	1
Other Violent Deaths	378	22	11	14	16	9	72	40	39	27	24	42	43	30	30	24	5	2
Other Causes	1542	1018	102	24	5	4	1153	13	1	1	2	6	10	24	30	94	155	53
552.—NEWCASTLE-ON-TYNE.																		
Mean Popul^n, 1861–71	60000	1974	1636	1734	1601	1528	8473	6910	6051	5949	6157	10030	7094	5029	2755	1194	322	36
TOTAL DEATHS	17887	5041	1701	810	492	391	8435	817	327	508	622	1275	1300	1382	1347	1088	669	117
Small-pox	162	44	19	12	10	7	92	15	4	4	12	23	4	5	2	1	–	–
Measles	304	63	97	62	34	26	282	18	–	1	–	1	–	–	–	–	–	–
Scarlatina	1069	94	171	189	156	135	745	277	27	8	5	5	1	1	–	–	–	–
Diphtheria	82	15	20	11	8	4	58	11	1	–	1	5	1	2	2	1	–	–
Whooping-cough	440	167	150	61	28	20	426	13	1	–	–	–	–	–	–	–	–	–
Typhus	777	28	22	29	21	29	129	73	34	52	54	119	102	104	70	34	6	–
Diarrhœa & Dysentery	844	484	147	27	10	7	675	10	3	2	3	12	23	25	34	34	21	2
Cholera	67	25	7	1	3	1	37	5	2	–	2	3	7	5	5	1	–	–
Other Zymotic Dis.	314	54	51	40	22	10	177	22	7	2	5	7	21	16	20	25	9	3
Cancer	148	–	–	–	–	–	–	3	1	–	1	11	24	45	36	19	7	1
Scrofula and Tabes	773	340	200	69	29	19	618	38	21	18	15	12	11	4	4	1	1	–
Phthisis	1954	23	14	13	10	11	71	40	57	190	278	500	373	279	137	27	2	–
Hydrocephalus	326	137	85	37	14	16	289	31	4	1	1	–	–	–	–	–	–	–
Dis. of Brain	2331	1055	191	68	36	16	1366	71	18	27	30	65	91	147	182	206	117	11
Dis. of Heart & Dropsy	1078	15	7	10	4	10	46	19	25	35	28	111	173	197	206	167	62	9
Dis. of Lungs	2310	623	302	122	63	37	1147	49	12	21	22	74	141	205	269	234	125	10
Dis. of Stom. and Liver	713	136	18	13	7	7	181	21	17	12	22	69	81	119	99	69	21	2
Dis. of Kidneys	253	–	2	–	1	–	3	12	10	13	15	28	35	33	44	39	19	2
Dis. of Gener. Organs	5	2	–	–	–	–	2	–	–	–	1	–	–	2	–	–	–	–
Dis. of Joints	104	3	1	2	6	3	15	18	15	15	6	11	9	7	7	1	–	–
Dis. of Skin	47	11	4	–	–	–	15	1	1	2	2	4	3	6	5	6	2	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	58	–	–	–	–	–	–	–	–	1	6	8	13	12	15	1	2	–
Other Violent Deaths	979	42	32	20	9	23	126	50	61	91	107	168	124	104	91	43	13	1
Other Causes	2751	1680	161	33	21	10	1905	20	6	13	6	39	60	64	119	179	264	76
553.—TYNEMOUTH.																		
Mean Popul^n, 1861–71	43743	1497	1240	1289	1223	1199	6448	5439	4579	4282	4259	6953	4960	3430	2058	996	310	29
TOTAL DEATHS	10778	3108	1176	496	298	229	5307	510	321	345	358	663	582	618	720	719	504	13
Small-pox	130	25	10	13	7	6	61	12	6	5	10	18	8	3	4	3	–	–
Measles	196	40	73	40	14	9	176	18	–	–	–	–	1	–	1	–	–	–
Scarlatina	720	61	127	117	112	87	504	178	28	5	1	3	1	–	–	–	–	–
Diphtheria	50	8	16	7	8	3	42	7	–	–	–	1	–	–	–	–	–	–
Whooping-cough	183	60	70	27	14	3	174	9	–	–	–	–	–	–	–	–	–	–
Typhus	412	10	26	24	20	17	97	59	47	32	46	34	33	18	25	17	4	–
Diarrhœa & Dysentery	484	283	99	15	3	2	402	10	6	2	2	6	4	6	9	18	14	–
Cholera	98	9	7	6	1	2	25	6	3	2	5	8	10	19	12	4	4	–
Other Zymotic Dis.	203	28	38	27	22	9	124	15	5	8	3	8	6	10	6	10	7	–
Cancer	86	–	–	–	–	–	–	–	1	3	–	2	7	16	27	24	5	–
Scrofula and Tabes	450	193	146	44	10	8	401	13	12	6	3	6	1	3	1	4	–	–
Phthisis	900	31	35	7	8	8	89	22	38	88	105	211	142	108	65	31	1	–
Hydrocephalus	230	92	72	21	8	12	205	20	4	–	1	–	–	–	–	–	–	–
Dis. of Brain	1300	504	83	34	15	20	656	36	16	18	18	38	36	75	125	153	110	13
Dis. of Heart & Dropsy	598	1	11	5	4	5	26	13	10	14	9	52	84	98	123	114	51	–
Dis. of Lungs	1224	447	163	61	24	17	712	20	11	16	20	32	36	70	103	116	77	1
Dis. of Stom. and Liver	558	173	37	7	5	2	224	12	10	10	15	30	31	57	66	77	21	–
Dis. of Kidneys	161	4	7	4	2	1	13	6	4	6	5	10	15	17	29	24	24	–
Dis. of Gener. Organs	3	–	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Dis. of Joints	39	1	2	–	1	2	6	7	6	1	1	3	3	3	3	5	1	–
Dis. of Skin	22	9	2	–	1	–	12	1	–	–	–	–	–	1	2	5	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	22	–	–	–	–	–	–	–	–	1	2	1	8	3	3	3	1	–
Other Violent Deaths	955	25	20	5	11	12	73	40	110	128	107	183	122	82	73	28	8	–
Other Causes	1754	1104	131	32	8	4	1279	6	4	–	5	17	33	29	43	83	175	8

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
551.—GATESHEAD.																		
Mean Popul^n, 1861–71	34361	1248	1082	1120	1044	980	5474	4515	3743	3033	2934	5127	3764	2724	1775	903	315	54
TOTAL DEATHS	8285	2259	946	419	272	171	1067	476	169	224	220	486	478	425	505	591	502	151
Small-pox	48	16	7	-	1	-	24	10	1	2	1	4	3	3	-	-	-	-
Measles	161	26	65	26	23	5	145	16	-	-	-	-	-	-	-	-	-	-
Scarlatina	654	32	96	110	93	55	386	201	29	11	3	1	-	-	-	-	-	-
Diphtheria	24	4	3	1	4	3	15	7	1	-	1	-	-	-	-	-	-	-
Whooping-cough	220	91	61	31	17	10	210	10	-	-	-	-	-	-	-	-	-	-
Typhus	383	10	20	15	20	20	85	50	27	29	23	44	31	26	31	13	4	-
Diarrhœa & Dysentery	395	204	71	19	1	2	297	7	2	1	2	7	2	5	13	23	29	7
Cholera	26	5	2	-	2	-	9	4	-	-	-	1	4	3	1	3	1	-
Other Zymotic Dis.	184	34	37	23	20	16	130	18	1	6	2	4	3	4	7	6	3	-
Cancer	160	-	-	-	1	1	2	-	-	-	-	11	30	46	38	23	8	2
Scrofula and Tabes	409	161	163	31	12	4	373	13	6	5	2	4	2	1	2	1	-	-
Phthisis	831	7	7	3	2	6	25	22	53	107	106	227	155	76	45	13	2	-
Hydrocephalus	147	63	31	18	8	5	125	19	2	-	-	1	-	-	-	-	-	-
Dis. of Brain	987	421	80	30	16	9	559	21	10	8	9	23	40	60	76	108	62	8
Dis. of Heart & Dropsy	411	3	7	2	1	4	17	10	8	18	10	40	57	64	76	86	49	6
Dis. of Lungs	1064	287	167	84	28	17	583	21	2	6	10	24	37	57	82	99	67	16
Dis. of Stom. and Liver	326	37	9	2	1	3	52	5	5	10	11	24	39	40	57	63	19	1
Dis. of Kidneys	50	1	1	-	3	1	6	1	1	2	2	9	3	9	9	5	2	1
Dis. of Gener. Organs	27	-	-	-	-	-	-	-	-	-	2	4	2	8	8	1	2	-
Dis. of Joints	20	3	-	2	1	-	6	9	2	2	1	2	1	1	2	3	-	-
Dis. of Skin	12	3	1	-	1	1	6	-	-	-	1	-	-	-	1	2	2	-
Childbirth and Metria	137	-	-	-	-	-	-	-	1	9	29	49	49	-	-	-	-	-
Suicide	14	-	-	-	-	-	-	-	-	1	-	1	4	3	3	2	-	-
Other Violent Deaths	132	26	15	9	8	3	61	15	9	4	3	3	5	4	9	10	7	2
Other Causes	1527	822	103	11	9	6	951	14	-	3	2	3	11	15	45	130	245	108
552.—NEWCASTLE-ON-TYNE.																		
Mean Popul^n, 1861–71	61033	1939	1685	1728	1584	1518	8454	6765	6013	6060	6153	9732	7054	5219	3264	1718	573	78
TOTAL DEATHS	16231	3986	1731	823	550	360	7450	766	280	413	501	1107	1074	1053	1199	1244	903	241
Small-pox	158	38	25	14	15	12	104	19	3	6	4	8	9	2	1	2	-	-
Measles	395	43	135	58	26	19	281	21	1	1	-	1	-	-	-	-	-	-
Scarlatina	1054	63	171	175	184	107	700	282	49	9	7	5	2	-	-	-	-	-
Diphtheria	78	11	9	9	12	7	48	18	3	-	2	3	1	1	1	1	-	-
Whooping-cough	516	172	137	93	45	27	494	22	-	-	-	-	-	-	-	-	-	-
Typhus	772	9	36	30	32	21	128	84	43	58	59	97	85	88	86	39	13	1
Diarrhœa & Dysentery	845	448	154	27	6	5	640	8	-	3	2	20	16	21	35	54	40	6
Cholera	54	16	7	1	2	-	26	4	1	1	3	5	2	4	6	2	-	-
Other Zymotic Dis.	321	42	53	46	26	21	188	15	8	5	8	14	6	11	25	25	13	3
Cancer	335	-	1	-	-	-	1	1	-	1	2	23	54	99	90	43	18	3
Scrofula and Tabes	674	266	193	82	34	15	586	32	9	9	6	13	7	9	2	1	-	-
Phthisis	1638	29	11	12	7	10	69	47	70	174	238	410	325	179	86	19	2	-
Hydrocephalus	298	119	75	34	19	17	264	25	5	2	1	-	-	1	-	-	-	-
Dis. of Brain	1955	793	182	41	33	26	1075	47	15	30	28	65	89	121	154	218	107	15
Dis. of Heart & Dropsy	894	16	8	10	8	3	45	17	22	28	18	78	111	137	163	185	81	9
Dis. of Lungs	2162	520	205	125	68	38	1046	55	14	20	20	70	84	147	260	254	160	32
Dis. of Stom. and Liver	625	87	16	6	3	3	115	8	8	13	15	67	89	87	105	83	29	4
Dis. of Kidneys	121	1	5	1	1	-	8	3	3	6	6	17	23	20	19	10	6	-
Dis. of Gener. Organs	92	-	-	-	1	-	1	-	-	-	3	13	26	22	20	5	2	-
Dis. of Joints	50	4	1	-	2	2	9	10	7	4	4	4	5	3	2	2	-	-
Dis. of Skin	46	14	5	2	-	-	21	1	1	-	-	3	3	5	5	5	1	1
Childbirth and Metria	239	-	-	-	-	-	-	-	-	13	46	100	74	6	-	-	-	-
Suicide	24	-	-	-	-	-	-	-	-	2	4	3	5	4	6	-	-	-
Other Violent Deaths	289	35	14	17	14	12	92	27	11	20	11	21	24	18	22	21	18	4
Other Causes	2688	1269	178	40	16	15	1518	20	7	8	23	37	45	68	111	275	413	163
553.—TYNEMOUTH.																		
Mean Popul^n, 1861–71	42529	1441	1254	1296	1196	1186	6373	5295	4536	3741	3766	6425	4789	3510	2305	1280	446	63
TOTAL DEATHS	10105	2430	1132	529	329	215	4635	556	213	245	353	641	561	540	681	786	694	200
Small-pox	115	26	11	10	9	5	61	13	4	7	7	11	3	2	3	1	-	-
Measles	168	22	74	35	14	11	156	12	-	-	-	-	-	-	-	-	-	-
Scarlatina	789	41	117	140	125	90	516	211	40	11	4	2	2	-	-	-	-	-
Diphtheria	63	5	9	9	9	5	37	18	4	-	1	2	-	1	-	-	-	-
Whooping-cough	249	95	80	33	21	10	239	9	-	-	-	-	-	1	-	-	-	-
Typhus	457	11	21	21	25	21	107	89	37	41	11	50	25	27	16	12	8	1
Diarrhœa & Dysentery	503	253	117	25	3	2	400	8	3	2	2	8	9	8	10	16	25	12
Cholera	109	6	7	3	4	-	20	6	4	5	4	16	12	20	13	7	2	-
Other Zymotic Dis.	227	27	39	35	29	19	119	11	4	6	3	8	3	6	12	14	6	2
Cancer	192	-	-	-	-	-	-	1	-	-	1	5	23	50	53	40	18	1
Scrofula and Tabes	381	139	136	43	14	2	334	11	12	7	4	6	2	3	2	2	-	-
Phthisis	1052	25	25	17	1	7	75	40	46	92	150	290	181	93	57	16	9	-
Hydrocephalus	173	62	53	19	11	7	152	15	5	-	-	1	-	-	-	-	-	-
Dis. of Brain	1163	377	77	28	15	11	508	29	11	14	16	42	33	72	132	150	125	29
Dis. of Heart & Dropsy	616	9	4	6	4	1	24	11	11	16	20	39	59	103	126	138	54	12
Dis. of Lungs	1174	319	186	51	26	15	597	20	3	5	13	28	42	51	115	149	132	19
Dis. of Stom. and Liver	548	109	28	5	5	-	147	7	11	12	19	32	52	56	82	86	37	7
Dis. of Kidneys	71	4	3	3	4	2	16	4	1	1	5	7	9	5	12	7	3	1
Dis. of Gener. Organs	37	-	-	-	-	-	-	-	2	-	2	4	12	7	4	2	4	-
Dis. of Joints	37	-	2	1	-	-	3	5	4	4	4	3	4	3	3	3	1	-
Dis. of Skin	21	7	-	1	-	-	8	1	-	1	-	2	1	-	2	4	2	-
Childbirth and Metria	167	-	-	-	-	-	-	-	-	9	39	63	51	2	-	-	-	-
Suicide	9	-	-	-	-	-	-	-	-	-	1	2	2	2	1	1	-	-
Other Violent Deaths	168	17	18	13	2	5	55	17	6	9	8	8	13	6	12	12	15	7
Other Causes	1614	873	122	23	8	2	1028	9	2	4	6	12	17	22	26	126	253	109

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
554.—CASTLE WARD.																		
Mean Popul^n, 1861–71	8112	229	217	229	194	201	1070	939	955	856	726	1083	831	716	512	287	123	14
TOTAL DEATHS	1547	361	70	55	29	21	536	53	44	64	59	101	75	100	134	168	166	47
Small-pox	3	1	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
Measles	12	3	4	2	-	1	10	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	70	5	9	12	7	5	38	21	4	3	1	-	-	-	-	-	-	-
Diphtheria	22	3	-	3	4	2	12	6	2	-	-	-	1	1	-	-	-	-
Whooping-cough	10	6	-	3	-	1	10	-	-	-	-	-	-	-	-	-	-	-
Typhus	57	1	4	1	1	1	8	2	8	7	9	9	6	4	1	2	1	-
Diarrhœa & Dysentery	63	38	9	3	-	1	51	-	-	-	-	-	1	1	2	7	6	-
Cholera	9	1	-	-	1	-	2	-	-	-	-	-	4	1	-	2	-	-
Other Zymotic Dis.	45	10	7	3	3	1	24	7	-	1	1	1	3	1	2	3	2	-
Cancer	24	-	-	-	-	-	-	-	-	-	1	1	3	2	10	6	1	-
Scrofula and Tabes	27	16	3	3	-	-	22	1	-	3	-	1	-	-	-	-	-	-
Phthisis	147	2	-	-	2	-	4	1	3	17	26	45	15	18	13	5	-	-
Hydrocephalus	15	9	3	1	-	-	13	2	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	205	63	8	7	2	3	83	4	3	3	3	10	14	12	18	31	21	-
Dis. of Heart & Dropsy	109	2	-	2	-	-	4	-	3	2	2	4	5	18	23	21	17	5
Dis. of Lungs	169	50	12	9	6	1	78	2	3	1	1	5	3	13	17	23	23	-
Dis. of Stom. and Liver	99	18	2	1	-	2	23	-	1	5	2	5	4	9	23	21	6	-
Dis. of Kidneys	34	1	1	-	-	-	2	1	2	2	-	-	2	5	6	5	6	3
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	5	-	-	-	-	1	1	-	1	-	1	1	-	-	-	1	-	-
Dis. of Skin	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Other Violent Deaths	106	-	3	3	1	1	8	1	11	16	10	17	10	11	9	10	-	-
Other Causes	308	132	5	2	2	1	142	-	-	2	1	2	4	4	10	25	79	39
555.—HEXHAM.																		
Mean Popul^n, 1861–71	16018	466	421	450	433	413	2183	2011	1834	1609	1365	2108	1691	1382	975	594	231	35
TOTAL DEATHS	3225	748	172	91	60	60	1131	144	70	89	113	181	188	231	295	356	323	104
Small-pox	10	2	-	-	-	1	3	1	1	1	1	2	1	-	-	-	-	-
Measles	29	3	10	5	-	4	22	5	-	-	2	-	-	-	-	-	-	-
Scarlatina	131	10	13	24	16	16	79	42	4	1	1	2	2	-	-	-	-	-
Diphtheria	48	3	9	4	5	4	25	14	5	3	-	1	-	-	-	-	-	-
Whooping-cough	46	18	18	6	2	-	44	2	-	-	-	-	-	-	-	-	-	-
Typhus	113	2	1	2	4	5	14	14	13	10	15	11	6	11	9	5	4	1
Diarrhœa & Dysentery	84	40	4	2	3	2	51	2	-	1	-	-	2	1	2	8	12	5
Cholera	4	2	1	-	-	-	3	-	-	-	-	-	-	-	1	-	-	-
Other Zymotic Dis.	92	14	12	10	7	4	47	13	2	-	2	4	4	4	5	6	4	1
Cancer	55	-	-	-	-	-	-	-	-	-	-	1	-	10	20	11	10	3
Scrofula and Tabes	90	20	17	5	2	-	53	7	4	8	7	4	2	1	2	1	1	-
Phthisis	372	6	1	1	1	4	13	5	13	30	57	89	63	58	34	10	-	-
Hydrocephalus	73	30	21	5	3	3	62	8	2	1	-	-	-	-	-	-	-	-
Dis. of Brain	335	93	12	8	2	4	119	8	6	6	6	9	16	25	35	58	41	6
Dis. of Heart & Dropsy	235	1	1	-	1	1	4	2	-	8	2	5	17	31	49	66	44	7
Dis. of Lungs	467	135	34	14	8	7	198	5	3	3	7	12	23	29	61	63	51	9
Dis. of Stom. and Liver	192	36	4	1	-	-	41	6	1	5	3	10	16	30	33	36	10	1
Dis. of Kidneys	71	-	-	-	-	1	1	1	2	2	2	3	5	5	7	22	19	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	9	-	-	1	1	-	2	-	-	-	-	4	1	-	1	1	-	-
Dis. of Skin	14	8	-	-	-	-	8	-	-	-	1	1	-	-	-	2	2	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	14	-	-	-	-	-	-	-	-	1	1	4	3	1	3	1	-	-
Other Violent Deaths	128	3	2	3	4	3	15	5	13	8	5	13	20	16	17	10	6	-
Other Causes	613	313	12	-	1	1	327	4	1	1	1	6	7	9	16	56	116	69
556.—HALTWHISTLE.																		
Mean Popul^n, 1861–71	3456	98	100	81	100	80	459	424	368	331	280	452	379	297	243	154	59	10
TOTAL DEATHS	599	124	30	11	15	8	188	17	15	27	22	36	29	36	58	77	71	23
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Measles	2	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	18	1	1	3	5	4	14	3	1	-	-	-	-	-	-	-	-	-
Diphtheria	20	2	4	-	4	2	12	2	2	2	-	-	-	-	1	1	-	-
Whooping-cough	11	7	4	-	-	-	11	-	-	-	-	-	-	-	-	-	-	-
Typhus	14	-	-	-	-	1	1	-	1	1	2	2	4	2	1	-	-	-
Diarrhœa & Dysentery	13	3	1	1	1	-	6	-	-	-	-	-	1	1	2	1	2	-
Cholera	2	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Other Zymotic Dis.	19	7	1	1	-	-	9	2	-	1	-	-	-	1	1	3	2	-
Cancer	8	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	1	-
Scrofula and Tabes	6	-	1	1	-	-	2	1	1	1	-	-	-	-	-	-	1	-
Phthisis	77	-	-	-	1	-	1	-	5	14	13	16	8	10	8	2	-	-
Hydrocephalus	10	7	1	-	2	-	10	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	54	2	3	-	-	-	5	1	-	1	1	1	3	4	7	16	13	2
Dis. of Heart & Dropsy	47	3	1	-	-	1	5	-	-	2	2	3	2	3	6	13	9	2
Dis. of Lungs	66	9	5	4	-	-	18	4	1	2	2	2	1	4	10	14	7	1
Dis. of Stom. and Liver	49	18	2	-	-	-	20	-	1	-	-	2	4	4	10	5	2	1
Dis. of Kidneys	9	-	-	-	-	-	-	1	-	-	-	-	1	1	1	3	2	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Dis. of Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-
Other Violent Deaths	26	-	1	1	-	-	2	1	2	1	2	6	2	3	4	2	1	-
Other Causes	142	64	3	-	2	-	69	2	1	2	-	1	1	1	3	14	31	17

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
554.—CASTLE WARD.																		
Mean Popul^n, 1861–71	7815	220	200	207	206	197	1030	895	808	773	721	1095	834	696	524	289	131	19
TOTAL DEATHS	1438	301	93	51	38	24	507	59	44	51	55	107	70	80	109	139	156	61
Small-pox	10	3	1	–	–	–	4	1	1	–	1	1	–	1	1	–	–	–
Measles	9	2	1	1	3	–	7	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	102	7	13	15	17	11	63	25	9	4	1	–	–	–	–	–	–	–
Diphtheria	13	1	3	–	1	2	7	4	1	1	–	–	–	–	–	–	–	–
Whooping-cough	14	8	4	1	–	–	13	1	–	–	–	–	–	–	–	–	–	–
Typhus	49	1	1	1	2	2	7	5	9	5	4	6	2	5	3	–	2	1
Diarrhœa & Dysentery	67	34	19	3	–	–	56	–	–	–	–	–	–	1	–	5	5	–
Cholera	4	–	–	–	–	–	–	1	1	–	–	–	–	–	–	2	–	–
Other Zymotic Dis.	26	4	3	3	3	–	13	–	–	3	1	–	3	–	3	1	2	–
Cancer	27	–	–	–	–	–	–	–	–	–	–	1	1	8	11	2	4	–
Scrofula and Tabes	33	12	6	4	1	–	23	1	1	2	3	4	–	–	–	1	–	1
Phthisis	160	1	–	1	–	1	3	1	9	22	28	46	24	18	7	2	–	–
Hydrocephalus	15	7	2	–	3	2	14	1	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	183	59	10	5	–	4	78	4	7	3	5	5	7	14	17	22	16	5
Dis. of Heart & Dropsy	106	1	–	–	–	–	1	2	2	1	2	6	9	10	24	29	18	2
Dis. of Lungs	156	41	14	15	3	–	73	5	2	2	3	10	4	7	13	14	21	2
Dis. of Stom. and Liver	95	15	3	–	1	–	19	1	1	1	–	7	6	7	22	21	9	1
Dis. of Kidneys	6	1	–	–	–	–	1	–	–	–	–	–	1	2	–	2	–	–
Dis. of Gener. Organs	5	–	–	–	–	–	–	–	–	1	–	–	2	1	1	–	–	–
Dis. of Joints	5	–	2	–	–	–	2	1	–	–	–	1	–	–	–	1	–	–
Dis. of Skin	3	2	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–	–
Childbirth and Metria	31	–	–	–	–	–	–	–	–	1	7	13	10	–	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–
Other Violent Deaths	14	1	2	–	3	2	8	–	1	–	–	1	–	–	–	1	3	–
Other Causes	298	101	9	2	1	–	113	4	–	5	–	5	–	5	7	34	76	49
555.—HEXHAM.																		
Mean Popul^n, 1861–71	16178	460	419	421	414	381	2095	2013	1761	1575	1453	2269	1743	1373	980	623	256	37
TOTAL DEATHS	3089	543	162	93	76	49	923	138	90	111	145	254	210	180	237	362	291	148
Small-pox	9	2	–	–	–	1	3	1	1	–	–	2	1	–	–	–	–	–
Measles	32	7	6	3	6	3	25	4	2	–	–	1	–	–	–	–	–	–
Scarlatina	111	4	11	22	20	12	69	32	7	3	–	2	1	–	–	–	–	–
Diphtheria	51	2	9	6	11	2	30	11	6	1	2	2	2	–	–	–	–	–
Whooping-cough	52	25	9	6	3	1	44	7	1	–	–	–	–	–	–	–	–	–
Typhus	110	–	3	4	3	4	14	9	10	11	18	19	8	8	5	8	–	–
Diarrhœa & Dysentery	81	32	6	4	2	2	46	1	1	–	–	1	5	5	2	9	7	4
Cholera	6	–	–	–	–	–	–	–	1	–	–	1	1	–	–	2	1	–
Other Zymotic Dis.	81	9	5	10	6	8	38	9	7	–	2	2	1	7	3	6	3	3
Cancer	79	–	–	–	–	–	–	–	–	–	–	2	9	17	19	16	11	5
Scrofula and Tabes	73	25	17	5	1	1	49	1	6	3	6	5	2	–	1	–	–	–
Phthisis	416	4	1	1	–	1	7	10	19	61	76	131	61	44	25	6	2	1
Hydrocephalus	48	14	11	5	1	2	33	10	2	–	–	2	1	–	–	–	–	–
Dis. of Brain	323	59	15	5	2	2	83	13	6	6	5	13	17	33	26	57	44	20
Dis. of Heart & Dropsy	289	3	–	1	1	1	6	5	6	1	4	19	28	28	63	89	38	2
Dis. of Lungs	387	100	42	16	13	4	175	10	7	9	6	11	17	14	34	53	42	9
Dis. of Stom. and Liver	209	31	4	1	1	1	38	6	3	7	8	12	20	17	29	47	16	6
Dis. of Kidneys	32	–	1	–	1	–	2	1	1	2	1	8	9	1	4	3	–	–
Dis. of Gener. Organs	18	–	–	–	–	–	–	–	–	–	–	3	5	1	4	3	2	–
Dis. of Joints	11	–	–	–	–	1	1	–	2	2	2	1	–	–	2	1	–	–
Dis. of Skin	8	4	–	–	–	–	4	1	–	–	–	–	–	–	–	2	1	–
Childbirth and Metria	46	–	–	–	–	–	–	–	–	2	12	15	17	–	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	–
Other Violent Deaths	31	2	3	3	4	–	12	2	1	2	1	1	–	–	3	5	1	3
Other Causes	546	220	19	1	1	3	244	5	1	–	2	–	2	5	16	53	123	95
556.—HALTWHISTLE.																		
Mean Popul^n, 1861–71	3385	94	91	105	91	94	475	425	369	329	303	453	361	263	213	132	48	14
TOTAL DEATHS	590	82	26	10	19	6	143	22	21	24	29	49	53	42	49	59	71	28
Small-pox	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Measles	3	1	1	–	1	–	3	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	21	–	7	1	3	2	13	6	1	–	–	–	1	–	–	–	–	–
Diphtheria	15	–	2	–	2	1	5	4	3	1	1	–	–	1	–	–	–	–
Whooping-cough	8	3	3	2	–	–	8	–	–	–	–	–	–	–	–	–	–	–
Typhus	16	–	–	1	1	–	2	3	1	4	–	1	3	–	1	1	–	–
Diarrhœa & Dysentery	12	3	1	2	–	–	6	–	–	–	–	3	–	–	–	–	1	2
Cholera	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Other Zymotic Dis.	22	1	1	–	3	–	5	1	–	2	–	2	1	1	1	4	5	–
Cancer	25	–	–	–	–	–	–	–	–	–	–	1	3	10	5	5	1	–
Scrofula and Tabes	3	–	–	–	1	–	1	–	–	–	–	2	–	–	–	–	–	–
Phthisis	115	–	–	–	–	–	–	1	10	11	21	31	22	8	7	4	–	–
Hydrocephalus	4	1	–	–	1	1	3	1	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	45	2	1	–	–	–	3	–	–	2	–	1	4	5	5	10	13	2
Dis. of Heart & Dropsy	47	3	2	1	1	–	7	–	1	–	–	2	4	7	9	10	6	1
Dis. of Lungs	41	8	3	1	2	1	15	1	–	–	1	–	5	1	8	7	3	–
Dis. of Stom. and Liver	45	12	2	–	–	–	14	–	2	1	1	3	2	5	7	6	4	–
Dis. of Kidneys	5	–	–	–	1	–	1	–	–	–	1	1	1	1	–	–	–	–
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Dis. of Joints	4	–	–	–	–	–	–	1	–	1	–	–	1	–	1	–	–	–
Dis. of Skin	2	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	7	–	–	–	–	–	–	–	–	–	3	2	2	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Deaths	6	–	–	1	1	–	2	1	1	–	–	–	–	–	–	–	2	–
Other Causes	141	46	3	1	2	–	52	3	2	1	1	–	4	3	5	12	35	23

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
557.—BELLINGHAM.																		
Mean Popul^n, 1861-71	3704	92	85	95	91	73	436	409	391	310	351	540	428	357	252	143	72	15
TOTAL DEATHS	696	130	37	12	10	4	193	23	15	30	30	51	40	56	57	89	78	34
Small-pox	11	3	1	1	–	–	5	2	–	–	–	1	1	1	1	–	–	–
Measles	4	–	2	1	–	–	3	–	–	1	–	–	–	–	–	–	–	–
Scarlatina	18	–	2	3	4	–	9	4	3	–	1	–	–	–	1	–	–	–
Diphtheria	9	2	1	–	–	–	3	3	–	1	–	–	1	–	1	–	–	–
Whooping-cough	9	3	3	1	–	1	8	1	–	–	–	–	–	–	–	–	–	–
Typhus	31	–	–	–	–	–	–	1	2	5	4	6	6	3	1	3	–	–
Diarrhœa & Dysentery	8	4	–	–	–	–	4	–	–	1	–	–	–	–	–	2	1	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	15	4	3	1	–	1	9	1	–	–	–	–	–	–	1	4	–	–
Cancer	9	–	–	–	–	–	–	–	–	–	–	1	–	2	1	3	2	–
Scrofula and Tabes	14	9	1	1	–	–	11	1	–	–	–	–	1	1	–	–	–	–
Phthisis	91	–	1	–	–	–	1	–	1	11	12	28	10	16	7	2	–	–
Hydrocephalus	6	3	2	–	–	–	5	1	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	66	14	3	2	2	–	21	3	1	1	3	1	2	4	4	13	11	2
Dis. of Heart & Dropsy	53	–	2	–	–	–	2	–	1	–	2	1	3	4	8	15	14	3
Dis. of Lungs	69	9	4	1	2	1	17	3	1	4	3	3	5	7	7	10	6	3
Dis. of Stom. and Liver	65	13	3	–	1	–	17	–	2	–	2	4	1	10	15	8	6	–
Dis. of Kidneys	15	–	–	–	–	–	–	–	–	1	–	1	1	–	1	6	4	1
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Dis. of Joints	5	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	2	1
Dis. of Skin	2	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–
Other Violent Deaths	34	–	–	–	–	–	–	3	4	1	2	2	9	4	5	3	1	–
Other Causes	158	64	9	1	–	1	75	–	–	–	1	2	–	3	4	18	31	24
558.—MORPETH.																		
Mean Popul^n, 1861-71	14046	446	400	412	334	369	2011	1759	1534	1421	1228	2018	1570	1150	776	418	143	18
TOTAL DEATHS	3215	880	318	119	97	55	1469	170	80	104	105	181	192	166	195	272	223	58
Small-pox	29	9	1	3	–	1	14	–	2	4	1	4	4	–	–	–	–	–
Measles	57	11	22	11	6	4	54	1	–	–	1	1	–	–	–	–	–	–
Scarlatina	196	8	30	32	26	29	125	56	9	3	1	2	–	–	–	–	–	–
Diphtheria	49	7	17	3	5	2	34	10	3	–	1	1	–	–	–	–	–	–
Whooping-cough	43	22	12	6	1	–	41	2	–	–	–	–	–	–	–	–	–	–
Typhus	163	10	4	7	9	6	36	21	9	25	15	20	14	9	9	4	1	–
Diarrhœa & Dysentery	167	66	53	4	3	–	126	1	–	–	4	5	2	2	7	11	6	3
Cholera	10	1	–	1	–	–	2	–	–	1	–	1	1	2	3	–	–	–
Other Zymotic Dis.	68	12	6	4	11	6	39	8	2	2	2	1	2	2	3	3	3	1
Cancer	29	–	–	–	–	–	–	–	–	–	–	1	3	8	6	7	4	–
Scrofula and Tabes	96	38	30	6	5	–	79	3	6	3	1	2	1	–	–	1	–	–
Phthisis	265	4	3	3	–	–	10	9	10	28	43	61	53	24	22	4	1	–
Hydrocephalus	74	34	16	9	5	–	64	10	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	455	165	22	11	9	1	208	12	4	4	7	17	37	41	30	46	42	7
Dis. of Heart & Dropsy	187	2	4	2	–	–	8	3	2	4	4	9	15	13	30	59	38	2
Dis. of Lungs	376	136	46	11	8	1	202	10	–	5	4	12	12	18	27	44	36	6
Dis. of Stom. and Liver	164	41	13	2	4	2	62	7	3	4	2	8	20	11	20	22	5	–
Dis. of Kidneys	54	–	1	2	–	–	3	2	1	1	3	4	3	10	9	7	11	–
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Dis. of Joints	9	–	–	–	–	–	–	1	1	3	–	2	1	–	–	–	1	–
Dis. of Skin	8	4	1	–	–	–	5	–	–	1	–	–	–	–	–	2	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	16	–	–	–	–	–	–	–	–	–	–	2	4	3	7	–	–	–
Other Violent Deaths	163	6	4	1	5	2	18	11	28	15	14	22	14	13	10	14	2	2
Other Causes	536	304	33	1	–	1	339	3	–	1	2	6	5	10	12	48	73	37
559.—ALNWICK.																		
Mean Popul^n, 1861-71	9885	274	253	254	263	248	1292	1275	1128	963	785	1214	1037	939	685	395	156	16
TOTAL DEATHS	1970	351	103	50	42	21	567	102	51	86	66	119	105	120	189	275	223	67
Small-pox	27	7	2	1	–	–	10	–	–	4	–	2	4	2	4	1	–	–
Measles	27	3	12	2	–	1	18	5	1	2	1	–	–	–	–	–	–	–
Scarlatina	87	3	6	9	18	6	42	30	11	2	2	–	–	–	–	–	–	–
Diphtheria	22	4	3	3	4	1	15	6	–	1	–	–	–	–	–	–	–	–
Whooping-cough	25	17	3	2	1	–	23	2	–	–	–	–	–	–	–	–	–	–
Typhus	57	1	–	3	1	1	6	4	9	4	4	9	5	6	4	3	3	–
Diarrhœa & Dysentery	48	23	3	–	–	–	26	–	1	1	–	1	–	1	5	7	6	–
Cholera	4	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–
Other Zymotic Dis.	54	5	5	4	4	3	21	8	3	–	1	1	2	2	7	7	1	1
Cancer	29	–	–	–	–	–	–	–	–	–	–	–	1	3	9	11	3	2
Scrofula and Tabes	35	5	4	2	2	1	14	4	5	5	1	2	–	1	3	–	–	–
Phthisis	247	3	3	–	–	1	7	11	8	38	40	59	35	28	17	4	–	–
Hydrocephalus	36	15	12	2	2	–	31	5	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	241	45	9	7	5	–	66	11	1	3	2	8	13	14	31	49	35	8
Dis. of Heart & Dropsy	167	–	1	1	–	–	2	–	1	4	3	7	12	16	28	60	31	3
Dis. of Lungs	261	58	25	7	3	6	99	3	2	4	2	4	8	11	36	53	29	10
Dis. of Stom. and Liver	115	21	3	1	2	–	27	4	1	2	5	5	6	15	12	28	9	1
Dis. of Kidneys	41	2	1	–	–	–	3	1	1	1	–	–	1	4	5	8	15	2
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Dis. of Joints	7	1	–	–	–	–	1	1	1	2	–	–	1	–	–	–	–	1
Dis. of Skin	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	5	–	–	–	–	–	–	–	–	1	–	1	–	–	3	–	–	–
Other Violent Deaths	82	4	2	4	–	1	11	5	3	11	4	11	11	9	8	8	1	–
Other Causes	349	134	9	2	–	–	145	2	3	1	1	8	6	7	16	35	87	38

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
557.—BELLINGHAM.																		
Mean Popul^n, 1861–71	3376	98	81	82	86	85	432	378	339	342	297	463	393	284	216	150	70	12
TOTAL DEATHS	620	94	28	26	13	12	173	26	20	21	26	60	51	31	45	57	81	29
Small-pox	3	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-
Measles	10	-	2	2	1	1	6	1	1	-	-	-	1	1	-	-	-	-
Scarlatina	28	1	3	5	2	1	12	13	1	-	1	1	-	-	-	-	-	-
Diphtheria	6	-	1	1	-	2	4	1	1	-	-	-	-	-	-	-	-	-
Whooping-cough	19	7	5	2	2	2	18	1	-	-	-	-	-	-	-	-	-	-
Typhus	22	-	-	2	2	2	6	1	6	2	-	2	2	-	1	1	1	-
Diarrhœa & Dysentery	14	7	2	-	1	-	10	-	-	-	-	1	1	-	-	-	2	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	20	1	-	3	2	-	6	2	-	1	1	2	-	-	1	4	1	2
Cancer	10	-	-	-	-	-	-	-	-	-	1	2	1	1	3	1	1	-
Scrofula and Tabes	10	4	2	1	-	-	7	1	-	1	-	-	-	1	-	-	-	-
Phthisis	91	-	-	1	-	-	1	2	4	13	14	27	19	4	5	1	1	-
Hydrocephalus	4	3	-	1	-	-	4	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	67	10	6	1	-	1	18	1	1	1	1	1	5	7	8	10	12	2
Dis. of Heart & Dropsy	41	1	-	-	-	-	1	1	-	-	3	1	3	3	5	15	7	2
Dis. of Lungs	67	7	5	2	2	1	17	2	2	2	1	3	4	5	8	8	8	7
Dis. of Stom. and Liver	41	4	1	-	-	2	7	-	3	1	2	8	4	4	5	3	4	-
Dis. of Kidneys	6	-	-	-	-	-	-	-	-	-	-	1	3	2	-	-	-	-
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-
Dis. of Joints	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
Dis. of Skin	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-
Childbirth and Metria	15	-	-	-	-	-	-	-	-	-	2	8	4	1	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Violent Deaths	4	-	1	1	1	-	3	-	-	-	-	-	1	-	-	-	-	-
Other Causes	133	46	-	4	-	-	50	-	-	-	-	2	2	1	8	12	42	16
558.—MORPETH.																		
Mean Popul^n, 1861–71	13468	434	370	421	409	374	2008	1668	1495	1196	1178	1881	1481	1109	778	464	173	37
TOTAL DEATHS	3083	670	306	139	77	57	1249	173	65	97	103	236	179	182	195	269	259	76
Small-pox	21	2	3	1	1	-	7	3	-	1	3	2	3	1	1	-	-	-
Measles	54	7	19	11	4	2	43	8	1	-	-	-	2	-	-	-	-	-
Scarlatina	211	18	26	31	25	24	124	63	11	8	2	3	-	-	-	-	-	-
Diphtheria	50	6	10	10	6	5	37	6	3	3	-	1	-	-	-	-	-	-
Whooping-cough	59	28	16	7	4	2	57	2	-	-	-	-	-	-	-	-	-	-
Typhus	167	6	5	12	7	5	35	29	17	9	15	23	12	10	9	6	2	-
Diarrhœa & Dysentery	170	67	41	11	3	-	122	-	1	1	1	1	2	1	5	16	18	2
Cholera	5	-	-	-	-	-	-	1	-	-	-	2	-	-	-	2	-	-
Other Zymotic Dis.	65	8	10	6	4	1	29	7	2	2	2	3	4	3	3	4	5	1
Cancer	50	-	-	-	-	-	-	-	-	-	-	3	6	14	11	8	7	1
Scrofula and Tabes	74	20	31	7	4	1	63	6	-	1	-	1	2	-	-	1	-	-
Phthisis	360	2	7	2	2	1	14	9	19	49	50	99	59	42	12	6	1	-
Hydrocephalus	58	23	13	9	2	2	49	6	2	1	-	-	-	-	-	-	-	-
Dis. of Brain	329	98	25	8	5	4	140	10	1	3	6	23	17	23	31	40	28	4
Dis. of Heart & Dropsy	239	3	3	-	-	1	7	1	2	5	2	14	14	28	53	60	39	8
Dis. of Lungs	304	89	40	14	8	3	154	5	-	4	4	11	9	13	21	45	29	9
Dis. of Stom. and Liver	169	35	12	3	-	1	51	6	2	3	4	8	15	21	28	22	8	1
Dis. of Kidneys	21	-	-	1	-	-	1	-	-	2	1	4	2	4	2	5	-	-
Dis. of Gener. Organs	15	-	-	-	-	-	-	-	-	-	1	2	4	6	1	1	-	-
Dis. of Joints	10	-	-	-	-	-	-	1	2	1	-	2	-	1	2	-	1	-
Dis. of Skin	5	1	-	-	-	-	1	-	-	-	1	-	1	-	1	1	-	-
Childbirth and Metria	60	-	-	-	-	-	-	-	-	3	10	23	17	2	-	-	-	-
Suicide	11	-	-	-	-	-	-	-	1	1	-	1	1	4	-	3	-	-
Other Violent Deaths	38	2	3	2	1	4	12	4	1	-	-	2	5	-	1	5	6	2
Other Causes	538	255	42	4	1	1	303	6	-	-	1	3	4	9	11	38	115	48
559.—ALNWICK.																		
Mean Popul^n, 1861–71	10541	248	244	246	254	245	1237	1214	1081	1049	918	1435	1129	1002	770	478	198	30
TOTAL DEATHS	2023	280	109	41	40	24	494	80	53	72	92	164	118	121	186	273	264	106
Small-pox	27	4	1	-	3	-	8	2	2	-	2	4	3	3	3	-	-	-
Measles	25	4	9	3	4	1	21	3	-	1	-	-	-	-	-	-	-	-
Scarlatina	65	5	7	2	13	5	32	21	4	3	-	5	-	-	-	-	-	-
Diphtheria	15	2	3	1	1	1	8	1	1	3	1	1	-	-	-	-	-	-
Whooping-cough	36	13	14	5	3	-	35	1	-	-	-	-	-	-	-	-	-	-
Typhus	59	-	1	2	1	3	7	9	4	7	4	7	7	2	4	8	-	-
Diarrhœa & Dysentery	60	16	6	1	-	1	24	-	-	-	-	1	1	3	4	12	12	3
Cholera	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-
Other Zymotic Dis.	65	12	7	6	5	2	32	7	1	1	1	4	1	2	3	5	6	2
Cancer	55	-	-	-	-	-	-	-	-	-	1	2	3	10	12	20	6	1
Scrofula and Tabes	37	10	8	-	-	2	20	4	2	1	1	1	1	4	1	2	-	-
Phthisis	263	2	7	1	2	-	12	6	19	35	49	80	41	29	16	5	1	-
Hydrocephalus	34	8	6	3	3	3	23	8	1	2	-	-	-	-	-	-	-	-
Dis. of Brain	212	37	9	5	-	4	55	4	3	1	6	15	5	13	33	36	30	11
Dis. of Heart & Dropsy	196	1	1	-	1	-	3	-	5	8	5	6	21	14	24	70	37	3
Dis. of Lungs	221	49	18	7	2	2	78	6	2	2	2	7	4	9	26	31	41	13
Dis. of Stom. and Liver	133	14	2	2	-	-	18	1	2	4	4	8	8	15	27	27	18	1
Dis. of Kidneys	15	-	-	1	-	-	1	-	-	-	2	3	1	2	2	1	2	1
Dis. of Gener. Organs	16	-	-	-	-	-	-	-	-	-	1	1	1	2	6	3	2	-
Dis. of Joints	8	-	-	-	-	-	-	1	1	-	3	-	-	1	1	1	-	-
Dis. of Skin	3	-	-	1	-	-	1	-	-	-	-	-	-	-	2	-	-	-
Childbirth and Metria	30	-	-	-	-	-	-	-	-	-	4	14	10	2	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-
Other Violent Deaths	29	3	2	-	1	-	6	3	1	3	3	1	1	1	3	2	5	-
Other Causes	383	100	8	1	1	-	110	3	4	1	3	4	8	9	18	49	103	71

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
560.—BELFORD.																		
Mean Popul^n, 1861–71	2866	75	71	77	83	80	386	357	343	300	235	318	291	259	197	129	45	6
TOTAL DEATHS	539	95	27	14	11	9	156	24	19	13	19	40	24	33	45	71	77	18
Small-pox	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
Measles	5	–	2	2	–	–	4	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	19	1	2	1	3	3	10	7	1	1	–	–	–	–	–	–	–	–
Diphtheria	15	2	1	1	3	1	8	4	2	1	–	–	–	–	–	–	–	–
Whooping-cough	7	5	2	–	–	–	7	–	–	–	–	–	–	–	–	–	–	–
Typhus	18	–	–	–	–	–	–	2	2	2	3	2	1	–	3	2	1	–
Diarrhœa & Dysentery	10	2	–	–	–	–	2	–	–	–	–	–	–	1	2	2	3	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	9	1	1	3	1	1	7	–	–	–	–	–	–	–	–	1	1	–
Cancer	7	–	–	–	–	–	–	–	–	–	–	–	1	–	3	2	1	–
Scrofula and Tabes	10	4	–	–	–	–	4	–	3	–	–	–	–	2	1	–	–	–
Phthisis	50	–	–	1	–	1	2	–	3	4	8	18	2	6	5	2	–	–
Hydrocephalus	10	3	5	–	1	1	10	–	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	40	3	1	–	1	2	7	1	1	–	1	1	2	1	9	9	6	2
Dis. of Heart & Dropsy	44	1	–	–	–	–	1	1	–	1	–	5	4	5	3	15	9	
Dis. of Lungs	65	11	4	1	1	–	17	4	1	–	1	4	1	6	6	15	8	2
Dis. of Stom. and Liver	32	8	1	2	–	–	11	–	1	–	–	1	2	2	9	3	3	–
Dis. of Kidneys	7	–	–	–	–	–	–	–	–	–	1	–	1	2	–	1	2	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	3	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
Dis. of Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Other Violent Deaths	32	2	2	–	–	–	4	1	2	3	2	7	8	2	2	1	–	–
Other Causes	152	52	6	3	1	–	62	3	3	–	–	1	1	5	2	18	43	11
561.—BERWICK.																		
Mean Popul^n, 1861–71	10204	268	271	275	291	288	1393	1343	1252	1103	801	1166	1029	889	656	408	150	14
TOTAL DEATHS	2144	420	140	82	53	43	738	118	48	83	73	128	110	116	169	257	222	52
Small-pox	26	10	2	3	–	1	16	1	1	1	–	–	4	3	–	–	–	–
Measles	40	4	13	7	4	5	33	3	2	1	–	–	1	–	–	–	–	–
Scarlatina	101	8	11	19	13	13	64	28	4	–	3	2	–	–	–	–	–	–
Diphtheria	41	7	6	6	4	1	24	11	2	1	–	–	1	1	1	–	–	–
Whooping-cough	45	19	13	5	3	2	42	3	–	–	–	–	–	–	–	–	–	–
Typhus	103	–	6	5	3	3	17	17	5	10	8	16	7	7	11	4	1	–
Diarrhœa & Dysentery	52	21	8	2	–	–	31	–	1	1	–	–	1	2	–	7	8	1
Cholera	10	5	1	1	–	–	7	1	–	–	–	–	1	1	–	–	–	–
Other Zymotic Dis.	61	4	12	5	5	6	32	5	3	–	2	4	–	3	3	2	7	–
Cancer	43	–	–	–	–	–	–	–	–	–	–	1	3	11	8	16	3	1
Scrofula and Tabes	17	4	1	1	2	1	9	1	–	1	1	2	1	–	1	–	1	–
Phthisis	222	–	3	–	1	1	5	7	8	34	32	61	30	20	18	7	–	–
Hydrocephalus	27	11	6	3	1	1	22	4	–	–	–	1	–	–	–	–	–	–
Dis. of Brain	204	32	5	6	1	2	46	7	3	5	1	5	7	22	29	49	30	–
Dis. of Heart & Dropsy	150	1	2	–	3	–	6	3	5	9	2	6	9	17	28	45	24	3
Dis. of Lungs	221	65	19	6	5	1	96	3	–	3	3	9	10	17	27	35	15	3
Dis. of Stom. and Liver	137	36	6	1	1	–	44	4	1	2	1	5	14	15	17	22	12	–
Dis. of Kidneys	35	1	–	–	1	1	3	–	–	3	2	1	1	5	7	4	8	1
Dis. of Gener. Organs	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	13	–	–	1	–	–	1	3	3	2	1	–	–	1	–	2	–	–
Dis. of Skin	10	4	1	–	–	–	5	1	–	1	–	–	–	–	3	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	10	–	–	–	–	–	–	–	–	1	2	1	2	2	1	1	–	–
Other Violent Deaths	118	7	3	5	2	4	21	9	9	13	13	12	14	11	7	7	2	–
Other Causes	457	180	22	6	4	1	213	7	1	2	2	2	4	8	8	56	111	4
562.—GLENDALE.																		
Mean Popul^n, 1861–71	6087	157	170	163	162	175	827	769	756	677	512	710	606	531	383	215	88	1
TOTAL DEATHS	939	172	43	22	23	13	273	34	31	24	29	54	45	64	87	138	127	3
Small-pox	8	4	–	–	–	–	4	–	–	–	–	–	2	1	1	–	–	
Measles	11	2	4	1	–	–	7	2	2	–	–	–	–	–	–	–	–	
Scarlatina	27	6	2	5	4	5	22	4	1	–	–	–	–	–	–	–	–	
Diphtheria	10	2	–	1	3	1	7	1	–	–	–	–	2	–	–	–	–	
Whooping-cough	13	7	–	2	2	–	11	2	–	–	–	–	–	–	–	–	–	
Typhus	40	1	2	–	1	1	5	1	9	4	4	3	6	–	6	1	1	
Diarrhœa & Dysentery	23	8	8	–	–	–	16	–	–	1	–	–	1	–	–	1	4	
Cholera	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
Other Zymotic Dis.	30	5	1	2	1	3	12	7	1	–	2	1	1	1	2	2	1	
Cancer	12	–	–	–	–	–	–	–	–	–	–	–	–	2	2	7	1	
Scrofula and Tabes	12	4	1	1	1	–	7	1	1	–	1	–	–	1	1	–	–	
Phthisis	74	–	1	–	–	–	1	–	1	10	8	29	11	8	4	2	–	
Hydrocephalus	16	1	7	–	4	1	13	3	–	–	–	–	–	–	–	–	–	
Dis. of Brain	118	15	4	–	1	–	20	4	4	–	2	3	3	9	14	31	28	
Dis. of Heart & Dropsy	126	–	–	–	–	1	1	2	4	4	2	7	7	15	19	43	21	
Dis. of Lungs	117	31	3	4	4	–	42	4	3	2	1	2	5	7	14	13	20	
Dis. of Stom. and Liver	75	11	3	2	1	–	17	1	–	1	4	5	3	8	16	12	8	
Dis. of Kidneys	17	–	–	–	–	–	–	–	–	–	1	1	3	2	1	5	3	
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
Dis. of Joints	3	–	–	–	–	1	1	–	–	–	2	–	–	–	–	–	–	
Dis. of Skin	8	3	–	2	–	–	5	–	–	–	–	–	–	1	1	1	–	
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
Other Violent Deaths	23	–	2	1	–	–	3	2	5	2	1	2	–	7	–	1	–	
Other Causes	173	72	4	1	1	–	78	–	–	–	1	1	1	–	6	19	40	

Mean Population, 1851–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 upwards.
560.—BELFORD.																		
Mean Popul^n, 1861–71	3188	74	77	72	67	73	363	332	370	329	293	426	325	305	223	146	65	11
TOTAL DEATHS	531	73	22	21	14	5	135	21	16	17	14	31	25	34	45	73	83	37
Small-pox	2	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Measles	8	-	2	2	-	-	4	2	1	-	-	1	-	-	-	-	-	-
Scarlatina	13	-	-	3	3	1	7	4	2	-	-	-	-	-	-	-	-	-
Diphtheria	22	2	2	4	3	-	11	8	2	-	-	1	-	-	-	-	-	-
Whooping-cough	4	3	-	1	-	-	4	-	-	-	-	-	-	-	-	-	-	-
Typhus	15	-	-	-	-	1	1	1	3	4	1	-	2	-	1	-	1	1
Diarrhœa & Dysentery	5	1	-	1	-	-	2	-	-	-	-	-	-	-	1	1	1	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	10	2	3	1	-	-	6	1	-	1	-	-	-	1	1	-	-	-
Cancer	14	-	-	-	-	-	-	-	-	-	-	1	-	1	4	3	5	-
Scrofula and Tabes	5	2	-	1	-	1	4	-	1	-	-	-	-	-	-	-	-	-
Phthisis	68	-	-	1	-	-	1	2	4	9	8	12	13	10	6	3	-	-
Hydrocephalus	11	3	2	4	-	1	10	-	-	1	-	-	-	-	-	-	-	-
Disease of Brain	48	2	1	1	3	-	7	-	1	-	1	2	1	9	3	13	10	1
Disease of Heart & Dropsy	50	-	-	-	-	-	-	1	1	-	1	4	-	5	13	15	9	1
Disease of Lungs	33	4	-	1	2	1	8	-	-	-	-	2	2	2	5	8	6	-
Disease of Stom. and Liver	31	5	1	-	2	-	8	-	-	-	-	2	1	4	5	11	2	-
Disease of Kidneys	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Disease of Gener. Organs	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-
Disease of Joints	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Disease of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	11	-	-	-	-	-	-	-	-	1	2	5	3	-	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	2	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Other Causes	170	49	10	1	-	-	60	2	1	1	1	1	1	1	3	13	47	34
561.—BERWICK.																		
Mean Popul^n, 1861–71	11426	308	256	284	269	274	1391	1317	1231	1133	958	1475	1236	1081	819	540	218	27
TOTAL DEATHS	2224	330	142	76	60	51	659	105	54	56	62	133	120	115	205	304	301	110
Small-pox	23	2	4	1	-	1	8	4	-	-	1	2	3	1	3	-	1	-
Measles	56	4	8	7	8	6	33	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	112	10	13	19	15	13	70	31	5	2	3	1	-	-	-	-	-	-
Diphtheria	27	3	3	2	7	3	18	6	2	1	-	-	-	-	-	-	-	-
Whooping-cough	65	23	21	5	4	6	59	7	-	-	-	-	-	-	-	-	-	-
Typhus	103	1	2	6	6	6	21	14	19	11	8	8	4	7	7	4	-	-
Diarrhœa & Dysentery	53	18	7	-	-	1	26	-	1	-	-	-	2	-	4	6	8	6
Cholera	4	1	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	1
Other Zymotic Dis.	63	6	8	10	3	4	31	6	-	1	1	2	3	3	4	4	6	2
Cancer	69	-	-	-	-	-	-	-	-	-	-	2	7	14	26	15	4	1
Scrofula and Tabes	21	2	6	-	2	1	11	2	-	2	3	1	-	1	1	-	-	-
Phthisis	219	1	2	1	4	1	9	5	12	26	26	65	34	21	16	4	-	1
Hydrocephalus	26	9	7	3	1	-	20	4	2	-	-	-	-	-	-	-	-	-
Disease of Brain	222	24	4	4	1	2	37	5	4	1	3	8	4	12	32	72	33	11
Disease of Heart & Dropsy	116	1	1	-	1	1	4	-	-	3	3	7	17	20	26	44	21	1
Disease of Lungs	189	35	16	4	4	2	61	4	3	2	3	4	11	10	29	31	27	4
Disease of Stom. and Liver	112	19	3	2	-	1	25	4	-	2	1	9	15	8	19	16	10	3
Disease of Kidneys	22	-	1	-	-	-	1	1	-	1	3	2	2	1	2	5	4	-
Disease of Gener. Organs	15	-	-	-	-	-	-	-	-	-	1	2	4	2	4	1	-	1
Disease of Joints	8	-	-	-	-	-	-	-	2	1	1	-	1	1	2	-	-	-
Disease of Skin	7	3	-	-	-	-	3	-	1	-	-	-	-	-	2	1	-	-
Childbirth and Metria	24	-	-	-	-	-	-	-	-	1	2	12	8	1	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Other Violent Deaths	48	6	5	2	1	1	15	5	2	2	1	-	-	2	6	5	9	1
Other Causes	607	160	31	10	3	2	206	4	-	-	2	8	4	10	21	96	178	78
562.—GLENDALE.																		
Mean Popul^n, 1861–71	6612	174	161	156	148	173	812	749	693	681	639	910	714	588	429	268	111	18
TOTAL DEATHS	977	123	29	24	21	15	212	42	26	26	37	72	62	71	91	129	156	53
Small-pox	7	1	-	-	1	-	2	-	-	1	1	1	1	1	-	-	-	-
Measles	7	-	-	1	1	1	3	3	-	-	-	-	1	-	-	-	-	-
Scarlatina	31	-	2	4	6	4	16	14	1	-	-	-	-	-	-	-	-	-
Diphtheria	12	-	1	1	1	2	5	1	3	-	1	-	1	-	1	-	-	-
Whooping-cough	11	5	3	1	1	1	11	-	-	-	-	-	-	-	-	-	-	-
Typhus	41	-	2	1	1	1	5	4	5	4	5	3	7	4	1	3	2	-
Diarrhœa & Dysentery	25	9	-	-	-	-	9	-	-	-	-	2	-	2	2	2	7	1
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Other Zymotic Dis.	26	1	2	5	3	-	11	3	-	1	-	-	2	-	2	4	2	1
Cancer	22	-	-	-	-	-	-	-	-	-	-	2	2	3	7	4	4	-
Scrofula and Tabes	8	2	-	-	1	1	4	1	2	-	-	-	-	-	1	-	-	-
Phthisis	116	1	-	1	-	-	2	2	8	11	18	38	17	11	8	1	-	-
Hydrocephalus	8	2	1	2	1	-	6	2	-	-	-	-	-	-	-	-	-	-
Disease of Brain	85	7	6	-	1	-	14	6	1	1	2	-	3	7	10	21	19	1
Disease of Heart & Dropsy	111	1	-	-	1	-	2	2	-	2	2	3	4	17	25	30	22	2
Disease of Lungs	103	17	2	3	-	3	25	-	4	2	2	3	6	9	10	22	16	4
Disease of Stom. and Liver	67	11	1	-	1	-	13	1	1	2	3	4	4	9	13	12	4	1
Disease of Kidneys	19	-	-	1	-	-	1	1	-	-	1	3	2	2	5	3	1	-
Disease of Gener. Organs	6	-	-	-	-	-	-	-	-	1	-	-	2	1	1	1	-	-
Disease of Joints	6	1	1	1	-	-	3	-	-	1	-	-	-	-	-	1	1	-
Disease of Skin	5	3	1	-	1	-	5	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	22	-	-	-	-	-	-	-	-	-	2	11	9	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Violent Deaths	8	-	-	-	1	-	1	1	1	-	-	-	-	1	-	1	3	-
Other Causes	227	62	7	3	-	2	74	1	-	-	-	2	1	3	5	21	7	42

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–
563.—ROTHBURY.																	
Mean Popul^n, 1861–71	3543	94	92	98	87	101	472	420	401	352	272	456	383	310	241	150	71
TOTAL DEATHS	530	90	20	12	7	6	135	25	20	11	14	24	35	34	50	71	82
Small-pox	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Measles	3	–	–	1	1	1	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	7	1	–	–	1	1	3	4	–	–	–	–	–	–	–	–	–
Diphtheria	19	1	–	3	2	1	7	9	3	–	–	–	–	–	–	–	–
Whooping-cough	7	2	3	1	–	–	6	1	–	–	–	–	–	–	–	–	–
Typhus	12	–	–	–	–	1	1	–	1	1	–	2	1	1	3	1	1
Diarrhœa & Dysentery	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	6	1	1	–	–	–	2	1	–	–	–	–	1	–	1	1	–
Cancer	8	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	4
Scrofula and Tabes	8	1	1	–	–	–	2	2	1	1	–	2	–	–	–	–	–
Phthisis	67	–	–	–	–	–	–	1	3	4	8	14	15	13	8	1	–
Hydrocephalus	4	1	1	–	–	–	2	1	–	–	1	–	–	–	–	–	–
Dis. of Brain	56	12	3	1	–	1	17	1	2	1	1	–	1	1	3	19	7
Dis. of Heart & Dropsy	54	1	–	–	–	–	1	1	1	–	1	–	6	2	11	15	11
Dis. of Lungs	53	12	5	4	1	1	23	–	1	–	–	1	3	2	7	7	8
Dis. of Stom. and Liver	44	5	2	1	–	–	8	–	1	2	–	2	1	4	10	12	3
Dis. of Kidneys	11	1	–	–	–	–	1	–	–	–	–	–	3	2	1	–	4
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Dis. of Skin	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	6	–	–	–	–	–	–	–	–	–	–	–	1	3	2	–	–
Other Violent Deaths	18	–	1	1	–	–	2	1	5	1	3	1	1	2	1	–	1
Other Causes	142	51	3	–	2	–	56	2	2	–	–	1	2	2	3	13	42
564.—ALSTON.																	
Mean Popul^n, 1861–71	3005	94	75	92	80	81	422	408	356	316	266	419	359	245	144	58	12
TOTAL DEATHS	653	152	34	19	12	15	232	28	16	17	25	51	38	83	77	58	25
Small-pox	2	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Measles	8	3	1	2	–	–	6	2	–	–	–	–	–	–	–	–	–
Scarlatina	38	5	4	6	6	6	27	7	2	–	1	–	1	–	–	–	–
Diphtheria	9	1	3	–	1	2	7	1	1	–	–	–	–	–	–	–	–
Whooping-cough	21	15	4	2	–	–	21	–	–	–	–	–	–	–	–	–	–
Typhus	10	1	–	–	–	–	1	2	–	–	1	2	1	2	–	1	–
Diarrhœa & Dysentery	29	17	3	1	–	1	22	1	1	–	–	–	1	1	1	2	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	17	3	–	3	–	3	9	1	–	1	1	1	–	1	1	1	–
Cancer	7	–	–	–	–	–	–	–	–	–	–	–	–	4	–	3	–
Scrofula and Tabes	20	3	3	–	1	–	7	1	4	2	2	2	2	–	–	–	–
Phthisis	56	–	–	–	–	–	–	–	3	6	6	12	12	9	4	4	–
Hydrocephalus	8	1	1	2	–	–	4	3	1	–	–	–	–	–	–	–	–
Dis. of Brain	59	13	2	1	–	–	16	4	2	2	3	5	4	5	7	8	3
Dis. of Heart & Dropsy	25	–	–	–	1	–	1	1	–	1	1	1	–	4	8	3	5
Dis. of Lungs	186	20	6	1	3	2	32	1	–	3	3	12	11	43	50	25	5
Dis. of Stom. and Liver	40	6	2	–	–	–	8	2	1	1	2	8	4	6	2	4	2
Dis. of Kidneys	6	–	–	–	–	–	–	–	–	1	1	1	1	1	1	–	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	5	–	–	–	–	–	–	1	–	–	–	1	1	1	–	1	–
Dis. of Skin	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Other Violent Deaths	22	1	3	1	–	–	5	1	1	–	3	5	–	3	1	2	1
Other Causes	83	61	2	–	–	1	64	–	–	–	–	1	–	2	2	4	9
565.—PENRITH.																	
Mean Popul^n, 1861–71	11534	290	292	279	308	257	1426	1315	1215	1173	1004	1471	1293	1116	790	497	204
TOTAL DEATHS	2248	455	102	61	41	32	691	73	27	58	59	121	131	180	231	321	268
Small-pox	13	3	1	–	–	–	4	–	–	1	–	1	3	1	2	1	–
Measles	21	6	6	1	4	1	18	3	–	–	–	–	–	–	–	–	–
Scarlatina	61	6	5	9	8	9	37	22	1	1	–	–	–	–	–	–	–
Diphtheria	24	4	4	4	3	4	19	1	–	4	–	–	–	–	–	–	–
Whooping-cough	23	14	5	1	1	2	23	–	–	–	–	–	–	–	–	–	–
Typhus	35	2	–	1	–	1	4	–	3	4	2	4	4	6	4	2	2
Diarrhœa & Dysentery	47	22	5	4	–	–	31	–	1	1	–	–	–	2	2	6	4
Cholera	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1
Other Zymotic Dis.	34	12	3	5	1	–	21	3	–	–	–	2	2	2	–	2	2
Cancer	45	–	–	–	–	–	–	–	–	–	1	1	1	5	13	14	8
Scrofula and Tabes	30	11	4	1	1	–	17	5	2	2	1	1	–	1	–	1	–
Phthisis	239	3	1	2	–	1	7	6	5	18	42	66	40	26	25	4	–
Hydrocephalus	46	11	15	7	3	4	40	3	2	–	–	–	1	–	–	–	–
Dis. of Brain	266	67	6	3	4	4	84	10	3	4	–	7	12	25	31	53	32
Dis. of Heart & Dropsy	192	3	3	–	2	–	8	2	2	3	5	6	13	23	39	62	25
Dis. of Lungs	282	66	19	5	4	1	95	4	3	3	3	6	21	23	40	46	34
Dis. of Stom. and Liver	118	16	1	2	2	–	21	2	–	4	2	11	6	19	24	19	8
Dis. of Kidneys	51	–	1	–	1	2	4	–	–	1	–	4	3	4	16	11	7
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	11	–	–	1	–	–	1	1	–	2	–	1	2	3	–	1	–
Dis. of Skin	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	23	–	–	–	–	–	–	–	–	–	–	3	3	8	4	5	–
Other Violent Deaths	103	7	4	6	3	–	20	6	3	9	3	5	14	17	8	12	6
Other Causes	579	202	19	9	4	3	237	5	2	1	–	3	6	13	21	82	139

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
563.—ROTHBURY.																		
Mean Popul^{n}, 1861–71	3571	94	90	97	89	89	459	414	350	364	328	500	385	317	245	143	56	10
TOTAL DEATHS	575	85	23	14	8	5	135	31	14	16	19	45	39	31	51	79	80	35
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	3	–	1	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	14	1	1	4	1	1	8	3	1	2	–	–	–	–	–	–	–	–
Diphtheria	18	1	2	2	2	2	9	4	3	–	–	2	–	–	–	–	–	–
Hooping-cough	5	3	1	1	–	–	5	–	–	–	–	–	–	–	–	–	–	–
Croup	19	1	1	–	–	–	2	2	1	2	3	4	1	–	2	2	–	–
Erysipelas & Dysentery	4	1	–	–	–	–	1	–	–	–	–	1	–	–	–	2	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	14	2	2	2	–	–	6	4	–	–	–	–	–	–	–	4	–	–
Cancer	8	–	–	–	–	–	–	–	–	–	–	–	1	2	2	1	2	–
Scrofula and Tabes	7	1	2	–	–	–	3	–	1	–	1	–	1	–	–	1	–	–
Phthisis	79	–	1	–	–	–	1	1	2	5	8	28	17	9	7	1	–	–
Bronchitis	5	–	1	2	1	–	4	1	–	–	–	–	–	–	–	–	–	–
Disease of Brain	62	13	1	–	1	1	16	4	1	3	–	2	2	2	9	11	10	2
Disease of Heart & Dropsy	52	1	2	–	–	–	3	–	–	1	–	3	3	7	10	13	8	4
Disease of Lungs	46	12	4	2	1	–	19	5	2	–	2	–	3	2	3	4	3	3
Disease of Stom. and Liver	59	5	–	–	–	1	6	1	–	1	2	3	5	5	6	17	11	2
Disease of Kidneys	5	1	1	–	–	–	2	–	–	–	1	1	–	–	–	–	1	–
Disease of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Disease of Joints	3	–	1	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–
Disease of Skin	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Childbirth and Metria	4	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Deaths	6	–	–	–	1	–	1	2	–	–	–	–	–	–	1	–	1	1
Other Causes	160	43	2	1	1	–	47	2	2	2	1	–	2	4	10	23	44	23
564.—ALSTON.																		
Mean Popul^{n}, 1861–71	3037	78	82	86	85	81	412	383	335	314	247	411	335	256	177	110	45	12
TOTAL DEATHS	624	132	33	20	8	14	207	24	16	32	29	57	37	27	55	67	47	26
Small-pox	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	6	2	1	2	–	–	5	–	–	1	–	–	–	–	–	–	–	–
Scarlatina	31	4	9	6	1	3	23	6	1	1	–	–	–	–	–	–	–	–
Diphtheria	11	–	1	3	–	1	5	6	–	–	–	–	–	–	–	–	–	–
Hooping-cough	15	5	4	2	2	2	15	–	–	–	–	–	–	–	–	–	–	–
Croup	9	–	1	–	–	1	2	1	1	1	–	–	1	2	–	–	1	–
Erysipelas & Dysentery	31	17	1	–	–	–	18	1	–	–	–	3	3	–	1	1	4	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	11	5	–	–	–	1	6	–	–	–	1	–	1	–	1	1	1	–
Cancer	15	–	–	–	–	–	–	–	–	–	1	–	3	1	4	4	1	1
Scrofula and Tabes	14	2	1	1	–	1	5	1	–	2	2	2	1	–	1	–	–	–
Phthisis	80	–	–	2	–	–	2	2	6	15	15	33	4	–	2	1	–	–
Bronchitis	5	2	1	2	–	–	5	–	–	–	–	–	–	–	–	–	–	–
Disease of Brain	61	14	–	–	–	–	14	3	4	7	2	3	1	2	5	12	5	3
Disease of Heart & Dropsy	35	1	–	–	–	1	2	–	–	–	–	–	3	5	8	7	6	4
Disease of Lungs	101	14	6	2	3	2	27	–	1	1	1	5	5	8	12	26	11	4
Disease of Stom. and Liver	53	8	2	–	–	1	11	1	2	2	2	2	8	5	11	7	2	–
Disease of Kidneys	14	–	–	–	1	–	1	1	–	–	–	3	1	1	5	1	1	–
Disease of Gener. Organs	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Disease of Joints	4	–	–	–	–	–	–	1	–	–	–	1	1	–	–	1	–	–
Disease of Skin	2	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
Childbirth and Metria	9	–	–	–	–	–	–	–	–	1	3	4	1	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Other Violent Deaths	3	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	1	–
Other Causes	111	57	6	–	1	–	64	1	–	–	1	1	3	2	5	6	14	14
565.—PENRITH.																		
Mean Popul^{n}, 1861–71	11496	318	286	307	277	296	1484	1319	1208	1044	996	1574	1265	1061	782	501	228	34
TOTAL DEATHS	2102	362	84	63	45	29	583	81	54	67	84	142	132	136	169	265	298	91
Small-pox	10	3	1	2	–	–	6	1	–	–	2	–	–	–	1	–	–	–
Measles	17	4	4	2	1	2	13	4	–	–	–	–	–	–	–	–	–	–
Scarlatina	70	8	6	9	8	7	38	19	9	2	1	1	–	–	–	–	–	–
Diphtheria	23	–	3	4	1	3	11	7	2	2	–	–	–	–	–	1	–	–
Hooping-cough	29	16	9	1	1	1	28	1	–	–	–	–	–	–	–	–	–	–
Croup	37	1	–	2	1	–	4	4	6	5	2	4	1	5	2	3	1	–
Erysipelas & Dysentery	44	20	6	1	1	–	28	–	–	–	2	1	–	2	3	2	2	4
Cholera	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Other Zymotic Dis.	48	5	5	4	3	3	20	7	3	1	1	–	8	1	4	6	2	–
Cancer	56	–	–	–	–	–	–	–	–	–	–	3	7	9	14	18	5	–
Scrofula and Tabes	25	6	2	1	–	2	11	2	3	1	3	2	1	2	–	–	–	–
Phthisis	277	1	–	1	–	–	2	2	16	37	45	80	48	30	12	4	1	–
Bronchitis	47	13	7	3	6	4	33	11	2	1	–	–	–	–	–	–	–	–
Disease of Brain	208	48	8	5	3	2	66	4	1	6	2	12	8	19	16	37	35	2
Disease of Heart & Dropsy	181	3	–	–	2	–	5	3	4	4	–	10	9	14	42	60	25	5
Disease of Lungs	225	49	13	8	7	4	81	7	3	–	10	7	11	14	25	39	21	7
Disease of Stom. and Liver	134	10	5	1	–	1	17	2	1	2	5	6	18	18	30	21	13	1
Disease of Kidneys	27	1	1	–	–	–	2	2	–	–	1	3	6	3	1	6	3	–
Disease of Gener. Organs	9	–	–	–	–	–	–	–	–	–	1	1	4	3	–	–	–	–
Disease of Joints	5	–	–	1	1	–	2	–	–	2	–	–	–	1	–	–	–	–
Disease of Skin	7	3	–	–	–	–	3	–	–	–	–	–	–	1	–	2	1	–
Childbirth and Metria	22	–	–	–	–	–	–	–	–	–	5	9	7	1	–	–	–	–
Suicide	5	–	–	–	–	–	–	–	–	–	1	–	2	1	1	–	–	–
Other Violent Deaths	29	3	1	5	1	–	10	4	3	2	–	1	1	2	1	1	2	2
Other Causes	565	167	13	13	9	–	202	1	1	2	3	2	6	10	17	65	186	70

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85
566.—BRAMPTON.																		
Mean Popul^n, 1861–71	5403	138	131	141	127	141	678	655	656	549	436	641	548	491	387	251	97	1
TOTAL DEATHS	1052	193	46	30	22	16	307	36	22	30	39	73	68	71	100	122	142	4
Small-pox	3	1	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	
Measles	25	5	10	6	2	2	25	-	-	-	-	-	-	-	-	-	-	
Scarlatina	37	2	-	7	5	6	20	12	4	-	1	-	-	-	-	-	-	
Diphtheria	17	1	2	-	3	1	7	8	-	1	-	1	-	-	-	-	-	
Whooping-cough	13	8	5	-	-	-	13	-	-	-	-	-	-	-	-	-	-	
Typhus	21	-	-	1	3	2	6	3	-	1	1	3	4	1	1	1	-	
Diarrhœa & Dysentery	15	4	1	-	-	-	5	-	-	-	1	1	-	-	1	1	6	
Cholera	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
Other Zymotic Dis.	17	1	3	1	1	-	6	-	1	-	1	-	-	2	1	4	2	
Cancer	18	-	-	-	-	-	-	-	-	-	-	-	1	3	6	4	4	
Scrofula and Tabes	15	4	3	-	-	-	7	2	1	1	3	1	-	-	-	-	-	
Phthisis	165	-	-	1	2	-	3	1	4	15	27	49	29	19	20	6	1	
Hydrocephalus	11	4	2	2	-	1	9	1	1	-	-	-	-	-	-	-	-	
Dis. of Brain	104	16	6	1	-	-	23	2	3	3	1	5	7	8	15	19	15	
Dis. of Heart & Dropsy	82	3	-	1	1	-	5	-	2	-	-	1	7	8	16	20	20	
Dis. of Lungs	94	17	6	5	2	-	30	2	-	1	1	2	4	9	12	12	15	
Dis. of Stom. and Liver	69	15	-	-	-	-	15	2	-	3	-	2	5	9	8	19	6	
Dis. of Kidneys	29	1	-	-	-	1	2	-	-	2	1	1	4	3	2	4	7	
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
Dis. of Joints	11	-	-	-	-	-	-	1	3	-	1	1	2	1	1	1	-	
Dis. of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	8	-	-	-	-	-	-	-	-	1	-	2	2	-	2	1	-	
Other Violent Deaths	40	1	-	2	1	2	6	-	3	2	1	3	7	6	7	2	3	
Other Causes	257	110	8	3	2	1	124	-	-	-	-	1	5	1	7	28	63	
567.—LONGTOWN.																		
Mean Popul^n, 1861–71	4876	126	122	112	118	123	601	560	540	449	449	669	548	425	321	201	99	
TOTAL DEATHS	900	202	48	22	15	8	295	37	30	26	29	51	50	46	61	111	127	
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	8	4	2	-	2	-	8	-	-	-	-	-	-	-	-	-	-	
Scarlatina	18	-	1	1	3	2	7	6	3	1	1	-	-	-	-	-	-	
Diphtheria	9	1	3	1	1	-	6	2	-	-	1	-	-	-	-	-	-	
Whooping-cough	16	10	5	-	1	-	16	-	-	-	-	-	-	-	-	-	-	
Typhus	10	1	-	1	1	-	3	2	-	1	-	-	2	1	-	-	1	
Diarrhœa & Dysentery	24	12	-	1	1	-	14	-	-	-	-	1	-	1	-	3	4	
Cholera	5	1	-	-	-	-	1	2	-	-	-	-	-	-	-	1	-	
Other Zymotic Dis.	21	3	3	-	1	-	7	3	1	-	-	-	-	1	3	3	3	
Cancer	18	-	-	-	-	1	1	-	-	-	-	1	1	-	1	8	6	
Scrofula and Tabes	13	1	4	1	-	-	6	1	4	1	-	1	-	-	-	-	-	
Phthisis	135	4	6	2	1	1	14	8	8	13	23	28	19	10	8	3	1	
Hydrocephalus	9	3	2	-	-	2	7	2	-	-	-	-	-	-	-	-	-	
Dis. of Brain	117	37	2	3	1	-	43	3	4	1	2	3	5	2	11	21	17	
Dis. of Heart & Dropsy	47	1	-	-	-	-	1	-	2	1	-	1	4	5	9	11	11	
Dis. of Lungs	88	10	6	4	-	2	22	3	1	4	1	1	5	7	7	19	17	
Dis. of Stom. and Liver	50	6	2	1	-	-	9	-	1	2	-	3	4	5	11	10	4	
Dis. of Kidneys	14	-	-	-	-	-	-	1	-	-	-	1	1	1	1	6	3	
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
Dis. of Joints	7	-	-	-	-	-	-	-	1	1	-	1	2	-	2	-	-	
Dis. of Skin	8	2	-	-	-	-	2	-	-	-	-	-	-	2	-	2	2	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	7	-	-	-	-	-	-	-	-	-	-	2	1	3	-	1	-	
Other Violent Deaths	37	1	1	2	-	-	4	3	5	-	1	5	3	5	2	7	2	
Other Causes	238	105	11	5	3	-	124	1	-	1	-	2	2	3	6	16	56	
568.—CARLISLE.																		
Mean Popul^n, 1861–71	21702	628	582	578	591	581	2960	2670	2387	2191	1778	3029	2386	1920	1335	741	267	
TOTAL DEATHS	5408	1328	374	188	137	85	2112	248	124	152	175	342	362	369	503	529	389	
Small-pox	34	6	6	3	3	1	19	3	1	-	2	3	3	3	-	-	-	
Measles	151	11	64	33	21	4	133	12	2	1	-	1	-	1	1	-	-	
Scarlatina	191	18	22	27	26	17	110	64	12	3	-	1	1	-	-	-	-	
Diphtheria	37	4	7	3	2	3	19	11	2	2	1	-	1	1	-	-	-	
Whooping-cough	170	80	42	19	15	8	164	4	2	-	-	-	-	-	-	-	-	
Typhus	178	1	1	7	8	6	23	21	15	20	8	19	21	17	19	9	6	
Diarrhœa & Dysentery	224	116	37	6	1	2	162	2	1	1	3	5	3	7	10	10	14	
Cholera	3	1	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	
Other Zymotic Dis.	120	22	20	19	11	7	79	6	3	1	3	3	3	4	6	8	4	
Cancer	77	-	-	-	-	1	1	-	-	2	-	1	7	16	25	17	8	
Scrofula and Tabes	52	11	15	2	5	3	36	2	4	3	2	2	1	-	2	-	-	
Phthisis	667	16	12	4	6	3	41	27	21	68	95	153	105	73	56	27	1	
Hydrocephalus	85	18	11	9	7	7	52	21	7	1	1	-	1	2	-	-	-	
Dis. of Brain	712	243	23	16	6	3	291	19	12	5	8	23	43	44	79	109	63	
Dis. of Heart & Dropsy	386	4	2	-	-	-	6	5	9	9	11	32	41	56	93	79	40	
Dis. of Lungs	681	162	63	22	10	8	270	18	3	9	4	21	33	39	89	111	76	
Dis. of Stom. and Liver	296	42	5	6	1	2	56	5	8	1	5	19	20	36	23	29	3	
Dis. of Kidneys	123	1	-	2	-	1	4	2	1	3	4	17	19	15	26	19	13	
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
Dis. of Joints	25	-	-	-	-	-	-	2	4	4	1	5	4	3	1	1	-	
Dis. of Skin	8	3	-	-	-	-	3	-	1	-	-	-	1	1	1	-	1	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	31	-	-	-	-	-	-	-	-	1	2	2	4	8	8	4	2	
Other Violent Deaths	234	11	6	3	11	7	38	15	10	14	22	29	30	23	26	15	9	
Other Causes	1010	558	33	7	4	2	604	9	6	4	3	6	20	19	38	90	143	

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
566.—BRAMPTON.																		
Mean Populn, 1861–71	5334	131	114	142	130	125	642	611	625	510	475	702	567	468	362	242	113	17
TOTAL DEATHS	987	158	47	21	15	4	245	38	31	33	47	78	67	57	82	120	146	43
Small-pox	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Measles	22	6	8	2	1	-	17	3	2	-	-	-	-	-	-	-	-	-
Scarlatina	12	-	2	3	3	-	8	-	2	1	-	1	-	-	-	-	-	-
Diphtheria	19	-	1	4	1	1	7	7	3	1	-	-	-	-	-	1	-	-
Whooping-cough	13	7	4	1	-	-	12	1	-	-	-	-	-	-	-	-	-	-
Typhus	24	2	1	-	1	-	4	4	2	1	3	2	2	1	4	-	1	-
Diarrhœa & Dysentery	18	9	-	-	1	-	10	-	-	-	-	1	3	-	-	-	3	1
Cholera	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	21	1	3	2	-	-	6	3	-	1	2	-	-	-	1	5	3	-
Cancer	29	-	-	-	-	-	-	-	-	-	-	-	6	2	11	6	4	-
Scrofula and Tabes	13	2	4	1	1	-	8	1	1	2	-	1	-	-	-	-	-	-
Phthisis	147	2	-	1	-	-	3	2	10	18	27	35	23	16	7	6	-	-
Hydrocephalus	8	3	3	-	1	-	7	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	76	12	2	1	1	2	18	-	4	1	1	5	4	6	12	13	10	2
Dis. of Heart & Dropsy	101	1	2	2	-	-	5	3	3	3	4	7	9	16	16	16	15	4
Dis. of Lungs	79	15	9	1	5	1	31	2	1	-	1	5	5	2	10	14	7	1
Dis. of Stom. and Liver	62	7	2	2	-	-	11	4	2	2	1	5	5	5	10	15	2	-
Dis. of Kidneys	14	-	-	-	-	-	-	-	-	-	2	2	3	2	2	1	-	2
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-
Dis. of Joints	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
Dis. of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	12	-	-	-	-	-	-	-	-	-	2	7	3	-	-	-	-	-
Suicide	6	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	-
Other Violent Deaths	13	2	-	-	-	-	2	3	1	-	-	1	1	1	-	2	2	-
Other Causes	289	88	6	1	-	-	95	3	-	2	2	3	2	5	7	39	98	33
567.—LONGTOWN.																		
Mean Populn, 1861–71	4492	122	112	124	131	100	589	550	485	417	360	596	475	386	307	205	103	19
TOTAL DEATHS	856	132	40	28	18	15	233	27	23	26	34	63	55	43	76	115	109	52
Small-pox	3	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-
Measles	5	1	3	-	-	1	5	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	16	-	1	2	4	4	11	2	-	1	1	-	-	1	-	-	-	-
Diphtheria	8	2	2	-	-	2	6	-	-	-	-	1	-	1	-	-	-	-
Whooping-cough	19	3	7	5	2	1	18	1	-	-	-	-	-	-	-	-	-	-
Typhus	17	-	-	1	2	-	3	2	1	1	1	3	2	1	2	-	1	-
Diarrhœa & Dysentery	18	5	2	1	1	1	10	-	-	-	-	-	1	2	1	4	-	-
Cholera	5	1	1	-	-	-	2	1	1	-	-	-	1	-	-	-	-	-
Other Zymotic Dis.	25	3	3	-	4	-	10	2	1	-	2	1	-	-	1	5	3	-
Cancer	22	-	-	-	-	-	-	-	-	-	-	-	3	3	8	5	3	-
Scrofula and Tabes	9	5	1	2	-	-	8	1	-	-	-	-	-	-	-	-	-	-
Phthisis	168	6	8	6	2	3	25	6	16	19	18	32	25	12	9	6	-	-
Hydrocephalus	4	-	1	1	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	94	12	3	3	1	-	19	1	-	-	4	6	5	4	12	21	21	1
Dis. of Heart & Dropsy	48	1	-	1	-	1	3	1	-	2	1	2	5	3	8	14	7	2
Dis. of Lungs	75	3	1	1	2	1	8	1	2	-	2	1	3	3	12	24	17	2
Dis. of Stom. and Liver	51	6	-	1	-	-	7	1	1	1	2	6	3	6	13	12	2	-
Dis. of Kidneys	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Dis. of Gener. Organs	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	-
Dis. of Joints	3	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
Dis. of Skin	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Childbirth and Metria	16	-	-	-	-	-	-	-	-	1	2	7	5	1	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Other Violent Deaths	9	-	1	1	-	-	2	1	-	-	-	1	-	2	-	2	-	1
Other Causes	228	84	6	3	-	-	93	5	-	-	-	-	-	2	9	18	55	46
568.—CARLISLE.																		
Mean Populn, 1861–71	24021	689	524	615	569	548	2945	2668	2443	2386	2298	3493	2771	2164	1532	927	343	51
TOTAL DEATHS	5515	1141	385	230	148	94	1998	212	126	174	198	406	341	391	439	573	509	148
Small-pox	45	8	6	3	3	4	24	7	2	2	1	3	4	1	1	-	-	-
Measles	157	26	45	40	18	10	139	15	2	-	-	-	1	-	-	-	-	-
Scarlatina	204	19	21	26	31	21	118	61	17	2	4	-	2	-	-	-	-	-
Diphtheria	54	4	12	6	7	2	31	10	5	-	-	2	1	1	-	1	-	-
Whooping-cough	210	85	59	27	18	15	204	6	-	-	-	-	-	-	-	-	-	-
Typhus	198	2	4	5	8	5	24	19	22	19	16	28	13	18	15	20	4	-
Diarrhœa & Dysentery	241	119	38	8	3	-	168	-	1	2	1	12	3	7	11	17	15	4
Cholera	5	1	-	2	-	-	3	-	-	-	-	-	1	-	1	-	-	-
Other Zymotic Dis.	116	15	20	14	11	6	66	8	2	2	-	3	6	6	7	9	6	1
Cancer	165	-	-	-	-	-	-	-	1	1	1	9	21	45	34	38	11	1
Scrofula and Tabes	61	9	12	8	5	3	37	5	2	5	3	4	3	1	1	-	-	-
Phthisis	759	11	13	5	3	-	32	13	37	91	110	190	158	70	48	24	3	-
Hydrocephalus	93	26	19	14	6	6	71	11	4	3	-	1	-	-	-	-	-	-
Dis. of Brain	622	211	32	13	4	2	262	16	7	6	10	19	32	52	56	79	72	11
Dis. of Heart & Dropsy	447	2	3	1	2	1	9	4	7	11	11	40	33	74	87	110	56	5
Dis. of Lungs	622	128	60	29	17	8	237	11	5	7	8	13	15	45	89	106	70	16
Dis. of Stom. and Liver	214	23	3	2	4	1	33	2	3	5	7	13	18	25	37	36	29	6
Dis. of Kidneys	69	2	-	1	1	-	4	2	3	4	3	13	8	18	13	5	1	-
Dis. of Gener. Organs	17	-	-	-	-	-	-	-	-	-	-	2	2	5	3	3	2	-
Dis. of Joints	21	-	-	2	1	-	3	1	1	3	1	5	1	2	1	3	-	-
Dis. of Skin	10	1	-	-	-	1	2	-	-	1	-	1	-	-	3	2	1	-
Childbirth and Metria	85	-	-	-	-	-	-	-	-	3	16	40	21	2	-	-	-	-
Suicide	15	-	-	-	-	-	-	-	1	1	-	-	2	6	2	3	-	-
Other Violent Deaths	77	7	-	7	8	5	27	6	3	-	4	3	2	7	6	7	10	2
Other Causes	1011	442	38	17	3	4	501	12	1	3	2	5	11	11	21	110	226	102

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85
569.—WIGTON.																		
Mean Popul^n, 1861-71	11283	297	289	292	283	264	1425	1352	1313	1139	914	1415	1151	1016	824	507	199	2
TOTAL DEATHS	2315	463	126	67	44	47	747	101	64	66	85	158	122	142	194	266	285	8
Small-pox	4	1	–	–	1	–	2	–	–	1	–	–	–	1	–	–	–	
Measles	17	3	5	1	1	5	15	2	–	–	–	–	–	–	–	–	–	
Scarlatina	68	2	9	10	7	8	36	23	4	1	2	1	1	–	–	–	–	
Diphtheria	19	2	3	2	–	2	9	3	4	1	–	1	1	–	–	–	–	
Whooping-cough	47	20	15	5	4	1	45	2	–	–	–	–	–	–	–	–	–	
Typhus	72	3	–	5	4	3	15	4	6	6	9	8	7	8	4	5	–	
Diarrhœa & Dysentery	31	13	2	2	–	–	17	–	1	–	–	1	2	3	–	4	3	
Cholera	4	2	–	1	–	–	3	–	–	–	–	–	–	–	1	–	–	
Other Zymotic Dis.	67	10	9	7	7	5	38	7	2	1	1	2	1	4	–	6	4	
Cancer	43	–	–	–	–	–	–	–	–	–	–	2	2	4	11	14	10	
Scrofula and Tabes	27	6	4	1	3	2	16	1	1	1	1	3	1	1	1	1	–	
Phthisis	308	6	4	1	1	–	12	6	17	42	50	76	47	24	26	6	2	
Hydrocephalus	50	17	10	6	1	5	39	10	–	1	–	–	–	–	–	–	–	
Dis. of Brain	152	22	3	3	3	3	34	6	3	1	1	13	7	15	18	22	27	
Dis. of Heart & Dropsy	148	4	1	2	1	1	9	5	4	–	3	9	9	21	27	31	28	
Dis. of Lungs	209	38	15	7	5	1	66	7	4	–	1	8	9	12	29	41	26	
Dis. of Stom. and Liver	155	47	4	2	–	1	54	7	3	3	1	8	7	19	20	27	6	
Dis. of Kidneys	36	–	1	–	1	–	2	–	–	–	1	2	5	4	9	7	5	
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Dis. of Joints	14	–	1	–	–	2	3	2	1	–	3	2	–	1	1	–	1	
Dis. of Skin	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Suicide	24	–	–	–	–	–	–	–	–	–	2	2	2	4	8	6	–	
Other Violent Deaths	107	3	4	4	2	4	17	9	9	5	8	12	13	11	8	8	7	
Other Causes	711	264	36	8	3	4	315	7	5	3	2	8	7	9	31	88	166	7
570.—COCKERMOUTH.																		
Mean Popul^n, 1861-71	21379	641	581	636	605	601	3064	2696	2364	2120	1838	2907	2295	1848	1243	717	249	3
TOTAL DEATHS	5100	1250	392	183	145	116	2086	237	150	162	165	309	285	320	391	512	375	1
Small-pox	50	15	2	4	1	2	24	6	3	1	5	5	3	2	1	–	–	
Measles	102	15	52	21	11	1	100	2	–	–	–	–	–	–	–	–	–	
Scarlatina	271	15	41	38	36	38	168	73	20	6	2	1	1	–	–	–	–	
Diphtheria	26	1	4	1	6	3	15	3	3	2	1	–	1	–	–	1	–	
Whooping-cough	91	40	22	13	8	5	88	3	–	–	–	–	–	–	–	–	–	
Typhus	236	6	6	8	9	11	40	25	15	24	12	37	19	18	13	19	11	
Diarrhœa & Dysentery	270	141	50	9	4	1	205	5	1	–	1	–	–	4	10	22	20	
Cholera	13	5	1	–	1	–	7	1	1	–	–	1	–	–	3	–	–	
Other Zymotic Dis.	144	23	26	16	20	12	97	9	5	3	2	–	2	7	8	8	2	
Cancer	49	–	–	–	1	–	1	–	–	–	–	2	4	8	19	8	6	
Scrofula and Tabes	109	45	16	4	3	2	70	10	4	8	4	2	3	4	3	1	–	
Phthisis	503	3	2	2	4	5	16	16	24	51	81	132	73	56	37	13	1	
Hydrocephalus	125	44	32	9	8	7	100	23	2	–	–	–	–	–	–	–	–	
Dis. of Brain	527	165	19	8	6	6	201	9	8	15	6	15	30	39	57	83	56	
Dis. of Heart & Dropsy	310	7	1	1	1	1	11	5	5	9	3	13	18	37	65	95	44	
Dis. of Lungs	545	134	45	13	4	8	204	10	6	10	5	13	31	26	66	102	58	
Dis. of Stom. and Liver	258	36	12	4	3	–	55	7	9	5	4	13	24	37	39	39	23	
Dis. of Kidneys	92	–	1	1	1	1	4	–	2	2	1	12	9	7	18	20	16	
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
Dis. of Joints	27	1	–	–	–	–	1	5	2	2	2	4	2	1	2	6	–	
Dis. of Skin	21	6	1	1	–	2	10	1	–	–	–	–	2	3	2	2	1	
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Suicide	21	–	–	–	–	–	–	–	–	–	–	1	9	3	3	3	2	
Other Violent Deaths	299	13	4	7	8	5	37	12	35	22	27	48	36	31	25	17	7	
Other Causes	1010	535	55	23	10	6	629	12	5	2	6	10	18	36	20	73	128	
571.—WHITEHAVEN.																		
Mean Popul^n, 1861-71	21749	700	660	630	605	602	3197	2682	2333	2080	2143	3416	2328	1651	1129	567	198	3
TOTAL DEATHS	5528	1387	491	228	142	129	2377	276	128	161	197	401	339	356	436	445	338	
Small-pox	90	21	6	10	3	4	44	10	–	4	13	14	2	2	1	–	–	
Measles	147	35	44	39	15	5	138	8	1	–	–	–	–	–	–	–	–	
Scarlatina	236	12	34	35	29	29	139	71	16	4	1	3	2	–	–	–	–	
Diphtheria	30	7	1	6	5	4	23	2	2	1	2	–	–	–	–	–	–	
Whooping-cough	98	42	25	11	7	6	91	7	–	–	–	–	–	–	–	–	–	
Typhus	347	5	8	8	10	15	46	35	22	38	34	60	36	27	28	18	3	
Diarrhœa & Dysentery	185	81	52	4	3	3	143	3	3	1	2	2	1	3	9	9	7	
Cholera	15	4	–	–	–	1	5	–	–	1	–	1	2	2	2	2	–	
Other Zymotic Dis.	162	27	44	13	18	5	107	13	4	6	2	4	4	5	6	7	2	
Cancer	51	–	–	–	–	–	–	–	2	–	–	–	6	14	16	8	5	
Scrofula and Tabes	79	16	26	2	1	2	47	4	6	7	2	7	2	3	–	1	–	
Phthisis	507	6	7	8	2	3	26	18	16	40	67	131	96	70	34	9	–	
Hydrocephalus	133	45	29	18	9	7	108	20	3	–	1	–	–	–	–	1	–	
Dis. of Brain	522	202	31	12	7	8	260	19	3	3	5	15	23	31	60	54	41	
Dis. of Heart & Dropsy	201	9	2	3	1	3	18	12	8	8	8	17	24	36	64	73	31	
Dis. of Lungs	786	219	104	29	15	12	379	18	5	5	7	26	35	57	85	98	65	
Dis. of Stom. and Liver	201	33	6	1	1	3	44	4	1	2	2	19	19	32	37	24	16	
Dis. of Kidneys	63	–	–	–	–	1	1	4	3	1	3	5	5	11	10	11	11	
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	
Dis. of Joints	23	–	–	–	–	2	2	4	3	3	2	2	2	1	3	1	–	
Dis. of Skin	16	4	–	–	–	–	4	–	–	1	1	1	1	1	3	2	2	
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Suicide	16	–	–	–	–	–	–	–	–	–	–	4	3	1	6	2	–	
Other Violent Deaths	395	11	7	9	6	8	41	16	25	35	40	80	58	38	36	18	5	
Other Causes	1119	608	65	20	10	8	711	8	5	1	5	10	18	22	36	107	149	

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
569.—WIGTON.																		
Mean Popul^n, 1861–71	11699	288	284	288	279	284	1423	1321	1237	1150	963	1551	1318	1102	822	533	241	38
TOTAL DEATHS	2351	418	92	72	30	25	646	92	85	90	110	159	123	155	223	251	312	105
Small-pox	6	3	–	–	1	–	4	–	–	–	–	1	–	–	1	–	–	–
Measles	16	4	2	5	–	–	11	3	1	1	–	–	–	–	–	–	–	–
Scarlatina	72	3	7	9	10	4	33	22	9	2	1	3	2	–	–	–	–	–
Diphtheria	23	1	2	4	4	2	13	2	3	2	2	–	1	–	–	–	–	–
Whooping-cough	56	22	8	15	5	3	53	3	–	–	–	–	–	–	–	–	–	–
Typhus	61	2	–	5	1	2	10	2	9	5	9	6	4	4	5	4	3	–
Diarrhœa & Dysentery	28	7	2	–	–	–	9	–	–	–	1	2	2	2	2	3	3	4
Cholera	4	1	–	–	–	–	1	–	–	–	–	–	–	1	1	1	–	–
Other Zymotic Dis.	56	8	6	7	3	3	27	9	5	–	2	1	–	4	3	3	2	–
Cancer	64	–	–	–	1	–	1	–	–	–	–	2	7	16	17	12	9	–
Scrofula and Tabes	52	9	6	–	1	–	16	4	2	1	2	2	1	2	1	–	1	–
Phthisis	394	3	2	2	–	–	7	9	34	58	65	86	49	43	31	10	2	–
Hydrocephalus	59	16	8	7	4	2	37	8	3	2	–	–	–	–	–	–	–	–
Ds. of Brain	185	27	8	2	4	2	43	9	2	2	6	10	5	11	27	34	32	4
Ds. of Heart & Dropsy	167	–	1	–	–	–	1	1	5	4	2	8	13	36	42	35	17	3
Ds. of Lungs	183	31	18	6	2	–	57	4	2	1	5	10	8	11	30	24	26	5
Ds. of Stom. and Liver	116	34	3	1	–	3	41	2	1	4	4	4	9	7	22	12	10	–
Ds. of Kidneys	12	–	–	–	–	–	–	–	–	1	–	5	3	–	3	–	–	–
Ds. of Gener. Organs	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	
Ds. of Joints	6	–	–	–	–	–	–	1	1	–	3	–	1	–	–	–	–	–
Ds. of Skin	5	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	–
Childbirth and Metria	22	–	–	–	–	–	–	–	–	1	6	8	7	–	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–
Other Violent Deaths	31	4	1	–	2	1	8	3	–	4	1	2	1	4	3	1	3	1
Other Causes	756	243	18	9	1	3	274	10	8	2	1	8	9	13	33	107	203	88
570.—COCKERMOUTH.																		
Mean Popul^n, 1861–71	22540	674	609	637	568	541	3029	2687	2336	2100	1856	3102	2568	2030	1485	926	371	50
TOTAL DEATHS	5100	1018	382	188	125	97	1810	251	111	196	183	324	314	311	377	522	541	160
Small-pox	40	5	2	2	2	4	15	5	1	4	1	1	9	3	1	–	–	–
Measles	101	13	37	19	11	7	87	11	2	–	–	1	–	–	–	–	–	–
Scarlatina	281	24	40	44	37	34	179	76	16	6	3	1	–	–	–	–	–	–
Diphtheria	28	1	2	3	3	2	11	10	1	–	3	2	–	1	–	–	–	–
Whooping cough	112	45	38	15	3	6	107	5	–	–	–	–	–	–	–	–	–	–
Typhus	221	8	10	3	5	4	30	29	17	25	18	27	19	20	12	10	9	4
Diarrhœa & Dysentery	260	114	45	8	7	2	176	6	2	1	3	2	4	5	12	18	23	8
Cholera	12	1	1	–	2	–	4	–	2	–	–	2	1	1	1	1	–	–
Other Zymotic Dis.	109	12	16	17	13	12	70	12	2	–	2	1	2	3	5	7	4	1
Cancer	101	–	–	–	–	–	–	–	–	1	–	1	12	30	25	22	9	1
Scrofula and Tabes	85	38	13	2	4	1	58	3	3	4	1	6	–	4	4	2	–	–
Phthisis	610	3	9	7	1	6	26	24	34	104	107	166	92	53	28	6	–	–
Hydrocephalus	107	31	21	12	11	5	80	16	7	2	–	–	1	1	–	–	–	–
Ds. of Brain	478	121	22	9	6	1	159	8	5	8	8	8	23	36	55	90	67	8
Ds. of Heart & Dropsy	393	7	1	1	–	–	9	–	4	8	6	17	39	53	77	99	74	7
Ds. of Lungs	592	117	50	18	9	2	196	15	4	6	2	17	21	34	57	125	90	25
Ds. of Stom. and Liver	281	25	11	5	1	2	44	5	5	8	5	15	32	35	52	43	33	4
Ds. of Kidneys	47	–	2	1	1	1	5	1	–	1	2	8	8	10	6	2	4	–
Ds. of Gener. Organs	20	–	–	–	–	–	–	–	–	–	1	3	3	4	5	4	–	–
Ds. of Joints	15	1	–	–	–	–	1	1	1	3	1	4	1	2	–	1	–	–
Ds. of Skin	11	2	1	–	–	–	3	–	–	–	1	–	2	–	1	2	2	–
Childbirth and Metria	76	–	–	–	–	–	–	–	–	4	14	35	23	–	–	–	–	–
Suicide	6	–	–	–	–	–	–	–	–	–	–	1	2	3	–	–	–	–
Other Violent Deaths	74	12	7	5	1	3	28	10	2	3	2	1	2	5	5	4	11	1
Other Causes	1010	438	54	17	8	5	522	14	3	7	3	5	15	8	31	86	215	101
571.—WHITEHAVEN.																		
Mean Popul^n, 1861–71	22012	714	590	634	631	570	3139	2586	2183	2089	1975	3290	2423	1848	1329	789	316	45
TOTAL DEATHS	5401	1072	519	250	156	130	2127	275	140	167	218	385	301	302	419	516	432	119
Small-pox	72	18	11	4	6	6	45	7	2	1	5	8	3	–	1	–	–	–
Measles	136	25	46	27	14	11	123	11	1	–	–	1	–	–	–	–	–	–
Scarlatina	255	14	39	35	35	36	159	70	14	2	5	4	1	–	–	–	–	–
Diphtheria	40	2	5	3	7	3	20	12	4	1	–	1	–	2	–	–	–	–
Whooping-cough	128	57	35	20	6	5	123	5	–	–	–	–	–	–	–	–	–	–
Typhus	366	3	9	13	15	17	57	42	30	25	32	50	31	37	30	21	10	1
Diarrhœa & Dysentery	180	80	41	4	3	1	129	3	1	1	2	3	9	3	7	15	7	–
Cholera	19	–	–	–	–	–	–	3	2	–	–	1	–	3	4	2	1	–
Other Zymotic Dis.	134	11	32	22	11	9	85	11	2	2	4	5	3	4	5	10	2	1
Cancer	67	–	–	–	–	–	–	–	–	–	–	4	11	18	19	9	6	–
Scrofula and Tabes	80	20	29	7	5	4	65	5	2	–	2	1	1	2	1	1	–	–
Phthisis	638	8	16	8	4	3	39	17	42	87	103	176	95	49	25	3	2	–
Hydrocephalus	118	40	22	19	6	7	94	16	6	1	–	–	1	–	–	–	–	–
Ds. of Brain	478	137	23	9	5	1	175	10	5	5	7	17	15	40	64	83	45	9
Ds. of Heart & Dropsy	339	7	1	2	3	6	19	7	7	12	9	15	31	57	71	82	43	3
Ds. of Lungs	734	138	104	37	15	8	302	21	5	5	7	20	27	45	91	109	87	15
Ds. of Stom. and Liver	215	18	9	7	5	1	40	10	3	7	9	15	18	29	30	32	19	3
Ds. of Kidneys	50	3	–	2	2	1	8	–	2	2	2	6	5	4	8	10	3	–
Ds. of Gener. Organs	10	–	–	–	–	–	–	–	–	1	–	1	3	–	3	1	1	–
Ds. of Joints	15	–	1	–	–	1	2	2	2	2	–	2	–	1	2	1	1	–
Ds. of Skin	14	3	–	–	1	–	4	–	–	–	–	1	–	2	2	4	–	1
Childbirth and Metria	80	–	–	–	–	–	–	–	–	1	23	34	22	–	–	–	–	–
Suicide	9	–	–	–	–	–	–	–	–	1	1	2	–	1	2	1	–	1
Other Violent Deaths	105	19	5	2	4	4	34	15	4	4	3	5	5	8	6	11	8	2
Other Causes	1122	469	91	29	9	6	604	8	6	7	4	13	17	17	48	118	197	83

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–
572.—BOOTLE.																		
Mean Popul", 1861–71	3775	106	103	105	94	90	498	423	396	398	338	513	421	336	248	145	52	7
TOTAL DEATHS	700	129	37	14	9	9	198	24	15	29	37	49	44	40	59	84	99	22
Small-pox	4	–	–	–	–	2	2	–	–	–	1	–	–	1	–	–	–	–
Measles	21	4	7	2	2	1	16	1	1	1	–	–	1	1	–	–	–	–
Scarlatina	26	2	3	1	–	2	8	6	2	2	1	1	–	–	–	–	–	–
Diphtheria	10	–	1	3	–	–	4	2	1	–	2	1	–	–	–	–	–	–
Whooping-cough	13	8	3	1	1	–	13	–	–	–	–	–	–	–	–	–	–	–
Typhus	15	–	2	–	–	–	2	2	–	2	3	–	1	–	3	1	1	–
Diarrhœa & Dysentery	6	3	–	–	–	–	3	1	–	–	–	–	–	–	–	–	1	1
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Other Zymotic Dis.	23	5	2	2	–	1	10	2	–	1	1	1	–	–	–	3	4	1
Cancer	9	–	–	–	–	–	–	–	–	–	–	1	1	–	3	1	3	–
Scrofula and Tabes	12	2	1	2	–	1	6	2	–	–	–	2	–	1	–	1	–	–
Phthisis	69	1	2	1	1	–	5	2	2	6	13	16	6	5	6	8	–	–
Hydrocephalus	13	7	2	1	–	–	10	2	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	46	13	4	–	2	–	19	–	–	1	1	1	2	4	3	7	6	1
Dis. of Heart & Dropsy	40	–	–	–	–	–	–	–	–	–	–	1	2	6	9	14	7	1
Dis. of Lungs	70	10	5	–	1	–	16	1	–	1	2	2	4	5	8	10	19	2
Dis. of Stom. and Liver	34	3	1	1	–	–	5	1	–	3	1	3	3	5	4	7	1	1
Dis. of Kidneys	10	–	–	–	–	–	–	–	–	1	–	–	–	1	4	2	2	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	3	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–
Dis. of Skin	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	6	–	–	–	–	–	–	–	–	–	–	–	–	2	4	–	–	–
Other Violent Deaths	81	1	2	–	1	1	5	–	7	7	11	17	19	6	5	3	1	–
Other Causes	193	70	2	–	1	1	74	2	–	3	1	2	5	2	10	26	54	11
573.—EAST WARD.																		
Mean Popul", 1861–71	8690	214	186	194	193	188	975	902	785	753	819	1379	1097	892	591	336	138	23
TOTAL DEATHS	1314	235	38	23	34	10	340	47	27	43	48	88	80	101	117	201	192	60
Small-pox	2	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Measles	16	2	1	5	1	1	10	2	–	1	1	1	–	–	1	–	–	–
Scarlatina	17	–	2	1	3	2	8	7	2	–	–	–	–	–	–	–	–	–
Diphtheria	14	1	–	1	3	–	5	7	–	–	1	1	–	–	–	–	–	–
Whooping-cough	10	7	2	1	–	–	10	–	–	–	–	–	–	–	–	–	–	–
Typhus	35	1	–	–	2	1	4	1	2	2	5	5	4	6	4	2	–	–
Diarrhœa & Dysentery	22	8	4	1	–	–	13	–	–	–	–	1	–	–	2	3	3	–
Cholera	3	–	–	1	–	–	1	–	–	–	–	–	1	–	–	1	–	–
Other Zymotic Dis.	37	6	5	2	4	1	18	4	1	3	–	1	–	2	3	2	2	1
Cancer	20	–	–	–	–	–	–	–	–	–	–	1	2	3	6	3	3	2
Scrofula and Tabes	15	–	–	–	2	–	2	5	1	2	–	2	1	–	2	–	–	–
Phthisis	178	–	2	–	3	–	5	4	8	21	25	42	31	21	13	6	2	–
Hydrocephalus	20	2	3	1	3	2	11	7	1	–	–	1	–	–	–	–	–	–
Dis. of Brain	156	56	5	2	5	1	69	2	2	3	2	4	5	9	12	27	29	1
Dis. of Heart & Dropsy	101	2	–	1	–	–	3	–	1	–	2	2	6	16	16	28	21	3
Dis. of Lungs	168	39	8	4	6	1	58	3	3	4	4	8	10	9	18	35	15	1
Dis. of Stom. and Liver	73	4	–	–	–	–	4	–	–	–	2	5	4	22	11	16	7	2
Dis. of Kidneys	18	1	–	–	–	–	1	–	–	–	1	1	2	–	2	7	4	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	5	–	–	–	–	–	–	–	2	–	–	2	1	–	–	–	–	–
Dis. of Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	9	–	–	–	–	–	–	–	–	–	–	–	1	4	2	2	–	–
Other Violent Deaths	63	1	1	2	2	1	7	3	4	7	5	10	10	6	5	3	3	–
Other Causes	362	105	5	–	–	–	110	2	–	–	–	1	2	3	20	65	109	50
574.—WEST WARD.																		
Mean Popul", 1861–71	4175	131	103	113	101	106	554	487	443	389	347	511	444	393	318	200	79	10
TOTAL DEATHS	764	150	31	11	15	8	215	20	21	16	25	38	40	62	86	101	107	33
Small-pox	4	–	–	–	–	1	1	–	–	–	–	–	1	2	–	–	–	–
Measles	6	3	2	1	–	–	6	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	14	1	2	–	4	2	9	5	–	–	–	–	–	–	–	–	–	–
Diphtheria	10	1	1	1	3	–	6	3	1	–	–	–	–	–	–	–	–	–
Whooping-cough	12	8	2	1	–	–	11	1	–	–	–	–	–	–	–	–	–	–
Typhus	11	–	–	–	–	–	–	–	2	1	3	–	1	1	2	1	–	–
Diarrhœa & Dysentery	8	4	1	–	–	–	5	–	–	–	–	–	–	–	2	1	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	15	5	3	3	–	1	12	–	–	1	–	–	–	–	2	–	–	–
Cancer	17	–	–	–	–	–	–	–	–	–	–	–	1	–	5	6	5	–
Scrofula and Tabes	8	3	1	1	–	–	5	–	1	1	–	–	1	–	–	–	–	–
Phthisis	88	–	3	–	–	–	3	2	4	8	13	20	12	14	11	1	–	–
Hydrocephalus	7	1	3	–	2	–	6	–	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	77	24	–	1	3	–	28	2	2	–	–	4	5	7	7	12	9	1
Dis. of Heart & Dropsy	64	1	–	–	–	–	1	1	2	1	1	–	2	7	18	21	9	1
Dis. of Lungs	91	17	6	1	1	4	29	2	1	–	2	2	6	9	9	16	13	2
Dis. of Stom. and Liver	56	7	1	–	1	–	9	–	1	1	4	4	4	8	11	9	5	–
Dis. of Kidneys	14	–	–	–	–	–	–	–	–	–	1	–	1	1	3	2	6	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	4	–	–	–	–	–	–	–	1	1	–	–	–	1	1	–	–	–
Dis. of Skin	2	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–
Other Violent Deaths	42	2	3	–	1	–	6	3	2	2	1	5	3	7	5	6	1	1
Other Causes	211	72	3	2	–	–	77	1	2	–	–	3	2	4	10	26	58	28

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
572.—BOOTLE.																		
Mean Popul^n, 1861–71	3427	107	103	97	90	87	484	431	373	335	291	458	350	288	219	132	56	10
TOTAL DEATHS	598	106	30	10	13	7	166	26	13	31	29	50	46	37	37	65	78	20
Small-pox	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Measles	6	-	4	1	-	-	5	-	-	1	-	-	-	-	-	-	-	-
Scarlatina	13	2	1	-	4	-	7	2	1	-	-	1	-	1	1	-	-	-
Diphtheria	10	-	1	1	1	2	5	2	3	-	-	-	-	-	-	-	-	-
Whooping-cough	14	8	1	2	2	-	13	1	-	-	-	-	-	-	-	-	-	-
Typhus	18	-	-	1	1	-	2	3	2	2	1	5	2	1	-	-	-	-
Diarrhœa & Dysentery	4	1	-	-	-	2	3	-	-	-	-	-	-	-	1	-	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	17	5	2	1	2	-	10	1	-	-	-	-	-	1	-	3	2	-
Cancer	11	-	-	-	-	-	-	-	-	-	-	1	2	2	4	2	-	-
Scrofula and Tabes	11	5	1	-	1	-	7	-	1	-	-	1	-	1	1	-	-	-
Phthisis	123	-	2	1	-	-	3	9	5	22	16	29	22	9	6	2	-	-
Hydrocephalus	8	3	4	-	-	-	7	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	42	6	-	-	-	-	6	2	-	-	1	1	5	6	5	4	11	1
Dis. of Heart & Dropsy	47	1	-	-	1	1	3	-	-	2	4	6	6	10	6	10	-	-
Dis. of Lungs	45	11	6	1	1	1	20	3	-	-	1	-	1	2	4	6	8	-
Dis. of Stom. and Liver	16	1	-	1	-	1	3	-	-	2	-	1	2	3	3	1	1	-
Dis. of Kidneys	4	-	1	-	-	-	1	-	1	-	-	-	-	1	-	1	-	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	4	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-
Dis. of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	8	-	-	-	-	-	-	-	-	-	2	4	2	-	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-
Other Violent Deaths	5	1	-	1	-	-	2	-	-	-	-	-	-	-	-	1	2	-
Other Causes	187	62	7	-	-	-	69	1	-	2	2	-	2	-	5	33	54	19
573.—EAST WARD.																		
Mean Popul^n, 1861–71	7483	217	201	190	203	191	1002	858	766	661	627	1076	829	642	523	325	146	28
TOTAL DEATHS	1279	218	48	18	21	19	324	41	27	48	54	89	92	70	114	170	195	55
Small-pox	2	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Measles	10	3	2	1	-	1	7	2	-	1	-	-	-	-	-	-	-	-
Scarlatina	21	3	1	4	-	3	11	8	1	-	-	-	1	-	-	-	-	-
Diphtheria	19	1	2	1	-	3	7	4	6	1	-	1	-	-	-	-	-	-
Whooping-cough	17	12	2	1	2	-	17	-	-	-	-	-	-	-	-	-	-	-
Typhus	29	-	-	-	1	1	2	2	2	3	5	7	5	3	-	-	-	-
Diarrhœa & Dysentery	9	3	-	-	-	-	3	1	-	1	-	1	1	-	-	-	1	1
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	40	5	1	1	5	2	14	5	2	1	1	-	4	-	3	7	3	-
Cancer	28	-	-	-	-	-	-	-	-	-	-	-	4	4	10	6	3	1
Scrofula and Tabes	16	-	-	-	-	-	-	-	2	3	2	4	-	3	-	2	-	-
Phthisis	167	1	1	1	-	1	4	4	8	19	26	46	32	13	10	4	-	1
Hydrocephalus	11	1	-	2	-	1	4	4	1	1	-	-	-	1	-	-	-	-
Dis. of Brain	135	42	5	1	2	2	52	1	1	6	3	2	8	8	15	21	16	2
Dis. of Heart & Dropsy	145	4	1	-	-	1	6	2	2	3	2	8	11	11	32	39	26	-
Dis. of Lungs	133	32	16	4	3	1	56	3	1	-	3	3	8	6	16	23	13	1
Dis. of Stom. and Liver	58	5	1	1	2	1	10	-	-	6	3	3	5	8	9	9	5	-
Dis. of Kidneys	5	-	-	-	-	-	-	1	-	-	-	1	1	-	1	1	-	-
Dis. of Gener. Organs	5	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	-
Dis. of Joints	4	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-
Dis. of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	15	-	-	-	-	-	-	-	-	1	3	5	6	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Other Violent Deaths	22	3	2	-	3	1	9	4	1	-	-	-	1	-	-	4	3	-
Other Causes	386	103	13	1	3	1	121	-	-	2	4	4	4	6	17	54	125	49
574.—WEST WARD.																		
Mean Popul^n, 1861–71	3985	114	94	98	108	105	519	468	433	382	302	529	453	358	279	177	76	9
TOTAL DEATHS	729	131	25	12	9	17	194	15	9	21	41	59	61	38	62	97	104	37
Small pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	6	3	2	-	-	-	5	-	1	-	-	-	-	-	-	-	-	-
Scarlatina	15	2	2	2	1	3	10	3	-	-	1	1	-	-	-	-	-	-
Diphtheria	16	-	3	4	1	6	14	1	-	1	-	-	-	-	-	-	-	-
Whooping-cough	19	10	4	2	2	-	18	1	-	-	-	-	-	-	-	-	-	-
Typhus	15	-	-	-	-	-	-	-	2	1	4	3	1	-	2	-	2	-
Diarrhœa & Dysentery	7	4	-	-	-	-	4	-	-	-	-	-	1	-	-	-	2	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	18	2	1	-	-	2	5	-	3	-	1	-	2	2	3	2	-	-
Cancer	18	-	-	-	-	-	-	-	-	-	-	-	3	1	4	8	1	1
Scrofula and Tabes	6	1	-	-	-	-	1	1	-	1	1	1	-	-	-	1	-	-
Phthisis	86	-	-	-	1	-	1	1	1	10	18	30	16	7	1	1	-	-
Hydrocephalus	11	3	6	-	-	-	9	1	-	-	1	-	-	-	-	-	-	-
Dis. of Brain	57	17	1	1	-	2	21	1	-	-	1	2	5	2	6	5	12	2
Dis. of Heart & Dropsy	64	1	1	-	-	-	2	-	-	-	3	2	8	5	8	22	12	2
Dis. of Lungs	92	19	1	-	3	2	25	2	-	4	2	2	4	6	12	15	17	3
Dis. of Stom. and Liver	41	4	3	2	-	-	9	1	1	1	1	-	6	5	8	10	2	-
Dis. of Kidneys	13	-	-	-	-	-	-	-	-	-	1	1	4	1	1	4	1	-
Dis. of Gener. Organs	7	-	-	-	-	-	-	-	-	1	-	3	1	1	1	-	-	-
Dis. of Joints	7	-	-	-	-	1	1	1	-	-	2	-	1	1	-	1	-	-
Dis. of Skin	4	2	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-
Childbirth and Metria	11	-	-	-	-	-	-	-	-	-	1	4	6	-	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-
Other Violent Deaths	9	-	-	-	1	-	1	1	-	-	2	-	-	1	1	2	-	1
Other Causes	201	63	1	1	-	1	66	1	1	1	1	-	3	5	15	25	55	28

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
575.—KENDAL.																		
Mean Popul^n, 1861-71	19046	569	506	535	503	514	2627	2357	2238	1916	1532	2432	2012	1675	1234	725	265	33
TOTAL DEATHS	3588	754	205	95	80	60	1194	136	80	111	128	218	211	262	343	420	374	111
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	49	10	24	7	2	2	45	2	1	-	-	1	-	-	-	-	-	-
Scarlatina	129	10	13	17	25	16	81	36	5	1	1	2	2	1	-	-	-	-
Diphtheria	12	4	2	-	2	2	10	1	-	-	1	-	-	-	-	-	-	-
Whooping-cough	44	29	8	5	1	-	43	1	-	-	-	-	-	-	-	-	-	-
Typhus	66	1	2	4	3	2	12	5	7	13	6	7	6	5	3	2	-	-
Diarrhœa & Dysentery	69	36	6	1	-	-	43	2	-	1	-	1	-	3	3	7	9	-
Cholera	4	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-
Other Zymotic Dis.	99	12	15	7	16	8	58	11	1	2	1	2	1	2	2	8	8	3
Cancer	39	-	-	-	-	-	-	-	1	-	1	2	4	6	10	9	5	1
Scrofula and Tabes	65	17	11	2	3	3	36	9	5	-	2	4	3	1	4	1	-	-
Phthisis	464	9	4	2	1	-	16	7	17	50	76	108	76	51	47	13	2	1
Hydrocephalus	109	36	22	11	5	11	85	16	6	1	1	-	-	-	-	-	-	-
Dis. of Brain	539	227	23	12	6	2	270	7	5	4	6	14	19	32	45	76	46	5
Dis. of Heart & Dropsy	239	1	1	-	1	1	4	4	8	3	5	14	14	31	50	63	34	9
Dis. of Lungs	525	96	43	11	6	4	160	9	4	6	5	15	18	36	76	89	80	27
Dis. of Stom. and Liver	198	12	2	1	-	1	16	3	3	7	5	13	20	40	34	36	20	1
Dis. of Kidneys	97	-	1	-	2	-	3	3	1	2	2	8	9	8	16	21	21	3
Dis. of Gener. Organs	2	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Dis. of Joints	27	1	-	2	1	-	4	2	6	1	1	4	4	2	2	1	-	-
Dis. of Skin	6	2	-	-	-	-	2	-	1	-	-	-	1	-	-	2	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	26	-	-	-	-	-	-	-	-	2	-	1	6	5	9	3	-	-
Other Violent Deaths	141	7	8	6	4	4	24	8	6	15	12	13	16	17	14	12	3	1
Other Causes	649	244	25	6	2	4	281	10	3	3	3	8	12	20	26	77	146	60
576.—CHEPSTOW.																		
Mean Popul^n, 1861-71	9111	242	216	270	237	238	1203	1098	980	849	693	1143	1022	890	646	412	151	24
TOTAL DEATHS	1785	364	103	53	52	22	594	86	35	45	62	95	102	120	165	213	209	59
Small-pox	3	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-
Measles	11	1	7	3	-	-	11	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	65	6	5	9	14	2	36	22	5	-	1	1	-	-	-	-	-	-
Diphtheria	15	-	3	1	1	2	7	5	2	1	-	-	-	-	-	-	-	-
Whooping-cough	35	18	10	4	3	-	35	-	-	-	-	-	-	-	-	-	-	-
Typhus	52	1	2	1	4	4	12	11	3	4	5	1	2	5	7	1	1	-
Diarrhœa & Dysentery	16	9	-	-	-	-	9	-	-	-	-	1	1	2	1	1	1	-
Cholera	3	1	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-
Other Zymotic Dis.	46	6	7	7	4	1	25	6	1	4	-	1	1	3	2	1	2	-
Cancer	25	-	-	-	2	-	2	-	-	1	-	-	2	5	3	5	7	-
Scrofula and Tabes	25	3	-	3	-	2	8	4	4	2	3	3	1	-	-	-	-	-
Phthisis	171	2	1	-	1	-	4	4	2	16	25	34	31	27	20	8	-	-
Hydrocephalus	33	8	11	7	2	1	29	3	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	234	107	14	2	7	1	131	10	3	1	4	10	6	9	18	42	24	6
Dis. of Heart & Dropsy	142	5	1	1	-	1	8	1	-	2	6	9	13	11	29	38	23	2
Dis. of Lungs	223	43	13	6	4	2	68	7	1	1	3	9	5	17	33	49	25	5
Dis. of Stom. and Liver	86	12	2	1	-	1	16	1	1	1	3	3	9	14	14	11	13	-
Dis. of Kidneys	40	-	-	-	-	-	-	-	1	1	-	3	5	6	6	12	4	2
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Dis. of Joints	5	-	-	-	-	-	-	1	-	-	1	1	1	1	-	-	-	-
Dis. of Skin	7	1	-	-	-	-	1	-	-	-	-	-	-	-	1	2	2	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	6	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	-	-
Other Violent Deaths	125	5	8	4	6	2	25	8	9	10	10	14	16	11	12	4	5	1
Other Causes	386	136	19	4	4	3	166	3	2	1	1	2	7	8	16	36	102	42
577.—MONMOUTH.																		
Mean Popul^n, 1861-71	15619	460	411	453	393	421	2138	1907	1747	1529	1249	2002	1716	1456	990	594	253	38
TOTAL DEATHS	3081	687	205	104	49	63	1108	146	74	71	92	140	193	207	264	340	332	114
Small-pox	25	5	-	1	2	1	9	3	1	-	4	3	3	2	-	-	-	-
Measles	76	13	21	15	5	5	59	12	2	-	1	-	1	1	-	-	-	-
Scarlatina	125	11	21	15	8	22	77	38	9	-	1	-	-	-	-	-	-	-
Diphtheria	23	-	4	2	-	2	8	7	4	1	2	-	-	-	-	1	-	-
Whooping-cough	43	26	8	5	1	1	41	1	1	-	-	-	-	-	-	-	-	-
Typhus	98	2	3	2	2	6	15	10	9	6	6	6	11	9	7	9	6	4
Diarrhœa & Dysentery	56	23	5	-	1	-	29	-	1	-	-	2	3	-	3	9	7	2
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Other Zymotic Dis.	84	9	7	6	8	4	34	9	1	3	4	2	6	6	4	6	8	1
Cancer	41	-	-	1	-	-	1	1	-	-	-	-	4	8	6	14	5	2
Scrofula and Tabes	45	17	8	3	1	-	29	1	4	-	2	4	3	2	-	-	-	-
Phthisis	264	8	8	2	-	1	19	6	8	23	40	51	51	49	20	6	-	-
Hydrocephalus	35	13	10	6	-	-	29	3	3	-	-	-	-	-	-	-	-	-
Dis. of Brain	428	215	23	14	1	3	256	15	1	3	6	10	12	21	30	37	30	7
Dis. of Heart & Dropsy	191	6	-	-	-	1	7	1	-	6	3	13	18	19	43	46	33	2
Dis. of Lungs	577	142	59	15	10	8	234	13	6	9	6	7	32	43	63	96	56	12
Dis. of Stom. and Liver	152	16	5	3	2	2	28	3	3	2	4	9	17	24	24	31	4	3
Dis. of Kidneys	37	-	-	-	-	-	-	-	2	3	-	4	2	2	7	4	10	3
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	8	-	-	-	-	-	-	1	3	1	1	-	1	-	-	1	-	-
Dis. of Skin	4	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	6	-	-	-	-	-	-	-	-	1	2	-	-	2	1	-	-	-
Other Violent Deaths	163	3	5	10	2	3	23	16	15	11	9	23	17	20	19	3	6	1
Other Causes	599	178	18	4	6	4	210	5	1	2	1	6	11	8	36	76	166	77

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
575.—KENDAL.																		
Mean Populn, 1861–71	19659	555	522	504	496	462	2539	2338	2211	1982	1714	2686	2087	1688	1256	784	316	58
TOTAL DEATHS	3585	596	202	101	55	52	1006	140	104	133	139	239	283	243	301	435	433	138
Small-pox	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Measles	44	13	13	7	4	2	39	4	–	–	–	1	–	–	–	–	–	–
Scarlatina	126	13	17	16	15	10	71	31	11	5	4	2	2	–	–	–	–	–
Diphtheria	29	1	2	1	3	2	9	10	8	1	–	–	1	–	–	–	–	–
Whooping-cough	49	25	11	8	–	1	45	4	–	–	–	–	–	–	–	–	–	–
Typhus	82	–	2	4	–	1	7	9	10	16	8	7	15	3	5	2	–	–
Diarrhœa & Dysentery	60	24	6	1	2	1	34	–	1	–	3	2	2	–	4	4	8	2
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	107	13	7	8	3	7	38	13	–	3	–	4	3	4	4	17	15	6
Cancer	74	1	–	–	–	–	1	–	–	–	1	2	7	20	11	21	10	1
Scrofula and Tabes	66	20	10	4	1	1	36	4	6	1	4	2	8	2	2	1	–	–
Phthisis	562	8	4	5	1	1	19	11	28	70	71	111	110	61	32	12	1	–
Hydrocephalus	85	25	26	9	6	6	72	9	4	–	–	–	–	–	–	–	–	–
Dis. of Brain	493	152	30	10	8	6	206	14	3	4	6	16	22	31	47	83	52	9
Dis. of Heart & Dropsy	264	4	–	–	–	2	6	2	8	5	2	12	27	31	56	79	32	4
Dis. of Lungs	441	82	36	18	4	2	142	13	6	8	2	8	15	31	39	78	82	17
Dis. of Stom. and Liver	204	11	2	1	–	1	15	3	4	8	10	15	22	29	40	39	18	1
Dis. of Kidneys	44	–	–	1	1	–	2	–	2	–	3	–	13	7	10	4	3	–
Dis. of Gener. Organs	17	–	–	–	–	–	–	–	1	1	2	1	2	3	5	2	–	–
Dis. of Joints	25	1	1	–	1	–	3	–	3	3	1	4	2	2	3	4	–	–
Dis. of Skin	6	1	–	–	–	–	1	–	–	–	–	2	–	1	–	1	1	–
Childbirth and Metria	44	–	–	–	–	–	–	–	–	–	10	11	20	–	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–
Other Violent Deaths	52	4	7	3	3	3	20	6	2	2	1	2	2	6	2	3	5	1
Other Causes	703	198	28	5	3	6	240	7	7	5	2	1	9	9	39	84	206	97
576.—CHEPSTOW.																		
Mean Populn, 1861–71	9029	263	232	252	228	219	1194	1053	975	831	739	1170	1025	838	614	391	170	29
TOTAL DEATHS	1660	287	90	47	34	27	485	71	39	50	64	106	100	91	123	200	249	82
Small-pox	4	1	–	–	–	1	2	–	–	–	1	–	–	1	–	–	–	–
Measles	17	2	4	6	1	–	13	3	–	–	–	–	–	1	–	–	–	–
Scarlatina	42	3	3	6	5	9	26	14	1	–	–	1	–	–	–	–	–	–
Diphtheria	19	5	1	1	3	2	12	4	1	–	–	2	–	–	–	–	–	–
Whooping-cough	33	14	11	3	4	–	32	1	–	–	–	–	–	–	–	–	–	–
Typhus	57	–	3	4	2	1	10	9	7	7	2	5	4	4	4	3	2	–
Diarrhœa & Dysentery	16	7	1	1	1	–	10	–	–	1	1	1	–	1	2	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	48	11	6	6	4	4	31	4	–	1	1	–	1	3	–	3	4	–
Cancer	41	1	–	–	–	–	1	–	–	–	–	–	4	7	8	13	7	1
Scrofula and Tabes	17	3	3	2	2	1	11	1	2	–	2	–	–	1	–	–	–	–
Phthisis	209	–	3	1	–	1	5	5	8	26	40	56	33	13	14	8	1	–
Hydrocephalus	7	2	1	–	–	–	3	2	1	1	–	–	–	–	–	–	–	–
Dis. of Brain	218	77	11	4	–	3	95	5	3	3	2	7	4	16	12	31	32	8
Dis. of Heart & Dropsy	137	5	2	–	2	–	9	3	4	4	2	8	8	14	22	33	29	1
Dis. of Lungs	150	25	18	7	2	–	52	5	1	–	2	4	7	8	20	31	19	1
Dis. of Stom. and Liver	85	4	1	1	2	–	8	2	1	1	4	3	12	9	22	6	16	1
Dis. of Kidneys	20	1	–	–	–	–	1	–	2	2	1	1	5	1	3	3	–	1
Dis. of Gener. Organs	7	–	–	–	–	–	–	–	–	–	–	–	2	–	1	4	–	–
Dis. of Joints	6	–	–	–	–	–	–	–	1	1	1	1	1	–	–	1	–	–
Dis. of Skin	7	3	–	–	–	–	3	–	–	–	–	–	–	1	–	2	1	–
Childbirth and Metria	28	–	–	–	–	–	–	–	–	1	3	13	10	1	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
Other Violent Deaths	42	2	4	2	4	2	14	8	5	2	–	1	1	3	–	6	1	1
Other Causes	448	121	18	3	2	3	147	5	2	–	1	3	8	7	15	55	137	68
577.—MONMOUTH.																		
Mean Populn, 1861–71	15302	451	429	422	411	403	2116	1902	1715	1371	1214	1993	1698	1381	953	611	275	73
TOTAL DEATHS	3035	622	187	91	87	58	1045	154	74	98	85	195	186	173	232	297	333	163
Small-pox	16	7	1	1	1	–	10	1	1	1	1	1	–	1	–	–	–	–
Measles	64	10	20	8	6	7	51	9	4	–	–	–	–	–	–	–	–	–
Scarlatina	137	6	14	23	19	18	80	40	11	3	2	1	–	–	–	–	–	–
Diphtheria	33	1	3	2	6	2	14	15	2	1	–	–	–	–	1	–	–	–
Whooping-cough	55	28	15	5	4	–	52	3	–	–	–	–	–	–	–	–	–	–
Typhus	106	3	6	4	5	7	25	16	17	6	6	6	6	6	6	9	3	–
Diarrhœa & Dysentery	66	22	4	2	2	1	31	–	–	–	1	1	2	4	4	6	12	5
Cholera	3	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–
Other Zymotic Dis.	64	6	5	6	6	7	30	3	4	2	–	–	5	3	4	7	3	3
Cancer	74	–	–	–	–	–	–	–	–	–	2	2	8	24	26	5	7	–
Scrofula and Tabes	46	13	7	2	4	–	26	5	2	–	4	3	1	4	1	–	–	–
Phthisis	338	6	8	1	1	–	16	9	10	52	49	49	61	32	27	3	–	–
Hydrocephalus	21	7	5	2	1	3	18	5	–	–	–	1	–	–	–	–	–	–
Dis. of Brain	373	170	25	6	7	2	210	7	2	5	4	9	10	16	23	35	41	11
Dis. of Heart & Dropsy	226	5	–	–	1	2	8	4	5	3	2	11	21	21	46	62	37	3
Dis. of Lungs	406	120	56	20	13	6	215	18	6	6	4	15	16	25	42	67	41	11
Dis. of Stom. and Liver	126	21	4	2	2	1	30	8	2	3	2	11	19	16	17	16	6	1
Dis. of Kidneys	27	–	–	–	–	–	–	–	1	1	1	5	4	5	4	3	3	–
Dis. of Gener. Organs	11	–	–	–	–	–	–	–	–	–	–	–	1	5	2	1	2	–
Dis. of Joints	4	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–
Dis. of Skin	10	1	–	–	–	–	1	–	–	1	–	–	1	2	4	1	–	–
Childbirth and Metria	56	–	–	–	–	–	–	–	–	1	3	23	27	2	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–
Other Violent Deaths	50	4	3	2	5	1	15	7	4	7	–	2	–	1	5	2	4	3
Other Causes	637	192	11	5	4	1	213	7	2	5	3	–	4	6	18	50	173	126

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
578 *a*.—ABERGAVENNY.																		
Mean Popul^n, 1861–71	10846	304	252	261	266	275	1358	1194	1092	1025	1010	1578	1243	1019	752	400	152	23
TOTAL DEATHS	2601	559	185	97	58	41	940	81	58	60	80	158	213	212	236	278	209	76
Small-pox	6	1	-	-	-	-	1	-	-	1	-	2	-	2	-	-	-	-
Measles	98	18	40	15	8	6	87	7	3	-	1	-	-	-	-	-	-	-
Scarlatina	100	3	21	22	15	10	71	23	5	-	-	1	-	-	-	-	-	-
Diphtheria	14	-	2	1	-	2	5	2	1	3	1	-	1	1	-	-	-	-
Whooping-cough	37	22	4	7	2	-	35	2	-	-	-	-	-	-	-	-	-	-
Typhus	80	5	4	6	2	8	25	11	6	7	8	3	6	6	6	2	-	-
Diarrhœa & Dysentery	36	14	1	3	1	-	19	1	-	-	-	-	-	1	3	6	4	2
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	71	9	2	5	1	2	19	1	3	1	4	4	7	7	9	6	8	2
Cancer	26	-	-	-	-	-	-	-	-	1	-	1	2	3	9	8	2	-
Scrofula and Tabes	25	5	6	2	2	-	15	1	3	-	2	2	-	1	1	-	-	-
Phthisis	213	3	3	1	-	1	8	4	9	21	28	43	51	26	16	2	-	-
Hydrocephalus	37	17	10	1	1	3	32	5	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	427	125	14	4	1	-	144	2	2	4	7	30	57	50	46	53	25	7
Dis. of Heart & Dropsy	129	1	-	1	-	-	2	1	3	1	4	9	9	23	20	28	16	4
Dis. of Lungs	536	121	55	17	17	3	213	6	4	3	7	18	28	32	67	100	57	11
Dis. of Stom. and Liver	108	7	1	3	2	2	15	4	3	3	2	5	16	17	16	17	9	1
Dis. of Kidneys	29	-	1	-	-	-	1	-	-	-	-	1	3	6	7	4	6	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Dis. of Joints	6	-	-	-	-	-	-	-	-	-	1	-	2	2	1	-	-	-
Dis. of Skin	9	3	2	-	-	-	5	-	1	-	-	-	-	1	-	1	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	8	-	-	-	-	-	-	-	-	-	1	2	2	2	-	-	1	-
Other Violent Deaths	143	3	1	2	2	2	10	8	14	15	13	27	12	16	12	9	6	1
Other Causes	471	202	18	7	4	2	233	3	1	-	1	5	17	16	23	51	74	47
578 *b*.—BEDWELTY.																		
Mean Popul^n, 1861–71	26796	840	687	734	668	716	3645	2981	2642	2804	2874	4295	3130	2273	1417	557	158	20
TOTAL DEATHS	6476	1593	695	318	208	132	2946	343	234	251	281	408	372	408	489	443	240	61
Small-pox	67	18	5	3	5	2	33	6	1	3	5	12	7	-	-	-	-	-
Measles	158	24	56	32	18	14	144	11	-	-	1	-	2	-	-	-	-	-
Scarlatina	369	24	69	53	59	43	248	96	20	3	1	-	1	-	-	-	-	-
Diphtheria	18	2	8	1	1	-	7	4	1	1	2	2	1	-	-	-	-	-
Whooping-cough	162	65	47	26	11	3	152	10	-	-	-	-	-	-	-	-	-	-
Typhus	394	9	18	18	18	15	78	57	28	34	44	37	37	28	27	18	6	-
Diarrhœa & Dysentery	177	73	34	12	5	1	125	2	2	1	1	4	-	7	10	17	6	2
Cholera	76	2	1	-	-	3	6	5	3	2	10	19	3	13	8	5	2	-
Other Zymotic Dis.	110	8	26	12	12	6	64	13	2	3	4	3	5	5	4	6	-	1
Cancer	40	-	-	-	1	-	1	-	-	1	-	3	2	15	11	4	2	1
Scrofula and Tabes	277	81	81	23	13	2	205	18	14	14	9	10	4	-	2	1	-	-
Phthisis	526	10	13	11	3	3	40	15	35	74	90	109	64	55	30	12	2	-
Hydrocephalus	110	45	34	17	6	-	102	6	1	1	-	-	-	-	-	-	-	-
Dis. of Brain	798	468	67	25	9	10	579	18	9	6	9	21	17	28	41	45	20	2
Dis. of Heart & Dropsy	222	7	5	-	3	1	16	4	1	6	7	18	34	36	50	41	7	2
Dis. of Lungs	1215	271	153	55	29	16	524	33	10	8	11	38	69	93	162	180	78	9
Dis. of Stom. and Liver	207	21	3	3	4	1	32	12	6	7	4	18	24	26	42	23	13	-
Dis. of Kidneys	74	-	2	1	-	-	3	3	3	1	2	6	7	16	14	14	5	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	22	-	1	-	-	-	1	1	2	5	3	-	-	3	3	2	2	-
Dis. of Skin	13	7	-	-	-	-	7	-	-	-	-	-	1	1	2	1	-	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-
Other Violent Deaths	670	16	9	8	9	10	52	26	94	79	73	97	84	73	65	18	8	1
Other Causes	766	442	68	13	2	2	527	3	2	2	5	6	9	7	18	56	89	42
579.—PONTYPOOL.																		
Mean Popul^n, 1861–71	16585	488	426	463	440	451	2268	2025	1843	1642	1496	2314	1891	1456	976	470	175	29
TOTAL DEATHS	3903	927	364	210	112	71	1684	176	116	111	164	225	231	239	306	325	239	87
Small-pox	69	8	5	4	1	2	20	6	1	6	9	10	4	3	-	-	1	-
Measles	89	8	36	13	10	5	72	4	2	-	1	1	-	-	-	-	-	-
Scarlatina	205	16	22	40	27	29	134	60	8	1	1	1	-	-	-	-	-	-
Diphtheria	13	-	4	2	2	1	9	4	-	-	-	-	-	-	-	-	-	-
Whooping-cough	91	38	35	10	4	3	90	1	-	-	-	-	-	-	-	-	-	-
Typhus	198	4	9	16	12	4	45	28	18	18	23	18	15	13	11	7	2	-
Diarrhœa & Dysentery	82	52	15	2	3	1	57	1	-	1	-	3	2	1	4	8	3	2
Cholera	17	2	1	-	-	-	3	5	2	1	1	-	1	2	1	1	-	-
Other Zymotic Dis.	73	5	7	11	8	5	36	2	6	1	-	6	7	2	2	7	4	-
Cancer	40	-	-	-	-	-	-	-	-	-	1	3	6	8	9	9	4	-
Scrofula and Tabes	66	10	11	7	3	2	33	5	10	6	2	2	-	4	2	-	1	1
Phthisis	291	3	4	3	2	1	13	4	7	52	60	69	60	29	12	5	-	-
Hydrocephalus	52	14	14	9	3	1	41	8	3	-	-	-	-	-	-	-	-	-
Dis. of Brain	613	341	63	37	11	1	453	9	9	3	8	18	17	20	34	33	22	7
Dis. of Heart & Dropsy	176	5	1	-	-	-	6	1	2	5	6	12	23	23	31	43	22	2
Dis. of Lungs	752	145	83	21	15	6	270	14	3	4	6	24	35	64	102	110	86	14
Dis. of Stom. and Liver	138	19	3	5	1	2	30	5	2	5	5	10	13	21	22	17	6	2
Dis. of Kidneys	49	1	-	-	-	1	2	1	1	3	1	6	8	3	7	7	9	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	9	-	-	-	-	-	-	-	1	1	-	2	1	2	1	-	-	1
Dis. of Skin	9	3	-	-	-	-	3	-	-	1	-	-	-	-	2	2	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	10	-	-	-	-	-	-	-	-	-	1	-	2	2	4	1	-	-
Other Violent Deaths	277	1	7	9	3	6	26	10	55	23	29	34	31	29	37	12	5	3
Other Causes	592	272	35	21	7	1	336	8	6	-	10	6	3	13	25	58	73	54

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards
578 *a*.—ABERGAVENNY.																		
Mean Popul^n, 1861–71	10349	308	273	265	270	281	1397	1158	1047	990	914	1495	1158	933	664	396	163	34
TOTAL DEATHS	2292	480	163	80	56	36	815	96	45	57	73	162	160	165	193	231	206	89
Small pox	10	2	–	–	–	–	2	1	–	1	1	4	1	–	–	–	–	–
Measles	93	22	31	14	9	5	81	7	3	–	–	–	2	–	–	–	–	–
Scarlatina	101	2	10	16	15	13	56	35	7	–	1	–	2	–	–	–	–	–
Diphtheria	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Whooping-cough	49	25	11	7	3	1	47	2	–	–	–	–	–	–	–	–	–	–
Typhus	81	3	5	8	4	4	24	15	8	7	4	10	6	2	4	1	–	–
Diarrhœa & Dysentery	38	14	2	1	–	–	17	–	–	–	1	1	–	1	3	8	4	3
Cholera	2	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–
Other Zymotic Dis.	42	4	3	7	–	–	14	4	2	1	1	2	1	3	6	3	4	1
Cancer	54	–	–	–	–	–	–	–	–	–	1	1	6	14	12	13	6	1
Scrofula and Tabes	23	7	6	1	2	–	16	1	–	–	1	3	–	1	–	–	1	–
Phthisis	220	4	5	1	–	1	11	4	13	31	31	57	37	29	9	5	–	–
Hydrocephalus	23	6	8	3	2	–	19	3	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	347	128	10	2	2	2	144	2	2	2	3	25	26	34	29	48	23	6
Dis. of Heart & Dropsy	144	–	1	–	–	–	1	1	3	4	7	9	15	21	31	21	28	3
Dis. of Lungs	370	71	46	9	12	8	146	9	3	5	9	9	18	20	43	60	38	10
Dis. of Stom. and Liver	81	5	–	–	–	–	5	2	–	1	3	8	10	14	14	15	9	–
Dis. of Kidneys	19	–	–	–	1	–	1	–	–	–	–	1	6	2	5	3	1	–
Dis. of Gener. Organs	9	–	–	–	–	–	–	–	–	–	–	2	3	3	1	–	–	–
Dis. of Joints	13	–	–	–	–	–	–	2	1	–	–	2	1	3	2	1	1	–
Dis. of Skin	4	1	–	–	–	–	1	–	–	–	–	–	–	–	2	–	1	–
Childbirth and Metria	46	–	–	–	–	–	–	–	–	1	3	21	17	2	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Other Violent Deaths	32	2	3	3	4	–	12	3	1	3	–	4	–	3	1	1	3	1
Other Causes	479	184	22	8	1	2	217	4	1	1	1	2	9	13	31	52	84	64
578 *b*.—BEDWELTY.																		
Mean Popul^n, 1861–71	22858	792	705	688	682	678	3545	2895	2519	2231	2121	3384	2542	1802	1107	518	174	30
TOTAL DEATHS	5433	1296	630	356	226	117	2625	295	121	157	203	403	308	317	333	352	217	102
Small pox	45	16	5	5	3	–	29	6	2	1	4	2	1	–	–	–	–	–
Measles	164	22	50	41	25	10	148	14	–	–	1	–	–	–	–	–	–	–
Scarlatina	366	22	45	67	79	41	254	90	17	3	2	–	–	–	–	–	–	–
Diphtheria	13	1	3	1	2	1	8	3	–	1	1	–	–	–	–	–	–	–
Whooping-cough	193	73	66	23	17	4	183	10	–	–	–	–	–	–	–	–	–	–
Typhus	328	15	17	21	15	15	83	49	33	26	12	42	26	30	18	15	4	–
Diarrhœa & Dysentery	135	41	23	8	–	3	78	3	1	1	5	6	2	7	4	14	10	4
Cholera	56	1	1	–	–	1	3	5	–	3	8	11	3	11	4	6	2	–
Other Zymotic Dis.	99	9	19	11	7	4	53	10	4	3	6	2	–	6	7	6	2	–
Cancer	85	–	–	–	–	–	–	–	–	–	–	8	16	21	23	12	4	1
Scrofula and Tabes	221	61	61	33	11	7	176	6	11	5	4	13	4	1	1	–	–	–
Phthisis	562	10	17	5	7	1	40	12	20	67	77	159	111	49	19	6	–	2
Hydrocephalus	74	27	27	6	4	4	68	4	1	1	–	–	–	–	–	–	–	–
Dis. of Brain	689	366	75	37	14	6	498	19	6	5	8	19	12	32	33	35	16	6
Dis. of Heart & Dropsy	296	4	6	2	1	1	14	5	1	9	14	23	21	41	53	38	14	–
Dis. of Lungs	911	212	158	68	27	11	476	29	5	11	11	16	32	45	95	127	47	14
Dis. of Stom. and Liver	239	17	5	3	1	–	26	7	8	4	12	29	30	44	43	23	11	2
Dis. of Kidneys	29	–	2	–	1	–	3	1	–	2	–	4	7	7	3	2	–	–
Dis. of Gener. Organs	13	–	–	–	–	–	–	–	–	–	2	1	4	1	3	–	2	–
Dis. of Joints	13	–	–	–	–	–	–	2	2	1	1	–	1	4	2	–	–	–
Dis. of Skin	11	5	–	–	–	–	5	–	–	–	1	–	–	1	1	3	–	–
Childbirth and Metria	117	–	–	–	–	–	–	–	–	7	25	55	28	2	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
Other Violent Deaths	88	5	8	7	11	5	36	16	8	7	3	5	2	3	4	3	–	1
Other Causes	735	386	39	15	1	3	444	4	2	–	3	8	8	9	20	61	104	72
579.—PONTYPOOL.																		
Mean Popul^n, 1861–71	15505	488	428	446	446	477	2285	1982	1778	1428	1308	2120	1679	1322	894	484	185	40
TOTAL DEATHS	3239	690	326	171	106	84	1377	196	89	93	104	210	172	170	237	270	235	86
Small-pox	51	12	7	7	1	2	29	6	2	2	3	3	4	2	–	–	–	–
Measles	77	13	28	9	7	5	62	11	3	–	1	–	–	–	–	–	–	–
Scarlatina	195	8	24	31	25	27	115	65	9	2	–	1	–	1	1	–	1	–
Diphtheria	25	2	3	2	3	3	13	8	3	–	–	–	1	–	–	–	–	–
Whooping-cough	112	41	36	19	6	5	110	2	–	–	–	–	–	–	–	–	–	–
Typhus	201	1	7	10	10	10	38	32	24	17	18	22	12	17	12	5	4	–
Diarrhœa & Dysentery	62	19	12	8	1	–	40	1	–	1	1	1	2	1	4	3	6	2
Cholera	8	1	–	–	–	–	1	1	2	–	–	1	–	2	–	–	–	1
Other Zymotic Dis.	60	9	12	3	4	6	34	6	2	–	–	–	5	3	3	4	3	–
Cancer	58	–	–	–	–	1	1	–	1	1	–	–	6	13	18	13	5	–
Scrofula and Tabes	35	9	9	4	–	1	23	1	2	3	2	2	–	1	1	–	–	–
Phthisis	297	1	–	3	2	4	10	4	12	39	42	91	53	27	10	5	–	1
Hydrocephalus	30	9	10	3	3	1	26	3	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	506	241	59	22	15	1	338	16	6	4	4	9	15	17	38	29	27	3
Dis. of Heart & Dropsy	194	5	2	2	–	1	10	1	7	3	9	7	15	21	31	48	34	5
Dis. of Lungs	493	84	56	24	19	5	188	12	3	4	4	16	13	26	71	92	56	8
Dis. of Stom. and Liver	127	11	2	1	2	–	16	6	2	3	5	8	11	15	20	28	11	2
Dis. of Kidneys	14	–	–	–	–	2	2	–	–	1	1	4	4	1	1	–	–	–
Dis. of Gener. Organs	13	–	–	–	–	–	–	–	–	–	–	2	4	5	1	1	–	–
Dis. of Joints	8	–	–	1	–	–	1	1	1	–	–	3	–	–	–	–	1	1
Dis. of Skin	12	5	–	1	–	–	6	–	–	–	–	–	1	1	3	1	–	–
Childbirth and Metria	61	–	–	–	–	–	–	–	–	4	10	23	18	1	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Other Violent Deaths	92	7	11	9	5	6	38	11	7	5	2	2	–	10	9	3	2	3
Other Causes	509	209	48	12	3	4	276	9	2	4	2	5	8	6	14	38	85	60

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
580.—NEWPORT.																		
Mean Populn, 1861–71	28479	854	759	828	749	769	3959	3425	2977	2820	2559	4270	3437	2456	1502	734	288	52
TOTAL DEATHS	6278	1544	471	250	174	113	2552	268	141	197	258	436	480	485	490	475	367	129
Small-pox	79	16	8	3	5	3	35	17	2	7	7	6	2	3	-	-	-	-
Measles	80	13	25	16	10	5	69	10	-	1	-	-	-	-	-	-	-	-
Scarlatina	217	12	46	32	37	26	153	49	8	4	-	1	1	-	1	-	-	-
Diphtheria	49	4	4	6	7	2	23	8	5	1	-	-	1	1	1	-	-	-
Whooping-cough	103	49	29	14	8	3	103	-	-	-	-	-	-	-	-	-	-	-
Typhus	287	3	12	8	9	15	47	39	25	27	81	21	34	25	20	16	2	-
Diarrhœa & Dysentery	190	122	21	7	5	3	158	2	-	-	1	-	2	4	4	12	12	4
Cholera	54	14	1	2	1	2	20	3	3	4	-	6	7	4	3	2	2	-
Other Zymotic Dis.	160	24	30	19	18	11	102	15	3	4	2	7	10	5	7	3	2	-
Cancer	64	-	-	-	-	-	-	1	-	-	-	1	9	10	25	10	8	-
Scrofula and Tabes	110	32	23	11	2	-	68	11	5	7	8	2	3	5	1	-	-	-
Phthisis	591	11	8	2	1	3	25	12	6	50	82	152	168	80	55	17	4	-
Hydrocephalus	103	40	28	13	7	3	91	6	3	-	-	1	1	-	1	-	-	-
Dis. of Brain	826	431	46	27	11	9	524	26	11	10	9	20	33	41	52	64	31	5
Dis. of Heart & Dropsy	361	2	3	4	2	3	14	3	8	16	0	27	38	57	61	85	43	3
Dis. of Lungs	970	252	112	58	23	10	455	16	6	7	10	39	43	76	107	113	80	18
Dis. of Stom. and Liver	299	36	10	3	3	1	53	5	9	11	15	22	34	52	49	32	17	-
Dis. of Kidneys	81	1	2	1	1	-	5	1	1	1	5	10	12	10	8	19	7	2
Dis. of Gener. Organs	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
Dis. of Joints	17	1	1	-	-	-	2	1	1	2	2	3	1	2	2	1	-	-
Dis. of Skin	14	6	1	-	-	-	7	1	-	-	-	-	2	-	3	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	11	-	-	-	-	-	-	-	-	1	-	1	1	7	2	2	-	-
Other Violent Deaths	646	15	12	15	15	11	68	29	43	42	75	104	114	81	62	18	9	1
Other Causes	961	460	49	9	9	3	530	12	2	2	5	13	24	22	25	81	149	96
581 *a*.—CARDIFF.*																		
Mean Populn, 1861–71	35068	1038	955	991	932	889	4805	4055	3340	3307	3454	6186	4534	2881	1541	681	243	41
TOTAL DEATHS	7810	2078	746	331	226	162	3543	346	176	255	381	692	649	522	447	393	297	109
Small-pox	89	20	8	9	5	3	45	9	3	3	10	12	6	1	-	-	-	-
Measles	161	41	65	26	13	7	152	6	3	-	-	-	-	-	-	-	-	-
Scarlatina	347	32	52	66	65	38	253	77	9	2	3	3	-	-	-	-	-	-
Diphtheria	53	7	10	11	7	5	40	8	3	1	-	-	-	-	-	1	-	-
Whooping cough	173	68	58	18	17	5	166	5	1	-	1	-	-	-	-	-	-	-
Typhus	344	2	9	13	7	21	52	47	20	29	43	53	40	26	19	12	2	1
Diarrhœa & Dysentery	262	169	43	6	3	4	225	2	3	1	-	3	4	3	6	7	6	2
Cholera	44	6	4	-	4	-	14	1	-	2	6	4	8	4	3	2	-	-
Other Zymotic Dis.	183	32	31	18	11	14	106	18	4	3	5	11	10	10	11	4	-	1
Cancer	73	-	-	-	-	-	-	-	1	-	-	8	11	12	11	21	8	1
Scrofula and Tabes	156	43	43	15	6	8	115	8	6	3	3	7	5	3	4	2	-	-
Phthisis	846	5	6	5	4	4	24	12	17	52	144	231	178	109	56	22	1	-
Hydrocephalus	113	26	24	19	15	5	89	20	3	-	1	-	-	-	-	-	-	-
Dis. of Brain	915	489	91	28	14	9	622	27	13	9	16	31	47	45	40	36	25	4
Dis. of Heart & Dropsy	356	5	1	4	3	3	16	13	7	8	11	45	58	64	60	53	20	1
Dis. of Lungs	1139	376	169	56	27	16	644	28	7	14	18	49	76	69	104	75	46	9
Dis. of Stom. and Liver	291	41	7	5	2	1	56	8	10	8	12	29	38	46	49	33	5	-
Dis. of Kidneys	113	-	1	-	-	2	3	4	-	3	2	12	16	28	19	21	4	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	22	-	2	1	-	-	3	3	4	4	2	1	2	1	2	-	-	-
Dis. of Skin	11	8	-	1	-	-	9	-	-	-	1	-	-	1	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	24	-	-	-	-	-	-	-	-	1	1	4	4	8	3	2	1	-
Other Violent Deaths	750	16	24	13	11	10	74	37	58	103	91	165	124	63	21	7	5	2
Other Causes	1342	701	98	17	12	7	835	13	4	9	11	24	22	29	39	95	174	87
581 *b*.—PONTYPRIDD.*																		
Mean Populn, 1861–71	22086	709	625	638	615	597	3184	2534	2257	2194	2364	3765	2524	1696	979	435	138	16
TOTAL DEATHS	5246	1498	462	227	151	94	2432	240	181	244	283	411	391	319	275	241	166	63
Small-pox	70	11	3	8	9	3	31	6	3	4	8	7	5	3	-	-	-	-
Measles	128	29	48	21	6	7	111	13	2	-	-	1	-	-	1	-	-	-
Scarlatina	229	20	30	34	36	32	152	55	15	3	-	3	1	-	-	-	-	-
Diphtheria	8	-	-	1	-	1	2	3	1	1	-	-	-	-	1	-	-	-
Whooping-cough	57	25	21	6	2	-	54	3	-	-	-	-	-	-	-	-	-	-
Typhus	302	10	17	12	12	11	62	35	25	33	31	51	28	18	11	4	1	-
Diarrhœa & Dysentery	106	44	8	8	1	2	63	3	2	-	-	4	6	4	6	12	5	1
Cholera	45	1	-	-	-	-	1	3	-	1	12	3	8	11	6	-	-	-
Other Zymotic Dis.	82	12	13	14	11	2	52	10	1	-	4	3	2	1	3	3	2	1
Cancer	25	-	-	-	-	-	-	1	-	-	-	-	6	9	2	5	2	-
Scrofula and Tabes	61	6	20	12	1	2	41	4	4	3	3	2	2	-	1	1	-	-
Phthisis	605	4	6	9	1	-	20	10	27	88	93	124	118	77	33	12	3	-
Hydrocephalus	53	22	13	3	5	2	45	7	1	2	-	-	-	-	-	-	-	-
Dis. of Brain	1100	783	102	29	22	7	943	19	3	8	5	17	20	17	24	29	11	4
Dis. of Heart & Dropsy	139	1	1	1	1	-	4	3	5	3	1	12	20	22	31	24	12	2
Dis. of Lungs	822	203	120	55	32	14	424	30	12	14	10	22	30	61	79	84	42	5
Dis. of Stom. and Liver	140	15	6	1	3	2	27	8	4	9	4	8	18	21	17	18	5	1
Dis. of Kidneys	42	-	-	-	-	-	-	3	-	1	2	4	14	5	4	4	4	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Dis. of Joints	6	-	-	1	-	-	1	1	2	-	-	1	-	-	1	-	-	-
Dis. of Skin	3	2	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	13	-	-	-	-	-	-	-	-	-	-	3	3	1	5	1	-	-
Other Violent Deaths	637	5	13	5	6	6	35	16	71	73	103	143	89	58	35	8	2	1
Other Causes	570	305	41	7	3	3	359	7	3	1	1	2	12	10	15	36	77	47

* The district of Pontypridd (581 *b*.) was formed on 18th July 1863 out of the districts of Cardiff

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
580.—NEWPORT.																		
Mean Populn, 1861–71	27853	862	756	789	805	757	3970	3438	2945	2740	2598	4212	3111	2301	1429	764	288	57
TOTAL DEATHS	5505	1216	430	225	169	107	2147	268	134	164	210	429	418	361	410	425	372	167
Small-pox	55	16	9	3	4	2	34	8	2	1	3	2	2	1	1	1	-	-
Measles	81	18	28	13	7	6	72	8	-	-	1	-	-	-	-	-	-	-
Scarlatina	252	9	32	38	49	32	160	68	14	4	5	3	-	-	-	-	-	-
Diphtheria	35	1	5	1	2	3	12	12	6	2	-	1	-	-	1	-	-	1
Whooping-cough	167	71	55	18	9	9	162	4	-	1	-	-	-	-	-	-	-	-
Typhus	288	6	8	14	9	9	46	44	28	25	16	35	39	22	21	9	3	-
Diarrhœa & Dysentery	169	97	22	6	1	3	129	4	-	-	1	2	4	7	3	10	5	4
Cholera	42	9	2	2	-	2	15	5	2	-	-	3	3	5	4	2	1	2
Other Zymotic Dis.	127	14	25	15	12	7	73	8	7	5	5	4	1	8	4	7	3	2
Cancer	141	-	-	-	1	-	1	-	-	2	1	7	33	29	41	14	10	3
Scrofula and Tabes	90	27	22	8	3	2	62	8	2	5	3	3	2	2	1	2	-	-
Phthisis	632	9	2	5	3	1	20	11	25	75	100	182	130	52	26	10	1	-
Hydrocephalus	52	20	11	6	7	3	47	4	-	1	-	-	-	-	-	-	-	-
Dis. of Brain	689	327	43	20	11	7	417	24	14	6	9	14	22	28	49	54	43	9
Dis. of Heart & Dropsy	381	4	1	4	2	-	11	8	9	13	9	30	45	58	72	84	35	7
Dis. of Lungs	830	185	108	31	25	14	363	22	7	5	17	35	40	58	97	109	66	11
Dis. of Stom. and Liver	263	23	3	1	2	-	29	7	4	5	12	26	28	50	49	37	15	1
Dis. of Kidneys	49	1	-	1	1	-	3	3	-	-	4	9	8	12	6	4	-	-
Dis. of Gener. Organs	21	-	-	-	-	-	-	-	-	-	-	5	2	4	5	5	-	-
Dis. of Joints	5	-	-	-	1	-	1	-	1	1	-	-	1	1	-	-	-	-
Dis. of Skin	17	5	1	1	2	-	9	-	-	-	-	2	1	1	3	1	-	-
Childbirth and Metria	122	-	-	-	-	-	-	-	-	8	19	52	42	1	-	-	-	-
Suicide	7	-	-	-	-	-	-	-	-	-	2	-	2	-	2	-	1	-
Other Violent Deaths	106	5	14	8	12	5	41	11	7	4	2	5	6	5	4	8	8	2
Other Causes	884	369	39	21	6	2	437	9	6	1	3	9	7	17	21	68	181	125
581 *a*.—CARDIFF.*																		
Mean Populn, 1861–71	32425	1008	934	948	950	919	4759	3949	3292	2982	3184	5456	3940	2449	1390	704	273	47
TOTAL DEATHS	6657	1619	676	353	216	174	3038	320	128	163	292	573	501	417	397	388	317	123
Small-pox	63	16	8	6	7	3	40	8	1	4	2	7	3	2	1	-	-	-
Measles	154	24	54	29	15	16	138	14	2	-	-	-	-	-	-	-	-	-
Scarlatina	356	25	49	58	61	50	243	79	16	3	5	7	3	-	-	-	-	-
Diphtheria	48	4	10	10	9	8	41	5	2	-	-	-	-	-	-	-	-	-
Whooping-cough	195	92	51	22	15	7	187	6	1	-	-	-	1	-	-	-	-	-
Typhus	283	5	10	21	14	19	69	36	26	20	29	36	25	14	13	7	7	1
Diarrhœa & Dysentery	254	144	48	10	4	2	208	5	1	-	2	5	4	6	6	12	5	-
Cholera	50	4	3	3	1	3	14	2	1	1	-	5	6	9	3	7	2	-
Other Zymotic Dis.	157	20	30	24	18	9	101	14	4	9	2	4	2	3	4	11	2	1
Cancer	132	-	-	-	-	-	-	-	-	-	2	15	22	42	30	16	5	-
Scrofula and Tabes	150	35	44	18	5	4	106	11	7	5	6	6	6	2	1	-	-	-
Phthisis	802	2	9	4	2	3	20	17	27	71	129	237	177	89	27	6	2	-
Hydrocephalus	81	26	17	9	6	6	64	14	3	-	-	-	-	-	-	-	-	-
Dis. of Brain	716	339	62	33	10	15	459	25	9	11	14	33	25	31	47	39	18	5
Dis. of Heart & Dropsy	380	1	2	3	1	-	7	7	6	10	18	41	59	74	71	57	29	1
Dis. of Lungs	916	293	161	65	27	16	562	27	6	8	13	44	32	53	87	74	35	5
Dis. of Stom. and Liver	267	27	8	3	-	1	39	10	3	4	9	32	38	49	42	29	10	2
Dis. of Kidneys	53	-	1	1	-	1	3	1	-	2	11	6	13	2	4	8	3	-
Dis. of Gener. Organs	18	-	-	-	-	-	-	-	-	-	4	2	4	3	4	1	-	-
Dis. of Joints	19	-	-	-	-	-	-	4	3	3	1	3	2	1	1	1	-	-
Dis. of Skin	11	4	1	-	1	-	6	-	-	-	-	1	-	-	2	-	2	-
Childbirth and Metria	144	-	-	-	-	-	-	-	-	4	26	61	43	2	-	-	-	-
Suicide	9	-	-	-	-	-	-	-	-	-	-	2	3	-	4	-	-	-
Other Violent Deaths	130	21	13	8	10	9	64	18	5	5	3	8	5	6	9	4	3	-
Other Causes	1234	534	95	24	10	2	667	17	5	3	16	15	23	29	41	116	194	108
581 *b*.—PONTYPRIDD.*																		
Mean Populn, 1861–71	19068	722	614	653	605	614	3208	2534	2035	1734	1661	2969	2072	1387	843	429	168	28
TOTAL DEATHS	4258	1205	418	225	193	98	2139	233	110	140	184	352	261	189	185	207	173	85
Small-pox	50	14	6	3	2	3	28	10	4	1	3	-	3	-	1	-	-	-
Measles	123	19	38	26	22	5	110	8	2	1	-	2	-	-	-	-	-	-
Scarlatina	217	15	36	39	32	15	137	64	8	4	3	1	-	-	-	-	-	-
Diphtheria	13	1	1	1	-	3	6	3	1	1	-	1	1	-	-	-	-	-
Whooping-cough	93	42	22	12	8	5	89	2	1	-	-	-	1	-	-	-	-	-
Typhus	276	8	14	16	26	11	75	43	28	30	19	40	16	15	3	6	1	-
Diarrhœa & Dysentery	92	28	10	8	1	4	51	3	1	-	4	6	1	8	7	7	1	3
Cholera	11	-	1	-	1	-	2	2	-	1	-	1	2	-	2	1	-	-
Other Zymotic Dis.	64	15	8	8	9	5	45	7	2	1	2	2	-	3	-	2	-	-
Cancer	40	-	-	-	-	-	-	-	-	-	-	2	7	8	13	6	3	1
Scrofula and Tabes	69	11	19	8	4	-	42	4	5	3	9	2	2	1	1	-	-	-
Phthisis	596	6	10	8	4	2	30	18	23	70	98	166	112	49	23	6	1	-
Hydrocephalus	34	11	6	8	-	5	30	6	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	201	626	87	21	22	15	773	17	10	3	4	11	10	13	13	25	19	6
Dis. of Heart & Dropsy	153	-	1	1	1	-	3	3	7	4	8	21	18	19	31	28	10	1
Dis. of Lungs	633	157	105	45	44	14	366	20	7	10	9	21	29	27	49	61	30	4
Dis. of Stom. and Liver	133	3	4	2	1	-	10	6	4	2	4	16	18	23	24	18	6	2
Dis. of Kidneys	24	1	-	1	-	2	4	3	-	-	1	4	2	3	3	3	1	-
Dis. of Gener. Organs	5	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-
Dis. of Joints	8	-	1	1	1	-	3	1	1	-	-	1	-	-	-	-	2	-
Dis. of Skin	3	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-
Childbirth and Metria	100	-	-	-	-	-	-	-	-	1	17	50	30	2	-	-	-	-
Suicide	6	-	-	-	-	-	-	-	1	-	-	-	1	2	2	-	-	-
Other Violent Deaths	64	9	6	4	5	7	31	11	3	6	2	-	4	3	1	1	2	-
Other Causes	548	239	42	11	10	2	304	2	1	1	1	4	3	11	10	43	97	71

* and Merthyr Tydfil: the necessary corrections have been made for these changes.

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 upwards.
582.—MERTHYR TYDFIL.*																		
Mean Popul^{n}, 1861–71	51843	1662	1378	1485	1414	1364	7303	5961	5384	5357	5439	8437	6072	4222	2426	970	230	42
TOTAL DEATHS	13461	3461	1419	660	387	278	6205	717	468	512	626	952	876	851	940	806	404	104
Small-pox	146	20	12	13	4	10	59	23	7	4	21	24	6	1	1	-	-	-
Measles	284	69	107	50	23	12	252	29	2	-	-	-	1	-	-	-	-	-
Scarlatina	620	45	122	105	107	65	444	148	15	6	5	1	-	1	-	-	-	-
Diphtheria	49	9	9	8	7	4	37	6	3	1	1	-	-	1	-	-	-	-
Whooping-cough	296	124	95	32	25	13	289	6	-	-	-	1	-	-	-	-	-	-
Typhus	631	21	25	24	25	32	129	76	47	58	65	75	57	47	39	24	13	1
Diarrhœa & Dysentery	258	121	41	13	7	1	183	2	2	3	3	5	3	2	19	18	12	6
Cholera	132	6	3	3	-	3	15	12	9	9	7	23	23	17	13	3	1	-
Other Zymotic Dis.	297	33	50	41	30	24	178	17	10	7	9	21	10	15	16	7	4	3
Cancer	100	-	-	1	1	-	2	1	-	-	2	2	14	17	37	20	3	2
Scrofula and Tabes	307	70	62	34	8	5	179	40	22	13	16	15	7	9	3	2	1	-
Phthisis	1530	31	50	33	9	12	134	73	58	164	219	209	242	164	122	52	3	-
Hydrocephalus	196	69	56	28	9	10	172	19	2	1	1	1	-	-	-	-	-	-
Dis. of Brain	2265	1441	202	77	32	19	1771	52	24	20	25	31	56	61	74	86	32	3
Dis. of Heart & Dropsy	541	5	4	4	5	2	20	25	20	18	18	57	68	85	101	97	27	4
Dis. of Lungs	2121	522	303	110	58	36	1029	44	8	22	39	43	102	150	279	283	109	16
Dis. of Stom. and Liver	337	35	5	5	1	1	47	14	15	15	16	29	27	60	60	42	12	-
Dis. of Kidneys	181	2	4	1	2	2	11	8	4	7	4	15	31	38	30	22	11	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Dis. of Joints	64	1	2	-	3	-	6	14	3	6	9	8	5	3	6	2	2	-
Dis. of Skin	23	10	2	1	2	-	15	-	2	-	1	2	-	1	1	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	19	-	-	-	-	-	-	-	1	-	-	3	4	4	7	-	-	-
Other Violent Deaths	1408	14	18	31	11	16	99	80	207	153	158	273	191	110	66	35	12	-
Other Causes	1684	823	217	44	18	11	1143	27	7	5	7	24	25	25	65	113	161	72
583.—BRIDGEND.																		
Mean Popul^{n}, 1861–71	14749	418	398	404	394	384	1998	1746	1592	1427	1292	2068	1633	1294	909	536	212	42
TOTAL DEATHS	3103	712	220	138	63	47	1180	149	74	105	110	215	193	188	261	276	248	104
Small-pox	10	2	-	1	-	1	4	-	-	-	1	4	1	-	-	-	-	-
Measles	70	9	26	21	4	6	66	3	1	-	-	-	-	-	-	-	-	-
Scarlatina	100	12	14	13	13	10	62	26	7	2	-	2	-	1	-	-	-	-
Diphtheria	11	-	3	1	1	-	5	4	-	-	1	1	-	-	-	-	-	-
Whooping-cough	73	30	23	11	3	1	68	5	-	-	-	-	-	-	-	-	-	-
Typhus	145	3	7	9	3	3	25	27	11	16	15	14	13	6	9	6	2	1
Diarrhœa & Dysentery	46	17	5	4	-	1	27	1	-	1	-	-	2	-	4	4	6	1
Cholera	43	1	1	2	1	1	6	7	2	1	3	7	2	5	6	3	1	-
Other Zymotic Dis.	54	4	6	6	4	1	21	9	-	3	1	2	6	2	5	2	3	-
Cancer	26	-	-	-	-	1	1	-	-	-	-	-	1	4	3	8	7	2
Scrofula and Tabes	36	9	7	5	-	-	21	5	1	2	1	2	-	2	1	1	-	-
Phthisis	280	3	-	1	-	-	4	7	10	23	48	81	54	21	19	6	2	-
Hydrocephalus	17	4	4	3	1	-	12	3	2	-	-	-	-	-	-	-	-	-
Dis. of Brain	672	401	42	21	9	-	476	8	5	3	4	26	30	33	38	32	16	1
Dis. of Heart & Dropsy	163	-	-	1	1	-	2	2	5	8	-	11	10	15	34	43	30	3
Dis. of Lungs	456	60	30	21	13	10	134	8	7	6	5	16	24	41	72	82	49	8
Dis. of Stom. and Liver	104	3	2	-	-	-	5	1	2	4	1	9	9	17	26	19	10	1
Dis. of Kidneys	48	-	-	-	-	-	-	1	-	4	-	1	4	8	4	16	8	2
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-
Dis. of Joints	15	-	-	1	1	-	2	1	2	2	5	2	-	-	-	1	-	-
Dis. of Skin	6	2	-	-	-	-	2	-	-	1	-	-	-	1	1	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	9	-	-	-	-	-	-	-	-	1	-	-	3	1	1	2	1	-
Other Violent Deaths	206	-	6	3	6	7	22	16	19	23	24	31	22	21	20	2	5	1
Other Causes	510	149	44	14	3	5	215	15	-	-	1	6	6	10	17	48	108	84
584.—NEATH.																		
Mean Popul^{n}, 1861–71	31244	1025	923	970	864	926	4708	4046	3577	3259	2857	4517	3421	2461	1492	637	238	31
TOTAL DEATHS	7392	1826	647	375	223	163	3234	411	254	305	346	518	475	487	526	447	296	93
Small-pox	120	29	7	12	9	8	65	13	6	4	17	7	5	3	-	-	-	-
Measles	141	28	51	21	18	6	127	12	2	-	-	-	-	-	-	-	-	-
Scarlatina	415	38	80	75	57	52	302	94	15	2	1	1	-	-	-	-	-	-
Diphtheria	24	3	6	5	3	-	17	6	-	-	1	-	-	-	-	-	-	-
Whooping-cough	117	48	33	15	8	5	109	8	-	-	-	-	-	-	-	-	-	-
Typhus	493	29	45	38	21	26	153	71	44	54	40	39	24	21	25	15	10	-
Diarrhœa & Dysentery	159	72	28	7	3	2	112	3	2	1	1	1	3	3	7	7	8	2
Cholera	244	3	6	9	4	6	28	24	20	18	14	31	30	37	20	17	5	-
Other Zymotic Dis.	188	25	27	35	25	13	125	23	7	3	1	6	2	4	8	7	2	-
Cancer	59	-	-	-	-	1	1	-	1	2	2	-	6	14	16	7	10	-
Scrofula and Tabes	142	37	33	13	5	1	89	10	9	11	5	8	3	3	4	-	-	-
Phthisis	851	16	10	6	7	6	45	22	39	95	145	185	117	93	79	24	2	-
Hydrocephalus	49	12	11	8	4	4	39	5	1	1	1	1	1	-	-	-	-	-
Dis. of Brain	1287	865	96	33	16	12	1022	31	5	11	8	23	37	31	51	37	28	3
Dis. of Heart & Dropsy	215	1	2	6	1	1	11	12	11	14	9	17	23	37	42	41	21	4
Dis. of Lungs	919	179	107	59	14	8	345	17	2	11	12	37	66	94	138	112	50	5
Dis. of Stom. and Liver	200	20	6	5	5	-	36	5	1	2	8	20	31	27	32	27	10	1
Dis. of Kidneys	96	1	1	-	2	1	5	2	-	3	2	15	16	15	17	10	11	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Dis. of Joints	18	2	-	-	-	-	2	1	1	4	1	-	2	3	3	1	-	-
Dis. of Skin	18	9	2	1	-	1	13	1	-	2	-	-	-	-	1	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	18	-	-	-	-	-	-	-	-	-	3	1	5	4	4	-	1	-
Other Violent Deaths	627	6	21	19	11	10	67	42	83	62	63	111	84	58	33	23	1	-
Other Causes	966	403	77	25	10	6	521	9	5	5	12	15	19	34	46	89	133	78

* See note on pp. 414–15.

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
582.—MERTHYR TYDFIL.*																		
Mean Popul^n, 1861-71	46780	1657	1354	1505	1420	1413	7349	5925	4941	4383	4263	7176	5273	3663	2255	1070	411	71
TOTAL DEATHS	11310	2882	1372	657	418	298	5627	582	227	286	434	795	746	633	673	604	493	210
Small-pox	123	33	15	17	12	4	81	28	1	1	5	4	3	–	–	–	–	–
Measles	256	45	95	45	29	18	232	21	2	1	–	–	–	–	–	–	–	–
Scarlatina	576	38	97	113	81	89	418	124	28	1	4	1	–	–	–	–	–	–
Diphtheria	50	3	9	6	5	10	33	9	2	1	1	3	1	–	–	–	–	–
Whooping-cough	366	143	118	43	31	14	349	17	–	–	–	–	–	–	–	–	–	–
Typhus	567	17	37	39	28	22	143	106	37	40	40	49	46	32	47	22	4	1
Diarrhœa & Dysentery	283	119	54	18	7	3	201	2	2	–	3	10	9	7	13	18	14	4
Cholera	118	5	2	8	4	4	23	11	5	6	5	12	22	9	11	7	4	–
Other Zymotic Dis.	306	32	58	42	35	27	194	27	5	6	6	10	10	12	19	8	7	2
Cancer	158	–	–	–	–	1	1	–	–	–	1	6	20	60	40	15	13	2
Scrofula and Tabes	246	65	73	24	15	5	182	14	15	7	3	9	4	6	4	2	–	–
Phthisis	1558	34	50	20	18	7	129	56	55	132	200	378	315	185	72	23	10	–
Bronchitis	160	47	39	11	10	4	111	15	4	–	–	–	–	–	–	–	–	–
Disease of Brain	1885	1115	218	76	36	32	1477	41	14	5	14	21	38	62	71	85	44	13
Disease of Heart & Dropsy	538	2	4	6	5	4	21	10	12	27	30	66	64	81	99	84	37	7
Disease of Lungs	1513	410	269	103	66	25	873	31	13	9	27	43	46	67	152	160	74	18
Disease of Stom. and Liver	344	19	7	6	–	2	34	9	9	4	15	36	40	63	68	39	23	4
Disease of Kidneys	91	2	2	1	1	1	7	4	2	4	5	12	19	14	15	10	1	–
Disease of Gener. Organs	56	1	–	–	–	–	1	–	–	1	5	5	10	4	5	4	1	–
Disease of Joints	33	–	–	–	1	2	3	2	5	5	2	7	5	2	1	1	–	–
Disease of Skin	23	8	3	1	–	–	12	–	–	–	–	–	1	2	3	3	2	–
Childbirth and Metria	233	–	–	–	–	–	–	–	–	12	51	95	69	3	–	–	–	–
Suicide	16	–	–	–	–	–	–	–	–	2	2	5	2	3	2	–	–	–
Other Violent Deaths	182	16	18	12	18	8	72	26	12	17	3	8	5	8	9	7	10	5
Other Causes	1677	728	204	66	16	16	1030	26	4	5	9	15	17	13	42	113	249	154
583.—BRIDGEND.																		
Mean Popul^n, 1861-71	14320	440	375	399	381	394	1989	1703	1562	1367	1261	1981	1528	1202	852	555	266	49
TOTAL DEATHS	2809	618	207	104	66	49	1044	119	70	93	103	210	171	175	171	239	279	135
Small-pox	8	3	1	1	–	–	5	1	–	–	–	1	–	–	–	1	–	–
Measles	57	7	20	11	5	4	47	8	–	–	–	2	–	–	–	–	–	–
Scarlatina	84	5	12	10	10	15	52	23	4	5	–	–	–	–	–	–	–	–
Diphtheria	14	2	2	1	1	1	7	3	1	1	1	–	–	1	–	–	–	–
Whooping-cough	79	28	26	12	7	3	76	3	–	–	–	–	–	–	–	–	–	–
Typhus	123	–	4	5	5	3	17	21	15	17	12	14	10	5	5	5	2	–
Diarrhœa & Dysentery	39	13	5	–	1	–	19	2	1	–	1	1	–	2	1	3	4	5
Cholera	40	–	2	2	1	3	8	3	–	1	2	8	4	5	5	2	2	–
Other Zymotic Dis.	49	5	4	6	4	2	21	5	3	2	–	2	1	5	4	3	3	–
Cancer	47	–	–	–	–	–	–	–	–	–	–	3	7	12	10	9	5	1
Scrofula and Tabes	24	2	6	1	1	1	11	3	4	3	1	–	–	2	–	–	–	–
Phthisis	379	1	–	2	1	2	6	4	25	47	59	99	73	45	20	1	–	–
Bronchitis	13	6	3	2	–	–	11	1	–	–	–	–	–	–	–	1	–	–
Disease of Brain	491	306	45	22	5	1	379	10	2	3	4	10	8	18	13	19	21	1
Disease of Heart & Dropsy	175	1	1	–	–	–	2	5	4	3	6	13	14	23	29	46	28	2
Disease of Lungs	365	61	30	11	13	5	120	9	1	5	2	14	13	22	42	68	62	7
Disease of Stom. and Liver	97	4	1	–	1	–	6	2	2	4	3	8	12	19	18	18	5	–
Disease of Kidneys	10	–	–	–	1	–	1	–	–	–	–	1	3	2	2	–	1	–
Disease of Gener. Organs	4	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–
Disease of Joints	6	–	1	–	–	–	1	1	–	1	1	2	–	–	–	–	–	–
Disease of Skin	6	–	–	–	–	–	–	1	–	–	–	–	1	1	1	1	1	–
Childbirth and Metria	50	–	–	–	–	–	–	–	–	–	8	27	15	–	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–
Other Violent Deaths	44	2	4	2	7	4	19	7	2	1	1	1	1	–	4	4	2	2
Other Causes	601	172	40	16	3	5	236	7	6	–	2	4	7	9	17	56	140	117
584.—NEATH.																		
Mean Popul^n, 1861-71	30331	1025	896	954	928	892	4695	4013	3505	3011	2672	4283	3112	2313	1511	819	335	62
TOTAL DEATHS	6298	1397	598	328	233	193	2749	397	205	247	253	486	424	326	331	383	347	150
Small-pox	107	27	21	8	7	11	74	15	2	7	5	3	1	–	–	–	–	–
Measles	139	16	48	30	16	10	120	18	1	–	–	–	–	–	–	–	–	–
Scarlatina	414	23	67	69	77	62	298	105	26	2	2	1	–	–	–	–	–	–
Diphtheria	28	4	1	2	1	4	12	8	3	1	1	2	–	1	–	–	–	–
Whooping-cough	143	52	48	15	13	8	136	7	–	–	–	–	–	–	–	–	–	–
Typhus	429	19	25	25	26	26	121	56	54	48	29	33	28	15	22	16	6	1
Diarrhœa & Dysentery	116	47	11	4	–	1	63	4	2	1	2	3	2	3	10	8	11	4
Cholera	284	2	11	9	6	6	34	27	16	16	22	43	45	27	22	23	9	–
Other Zymotic Dis.	151	15	30	22	17	14	98	19	1	6	1	4	4	3	4	5	6	–
Cancer	81	1	–	–	–	–	1	–	1	–	1	4	12	22	17	13	10	–
Scrofula and Tabes	111	23	32	13	3	6	77	13	7	4	4	3	1	1	1	–	–	–
Phthisis	823	15	9	3	3	5	35	30	44	109	114	206	139	84	47	13	2	–
Bronchitis	29	8	9	4	3	1	25	3	1	–	–	–	–	–	–	–	–	–
Disease of Brain	1056	680	104	34	23	4	845	21	8	11	7	14	22	21	30	40	27	4
Disease of Heart & Dropsy	267	4	3	–	1	2	10	12	8	15	13	36	30	34	43	39	27	–
Disease of Lungs	607	123	82	53	14	21	293	20	6	10	10	20	34	23	57	83	37	3
Disease of Stom. and Liver	197	12	4	5	4	1	26	5	8	1	7	26	22	33	26	31	10	2
Disease of Kidneys	34	–	–	–	1	–	1	–	1	1	4	6	6	5	4	5	1	–
Disease of Gener. Organs	17	–	–	–	–	–	–	–	–	1	–	4	4	1	6	1	–	–
Disease of Joints	9	–	–	–	–	1	1	1	2	2	–	1	1	1	–	–	–	–
Disease of Skin	7	3	–	–	–	–	3	–	–	–	–	–	–	3	–	–	1	–
Childbirth and Metria	131	–	–	–	–	–	–	–	–	2	21	57	47	4	–	–	–	–
Suicide	7	–	–	–	–	–	–	–	–	1	2	–	1	3	–	–	–	–
Other Violent Deaths	117	6	12	10	12	5	45	20	8	3	4	2	4	9	3	8	8	3
Other Causes	974	317	78	22	6	5	428	10	6	6	4	18	21	30	39	92	192	128

* See note on pp. 414-15.

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–
585 *a.*—SWANSEA.																	
Mean Popul^n, 1861–71	29470	974	825	898	843	779	4319	3664	3230	3077	2843	4648	3247	2260	1347	603	200
TOTAL DEATHS	6830	1509	651	387	246	161	2954	456	189	233	283	476	496	456	503	410	291
Small-pox	129	17	14	12	9	6	58	16	10	7	12	19	4	2	1	–	–
Measles	117	21	47	20	11	4	103	14	–	–	–	–	–	–	–	–	–
Scarlatina	487	35	65	92	72	57	321	140	13	3	3	5	2	–	–	–	–
Diphtheria	62	4	13	10	10	5	42	13	1	2	2	1	–	1	–	–	–
Whooping-cough	114	37	40	21	5	7	110	3	1	–	–	–	–	–	–	–	–
Typhus	221	7	6	16	16	10	55	41	13	27	29	19	17	6	7	6	1
Diarrhœa & Dysentery	170	104	27	6	2	–	139	4	–	–	–	4	4	3	6	8	2
Cholera	255	15	17	12	10	8	62	82	22	5	13	24	26	29	24	10	7
Other Zymotic Dis.	193	22	36	23	20	8	109	20	5	9	7	4	12	8	9	10	–
Cancer	52	–	–	–	–	–	–	1	–	–	–	1	7	7	17	13	2
Scrofula and Tabes	121	40	26	7	4	2	79	13	6	5	5	6	1	3	2	1	–
Phthisis	784	4	5	7	6	1	23	24	30	80	133	182	138	96	62	15	1
Hydrocephalus	75	25	18	6	8	3	60	6	6	2	–	1	–	–	–	–	–
Dis. of Brain	993	529	83	44	20	13	689	37	9	7	12	21	43	40	59	45	29
Dis. of Heart & Dropsy	247	3	1	1	3	1	9	9	14	8	5	26	46	39	47	26	18
Dis. of Lungs	1121	228	135	73	27	20	483	23	9	17	14	58	65	108	138	129	69
Dis. of Stom. and Liver	259	40	16	5	2	1	64	12	9	4	5	21	40	38	31	27	8
Dis. of Kidneys	86	2	2	1	2	2	9	3	2	2	3	5	13	14	21	8	5
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Dis. of Joints	9	–	–	–	–	–	–	3	–	–	1	1	–	1	2	–	1
Dis. of Skin	12	4	1	–	–	–	5	–	–	1	–	–	1	1	–	1	3
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	9	–	–	–	–	–	–	–	–	–	1	4	–	3	1	–	–
Other Violent Deaths	417	7	10	9	10	8	44	30	36	52	35	66	58	40	28	21	6
Other Causes	896	365	89	22	9	5	490	12	3	2	3	8	19	17	48	90	138
585 *b.*—GOWER.																	
Mean Popul^n, 1861–71	4265	118	112	124	116	108	578	509	524	407	320	528	451	365	302	186	79
TOTAL DEATHS	885	156	39	30	22	22	269	56	25	45	48	58	49	47	67	96	93
Small-pox	8	4	–	1	–	–	5	–	2	–	–	–	–	1	–	–	–
Measles	3	–	2	1	–	–	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	71	4	6	11	12	9	42	22	6	1	–	–	–	–	–	–	–
Diphtheria	15	–	–	1	–	2	3	7	1	3	1	–	–	–	–	–	–
Whooping-cough	16	8	3	2	2	1	16	–	–	–	–	–	–	–	–	–	–
Typhus	34	1	–	2	–	1	4	5	4	3	4	3	3	1	5	2	–
Diarrhœa & Dysentery	11	9	–	–	–	–	9	–	–	–	–	–	–	–	–	2	–
Cholera	12	–	–	–	–	–	–	1	–	–	2	–	1	1	3	4	–
Other Zymotic Dis.	15	2	3	–	–	2	7	–	–	1	–	2	–	1	2	2	–
Cancer	14	–	–	–	–	–	–	–	–	–	1	–	–	1	6	2	4
Scrofula and Tabes	21	3	2	2	1	1	9	2	1	3	1	–	1	1	2	1	–
Phthisis	117	1	–	1	–	1	3	3	1	19	28	23	16	12	10	2	–
Hydrocephalus	5	1	–	1	2	–	4	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	132	77	11	1	2	3	94	2	–	1	1	5	4	6	6	9	4
Dis. of Heart & Dropsy	40	–	1	–	–	–	1	1	2	3	4	2	3	3	7	10	3
Dis. of Lungs	65	8	1	3	–	1	13	2	2	–	2	5	3	7	4	20	7
Dis. of Stom. and Liver	26	2	–	1	–	1	4	2	–	1	–	–	–	–	7	9	3
Dis. of Kidneys	13	–	–	–	–	–	–	1	–	–	–	–	1	1	3	6	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Dis. of Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Deaths	72	–	3	2	1	–	6	4	3	7	3	17	15	7	6	4	–
Other Causes	194	36	7	1	2	–	46	3	2	3	1	1	2	5	6	23	71
586.—LLANELLY.																	
Mean Popul^n, 1861–71	15461	520	466	508	472	444	2410	2103	1793	1646	1361	2093	1520	1156	811	412	136
TOTAL DEATHS	3385	823	241	139	95	67	1365	215	134	158	172	260	174	174	231	248	187
Small-pox	14	4	–	–	2	–	6	3	–	2	1	2	–	–	–	–	–
Measles	53	10	22	8	2	5	47	4	1	–	–	1	–	–	–	–	–
Scarlatina	225	30	41	29	32	19	151	57	14	2	1	–	–	–	–	–	–
Diphtheria	6	1	2	1	–	–	4	2	–	–	–	–	–	–	–	–	–
Whooping-cough	51	25	16	2	5	–	48	3	–	–	–	–	–	–	–	–	–
Typhus	147	10	9	13	11	7	50	15	13	7	20	15	8	5	8	3	3
Diarrhœa & Dysentery	47	15	2	2	–	1	20	5	1	–	–	3	1	2	2	6	5
Cholera	103	4	6	5	2	2	19	12	8	3	3	14	6	14	13	9	2
Other Zymotic Dis.	67	11	6	7	6	9	39	7	1	4	2	4	–	3	3	2	2
Cancer	32	–	–	–	–	–	–	–	–	1	2	–	4	4	7	8	6
Scrofula and Tabes	104	22	21	8	3	1	55	15	15	4	2	6	2	4	1	–	–
Phthisis	506	12	2	5	2	1	22	13	22	68	90	119	63	30	34	26	14
Hydrocephalus	30	10	8	2	1	2	23	4	3	–	–	–	–	–	–	–	–
Dis. of Brain	407	231	19	17	5	6	278	19	4	1	7	6	7	17	20	29	19
Dis. of Heart & Dropsy	124	–	–	1	–	–	1	1	9	11	6	10	11	14	28	24	8
Dis. of Lungs	341	56	26	14	7	2	105	12	2	7	4	13	21	22	49	60	38
Dis. of Stom. and Liver	110	13	5	–	–	–	18	4	3	3	2	10	15	14	20	15	6
Dis. of Kidneys	40	–	–	–	–	–	–	2	2	–	2	–	4	8	3	11	6
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Dis. of Joints	7	–	–	–	1	–	1	–	2	–	–	–	1	2	1	–	–
Dis. of Skin	5	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	1
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–
Other Violent Deaths	227	4	8	2	4	5	23	18	28	34	20	42	18	16	16	8	2
Other Causes	734	365	48	23	12	7	455	18	6	11	10	14	13	17	25	45	74

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 upwards.
585 *a*.—SWANSEA.																		
Mean Popul^n, 1861-71	29839	982	840	864	804	789	4279	3625	3082	2940	2988	4720	3215	2276	1491	828	331	64
TOTAL DEATHS	6487	1265	645	378	281	172	2741	400	158	167	267	506	412	372	420	454	403	187
Small-pox	133	18	15	10	11	9	63	24	9	6	9	15	5	2	–	–	–	–
Measles	140	18	45	36	17	8	124	12	2	1	1	–	–	–	–	–	–	–
Scarlatina	465	18	72	76	87	71	324	115	10	8	3	5	–	–	–	–	–	–
Diphtheria	66	3	8	13	10	6	40	15	3	2	3	1	–	1	1	–	–	–
Whooping-cough	142	59	39	17	16	4	135	7	–	–	–	–	–	–	–	–	–	–
Typhus	201	5	11	13	12	6	47	25	26	24	18	19	13	11	11	3	3	1
Diarrhœa & Dysentery	149	84	23	10	6	1	124	6	2	–	–	5	3	1	3	1	4	–
Cholera	288	4	11	11	5	10	41	26	18	4	18	45	48	33	26	18	9	2
Other Zymotic Dis.	131	9	22	22	18	5	76	16	3	2	4	8	3	4	8	4	2	1
Cancer	124	–	–	–	–	–	–	1	–	–	1	8	24	38	28	15	7	2
Scrofula and Tabes	81	28	15	7	3	1	54	7	5	1	5	5	2	2	–	–	–	–
Phthisis	728	3	9	8	3	4	27	23	35	73	123	206	117	77	33	12	2	–
Hydrocephalus	40	9	9	8	3	1	30	10	–	–	–	–	–	–	–	–	–	–
Ds. of Brain	933	471	91	46	27	8	643	28	7	8	9	28	25	28	51	52	44	10
Ds. of Heart & Dropsy	294	1	2	–	–	3	6	9	14	13	15	31	37	43	48	43	28	7
Ds. of Lungs	982	207	139	58	40	19	463	36	11	8	19	33	44	62	93	118	80	15
Ds. of Stom. and Liver	254	23	9	2	3	2	39	12	1	5	8	18	28	34	51	41	15	2
Ds. of Kidneys	41	1	–	–	–	1	2	1	1	1	2	8	8	6	5	7	–	–
Ds. of Gener. Organs	20	–	–	–	–	–	–	–	1	–	1	3	4	5	4	2	–	–
Ds. of Joints	15	–	–	–	–	–	–	3	2	1	–	2	–	4	2	1	–	–
Ds. of Skin	20	7	2	2	–	1	12	–	–	–	–	–	–	1	5	–	2	–
Childbirth and Metria	120	–	–	–	–	–	–	–	–	3	25	56	34	2	–	–	–	–
Suicide	5	–	–	–	–	–	–	–	–	1	–	1	–	–	2	1	–	–
Other Violent Deaths	109	11	11	10	8	6	46	12	5	6	2	5	7	6	4	9	4	3
Other Causes	1006	286	112	29	12	6	445	12	3	–	1	4	10	12	45	127	203	144
585 *b*.—GOWER.																		
Mean Popul^n, 1861-71	4538	95	109	109	117	102	532	503	475	459	419	606	488	402	328	217	89	20
TOTAL DEATHS	846	99	28	37	16	25	205	69	28	33	40	73	57	36	56	84	103	62
Small-pox	12	1	1	1	1	1	5	1	–	3	3	–	–	–	–	–	–	–
Measles	4	1	–	–	1	1	3	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	75	8	5	9	7	8	37	28	8	1	1	–	–	–	–	–	–	–
Diphtheria	20	–	–	–	2	3	5	10	4	–	–	1	–	–	–	–	–	–
Whooping-cough	19	5	7	3	–	3	18	1	–	–	–	–	–	–	–	–	–	–
Typhus	35	–	1	3	1	2	7	2	3	8	2	5	3	1	1	3	–	–
Diarrhœa & Dysentery	9	–	1	–	1	–	2	1	1	–	–	–	1	–	–	3	1	–
Cholera	17	–	–	1	1	–	2	4	–	1	1	3	1	1	3	–	–	1
Other Zymotic Dis.	10	–	–	3	1	–	4	1	–	–	–	1	–	–	1	1	1	1
Cancer	20	–	–	–	–	–	–	–	–	–	–	–	5	4	6	3	2	–
Scrofula and Tabes	10	3	–	2	–	–	5	3	1	–	1	–	–	–	–	–	–	–
Phthisis	103	2	1	–	–	–	3	–	2	12	20	32	18	7	8	1	–	–
Hydrocephalus	4	1	1	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
Ds. of Brain	113	51	5	6	–	2	64	3	–	2	2	2	5	4	4	15	11	1
Ds. of Heart & Dropsy	59	–	–	–	–	–	–	3	2	3	2	8	5	8	10	12	6	–
Ds. of Lungs	36	2	–	4	–	1	7	2	1	2	–	1	4	5	6	5	2	1
Ds. of Stom. and Liver	25	2	–	1	–	–	3	2	–	–	1	6	4	–	2	5	2	–
Ds. of Kidneys	7	–	–	–	–	–	–	–	–	–	–	–	–	1	3	3	–	–
Ds. of Gener. Organs	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Ds. of Joints	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ds. of Skin	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Childbirth and Metria	19	–	–	–	–	–	–	–	–	–	4	10	4	1	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Deaths	6	–	–	1	–	1	2	–	1	1	–	–	–	1	1	–	–	–
Other Causes	240	23	6	3	1	3	36	5	4	–	3	4	5	3	11	33	78	58
586.—LLANELLY.																		
Mean Popul^n, 1861-71	15895	539	472	498	447	475	2431	2002	1776	1534	1439	2258	1581	1197	866	511	240	60
TOTAL DEATHS	3092	599	251	168	118	73	1209	170	87	128	134	245	169	152	194	228	244	132
Small-pox	20	4	2	2	1	1	10	2	1	1	5	1	–	–	–	–	–	–
Measles	54	5	22	8	10	3	48	6	–	–	–	–	–	–	–	–	–	–
Scarlatina	240	18	41	52	44	25	180	44	11	3	2	–	–	–	–	–	–	–
Diphtheria	8	2	1	–	–	–	3	2	–	1	–	1	–	–	1	–	–	–
Whooping-cough	71	31	17	7	9	3	67	3	1	–	–	–	–	–	–	–	–	–
Typhus	165	3	12	15	9	13	52	23	11	20	15	12	6	6	6	9	4	1
Diarrhœa & Dysentery	54	14	7	2	–	1	24	3	2	–	1	1	2	1	2	7	9	2
Cholera	139	1	5	6	3	6	21	13	7	4	6	25	14	20	15	8	4	2
Other Zymotic Dis.	66	14	4	9	12	3	42	11	3	1	–	2	2	1	1	3	–	–
Cancer	42	–	–	–	–	–	–	–	–	–	–	–	5	13	9	8	5	2
Scrofula and Tabes	81	17	18	8	4	3	50	7	4	3	2	6	5	–	1	2	1	–
Phthisis	497	9	9	6	3	1	28	19	26	68	67	111	66	35	36	25	10	6
Hydrocephalus	18	2	4	2	3	2	13	5	–	–	–	–	–	–	–	–	–	–
Ds. of Brain	293	148	28	10	5	3	194	6	4	1	3	9	6	9	19	19	20	8
Ds. of Heart & Dropsy	132	–	–	3	–	–	3	2	4	4	5	13	11	15	29	29	15	2
Ds. of Lungs	267	44	23	10	5	2	84	6	2	5	12	13	7	16	32	45	36	9
Ds. of Stom. and Liver	81	6	–	1	–	–	7	–	–	4	–	11	11	12	23	7	5	1
Ds. of Kidneys	21	–	1	–	–	–	1	1	–	–	1	–	3	6	3	4	2	–
Ds. of Gener. Organs	6	–	–	–	–	–	–	–	–	–	–	1	2	1	1	1	–	–
Ds. of Joints	4	–	–	–	–	1	1	–	1	–	–	–	–	2	–	–	–	–
Ds. of Skin	4	1	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–	1
Childbirth and Metria	55	–	–	–	–	–	–	–	–	–	10	25	19	1	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–
Other Violent Deaths	49	3	11	7	1	2	24	9	–	5	1	–	2	1	1	–	4	2
Other Causes	716	277	46	20	9	4	356	8	10	8	3	14	8	11	12	61	129	96

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85
587.—LLANDOVERY.																		
Mean Populn, 1861–71	6934	206	163	196	198	172	935	869	783	775	582	807	678	630	452	268	132	
TOTAL DEATHS	1437	280	55	26	31	19	411	65	40	60	93	92	60	91	112	154	185	
Small-pox	15	3	1	–	–	–	4	1	–	1	4	2	1	1	1	–	–	
Measles	4	–	2	1	–	–	3	1	–	–	–	–	–	–	–	–	–	
Scarlatina	49	4	8	1	7	7	27	18	2	–	–	1	–	–	1	–	–	
Diphtheria	11	1	1	2	1	–	5	4	1	–	–	–	1	–	–	–	–	
Whooping-cough	14	9	2	–	2	–	13	1	–	–	–	–	–	–	–	–	–	
Typhus	68	–	1	3	3	–	7	6	7	6	16	8	2	7	5	3	1	
Diarrhœa & Dysentery	3	2	–	–	1	–	3	–	–	–	–	–	–	–	–	–	–	
Cholera	2	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	
Other Zymotic Dis.	42	9	8	3	4	4	28	5	–	–	3	1	–	–	–	3	2	
Cancer	21	–	–	–	–	–	–	–	–	–	–	1	–	1	5	9	4	
Scrofula and Tabes	22	2	–	–	–	–	2	2	5	1	4	2	1	1	3	–	–	
Phthisis	264	2	1	2	–	1	6	6	7	28	51	47	33	29	31	18	7	
Hydrocephalus	10	1	1	–	–	2	4	4	1	–	–	1	–	–	–	–	–	
Dis. of Brain	272	165	15	8	5	3	196	5	3	6	2	4	3	7	9	18	16	
Dis. of Heart & Dropsy	54	–	1	–	–	–	1	1	–	2	2	2	2	5	9	12	13	
Dis. of Lungs	140	5	4	1	4	–	14	3	2	3	2	5	5	18	15	36	33	
Dis. of Stom. and Liver	54	3	1	–	–	–	4	–	2	1	1	7	3	6	12	8	8	
Dis. of Kidneys	15	–	–	–	–	–	–	–	1	1	1	1	–	–	3	6	2	
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Dis. of Joints	3	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	1	
Dis. of Skin	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Suicide	4	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	
Other Violent Deaths	37	1	3	–	1	1	6	2	1	6	3	5	3	2	5	3	1	
Other Causes	332	73	6	5	3	1	88	6	7	4	3	5	5	11	13	37	96	
588.—LLANDILOFAWR.																		
Mean Populn, 1861–71	8132	223	224	220	234	217	1118	1082	963	850	642	915	768	711	567	333	155	
TOTAL DEATHS	1515	236	46	38	33	21	374	69	49	64	92	111	98	87	140	159	194	
Small-pox	8	2	–	–	–	–	2	–	–	–	2	3	–	1	–	–	–	
Measles	5	1	2	1	–	–	4	–	1	–	–	–	–	–	–	–	–	
Scarlatina	63	6	4	13	11	11	45	13	2	2	1	–	–	–	–	–	–	
Diphtheria	2	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	
Whooping-cough	13	8	2	2	–	–	12	1	–	–	–	–	–	–	–	–	–	
Typhus	51	1	–	1	1	1	4	7	4	3	6	7	4	5	3	6	2	
Diarrhœa & Dysentery	15	8	1	–	–	–	9	–	–	–	1	1	–	–	1	3	–	
Cholera	6	–	1	–	1	–	2	1	1	–	–	–	–	–	1	1	–	
Other Zymotic Dis.	47	9	7	6	1	5	28	6	1	2	–	1	1	1	1	3	3	
Cancer	22	–	–	–	–	–	–	–	–	–	–	–	3	3	7	5	3	
Scrofula and Tabes	21	1	2	–	–	–	3	3	2	2	3	3	3	2	–	–	–	
Phthisis	341	2	4	1	1	–	8	3	20	41	61	65	41	31	38	28	5	
Hydrocephalus	9	1	1	–	–	1	3	4	1	–	–	–	1	–	–	–	–	
Dis. of Brain	222	121	12	5	9	–	147	12	4	3	3	6	6	6	10	12	10	
Dis. of Heart & Dropsy	71	1	–	–	1	–	2	1	2	–	2	4	6	8	17	13	16	
Dis. of Lungs	104	5	4	1	1	1	12	4	–	1	4	3	7	4	21	15	27	
Dis. of Stom. and Liver	61	4	–	–	–	1	5	1	2	1	–	6	5	11	14	11	5	
Dis. of Kidneys	25	–	–	–	–	–	–	–	–	1	1	1	3	3	6	3	6	
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Dis. of Joints	4	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	1	
Dis. of Skin	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Suicide	5	–	–	–	–	–	–	–	–	–	–	–	3	1	1	–	–	
Other Violent Deaths	158	–	–	4	6	1	11	4	5	2	6	7	5	5	8	2	3	
Other Causes	361	65	6	4	1	–	76	8	3	4	2	4	10	6	12	56	113	
589.—CARMARTHEN.																		
Mean Populn, 1861–71	16723	481	417	474	467	452	2291	2129	2023	1777	1290	1891	1600	1471	1173	726	300	
TOTAL DEATHS	3653	619	178	112	73	59	1041	158	108	130	160	259	207	261	329	459	403	
Small-pox	6	1	1	–	–	–	2	2	1	–	–	1	–	–	–	–	–	
Measles	19	5	5	3	–	2	15	4	–	–	–	–	–	–	–	–	–	
Scarlatina	132	12	20	24	14	13	83	37	6	1	1	4	–	–	–	–	–	
Diphtheria	26	3	1	1	5	4	14	8	1	2	–	1	–	–	–	–	–	
Whooping-cough	52	26	13	3	2	6	50	2	–	–	–	–	–	–	–	–	–	
Typhus	116	2	6	5	8	4	25	13	15	5	5	8	12	12	4	12	4	
Diarrhœa & Dysentery	29	11	5	1	1	–	18	–	–	–	1	–	–	–	2	5	2	
Cholera	55	1	1	1	2	–	5	10	4	1	1	5	1	8	9	8	3	
Other Zymotic Dis.	82	9	17	8	9	4	47	8	1	–	1	–	3	2	6	9	5	
Cancer	57	–	–	–	–	–	–	–	–	1	–	3	5	12	14	12	9	
Scrofula and Tabes	85	19	10	4	–	1	34	7	8	9	5	9	4	5	2	2	–	
Phthisis	630	4	6	5	3	3	21	8	24	67	113	144	80	77	58	31	7	
Hydrocephalus	52	19	12	5	2	3	41	8	2	1	–	–	–	–	–	–	–	
Dis. of Brain	493	255	26	10	8	4	303	13	5	8	–	13	18	25	33	44	26	
Dis. of Heart & Dropsy	165	–	2	–	–	1	3	1	5	9	6	18	12	16	26	48	20	
Dis. of Lungs	396	34	18	10	2	4	68	5	5	7	8	13	14	32	62	103	66	
Dis. of Stom. and Liver	182	12	1	1	1	1	16	3	6	6	3	10	20	27	48	30	11	
Dis. of Kidneys	55	–	–	–	–	–	–	1	–	1	2	5	5	8	8	15	9	
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	
Dis. of Joints	7	–	–	–	–	–	–	–	–	–	1	1	2	–	3	–	–	
Dis. of Skin	5	3	–	–	–	–	3	–	–	1	–	–	–	–	–	1	–	
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Suicide	6	–	–	–	–	–	–	–	–	–	–	–	–	3	1	2	–	
Other Violent Deaths	125	3	2	10	8	4	27	11	13	9	6	12	18	11	7	6	5	
Other Causes	874	200	32	21	8	5	266	17	12	2	7	12	13	23	46	159	236	

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
587.—LLANDOVERY.																		
Mean Popul^n, 1861–71	7477	176	166	167	169	180	858	849	827	824	726	968	697	657	515	331	183	42
TOTAL DEATHS	1349	193	53	34	22	20	322	51	46	62	70	114	92	89	98	132	180	93
Small-pox	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Measles	11	1	1	5	1	1	9	1	–	1	–	–	–	–	–	–	–	–
Scarlatina	39	6	8	3	4	5	26	10	2	1	–	–	–	–	–	–	–	–
Diphtheria	11	1	2	–	1	–	4	4	–	–	1	–	1	–	–	1	–	–
Whooping-cough	19	9	8	2	1	2	17	2	–	–	–	–	–	–	–	–	–	–
Typhus	57	2	3	–	–	1	6	6	4	6	10	8	3	5	5	3	1	–
Diarrhœa & Dysentery	8	1	–	–	–	–	1	–	1	1	–	–	–	1	1	3	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	37	4	2	4	4	3	17	3	–	3	2	1	–	1	3	2	5	–
Cancer	28	–	–	–	–	–	–	–	–	–	–	–	5	6	4	8	2	3
Scrofula and Tabes	11	1	1	1	–	1	4	1	1	–	2	–	1	1	1	–	–	–
Phthisis	268	2	6	1	1	–	10	5	21	31	33	65	38	31	18	10	3	–
Hydrocephalus	3	–	–	1	–	–	1	2	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	197	108	11	5	2	2	128	3	2	3	1	4	2	7	13	16	15	3
Dis. of Heart & Dropsy	90	–	–	–	–	–	–	–	4	3	3	4	7	7	11	27	20	4
Dis. of Lungs	114	4	8	4	2	2	20	3	2	3	3	9	4	10	13	20	23	4
Dis. of Stom. and Liver	41	–	1	–	–	1	2	1	1	–	6	6	5	6	8	1	5	–
Dis. of Kidneys	8	–	–	–	–	–	–	–	1	–	–	2	5	–	–	–	–	–
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Dis. of Joints	4	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	–	–
Dis. of Skin	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
Childbirth and Metria	20	–	–	–	–	–	–	–	–	–	5	5	8	2	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Other Violent Deaths	22	2	1	4	3	1	11	1	–	2	–	1	3	1	–	–	2	1
Other Causes	355	52	6	4	3	1	66	8	7	2	2	9	9	11	20	39	104	78
588.—LLANDILOFAWR.																		
Mean Popul^n, 1861–71	8966	217	216	210	233	211	1087	989	964	941	842	1168	868	774	599	425	243	66
TOTAL DEATHS	1660	214	50	36	41	28	369	73	57	70	62	127	114	92	118	210	206	162
Small-pox	5	2	–	–	–	1	3	–	2	–	–	–	–	–	–	–	–	–
Measles	11	2	5	3	–	1	11	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	64	4	6	6	17	6	39	18	3	1	2	–	–	1	–	–	–	–
Diphtheria	6	2	–	–	–	–	2	2	–	1	–	–	1	–	–	–	–	–
Whooping-cough	12	6	3	1	–	1	11	1	–	–	–	–	–	–	–	–	–	–
Typhus	56	–	1	1	1	5	8	8	8	4	6	8	5	3	5	1	–	–
Diarrhœa & Dysentery	5	3	–	–	–	–	3	–	–	–	–	–	–	–	–	1	–	1
Cholera	7	–	–	–	1	–	1	–	–	–	1	–	1	2	–	1	1	–
Other Zymotic Dis.	50	5	3	9	10	4	31	9	–	–	–	2	2	1	–	4	1	–
Cancer	41	–	–	–	–	–	–	–	–	–	–	1	6	7	19	5	3	–
Scrofula and Tabes	14	–	1	2	2	–	5	1	1	2	–	–	–	–	1	2	2	–
Phthisis	374	5	2	1	2	2	12	9	30	48	39	72	51	45	30	35	3	–
Hydrocephalus	2	1	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	207	104	11	5	5	1	129	10	1	1	4	6	5	6	12	18	10	5
Dis. of Heart & Dropsy	88	–	–	–	–	–	–	–	2	3	–	8	10	8	11	27	18	1
Dis. of Lungs	107	11	6	2	–	4	23	4	–	4	2	3	6	3	9	37	12	4
Dis. of Stom. and Liver	51	2	2	–	–	–	4	1	1	2	–	2	4	7	11	12	7	3
Dis. of Kidneys	17	–	–	–	–	–	–	–	1	–	–	4	1	1	1	6	3	–
Dis. of Gener. Organs	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–
Dis. of Joints	6	–	–	–	–	–	–	–	1	1	1	1	1	–	–	–	1	–
Dis. of Skin	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	33	–	–	–	–	–	–	–	–	1	4	12	15	1	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–
Other Violent Deaths	15	–	3	2	1	–	6	3	–	–	–	3	1	1	–	1	–	–
Other Causes	480	66	4	3	2	3	78	7	7	2	3	5	5	5	18	58	144	148
589.—CARMARTHEN.																		
Mean Popul^n, 1861–71	19428	461	437	480	431	440	2249	2123	2076	2059	1788	2591	1917	1735	1369	933	469	119
TOTAL DEATHS	3781	524	143	105	81	59	912	136	109	153	167	286	220	228	293	481	514	282
Small-pox	4	2	–	1	–	–	3	–	–	1	–	–	–	–	–	–	–	–
Measles	24	3	11	3	4	2	23	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	107	2	20	13	16	11	65	29	5	2	2	4	–	–	–	–	–	–
Diphtheria	26	–	2	4	3	3	12	6	5	1	1	–	–	–	–	1	–	–
Whooping-cough	61	28	14	9	5	3	59	2	–	–	–	–	–	–	–	–	–	–
Typhus	135	4	7	3	4	4	22	9	15	16	15	12	10	15	6	11	4	–
Diarrhœa & Dysentery	40	10	4	1	–	–	15	1	–	1	–	1	1	2	3	6	8	2
Cholera	93	2	1	2	2	1	8	5	4	3	5	17	10	11	10	10	7	3
Other Zymotic Dis.	83	9	5	10	10	3	37	9	4	–	–	3	2	3	4	11	8	2
Cancer	77	–	–	–	1	–	1	–	–	–	–	4	2	13	28	16	12	1
Scrofula and Tabes	59	12	1	4	1	2	20	3	5	4	4	6	4	2	3	4	4	–
Phthisis	647	9	5	5	–	2	21	13	42	91	85	148	100	64	49	28	6	–
Hydrocephalus	44	11	7	4	3	3	28	11	2	2	–	1	–	–	–	–	–	–
Dis. of Brain	449	205	19	9	6	7	246	11	5	3	11	1	18	23	28	56	31	11
Dis. of Heart & Dropsy	292	–	–	–	3	1	4	6	5	5	12	12	10	23	32	60	32	1
Dis. of Lungs	333	32	13	7	5	2	59	8	2	6	5	9	9	22	41	82	75	35
Dis. of Stom. and Liver	137	10	3	1	1	1	16	5	2	3	4	11	12	15	29	29	10	1
Dis. of Kidneys	16	–	–	–	–	–	–	–	2	–	–	1	–	1	8	3	1	–
Dis. of Gener. Organs	13	–	–	–	–	–	–	–	–	–	–	2	2	4	2	2	1	–
Dis. of Joints	5	–	–	–	–	–	–	–	1	2	–	–	–	2	–	–	–	–
Dis. of Skin	10	2	–	–	1	–	3	–	–	–	–	1	1	2	1	2	–	–
Childbirth and Metria	83	–	–	–	–	–	–	–	–	5	12	36	27	3	–	–	–	–
Suicide	7	–	–	–	–	–	–	–	–	1	–	4	–	–	2	–	–	–
Other Violent Deaths	47	2	4	9	7	4	26	5	–	–	2	2	–	1	2	3	3	3
Other Causes	1069	181	27	20	9	7	244	12	10	7	9	11	12	20	45	157	312	220

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards
590.—NARBERTH.																		
Mean Popul^n, 1861–71	9754	279	274	286	274	257	1370	1285	1254	1053	687	1023	917	867	683	399	188	28
TOTAL DEATHS	1918	299	88	55	32	18	492	72	66	104	110	137	83	125	178	231	242	78
Small-pox	11	2	–	2	–	–	4	–	1	–	3	1	–	1	1	–	–	–
Measles	8	2	2	–	1	1	6	1	1	–	–	–	–	–	–	–	–	–
Scarlatina	94	12	12	10	8	11	53	26	11	2	–	1	–	–	1	–	–	–
Diphtheria	15	1	2	2	4	–	9	4	1	1	–	–	–	–	–	–	–	–
Whooping-cough	31	18	8	3	–	1	30	1	–	–	–	–	–	–	–	–	–	–
Typhus	117	5	6	1	3	1	16	17	9	22	7	7	6	14	8	6	5	–
Diarrhœa & Dysentery	11	5	–	–	–	–	5	–	1	1	–	1	–	1	1	1	–	–
Cholera	8	–	–	–	–	–	–	1	–	1	–	1	2	–	3	–	–	–
Other Zymotic Dis.	43	6	10	5	8	–	24	1	2	–	2	2	1	5	2	4	–	–
Cancer	17	–	–	–	–	–	–	–	–	–	–	2	–	3	4	8	–	–
Scrofula and Tabes	36	3	–	–	–	–	3	–	3	8	4	6	2	4	–	5	1	–
Phthisis	353	1	3	2	1	1	8	1	15	46	77	82	39	32	32	17	4	–
Hydrocephalus	11	3	2	1	1	–	7	1	2	–	1	–	–	–	–	–	–	–
Dis. of Brain	152	71	12	3	2	–	88	1	1	3	–	5	2	10	10	20	10	2
Dis. of Heart & Dropsy	85	–	–	–	–	1	1	2	2	2	–	7	7	15	20	19	10	–
Dis. of Lungs	142	7	3	4	1	1	16	1	–	4	3	3	4	8	31	50	19	–
Dis. of Stom. and Liver	58	1	–	1	1	1	4	–	–	1	1	3	5	11	16	13	4	–
Dis. of Kidneys	19	–	–	–	–	–	–	1	–	–	1	1	1	2	9	3	1	–
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Dis. of Joints	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Dis. of Skin	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	5	–	–	–	–	–	–	–	–	–	–	–	2	2	1	–	–	–
Other Violent Deaths	59	1	2	7	2	–	12	2	5	6	4	8	7	6	4	3	2	–
Other Causes	639	161	26	14	5	–	206	12	12	7	5	7	5	10	32	82	185	76
591.—PEMBROKE.																		
Mean Popul^n, 1861–71	14434	405	364	386	372	367	1894	1667	1523	1662	1399	2088	1549	1222	760	446	191	3
TOTAL DEATHS	2799	705	171	90	57	43	1066	123	64	108	138	188	172	173	182	263	249	73
Small-pox	2	1	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Measles	38	6	9	10	5	2	32	6	–	–	–	–	–	–	–	–	–	–
Scarlatina	119	11	14	20	14	13	72	34	8	3	2	–	–	–	–	–	–	–
Diphtheria	4	2	1	–	1	–	4	–	–	–	–	–	–	–	–	–	–	–
Whooping-cough	39	19	11	5	4	–	39	–	–	–	–	–	–	–	–	–	–	–
Typhus	116	3	7	8	4	5	27	26	6	14	13	9	6	4	1	8	2	–
Diarrhœa & Dysentery	51	20	6	1	2	3	32	2	2	2	–	2	2	2	1	4	2	–
Cholera	22	4	1	–	–	–	5	3	2	1	–	1	2	5	2	1	–	–
Other Zymotic Dis.	57	12	4	6	3	1	26	2	1	1	3	2	2	7	3	7	3	–
Cancer	33	–	–	–	–	–	–	–	1	–	1	–	4	3	7	10	6	1
Scrofula and Tabes	51	10	4	2	3	–	19	7	5	4	4	5	1	1	1	4	–	–
Phthisis	374	2	4	2	–	1	9	1	13	45	64	97	62	41	27	13	1	1
Hydrocephalus	20	5	6	3	–	2	16	1	2	–	1	–	–	–	–	–	–	–
Dis. of Brain	412	202	37	5	5	3	252	8	2	5	8	12	13	21	17	28	30	6
Dis. of Heart & Dropsy	171	2	2	1	2	–	7	5	3	5	6	13	11	22	41	38	20	–
Dis. of Lungs	241	58	15	5	5	6	89	6	1	3	6	6	19	18	22	41	29	1
Dis. of Stom. and Liver	89	6	3	1	1	–	11	2	2	2	4	7	10	11	16	17	6	1
Dis. of Kidneys	51	–	–	–	–	–	–	–	–	2	–	4	7	4	8	14	10	2
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	8	–	1	–	–	–	1	1	–	1	–	1	1	1	2	–	–	–
Dis. of Skin	8	3	–	–	–	–	3	–	–	–	–	–	–	1	1	2	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	11	–	–	–	–	–	–	–	–	–	1	2	3	1	3	1	–	–
Other Violent Deaths	162	5	4	5	1	2	17	7	12	15	24	20	20	22	7	10	7	1
Other Causes	720	334	41	16	7	5	403	12	4	5	1	7	9	9	23	55	132	60
592.—HAVERFORDWEST.																		
Mean Popul^n, 1861–71	16743	480	450	464	450	431	2275	2165	2059	1734	1211	1876	1665	1457	1200	734	316	51
TOTAL DEATHS	3675	740	181	103	79	48	1151	160	102	153	171	234	187	219	287	423	422	16
Small-pox	16	3	2	2	1	–	8	2	1	–	2	2	1	–	–	–	–	–
Measles	27	6	6	4	2	2	20	5	1	–	–	1	–	–	–	–	–	–
Scarlatina	123	5	18	19	22	14	78	37	6	1	1	–	–	–	–	–	–	–
Diphtheria	50	6	7	7	6	2	28	12	5	3	1	–	–	–	–	1	–	–
Whooping-cough	55	23	15	5	4	1	48	6	1	–	–	–	–	–	–	–	–	–
Typhus	162	6	5	7	6	5	29	21	13	14	10	18	11	16	13	11	5	1
Diarrhœa & Dysentery	42	23	1	2	–	1	27	1	–	1	1	–	–	1	–	3	6	4
Cholera	10	–	–	–	1	–	1	2	1	–	1	1	1	–	1	1	1	–
Other Zymotic Dis.	73	18	7	8	3	5	41	12	2	1	1	1	5	1	3	3	3	–
Cancer	55	–	–	–	–	–	–	–	1	1	–	1	5	12	18	11	5	1
Scrofula and Tabes	59	14	5	4	4	1	28	6	4	5	6	4	1	2	2	1	–	–
Phthisis	530	5	8	2	2	2	19	11	24	75	106	118	66	45	39	21	6	–
Hydrocephalus	30	10	6	3	2	–	21	6	1	1	1	–	–	–	–	–	–	–
Dis. of Brain	455	222	31	9	3	–	265	5	4	9	2	13	9	25	36	51	33	–
Dis. of Heart & Dropsy	222	1	2	1	1	1	6	1	4	3	5	8	19	29	48	57	34	–
Dis. of Lungs	328	24	15	7	8	2	56	8	3	5	5	12	18	25	53	78	62	–
Dis. of Stom. and Liver	110	5	2	2	–	–	9	2	7	3	4	9	14	13	17	23	4	–
Dis. of Kidneys	67	1	–	–	–	–	1	–	1	1	3	6	4	10	10	14	12	–
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Dis. of Joints	17	–	–	–	–	–	–	–	4	4	2	–	1	1	2	3	–	–
Dis. of Skin	8	1	–	2	–	–	3	–	–	1	1	–	–	–	1	1	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	5	–	–	–	–	–	–	–	–	–	1	–	3	1	–	–	–	–
Other Violent Deaths	144	3	2	6	6	4	21	8	7	17	12	23	18	20	7	6	4	1
Other Causes	1086	364	49	13	8	8	442	20	12	8	6	17	10	18	37	133	246	137

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
	AGES OF FEMALES.																	
590.—NARBERTH.																		
Mean Popul^n, 1861–71	11085	293	250	279	275	289	1386	1308	1210	1054	952	1360	1089	1026	801	558	275	66
TOTAL DEATHS	1948	218	76	48	42	32	416	89	62	79	83	143	92	133	168	241	274	168
Small-pox	9	-	-	-	-	1	1	1	1	2	2	2	-	-	-	-	-	-
Measles	14	2	4	4	1	1	12	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	76	9	10	6	13	10	48	22	5	1	-	-	-	-	-	-	-	-
Diphtheria	40	3	1	4	4	4	16	14	4	4	-	-	1	1	-	-	-	-
Whooping-cough	41	25	5	5	3	2	40	1	-	-	-	-	-	-	-	-	-	-
Typhus	88	1	2	6	-	4	13	14	3	11	9	12	6	6	8	5	1	-
Diarrhœa & Dysentery	12	1	-	-	-	-	1	1	2	-	-	1	1	1	3	2	-	-
Cholera	11	-	-	-	1	1	2	1	1	-	1	-	-	2	2	2	-	-
Other Zymotic Dis.	47	10	8	2	4	1	25	5	1	-	1	1	3	3	2	5	1	-
Cancer	22	-	-	-	-	-	-	-	-	-	-	-	1	8	9	2	2	-
Scrofula and Tabes	13	1	-	1	-	-	2	-	-	3	1	-	1	1	4	1	-	-
Phthisis	363	2	3	1	2	2	10	5	30	48	53	89	37	44	36	11	-	-
Hydrocephalus	2	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	134	37	12	1	2	1	53	2	2	1	3	5	5	13	11	20	16	3
Dis. of Heart & Dropsy	141	1	1	-	-	1	3	3	3	4	-	4	14	18	33	43	14	2
Dis. of Lungs	73	7	2	1	1	1	12	2	1	2	2	2	2	9	12	22	7	-
Dis. of Stom. and Liver	45	-	-	1	-	1	2	1	1	-	2	4	5	6	8	12	4	-
Dis. of Kidneys	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Dis. of Joints	2	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Dis. of Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Childbirth and Metria	29	-	-	-	-	-	-	-	-	-	4	15	9	1	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-
Other Violent Deaths	23	2	3	2	2	1	10	5	-	1	1	1	-	-	-	3	2	-
Other Causes	757	116	25	14	7	1	163	10	8	2	3	7	7	16	39	112	227	163
591.—PEMBROKE.																		
Mean Popul^n, 1861–71	14598	394	378	356	363	372	1863	1739	1525	1497	1299	2041	1598	1285	877	557	252	65
TOTAL DEATHS	2836	571	175	81	68	41	936	130	65	93	114	210	206	173	192	285	295	137
Small-pox	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Measles	42	5	16	8	4	3	36	5	-	1	-	-	-	-	-	-	-	-
Scarlatina	138	10	29	14	16	13	82	36	9	5	3	2	1	-	-	-	-	-
Diphtheria	5	1	-	-	1	-	2	2	1	-	-	-	-	-	-	-	-	-
Whooping-cough	34	15	8	2	3	-	28	2	-	-	-	-	-	-	-	-	-	-
Typhus	12	3	10	7	8	4	32	20	11	8	11	9	7	6	8	8	1	-
Diarrhœa & Dysentery	46	23	3	-	-	-	26	2	-	-	1	-	3	-	1	4	3	3
Cholera	25	-	-	1	-	-	1	3	4	-	2	1	7	1	3	2	1	-
Other Zymotic Dis.	54	11	7	6	4	4	32	8	2	1	-	-	4	2	2	2	1	-
Cancer	69	-	-	-	-	-	-	-	-	-	-	5	3	17	15	20	8	1
Scrofula and Tabes	31	3	9	-	1	1	14	2	6	1	-	1	3	1	1	1	1	-
Phthisis	415	4	3	9	3	-	19	8	18	52	63	109	63	48	24	11	-	-
Hydrocephalus	33	11	4	2	-	-	20	8	2	2	-	1	-	-	-	-	-	-
Dis. of Brain	366	160	21	5	9	4	199	6	1	3	5	10	15	15	25	36	43	8
Dis. of Heart & Dropsy	220	2	2	-	2	-	6	2	1	5	3	15	26	30	42	49	35	6
Dis. of Lungs	204	43	19	13	4	5	84	3	2	4	2	7	14	9	20	30	24	5
Dis. of Stom. and Liver	94	2	-	1	1	1	5	3	2	-	4	6	12	17	19	19	6	1
Dis. of Kidneys	34	-	-	-	-	-	-	-	2	1	1	5	6	6	2	7	4	-
Dis. of Gener. Organs	19	-	-	-	-	-	-	-	-	2	-	3	5	5	1	2	1	-
Dis. of Joints	7	-	-	-	-	-	-	1	-	1	1	1	1	-	2	-	-	-
Dis. of Skin	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Childbirth and Metria	58	-	-	-	-	-	-	-	-	2	10	25	20	1	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	36	4	3	2	2	2	13	5	-	1	2	2	1	1	2	3	4	2
Other Causes	788	269	41	11	10	4	335	13	4	4	6	8	15	13	25	91	163	111
592.—HAVERFORDWEST.																		
Mean Popul^n, 1861–71	19168	491	421	442	458	420	2232	2084	1986	1926	1662	2525	2000	1755	1425	968	493	103
TOTAL DEATHS	3931	559	149	103	83	49	953	151	107	182	172	261	218	192	364	482	532	287
Small-pox	6	1	-	1	1	-	3	-	-	-	-	1	2	-	-	-	-	-
Measles	25	4	-	3	2	2	18	7	-	-	-	-	-	-	-	-	-	-
Scarlatina	129	13	1	19	26	15	86	33	7	1	1	1	-	-	-	-	-	-
Diphtheria	42	5	6	2	5	6	24	12	4	1	-	-	1	-	-	-	-	-
Whooping-cough	56	24	13	9	4	2	52	3	1	-	-	-	-	-	-	-	-	-
Typhus	199	4	5	12	8	2	31	29	21	24	7	17	17	9	20	12	9	3
Diarrhœa & Dysentery	50	28	4	1	1	1	35	1	-	-	-	-	-	2	3	2	7	-
Cholera	31	-	2	-	1	-	3	-	-	2	2	4	3	6	3	4	4	-
Other Zymotic Dis.	89	10	5	7	8	4	34	3	4	3	1	1	3	4	7	10	9	1
Cancer	95	-	-	-	-	-	-	-	-	1	-	4	9	20	27	23	8	3
Scrofula and Tabes	55	12	5	3	3	2	25	1	2	8	2	5	2	2	3	3	2	-
Phthisis	682	9	4	2	2	4	21	17	41	98	113	141	104	62	55	25	2	-
Hydrocephalus	18	3	3	4	1	-	11	5	2	-	-	-	-	-	-	-	-	-
Dis. of Brain	388	147	25	5	5	3	185	9	2	8	9	13	9	11	36	51	43	12
Dis. of Heart & Dropsy	302	2	4	1	2	1	10	3	4	4	4	13	15	35	69	79	54	12
Dis. of Lungs	273	17	9	9	2	-	37	5	3	11	5	5	19	11	38	76	53	10
Dis. of Stom. and Liver	115	-	3	-	-	-	3	2	2	2	5	8	11	12	25	27	17	1
Dis. of Kidneys	34	-	-	-	-	-	-	-	2	3	3	1	4	3	7	5	5	1
Dis. of Gener. Organs	16	-	-	-	-	-	-	-	-	-	1	7	2	1	3	1	1	-
Dis. of Joints	9	-	2	-	-	-	2	1	2	2	-	1	-	-	-	1	-	-
Dis. of Skin	7	1	-	-	-	-	1	-	-	-	2	1	1	1	-	1	-	-
Childbirth and Metria	51	-	-	-	-	-	-	-	-	-	8	18	25	-	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-
Other Violent Deaths	40	3	1	3	3	4	14	6	-	-	-	2	2	2	1	6	4	3
Other Causes	1223	276	48	22	9	3	358	14	10	14	9	14	18	10	65	156	314	241

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–
593.—CARDIGAN.																		
Mean Popul^n, 1861–71	7709	205	208	211	206	220	1050	1014	965	746	498	795	694	692	629	402	193	3
TOTAL DEATHS	1562	198	64	34	18	29	343	63	39	72	94	101	80	88	168	191	218	1
Small-pox	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
Measles	5	-	2	1	-	-	3	2	-	-	-	-	-	-	-	-	-	
Scarlatina	21	-	5	4	2	9	20	3	-	-	1	-	-	-	-	-	-	
Diphtheria	38	1	3	7	2	8	21	8	6	-	1	2	-	-	-	-	-	
Whooping-cough	17	8	6	-	2	1	17	-	-	-	-	-	-	-	-	-	-	
Typhus	50	-	-	-	-	2	2	5	2	8	4	5	3	5	11	3	2	
Diarrhœa & Dysentery	7	2	1	-	-	-	3	-	-	-	-	1	-	-	1	1	1	
Cholera	3	-	1	-	-	-	1	-	-	-	-	-	1	-	1	-	-	
Other Zymotic Dis.	35	2	4	3	1	3	13	6	-	1	1	-	2	-	5	3	3	
Cancer	27	-	-	-	-	-	-	-	-	-	-	-	4	4	8	10	1	
Scrofula and Tabes	35	-	3	1	-	2	6	1	1	6	5	3	3	3	3	3	1	
Phthisis	284	-	1	-	-	-	1	1	9	40	65	68	37	38	15	9	1	
Hydrocephalus	10	1	2	1	-	-	4	2	3	-	1	-	-	-	-	-	-	
Dis. of Brain	184	85	18	3	3	1	110	4	-	2	2	1	4	10	16	8	25	
Dis. of Heart & Dropsy	91	-	-	-	-	-	-	1	2	2	3	4	9	6	28	25	9	
Dis. of Lungs	113	11	2	2	2	1	18	5	2	4	2	1	5	8	25	29	12	
Dis. of Stom. and Liver	41	-	-	-	1	-	1	-	-	1	1	5	3	6	11	8	4	
Dis. of Kidneys	21	-	-	-	-	-	-	-	-	-	-	2	3	2	3	7	3	
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Joints	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
Dis. of Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	3	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	
Other Violent Deaths	56	1	2	4	2	-	9	10	7	4	2	2	3	2	8	7	2	
Other Causes	515	86	14	8	3	2	113	15	7	4	6	6	2	3	31	78	154	9
594.—NEWCASTLE-IN-EMLYN.																		
Mean Popul^n, 1861–71	8610	229	220	235	221	234	1139	1114	1071	848	635	903	800	738	674	417	188	33
TOTAL DEATHS	1663	212	57	38	23	20	350	82	48	64	96	150	84	112	143	232	219	83
Small-pox	8	1	-	1	-	-	2	-	-	-	2	1	3	-	-	-	-	-
Measles	8	-	1	1	1	1	4	2	2	-	-	-	-	-	-	-	-	-
Scarlatina	31	4	7	2	3	3	19	9	2	-	-	-	1	-	-	-	-	-
Diphtheria	66	4	4	7	5	5	25	23	13	3	2	-	-	-	-	-	-	-
Whooping-cough	10	4	2	2	-	-	8	2	-	-	-	-	-	-	-	-	-	-
Typhus	32	2	-	1	2	1	6	3	4	2	2	3	1	8	1	2	-	-
Diarrhœa & Dysentery	8	3	-	-	-	-	3	-	-	-	-	1	-	1	-	3	-	-
Cholera	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
Other Zymotic Dis.	41	3	7	1	1	1	13	7	2	2	-	3	-	2	1	6	5	-
Cancer	29	-	-	-	-	-	-	-	-	-	-	1	3	5	5	9	5	1
Scrofula and Tabes	26	1	-	1	-	-	2	3	1	2	5	4	5	1	3	3	-	-
Phthisis	438	3	3	5	-	3	14	6	12	43	70	107	4[illegible]	51	47	39	7	-
Hydrocephalus	5	2	2	-	1	-	5	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	136	43	7	9	1	3	63	1	3	3	2	8	4	4	8	19	18	3
Dis. of Heart & Dropsy	71	-	-	-	-	-	-	2	2	2	2	5	5	7	11	21	14	-
Dis. of Lungs	120	2	2	1	-	-	5	2	1	1	5	4	3	11	27	41	20	-
Dis. of Stom. and Liver	52	1	-	-	1	-	2	-	1	-	1	1	4	9	14	11	6	3
Dis. of Kidneys	10	-	-	-	-	-	-	-	-	-	-	1	1	1	2	3	2	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Dis. of Skin	3	-	1	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
Other Violent Deaths	31	1	4	-	-	2	7	1	2	1	2	1	4	3	3	5	2	-
Other Causes	532	138	17	7	8	1	171	21	3	4	2	9	10	7	19	70	140	76
595.—LAMPETER.																		
Mean Popul^n, 1861–71	4707	136	105	126	107	134	608	628	569	459	354	570	455	416	320	218	96	14
TOTAL DEATHS	852	141	27	23	23	13	227	35	23	28	51	50	44	59	67	97	123	48
Small-pox	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Measles	5	1	-	2	-	-	3	1	-	1	-	-	-	-	-	-	-	-
Scarlatina	57	2	3	7	6	5	23	10	1	-	2	-	1	-	-	-	-	-
Diphtheria	9	2	-	-	-	-	2	4	1	-	1	-	1	-	-	-	-	-
Whooping-cough	12	9	2	-	1	-	12	-	-	-	-	-	-	-	-	-	-	-
Typhus	23	-	1	1	1	-	3	3	3	3	1	2	-	2	2	4	-	-
Diarrhœa & Dysentery	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Cholera	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Other Zymotic Dis.	28	3	2	3	5	2	15	7	1	1	-	-	-	1	-	1	1	1
Cancer	7	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	1
Scrofula and Tabes	13	1	-	-	-	-	1	-	3	-	-	1	-	4	-	2	2	-
Phthisis	171	-	-	1	-	-	1	-	6	15	38	30	25	25	19	11	1	-
Hydrocephalus	3	2	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-
Dis. of Brain	71	16	4	2	2	1	25	1	-	2	2	3	2	4	6	10	11	5
Dis. of Heart & Dropsy	47	-	-	1	-	-	1	1	3	1	1	1	5	5	9	11	7	2
Dis. of Lungs	76	9	4	1	1	2	17	1	1	1	3	4	3	8	10	16	11	1
Dis. of Stom. and Liver	27	3	-	-	-	-	3	-	-	1	2	-	2	2	6	5	5	1
Dis. of Kidneys	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Dis. of Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-
Other Violent Deaths	23	-	1	2	1	1	5	3	1	3	-	3	1	2	3	2	-	-
Other Causes	286	91	10	3	6	2	112	4	2	-	1	4	3	2	9	31	82	36

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
593.—CARDIGAN.																		
Mean Popul^n, 1861–71	10376	205	188	225	199	205	1022	1008	972	948	895	1444	1167	1079	872	602	300	67
TOTAL DEATHS	1895	159	50	42	34	23	308	63	58	60	71	118	125	115	204	264	341	168
Small-pox	2	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-
Measles	2	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	36	1	5	4	5	4	19	10	5	1	-	1	-	-	-	-	-	-
Diphtheria	40	-	4	4	7	9	24	14	8	1	-	1	-	-	-	1	-	-
Whooping-cough	17	8	5	1	1	-	15	-	1	-	-	-	-	-	1	-	-	-
Typhus	56	2	-	-	2	1	5	4	3	8	8	3	7	6	4	4	4	-
Diarrhœa & Dysentery	7	1	-	-	-	-	1	-	-	-	-	-	-	-	-	3	3	-
Cholera	4	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-
Other Zymotic Dis.	32	-	2	4	-	-	6	3	-	1	1	-	1	4	4	9	3	-
Cancer	36	-	-	-	-	-	-	-	-	-	-	-	2	8	17	7	2	-
Scrofula and Tabes	17	1	-	-	-	-	1	1	1	1	5	1	-	3	1	2	1	-
Phthisis	280	1	-	1	-	1	3	2	17	37	44	62	55	36	13	10	1	-
Hydrocephalus	6	-	-	-	-	-	-	1	3	1	1	-	-	-	-	-	-	-
Dis. of Brain	248	82	14	12	4	1	113	1	-	1	-	6	9	7	32	39	35	5
Dis. of Heart & Dropsy	140	-	-	-	-	-	-	4	-	3	2	9	15	17	38	36	16	-
Dis. of Lungs	81	3	4	1	-	-	8	4	3	1	-	7	7	5	10	17	17	2
Dis. of Stom. and Liver	35	-	-	-	-	1	1	2	2	-	1	1	5	1	7	10	5	-
Dis. of Kidneys	8	-	-	-	-	-	-	-	-	1	-	-	3	-	3	1	-	-
Dis. of Gener. Organs	5	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-
Dis. of Joints	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Dis. of Skin	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	29	-	-	-	-	-	-	-	-	1	4	16	7	1	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	14	-	1	1	2	-	4	1	-	1	1	-	2	-	2	2	-	1
Other Causes	789	60	14	14	13	5	106	14	15	2	4	10	10	20	72	122	254	160
594.—NEWCASTLE-IN-EMLYN.																		
Mean Popul^n, 1861–71	10339	247	201	215	233	231	1127	1130	1005	998	890	1364	1105	979	826	575	280	60
TOTAL DEATHS	1817	181	53	33	40	27	334	99	67	71	77	127	97	102	139	247	303	154
Small pox	3	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
Measles	9	-	3	1	2	2	8	-	-	-	-	1	-	-	-	-	-	-
Scarlatina	36	2	5	4	3	3	17	12	5	-	-	1	1	-	-	-	-	-
Diphtheria	84	3	5	2	6	8	24	33	12	7	5	2	1	-	-	-	-	-
Whooping-cough	28	6	6	5	5	2	24	3	1	-	-	-	-	-	-	-	-	-
Typhus	52	-	-	-	-	-	-	6	6	7	8	7	4	2	5	6	1	-
Diarrhœa & Dysentery	8	-	-	-	-	-	-	-	1	1	-	-	-	-	1	4	1	-
Cholera	3	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-
Other Zymotic Dis.	45	3	3	2	9	1	18	5	-	-	1	1	1	1	7	4	7	-
Cancer	38	-	-	-	-	-	-	-	-	-	-	1	2	8	8	7	9	3
Scrofula and Tabes	23	1	-	-	-	-	1	3	2	2	2	3	3	3	3	1	-	-
Phthisis	386	1	2	3	-	2	8	10	21	39	39	71	49	39	49	52	9	-
Hydrocephalus	4	-	-	-	1	-	1	2	-	-	-	-	-	-	-	1	-	-
Dis. of Brain	126	42	9	2	2	3	58	3	1	3	-	6	5	5	9	21	13	2
Dis. of Heart & Dropsy	108	-	-	-	-	1	1	3	4	4	2	4	2	17	19	31	18	3
Dis. of Lungs	85	1	4	2	1	-	8	3	-	1	4	3	1	8	9	34	14	-
Dis. of Stom. and Liver	40	1	-	-	-	1	2	-	2	1	3	3	4	3	7	7	7	1
Dis. of Kidneys	5	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-	-	-
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Dis. of Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Childbirth and Metria	29	-	-	-	-	-	-	-	-	-	3	11	13	2	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Violent Deaths	9	-	2	1	2	-	5	-	2	-	-	1	1	-	-	-	-	-
Other Causes	693	121	14	11	9	4	159	16	8	6	8	10	8	12	20	78	223	145
595.—LAMPETER.																		
Mean Popul^n, 1861–71	5277	120	119	121	133	125	618	619	554	508	463	704	541	483	377	258	122	30
TOTAL DEATHS	889	88	32	20	16	17	173	38	27	28	35	62	69	46	80	123	127	81
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	9	-	2	-	1	2	5	3	1	-	-	-	-	-	-	-	-	-
Scarlatina	20	-	2	2	3	-	7	6	4	1	1	1	-	-	-	-	-	-
Diphtheria	10	-	1	-	1	-	2	5	2	-	1	-	-	-	-	-	-	-
Whooping-cough	9	-	2	2	-	2	6	3	-	-	-	-	-	-	-	-	-	-
Typhus	24	-	-	-	-	-	-	3	1	2	5	5	1	3	-	2	2	-
Diarrhœa & Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Zymotic Dis.	19	1	2	-	3	3	9	2	1	-	-	-	1	1	1	4	-	-
Cancer	13	-	-	-	-	1	1	-	-	-	-	-	1	3	3	4	1	-
Scrofula and Tabes	10	-	-	-	-	1	1	-	3	1	-	-	1	2	1	-	1	-
Phthisis	201	1	4	2	1	1	9	4	10	16	21	40	36	18	31	15	1	-
Hydrocephalus	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	84	23	4	1	1	1	30	2	1	2	2	3	4	5	6	15	13	1
Dis. of Heart & Dropsy	64	-	-	-	-	1	1	2	1	3	2	1	8	4	12	17	12	1
Dis. of Lungs	52	2	4	4	3	2	15	2	1	-	-	-	4	2	9	14	5	-
Dis. of Stom. and Liver	17	-	-	1	-	-	1	-	-	1	2	2	-	3	3	4	1	-
Dis. of Kidneys	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	18	-	-	-	-	-	-	-	-	-	-	8	9	1	-	-	-	-
Suicide	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-
Other Violent Deaths	11	1	2	2	1	-	6	2	-	2	-	-	-	-	1	-	-	-
Other Causes	322	60	8	6	2	3	79	4	2	-	1	1	4	4	10	47	91	79

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85
596.—ABERAYRON.																		
Mean Popul^n, 1861-71	5898	178	162	173	186	167	866	856	743	535	360	618	551	524	444	264	119	1
TOTAL DEATHS	1249	187	48	30	19	15	299	60	31	70	69	100	58	72	121	148	146	7
Small-pox	7	–	–	–	–	–	–	2	–	–	–	4	–	–	1	–	–	
Measles	9	1	3	–	2	1	7	1	–	1	–	–	–	–	–	–	–	
Scarlatina	30	3	1	6	6	3	19	8	2	–	1	–	–	–	–	–	–	
Diphtheria	23	5	2	1	1	–	9	8	4	5	2	–	–	–	–	–	–	
Whooping-cough	7	2	3	2	–	–	7	–	–	–	–	–	–	–	–	–	–	
Typhus	26	–	–	–	–	–	–	3	2	5	3	2	4	3	2	1	1	
Diarrhœa & Dysentery	7	1	–	–	–	–	1	–	–	–	–	–	–	–	2	2	–	
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
Other Zymotic Dis.	23	4	–	4	3	1	12	2	–	1	–	–	2	–	2	4	–	
Cancer	19	–	–	–	–	–	–	–	–	–	–	1	1	2	5	5	4	
Scrofula and Tabes	23	3	1	–	–	1	5	1	1	5	1	5	1	3	–	1	–	
Phthisis	263	–	2	–	–	–	2	5	8	37	49	63	27	27	25	17	3	
Hydrocephalus	2	–	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–	
Dis. of Brain	102	32	5	3	–	–	40	1	2	3	–	1	2	3	14	21	12	
Dis. of Heart & Dropsy	73	–	–	–	–	–	–	1	–	3	2	5	6	6	16	18	13	
Dis. of Lungs	84	8	3	1	–	3	15	3	2	2	3	5	4	6	14	15	10	
Dis. of Stom. and Liver	65	6	1	1	–	–	8	1	2	1	–	3	5	8	12	15	5	
Dis. of Kidneys	11	–	–	–	–	–	–	–	–	–	–	–	1	2	2	5	1	
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Dis. of Joints	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Dis. of Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Suicide	2	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	
Other Violent Deaths	32	1	–	3	–	3	7	3	3	3	3	–	3	4	4	1	1	
Other Causes	435	121	25	9	7	3	165	21	4	4	5	11	2	6	22	43	96	5
597.—ABERYSTWITH.																		
Mean Popul^n, 1861-71	12393	370	360	354	361	354	1799	1681	1440	1262	935	1524	1281	1067	759	438	175	3
TOTAL DEATHS	2588	433	141	84	39	45	742	111	64	112	140	212	181	176	230	283	249	88
Small-pox	11	3	2	3	–	–	8	–	–	–	1	–	1	1	–	–	–	
Measles	12	1	6	2	2	–	11	1	–	–	–	–	–	–	–	–	–	
Scarlatina	46	12	5	2	4	7	30	13	3	–	–	–	–	–	–	–	–	
Diphtheria	34	2	4	3	4	4	17	11	3	1	1	1	–	–	–	–	–	
Whooping-cough	41	13	11	8	2	5	39	2	–	–	–	–	–	–	–	–	–	
Typhus	102	3	4	–	5	2	14	13	9	17	4	14	12	9	7	3	–	
Diarrhœa & Dysentery	8	7	–	–	–	–	7	–	–	–	–	1	–	–	–	–	–	
Cholera	7	1	–	–	–	1	2	2	1	–	–	–	–	–	2	–	–	
Other Zymotic Dis.	73	5	9	10	2	8	34	10	1	2	4	2	1	2	10	3	4	
Cancer	18	–	–	–	–	–	–	–	–	1	1	2	1	3	1	3	5	1
Scrofula and Tabes	16	2	–	–	–	–	2	1	2	1	2	6	1	–	1	–	–	
Phthisis	354	3	2	3	–	1	9	6	13	51	66	90	56	34	22	6	1	
Hydrocephalus	11	3	2	2	–	–	7	3	–	1	–	–	–	–	–	–	–	
Dis. of Brain	360	193	39	16	4	2	254	5	2	2	3	6	8	12	19	26	21	2
Dis. of Heart & Dropsy	72	–	–	–	–	–	–	3	2	4	–	3	12	6	15	21	5	1
Dis. of Lungs	255	25	16	8	6	4	59	9	5	2	4	5	10	20	51	71	19	
Dis. of Stom. and Liver	67	3	1	–	–	–	4	3	3	1	2	6	6	10	12	17	2	1
Dis. of Kidneys	15	–	–	–	–	–	–	–	–	–	–	–	1	–	6	5	3	
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Dis. of Joints	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Dis. of Skin	3	1	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Suicide	3	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	
Other Violent Deaths	104	–	5	5	1	2	13	6	4	6	10	21	17	8	8	7	4	
Other Causes	976	156	35	22	9	9	231	23	16	23	42	55	52	70	76	120	185	83
598.—TREGARON.																		
Mean Popul^n, 1861-71	5029	149	134	155	139	144	721	674	645	513	377	554	466	438	342	209	79	11
TOTAL DEATHS	922	147	33	21	19	17	237	33	29	45	66	56	49	63	87	109	118	30
Small-pox	5	–	1	–	–	1	2	–	–	–	2	–	–	–	1	–	–	
Measles	4	–	3	1	–	–	4	–	–	–	–	–	–	–	–	–	–	
Scarlatina	12	1	2	1	1	–	5	3	3	1	–	–	–	–	–	–	–	
Diphtheria	14	–	2	–	2	1	5	1	4	4	–	–	–	–	–	–	–	
Whooping-cough	16	6	–	5	1	2	14	2	–	–	–	–	–	–	–	–	–	
Typhus	28	–	–	1	1	1	3	10	1	4	2	1	1	2	2	1	1	
Diarrhœa & Dysentery	8	–	1	–	–	–	1	1	–	–	–	–	–	1	1	–	3	1
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
Other Zymotic Dis.	25	4	1	1	4	1	11	1	1	–	1	1	1	3	2	2	2	
Cancer	8	–	–	–	–	–	–	–	–	–	–	1	1	2	1	1	2	
Scrofula and Tabes	29	2	–	–	1	–	3	1	3	8	2	3	4	3	–	1	1	
Phthisis	184	–	1	–	–	2	3	1	6	19	49	37	18	23	17	9	2	
Hydrocephalus	4	2	–	–	–	2	4	–	–	–	–	–	–	–	–	–	–	
Dis. of Brain	65	16	4	2	–	–	22	1	1	1	2	–	3	4	13	5	13	
Dis. of Heart & Dropsy	28	–	–	–	–	–	–	–	–	1	–	–	1	2	7	7	8	2
Dis. of Lungs	112	2	2	–	–	–	4	1	–	4	2	6	7	8	15	34	27	4
Dis. of Stom. and Liver	44	–	1	–	2	1	4	1	2	–	–	2	2	4	12	9	8	
Dis. of Kidneys	30	–	–	–	–	1	1	1	–	–	1	–	2	1	4	16	3	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Dis. of Joints	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
Dis. of Skin	4	2	–	–	–	–	2	–	–	1	–	–	–	–	–	1	–	
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
Other Violent Deaths	24	–	1	1	–	1	3	4	4	1	–	2	3	1	3	2	1	
Other Causes	275	112	14	9	7	4	146	5	4	1	5	3	5	7	9	21	47	22

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
596.—ABERAYRON.																		
Mean Populn, 1861-71	7560	166	136	175	169	187	833	802	773	698	642	1075	839	739	562	387	173	37
TOTAL DEATHS	1261	140	40	24	26	16	246	47	38	52	49	88	85	79	109	174	211	83
Small-pox	6	2	–	2	–	–	4	1	–	–	1	–	–	–	–	–	–	–
Measles	8	2	3	1	1	–	7	–	1	–	–	–	–	–	–	–	–	–
Scarlatina	24	–	3	2	4	4	13	8	2	1	–	–	–	–	–	–	–	–
Diphtheria	21	1	1	–	2	4	8	7	4	1	1	–	–	–	–	–	–	–
Whooping-cough	9	3	4	1	1	–	9	–	–	–	–	–	–	–	–	–	–	–
Typhus	31	–	–	1	3	–	4	3	4	5	6	3	–	2	3	1	–	–
Diarrhœa & Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	21	–	2	1	2	1	6	1	–	–	–	–	–	3	3	4	3	1
Cancer	14	–	–	–	–	–	–	–	–	1	–	2	1	2	3	2	3	–
Scrofula and Tabes	13	2	–	–	–	–	2	2	1	1	1	1	1	1	1	2	–	–
Phthisis	262	1	1	–	2	2	6	6	14	27	27	42	37	34	30	35	2	2
Hydrocephalus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Dis. of Brain	75	17	6	1	3	1	28	2	1	–	–	4	2	3	6	14	14	1
Dis. of Heart & Dropsy	96	–	–	–	–	1	1	1	1	2	–	4	4	11	22	25	24	1
Dis. of Lungs	78	6	3	1	2	–	12	3	2	3	5	4	3	3	9	15	18	1
Dis. of Stom. and Liver	53	6	–	–	–	1	7	2	1	2	–	4	4	8	10	5	9	1
Dis. of Kidneys	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Skin	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Childbirth and Metria	39	–	–	–	–	–	–	–	–	–	3	12	24	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Other Violent Deaths	10	–	2	2	2	–	6	1	–	1	1	–	–	–	–	1	–	–
Other Causes	498	100	15	12	4	2	133	10	7	8	4	12	9	11	21	69	138	76
597.—ABERYSTWITH.																		
Mean Populn, 1861-71	14059	355	341	344	375	378	1793	1650	1491	1403	1219	1962	1514	1229	925	582	243	48
TOTAL DEATHS	2580	369	135	70	43	40	657	104	76	94	125	193	172	176	246	325	310	111
Small-pox	17	4	4	1	1	–	10	2	–	–	1	3	1	–	–	–	–	–
Measles	11	2	7	1	1	–	11	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	67	9	7	7	6	6	35	16	9	4	1	–	1	1	–	–	–	–
Diphtheria	49	4	6	2	1	2	15	18	8	6	1	–	–	1	–	–	–	–
Whooping-cough	80	24	19	16	5	5	69	7	4	–	–	–	–	–	–	–	–	–
Typhus	100	4	5	2	3	4	18	7	5	10	17	18	8	4	7	5	1	–
Diarrhœa & Dysentery	4	–	1	–	–	–	1	–	–	–	–	1	–	–	1	1	–	–
Cholera	8	–	–	–	–	–	–	1	–	–	–	3	2	1	1	–	–	–
Other Zymotic Dis.	65	9	10	6	9	3	37	3	1	2	2	3	1	4	6	4	2	–
Cancer	32	–	–	–	–	–	–	–	–	1	–	–	4	9	6	7	5	–
Scrofula and Tabes	17	–	1	–	–	–	1	–	5	1	1	2	1	2	1	3	–	–
Phthisis	328	–	2	2	2	1	7	19	17	43	53	66	54	42	21	6	–	–
Hydrocephalus	8	–	2	1	1	1	5	3	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	318	164	27	8	3	6	208	4	1	–	3	7	5	9	22	36	23	–
Dis. of Heart & Dropsy	128	–	–	–	–	–	–	1	1	3	1	7	15	18	36	31	15	–
Dis. of Lungs	231	15	11	6	1	–	33	2	4	3	5	8	8	9	48	74	37	–
Dis. of Stom. and Liver	63	5	1	1	–	–	7	1	2	2	1	4	7	8	16	12	3	–
Dis. of Kidneys	5	–	–	–	–	–	–	–	–	1	–	1	–	–	1	2	–	–
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Dis. of Joints	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	30	–	–	–	–	–	–	–	–	–	4	14	10	2	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
Other Violent Deaths	16	–	3	1	2	1	7	–	2	–	1	–	1	1	–	1	2	1
Other Causes	1008	129	29	16	8	11	193	20	17	18	31	55	52	65	80	142	222	110
598.—TREGARON.																		
Mean Populn, 1861-71	5677	150	126	138	149	128	691	656	632	554	470	770	603	510	385	254	125	27
TOTAL DEATHS	843	115	25	16	6	11	173	39	19	30	43	66	49	58	69	87	135	75
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Scarlatina	4	–	1	1	–	–	2	1	–	–	–	–	–	–	1	–	–	–
Diphtheria	11	1	–	1	–	1	3	4	2	–	–	1	–	1	–	–	–	–
Whooping-cough	25	13	5	3	–	2	23	2	–	–	–	–	–	–	–	–	–	–
Typhus	23	–	1	–	1	–	2	3	1	5	2	6	–	–	2	2	–	–
Diarrhœa & Dysentery	6	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	1	3
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	25	1	1	3	2	1	8	4	1	2	–	2	1	–	1	4	1	1
Cancer	8	–	–	–	–	–	–	1	–	–	–	–	–	3	3	–	1	–
Scrofula and Tabes	19	1	1	–	–	3	5	1	–	1	2	1	2	2	2	3	–	–
Phthisis	151	–	2	–	1	–	3	7	9	11	27	36	20	15	11	11	1	–
Hydrocephalus	4	3	1	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	64	12	–	–	1	1	14	1	–	2	2	1	3	4	5	13	13	6
Dis. of Heart & Dropsy	51	–	1	–	–	–	1	–	1	–	–	4	4	9	10	7	13	2
Dis. of Lungs	75	–	1	–	–	–	1	–	–	–	1	4	4	7	10	22	16	10
Dis. of Stom. and Liver	30	1	–	–	–	–	1	–	–	2	–	3	4	6	4	3	6	1
Dis. of Kidneys	7	–	–	–	–	–	–	–	1	–	1	2	–	1	–	1	1	–
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Dis. of Joints	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Skin	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
Childbirth and Metria	15	–	–	–	–	–	–	–	–	–	3	2	8	2	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Deaths	7	–	–	1	–	1	2	5	–	–	–	–	–	–	–	–	–	–
Other Causes	312	83	10	7	1	2	103	8	4	7	4	4	2	7	19	20	82	52

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
599.—BUILTH.																		
Mean Popul^n, 1861–71	4138	101	102	119	97	112	531	499	479	433	339	523	416	355	268	189	88	18
TOTAL DEATHS	825	170	32	27	8	2	239	37	24	26	25	51	54	63	53	93	119	41
Small-pox	8	-	2	-	1	-	3	1	-	-	-	3	1	-	-	-	-	-
Measles	8	1	2	1	-	1	5	2	1	-	-	-	-	-	-	-	-	-
Scarlatina	8	2	-	4	-	-	6	1	1	-	-	-	-	-	-	-	-	-
Diphtheria	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	14	6	2	5	-	-	13	1	-	-	-	-	-	-	-	-	-	-
Typhus	25	2	1	-	-	-	3	5	1	1	3	2	3	3	1	3	-	-
Diarrhœa & Dysentery	4	2	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Cholera	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-
Other Zymotic Dis.	11	-	-	1	-	-	1	-	1	-	-	2	2	2	-	1	2	-
Cancer	9	-	-	-	-	-	-	-	-	-	-	-	1	1	4	1	2	-
Scrofula and Tabes	4	1	-	-	-	-	1	-	2	-	-	-	-	-	1	-	-	-
Phthisis	99	2	-	1	-	-	3	5	4	11	13	23	15	10	8	4	-	-
Hydrocephalus	3	-	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	75	21	5	-	2	-	31	2	-	-	-	1	6	7	5	9	10	4
Dis. of Heart & Dropsy	41	-	-	-	-	-	-	2	2	-	1	3	1	6	4	10	12	-
Dis. of Lungs	90	7	6	2	3	-	18	3	2	3	1	8	6	12	10	15	10	2
Dis. of Stom. and Liver	35	2	2	1	-	-	5	-	1	1	3	1	4	9	4	4	2	1
Dis. of Kidneys	10	-	-	-	-	-	-	1	-	-	1	-	-	2	1	3	2	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Dis. of Skin	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	34	-	1	3	-	-	4	4	5	1	3	3	8	1	-	2	3	-
Other Causes	339	119	10	9	2	1	141	8	3	6	-	5	7	7	14	39	75	34
600.—BRECKNOCK.																		
Mean Popul^n, 1861–71	8696	234	199	249	209	218	1109	997	912	867	746	1191	919	784	580	378	183	30
TOTAL DEATHS	1797	335	79	52	35	25	526	81	26	41	71	118	113	143	162	206	226	84
Small-pox	7	1	-	2	-	-	3	-	-	1	1	1	-	1	-	-	-	-
Measles	11	4	6	-	1	-	11	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	63	2	8	9	9	5	33	27	1	-	2	-	-	-	-	-	-	-
Diphtheria	17	1	1	1	3	2	8	6	1	-	-	1	1	-	-	-	-	-
Whooping-cough	28	8	7	6	3	1	25	3	-	-	-	-	-	-	-	-	-	-
Typhus	50	3	1	4	1	1	10	7	4	2	5	6	4	4	6	2	-	-
Diarrhœa & Dysentery	22	10	1	-	-	-	11	-	-	-	-	-	1	-	3	5	2	-
Cholera	5	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	-	-
Other Zymotic Dis.	35	5	-	3	1	-	9	6	-	2	2	1	4	1	4	2	4	-
Cancer	30	-	-	-	-	-	-	-	-	-	-	2	2	6	12	7	1	-
Scrofula and Tabes	19	1	1	2	-	-	4	2	1	2	2	5	-	1	2	-	-	-
Phthisis	197	1	-	2	1	-	4	2	3	22	35	44	30	29	18	9	1	-
Hydrocephalus	11	2	1	-	3	2	8	2	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	277	121	13	5	4	2	148	6	1	2	6	8	13	15	20	29	24	5
Dis. of Heart & Dropsy	122	-	1	-	-	3	4	-	-	1	2	13	7	21	20	23	25	6
Dis. of Lungs	232	29	16	5	-	1	51	2	3	2	6	11	19	29	23	42	35	9
Dis. of Stom. and Liver	77	3	-	1	2	2	8	1	1	-	2	5	10	12	12	17	9	-
Dis. of Kidneys	42	-	-	-	-	-	-	-	-	-	1	2	5	3	6	15	9	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	6	-	-	-	-	-	-	1	1	1	-	1	-	2	-	-	-	-
Dis. of Skin	6	2	-	-	-	-	2	2	-	1	-	-	-	-	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	6	-	-	-	-	-	-	-	-	-	-	-	-	4	1	1	-	-
Other Violent Deaths	89	3	5	3	3	3	17	5	6	4	5	13	9	9	9	8	2	2
Other Causes	445	136	18	9	4	3	170	9	3	1	1	5	7	6	24	45	113	61
601.—CRICKHOWELL.																		
Mean Popul^n, 1861–71	10894	317	261	281	267	258	1384	1263	1149	1029	944	1544	1309	1041	726	345	138	22
TOTAL DEATHS	2604	647	204	113	68	64	1096	127	65	60	93	143	139	185	230	227	169	70
Small-pox	12	1	1	-	1	-	3	1	1	1	2	2	2	-	-	-	-	-
Measles	31	7	12	5	3	3	30	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	164	16	16	28	22	21	103	51	6	2	1	1	-	-	-	-	-	-
Diphtheria	19	3	4	2	1	3	13	2	-	1	-	1	-	-	1	1	-	-
Whooping-cough	53	33	11	7	1	3	55	1	-	-	-	-	-	-	-	-	-	-
Typhus	104	2	4	8	5	6	25	14	8	4	13	11	8	13	5	1	2	-
Diarrhœa & Dysentery	59	26	10	3	-	-	39	1	1	-	-	1	2	5	4	4	-	2
Cholera	11	2	1	-	-	-	3	-	1	-	3	-	-	1	-	3	-	-
Other Zymotic Dis.	44	3	6	6	5	4	24	4	-	3	2	1	2	1	3	1	1	2
Cancer	43	-	-	-	-	-	-	-	-	-	-	1	3	6	19	11	3	-
Scrofula and Tabes	65	10	20	7	-	-	37	6	3	4	4	2	2	2	3	2	-	-
Phthisis	282	16	5	1	1	1	24	8	18	16	40	51	43	33	31	14	4	-
Hydrocephalus	21	4	6	3	3	1	17	4	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	399	214	22	9	7	4	286	10	3	4	-	6	16	13	15	25	17	4
Dis. of Heart & Dropsy	120	1	3	2	-	1	7	1	3	5	3	12	11	13	25	25	15	-
Dis. of Lungs	492	98	65	23	13	10	209	10	3	3	4	13	24	47	58	73	41	7
Dis. of Stom. and Liver	98	10	3	1	1	-	15	-	4	3	2	9	10	12	19	15	8	1
Dis. of Kidneys	38	-	-	2	-	-	2	2	-	2	2	6	1	7	4	5	7	-
Dis. of Gener. Organs	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	8	-	-	1	-	-	1	-	1	-	2	-	1	1	1	1	-	-
Dis. of Skin	5	3	-	-	-	-	3	-	-	-	-	1	-	1	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-
Other Violent Deaths	157	5	2	3	4	7	21	8	12	12	14	23	10	18	19	14	5	1
Other Causes	370	162	13	2	1	-	178	3	1	-	1	2	4	10	22	30	66	53

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
599.—BUILTH.																		
Mean Populn, 1861–71	4147	122	105	118	118	99	562	499	466	434	341	530	415	343	261	184	96	16
TOTAL DEATHS	758	132	46	14	10	5	207	38	25	33	33	51	50	39	61	71	112	38
Small-pox	8	2	–	–	–	–	2	1	1	1	2	1	–	–	–	–	–	–
Measles	8	2	2	1	–	–	5	2	–	1	–	–	–	–	–	–	–	–
Scarlatina	16	1	–	3	3	–	7	4	3	1	1	–	–	–	–	–	–	–
Diphtheria	3	1	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–
Whooping-cough	29	11	10	2	1	3	27	2	–	–	–	–	–	–	–	–	–	–
Typhus	27	–	1	1	1	–	3	3	5	2	6	2	1	2	3	–	–	–
Diarrhœa & Dysentery	3	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	9	–	1	–	2	–	3	1	1	–	–	–	–	–	2	1	1	–
Cancer	14	–	–	–	–	–	–	–	–	–	–	–	1	5	2	2	3	1
Scrofula and Tabes	3	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–
Phthisis	120	1	–	–	–	–	1	7	6	20	15	29	20	8	12	2	–	–
Hydrocephalus	2	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	47	15	1	–	–	–	16	1	1	–	1	1	3	3	6	9	5	1
Dis. of Heart & Dropsy	39	–	–	–	–	–	–	–	1	1	–	2	6	5	9	6	8	1
Dis. of Lungs	63	10	11	–	1	2	24	3	2	2	2	1	3	4	6	7	7	2
Dis. of Stom. and Liver	24	–	–	1	–	–	1	–	–	1	–	4	5	2	4	3	4	–
Dis. of Kidneys	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Dis. of Joints	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Skin	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	11	–	–	–	–	–	–	–	–	–	2	4	4	1	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Deaths	9	–	1	1	–	–	2	2	–	–	–	1	–	1	–	2	–	1
Other Causes	319	86	18	5	2	–	111	8	5	4	3	5	7	7	17	38	82	32
600.—BRECKNOCK.																		
Mean Populn, 1861–71	8806	239	193	213	195	211	1051	937	869	885	805	1255	972	785	576	415	209	47
TOTAL DEATHS	1776	286	64	50	32	21	453	71	58	51	55	124	129	131	149	203	235	117
Small-pox	5	1	1	1	–	–	3	–	–	1	–	1	–	–	–	–	–	–
Measles	16	3	4	2	2	1	12	4	–	–	–	–	–	–	–	–	–	–
Scarlatina	91	2	7	10	14	10	43	28	10	5	1	2	1	–	–	1	–	–
Diphtheria	14	–	–	1	–	1	2	4	3	–	1	2	–	–	2	–	–	–
Whooping-cough	30	17	6	3	1	1	28	2	–	–	–	–	–	–	–	–	–	–
Typhus	47	2	4	–	–	2	8	2	3	5	6	4	7	6	2	3	1	–
Diarrhœa & Dysentery	28	8	1	1	1	–	11	–	–	–	–	4	–	3	1	4	3	2
Cholera	7	1	–	–	–	–	1	–	–	–	–	1	–	–	3	2	–	–
Other Zymotic Dis.	45	4	6	5	1	1	17	6	2	–	–	2	3	1	5	5	3	1
Cancer	49	–	–	–	–	–	–	–	–	–	–	2	10	12	14	8	3	–
Scrofula and Tabes	15	3	2	1	1	–	7	–	2	1	1	1	–	2	1	–	–	–
Phthisis	197	–	–	–	–	–	–	3	18	16	33	53	37	17	13	5	2	–
Hydrocephalus	7	1	2	2	1	–	6	1	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	192	77	8	7	2	3	97	5	5	3	2	7	7	12	16	26	9	3
Dis. of Heart & Dropsy	157	–	–	–	–	–	–	–	3	6	1	9	12	23	32	39	30	2
Dis. of Lungs	178	32	11	3	2	1	49	3	3	4	–	5	9	14	21	29	35	6
Dis. of Stom. and Liver	78	2	1	–	–	–	3	3	2	2	1	3	9	13	18	16	6	2
Dis. of Kidneys	11	–	–	–	–	–	–	1	–	–	–	4	1	2	2	1	–	–
Dis. of Gener. Organs	3	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–
Dis. of Joints	8	–	–	–	–	–	–	–	–	1	1	–	4	2	–	–	–	–
Dis. of Skin	5	1	–	–	–	–	1	–	–	–	–	–	–	2	2	–	–	–
Childbirth and Metria	46	–	–	–	–	–	–	–	–	1	7	20	17	1	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	1	–	1	–	1	–	1	–	–
Other Violent Deaths	28	2	–	6	1	–	9	3	1	3	–	–	–	1	1	2	5	3
Other Causes	515	130	11	8	6	1	156	6	6	2	1	3	10	18	16	61	138	98
601.—CRICKHOWELL.																		
Mean Populn, 1861–71	10408	326	253	299	268	263	1409	1283	1149	963	898	1407	1167	925	639	376	158	34
TOTAL DEATHS	2276	469	195	100	64	59	887	117	58	74	83	176	151	111	134	194	206	85
Small-pox	9	4	1	–	–	2	7	–	–	1	–	1	–	–	–	–	–	–
Measles	31	7	12	4	3	1	27	4	–	–	–	–	–	–	–	–	–	–
Scarlatina	158	11	21	23	22	20	99	42	14	2	1	–	–	–	–	–	–	–
Diphtheria	24	1	2	4	2	5	14	6	2	–	–	1	1	–	–	–	–	–
Whooping-cough	56	10	24	12	4	4	54	2	–	–	–	–	–	–	–	–	–	–
Typhus	95	3	2	5	4	4	18	19	9	11	5	8	4	6	3	10	2	–
Diarrhœa & Dysentery	65	27	9	2	–	1	39	2	–	–	2	3	5	2	3	3	5	1
Cholera	13	1	1	1	–	–	3	1	1	1	1	1	1	–	2	2	–	–
Other Zymotic Dis.	40	5	5	5	1	4	20	3	4	1	1	3	1	1	2	1	3	–
Cancer	48	–	–	–	–	–	–	1	–	–	–	2	5	7	13	14	6	–
Scrofula and Tabes	46	9	14	5	2	2	32	4	1	5	1	2	1	–	–	–	–	–
Phthisis	325	9	7	2	2	3	23	8	17	31	45	88	57	26	20	10	–	–
Hydrocephalus	14	5	3	2	1	–	11	1	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	332	191	20	12	3	2	228	4	2	3	2	8	7	9	15	24	23	7
Dis. of Heart & Dropsy	165	4	–	–	1	1	6	3	2	6	1	12	15	18	26	43	31	2
Dis. of Lungs	332	71	50	18	10	4	153	9	–	4	8	8	12	20	29	52	32	5
Dis. of Stom. and Liver	82	6	–	1	1	–	8	1	–	4	4	12	9	11	10	10	11	2
Dis. of Kidneys	13	–	–	–	–	–	–	–	–	1	–	2	3	4	1	2	–	–
Dis. of Gener. Organs	4	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–
Dis. of Joints	6	–	–	1	–	–	1	–	–	2	2	–	1	–	–	–	–	–
Dis. of Skin	5	1	–	–	–	–	1	–	–	–	–	1	–	–	–	2	1	–
Childbirth and Metria	47	–	–	–	–	–	–	–	–	–	6	18	23	–	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
Other Violent Deaths	40	4	4	1	8	5	22	3	2	1	–	2	1	1	2	3	3	–
Other Causes	324	100	18	2	–	1	121	4	2	1	4	3	3	5	8	16	89	68

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85–
602.—HAY.																		
Mean Popul^n, 1861–71	5339	139	124	132	122	136	653	610	581	528	423	682	578	521	380	250	113	20
TOTAL DEATHS	1073	217	54	23	21	15	330	27	18	23	23	60	61	78	102	133	164	54
Small-pox	9	2	-	1	-	-	3	-	-	-	-	3	8	-	-	-	-	-
Measles	5	1	1	1	-	-	3	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	25	1	5	2	3	4	15	7	2	-	1	-	-	-	-	-	-	-
Diphtheria	11	4	-	-	2	1	7	2	2	-	-	-	-	-	-	-	-	-
Whooping-cough	11	5	6	2	-	1	14	-	-	-	-	-	-	-	-	-	-	-
Typhus	37	2	-	-	-	1	3	6	2	1	5	4	2	1	4	8	1	-
Diarrhœa & Dysentery	20	9	3	2	-	-	14	-	-	-	-	-	-	-	-	2	4	-
Cholera	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Other Zymotic Dis.	27	2	1	5	3	1	12	2	-	-	1	-	1	3	1	4	2	1
Cancer	18	-	-	-	-	-	-	-	-	-	-	-	-	3	4	4	7	-
Scrofula and Tabes	12	5	3	-	-	-	8	1	-	-	-	-	-	-	2	-	1	-
Phthisis	99	-	2	-	-	-	2	-	6	12	9	23	14	15	13	5	-	-
Hydrocephalus	6	-	3	1	1	1	6	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	151	59	11	-	1	-	71	-	2	-	1	3	3	4	10	26	24	7
Dis. of Heart & Dropsy	68	1	1	-	-	1	3	-	-	1	3	4	8	13	10	14	10	2
Dis. of Lungs	157	21	4	4	7	-	36	2	-	3	2	5	11	17	16	27	32	6
Dis. of Stom. and Liver	58	7	-	-	-	1	8	-	-	1	-	4	6	5	17	12	5	-
Dis. of Kidneys	26	-	-	-	-	-	-	-	1	-	-	1	3	2	3	6	8	2
Dis. of Gener. Organs	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	3	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-
Dis. of Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Other Violent Deaths	49	3	1	2	-	1	7	3	1	3	-	8	5	8	9	5	-	-
Other Causes	273	94	12	3	4	3	116	2	-	2	1	3	4	6	13	20	70	36
603 *a*.—KINGTON* AND 603 *b*.—PRESTEIGNE.*																		
Mean Popul^n, 1861–71	8062	220	199	205	210	220	1054	963	867	786	613	1036	932	738	562	346	145	20
TOTAL DEATHS	1570	337	86	34	25	22	504	56	33	44	39	93	103	113	123	207	187	68
Small-pox	10	-	-	-	-	-	-	-	-	-	1	4	1	2	1	1	-	-
Measles	13	-	8	3	1	-	12	-	-	-	-	-	1	-	-	-	-	-
Scarlatina	41	6	4	6	4	6	26	12	1	1	-	-	1	-	-	-	-	-
Diphtheria	39	1	3	2	7	3	16	12	7	1	2	1	-	-	-	-	-	-
Whooping-cough	11	8	3	2	-	1	14	-	-	-	-	-	-	-	-	-	-	-
Typhus	77	3	5	4	1	3	16	5	10	9	-	6	8	7	8	5	3	-
Diarrhœa & Dysentery	16	10	-	-	-	-	10	-	-	-	-	-	-	1	-	3	2	-
Cholera	3	-	-	-	-	1	1	-	-	-	-	1	-	-	1	-	-	-
Other Zymotic Dis.	29	5	1	2	3	2	13	3	2	-	1	1	2	1	2	2	2	-
Cancer	19	-	-	1	-	-	1	-	-	-	-	2	-	4	3	7	2	-
Scrofula and Tabes	25	9	2	-	-	-	11	1	2	3	2	2	-	3	-	1	-	-
Phthisis	146	3	4	1	-	-	8	2	4	21	13	29	30	23	10	6	-	-
Hydrocephalus	18	5	8	1	1	-	15	1	1	-	-	1	-	-	-	-	-	-
Dis. of Brain	194	82	11	2	-	1	96	6	4	-	8	3	11	8	15	25	14	4
Dis. of Heart & Dropsy	144	-	-	1	1	1	3	-	1	-	3	11	12	15	36	43	19	1
Dis. of Lungs	178	40	15	4	3	2	64	6	-	2	6	10	8	14	23	25	19	1
Dis. of Stom. and Liver	76	8	3	1	-	-	12	1	1	1	-	7	9	13	4	19	7	2
Dis. of Kidneys	25	-	-	-	-	-	-	1	-	1	1	-	2	1	3	9	5	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	7	-	-	-	-	-	-	1	-	-	1	2	1	1	-	1	-	-
Dis. of Skin	6	2	-	-	1	-	3	1	-	-	-	-	1	-	-	-	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	8	-	-	-	-	-	-	-	-	-	-	3	2	2	-	1	-	-
Other Violent Deaths	49	3	3	2	-	1	9	1	-	5	1	6	9	6	5	6	1	-
Other Causes	433	152	16	2	3	1	174	3	-	-	-	4	5	12	12	53	112	58
604.—KNIGHTON.																		
Mean Popul^n, 1861–71	5462	148	144	153	155	142	742	652	615	541	471	721	618	460	325	219	86	12
TOTAL DEATHS	1039	261	59	21	23	12	376	37	26	22	44	56	66	60	88	118	111	35
Small-pox	8	3	-	-	1	-	4	-	-	-	1	-	2	-	-	1	-	-
Measles	12	2	1	2	1	1	7	3	-	-	-	2	-	-	-	-	-	-
Scarlatina	12	-	1	1	-	-	2	4	3	-	1	-	1	-	1	-	-	-
Diphtheria	13	1	4	1	1	1	8	2	3	-	-	-	-	-	-	-	-	-
Whooping-cough	34	16	10	5	2	-	33	1	-	-	-	-	-	-	-	-	-	-
Typhus	33	1	1	1	1	1	5	5	4	-	2	6	6	1	2	2	-	-
Diarrhœa & Dysentery	12	4	1	-	-	1	6	-	-	-	-	-	-	-	1	3	2	-
Cholera	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Other Zymotic Dis.	31	6	3	2	3	4	18	3	-	1	-	2	1	1	3	2	-	-
Cancer	13	-	-	-	-	-	-	-	-	-	-	-	2	1	5	4	1	-
Scrofula and Tabes	15	6	2	-	-	-	8	1	-	1	-	1	1	-	2	1	-	-
Phthisis	116	2	3	1	-	1	7	2	3	13	21	25	23	6	11	5	-	-
Hydrocephalus	4	3	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	96	43	6	1	-	-	50	-	4	1	6	1	2	7	8	11	5	1
Dis. of Heart & Dropsy	37	2	-	-	-	-	2	1	-	-	1	2	4	7	6	9	4	1
Dis. of Lungs	101	24	7	-	2	-	33	3	2	3	5	6	10	5	13	12	9	-
Dis. of Stom. and Liver	47	4	2	1	-	-	7	3	-	-	3	2	5	7	7	12	1	-
Dis. of Kidneys	14	-	-	1	-	-	1	-	-	-	-	-	1	1	2	6	3	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	4	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	-	-
Dis. of Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-
Other Violent Deaths	40	1	-	1	4	1	7	3	2	1	3	5	2	9	4	3	1	-
Other Causes	391	142	18	4	8	2	174	5	4	-	1	4	5	15	19	46	85	33

* Out of the district of Presteigne was formed on 1st April 1870 the new district of Kington (603 *a*.);

Mean Population, 1861-71, and Deaths in Districts during the 10 Years 1861-70.

CAUSES OF DEATH.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
602.—HAY.																		
Mean Popul^n, 1861-71	5468	138	131	135	137	141	682	652	578	524	419	714	570	535	373	257	141	23
TOTAL DEATHS	1090	191	55	23	16	11	296	32	22	36	44	75	69	75	87	122	148	84
Small-pox	6	1	–	1	–	–	2	–	–	–	1	2	–	1	–	–	–	–
Measles	11	3	2	1	3	1	10	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	20	–	3	2	2	3	10	6	3	–	1	–	–	–	–	–	–	–
Diphtheria	8	–	2	–	–	1	3	3	1	–	–	–	1	–	–	–	–	–
Whooping-cough	26	13	6	3	1	1	24	1	–	1	–	–	–	–	–	–	–	–
Typhus	38	1	–	1	–	1	3	4	8	2	3	6	3	2	2	5	–	–
Diarrhœa & Dysentery	21	9	1	2	–	–	12	–	–	–	3	–	1	–	1	1	3	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	20	3	–	3	–	–	6	2	1	1	2	1	–	3	2	1	1	–
Cancer	33	–	–	–	–	–	–	–	–	–	–	2	6	5	9	8	3	–
Scrofula and Tabes	13	2	1	–	1	–	4	1	–	1	–	5	1	1	–	–	–	–
Phthisis	119	2	1	1	1	1	6	3	5	18	19	20	23	11	7	5	2	–
Hydrocephalus	3	–	2	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	151	57	11	3	–	–	71	1	1	3	4	4	4	9	12	20	20	5
Dis. of Heart & Dropsy	79	–	–	–	–	–	–	–	–	1	1	7	5	9	19	22	13	2
Dis. of Lungs	125	12	9	2	3	–	26	4	–	3	4	7	7	7	15	24	22	6
Dis. of Stom. and Liver	41	4	–	–	–	–	4	–	1	1	2	4	1	9	11	5	6	–
Dis. of Kidneys	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–
Dis. of Gener. Organs	8	–	–	–	–	–	–	–	–	–	–	–	2	3	–	1	1	1
Dis. of Joints	2	–	–	–	–	–	2	–	–	–	–	1	1	–	–	–	–	–
Dis. of Skin	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	20	–	–	–	–	–	–	–	–	–	2	9	8	1	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	–
Other Violent Deaths	21	2	3	1	–	2	8	3	1	–	1	–	1	1	2	1	2	1
Other Causes	310	81	14	3	5	1	104	3	–	5	–	7	3	12	7	26	74	69
603 *a*.—KINGTON * AND 603 *b*.—PRESTEIGNE.*																		
Mean Popul^n, 1861-71	7742	202	214	218	217	185	1036	954	820	723	608	991	891	685	509	351	150	24
TOTAL DEATHS	1558	291	73	47	39	23	473	72	52	53	57	116	87	80	103	177	219	69
Small-pox	3	1	1	–	–	–	2	–	–	–	–	–	–	–	–	1	–	–
Measles	14	2	2	1	3	1	9	2	–	1	–	1	–	1	–	–	–	–
Scarlatina	60	2	9	6	12	9	38	13	7	–	1	–	1	–	–	–	–	–
Diphtheria	37	4	3	3	5	3	18	9	5	1	2	1	–	–	–	1	–	–
Whooping-cough	28	15	4	–	4	2	25	3	–	–	–	–	–	–	–	–	–	–
Typhus	84	1	1	2	1	–	5	8	12	9	3	14	9	9	2	8	5	–
Diarrhœa & Dysentery	15	6	–	–	–	–	6	–	–	–	–	–	–	1	1	2	4	1
Cholera	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	21	–	3	1	2	–	6	3	–	1	1	2	–	–	3	4	1	–
Cancer	32	–	–	–	–	–	–	–	–	–	–	–	3	6	7	11	5	–
Scrofula and Tabes	20	10	3	–	–	–	13	–	1	1	1	1	1	1	–	1	–	–
Phthisis	185	3	1	1	2	1	8	2	13	29	30	52	30	13	8	–	–	–
Hydrocephalus	12	4	4	1	–	–	9	1	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	182	76	8	8	2	1	95	3	4	4	2	6	6	8	14	20	14	6
Dis. of Heart & Dropsy	151	–	1	–	–	1	2	8	2	2	3	8	9	18	26	39	32	2
Dis. of Lungs	127	24	17	9	3	3	56	3	1	3	3	5	5	3	9	20	17	2
Dis. of Stom. and Liver	71	4	–	1	1	1	7	3	2	–	1	5	7	8	14	13	11	–
Dis. of Kidneys	4	1	–	–	–	–	1	–	1	–	–	1	–	–	1	–	–	–
Dis. of Gener. Organs	5	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	1	–
Dis. of Joints	2	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
Dis. of Skin	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Childbirth and Metria	28	–	–	–	–	–	–	–	–	–	6	12	9	1	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Other Violent Deaths	23	2	2	3	2	–	9	4	–	–	1	1	1	1	–	6	–	–
Other Causes	450	136	14	11	1	1	163	10	1	2	3	6	3	9	17	49	129	53
604.—KNIGHTON.																		
Mean Popul^n, 1861-71	4888	161	133	167	127	133	721	672	557	460	374	620	520	379	290	201	77	17
TOTAL DEATHS	891	192	36	22	26	23	299	40	30	23	38	57	52	47	63	96	106	40
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	9	2	2	2	–	2	8	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	26	4	1	4	2	1	12	7	2	1	3	–	1	–	–	–	–	–
Diphtheria	17	1	–	2	3	3	9	3	3	–	1	–	1	–	–	–	–	–
Whooping-cough	27	6	10	2	2	3	23	4	–	–	–	–	–	–	–	–	–	–
Typhus	35	1	–	–	2	1	4	6	4	1	2	4	4	1	5	2	3	–
Diarrhœa & Dysentery	8	4	–	1	–	–	5	–	–	–	–	1	1	–	1	–	–	–
Cholera	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	20	5	–	–	2	2	9	2	2	1	–	1	–	–	–	4	1	–
Cancer	15	–	–	–	–	–	–	–	–	–	–	–	2	3	6	3	–	1
Scrofula and Tabes	7	2	–	–	–	–	2	1	2	–	–	1	–	1	–	–	–	–
Phthisis	104	–	–	–	1	–	1	1	5	12	22	28	18	10	6	1	–	–
Hydrocephalus	8	5	1	–	2	–	8	–	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	55	21	2	–	–	–	23	–	2	–	2	1	3	3	6	6	9	1
Dis. of Heart & Dropsy	49	1	–	–	–	1	2	2	–	2	1	1	7	3	3	18	6	–
Dis. of Lungs	76	15	9	4	1	1	30	–	4	2	1	4	1	5	5	15	9	–
Dis. of Stom. and Liver	34	4	–	–	1	2	7	2	1	–	1	6	3	2	9	1	2	–
Dis. of Kidneys	7	–	–	–	–	–	–	–	–	–	–	1	1	2	2	1	–	–
Dis. of Gener. Organs	4	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–
Dis. of Joints	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Dis. of Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	18	–	–	–	–	–	–	–	–	–	4	6	8	–	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
Other Violent Deaths	15	1	3	2	1	1	8	2	–	–	–	1	–	1	–	1	–	2
Other Causes	360	119	8	5	9	6	147	9	5	3	1	1	6	14	18	44	76	36

* the facts for this new district are not separately given from those for the mother district of Presteigne.

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 upwds.
605.—RHAYADER.																		
Mean Popul^n, 1861–71	3498	90	96	106	90	105	487	408	432	348	300	416	341	310	230	143	68	15
TOTAL DEATHS	665	126	39	18	11	5	199	25	19	25	30	44	37	49	53	81	73	36
Small-pox	13	3	–	–	–	–	3	1	–	1	4	1	1	1	1	–	–	–
Measles	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	14	–	3	2	3	2	10	2	2	–	–	–	–	–	–	–	–	–
Diphtheria	5	–	–	1	1	–	2	2	–	–	1	–	–	–	–	–	–	–
Whooping-cough	19	8	6	4	–	–	18	1	–	–	–	–	–	–	–	–	–	–
Typhus	20	1	–	2	–	–	3	1	–	2	2	–	1	2	3	5	1	–
Diarrhœa & Dysentery	8	–	1	–	–	–	1	–	–	–	–	–	–	–	–	3	4	–
Cholera	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
Other Zymotic Dis.	11	–	–	–	1	–	1	4	–	–	–	–	1	1	–	2	2	–
Cancer	5	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	–
Scrofula and Tabes	8	2	1	–	1	–	4	–	2	–	–	1	–	–	1	–	–	–
Phthisis	82	–	2	–	–	–	2	3	3	13	16	20	7	9	6	2	1	–
Hydrocephalus	7	1	2	–	–	–	3	2	1	1	–	–	–	–	–	–	–	–
Dis. of Brain	70	24	9	–	1	1	35	1	1	–	1	5	5	2	–	12	7	1
Dis. of Heart & Dropsy	30	–	–	–	–	–	–	1	2	–	–	3	1	4	4	7	6	2
Dis. of Lungs	77	20	3	4	3	1	31	3	–	2	–	3	2	5	13	9	5	4
Dis. of Stom. and Liver	22	1	–	–	–	–	1	–	–	1	–	3	3	4	5	4	1	–
Dis. of Kidneys	17	–	–	–	–	–	–	1	1	1	–	1	1	1	4	5	1	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Other Violent Deaths	42	1	–	–	–	–	1	–	4	4	5	6	7	6	3	3	2	1
Other Causes	210	64	12	5	1	1	83	3	3	–	1	1	4	13	11	28	42	21
606.—MACHYNLLETH.																		
Mean Popul^n, 1861–71	6373	162	164	168	171	153	818	799	688	633	538	829	672	573	418	267	117	21
TOTAL DEATHS	1403	261	72	36	31	24	424	65	27	59	60	97	75	93	120	161	178	44
Small-pox	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	11	3	3	3	1	1	11	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	49	2	4	7	10	10	33	11	1	1	2	–	–	1	–	–	–	–
Diphtheria	4	1	1	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
Whooping-cough	30	17	7	2	1	2	29	1	–	–	–	–	–	–	–	–	–	–
Typhus	66	2	2	2	2	2	10	7	5	12	2	4	2	10	6	7	1	–
Diarrhœa & Dysentery	12	1	–	–	–	–	1	1	–	–	–	–	1	1	–	6	2	–
Cholera	3	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–
Other Zymotic Dis.	43	6	5	1	2	–	14	4	2	1	–	1	1	3	4	8	5	–
Cancer	30	–	–	–	1	–	1	2	–	–	–	–	1	5	10	7	4	–
Scrofula and Tabes	15	1	–	–	2	–	3	2	1	1	2	4	2	–	–	–	–	–
Phthisis	210	1	4	–	2	–	7	6	8	25	37	50	30	24	29	18	6	–
Hydrocephalus	15	4	4	1	–	–	9	5	–	1	–	–	–	–	–	–	–	–
Dis. of Brain	205	103	17	6	6	4	136	6	–	5	2	7	4	5	3	21	15	1
Dis. of Heart & Dropsy	54	–	–	–	1	–	1	1	2	1	–	4	3	14	7	14	6	1
Dis. of Lungs	136	12	7	3	–	2	24	2	1	2	4	2	9	11	26	29	25	1
Dis. of Stom. and Liver	59	2	–	–	–	–	2	–	1	2	2	3	4	9	15	14	6	1
Dis. of Kidneys	35	–	–	–	–	–	–	1	–	1	–	2	1	3	3	12	12	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Dis. of Skin	10	4	1	–	–	–	5	–	–	1	–	2	–	2	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Other Violent Deaths	68	–	3	5	2	2	12	3	2	5	5	17	11	3	3	4	3	–
Other Causes	314	102	13	6	1	1	123	11	4	1	3	–	5	1	13	20	93	40
607.—NEWTOWN.																		
Mean Popul^n, 1861–71	12203	353	313	330	332	318	1646	1496	1366	1279	1016	1565	1191	1047	833	519	216	29
TOTAL DEATHS	2528	501	144	67	45	30	787	104	58	105	115	150	134	158	215	316	287	99
Small-pox	16	5	–	2	2	–	9	2	–	2	1	–	1	–	1	–	–	–
Measles	21	7	6	6	–	1	20	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	46	4	6	6	10	3	29	9	1	3	2	1	1	–	–	–	–	–
Diphtheria	34	6	4	4	3	5	22	7	2	1	2	–	–	–	–	–	–	–
Whooping-cough	62	26	22	4	4	1	57	5	–	–	–	–	–	–	–	–	–	–
Typhus	70	1	2	2	2	1	8	6	5	10	6	3	6	8	9	6	1	2
Diarrhœa & Dysentery	62	23	7	1	1	–	32	1	–	–	–	2	2	3	3	6	10	3
Cholera	6	–	2	–	–	–	2	–	–	–	–	–	1	–	1	1	1	–
Other Zymotic Dis.	65	7	7	7	4	7	32	12	2	1	3	3	1	–	4	4	3	–
Cancer	28	–	–	–	–	–	–	–	–	–	–	3	1	2	4	12	5	1
Scrofula and Tabes	31	1	8	1	1	2	13	2	7	3	3	2	1	–	–	–	–	–
Phthisis	415	4	8	7	5	1	25	8	16	52	72	87	62	42	39	12	–	–
Hydrocephalus	27	13	5	1	–	1	20	6	–	–	–	–	–	1	–	–	–	–
Dis. of Brain	374	165	16	8	5	1	195	16	7	11	2	6	17	20	27	38	26	9
Dis. of Heart & Dropsy	115	3	–	2	–	–	5	2	3	3	1	3	4	19	29	31	14	1
Dis. of Lungs	335	48	26	11	–	3	88	5	3	5	10	16	7	21	37	80	52	11
Dis. of Stom. and Liver	117	16	1	1	2	1	21	2	2	2	5	6	6	15	23	24	9	2
Dis. of Kidneys	62	–	–	–	1	–	1	–	1	2	1	3	8	4	10	19	10	3
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	10	–	1	–	–	–	1	–	2	1	2	1	–	–	1	2	–	–
Dis. of Skin	7	4	–	–	–	–	4	–	1	–	–	–	–	1	–	–	1	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	3	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–
Other Violent Deaths	102	1	5	2	1	2	11	13	5	7	4	12	12	14	13	6	3	2
Other Causes	520	167	18	2	4	1	192	7	1	2	1	2	4	8	12	75	151	65

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
605.—RHAYADER.																		
Mean Populn, 1861–71	3323	96	91	88	88	90	453	426	382	316	276	404	330	297	219	139	65	16
TOTAL DEATHS	555	97	32	19	11	3	162	20	15	14	20	38	26	30	43	81	70	36
Small-pox	7	2	–	1	–	–	3	2	–	–	–	–	2	–	–	–	–	–
Measles	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	9	–	2	2	1	–	5	2	1	1	–	–	–	–	–	–	–	–
Diphtheria	6	–	–	1	1	–	2	–	1	1	–	1	–	–	1	–	–	–
Whooping-cough	25	15	4	2	3	–	24	1	–	–	–	–	–	–	–	–	–	–
Typhus	17	–	–	1	–	–	1	–	3	2	1	2	1	2	3	1	1	–
Diarrhœa & Dysentery	5	1	–	–	–	–	1	1	–	–	–	–	–	1	1	–	1	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	15	2	1	2	1	2	8	1	1	–	–	–	–	1	–	3	1	–
Cancer	16	–	–	–	–	–	–	–	–	–	–	–	2	2	2	9	1	–
Scrofula and Tabes	7	2	1	1	–	–	4	–	1	–	–	1	–	–	–	1	–	–
Phthisis	64	–	–	1	1	–	2	1	5	9	9	16	7	9	4	1	1	–
Hydrocephalus	2	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Dis. of Brain	51	21	5	1	–	–	27	1	–	–	1	1	2	1	4	8	4	2
Dis. of Heart & Dropsy	32	–	–	–	–	–	–	1	1	–	1	2	1	3	6	9	7	1
Dis. of Lungs	58	10	5	4	2	1	22	1	–	–	2	–	1	2	4	11	13	2
Dis. of Stom. and Liver	21	–	–	–	–	–	–	1	–	1	1	3	3	3	5	4	–	–
Dis. of Kidneys	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Dis. of Joints	3	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–
Dis. of Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	9	–	–	–	–	–	–	–	–	–	1	5	3	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Deaths	9	–	1	–	1	–	2	1	1	–	–	–	1	–	3	–	1	–
Other Causes	194	43	13	3	1	–	60	6	1	–	2	5	3	5	9	32	40	31
606.—MACHYNLLETH.																		
Mean Populn, 1861–71	6482	181	169	154	165	150	819	730	658	613	565	884	697	565	437	312	169	33
TOTAL DEATHS	1389	218	64	49	19	21	371	52	34	41	58	119	104	96	92	139	212	71
Small-pox	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Measles	7	1	1	1	–	1	4	2	1	–	–	–	–	–	–	–	–	–
Scarlatina	49	4	7	11	7	7	36	9	1	1	1	–	1	–	–	–	–	–
Diphtheria	5	–	–	–	–	–	–	2	–	–	1	–	1	1	–	–	–	–
Whooping-cough	46	18	9	12	2	–	41	4	1	–	–	–	–	–	–	–	–	–
Typhus	56	–	2	4	1	2	9	9	2	3	6	4	6	3	4	6	4	–
Diarrhœa & Dysentery	16	1	–	–	–	–	1	–	–	–	–	1	1	–	1	6	5	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	36	5	4	2	–	–	11	1	1	–	–	2	4	3	2	4	8	–
Cancer	27	–	–	–	–	–	–	–	–	–	–	–	2	10	7	5	2	1
Scrofula and Tabes	11	2	1	–	–	1	4	–	–	1	3	1	–	2	–	–	–	–
Phthisis	304	9	6	1	1	–	17	8	18	28	33	77	45	33	21	20	4	–
Hydrocephalus	9	–	1	2	1	2	6	2	–	1	–	–	–	–	–	–	–	–
Dis. of Brain	190	92	16	4	3	2	117	5	–	–	2	5	7	4	14	14	19	3
Dis. of Heart & Dropsy	75	–	–	–	1	1	2	1	2	1	6	6	7	8	11	21	9	1
Dis. of Lungs	116	16	2	3	–	3	24	2	1	3	–	9	3	7	11	25	28	3
Dis. of Stom. and Liver	44	–	2	–	–	–	2	–	–	1	1	1	7	7	7	9	9	–
Dis. of Kidneys	7	–	–	–	–	–	–	–	–	–	–	–	2	1	2	2	–	–
Dis. of Gener. Organs	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
Dis. of Joints	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Skin	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–
Childbirth and Metria	24	–	–	–	–	–	–	–	–	–	3	8	13	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Other Violent Deaths	20	–	–	3	1	1	5	2	2	2	–	–	1	3	–	4	1	–
Other Causes	338	70	13	6	2	1	92	5	5	–	1	3	3	14	10	23	120	62
607.—NEWTOWN.																		
Mean Populn, 1861–71	11941	321	290	314	303	302	1530	1427	1362	1139	985	1539	1192	1052	819	567	279	50
TOTAL DEATHS	2447	427	127	78	45	31	708	97	65	98	101	207	150	150	167	262	316	126
Small-pox	29	11	4	3	–	–	18	3	–	1	2	2	1	2	–	–	–	–
Measles	23	5	5	4	2	1	17	3	–	–	2	1	–	–	–	–	–	–
Scarlatina	40	6	6	5	3	4	24	11	7	3	4	–	–	–	–	–	–	–
Diphtheria	34	3	3	3	4	4	17	9	3	2	–	–	1	2	–	–	–	–
Whooping-cough	65	29	21	6	3	4	63	2	–	–	–	–	–	–	–	–	–	–
Typhus	86	2	1	2	4	3	12	11	10	13	8	7	7	4	6	6	2	–
Diarrhœa & Dysentery	54	19	4	–	1	–	24	2	1	1	–	1	3	1	4	4	13	–
Cholera	9	4	–	–	–	–	4	–	–	1	–	1	1	1	–	1	–	–
Other Zymotic Dis.	53	7	7	8	2	4	28	8	1	2	–	–	2	3	3	2	4	–
Cancer	55	–	–	–	–	–	–	–	–	–	–	2	2	15	17	14	5	–
Scrofula and Tabes	17	4	2	3	1	1	11	2	–	–	1	–	2	–	1	–	–	–
Phthisis	417	9	4	3	2	1	19	10	20	54	59	134	59	36	17	7	2	–
Hydrocephalus	25	5	7	3	2	–	17	7	–	1	–	–	–	–	–	–	–	–
Dis. of Brain	316	133	18	9	4	3	167	7	6	6	7	8	6	14	19	37	31	8
Dis. of Heart & Dropsy	128	3	–	–	–	–	3	2	1	3	1	6	15	19	20	35	22	1
Dis. of Lungs	272	32	27	13	5	–	77	5	1	2	3	8	21	10	27	60	51	7
Dis. of Stom. and Liver	118	8	3	1	1	1	14	4	1	3	2	14	4	18	21	22	13	2
Dis. of Kidneys	26	–	–	–	–	–	–	1	2	1	–	2	4	5	4	6	1	–
Dis. of Gener. Organs	7	–	–	–	–	–	–	–	–	–	–	1	1	2	3	–	–	–
Dis. of Joints	13	–	–	2	1	–	3	1	2	2	–	1	1	–	1	–	2	–
Dis. of Skin	13	3	–	–	1	–	4	–	1	–	1	1	1	1	4	–	–	–
Childbirth and Metria	39	–	–	–	–	–	–	–	–	1	7	11	16	4	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Other Violent Deaths	19	4	3	3	2	5	17	3	–	–	1	1	–	–	–	1	5	1
Other Causes	369	140	12	10	7	–	169	6	9	2	3	6	3	12	20	67	165	107

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 and upwards.
608.—FORDEN (*late* MONTGOMERY).																		
Mean Popul^n, 1861–71	9718	269	226	259	251	255	1260	1138	1057	977	770	1314	1054	900	657	415	152	24
TOTAL DEATHS	1944	397	92	52	28	24	593	66	39	55	79	141	103	131	180	265	225	67
Small-pox	4	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	1	–
Measles	19	5	4	5	1	1	16	3	–	–	–	–	–	–	–	–	–	–
Scarlatina	56	6	11	6	7	5	35	14	2	3	1	–	–	–	1	–	–	–
Diphtheria	25	5	5	3	2	2	17	3	2	1	1	1	–	–	–	–	–	–
Whooping-cough	23	10	5	3	–	3	21	2	–	–	–	–	–	–	–	–	–	–
Typhus	48	2	1	3	–	3	9	7	6	4	3	7	4	1	4	3	–	–
Diarrhœa & Dysentery	23	3	–	1	–	–	4	1	–	–	–	3	1	1	1	6	5	1
Cholera	3	1	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–	–
Other Zymotic Dis.	42	11	3	5	2	–	21	3	–	–	1	2	–	2	3	6	4	–
Cancer	25	–	–	–	–	–	–	–	–	–	–	–	1	9	8	2	5	–
Scrofula and Tabes	14	2	4	–	–	–	6	1	2	1	1	3	–	–	–	–	–	–
Phthisis	270	2	2	–	3	–	7	2	8	20	52	76	41	31	30	3	–	–
Hydrocephalus	10	5	–	2	–	–	7	1	2	–	–	–	–	–	–	–	–	–
Dis. of Brain	326	185	21	9	6	3	224	7	4	5	2	1	8	10	16	27	20	2
Dis. of Heart & Dropsy	118	3	–	1	–	–	4	2	–	1	4	6	8	12	29	35	15	2
Dis. of Lungs	224	37	17	5	1	3	63	7	2	3	3	9	11	24	28	43	27	2
Dis. of Stom. and Liver	74	8	1	–	1	1	11	3	1	2	2	5	5	9	17	14	2	–
Dis. of Kidneys	22	–	–	–	–	–	–	–	–	2	1	2	1	3	2	6	4	1
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Dis. of Joints	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Dis. of Skin	6	1	–	–	–	–	1	–	–	–	1	–	–	1	1	2	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	7	–	–	–	–	–	–	–	–	–	1	–	–	2	3	1	–	–
Other Violent Deaths	112	1	8	5	3	2	19	3	7	9	5	17	15	9	11	12	5	–
Other Causes	491	109	10	4	2	1	126	7	3	5	1	8	7	15	26	102	137	59
609.—LLANFYLLIN.																		
Mean Popul^n, 1861–71	10903	302	225	287	269	305	1388	1349	1213	1044	827	1380	1142	956	820	533	222	29
TOTAL DEATHS	2211	454	83	48	37	36	658	93	65	77	85	140	111	120	201	285	299	77
Small-pox	8	–	–	–	–	–	–	1	–	–	–	5	1	–	–	1	–	–
Measles	21	7	5	2	2	3	19	1	–	1	–	–	–	–	–	–	–	–
Scarlatina	61	6	5	7	8	8	31	20	6	1	–	–	–	–	–	–	–	–
Diphtheria	45	3	5	8	6	5	27	10	3	2	2	1	–	–	–	–	–	–
Whooping-cough	22	10	7	2	–	1	20	2	–	–	–	–	–	–	–	–	–	–
Typhus	62	3	1	–	1	3	8	5	9	9	4	5	7	3	6	4	2	–
Diarrhœa & Dysentery	14	1	–	–	–	–	1	–	–	–	1	–	–	2	1	4	4	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	31	2	6	4	2	2	16	2	3	1	–	2	–	1	2	2	2	–
Cancer	24	–	–	–	–	–	–	–	–	–	–	1	1	4	10	4	4	–
Scrofula and Tabes	22	2	4	–	1	–	7	2	4	1	1	2	–	2	1	1	1	–
Phthisis	537	6	3	2	–	1	12	5	16	41	56	84	50	46	40	15	2	–
Hydrocephalus	12	3	2	1	–	1	7	4	–	–	–	–	–	–	–	1	–	–
Dis. of Brain	372	236	18	8	6	4	292	8	1	6	–	6	5	7	14	16	17	–
Dis. of Heart & Dropsy	86	–	–	1	2	–	3	5	2	1	5	6	5	9	21	21	8	–
Dis. of Lungs	186	20	10	4	3	1	38	6	5	5	3	9	10	16	33	38	22	1
Dis. of Stom. and Liver	72	4	1	–	–	–	5	1	4	3	1	6	9	8	12	16	7	–
Dis. of Kidneys	22	1	–	–	–	1	2	–	1	–	1	–	1	1	6	8	1	1
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Dis. of Joints	4	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	1	–
Dis. of Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	8	–	–	–	–	–	–	–	–	–	2	1	2	3	–	–	–	–
Other Violent Deaths	68	4	4	1	1	3	13	6	4	4	4	8	10	5	5	7	1	1
Other Causes	703	126	12	8	5	3	154	15	6	1	5	4	10	12	50	147	226	73
610.—HOLYWELL.																		
Mean Popul^n, 1861–71	21058	603	523	580	553	563	2822	2613	2380	2143	1720	2842	2254	1876	1392	716	274	26
TOTAL DEATHS	4897	1051	324	164	110	82	1731	249	121	146	179	304	327	358	479	546	355	102
Small-pox	22	4	2	1	1	–	8	3	1	3	4	1	2	–	–	–	–	–
Measles	69	11	29	12	3	7	62	3	3	–	1	–	–	–	–	–	–	–
Scarlatina	285	16	49	49	44	24	182	83	15	2	1	–	–	1	–	1	–	–
Diphtheria	48	3	4	4	3	3	17	16	8	3	1	2	1	–	–	–	–	–
Whooping-cough	77	37	20	7	7	6	77	–	–	–	–	–	–	–	–	–	–	–
Typhus	161	11	2	3	5	5	26	24	16	14	12	24	14	12	12	6	1	–
Diarrhœa & Dysentery	23	5	4	2	1	–	12	1	–	–	–	1	1	3	1	1	3	–
Cholera	45	–	1	4	1	–	6	9	2	–	4	4	5	5	7	2	1	–
Other Zymotic Dis.	89	12	18	8	9	6	53	9	3	1	1	1	2	4	6	7	–	2
Cancer	54	–	–	–	–	–	–	1	–	1	–	2	9	8	17	12	4	–
Scrofula and Tabes	31	11	3	4	–	2	20	–	1	2	4	2	2	–	–	–	–	–
Phthisis	539	3	2	–	1	2	8	11	23	56	89	124	95	68	52	13	–	–
Hydrocephalus	36	8	6	5	3	3	25	6	5	–	–	–	–	–	–	–	–	–
Dis. of Brain	953	564	93	35	9	7	708	18	5	7	6	15	18	22	42	73	34	5
Dis. of Heart & Dropsy	255	–	2	1	1	2	6	7	2	6	3	14	32	35	63	66	21	–
Dis. of Lungs	688	60	36	12	8	8	124	20	2	11	3	26	35	79	168	159	59	2
Dis. of Stom. and Liver	184	7	3	3	–	1	14	5	5	2	5	11	27	28	32	43	10	2
Dis. of Kidneys	45	–	–	–	–	–	–	3	1	1	1	5	5	9	7	8	4	1
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	9	1	–	–	–	–	1	1	2	1	1	–	2	1	–	–	–	–
Dis. of Skin	2	1	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	9	–	–	–	–	–	–	–	1	–	–	–	2	1	2	3	–	–
Other Violent Deaths	289	–	5	3	2	1	11	11	21	31	36	55	50	37	21	12	3	1
Other Causes	984	207	45	11	12	4	369	18	5	5	7	17	25	45	49	140	215	89

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 upwds.
608.—FORDEN (*late* MONTGOMERY).																		
Mean Popul^{n}, 1861–71	9259	260	218	251	244	249	1222	1128	1009	867	738	1209	955	824	645	443	192	27
TOTAL DEATHS	1771	290	88	44	28	16	466	68	50	72	70	145	123	102	137	225	229	84
Small-pox	4	1	-	1	-	-	2	-	-	1	-	1	-	-	-	-	-	-
Measles	12	4	6	-	1	-	11	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	46	6	9	9	4	4	32	8	3	2	1	-	-	-	-	-	-	-
Diphtheria	26	1	4	-	2	2	9	4	7	-	1	-	2	-	1	1	1	-
Whooping-cough	24	8	8	3	3	-	22	2	-	-	-	-	-	-	-	-	-	-
Typhus	59	1	2	3	3	-	9	10	9	6	4	9	3	3	4	2	-	-
Diarrhœa & Dysentery	16	7	1	1	-	-	9	-	1	-	-	1	3	-	-	-	1	1
Cholera	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-
Other Zymotic Dis.	31	8	3	1	2	-	14	4	-	-	2	-	-	2	4	4	1	-
Cancer	47	-	-	-	1	-	1	-	1	1	-	3	8	13	13	4	2	1
Scrofula and Tabes	10	3	1	1	-	-	5	-	1	1	2	-	-	-	1	-	-	-
Phthisis	302	2	3	1	-	-	6	8	13	42	51	92	47	24	12	4	-	-
Hydrocephalus	2	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	274	134	19	9	4	3	169	6	4	4	-	3	11	13	13	36	14	1
Dis. of Heart & Dropsy	128	3	2	-	-	-	5	4	2	3	-	8	10	14	24	35	20	3
Dis. of Lungs	152	26	15	4	3	2	50	8	1	2	1	4	9	10	22	35	12	-
Dis. of Stom. and Liver	63	6	1	-	-	-	7	1	1	3	1	4	6	9	16	12	3	-
Dis. of Kidneys	6	-	1	-	-	-	1	-	-	-	-	1	2	-	-	2	-	-
Dis. of Gener. Organs	4	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-
Dis. of Joints	4	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-
Dis. of Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Childbirth and Metria	30	-	-	-	-	-	-	-	-	1	3	14	12	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Violent Deaths	23	3	1	4	3	1	12	2	-	2	-	1	2	-	1	3	-	-
Other Causes	502	76	11	7	2	4	100	8	6	4	-	4	7	13	21	87	174	78
609.—LLANFYLLIN.																		
Mean Popul^{n}, 1861–71	10782	302	268	287	290	274	1421	1343	1152	1016	820	1356	1100	956	789	531	254	44
TOTAL DEATHS	2119	336	94	46	43	25	544	86	59	93	100	156	136	110	193	243	297	102
Small-pox	5	1	1	-	-	-	2	-	-	1	-	1	1	-	-	-	-	-
Measles	20	1	7	1	3	2	14	2	3	-	-	1	-	-	-	-	-	-
Scarlatina	51	5	4	5	6	6	26	19	3	2	1	-	-	-	-	-	-	-
Diphtheria	51	1	2	3	10	2	18	16	7	3	3	-	2	2	-	-	-	-
Whooping-cough	31	16	6	4	1	-	27	4	-	-	-	-	-	-	-	-	-	-
Typhus	70	-	-	-	1	-	1	3	5	14	16	11	5	4	6	4	1	-
Diarrhœa & Dysentery	9	2	2	-	-	1	5	-	-	-	-	1	1	1	-	-	1	-
Cholera	3	-	1	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-
Other Zymotic Dis.	27	1	3	3	2	1	10	3	1	1	-	-	-	1	6	3	2	-
Cancer	35	-	-	-	-	-	-	-	-	-	1	1	3	10	5	12	2	1
Scrofula and Tabes	9	1	-	1	-	-	2	2	1	1	1	-	-	1	1	-	-	-
Phthisis	437	5	9	1	1	1	17	7	20	53	60	96	67	47	57	13	-	-
Hydrocephalus	7	1	3	-	-	1	5	-	2	-	-	-	-	-	-	-	-	-
Dis. of Brain	304	187	18	9	6	3	223	6	1	2	-	4	7	3	15	26	15	2
Dis. of Heart & Dropsy	91	-	1	1	-	-	2	-	3	-	2	7	6	8	23	24	15	1
Dis. of Lungs	126	9	3	7	4	-	23	5	4	5	3	4	9	8	24	23	14	4
Dis. of Stom. and Liver	41	3	3	-	-	-	6	1	-	2	1	2	7	3	8	9	2	-
Dis. of Kidneys	5	1	-	-	-	-	1	-	-	-	-	1	1	-	1	-	1	-
Dis. of Gener. Organs	8	-	-	-	-	-	-	-	-	1	-	-	4	3	-	-	-	-
Dis. of Joints	3	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
Dis. of Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	38	-	-	-	-	-	-	-	-	1	4	18	13	2	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
Other Violent Deaths	36	4	2	2	5	2	15	4	2	1	1	-	2	-	-	1	4	6
Other Causes	709	97	29	9	4	6	145	14	6	5	7	8	7	16	45	128	240	88
610.—HOLYWELL.																		
Mean Popul^{n}, 1861–71	20671	589	531	576	566	547	2809	2500	2237	1756	1547	2793	2275	1889	1456	933	399	77
TOTAL DEATHS	4620	836	327	176	122	80	1541	244	92	143	181	312	293	295	355	516	461	187
Small-pox	15	1	2	1	-	-	4	5	-	1	2	2	-	1	-	-	-	-
Measles	67	7	25	9	8	2	51	15	1	-	-	-	-	-	-	-	-	-
Scarlatina	280	19	45	45	41	31	181	79	16	3	1	-	-	-	-	-	-	-
Diphtheria	63	1	4	9	7	6	27	27	4	3	-	1	1	-	-	-	-	-
Whooping-cough	119	39	32	16	19	3	109	8	2	-	-	-	-	-	-	-	-	-
Typhus	149	2	5	9	2	7	25	22	12	12	18	17	12	12	8	6	5	-
Diarrhœa & Dysentery	33	5	4	1	2	2	14	-	1	1	-	1	1	-	1	5	8	1
Cholera	47	1	2	2	1	3	9	3	2	2	-	6	5	4	7	4	4	1
Other Zymotic Dis.	62	5	10	12	6	5	38	3	2	1	-	-	-	3	5	7	3	-
Cancer	77	-	-	-	-	-	-	-	-	-	1	6	8	20	19	17	4	2
Scrofula and Tabes	27	10	7	2	-	-	19	1	3	1	-	2	-	1	-	-	-	-
Phthisis	602	2	3	1	3	3	12	13	26	75	93	141	123	76	31	11	1	-
Hydrocephalus	27	10	9	3	2	-	24	3	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	867	446	95	23	9	7	580	18	5	9	11	18	17	24	54	83	41	7
Dis. of Heart & Dropsy	307	-	4	2	1	-	7	4	3	9	9	26	20	63	62	72	29	3
Dis. of Lungs	444	51	28	24	15	7	125	14	4	9	7	23	16	34	52	109	50	1
Dis. of Stom. and Liver	161	4	1	-	1	-	6	4	2	4	9	14	21	20	38	34	11	1
Dis. of Kidneys	15	-	-	-	-	-	-	2	-	-	1	1	3	2	4	2	-	-
Dis. of Gener. Organs	20	-	-	-	-	-	-	-	-	1	1	3	2	7	4	2	-	-
Dis. of Joints	10	1	-	-	-	-	1	1	-	-	-	2	3	1	1	1	-	-
Dis. of Skin	6	1	-	-	-	-	1	-	-	-	1	1	-	-	1	1	1	-
Childbirth and Metria	96	-	-	-	-	-	-	-	-	4	16	30	43	3	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Violent Deaths	44	4	6	5	1	-	16	8	2	2	1	1	-	3	2	5	2	2
Other Causes	1078	227	45	12	4	4	292	14	7	6	10	17	18	21	65	157	302	169

Mean Population, 1861–71, and **Deaths** in **Districts** during the **10 Years 1861–70.**

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
611.—WREXHAM.																		
Mean Popul^n, 1861-71	26118	773	689	710	711	745	3628	3186	2863	2661	2318	3750	2903	2248	1522	748	255	31
TOTAL DEATHS	6406	1763	480	222	155	133	2753	288	147	183	236	410	381	471	493	540	392	106
Small-pox	70	13	4	2	1	2	22	2	3	3	16	11	7	4	2	-	-	-
Measles	57	12	21	5	6	1	45	10	2	-	-	-	-	-	-	-	-	-
Scarlatina	340	26	49	51	51	50	227	90	12	5	2	2	2	-	-	-	-	-
Diphtheria	72	10	10	9	3	3	35	21	9	4	2	-	-	-	-	1	-	-
Whooping-cough	104	47	26	11	4	9	97	6	1	-	-	-	-	-	-	-	-	-
Typhus	233	9	4	11	9	6	39	29	18	25	26	31	26	15	18	5	1	-
Diarrhœa & Dysentery	102	45	14	4	-	1	64	1	1	-	3	2	-	7	9	7	8	-
Cholera	14	-	1	-	-	-	1	-	-	-	-	2	3	4	3	-	1	-
Other Zymotic Dis.	115	14	17	10	10	5	56	9	4	10	4	4	2	7	5	12	2	-
Cancer	56	-	-	-	-	-	-	-	-	1	-	2	3	16	15	15	4	-
Scrofula and Tabes	96	38	18	9	2	3	70	7	2	2	3	5	2	1	2	1	1	-
Phthisis	585	6	13	9	3	1	32	13	18	59	85	141	97	78	49	10	-	-
Hydrocephalus	59	24	15	5	8	1	50	9	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	1455	984	103	36	24	19	1166	28	11	14	11	22	17	45	45	57	36	3
Dis. of Heart & Dropsy	294	4	5	1	2	2	14	10	6	4	9	18	29	50	56	72	21	5
Dis. of Lungs	929	185	98	26	14	11	334	18	10	4	17	24	51	98	110	145	60	8
Dis. of Stom. and Liver	252	20	5	4	1	3	33	8	4	6	5	26	28	47	45	38	12	-
Dis. of Kidneys	86	-	4	-	1	-	5	1	3	4	3	7	8	11	13	22	8	1
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Dis. of Joints	21	-	1	1	1	1	4	1	2	2	4	2	2	1	1	1	1	-
Dis. of Skin	18	3	1	-	-	-	4	-	2	-	-	-	1	3	3	4	1	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	19	-	-	-	-	-	-	-	-	-	2	2	3	2	4	4	1	1
Other Violent Deaths	428	1	9	6	12	13	41	19	33	37	41	83	73	52	28	13	8	-
Other Causes	993	825	62	22	3	2	414	6	6	8	3	23	27	30	54	132	207	88
612.—RUTHIN.																		
Mean Popul^n, 1861-71	7980	182	176	207	201	201	967	951	915	812	619	969	847	752	600	362	165	21
TOTAL DEATHS	1605	284	54	39	29	24	430	69	33	44	69	101	81	116	154	212	229	67
Small-pox	9	2	-	-	-	-	2	-	-	1	2	1	3	-	-	-	-	-
Measles	12	1	3	2	3	1	10	1	1	-	-	-	-	-	-	-	-	-
Scarlatina	27	1	2	5	3	5	16	10	1	-	-	-	-	-	-	-	-	-
Diphtheria	27	-	3	2	1	4	10	10	5	1	-	-	-	1	-	-	-	-
Whooping-cough	14	6	3	2	1	-	12	2	-	-	-	-	-	-	-	-	-	-
Typhus	57	-	1	-	3	-	4	6	4	9	6	8	4	6	3	6	1	-
Diarrhœa & Dysentery	5	2	-	-	-	-	2	-	-	-	-	-	-	-	-	2	1	-
Cholera	7	-	-	-	-	-	-	1	-	-	-	1	-	-	2	2	1	-
Other Zymotic Dis.	23	1	3	1	3	1	9	4	1	2	1	-	1	1	2	2	-	-
Cancer	28	-	-	-	-	-	-	-	-	-	-	3	1	3	8	6	6	1
Scrofula and Tabes	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
Phthisis	185	1	1	1	-	1	4	7	8	13	35	47	26	18	21	6	-	-
Hydrocephalus	11	-	3	1	-	2	6	2	2	-	-	-	1	-	-	-	-	-
Dis. of Brain	882	218	24	18	8	4	272	11	1	3	5	6	6	14	14	27	15	8
Dis. of Heart & Dropsy	146	1	2	1	-	-	4	-	1	2	-	4	4	17	24	50	36	4
Dis. of Lungs	132	6	3	2	1	2	14	4	1	1	1	9	9	15	22	30	25	1
Dis. of Stom. and Liver	76	1	1	2	1	-	5	3	2	2	5	4	6	16	15	14	4	-
Dis. of Kidneys	22	-	-	-	-	-	-	1	-	1	2	3	3	2	4	2	4	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	3	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-
Dis. of Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Other Violent Deaths	50	1	-	1	-	1	3	1	1	5	4	10	7	5	6	6	1	1
Other Causes	384	43	5	1	5	3	57	6	4	3	7	5	9	16	32	58	135	52
613.—ST. ASAPH.																		
Mean Popul^n, 1861-71	13408	362	300	339	327	333	1661	1535	1511	1276	1039	1716	1509	1298	1001	588	242	32
TOTAL DEATHS	3272	555	141	103	73	51	923	152	71	92	120	264	225	257	296	430	341	101
Small-pox	9	2	1	-	-	-	3	-	1	-	1	3	1	-	-	-	-	-
Measles	35	7	8	7	2	5	29	4	1	1	-	-	-	-	-	-	-	-
Scarlatina	63	7	9	9	11	5	41	18	1	2	-	1	-	-	-	-	-	-
Diphtheria	102	6	6	9	13	10	44	38	11	3	4	1	-	1	-	-	-	-
Whooping-cough	50	21	15	5	6	1	48	2	-	-	-	-	-	-	-	-	-	-
Typhus	82	3	1	1	4	4	13	5	10	11	10	9	6	5	7	4	2	-
Diarrhœa & Dysentery	53	8	6	3	1	1	19	1	-	-	-	1	1	3	4	12	12	-
Cholera	3	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-
Other Zymotic Dis.	56	6	3	7	3	2	21	10	2	-	4	-	3	-	3	9	4	-
Cancer	39	-	-	-	-	-	-	-	-	-	-	-	1	6	12	14	4	2
Scrofula and Tabes	21	9	2	4	2	1	18	2	-	1	1	-	-	1	1	-	-	-
Phthisis	367	11	6	5	1	3	26	11	8	33	52	81	55	59	32	10	-	-
Hydrocephalus	26	6	4	5	2	3	20	4	1	-	-	1	-	-	-	-	-	-
Dis. of Brain	775	290	40	24	7	6	367	15	5	8	8	48	63	48	71	85	49	8
Dis. of Heart & Dropsy	198	1	1	2	-	1	5	5	3	3	2	11	14	30	37	62	25	1
Dis. of Lungs	418	38	17	12	9	6	82	10	10	13	24	48	28	40	45	71	44	3
Dis. of Stom. and Liver	192	8	1	1	1	1	12	7	-	2	6	10	20	29	42	45	16	3
Dis. of Kidneys	51	2	-	-	-	-	2	1	-	1	-	1	4	3	9	21	5	4
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	8	-	-	-	-	-	-	1	-	1	1	1	1	-	2	1	-	-
Dis. of Skin	5	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	8	-	-	-	-	-	-	-	-	-	-	4	1	2	-	-	1	-
Other Violent Deaths	136	-	2	3	4	1	10	11	11	10	7	29	17	13	13	10	4	1
Other Causes	572	130	19	6	7	1	163	7	5	3	-	14	10	16	15	85	175	79

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 upwards.
611.—WREXHAM.																		
Mean Popul^n, 1861–71	25174	780	735	752	718	685	3670	3227	2736	2108	2065	3581	2791	2168	1514	912	344	58
TOTAL DEATHS	5820	1293	519	243	171	127	2353	315	141	153	253	390	354	343	381	512	441	184
Small-pox	48	9	3	2	–	1	15	7	5	5	4	5	3	2	2	–	–	–
Measles	82	11	23	13	11	3	64	16	1	–	1	–	–	–	–	–	–	–
Scarlatina	337	21	55	45	54	50	225	89	14	4	2	3	–	–	–	–	–	–
Diphtheria	73	2	5	5	9	6	27	21	10	4	3	2	3	1	1	1	–	–
Whooping-cough	104	28	32	17	15	6	98	6	–	–	–	–	–	–	–	–	–	–
Typhus	241	7	12	13	9	9	50	41	30	25	20	20	14	13	10	13	5	–
Diarrhœa & Dysentery	107	32	18	1	3	1	55	2	–	1	3	4	6	5	6	16	7	2
Cholera	16	–	–	–	1	1	2	–	–	–	4	3	3	3	1	–	–	–
Other Zymotic Dis.	110	15	17	9	3	9	53	12	5	7	10	1	8	7	2	8	1	1
Cancer	97	–	–	–	–	–	–	1	–	–	1	6	16	24	27	14	5	3
Scrofula and Tabes	70	27	12	4	2	1	46	5	1	1	3	10	3	1	–	–	–	–
Phthisis	609	8	11	6	4	2	31	9	22	64	108	166	100	64	32	9	4	–
Hydrocephalus	41	15	12	8	2	2	39	1	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	1177	716	128	35	19	9	907	25	13	13	10	13	21	26	49	59	33	8
Dis. of Heart & Dropsy	368	2	5	4	1	3	15	8	7	6	10	27	26	43	68	71	21	6
Dis. of Lungs	695	100	92	46	24	13	275	27	8	6	16	35	38	44	75	95	65	12
Dis. of Stom. and Liver	263	19	8	5	2	5	39	7	5	8	16	28	31	41	49	36	10	2
Dis. of Kidneys	37	–	–	–	–	–	–	4	2	1	3	2	6	6	3	7	3	–
Dis. of Gener. Organs	25	–	–	–	–	–	–	–	–	–	1	1	6	8	7	1	1	–
Dis. of Joints	11	1	1	–	–	–	2	1	3	–	1	1	1	–	–	–	1	1
Dis. of Skin	13	1	1	–	–	–	2	–	–	–	2	–	3	2	1	1	2	–
Childbirth and Metria	132	–	–	–	–	–	–	–	–	3	24	51	52	2	–	–	–	–
Suicide	4	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	1	–
Other Violent Deaths	111	9	10	9	6	6	49	23	7	2	2	1	5	6	5	7	11	2
Other Causes	1109	267	74	21	6	–	368	10	7	3	9	10	14	43	52	173	273	147
612.—RUTHIN.																		
Mean Popul^n, 1861–71	7761	206	181	186	181	189	943	895	852	712	594	1006	815	749	567	387	206	35
TOTAL DEATHS	1583	239	67	32	27	25	390	59	49	56	61	101	90	90	134	199	251	103
Small-pox	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Measles	12	1	1	2	4	–	8	3	–	–	1	–	–	–	–	–	–	–
Scarlatina	26	2	2	4	2	3	13	7	1	2	–	1	1	1	–	–	–	–
Diphtheria	37	2	6	1	2	5	16	8	8	1	1	–	2	–	1	–	–	–
Whooping-cough	19	7	6	3	2	1	19	–	–	–	–	–	–	–	–	–	–	–
Typhus	56	–	–	2	2	1	5	6	8	12	5	6	4	4	3	2	1	–
Diarrhœa & Dysentery	10	2	–	–	–	–	2	–	–	–	–	–	1	–	2	2	1	2
Cholera	4	–	–	–	–	–	–	1	–	–	–	1	1	–	1	–	–	–
Other Zymotic Dis.	31	5	3	1	2	1	12	6	1	2	–	2	1	1	3	2	3	1
Cancer	42	–	–	–	–	–	–	–	1	1	–	–	3	9	14	8	6	–
Scrofula and Tabes	6	2	1	–	–	–	3	–	1	–	–	1	–	1	–	–	–	–
Phthisis	203	–	1	–	–	3	4	2	14	24	34	51	28	19	18	8	1	–
Hydrocephalus	9	4	2	2	–	–	8	–	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	324	166	31	11	5	4	217	13	3	1	6	4	5	8	13	28	24	2
Dis. of Heart & Dropsy	124	1	–	–	–	1	2	1	–	2	5	2	11	15	15	43	26	2
Dis. of Lungs	104	4	3	1	2	1	11	6	1	4	2	4	7	3	15	30	18	3
Dis. of Stom. and Liver	67	2	–	1	–	2	5	–	1	2	1	8	9	6	18	9	8	–
Dis. of Kidneys	7	–	–	–	–	1	1	–	–		–	3	–	–	2	–	1	–
Dis. of Gener. Organs	4	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–
Dis. of Joints	3	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–
Dis. of Skin	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–
Childbirth and Metria	21	–	–	–	–	–	–	–	–	1	1	12	7	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Other Violent Deaths	11	–	–	–	1	–	1	2	2	–	–	–	–	2	2	–	2	–
Other Causes	456	41	11	4	5	1	62	4	6	4	5	5	9	19	24	66	159	93
613.—ST. ASAPH.																		
Mean Popul^n, 1861–71	14290	343	306	330	316	347	1642	1565	1512	1362	1169	1913	1625	1426	1044	661	318	53
TOTAL DEATHS	3175	442	153	98	77	63	833	150	77	102	127	231	239	224	268	372	409	143
Small-pox	5	2	1	–	1	–	4	–	–	–	–	–	1	–	–	–	–	–
Measles	53	10	15	10	4	2	41	7	2	1	–	2	–	–	–	–	–	–
Scarlatina	70	6	7	14	12	6	45	13	9	2	–	1	–	–	–	–	–	–
Diphtheria	117	6	10	9	16	10	51	44	12	5	2	2	1	–	–	–	–	–
Whooping-cough	63	29	18	8	4	2	61	2	–	–	–	–	–	–	–	–	–	–
Typhus	96	1	3	2	2	4	12	11	8	11	10	10	14	5	7	7	1	–
Diarrhœa & Dysentery	36	8	2	1	1	–	12	–	–	–	2	1	4	4	4	3	4	2
Cholera	5	–	–	1	–	1	2	–	–	–	–	–	1	–	1	–	1	–
Other Zymotic Dis.	60	5	2	7	6	5	25	5	1	1	6	3	1	3	8	4	3	–
Cancer	64	–	–	–	–	–	–	–	–	–	–	1	4	12	25	14	6	2
Scrofula and Tabes	27	1	3	5	–	4	13	2	–	5	1	3	–	1	–	1	1	–
Phthisis	378	9	7	5	1	1	23	7	10	39	50	96	79	46	21	7	–	–
Hydrocephalus	13	3	4	–	1	1	9	4	–	–	–	–	–	–	–	–	–	–
Dis. of Brain	649	219	48	20	7	7	301	29	7	11	3	26	31	53	52	79	61	5
Dis. of Heart & Dropsy	212	–	1	–	1	1	3	5	4	3	11	10	13	27	38	54	40	4
Dis. of Lungs	379	29	10	10	11	11	77	11	15	13	20	30	30	27	42	63	44	7
Dis. of Stom. and Liver	158	4	2	–	1	1	8	1	2	4	2	10	15	18	34	29	14	1
Dis. of Kidneys	17	–	–	–	1	–	1	1	1	–	1	2	5	2	1	1	1	1
Dis. of Gener. Organs	19	–	–	–	–	–	–	–	–	–	–	2	5	5	5	2	–	–
Dis. of Joints	7	–	–	–	–	–	–	1	1	1	1	2	–	–	1	–	–	–
Dis. of Skin	4	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	–	–
Childbirth and Metria	59	–	–	–	–	–	–	–	–	3	14	18	23	1	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Other Violent Deaths	41	–	3	1	–	1	5	3	4	2	1	5	4	2	3	7	2	3
Other Causes	662	110	17	5	5	3	140	13	1	1	3	7	6	18	25	99	231	118

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 upwards.
614.—LLANRWST.																		
Mean Popul^n, 1861–71	6431	160	157	160	165	160	802	755	765	652	514	808	641	592	475	270	134	23
TOTAL DEATHS	1246	249	60	36	21	10	376	48	27	46	61	91	76	81	95	150	144	51
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	15	4	6	3	1	–	14	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	23	–	4	5	4	1	14	5	3	–	1	–	–	–	–	–	–	–
Diphtheria	8	–	1	1	1	2	5	3	–	–	–	–	–	–	–	–	–	–
Whooping-cough	7	4	1	–	2	–	7	–	–	–	–	–	–	–	–	–	–	–
Typhus	49	–	1	–	2	–	3	1	3	4	7	9	3	4	5	10	–	–
Diarrhœa & Dysentery	8	2	–	–	–	–	2	–	–	–	1	–	2	–	–	–	3	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Other Zymotic Dis.	40	2	2	3	5	–	12	5	5	1	–	2	2	–	4	4	5	–
Cancer	24	–	–	–	–	–	–	–	–	1	–	2	3	1	5	6	5	1
Scrofula and Tabes	16	1	–	–	–	–	1	3	1	4	2	2	2	–	–	1	–	–
Phthisis	187	–	–	1	–	1	2	2	9	24	35	38	31	23	12	10	1	–
Hydrocephalus	14	–	4	3	2	1	10	2	–	1	–	1	–	–	–	–	–	–
Dis. of Brain	267	152	19	4	1	1	177	7	–	2	–	6	4	11	13	26	16	5
Dis. of Heart & Dropsy	80	1	–	1	1	–	3	3	2	–	2	6	11	9	13	13	16	2
Dis. of Lungs	114	11	8	5	–	–	24	3	1	2	3	6	4	9	13	24	21	4
Dis. of Stom. and Liver	42	3	–	–	–	–	3	1	1	2	1	5	6	4	5	10	4	–
Dis. of Kidneys	28	1	–	–	–	–	1	–	–	–	–	–	1	5	4	6	9	2
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Skin	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
Other Violent Deaths	35	1	2	4	2	–	9	1	1	2	5	5	3	3	2	4	–	–
Other Causes	285	67	12	6	–	4	89	11	1	3	4	8	4	12	18	35	64	36
615.—CORWEN.																		
Mean Popul^n, 1861–71	8238	226	209	217	217	216	1085	1020	896	802	640	1082	868	744	586	339	154	22
TOTAL DEATHS	1681	311	73	38	20	12	454	58	36	67	80	125	92	115	156	215	210	73
Small-pox	6	2	1	–	1	–	4	–	1	–	–	1	–	–	–	–	–	–
Measles	9	–	4	1	1	–	6	2	–	1	–	–	–	–	–	–	–	–
Scarlatina	35	2	6	6	5	3	22	9	1	2	–	1	–	–	–	–	–	–
Diphtheria	6	–	–	1	–	–	1	2	–	–	1	–	1	1	–	–	–	–
Whooping-cough	14	6	6	2	–	–	14	–	–	–	–	–	–	–	–	–	–	–
Typhus	64	1	2	1	1	–	5	9	7	7	2	8	9	5	4	4	3	1
Diarrhœa & Dysentery	14	5	1	–	–	–	6	–	1	–	–	1	–	–	4	2	–	–
Cholera	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Other Zymotic Dis.	31	1	–	4	1	2	8	2	3	2	2	–	1	5	2	4	2	–
Cancer	12	–	–	–	–	–	–	–	–	–	–	1	1	–	5	3	2	–
Scrofula and Tabes	9	1	1	–	–	1	3	1	–	1	–	3	–	1	–	–	–	–
Phthisis	235	–	1	–	–	–	1	9	6	31	54	61	36	35	18	14	–	–
Hydrocephalus	12	5	4	–	–	–	9	2	–	1	–	–	–	–	–	–	–	–
Dis. of Brain	318	216	30	5	4	2	257	5	2	6	1	5	6	7	15	24	16	4
Dis. of Heart & Dropsy	86	1	–	–	–	–	1	2	1	3	4	4	5	7	14	29	15	3
Dis. of Lungs	115	18	4	9	1	–	32	4	3	2	5	7	7	13	28	28	16	–
Dis. of Stom. and Liver	63	2	1	–	1	1	5	2	–	3	3	7	4	10	13	12	4	–
Dis. of Kidneys	24	–	–	–	1	–	1	–	–	–	–	2	1	–	2	11	6	1
Dis. of Gener. Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Dis. of Joints	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Dis. of Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	8	–	–	–	–	–	–	–	–	–	–	1	3	2	2	–	–	–
Other Violent Deaths	70	1	4	3	3	1	12	3	5	5	2	10	4	6	13	9	1	–
Other Causes	456	50	8	6	1	2	67	6	6	3	6	11	15	21	36	74	145	64
616.—BALA.																		
Mean Popul^n, 1861–71	3287	78	75	85	77	70	385	360	362	329	299	446	327	294	245	153	76	11
TOTAL DEATHS	580	82	15	13	10	6	126	18	16	20	28	45	43	40	49	60	100	35
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	25	1	2	2	4	3	12	5	6	2	–	–	–	–	–	–	–	–
Diphtheria	9	1	–	1	–	1	3	2	1	–	1	–	–	–	1	–	1	–
Whooping-cough	3	1	1	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–
Typhus	25	–	–	2	–	–	2	1	1	1	1	2	4	3	–	3	6	1
Diarrhœa & Dysentery	10	2	–	–	–	–	2	–	1	–	–	1	–	–	2	1	1	2
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Other Zymotic Dis.	8	–	–	1	1	–	2	–	–	–	–	1	–	2	2	–	–	1
Cancer	14	–	–	–	–	–	–	–	–	–	–	–	–	3	5	3	2	1
Scrofula and Tabes	9	1	1	–	–	–	2	2	1	–	1	1	–	1	1	–	–	–
Phthisis	79	–	–	2	1	–	3	2	3	10	15	16	14	9	3	3	1	–
Hydrocephalus	6	1	1	–	–	1	3	2	1	–	–	–	–	–	–	–	–	–
Dis. of Brain	92	41	6	1	1	1	50	1	–	1	2	4	3	6	7	4	12	2
Dis. of Heart & Dropsy	36	–	–	–	–	–	–	–	–	1	–	3	2	1	4	11	14	–
Dis. of Lungs	68	6	1	2	1	–	10	–	1	2	–	3	7	4	8	14	16	3
Dis. of Stom. and Liver	48	1	–	–	–	–	1	–	–	–	1	3	6	6	9	8	9	5
Dis. of Kidneys	29	–	–	–	1	–	1	–	–	2	1	2	4	1	3	5	8	2
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	4	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–
Dis. of Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Deaths	24	1	1	1	1	–	4	2	1	1	4	4	1	2	1	2	2	–
Other Causes	90	26	2	1	–	–	29	–	–	–	1	3	1	1	3	6	28	18

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	All Ages.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
614.—LLANRWST.																		
Mean Popul^n, 1861–71	6479	153	151	166	169	154	798	762	694	639	535	871	651	593	464	290	145	37
TOTAL DEATHS	1233	209	62	35	24	15	345	53	44	60	59	108	84	74	86	93	154	73
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	18	1	6	3	3	1	14	3	1	-	-	-	-	-	-	-	-	-
Scarlatina	26	1	6	5	2	2	16	6	4	-	-	-	-	-	-	-	-	-
Diphtheria	14	1	-	3	2	1	7	6	-	-	1	-	-	-	-	-	-	-
Whooping-cough	11	6	3	-	-	2	11	-	-	-	-	-	-	-	-	-	-	-
Typhus	69	1	-	-	-	1	2	1	10	12	9	11	6	9	4	3	2	-
Diarrhœa & Dysentery	7	2	-	-	-	-	2	-	-	1	1	-	-	1	-	1	1	-
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Other Zymotic Dis.	35	1	4	2	4	3	14	4	1	2	-	-	3	3	2	4	2	-
Cancer	33	-	-	-	-	-	-	-	-	-	-	1	7	8	12	2	3	-
Scrofula and Tabes	7	-	-	-	1	-	1	1	3	-	1	-	-	1	-	-	-	-
Phthisis	226	1	1	-	1	-	3	6	12	37	32	48	35	25	19	8	1	-
Hydrocephalus	13	2	4	2	1	1	10	1	2	-	-	-	-	-	-	-	-	-
Dis. of Brain	217	122	11	7	3	1	144	8	3	1	4	8	2	6	8	7	21	5
Dis. of Heart & Dropsy	80	-	1	-	1	-	2	2	1	2	4	11	7	6	19	13	11	2
Dis. of Lungs	84	12	13	6	3	2	36	2	2	1	-	2	1	4	1	11	21	3
Dis. of Stom. and Liver	42	2	1	-	-	-	3	2	-	-	-	5	6	4	6	7	9	-
Dis. of Kidneys	5	-	-	-	-	-	-	-	-	1	-	-	-	-	2	2	-	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Dis. of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	23	-	-	-	-	-	-	-	-	1	4	9	9	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Other Violent Deaths	7	1	-	1	-	1	3	-	-	-	-	1	1	-	-	-	1	1
Other Causes	313	56	12	6	3	-	77	11	5	2	3	12	6	6	13	34	82	62
615.—CORWEN.																		
Mean Popul^n, 1861–71	8041	227	203	208	212	213	1063	952	907	705	632	1074	844	714	572	364	182	32
TOTAL DEATHS	1524	239	67	30	37	19	392	41	29	43	66	108	99	108	130	196	216	96
Small-pox	4	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-
Measles	11	2	4	1	1	2	10	-	-	-	-	1	-	-	-	-	-	-
Scarlatina	29	2	6	1	12	2	23	4	2	-	-	-	-	-	-	-	-	-
Diphtheria	15	1	1	1	2	3	8	3	3	-	-	-	1	-	-	-	-	-
Whooping-cough	22	10	7	2	3	-	22	-	-	-	-	-	-	-	-	-	-	-
Typhus	45	1	-	2	2	2	7	2	4	3	4	5	5	6	3	5	1	-
Diarrhœa & Dysentery	8	3	-	-	-	-	3	-	-	-	-	-	1	1	-	1	1	1
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Zymotic Dis.	31	-	3	2	3	-	8	3	1	1	-	-	2	4	4	6	2	-
Cancer	30	-	-	-	-	-	-	-	-	1	-	-	1	10	8	6	4	-
Scrofula and Tabes	8	1	1	2	-	-	4	-	-	-	1	-	-	-	3	-	-	-
Phthisis	231	2	1	-	2	1	6	4	5	26	33	57	42	30	17	9	2	-
Hydrocephalus	5	2	1	1	-	1	5	-	-	-	-	-	-	-	-	-	-	-
Dis. of Brain	321	165	23	11	5	3	207	12	2	3	4	4	7	8	17	31	23	3
Dis. of Heart & Dropsy	86	-	-	-	-	-	-	3	1	-	2	7	8	12	15	20	14	4
Dis. of Lungs	113	10	10	4	3	3	30	3	1	1	3	5	7	7	20	27	8	1
Dis. of Stom. and Liver	62	4	-	-	1	-	5	-	1	2	1	6	7	4	16	18	2	-
Dis. of Kidneys	5	-	-	-	-	-	-	-	-	-	2	1	-	-	-	2	-	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Dis. of Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Childbirth and Metria	31	-	-	-	-	-	-	-	-	-	9	11	10	1	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	17	-	3	-	1	2	6	3	-	1	-	1	-	1	1	-	1	3
Other Causes	446	36	7	3	2	-	48	4	8	4	6	8	7	23	25	71	158	84
616.—BALA.																		
Mean Popul^n, 1861–71	3191	71	73	76	78	71	369	323	339	301	267	433	334	281	251	174	99	20
TOTAL DEATHS	596	77	19	15	11	7	129	26	22	21	18	40	29	35	52	74	100	50
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	33	-	2	5	4	4	15	12	3	1	1	-	-	-	1	-	-	-
Diphtheria	9	-	-	-	-	-	-	3	3	1	2	-	-	-	-	-	-	-
Whooping-cough	7	3	1	2	1	-	7	-	-	-	-	-	-	-	-	-	-	-
Typhus	25	-	-	-	1	-	1	-	1	6	3	2	2	1	1	5	3	-
Diarrhœa & Dysentery	18	3	1	-	-	-	4	-	-	-	1	2	-	1	1	4	4	1
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	10	2	1	1	1	-	5	1	1	-	-	-	1	1	-	-	1	-
Cancer	17	-	-	-	-	-	-	-	-	-	-	-	2	2	4	7	2	-
Scrofula and Tabes	8	2	-	-	-	-	2	-	1	-	-	1	1	1	1	-	1	-
Phthisis	95	-	4	-	-	-	4	1	8	8	10	25	9	11	14	4	1	-
Hydrocephalus	5	1	1	1	-	-	3	1	-	1	-	-	-	-	-	-	-	-
Dis. of Brain	78	31	2	5	-	-	38	1	-	1	-	2	2	3	4	12	11	4
Dis. of Heart & Dropsy	31	-	-	-	-	-	-	-	1	-	-	-	2	2	7	7	12	-
Dis. of Lungs	61	3	1	-	3	-	7	4	-	1	-	-	3	-	5	11	17	13
Dis. of Stom. and Liver	47	2	-	-	-	-	2	1	1	-	-	4	4	4	7	12	12	-
Dis. of Kidneys	14	-	-	-	-	-	-	2	3	-	-	-	1	1	3	2	2	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Dis. of Joints	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Dis. of Skin	2	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Childbirth and Metria	4	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Other Violent Deaths	7	-	2	-	1	2	5	-	-	-	-	-	-	-	-	1	1	-
Other Causes	119	29	3	1	-	1	54	-	-	1	1	1	1	6	4	8	31	32

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
617.—DOLGELLY.																		
Mean Popul^{n}, 1861–71	6423	167	171	163	176	166	843	752	687	640	476	829	640	587	483	317	148	21
TOTAL DEATHS	1131	215	57	30	29	28	389	63	49	61	77	112	76	114	115	139	177	59
Small-pox	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
Measles	11	2	4	1	-	2	9	2	-	-	-	-	-	-	-	-	-	-
Scarlatina	58	3	7	5	6	8	29	20	8	-	-	1	-	-	-	-	-	-
Diphtheria	7	-	-	1	-	2	3	2	2	-	-	-	-	-	-	-	-	-
Whooping-cough	11	7	1	-	2	-	10	1	-	-	-	-	-	-	-	-	-	-
Typhus	80	-	-	2	2	1	5	6	7	5	13	14	8	5	10	3	4	-
Diarrhœa & Dysentery	10	2	1	2	-	-	5	-	-	-	-	-	1	2	1	-	1	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	42	3	3	3	3	5	17	1	2	1	-	1	3	3	5	5	4	-
Cancer	22	-	-	-	-	-	-	-	-	-	-	-	1	5	5	6	5	-
Scrofula and Tabes	16	2	2	-	2	1	7	2	-	2	4	-	-	-	1	-	-	-
Phthisis	218	-	2	-	2	-	4	9	13	22	37	49	21	29	15	13	3	-
Hydrocephalus	6	1	-	1	2	1	5	-	1	-	-	-	-	-	-	-	-	-
Dis. of Brain	189	92	17	5	3	1	118	3	2	4	1	5	3	5	10	11	24	3
Dis. of Heart & Dropsy	80	-	1	-	1	-	2	1	2	4	6	4	7	12	11	19	12	-
Dis. of Lungs	107	10	2	-	1	-	13	-	1	3	2	8	5	15	16	27	15	2
Dis. of Stom. and Liver	45	-	-	-	1	-	1	-	1	2	-	3	6	10	8	10	4	-
Dis. of Kidneys	19	-	-	-	-	-	-	-	1	-	1	-	3	4	3	5	2	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
Dis. of Skin	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Violent Deaths	91	-	2	4	1	1	8	5	5	12	6	21	13	10	7	1	1	2
Other Causes	413	122	15	6	3	6	152	11	4	5	6	6	2	12	23	39	101	52
618.—FESTINIOG.																		
Mean Popul^{n}, 1861–71	10589	327	279	308	293	283	1490	1284	1117	1009	930	1554	1134	921	655	337	134	24
TOTAL DEATHS	2485	563	158	78	53	41	893	116	65	116	152	261	138	137	185	189	178	55
Small-pox	14	-	-	-	-	-	-	1	-	-	5	5	2	-	1	-	-	-
Measles	27	4	11	3	4	1	23	2	1	1	-	-	-	-	-	-	-	-
Scarlatina	72	6	17	17	9	3	52	13	1	2	1	3	-	-	-	-	-	-
Diphtheria	31	2	3	3	5	4	17	9	1	1	2	1	-	-	-	-	-	-
Whooping-cough	32	20	7	2	-	2	31	1	-	-	-	-	-	-	-	-	-	-
Typhus	202	5	3	5	3	5	21	22	4	28	34	40	19	11	16	4	3	-
Diarrhœa & Dysentery	19	1	3	-	1	-	5	2	-	-	-	1	2	-	-	4	4	1
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Other Zymotic Dis.	108	15	10	14	9	10	58	10	7	5	1	4	4	4	2	6	7	-
Cancer	20	-	-	-	-	-	-	-	-	-	-	1	3	4	4	7	1	-
Scrofula and Tabes	45	3	4	1	1	-	9	3	7	8	4	2	3	5	3	1	-	-
Phthisis	302	1	2	-	-	-	3	8	9	28	55	91	42	29	26	9	2	-
Hydrocephalus	23	6	2	2	2	5	17	4	5	2	-	-	-	-	-	-	-	-
Dis. of Brain	571	370	51	20	8	2	451	7	6	3	3	11	10	6	13	24	23	9
Dis. of Heart & Dropsy	84	-	1	1	-	1	3	4	2	2	2	8	3	13	17	15	12	3
Dis. of Lungs	337	49	30	2	4	4	89	11	6	10	13	35	9	20	38	54	45	7
Dis. of Stom. and Liver	111	10	-	-	3	1	14	5	1	3	4	8	8	18	26	14	10	-
Dis. of Kidneys	43	-	2	-	-	-	2	-	1	-	-	-	4	4	5	17	10	-
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	8	-	-	-	-	-	-	1	1	2	-	3	-	-	-	1	-	-
Dis. of Skin	7	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	-	1
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	5	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-
Other Violent Deaths	185	1	3	3	2	2	11	6	11	20	27	41	23	16	21	5	4	-
Other Causes	233	70	9	5	2	1	87	7	2	1	1	5	3	3	13	25	52	34
619.—PWLLHELI.																		
Mean Popul^{n}, 1861–71	9875	263	241	261	251	254	1270	1236	1111	921	711	1111	1004	967	793	490	231	30
TOTAL DEATHS	1864	331	69	48	23	19	490	89	48	61	82	113	98	124	160	240	295	64
Small-pox	2	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Measles	14	3	5	-	1	1	10	2	1	1	-	-	-	-	-	-	-	-
Scarlatina	39	2	3	5	6	2	18	15	3	2	1	-	-	-	-	-	-	-
Diphtheria	24	-	1	2	-	4	7	13	1	1	-	-	1	-	1	-	-	-
Whooping-cough	27	10	7	4	1	-	22	5	-	-	-	-	-	-	-	-	-	-
Typhus	64	1	-	-	-	-	1	4	6	6	8	5	6	5	10	11	1	1
Diarrhœa & Dysentery	12	2	-	-	-	-	2	-	-	-	2	2	-	1	3	-	2	-
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Zymotic Dis.	31	3	1	5	4	1	14	6	2	3	1	-	-	-	1	2	2	-
Cancer	42	-	-	-	-	-	-	1	-	-	1	1	1	9	11	10	7	1
Scrofula and Tabes	10	1	1	-	-	-	2	-	3	-	1	3	-	-	-	-	1	-
Phthisis	278	1	-	-	-	1	2	9	6	32	53	63	39	33	27	14	-	-
Hydrocephalus	18	1	4	1	2	-	8	4	2	2	-	1	-	1	-	-	-	-
Dis. of Brain	477	262	39	22	6	5	334	18	6	5	2	4	11	12	17	34	34	-
Dis. of Heart & Dropsy	88	-	-	-	-	-	-	-	4	1	3	3	6	15	18	21	16	1
Dis. of Lungs	116	6	3	2	1	-	12	2	1	2	2	8	8	11	26	33	11	-
Dis. of Stom. and Liver	98	4	1	1	-	-	6	1	-	1	2	4	13	21	20	23	7	-
Dis. of Kidneys	27	-	-	-	-	-	-	-	-	-	-	2	1	2	4	11	6	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	7	-	-	-	-	-	-	1	1	2	-	-	1	1	1	-	-	-
Dis. of Skin	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	4	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	-	-
Other Violent Deaths	52	1	-	5	-	4	10	2	3	1	5	12	6	5	3	2	3	-
Other Causes	432	34	3	1	2	1	41	6	8	2	1	3	5	7	17	77	205	60

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Females. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
617.—DOLGELLY.																		
Mean Popul^n, 1861–71	6973	190	158	167	182	160	857	776	694	614	553	943	738	652	521	362	212	51
Total Deaths	1337	174	55	34	28	14	305	54	29	51	49	102	77	82	105	166	209	108
Small-pox	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Measles	7	-	4	1	1	-	6	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	54	4	3	6	7	3	23	22	3	2	1	2	-	1	-	-	-	-
Diphtheria	17	-	1	3	2	1	7	4	2	1	-	-	-	1	2	-	-	-
Whooping-cough	23	10	6	5	1	-	22	1	-	-	-	-	-	-	-	-	-	-
Typhus	55	1	2	1	1	-	5	6	4	4	3	10	7	4	3	6	3	-
Diarrhœa & Dysentery	8	-	1	-	1	-	2	-	-	-	-	2	-	-	-	2	2	-
Cholera	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
Other Zymotic Dis.	40	5	4	3	2	2	16	4	-	-	2	1	-	2	1	10	4	-
Cancer	33	-	-	-	1	1	2	-	-	-	-	-	3	3	12	12	4	-
Scrofula and Tabes	13	2	2	-	-	-	4	-	1	3	2	2	-	1	1	-	1	-
Phthisis	226	1	1	-	-	1	3	4	11	31	23	53	29	28	22	17	-	-
Hydrocephalus	8	-	2	-	-	2	4	2	1	1	-	-	-	-	-	-	-	-
Dis. of Brain	153	62	7	2	2	2	75	2	-	2	2	2	1	4	13	28	22	2
Dis. of Heart & Dropsy	77	-	-	-	-	-	-	1	-	2	2	6	6	9	13	21	16	1
Dis. of Lungs	74	9	2	3	-	1	15	2	-	1	5	2	5	9	6	15	13	1
Dis. of Stom. and Liver	34	2	-	-	-	1	3	-	-	1	-	3	2	6	8	7	4	-
Dis. of Kidneys	5	-	-	-	-	-	-	-	-	1	1	1	-	1	1	-	-	-
Dis. of Gener. Organs	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1
Dis. of Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	21	-	-	-	-	-	-	-	-	-	2	7	14	1	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	14	2	1	1	1	-	5	1	-	1	-	1	1	1	-	-	3	1
Other Causes	460	75	19	9	9	-	113	4	7	1	1	9	8	11	21	47	136	102
618.—FESTINIOG.																		
Mean Popul^n, 1861–71	10627	310	283	318	312	286	1509	1276	1107	961	920	1531	1113	905	642	410	205	48
Total Deaths	2206	450	144	88	56	41	779	95	65	83	113	189	118	118	145	156	232	113
Small-pox	4	-	-	1	-	-	1	1	-	-	-	-	1	-	-	1	-	-
Measles	20	4	9	4	2	-	19	-	1	-	-	-	-	-	-	-	-	-
Scarlatina	66	7	8	7	13	8	43	15	2	-	5	1	-	-	-	-	-	-
Diphtheria	33	1	2	7	7	7	24	8	-	-	1	-	-	-	-	-	-	-
Whooping-cough	36	14	12	3	2	2	33	3	-	-	-	-	-	-	-	-	-	-
Typhus	142	4	4	7	3	4	22	8	9	22	17	24	14	9	7	6	4	-
Diarrhœa & Dysentery	26	3	3	-	-	-	6	2	1	1	-	1	1	2	1	2	5	4
Cholera	4	-	-	-	-	1	1	1	-	-	-	-	-	1	1	-	-	-
Other Zymotic Dis.	85	-	13	21	10	8	52	10	2	2	-	2	-	2	4	4	6	1
Cancer	42	-	-	-	-	-	-	-	-	-	-	-	2	7	19	9	4	1
Scrofula and Tabes	33	4	6	1	1	-	12	2	3	2	2	4	2	2	2	2	-	-
Phthisis	354	2	1	2	-	-	5	11	33	39	73	78	43	38	27	6	1	-
Hydrocephalus	18	2	4	3	1	4	14	3	-	-	-	1	-	-	-	-	-	-
Dis. of Brain	329	313	48	14	8	2	385	10	4	5	3	10	4	10	10	28	46	14
Dis. of Heart & Dropsy	84	-	-	-	-	-	-	-	3	-	-	14	12	10	13	15	14	3
Dis. of Lungs	245	19	20	13	5	1	58	9	2	2	1	11	4	13	29	45	59	12
Dis. of Stom. and Liver	69	2	-	1	-	-	3	1	-	5	5	4	6	10	15	14	6	-
Dis. of Kidneys	7	-	-	-	-	-	-	-	-	-	-	2	-	2	1	1	1	-
Dis. of Gener. Organs	6	-	-	-	-	-	-	-	-	2	-	-	3	1	-	-	-	-
Dis. of Joints	3	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-
Dis. of Skin	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Childbirth and Metria	53	-	-	-	-	-	-	-	-	1	5	26	20	1	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Deaths	33	1	5	2	1	1	10	4	1	-	1	4	2	3	2	4	1	1
Other Causes	312	74	9	2	3	3	91	7	3	2	-	6	3	7	12	19	85	77
619.—PWLLHELI.																		
Mean Popul^n, 1861–71	11065	219	230	228	236	252	1165	1113	1141	1038	909	1452	1241	1152	914	593	302	45
Total Deaths	1997	251	68	47	32	28	426	59	56	61	68	131	110	118	196	294	341	137
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	16	3	6	2	2	1	14	1	-	-	-	-	1	-	-	-	-	-
Scarlatina	38	1	1	7	6	6	21	10	2	1	3	1	-	-	-	-	-	-
Diphtheria	28	-	-	4	3	2	9	3	10	1	2	3	-	-	-	-	-	-
Whooping-cough	44	12	10	5	5	4	36	6	2	-	-	-	-	-	-	-	-	-
Typhus	54	1	-	1	-	1	3	4	7	7	4	6	2	9	3	7	1	1
Diarrhœa & Dysentery	11	1	1	-	-	-	2	-	-	-	-	1	-	1	-	4	2	1
Cholera	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Other Zymotic Dis.	37	4	4	4	4	4	20	8	1	-	-	-	-	1	5	1	-	1
Cancer	36	-	-	-	-	-	-	-	-	-	1	3	7	12	14	16	3	-
Scrofula and Tabes	11	-	1	-	-	-	1	2	2	-	-	1	-	2	1	1	-	1
Phthisis	294	1	-	-	-	-	1	5	12	39	46	70	43	34	34	9	-	-
Hydrocephalus	8	1	-	1	-	1	3	3	2	-	-	-	-	-	-	-	-	-
Dis. of Brain	405	195	37	16	9	6	263	7	4	2	-	8	5	11	26	40	33	6
Dis. of Heart & Dropsy	140	-	-	-	-	-	-	1	3	2	3	7	15	20	31	36	19	3
Dis. of Lungs	122	-	3	1	-	-	4	2	3	3	1	6	10	6	29	42	14	2
Dis. of Stom. and Liver	76	1	1	-	-	-	2	1	1	2	2	5	9	13	18	21	2	-
Dis. of Kidneys	14	-	-	-	-	-	-	-	-	-	1	2	3	2	3	2	1	-
Dis. of Gener. Organs	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Dis. of Joints	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-
Dis. of Skin	3	1	-	2	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	19	-	-	-	-	-	-	-	-	-	1	13	5	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Other Violent Deaths	22	2	-	4	2	1	9	3	-	-	2	-	1	-	-	-	7	-
Other Causes	592	28	4	-	1	2	35	3	7	4	2	3	7	6	30	114	259	122

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

Causes of Death.	All Ages.	Ages of Males. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 upwards.
620.—CARNARVON.																		
Mean Popul^n, 1861–71	17630	519	427	478	478	474	2376	2171	1903	1834	1537	2346	1841	1571	1187	609	225	30
TOTAL DEATHS	4111	911	279	130	80	77	1477	200	123	189	244	351	240	240	343	368	287	88
Small-pox	4	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
Measles	38	6	9	5	4	3	27	9	1	-	1	-	-	-	-	-	-	-
Scarlatina	106	10	20	17	8	15	70	21	6	6	-	1	2	-	-	-	-	-
Diphtheria	44	2	6	3	3	5	19	16	1	-	2	2	1	-	3	-	-	-
Whooping-cough	58	19	21	10	3	2	55	3	-	-	-	-	-	-	-	-	-	-
Typhus	221	4	3	8	4	6	25	15	13	30	20	35	26	15	17	13	2	1
Diarrhœa & Dysentery	93	31	10	2	1	1	45	-	-	1	1	2	1	3	6	11	19	4
Cholera	49	1	2	1	1	1	6	1	1	1	1	6	4	11	10	6	2	-
Other Zymotic Dis.	104	6	18	12	9	8	53	17	3	4	-	4	5	2	5	5	5	1
Cancer	50	-	-	-	-	-	-	1	-	-	1	-	5	7	15	11	9	1
Scrofula and Tabes	54	3	9	1	1	1	15	4	6	4	6	8	2	5	4	-	-	-
Phthisis	616	5	6	2	5	5	23	23	25	76	143	161	83	52	41	15	1	-
Hydrocephalus	44	15	11	3	2	4	35	5	2	-	1	-	1	-	-	-	-	-
Dis. of Brain	903	492	77	31	20	14	634	39	23	10	8	9	20	22	30	52	43	13
Dis. of Heart & Dropsy	153	3	1	1	-	2	7	4	4	2	7	11	9	18	29	39	20	3
Dis. of Lungs	554	89	42	20	11	5	167	6	6	12	8	29	26	25	77	118	68	12
Dis. of Stom. and Liver	193	11	7	-	-	1	22	7	5	3	6	17	17	24	44	37	9	2
Dis. of Kidneys	69	1	-	-	-	-	1	1	-	2	2	7	3	10	9	18	15	1
Dis. of Gener. Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Dis. of Joints	11	-	-	-	-	-	-	2	2	3	-	1	1	-	-	1	1	-
Dis. of Skin	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Other Violent Deaths	241	3	4	3	2	-	12	13	20	20	26	46	26	34	31	8	3	2
Other Causes	500	207	33	11	6	4	261	13	5	6	2	10	6	10	18	31	90	48
621.—BANGOR.																		
Mean Popul^n, 1861–71	17894	437	427	444	463	439	2210	2100	2041	1830	1455	2304	2013	1694	1213	692	301	41
TOTAL DEATHS	4031	840	223	121	104	67	1355	214	100	149	182	274	247	261	325	414	378	132
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Measles	60	8	15	15	5	4	51	6	2	1	-	-	-	-	-	-	-	-
Scarlatina	181	16	27	19	30	27	119	49	5	6	1	-	1	-	-	-	-	-
Diphtheria	34	2	1	5	2	4	14	13	2	-	1	3	1	-	-	-	-	-
Whooping-cough	80	37	21	6	6	1	71	8	1	-	-	-	-	-	-	-	-	-
Typhus	139	2	2	3	2	2	11	14	11	15	17	21	10	15	11	9	5	-
Diarrhœa & Dysentery	48	10	4	1	-	-	15	1	-	-	3	3	5	2	5	6	6	2
Cholera	9	1	-	-	1	1	3	-	1	-	-	1	1	1	1	1	-	-
Other Zymotic Dis.	82	15	7	7	8	2	39	10	-	5	2	3	2	4	10	4	3	-
Cancer	41	-	-	-	-	-	-	-	-	-	1	1	2	7	9	13	6	2
Scrofula and Tabes	36	5	5	-	-	2	12	5	2	2	1	3	2	3	1	4	1	-
Phthisis	600	6	1	-	3	-	10	25	30	79	107	139	84	66	42	17	1	-
Hydrocephalus	51	15	9	3	3	2	32	15	2	1	-	-	-	1	-	-	-	-
Dis. of Brain	897	511	45	29	12	7	604	16	7	10	10	20	20	13	46	72	61	15
Dis. of Heart & Dropsy	173	-	1	-	1	1	3	6	5	10	9	15	15	26	27	36	20	1
Dis. of Lungs	532	72	30	15	16	6	139	18	6	6	6	24	20	46	73	119	68	7
Dis. of Stom. and Liver	169	5	2	1	1	-	9	3	4	3	-	8	30	31	42	29	10	-
Dis. of Kidneys	55	1	-	-	1	-	2	1	1	-	1	2	7	4	7	15	13	2
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	11	-	-	-	-	1	1	-	2	-	1	-	3	-	1	2	1	-
Dis. of Skin	5	-	1	-	-	-	1	1	-	-	-	-	-	1	1	1	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	7	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	1	-
Other Violent Deaths	181	3	-	5	6	2	16	6	14	7	18	25	32	23	19	17	4	-
Other Causes	639	131	48	12	7	5	203	17	5	4	4	6	10	15	27	69	176	103
622.—CONWAY.																		
Mean Popul^n, 1861–71	6849	184	162	174	200	182	902	850	794	629	511	855	778	628	479	289	118	16
TOTAL DEATHS	1379	283	58	43	32	18	434	84	36	31	57	83	100	77	100	149	180	48
Small-pox	5	1	-	-	-	1	2	-	-	-	-	2	1	-	-	-	-	-
Measles	20	6	3	2	3	-	14	6	-	-	-	-	-	-	-	-	-	-
Scarlatina	36	5	3	7	4	3	22	12	2	-	-	-	-	-	-	-	-	-
Diphtheria	14	-	2	1	3	1	7	6	-	-	1	-	-	-	-	-	-	-
Whooping-cough	14	6	4	2	1	-	13	1	-	-	-	-	-	-	-	-	-	-
Typhus	40	3	1	1	1	-	6	4	5	3	2	3	7	2	2	3	3	-
Diarrhœa & Dysentery	27	13	3	1	-	-	17	2	-	1	-	-	2	1	2	2	-	-
Cholera	4	2	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis.	27	1	4	3	3	2	13	4	1	-	-	-	2	1	2	2	2	-
Cancer	15	-	-	-	-	-	-	-	-	-	-	-	3	1	3	5	2	1
Scrofula and Tabes	6	2	-	1	-	-	3	1	-	-	-	-	1	-	1	-	-	-
Phthisis	263	3	3	2	2	-	10	4	6	16	36	44	34	21	13	18	1	-
Hydrocephalus	26	7	1	3	-	2	13	10	3	-	-	-	-	-	-	-	-	-
Dis. of Brain	348	189	23	16	7	2	237	16	5	1	4	3	4	6	11	21	39	1
Dis. of Heart & Dropsy	86	-	-	-	-	2	2	1	3	-	1	7	11	9	14	23	15	-
Dis. of Lungs	130	12	5	2	4	2	25	4	2	1	1	4	6	9	16	28	30	4
Dis. of Stom. and Liver	72	3	1	-	1	2	7	2	1	3	3	6	10	10	14	11	5	-
Dis. of Kidneys	24	-	-	-	-	-	-	-	-	1	-	-	3	1	4	5	9	1
Dis. of Gener. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Joints	7	-	1	-	-	-	1	-	1	1	-	-	1	1	2	-	-	-
Dis. of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth and Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Other Violent Deaths	61	1	2	1	3	-	7	6	5	2	5	12	9	9	3	1	2	-
Other Causes	213	29	2	1	-	1	33	3	2	2	4	2	6	6	13	29	72	41

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwds.
620.—CARNARVON.																		
Mean Popul^n, 1861-71	18151	485	426	488	453	439	2291	2115	1855	1737	1615	2655	1975	1611	1211	687	337	62
TOTAL DEATHS	3992	743	255	142	107	66	1313	169	123	168	201	357	271	214	280	364	380	152
Small-pox	2	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Measles	43	9	7	10	5	7	38	4	–	–	–	–	1	–	–	–	–	–
Scarlatina	100	7	13	12	16	14	62	20	9	3	1	5	–	–	–	–	–	–
Diphtheria	54	1	7	6	10	7	31	13	7	1	1	–	–	–	1	–	–	–
Whooping-cough	68	26	20	11	6	3	66	2	–	–	–	–	–	–	–	–	–	–
Typhus	202	5	2	8	2	1	18	13	18	21	30	41	18	9	16	10	8	–
Diarrhœa & Dysentery	69	14	7	4	–	1	26	2	1	–	–	1	5	2	7	8	12	5
Cholera	45	–	–	–	–	–	–	3	3	1	3	8	5	6	8	5	3	–
Other Zymotic Dis.	100	16	15	15	8	5	59	13	2	1	3	2	4	2	4	5	5	–
Cancer	84	–	–	–	–	–	–	–	–	–	1	1	7	28	20	15	13	1
Scrofula and Tabes	40	4	4	3	2	1	14	3	6	1	4	6	2	3	–	–	1	–
Phthisis	751	1	10	2	6	3	22	22	46	112	110	174	132	68	43	23	2	–
Hydrocephalus	41	10	13	4	2	1	30	7	3	–	–	1	–	–	–	–	–	–
Dis. of Brain	801	417	61	27	23	7	535	23	8	10	6	14	11	23	30	77	55	9
Dis. of Heart & Dropsy	147	–	–	1	1	2	4	5	8	5	4	10	22	11	23	34	21	–
Dis. of Lungs	482	53	46	18	15	4	136	11	5	1	4	13	13	24	56	101	97	21
Dis. of Stom. and Liver	182	8	5	5	1	1	20	4	3	5	7	14	17	25	40	33	9	5
Dis. of Kidneys	30	–	1	–	1	1	3	1	–	1	2	9	1	3	5	2	3	–
Dis. of Gener. Organs	12	–	–	–	–	–	–	–	–	–	1	4	1	3	3	–	–	–
Dis. of Joints	7	–	–	–	–	–	–	–	–	–	1	–	2	1	2	1	–	–
Dis. of Skin	6	1	–	1	–	–	2	1	–	–	–	–	–	1	2	–	–	–
Childbirth and Metria	88	–	–	–	–	–	–	–	–	5	13	45	24	1	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Other Violent Deaths	53	5	4	5	4	4	22	8	2	–	3	2	3	1	5	1	5	1
Other Causes	579	165	40	10	5	4	224	14	2	1	6	6	3	3	15	49	146	110
621.—BANGOR.																		
Mean Popul^n, 1861-71	18545	450	424	459	465	422	2220	2037	1949	1713	1545	2623	2174	1756	1283	766	362	62
TOTAL DEATHS	3981	656	271	138	87	89	1241	170	137	177	188	336	248	238	284	376	419	167
Small-pox	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	48	1	15	8	3	8	35	9	4	–	–	–	–	–	–	–	–	–
Scarlatina	182	12	21	37	23	26	119	39	12	5	3	4	–	–	–	–	–	–
Diphtheria	26	1	–	–	4	–	5	12	4	1	1	1	1	–	1	–	–	–
Whooping-cough	99	23	28	29	8	5	87	11	1	–	–	–	–	–	–	–	–	–
Typhus	169	–	4	3	1	3	11	10	29	26	19	24	26	11	11	6	5	–
Diarrhœa & Dysentery	31	3	2	–	2	–	7	–	1	–	–	1	2	2	4	5	7	2
Cholera	13	–	1	–	–	–	1	2	–	–	1	–	1	1	3	4	–	–
Other Zymotic Dis.	74	10	8	9	5	7	39	6	–	1	2	4	2	–	5	9	6	–
Cancer	63	–	–	–	–	–	–	1	–	1	–	4	4	17	17	17	2	–
Scrofula and Tabes	22	5	3	2	–	–	10	3	2	1	4	1	–	–	1	–	–	–
Phthisis	741	1	3	2	1	2	9	16	57	116	122	204	108	67	31	10	1	–
Hydrocephalus	47	14	10	5	3	4	36	7	4	–	–	–	–	–	–	–	–	–
Dis. of Brain	799	413	66	18	16	12	525	22	8	6	4	9	14	24	46	63	65	13
Dis. of Heart & Dropsy	210	–	1	–	1	3	5	6	7	3	7	23	19	35	39	45	19	2
Dis. of Lungs	446	51	49	22	10	13	145	12	2	6	6	17	15	26	56	100	57	4
Dis. of Stom. and Liver	137	7	1	1	1	–	10	1	1	3	3	16	11	25	27	28	11	1
Dis. of Kidneys	20	1	–	–	–	–	1	–	–	–	2	1	3	4	3	5	1	–
Dis. of Gener. Organs	6	–	–	–	–	–	–	–	–	–	1	–	–	1	3	1	–	–
Dis. of Joints	9	–	–	–	–	–	–	–	1	2	1	–	2	–	–	3	–	–
Dis. of Skin	6	1	–	–	–	–	1	–	–	1	–	–	3	1	–	–	–	–
Childbirth and Metria	51	–	–	–	–	–	–	–	–	–	8	17	21	2	–	–	–	–
Suicide	2	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Other Violent Deaths	29	3	1	3	3	–	10	4	–	1	1	3	1	2	1	2	3	1
Other Causes	750	107	38	8	5	6	181	9	13	3	3	7	11	20	36	78	242	144
622.—CONWAY.																		
Mean Popul^n, 1861-71	7449	180	174	189	185	181	909	878	780	674	621	1027	878	677	517	307	161	20
TOTAL DEATHS	1427	252	63	43	28	19	405	65	45	59	49	108	94	88	126	165	167	56
Small-pox	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Measles	22	7	3	5	3	1	19	2	1	–	–	–	–	–	–	–	–	–
Scarlatina	37	1	6	6	1	6	20	8	7	–	–	2	–	–	–	–	–	–
Diphtheria	12	1	3	1	1	–	6	3	1	2	–	–	–	–	–	–	–	–
Whooping-cough	14	4	5	2	1	1	13	1	–	–	–	–	–	–	–	–	–	–
Typhus	41	–	–	–	1	1	2	2	8	2	2	6	2	4	8	6	4	–
Diarrhœa & Dysentery	15	11	2	–	–	–	13	–	–	–	–	–	–	–	2	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Zymotic Dis.	28	–	5	3	4	2	14	2	1	–	1	1	1	1	3	2	1	1
Cancer	49	–	–	–	–	–	–	1	–	–	–	4	5	8	16	8	7	–
Scrofula and Tabes	14	4	–	–	–	–	4	1	2	3	–	2	1	1	–	–	–	–
Phthisis	231	4	5	–	1	1	11	9	7	34	31	48	39	25	18	6	3	–
Hydrocephalus	31	5	4	3	1	1	14	11	1	3	1	–	–	–	1	–	–	–
Dis. of Brain	337	176	15	13	7	1	212	14	5	3	2	5	6	15	16	33	23	3
Dis. of Heart & Dropsy	118	2	2	1	–	–	5	–	3	2	2	10	7	14	20	31	22	2
Dis. of Lungs	97	9	3	4	1	–	17	1	–	–	2	8	10	3	14	24	15	3
Dis. of Stom. and Liver	61	–	2	2	1	–	5	2	1	6	5	2	4	8	15	9	7	–
Dis. of Kidneys	10	–	–	–	1	–	1	1	–	2	–	–	2	1	3	–	–	–
Dis. of Gener. Organs	3	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–
Dis. of Joints	4	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–	–	–
Dis. of Skin	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Childbirth and Metria	24	–	–	–	–	–	–	–	–	–	1	14	9	–	–	–	–	–
Suicide	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Deaths	10	–	1	1	2	–	4	1	–	–	–	–	–	1	–	2	1	1
Other Causes	263	28	7	2	3	5	45	6	7	2	1	3	6	6	14	43	84	46

Mean Population, 1861-71, and **Deaths** in **Districts** during the **10 Years 1861-70.**

CAUSES OF DEATH.	All Ages.	AGES OF MALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85
	623.—ANGLESEY.																	
Mean Popul^{n}, 1861-71	17696	447	398	458	442	441	2186	2243	2083	1767	1251	2050	1881	1682	1315	851	341	40
TOTAL DEATHS	3799	604	178	70	80	61	993	157	122	148	230	291	257	242	302	457	459	14
Small-pox	24	4	1	1	2	1	9	3	2	1	2	1	6	–	–	–	–	–
Measles	10	3	2	1	2	1	9	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	129	9	12	9	18	22	70	32	15	7	3	–	–	2	–	–	–	–
Diphtheria	32	3	1	2	1	3	10	12	3	1	2	1	1	1	–	1	–	–
Whooping-cough	57	19	11	5	9	7	51	5	1	–	–	–	–	–	–	–	–	–
Typhus	122	2	2	1	4	1	10	7	6	18	19	11	12	17	9	12	1	–
Diarrhœa & Dysentery	11	1	1	–	–	–	2	–	–	–	–	–	–	1	–	5	3	–
Cholera	22	1	1	1	–	1	4	4	1	–	–	2	4	3	2	1	1	–
Other Zymotic Dis.	94	12	14	6	9	9	50	10	8	2	3	1	4	1	5	2	8	–
Cancer	52	–	–	–	–	–	–	–	–	1	–	–	5	4	15	14	13	–
Scrofula and Tabes	27	3	–	1	–	–	4	2	1	3	8	4	3	–	2	–	–	–
Phthisis	807	2	1	–	1	1	5	14	33	89	156	179	111	91	71	52	6	–
Hydrocephalus	62	9	8	4	7	3	31	19	7	2	–	–	1	–	–	2	–	–
Dis. of Brain	812	412	89	25	18	7	551	14	6	1	2	7	20	18	37	76	70	1
Dis. of Heart & Dropsy	161	–	–	–	–	–	–	–	2	2	3	11	13	22	32	47	26	[illegible]
Dis. of Lungs	230	5	6	3	2	1	17	2	2	3	3	14	13	22	37	73	38	[illegible]
Dis. of Stom. and Liver	117	5	–	–	1	–	6	3	3	2	3	7	13	16	33	22	9	–
Dis. of Kidneys	44	–	–	–	–	–	–	–	1	–	1	3	4	1	13	9	12	–
Dis. of Gener. Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dis. of Joints	5	–	–	–	–	–	–	1	1	–	1	–	–	–	1	–	1	–
Dis. of Skin	8	–	–	–	–	–	–	–	2	1	2	–	2	–	–	1	–	–
Childbirth and Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Other Violent Deaths	164	–	2	1	–	1	4	9	13	9	17	37	33	25	7	9	1	–
Other Causes	808	114	27	10	6	3	160	19	15	6	5	13	11	18	38	131	270	12

Mean Population, 1861–71, and Deaths in Districts during the 10 Years 1861–70.

CAUSES OF DEATH.	ALL AGES.	AGES OF FEMALES. Total under 1 Year.	1	2	3	4	Total under 5 Years.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75–	85 & upwards.
		623.—ANGLESEY.																
Mean Popul^n, 1861-71	18946	404	395	410	445	432	2086	2139	2038	1792	1506	2475	2188	1828	1417	929	458	90
TOTAL DEATHS	3940	500	173	103	56	57	889	179	142	183	196	292	286	251	303	462	517	240
Small-pox	15	3	4	2	1	–	10	2	1	–	–	1	1	–	–	–	–	–
Measles	10	6	–	–	1	2	9	–	–	–	–	1	–	–	–	–	–	–
Scarlatina	124	8	6	22	12	12	60	40	9	8	1	4	–	–	2	–	–	–
Diphtheria	43	1	3	5	1	3	13	11	12	3	1	1	1	1	–	–	–	–
Whooping-cough	93	34	27	15	4	7	87	6	–	–	–	–	–	–	–	–	–	–
Typhus	111	2	–	2	1	–	5	10	13	17	12	11	15	11	11	5	1	–
Diarrhœa & Dysentery	13	3	1	–	–	–	4	–	–	–	–	2	–	1	2	3	1	–
Cholera	12	–	–	1	–	–	1	2	1	1	–	3	1	1	1	1	–	–
Other Zymotic Dis.	79	4	9	8	5	7	33	9	6	1	2	3	2	6	4	12	–	1
Cancer	57	–	–	–	–	–	–	–	–	1	–	3	4	12	13	17	7	–
Scrofula and Tabes	21	–	3	–	–	–	3	5	–	2	3	2	–	2	2	2	–	–
Phthisis	913	–	1	1	4	6	12	22	56	123	134	194	150	102	72	47	1	–
Hydrocephalus	51	4	3	9	5	5	26	19	5	1	–	–	–	–	–	–	–	–
Dis. of Brain	713	329	75	27	12	9	452	14	9	3	6	13	16	21	37	72	62	8
Dis. of Heart & Dropsy	177	–	–	–	–	1	1	3	3	6	8	9	21	22	35	52	15	2
Dis. of Lungs	252	14	5	2	1	1	23	4	4	4	3	6	19	20	44	82	40	3
Dis. of Stom. and Liver	101	–	–	–	1	–	1	1	–	2	5	2	7	17	26	26	13	1
Dis. of Kidneys	8	–	–	–	–	–	–	–	1	–	–	2	1	1	3	–	–	–
Dis. of Gener. Organs	9	–	–	–	–	–	–	–	–	–	–	2	2	–	2	2	1	–
Dis. of Joints	6	–	–	–	–	–	–	1	2	–	–	1	–	1	1	–	–	–
Dis. of Skin	5	2	–	–	–	–	2	–	–	–	–	1	–	1	1	–	–	–
Childbirth and Metria	44	–	–	–	–	–	–	–	–	–	12	14	18	–	–	–	–	–
Suicide	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Other Violent Deaths	29	1	4	1	2	3	11	3	4	–	–	3	3	2	2	1	–	–
Other Causes	1053	89	32	8	6	1	136	27	16	11	9	14	25	30	45	139	376	225

ENGLAND.

DEATHS OF MALES

AGED 5 YEARS AND UPWARDS

OF

DIFFERENT OCCUPATIONS

IN ENGLAND

AND IN EACH OF THE ELEVEN DIVISIONS

REGISTERED IN THE YEAR

1871.

ENGLAND.*—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871.

CLASSES, ORDERS, AND SUB-ORDERS.	AGES OF MALES.												
	TOTAL 5 Years and upwrds.	5 Years and under 20.	20 Years and upwrds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrd
TOTAL OF MALES AGED 5 YEARS AND UPWARDS - - - - - - -	155,040	23,578	131,462	11,206	5,421	6,951	8,772	17,655	17,823	19,305	21,786	24,029	22,01
CLASSES.													
I. PROFESSIONAL CLASS -	8,516	197	8,319	–	5	192	521	1,456	1,393	1,139	1,181	1,307	1,31
II. DOMESTIC CLASS - - -	4,846	108	4,738	–	8	100	209	625	857	915	856	724	55
III. COMMERCIAL CLASS - -	14,388	618	13,770	–	40	578	1,152	2,612	2,450	2,352	2,141	1,860	1,20
IV. AGRICULTURAL CLASS -	27,049	934	26,115	144	152	638	936	1,899	2,069	2,772	4,045	6,501	7,89
V. INDUSTRIAL CLASS - -	63,779	2,678	61,101	18	287	2,373	4,178	8,715	8,803	9,764	10,721	10,491	8,12
VI. INDEFINITE AND NON-PRODUCTIVE CLASS -	36,462	19,013	17,419	11,041	4,929	3,070	1,476	2,348	2,251	2,363	2,839	3,146	2,99
ORDERS.													
Class I. 1. Persons engaged in the GENERAL or LOCAL GOVERNMENT *of the Country* - -	1709	20	1689	–	–	20	69	245	279	257	285	270	28
I. 2. Persons engaged in the DEFENCE *of the Country* - - - - - - - -	3034	92	2942	–	1	91	214	651	591	369	285	335	42
I. 3. Persons engaged in the LEARNED PROFESSIONS *or* in LITERATURE, ART, and SCIENCE (with their immediate Sub-ordinates) - - - - - - -	3773	85	3688	–	4	81	238	560	523	513	614	702	53
II. 5. Persons engaged in ENTERTAINING, *and performing* PERSONAL OFFICES *for Man*	4846	108	4738	–	8	100	209	625	857	915	856	724	53
III. 6. Persons who BUY *or* SELL, KEEP *or* LEND *Money, Houses, or Goods of* VARIOUS KINDS - - - - - - - -	4151	153	3998	–	6	147	278	701	654	637	693	619	41
III. 7. Persons engaged in the CONVEYANCE *of Men, Animals, Goods, and Messages* -	10237	465	9772	–	34	431	874	1911	1796	1715	1448	1241	78
IV. 8. Persons *possessing or working the* LAND, *and engaged in growing* GRAIN, FRUITS, GRASSES, ANIMALS, *and other Products*	24952	878	24074	144	145	589	798	1580	1757	2446	3744	6157	7,5
IV. 9. Persons engaged about ANIMALS - -	2097	56	2041	–	7	49	138	319	312	326	301	344	3
V. 10. Persons engaged in ART *and* MECHANIC *Productions, in which Matters of various kinds are used in combination* - -	19132	644	18488	–	24	620	1352	2817	2784	2982	3216	2993	23
V. 11. Persons *working and dealing in the* TEXTILE FABRICS and in DRESS - - -	15626	698	14928	11	72	615	902	1775	1761	2300	2706	2889	23
V. 12. Persons *working and dealing in* FOOD and DRINKS - - - - - - - -	7842	200	7642	–	6	194	460	1047	1228	1186	1320	1395	10
V. 13. Persons *working and dealing in* ANIMAL SUBSTANCES - - - - - - -	900	28	872	–	2	26	51	108	133	135	172	172	1
V. 14. Persons *working and dealing in* VEGETABLE SUBSTANCES - - - - -	2595	64	2531	–	10	54	148	319	344	387	423	467	44
V. 15. Persons *working and dealing in* MINERALS	17684	1044	16640	7	173	864	1565	2649	2553	2774	2884	2575	16
VI. 16. LABOURERS AND OTHERS—*Branch of labour undefined* - - - - - -	18449	3112	15337	1	55	3056	1434	2233	2121	2177	2474	2568	23
VI. 17. Persons of RANK *or* PROPERTY *not returned under any Office or Occupation* -	2096	14	2082	–	–	14	42	115	130	186	365	578	6
VI. 18. SCHOLARS AND CHILDREN *not engaged in any directly* PRODUCTIVE OCCUPATION	15917	15917	–	11043	4874	–	–	–	–	–	–	–	–
SUB-ORDERS.													
Order I. Class I. Sub-order 1. 1. Officers of National Government - -	871	14	857	–	–	14	32	107	124	125	152	149	1
2. Officers of Local Government - -	805	6	799	–	–	6	37	138	150	129	125	117	1
3. Officers of East India and Colonial Government - - - - - - -	33	–	33	–	–	–	–	–	5	3	8	4	
2. 1. Army - - - - - - - -	2101	61	2040	–	–	61	147	501	452	247	186	193	3
2. Navy - - - - - - - -	933	31	902	–	1	30	67	150	139	122	99	142	1
3. 1. Clergymen, Ministers, and Others connected with Religion - - - -	840	4	836	–	–	4	14	64	66	106	150	228	2
2. Lawyers and Law Stationers - -	702	20	682	–	1	19	55	125	100	107	112	114	
3. Physicians, Surgeons, and Druggists -	849	14	835	–	–	14	72	134	125	115	142	139	1
4. Authors, Literary Persons, and Students	97	5	92	–	1	4	14	16	18	9	11	13	
5. Artists - - - - - - - -	259	8	251	–	–	8	17	38	49	41	42	42	
6. Musicians - - - - - - -	302	7	295	–	–	7	20	74	69	43	36	31	
7. Actors - - - - - - - -	127	5	122	–	1	4	8	29	27	24	19	10	
8. Teachers - - - - - - -	508	21	487	–	1	20	33	63	53	59	88	113	
9. Scientific Persons - - - - -	89	1	88	–	–	1	5	17	16	9	14	12	

* Male population in 1871 aged 5 years and upwards, 9,522,470.

ENGLAND.—Deaths of Males of different Occupations registered in the Year 1871—*continued.*

Classes, Orders, and Sub-orders.	Total 5 Years and upwrds.	5 Years and under 20.	20 Years and upwrds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
	Ages of Males.												
Order Sub-order													
Class I. 5. 1. Engaged in Board and Lodging	2823	17	2806	–	–	17	30	266	510	637	608	436	319
2. Attendants (Domestic Servants, &c.)	2023	91	1932	–	8	83	179	359	347	278	248	288	233
Class II. 6. 1. Mercantile Persons	2767	126	2641	–	4	122	231	518	454	442	392	353	221
2. Other General Dealers	1384	27	1357	–	2	25	47	153	200	195	301	266	195
7. 1. Carriers on Railways	1300	87	1213	–	4	83	205	379	232	182	129	56	30
2. ,, on Roads	2987	66	2921	–	4	62	178	471	537	558	495	440	242
3. ,, on Canals and Rivers	843	25	818	–	2	23	42	109	118	127	127	167	128
4. ,, on Seas and Rivers	3521	150	3371	–	8	142	333	707	646	579	439	365	302
5. Engaged in Storage	472	27	445	–	–	27	48	84	86	90	64	52	21
6. Messengers and Porters	1114	110	1004	–	16	94	68	161	177	179	194	161	64
Class V. 8. 1. Agriculturists	22749	848	21901	144	142	562	739	1423	1570	2175	3347	5620	7027
2. Arboriculturists	164	3	161	–	–	3	5	10	16	14	27	38	51
3. Horticulturists	2039	27	2012	–	3	24	54	147	171	257	370	499	514
9. 1. *Persons engaged about* Animals	2097	56	2041	–	7	49	138	319	312	326	301	344	301
10. Workers and Dealers in—													
1. Books	963	74	889	–	6	68	115	150	149	146	132	126	71
2. Musical Instruments	112	6	106	–	1	5	16	17	21	13	13	12	14
3. Prints and Pictures	88	8	80	–	–	8	7	16	12	18	12	9	6
4. Carving and Figures	85	–	85	–	–	–	9	24	10	10	13	13	6
5. Tackle for Sports and Games	66	3	63	–	1	2	6	5	4	12	13	15	8
6. Designs, Medals, and Dies	52	3	49	–	–	3	6	10	8	7	4	8	6
7. Watches and Philosophical Instruments	463	18	445	–	–	18	37	66	58	57	86	75	66
8. Surgical Instruments	21	1	20	–	–	1	–	2	4	3	5	3	3
9. Arms	216	11	205	–	1	10	18	46	38	35	28	23	17
10. Machines and Tools	2525	124	2401	–	3	121	250	474	422	404	389	287	175
11. Carriages	928	15	913	–	–	15	64	108	100	170	164	157	150
12. Harness	426	18	408	–	–	18	32	56	52	67	59	74	68
13. Ships	943	31	912	–	–	31	68	121	143	165	134	140	141
14. Houses and Buildings	10633	280	10353	–	10	270	621	1462	1529	1617	1882	1780	1462
15. Furniture	1052	37	1015	–	1	36	56	164	145	164	192	181	115
16. Chemicals	559	15	544	–	1	14	47	96	89	91	90	90	38
11. Workers and Dealers in—													
1. Wool and Worsted	1918	121	1827	3	14	104	100	209	172	241	329	404	372
2. Silk	528	21	507	1	–	20	15	44	58	64	111	121	94
3. Cotton and Flax	3204	243	2961	7	45	191	249	416	346	457	563	538	392
4. Mixed Materials	1440	101	1339	–	4	97	134	229	175	185	184	206	226
5. Dress	8212	201	8011	–	9	192	396	856	984	1300	1457	1559	1459
6. Hemp & other Fibrous Materials	294	11	283	–	–	11	8	21	26	53	62	61	52
12. Workers and Dealers in—													
1. Animal Food	2558	52	2506	–	3	49	135	300	428	419	412	463	349
2. Vegetable Food	2341	69	2272	–	1	68	126	273	338	369	421	446	299
3. Drinks and Stimulants	2943	79	2864	–	2	77	199	474	462	398	487	486	358
13. Workers and Dealers in—													
1. Grease, Gut, Bones, Horn, Ivory, and Whalebone	205	7	198	–	1	6	12	21	29	32	37	44	23
2. Skins, Feathers, and Quills	524	13	511	–	–	13	22	70	87	73	100	100	59
3. Hair	171	8	163	–	1	7	17	17	17	30	35	28	19
14. Workers and Dealers in—													
1. Gums and Resins	302	9	293	–	–	9	30	62	55	46	48	40	12
2. Wood	1467	29	1438	–	3	26	74	167	180	222	238	282	275
3. Bark	35	2	33	–	–	2	2	4	9	4	8	2	4
4. Cane, Rush, and Straw	349	4	345	–	1	3	12	24	34	46	58	72	99
5. Paper	442	20	422	–	6	14	30	62	66	69	71	71	53
15. 1. Miners	5392	493	4899	3	114	376	566	843	721	788	853	711	417
Workers and Dealers in—													
2. Coal	1430	60	1370	–	13	47	68	189	212	249	287	230	135
3. Stone, Clay	2968	103	2865	2	8	93	221	417	454	479	529	437	328
4. Earthenware	651	25	626	1	4	20	53	52	133	140	115	88	45
5. Glass	300	11	289	–	1	10	23	56	46	49	54	46	15
6. Salt	47	3	44	–	1	2	1	7	9	6	3	15	3
7. Water	93	3	90	–	1	2	3	8	18	12	19	18	12
8. Gold, Silver, and Precious Stones	362	11	351	–	–	11	37	69	43	55	45	60	42
9. Copper	126	10	116	–	–	10	6	15	17	18	21	32	7
10. Tin and Quicksilver	344	19	325	–	3	16	40	46	49	44	45	69	32
11. Zinc	16	2	14	–	–	2	–	2	4	5	1	1	1
12. Lead and Antimony	63	1	62	–	–	1	–	11	13	14	10	12	2
13. Brass and other Mixed Metals	676	41	635	1	2	38	70	103	106	109	103	95	49
14. Iron and Steel	5216	262	4954	–	26	236	477	831	728	806	799	761	532
16. 1. General Labourers	12137	425	11712	1	43	381	745	1600	1655	1821	2049	2079	1763
2. Other Persons of indefinite Occupations	6312	2687	3625	–	12	2675	689	633	466	356	425	489	567
Class X. 17. 1. *Persons of* Rank *or* Property *not returned under any Office or Occupation*	2096	14	2082	–	–	14	42	115	130	186	365	578	666
18. 1. Scholars and Children not engaged in any *directly* Productive Occupation	15917	15917	–	11043	4874	–	–	–	–	–	–	–	–

ENGLAND.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
Total of Males AGED 5 YEARS AND UPWARDS	155,040	23,578	131,462	11206	5421	6951	8772	17655	17823	19905	21786	24029	22092
I.—PROFESSIONAL CLASS.													
1.—*Persons engaged in the* GENERAL *or* LOCAL GOVERNMENT *of the Country.*													
1. *National Government.*													
Civil Service	485	8	477	–	–	8	11	59	67	67	85	89	99
Government Messengers, Workmen, &c.	362	6	356	–	–	6	20	48	53	55	58	57	65
Other *Government* Officers	24	–	24	–	–	–	1	–	4	3	9	3	4
2. *Local Government.*													
Magistrate (so returned)	34	–	34	–	–	–	–	–	–	2	5	14	13
Officer of Law Court	69	1	68	–	–	1	3	3	7	13	12	16	14
Police	369	2	367	–	–	2	31	109	96	50	37	31	13
Prison Officer	46	1	45	–	–	1	–	7	12	5	10	6	5
Municipal, Parish, Union, Officer	281	2	279	–	–	2	3	19	35	57	59	49	57
Other *Local Government* Officers	6	–	6	–	–	–	–	–	–	2	2	1	1
3. *East India and Colonial Government.*													
East India and *Colonial* Service	33	–	33	–	–	–	–	–	5	3	8	4	13
2.—*Persons engaged in the* DEFENCE *of the Country.*													
1. *Army—(at Home).*													
Army Officer (effective)	179	–	179	–	–	–	4	19	24	20	33	41	38
Army Retired and Half Pay Officer	75	–	75	–	–	–	–	3	7	13	9	14	29
Soldier	1044	61	983	–	–	61	129	404	302	72	23	20	33
Militia, Volunteers	89	–	89	–	–	–	2	14	22	24	11	4	12
Army Pensioner	710	–	710	–	–	–	12	61	97	117	108	114	201
Others	4	–	4	–	–	–	–	–	–	1	2	–	1
2. *Navy—(Ashore or in Port).*													
Navy Officer (effective)	107	1	106	–	–	1	6	9	11	13	14	19	34
Navy Retired and Half Pay Officer	40	–	40	–	–	–	–	–	3	2	4	14	17
Seaman, R.N.	241	29	212	–	1	28	47	74	45	23	9	8	6
Royal Marine	107	1	106	–	–	1	8	31	30	15	5	8	9
Coastguard, Royal Naval Reserve	64	–	64	–	–	–	1	3	11	11	7	18	13
Navy Pensioner	374	–	374	–	–	–	5	33	39	58	60	75	104
3.—*Persons engaged in the* LEARNED PROFESSIONS, *or in* LITERATURE, ART, *and* SCIENCE *(with their immediate Subordinates).*													
1. *Clergymen, Ministers, and Church Officers.*													
Clergyman	457	–	457	–	–	–	3	27	37	67	77	131	115
Protestant Minister	180	–	180	–	–	–	6	23	15	15	36	43	42
Roman Catholic Priest	29	–	29	–	–	–	–	4	2	3	8	8	4
Missionary, Scripture Reader	29	–	29	–	–	–	1	2	5	5	8	5	3
Church, Chapel Officer	123	–	123	–	–	–	–	3	6	14	19	40	41
Others	22	4	18	–	–	4	4	5	1	2	2	1	3
2. *Lawyers, Law Court Officers, and Law Stationers.*													
Barrister	52	–	52	–	–	–	–	6	4	11	12	10	9
Solicitor, Attorney	318	2	316	–	–	2	9	33	42	41	71	74	46
Law Student	5	1	4	–	–	1	1	1	1	1	–	–	–
Law Clerk	301	16	285	–	1	15	43	79	49	49	27	25	13
Law Stationer	26	1	25	–	–	1	2	6	4	5	2	5	1
3. *Physicians, Surgeons, and Druggists.*													
Physician, Surgeon	437	1	436	–	–	1	14	56	51	58	91	83	83
Medical—Assistant, Student	37	3	34	–	–	3	15	9	3	4	1	1	1
Dentist	29	1	28	–	–	1	4	7	5	4	2	5	1
Chemist, Druggist	340	9	331	–	–	9	39	62	65	46	48	49	22
Others	6	–	6	–	–	–	–	–	1	3	–	1	1
4. *Authors and Literary Persons.*													
Author, Editor, Journalist	32	–	32	–	–	–	1	6	9	4	1	6	5
Students and *Others*	65	5	60	–	1	4	13	10	9	5	10	7	6
5. *Artists.*													
Painter, Artist	104	1	103	–	–	1	5	13	17	17	20	19	12
Sculptor	13	–	13	–	–	–	1	3	2	1	2	3	1
Engraver	93	3	90	–	–	3	8	12	14	13	15	19	9
Photographer	45	4	41	–	–	4	2	10	15	10	4	–	–
Others engaged in the *Fine Arts*	4	–	4	–	–	–	1	–	1	–	1	1	–
6. *Musicians, Teachers of Music.*													
Musician, Music Master	296	7	289	–	–	7	20	71	67	43	35	31	22
Others	6	–	6	–	–	–	–	3	2	–	1	–	–

ENGLAND.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—*continued.*

OCCUPATIONS.	AGES OF MALES.											
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwrds.
3.—*cont.*													
7. Actors, &c.													
Actor	48	1	47	-	-	1	-	11	7	11	11	5	2
Exhibitions, Shows—Service	17	2	15	-	-	2	1	3	3	3	3	-	2
Others engaged in *Theatres, &c.*	62	2	60	-	1	1	7	15	17	10	5	5	1
8. Teachers.													
Schoolmaster	410	6	404	-	-	6	23	52	46	47	70	96	70
Teacher, Professor, Lecturer	98	15	83	-	1	14	10	11	7	12	18	17	8
9. Scientific Persons.													
Civil Engineer	66	1	65	-	-	1	5	15	13	8	9	6	9
Other *Scientific* Persons	23	-	23	-	-	-	-	2	3	1	5	6	6
II.—DOMESTIC CLASS.													
5.—*Persons engaged in entertaining and performing* PERSONAL OFFICES *for Man.*													
1. In Board and Lodging.													
Inn Keeper, Hotel Keeper, Publican	2095	12	2083	-	-	12	19	198	383	464	459	318	242
Beerseller	443	2	441	-	-	2	2	37	80	116	103	66	37
Lodging-house, Boarding-house Keeper	112	-	112	-	-	-	-	5	16	19	22	29	21
Coffee-house, Eating-house Keeper	78	2	76	-	-	2	4	6	14	18	12	12	10
Institution Service	69	-	69	-	-	-	3	18	14	11	9	7	7
Others	26	1	25	-	-	1	2	2	3	9	3	4	2
2. In Attendance (Domestic Servants, &c.)													
Domestic Servant (General)	690	41	649	-	4	37	64	107	97	95	88	98	100
Coachman	288	3	285	-	-	3	9	35	61	45	42	47	46
Groom	93	8	85	-	1	7	18	19	10	6	8	12	12
Gardener	182	1	181	-	-	1	7	17	22	21	80	45	39
Inn, Hotel Servant	657	37	620	-	3	34	76	167	134	86	66	65	26
Cook (not Domestic Servant)	61	1	60	-	-	1	4	9	13	13	6	9	6
Others	52	-	52	-	-	-	1	5	10	12	8	12	4
III.—COMMERCIAL CLASS.													
6.—*Persons who* BUY *or* SELL, KEEP, *or* LEND, *Money, Houses, or Goods of various Kinds.*													
1. Mercantile Men.													
Merchant	230	2	228	-	-	2	3	22	36	38	41	54	34
Banker	42	-	42	-	-	-	-	2	5	4	6	12	13
Bank Service	146	5	141	-	-	5	11	34	21	16	19	16	24
Insurance, Benefit Society, Service	92	6	86	-	-	6	7	17	18	17	9	10	8
Broker, Agent, Factor	240	4	236	-	-	4	8	37	46	52	40	40	13
Salesman (not otherwise described)	30	1	29	-	-	1	3	5	5	6	4	4	2
Auctioneer, Valuer, House Agent	161	-	161	-	-	-	5	17	23	25	37	32	19
Accountant	232	4	228	-	-	4	10	47	29	48	40	31	23
Commercial Clerk	1217	103	1114	-	4	99	166	291	185	159	133	119	61
Commercial Traveller	328	1	327	-	-	1	17	75	78	66	58	23	10
Other *Mercantile* Men	49	-	49	-	-	-	1	1	5	11	5	12	14
2. Other General Dealers.													
Pawnbroker	92	6	86	-	-	6	6	18	8	18	19	10	7
Shopkeeper (branch undefined), General Dealer	392	5	387	-	-	5	14	36	52	57	86	76	66
Huckster, Costermonger	91	4	87	-	-	4	2	15	22	10	15	11	12
Hawker, Pedlar	809	12	797	-	2	10	25	84	118	110	181	169	110
7. *Persons engaged in the* CONVEYANCE *of Men, Animals, Goods, and Messages.*													
1. Carriers on Railways.													
Railway Engine Driver, Stoker	225	13	212	-	-	13	40	74	39	32	17	5	5
Railway Officer, Clerk, Station-master	284	22	262	-	-	22	47	71	49	40	41	11	3
Railway Attendant, Servant	791	52	739	-	4	48	118	234	144	110	71	40	22
2. Carriers on Roads.													
Toll Collector, Turnpike-gate Keeper	82	-	82	-	-	-	3	3	8	10	12	23	23
Coach, Omnibus, Cab Owner, Livery Stable Keeper	167	-	167	-	-	-	2	20	32	44	28	28	13
Coachman (not domestic), Cabman, Flyman	937	5	932	-	-	5	48	153	202	187	149	128	65
Carman, Carrier, Carter, Drayman	1773	61	1712	-	4	57	125	295	290	310	301	252	139
Others	28	-	28	-	-	-	-	-	5	7	5	9	2
3. Carriers on Canals and Rivers.													
Inland Navigation Service	101	5	96	-	-	5	2	8	11	18	13	22	22
Bargeman, Waterman	736	20	716	-	2	18	40	101	106	109	114	142	104
Others	6	-	6	-	-	-	-	-	1	-	-	3	2

ENGLAND.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—*continued.*

OCCUPATIONS.	AGES OF MALES.											
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwrds.
7.—*cont.*													
4. *Carriers on Seas and Rivers.*													
Shipowner	64	–	64	–	–	–	–	1	5	17	16	17	8
Steam Navigation Service	156	1	155	–	1	–	15	56	36	25	12	6	5
Ship Steward, Cook	109	8	101	–	–	8	14	31	19	20	9	3	3
Seaman (Merchant Service)	2239	121	2118	–	6	115	257	492	398	325	234	196	216
Pilot	95	1	94	–	–	1	2	7	17	10	18	29	11
Boatman on Seas	45	2	43	–	–	2	2	5	5	6	5	12	8
Harbour, Dock Service, Labourer	708	12	696	–	1	11	36	98	140	160	125	91	46
Wharfinger	29	–	29	–	–	–	–	2	7	5	7	5	3
Others	76	5	71	–	–	5	7	13	19	11	13	6	2
5. *Engaged in Storage.*													
Warehouseman	466	27	439	–	–	27	48	81	85	90	63	48	21
Meter, Weigher	6	–	6	–	–	–	–	–	1	–	1	4	–
6. *Messengers and Porters.*													
Messenger, Porter, Errand Boy	985	90	895	–	15	75	53	143	158	159	178	144	60
Cotton Porter	70	1	69	–	–	1	3	7	15	16	12	13	3
Telegraph Company Service	50	19	31	–	1	18	12	11	4	2	1	1	–
Others engaged in *Messages*	9	–	9	–	–	–	–	–	–	2	3	3	1
IV.—AGRICULTURAL CLASS.													
8.—*Persons possessing or working the* LAND, *and engaged in growing* GRAIN, FRUITS, GRASSES, ANIMALS, *and other Products.*													
1. *In Fields and Pastures.*													
Land Proprietor (so returned)	360	–	360	–	–	–	–	8	17	34	58	101	142
Farmer, Grazier	6946	7	6939	–	–	7	58	268	416	667	1135	1875	2540
Farmer's Son, Brother, Grandson, Nephew	563	306	257	99	71	136	120	90	28	14	4	1	–
Farm Bailiff	276	3	273	–	–	3	6	7	14	46	51	73	76
Agricultural Labourer	13908	459	13449	45	63	351	507	992	1041	1342	2014	3438	4115
Shepherd (out-door)	276	5	271	–	–	5	6	12	19	28	44	74	88
Farm Servant (in-door)	248	63	185	–	8	55	37	28	13	18	21	33	35
Land Surveyor, Estate Agent	100	2	98	–	–	2	1	8	7	13	14	30	25
Land Drainage Service	30	1	29	–	–	1	–	5	5	8	2	8	1
Agricultural Machine Proprietor, Attendant	27	1	26	–	–	1	1	3	9	4	1	4	4
Others engaged in *Agriculture*	15	1	14	–	–	1	3	2	1	1	3	3	1
2. *In Woods.*													
Woodman	164	3	161	–	–	3	5	10	16	14	27	38	51
3. *In Gardens.*													
Nurseryman, Seedsman, Florist	86	5	81	–	1	4	10	7	6	13	16	16	13
Gardener	1949	22	1927	–	2	20	44	140	165	243	353	481	501
Others engaged in *Horticulture*	4	–	4	–	–	–	–	–	–	1	1	2	–
9.—1. *Persons engaged about* ANIMALS.													
Horse Proprietor, Dealer	64	–	64	–	–	–	–	12	9	13	12	11	7
Horse Breaker	59	–	59	–	–	–	2	6	12	12	7	10	10
Horsekeeper, Groom, Jockey	811	24	787	–	4	20	75	164	143	144	113	97	51
Farrier, Veterinary Surgeon	181	4	177	–	–	4	6	33	25	22	28	34	29
Cattle, Sheep, Pig, Salesman	187	2	185	–	–	2	6	19	21	38	29	40	32
Drover	135	–	135	–	–	–	4	11	18	15	33	28	26
Gamekeeper	198	3	195	–	–	3	8	17	19	23	30	48	50
Vermin Destroyer	35	–	35	–	–	–	–	–	3	4	6	9	13
Fisherman	384	22	362	–	3	19	35	53	53	48	36	60	77
Others engaged about *Animals*	43	1	42	–	–	1	2	4	9	7	7	7	6
V.—INDUSTRIAL CLASS.													
10.—*Persons engaged in* ART *and* MECHANIC *Productions, in which matters of various kinds are employed in combination.*													
1. *In Books.*													
Bookseller, Publisher	107	5	102	–	–	5	9	12	16	14	17	22	12
Bookbinder	133	5	128	–	1	4	11	17	28	22	16	23	11
Printer	646	61	585	–	4	57	92	114	91	98	88	63	39
Newspaper Agent, News-room Keeper	63	3	60	–	1	2	2	6	11	8	10	15	8
Others engaged in *Publications*	14	–	14	–	–	–	1	1	3	4	1	3	1
2. *In Musical Instruments.*													
Musical Instrument Maker, Dealer	102	5	97	–	1	4	15	16	20	11	11	12	12
Others	10	1	9	–	–	1	1	1	1	2	2	–	2
3. *In Prints and Pictures.*													
Lithographer, Lithographic Printer	42	6	36	–	–	6	7	12	7	8	1	1	–
Others	46	2	44	–	–	2	–	4	5	10	11	8	6
4. *Carving and Figures.*													
Wood-carver	51	–	51	–	–	–	8	15	6	4	7	11	–
Others	34	–	34	–	–	–	1	9	4	6	6	2	6
5. *In Tackle for Sports and Games.*													
Toy Maker, Dealer	45	2	43	–	1	1	5	2	4	8	12	8	4
Others	21	1	20	–	–	1	1	3	–	4	1	7	4

ENGLAND.—Deaths of Males of different Occupations registered in the Year 1871—*continued.*

OCCUPATIONS.	Ages of Males. Total.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
10.—*cont.*													
6. *In Designs, Medals, and Dies.*													
Pattern Designer	10	2	8	–	–	2	–	2	–	4	1	1	–
Type-founder	8	–	8	–	–	–	1	1	2	2	–	1	1
Others	34	1	33	–	–	1	5	7	6	1	3	6	5
7. *In Watches and Philosophical Instruments.*													
Watch Maker, Clock Maker	369	12	357	–	–	12	31	52	44	44	67	59	60
Philosophical Instrument Maker; Optician	65	4	61	–	–	4	6	13	9	8	9	11	5
Weighing Machine, Scale, Measure, Maker	29	2	27	–	–	2	–	1	5	5	10	5	1
8. *In Surgical Instruments.*													
Surgical Instrument Maker	21	1	20	–	–	1	–	2	4	3	5	3	3
9. *In Arms.*													
Gunsmith, Gun Manufacture	178	5	173	–	–	5	16	37	32	27	25	21	15
Others	38	6	32	–	1	5	2	9	6	8	3	2	2
10. *In Machines and Tools.*													
Engine and Machine Maker	1453	80	1373	–	1	79	172	324	279	218	182	126	72
Spinning, Weaving, Machine Maker	179	6	173	–	–	6	21	21	23	32	35	26	15
Agricultural Implement, Machine Maker	54	2	52	–	–	2	4	6	8	7	10	11	6
Millwright	159	5	154	–	–	5	11	18	21	22	27	30	25
Tool Maker, Dealer	128	6	122	–	1	5	7	23	15	20	31	13	13
File Maker, Dealer	170	9	161	–	–	9	11	36	29	29	27	18	11
Saw Maker, Dealer	39	2	37	–	–	2	3	9	5	5	6	8	1
Cutler	253	9	244	–	1	8	15	30	25	61	51	41	21
Scissors Maker	25	1	24	–	–	1	2	3	4	2	5	5	3
Needle Manufacture	44	3	41	–	–	3	4	3	7	4	11	4	8
Pin Manufacture	7	1	6	–	–	1	–	1	2	–	1	2	–
Others engaged in *Tool Making, &c.*	14	–	14	–	–	–	–	–	4	4	3	3	–
11. *In Carriages.*													
Coachmaker	387	7	380	–	–	7	23	56	47	71	84	58	41
Wheelwright	501	8	493	–	–	8	36	47	44	87	75	97	107
Others engaged about *Carriages*	40	–	40	–	–	–	5	5	9	12	5	2	2
12. *In Harness.*													
Saddler, Harness, Whip Maker	426	18	408	–	–	18	32	56	52	67	59	74	68
13. *In Ships.*													
Ship-builder, Shipwright, Boat-builder	839	27	812	–	–	27	62	110	130	144	115	124	127
Sail Maker	93	4	89	–	–	4	4	9	12	21	17	12	14
Others	11	–	11	–	–	–	2	2	1	–	2	4	–
14. *In Houses and Buildings.*													
House Proprietor	347	–	347	–	–	–	2	2	16	26	70	109	122
Architect	90	2	88	–	–	2	12	18	18	13	8	14	5
Surveyor	35	–	35	–	–	–	1	2	6	6	6	9	5
Builder	555	3	552	–	–	3	11	58	57	91	124	108	103
Carpenter, Joiner	3513	88	3425	–	3	85	234	490	433	449	596	613	610
Bricklayer	1522	45	1477	–	2	43	89	216	236	224	244	259	209
Marble Mason	62	2	60	–	–	2	7	8	10	5	16	8	6
Mason, Pavior	1999	44	1955	–	1	43	101	288	317	308	392	327	222
Slater, Tiler	131	5	126	–	–	5	6	15	14	22	26	21	22
Plasterer	438	23	415	–	2	21	25	68	55	83	63	65	56
Paperhanger	67	2	65	–	–	2	7	14	13	11	7	10	3
Plumber, Painter, Glazier	1837	64	1773	–	2	62	125	280	348	375	318	235	92
Others	37	2	35	–	–	2	1	3	6	4	12	2	7
15. *In Furniture.*													
Cabinet Maker, Upholsterer	789	28	761	–	1	27	42	137	108	116	144	126	83
Undertaker	51	–	51	–	–	–	3	2	10	10	4	17	5
Carver and Gilder	117	7	110	–	–	7	9	20	17	19	17	20	8
Furniture Broker, Dealer	82	1	81	–	–	1	2	2	8	16	26	16	11
Others	13	1	12	–	–	1	–	3	2	3	1	2	1
16. *In Chemicals.*													
Manufacturing Chemist, Labourer	260	7	253	–	–	7	29	54	47	42	32	36	13
Dye, Colour Manufacture	32	2	30	–	–	2	4	6	4	5	5	6	–
Dyer, Scourer, Calenderer	203	5	198	–	1	4	13	28	26	30	39	40	22
Others	64	1	63	–	–	1	1	8	12	17	14	8	3
11.—*Persons Working and Dealing in the Textile Fabrics and in Dress.*													
1. *In Wool and Worsted.*													
Woolstapler	70	–	70	–	–	–	1	4	11	11	16	11	16
Felt Manufacture	7	–	7	–	–	–	–	1	–	2	2	–	2
Woollen Cloth Manufacture	1381	81	1300	1	9	71	60	147	108	165	231	313	276
Fuller	26	3	23	–	1	2	2	2	4	1	6	3	5
Wool, Woollen, Dyer	34	–	34	–	–	–	2	5	7	3	8	4	5
Worsted Manufacture	119	23	126	2	4	17	14	17	10	18	25	25	17
Cloth Merchant, Dealer	27	1	26	–	–	1	1	5	4	4	7	4	1
Stuff Manufacture	23	4	19	–	–	4	1	2	5	2	2	3	4
Flannel Manufacture	48	2	46	–	–	2	3	6	1	6	7	9	14
Blanket Manufacture	37	1	36	–	–	1	–	2	5	5	7	10	7
Carpet, Rug, Manufacture	113	6	107	–	–	6	16	18	17	24	17	21	24
Others	3	–	3	–	–	–	–	–	–	–	1	1	1

ENGLAND.—Deaths of Males of different Occupations registered in the Year 1871—*continued.*

OCCUPATIONS.	Ages of Males. Total.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
11.—*cont.*													
2. *In Silk.*													
Silk, Satin, Manufacture	411	16	395	1	–	15	10	35	40	49	91	92	78
Silk Dyer, Printer	18	1	17	–	–	1	1	–	3	2	3	6	2
Silk Merchant, Dealer	21	–	21	–	–	–	2	1	–	6	4	6	2
Ribbon Manufacture	70	3	67	–	–	3	1	7	11	6	13	17	12
Others	8	1	7	–	–	1	1	1	4	1	–	–	–
3. *In Cotton and Flax.*													
Flax, Linen Manufacture	191	3	188	–	–	3	13	11	16	28	38	42	40
Lace Manufacture	140	7	133	–	1	6	12	17	16	14	24	26	24
Thread Manufacture	3	–	3	–	–	–	1	–	–	–	–	–	2
Tape Manufacture, Dealer	15	–	15	–	–	–	–	2	–	2	5	3	3
Cotton Manufacture	2471	219	2252	7	40	172	207	339	277	354	422	384	269
Cotton, Calico Warehouseman, Dealer	23	–	23	–	–	–	1	4	3	3	4	3	5
Fustian Manufacture	74	3	71	–	–	3	1	10	10	15	13	19	3
Calico, Cotton, Printer	197	8	189	–	4	4	9	23	12	28	35	46	36
Calico, Cotton, Dyer	76	3	73	–	–	3	5	10	10	9	19	14	6
Others	14	–	14	–	–	–	–	–	2	4	3	1	4
4. *In Mixed Materials.*													
Weaver (not otherwise described)	434	17	417	–	3	14	17	28	29	51	62	91	139
Bleacher (not otherwise described)	58	3	55	–	–	3	4	7	9	9	4	12	10
Manchester Warehouseman	42	2	40	–	–	2	3	8	14	4	3	7	1
Draper, Linen Draper, Mercer	812	76	736	–	1	75	108	174	117	109	90	72	66
Fancy Goods Manufacturer, Dealer	63	1	62	–	–	1	2	7	5	6	17	18	7
Trimming Maker, Dealer	23	2	21	–	–	2	–	5	1	5	7	2	1
Others	8	–	8	–	–	–	–	–	–	1	1	4	2
5. *In Dress.*													
Hairdresser, Wig Maker	265	8	257	–	–	8	16	33	51	43	51	45	18
Hatter, Hat Manufacture	312	8	304	–	–	8	12	28	30	54	65	58	57
Straw Plait Manufacture	34	1	33	–	–	1	4	5	6	2	9	3	4
Furrier, Skinner	60	4	56	–	–	4	1	13	9	12	11	5	5
Tailor	2504	73	2431	–	5	68	121	288	339	460	455	416	352
Milliner	21	–	21	–	–	–	2	2	5	4	5	2	1
Stay Maker, Ladies' Outfitter	19	1	18	–	–	1	1	2	3	2	3	1	6
Hosiery Manufacture	533	8	525	–	1	7	20	26	43	72	72	124	168
Hosier, Haberdasher	60	3	57	–	–	3	5	13	11	8	5	7	8
Glover (leather)	43	1	42	–	–	1	3	2	3	10	7	8	9
Glove Maker (all except leather)	20	–	20	–	–	–	1	1	3	5	5	3	2
Shoemaker, Bootmaker	4091	85	4006	–	3	82	192	416	438	587	724	844	805
Patten, Clog Maker	26	–	26	–	–	–	4	6	3	4	5	4	–
Button Maker	62	–	62	–	–	–	1	3	13	19	17	4	5
Umbrella, Parasol, Stick, Maker	69	1	68	–	–	1	7	10	11	7	10	18	5
Laundry Keeper	39	1	38	–	–	1	3	3	5	6	5	10	6
Others providing *Dress*	54	7	47	–	–	7	3	5	11	5	8	7	8
6. *Hemp and other Fibrous Materials.*													
Mat Maker, Seller	24	–	24	–	–	–	2	2	2	7	5	4	2
Hemp Manufacture	11	1	10	–	–	1	–	1	1	3	–	3	2
Jute Manufacture	6	3	3	–	–	3	–	–	–	–	1	1	1
Rope, Cord, Maker	207	7	200	–	–	7	5	16	20	37	44	41	37
Canvas, Sailcloth, Manufacture, Dealer	20	–	20	–	–	–	1	–	–	1	5	8	5
Sacking, Sack, Bag, Maker, Dealer	18	–	18	–	–	–	–	1	2	4	6	1	4
Others	8	–	8	–	–	–	–	1	1	1	1	3	1
12.—*Persons working and dealing in* Food *and* Drinks.													
1. *In Animal Food.*													
Cowkeeper, Milkseller	376	9	367	–	2	7	12	34	50	57	70	86	58
Cheesemonger	87	4	83	–	1	3	5	15	9	18	15	12	9
Butcher, Meat Salesman	1493	31	1462	–	–	31	89	180	264	227	211	268	223
Provision Curer, Dealer	221	1	220	–	–	1	10	16	34	45	52	37	26
Poulterer, Game Dealer	91	1	90	–	–	1	4	10	17	17	15	14	13
Fishmonger	290	6	284	–	–	6	15	45	54	55	49	46	20
2. *In Vegetable Food.*													
Corn, Flour, Seed, Merchant, Dealer	255	4	251	–	–	4	13	38	31	39	44	53	33
Miller	589	14	575	–	1	13	29	52	78	88	93	125	110
Baker	897	24	873	–	–	24	58	114	127	145	165	162	102
Confectioner, Pastry Cook	185	10	175	–	–	10	8	23	26	29	37	33	19
Greengrocer, Fruit, Vegetable, Dealer	396	17	379	–	–	17	17	45	74	66	76	69	32
Others	19	–	19	–	–	–	1	1	2	2	6	4	3
3. *In Drinks and Stimulants.*													
Maltster	237	3	234	–	–	3	3	21	18	24	46	54	68
Brewer	725	7	718	–	–	7	34	128	155	107	138	107	49
Wine and Spirit Merchant	237	7	230	–	–	7	15	42	48	30	30	33	32
Cellarman	71	2	69	–	–	2	6	14	18	14	10	4	3
Ginger Beer, Soda Water, &c., Manufacture	46	1	45	–	–	1	2	8	17	6	4	7	1
Sugar Refiner	59	1	58	–	–	1	1	9	17	10	13	6	2
Grocer, Tea Dealer	1323	46	1277	–	–	46	115	203	145	174	212	246	182
Tobacco, Cigar, Snuff, Manufacture, Tobacconist	154	10	144	–	2	8	20	39	25	20	15	14	11
Others	91	2	89	–	–	2	3	10	19	13	19	15	10

ENGLAND.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—*continued.*

OCCUPATIONS.	AGES OF MALES.											
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
13.—*Persons working and dealing in* ANIMAL SUBSTANCES.													
1. *In Grease, Gut, Bones, Horn, Ivory, Whalebone.*													
Soap Boiler	31	2	29	–	–	2	4	5	3	7	6	3	1
Tallow Chandler	76	1	75	–	–	1	5	4	9	13	12	21	11
Comb-maker	34	1	33	–	1	–	1	2	3	2	8	9	8
Others	64	3	61	–	–	3	2	10	14	10	11	11	3
2. *In Skins, Feathers, and Quills.*													
Fellmonger	36	1	35	–	–	1	1	5	5	9	6	4	5
Tanner	161	3	158	–	–	3	2	18	22	22	37	38	19
Currier	275	8	267	–	–	8	15	38	48	36	51	50	29
Leather Case, Portmanteau, Bag Maker	34	1	33	–	–	1	3	7	10	2	3	3	5
Others	18	–	18	–	–	–	1	2	2	4	3	5	1
3. *In Hair.*													
Hair, Bristle, Manufacture	15	1	14	–	–	1	–	1	–	4	2	4	3
Brush, Broom, Maker	156	7	149	–	1	6	17	16	17	26	33	24	16
14.—*Persons working and dealing in* VEGETABLE SUBSTANCES.													
1. *In Gums and Resins.*													
Oil-miller, Refiner	44	5	39	–	–	5	6	8	5	7	5	7	1
Oil and Colourman	42	1	41	–	–	1	5	12	6	7	4	6	1
French-polisher	105	2	103	–	–	2	10	21	23	17	17	11	4
Japanner	40	–	40	–	–	–	3	4	8	5	9	9	2
India Rubber, Gutta Percha, Manufacture, Dealer	34	–	34	–	–	–	3	10	7	6	6	2	–
Floor Cloth Manufacture	23	1	22	–	–	1	–	4	3	4	5	4	2
Others	14	–	14	–	–	–	3	3	3	–	2	1	2
2. *In Wood.*													
Timber, Wood, Merchant, Dealer	208	2	206	–	–	2	16	24	30	35	34	31	36
Sawyer	583	8	575	–	3	5	21	50	54	86	110	123	131
Lath, Fence, Hurdle, Maker	55	1	54	–	–	1	4	6	8	5	8	11	12
Wood, Turner, Worker	119	3	116	–	–	3	7	15	19	23	14	20	18
Box, Packing Case, Maker	71	7	64	–	–	7	6	15	10	9	7	11	6
Cooper, Hoop-maker and Bender	426	8	418	–	–	8	20	57	59	63	64	85	70
Others	5	–	5	–	–	–	–	–	–	1	1	1	2
3. *In Bark.*													
Cork Cutter, Manufacturer	35	2	33	–	–	2	2	4	9	4	8	2	4
4. *In Cane, Rush, and Straw.*													
Basket Maker	164	2	162	–	–	2	6	12	17	15	34	37	41
Hay and Straw Dealer	59	1	58	–	1	–	2	4	6	15	8	12	11
Thatcher	111	1	110	–	–	1	3	5	9	13	15	20	45
Others	15	–	15	–	–	–	1	3	2	3	1	3	2
5. *In Paper.*													
Rag Gatherer, Dealer	94	5	89	–	2	3	2	8	11	15	22	16	15
Paper Manufacture	152	11	141	–	4	7	11	17	30	21	15	23	24
Stationer (not Law)	126	3	123	–	–	3	13	28	17	16	18	19	12
Paper Stainer	14	–	14	–	–	–	2	–	1	3	5	3	–
Other Workers in *Paper*	56	1	55	–	–	1	2	9	7	14	11	10	2
15.—*Persons working and dealing in* MINERALS.													
1. *Miners.*													
Coal Miner	3982	405	3577	1	96	308	455	655	531	525	571	522	318
Copper Miner	184	4	180	–	–	4	14	14	19	39	50	29	15
Tin Miner	245	26	219	–	3	23	18	21	30	51	58	29	12
Lead Miner	265	6	259	–	–	6	20	30	38	57	61	31	19
Iron Miner	307	16	291	–	3	13	33	56	40	55	47	38	22
Miner (branch undefined)	201	23	178	2	7	14	17	43	38	27	21	21	11
Coal Mine Service	126	6	120	–	–	6	6	17	14	16	35	24	8
Mine Service (Metal not stated)	64	7	57	–	5	2	2	4	6	16	5	15	9
Others	18	–	18	–	–	–	1	3	5	2	2	2	3
2. *In Coal.*													
Coal Merchant, Dealer	317	2	315	–	–	2	11	21	33	47	77	73	53
Coal-heaver, Labourer	638	42	596	–	10	32	28	93	80	106	126	107	56
Coke Burner, Dealer	69	5	64	–	3	2	10	16	13	11	10	3	1
Chimney Sweeper	137	4	133	–	–	4	3	13	32	36	26	15	8
Gas Works Service	251	7	244	–	–	7	15	42	49	48	45	30	15
Other Workers in *Coal*	18	–	18	–	–	–	1	4	5	1	3	2	2
3. *In Stone, Clay.*													
Stone Quarrier	529	11	518	–	–	11	34	64	88	104	105	84	39
Stone, Merchant, Cutter, Dresser	129	1	128	–	1	–	12	18	18	27	25	20	8
Slate Quarrier	169	13	156	–	1	12	28	27	23	21	23	18	16
Limestone Quarrier, Lime-Burner	104	5	99	–	–	5	2	6	15	14	24	22	16
Clay Labourer	42	3	39	–	–	3	3	2	5	6	8	7	8
Brick, Maker, Dealer	548	29	519	1	2	26	34	76	72	80	84	79	94
Railway Labourer, Platelayer, Navvy	926	34	892	–	2	32	88	190	197	165	155	66	31
Road Contractor, Inspector, Surveyor	29	–	29	–	–	–	–	1	1	4	10	8	5
Road Labourer	322	2	320	1	1	–	11	7	18	29	60	103	92
Scavenger, Dust Collector	66	2	64	–	1	1	–	3	4	14	19	16	8
Others	104	3	101	–	–	3	9	23	13	15	16	14	11

ENGLAND.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—*continued.*

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
15.—*cont.*													
4. In Earthenware.													
Earthenware Manufacture	528	21	504	1	4	19	48	44	108	119	91	62	32
Tobacco-pipe Maker	44	1	43	–	–	1	2	4	6	10	8	9	4
Earthenware and Glass Dealer	76	–	76	–	–	–	3	3	19	11	15	16	9
Others	3	–	3	–	–	–	–	1	–	–	1	1	–
5. In Glass.													
Glass Manufacture	299	11	288	–	1	10	23	56	45	49	51	46	15
Other Workers in *Glass*	1	–	1	–	–	–	–	–	1	–	–	–	–
6. In Salt.													
Salt Manufacture	40	3	37	–	1	2	–	5	8	5	1	15	3
Other Dealers in *Salt*	7	–	7	–	–	–	1	2	1	1	2	–	–
7. In Water.													
Waterworks Service	65	3	62	–	1	2	3	8	13	7	12	11	8
Others	28	–	28	–	–	–	–	–	5	5	7	7	4
8. In Gold, Silver, and Precious Stones.													
Goldsmith, Silversmith, Jeweller	297	11	286	–	–	11	32	57	35	41	31	48	36
Plater, Plated Ware Manufacture	16	–	16	–	–	–	1	3	2	6	2	1	1
Others	49	–	49	–	–	–	4	9	6	5	9	11	5
9. In Copper.													
Copper Manufacture	82	8	74	–	–	8	6	11	14	12	12	15	4
Coppersmith	42	2	40	–	–	2	–	4	2	6	9	17	2
Others	2	–	2	–	–	–	–	–	1	–	–	–	1
10. In Tin and Quicksilver.													
Tin Manufacture	69	9	60	–	3	6	11	10	7	4	8	14	6
Tinplate Worker, Tinman	263	10	253	–	–	10	29	36	42	37	33	52	24
Tinker	12	–	12	–	–	–	–	–	–	3	4	3	2
11. In Zinc.													
Zinc Manufacture	16	2	14	–	–	2	–	2	4	5	1	1	1
12. In Lead and Antimony.													
Lead Manufacture	55	1	54	–	–	1	–	11	10	12	9	10	2
Others	8	–	8	–	–	–	–	–	3	2	1	2	–
13. In Brass and other Mixed Metals.													
Brass Manufacture, Brazier	267	21	246	–	1	20	30	44	46	45	37	29	15
Locksmith, Bellhanger	109	6	103	–	–	6	10	9	5	11	20	26	22
Gas Fitter	141	10	131	–	–	10	13	26	29	27	21	14	1
Wire Worker, Drawer	107	4	103	1	1	2	14	17	15	16	18	16	7
Others	52	–	52	–	–	–	3	7	11	10	7	10	4
14. In Iron and Steel.													
Iron Manufacture	2377	152	2225	–	20	132	275	462	395	371	333	246	143
Whitesmith	164	7	157	–	–	7	17	17	21	24	29	28	21
Blacksmith	1989	75	1914	–	1	74	137	275	223	305	311	349	314
Nail Manufacture	273	7	266	–	2	5	7	13	26	40	53	72	55
Anchorsmith, Chainsmith	75	2	73	–	1	1	5	7	9	16	13	19	4
Ironmonger, Hardware Dealer	232	8	224	–	–	8	24	36	28	35	47	40	14
Steel Manufacture, Worker	65	7	58	–	–	7	7	13	15	10	9	4	–
Others	41	4	37	–	2	2	5	8	11	5	4	3	1
VI.—INDEFINITE AND NON-PRODUCTIVE CLASS.													
16.—LABOURERS AND OTHERS.—*Branch of Labour undefined.*													
1. General Labourers.													
General Labourer, Labourer (branch undefined)	12137	425	11712	1	43	381	745	1600	1655	1821	2049	2079	1763
2. Other Persons of indefinite Occupations.													
Artizan, Mechanic (branch undefined)	164	6	158	–	–	6	17	38	31	19	19	24	10
Engine Driver, Stoker (branch undefined)	291	24	267	–	1	23	30	63	51	47	43	26	7
Factory Labourer (branch undefined)	190	25	165	–	9	16	17	25	24	27	29	27	16
Shopman, Assistant (branch undefined)	10	2	8	–	–	2	3	3	–	–	1	1	–
Apprentice (branch undefined)	4	3	1	–	–	3	1	–	–	–	–	–	–
Vagrant, Gipsy	41	1	40	–	–	1	2	4	8	11	9	2	4
Others of *undefined* Occupation	5612	2626	2986	–	2	2624	619	500	352	252	324	409	530
17. 1.—*Persons of* RANK or PROPERTY *not returned under any Office or Occupation.*													
Gentleman, Independent, Annuitant	2096	14	2082	–	–	14	42	115	130	186	365	578	666
18. 1.—SCHOLARS and CHILDREN *not engaged in any directly Productive Occupation.*													
Scholars and Children of no stated Occupation	15917	15917	–	11043	4874	–	–	–	–	–	–	–	–

I.—LONDON.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871.

OCCUPATIONS.	AGES OF MALES. Total.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
Total of Males AGED 5 YEARS AND UPWARDS	23107	3540	19567	1840	694	1006	1417	3229	3336	3411	3290	2911	1973
I.—PROFESSIONAL CLASS.													
1. 1. Civil Service	144	5	139	–	–	5	5	20	29	24	26	17	18
Governmt. Messengers, Workmen, &c.	95	3	92	–	–	3	10	15	17	24	15	9	2
Other *Government* Officers	11	–	11	–	–	–	–	–	1	2	6	–	2
2. Magistrate (so returned)	1	–	1	–	–	–	–	–	–	–	–	–	1
Officer of Law Court	7	–	7	–	–	–	–	1	–	–	2	2	2
Police	105	–	105	–	–	–	6	37	26	10	13	8	5
Prison Officer	10	–	10	–	–	–	–	2	3	3	1	1	–
Municipal, Parish, Union, Officer	42	–	42	–	–	–	1	6	9	3	10	8	5
Other *Local Government* Officers	2	–	2	–	–	–	–	–	–	1	1	–	–
3. *East India* and *Colonial* Service	9	–	9	–	–	–	–	–	1	–	2	2	4
2. 1. Army Officer (effective)	65	–	65	–	–	–	3	9	6	8	12	14	13
Army Retired and Half Pay Officer	33	–	33	–	–	–	–	1	3	4	5	5	15
Soldier	207	7	200	–	–	7	26	83	56	18	6	3	8
Militia, Volunteers	15	–	15	–	–	–	–	3	2	3	3	2	2
Army Pensioner	166	–	166	–	–	–	–	11	16	29	36	30	44
Others	2	–	2	–	–	–	–	–	–	1	–	–	1
2. Navy Officer (effective)	20	–	20	–	–	–	–	4	1	3	–	6	6
Navy Retired and Half Pay Officer	9	–	9	–	–	–	–	–	–	1	1	4	3
Seaman, R.N.	6	1	5	–	–	1	1	1	1	–	1	–	1
Royal Marine	6	–	6	–	–	–	–	1	–	2	1	2	–
Coastguard, Royal Naval Reserve	2	–	2	–	–	–	–	–	1	–	–	–	1
Navy Pensioner	57	–	57	–	–	–	–	6	2	4	8	12	25
3. 1. Clergyman	44	–	44	–	–	–	–	3	5	4	8	14	10
Protestant Minister	17	–	17	–	–	–	–	3	1	2	4	4	3
Roman Catholic Priest	6	–	6	–	–	–	–	2	–	–	2	2	–
Missionary, Scripture Reader	7	–	7	–	–	–	–	–	2	1	2	2	–
Church, Chapel Officer	25	–	25	–	–	–	–	–	3	4	5	9	4
Others	3	–	3	–	–	–	–	1	1	–	1	–	–
2. Barrister	26	–	26	–	–	–	–	3	2	4	8	4	5
Solicitor, Attorney	93	–	93	–	–	–	3	10	16	10	18	21	15
Law Student	2	–	2	–	–	–	–	1	–	1	–	–	–
Law Clerk	123	5	118	–	–	5	12	37	19	25	11	10	4
Law Stationer	23	1	22	–	–	1	2	5	4	5	2	3	1
3. Physician, Surgeon	83	–	83	–	–	–	–	7	14	16	15	17	14
Medical-Assistant, Student	12	–	12	–	–	–	5	4	1	1	1	–	–
Dentist	9	–	9	–	–	–	1	2	2	1	1	1	1
Chemist, Druggist	79	1	78	–	–	1	7	13	17	12	12	10	7
Others	1	–	1	–	–	–	–	–	–	–	–	1	–
4. Author, Editor, Journalist	15	–	15	–	–	–	–	2	4	3	–	3	3
Students and *Others*	26	3	23	–	1	2	1	3	2	3	6	4	4
5. Painter, Artist	39	–	39	–	–	–	2	9	6	8	7	3	4
Sculptor	6	–	6	–	–	–	1	–	2	1	–	2	–
Engraver	34	–	34	–	–	–	5	6	4	2	7	6	4
Photographer	13	–	13	–	–	–	1	3	6	3	–	–	–
6. Musician, Music Master	95	1	94	–	–	1	6	23	16	8	18	16	7
Others	5	–	5	–	–	–	–	3	1	–	1	–	–
7. Actor	25	–	25	–	–	–	–	3	2	8	8	2	2
Exhibitions, Shows—Service	3	1	2	–	–	1	–	–	1	–	–	–	1
Others engaged in *Theatres*, &c.	27	–	27	–	–	–	1	5	8	8	3	2	–
8. Schoolmaster	40	1	39	–	–	1	1	2	11	1	9	12	3
Teacher, Professor, Lecturer	30	–	30	–	–	–	–	2	3	5	9	6	5
9. Civil Engineer	21	1	20	–	–	1	2	6	5	3	1	2	1
Other *Scientific* Persons	9	–	9	–	–	–	–	1	–	1	3	1	3
II.—DOMESTIC CLASS.													
5. 1. Inn Keeper, Hotel Keeper, Publican	259	–	259	–	–	–	3	33	48	70	49	37	19
Beer-seller	64	1	63	–	–	1	1	10	17	19	9	6	1
Lodging-house, Boarding-house Keeper	29	–	29	–	–	–	–	1	9	7	4	8	–
Coffee-house, Eating-house Keeper	51	2	49	–	–	2	4	4	9	12	5	8	7
Institution Service	29	–	29	–	–	–	–	6	4	6	7	4	2
Others	6	–	6	–	–	–	–	1	1	2	–	2	–
2. Domestic Servant (General)	241	12	229	–	1	11	23	37	40	38	28	36	27
Coachman	88	1	87	–	–	1	5	10	21	17	14	12	8
Groom	7	–	7	–	–	–	2	2	–	1	–	–	2
Gardener	16	–	16	–	–	–	–	2	6	1	3	2	2
Inn, Hotel Servant	261	16	245	–	–	16	43	85	57	23	16	16	5
Cook (not Domestic Servant)	44	1	43	–	–	1	3	7	9	9	3	7	5
Others	10	–	10	–	–	–	1	2	1	5	–	1	–

I.—LONDON.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—*continued.*

OCCUPATIONS.	AGES OF MALES. Total.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
III.—COMMERCIAL CLASS.													
6. 1. Merchant	90	1	89	–	–	1	1	7	12	15	18	22	14
Banker	10	–	10	–	–	–	–	1	2	1	2	1	3
Bank Service	53	1	52	–	–	1	5	14	4	6	6	8	9
Insurance, Benefit Society, Service	26	2	24	–	–	2	1	6	6	2	4	2	3
Broker, Agent, Factor	81	2	79	–	–	2	–	11	13	23	9	16	7
Salesman (not otherwise described)	10	–	10	–	–	–	1	–	1	3	1	3	1
Auctioneer, Valuer, House Agent	39	–	39	–	–	–	1	4	6	7	7	9	5
Accountant	50	–	50	–	–	–	1	11	6	12	7	7	6
Commercial Clerk	415	37	378	–	1	36	57	98	66	44	44	41	28
Commercial Traveller	110	1	109	–	–	1	7	23	25	16	23	10	5
Other *Mercantile* Men	38	–	38	–	–	–	–	1	5	11	5	7	9
2. Pawnbroker	22	2	20	–	–	2	2	4	3	4	6	–	1
Shopkeeper (branch undefined), General Dealer	125	2	123	–	–	2	4	19	25	13	28	21	13
Huckster, Costermonger	56	4	52	–	–	4	1	8	18	4	9	7	5
Hawker, Pedlar	157	6	151	–	–	6	6	23	29	24	35	24	10
7. 1. Railway Engine Driver, Stoker	44	2	42	–	–	2	5	12	8	12	2	1	2
Railway Officer, Clerk, Station-master	63	3	60	–	–	3	6	25	11	10	7	1	–
Railway Attendant, Servant	151	8	143	–	2	6	25	44	36	20	11	4	3
2. Toll Collector, Turnpike-gate Keeper	8	–	8	–	–	–	1	–	–	2	2	1	2
Coach, Omnibus, Cab Owner, Livery Stable Keeper	41	–	41	–	–	–	1	3	10	9	7	5	6
Coachman (not domestic), Cabman, Flyman	421	2	419	–	–	2	17	57	88	99	75	63	20
Carman, Carrier, Carter, Drayman	426	21	405	–	–	21	44	95	78	81	48	37	22
Others	7	–	7	–	–	–	–	–	–	3	2	2	–
3. Inland Navigation Service	9	1	8	–	–	1	1	2	–	1	1	2	1
Bargeman, Waterman	153	7	146	–	–	7	11	24	30	16	22	24	19
4. Shipowner	8	–	8	–	–	–	–	–	2	–	5	1	–
Steam Navigation Service	18	–	18	–	–	–	2	7	3	3	2	1	–
Ship Steward, Cook	26	–	26	–	–	–	3	12	4	2	2	–	3
Seaman (Merchant Service)	335	19	316	–	–	19	41	75	69	50	36	21	24
Pilot	13	–	13	–	–	–	–	–	2	2	3	6	–
Harbour, Dock Service, Labourer	287	4	283	–	–	4	15	37	50	66	60	38	17
Wharfinger	7	–	7	–	–	–	–	1	2	1	2	1	–
Others	19	2	17	–	–	2	2	3	3	3	3	3	–
5. Warehouseman	137	10	127	–	–	10	16	32	26	22	16	11	4
6. Messenger, Porter, Errand Boy	448	49	399	–	7	42	24	62	78	67	75	65	28
Telegraph Service	13	7	6	–	–	7	3	2	1	–	–	–	–
Others engaged in *Messages*	9	–	9	–	–	–	–	–	–	2	3	3	1
IV.—AGRICULTURAL CLASS.													
8. 1. Land Proprietor (so returned)	14	–	14	–	–	–	–	1	1	1	3	1	7
Farmer, Grazier	47	–	47	–	–	–	–	3	–	4	7	13	20
Farm Bailiff	2	–	2	–	–	–	–	–	–	–	–	–	2
Agricultural Labourer	39	2	37	–	–	2	3	6	4	5	5	8	6
Shepherd (out-door)	2	–	2	–	–	–	–	–	–	1	–	–	1
Farm Servant (indoor)	1	–	1	–	–	–	–	–	1	–	–	–	–
Land Surveyor, Estate Agent	3	–	3	–	–	–	–	–	1	–	–	1	1
Others engaged in *Agriculture*	3	1	2	–	–	1	–	–	–	1	–	1	–
2. Woodman	9	–	9	–	–	–	1	1	2	2	2	–	1
3. Nurseryman, Seedsman, Florist	23	1	22	–	–	1	5	2	2	4	5	2	2
Gardener	221	7	214	–	–	7	2	16	24	29	44	55	44
Others engaged in *Horticulture*	2	–	2	–	–	–	–	–	–	1	–	1	–
9. 1. Horse Proprietor, Dealer	14	–	14	–	–	–	–	3	1	3	7	–	–
Horse Breaker	1	–	1	–	–	–	–	–	–	–	–	1	–
Horsekeeper, Groom, Jockey	222	3	219	–	–	3	19	50	44	42	32	27	5
Farrier, Veterinary Surgeon	64	1	63	–	–	1	3	19	10	7	14	7	3
Cattle, Sheep, Pig, Salesman	9	–	9	–	–	–	–	1	1	3	1	3	–
Drover	15	–	15	–	–	–	1	3	3	4	3	1	–
Gamekeeper	1	–	1	–	–	–	–	–	1	–	–	–	–
Fisherman	14	–	14	–	–	–	2	–	2	3	–	3	4
Others engaged about *Animals*	12	–	12	–	–	–	–	2	4	4	1	1	–
V.—INDUSTRIAL CLASS.													
10. 1. Bookseller, Publisher	44	2	42	–	–	2	5	6	4	6	6	11	4
Bookbinder	78	3	75	–	1	2	9	8	13	14	11	14	6
Printer	295	26	269	–	3	23	33	46	45	52	46	28	19
Newspaper Agent, News-room Keeper	17	1	16	–	1	–	1	3	3	1	4	2	2
Others engaged in *Publications*	3	–	3	–	–	–	1	–	–	1	–	1	–

I.—LONDON.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—*continued.*

OCCUPATIONS.	AGES OF MALES.											
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
10.—*cont.*													
2. Musical Instrument Maker, Dealer	84	4	80	-	-	4	14	14	16	8	9	9	10
Others	5	-	5	-	-	-	-	-	1	1	2	-	1
3. Lithographer, Lithographic Printer	21	3	18	-	-	3	5	6	3	3	-	1	-
Others	38	1	37	-	-	1	-	4	4	9	9	6	5
4. Wood-carver	36	-	36	-	-	-	6	10	4	2	6	8	-
Others	26	-	26	-	-	-	1	7	3	5	4	2	4
5. Toy Maker, Dealer	21	1	20	-	-	1	3	1	-	6	7	2	1
Others	9	1	8	-	-	1	-	1	-	1	-	4	2
6. Pattern Designer	7	2	5	-	-	2	-	1	-	2	1	1	-
Type-founder	7	-	7	-	-	-	1	1	2	1	-	1	1
Others	10	-	10	-	-	-	3	2	3	-	-	-	2
7. Watch Maker, Clock Maker	79	1	78	-	-	1	3	12	9	12	15	11	16
Philosophl. Instrumnt. Mkr.; Optician	33	2	31	-	-	2	4	8	5	2	5	5	2
Weighing Machine, Scale, Measure, Mkr.	4	-	4	-	-	-	-	-	-	-	3	1	-
8. Surgical Instrument Maker	12	-	12	-	-	-	-	2	4	3	1	2	-
9. Gunsmith, Gun Manufacture	33	1	32	-	-	1	2	8	4	4	6	5	3
Others	1	-	1	-	-	-	-	-	1	-	-	-	-
10. Engine and Machine Maker	254	11	243	-	-	11	22	49	54	42	43	23	10
Spinning, Weaving, Machine Maker	2	-	2	-	-	-	-	2	-	-	-	-	-
Millwright	14	-	14	-	-	-	-	1	3	4	1	2	3
Tool Maker, Dealer	12	1	11	-	-	1	1	2	2	1	1	3	1
File Maker, Dealer	6	-	6	-	-	-	-	-	1	1	2	1	1
Saw Maker, Dealer	9	1	8	-	-	1	1	-	-	3	2	2	-
Cutler	14	1	13	-	-	1	-	1	3	1	2	4	2
Others engaged in *Tool Making, &c.*	7	-	7	-	-	-	-	-	2	2	2	1	-
11. Coachmaker	132	1	131	-	-	1	4	16	16	21	34	21	19
Wheelwright	58	-	58	-	-	-	4	6	7	13	13	12	3
Others engaged about *Carriages*	3	-	3	-	-	-	-	-	1	-	1	1	-
12. Saddler, Harness, Whip Maker	77	2	75	-	-	2	5	12	13	13	9	15	8
13. Ship-builder, Shipwright, Boat-builder	122	3	119	-	-	3	2	9	19	30	21	18	20
Sail Maker	14	1	13	-	-	1	-	2	1	2	5	2	1
14. House Proprietor	55	-	55	-	-	-	-	-	5	4	8	22	16
Architect	29	1	28	-	-	1	3	9	4	3	2	5	2
Surveyor	9	-	9	-	-	-	1	1	1	1	-	3	2
Builder	155	1	154	-	-	1	4	24	22	28	27	31	18
Carpenter, Joiner	599	16	583	-	-	16	39	91	101	101	91	104	56
Bricklayer	319	9	310	-	-	9	22	45	68	57	47	42	29
Marble Mason	19	-	19	-	-	-	3	5	2	2	3	3	1
Mason, Pavior	122	2	120	-	-	2	11	28	19	15	20	23	4
Slater, Tiler	11	1	10	-	-	1	2	1	-	2	4	1	-
Plasterer	98	7	91	-	1	6	6	14	23	16	13	12	7
Paperhanger	30	1	29	-	-	1	3	5	7	2	5	4	3
Plumber, Painter, Glazier	526	18	508	-	-	18	30	76	100	116	103	63	20
Others	17	-	17	-	-	-	-	2	1	3	7	1	3
15. Cabinet Maker, Upholsterer	287	11	276	-	1	10	16	48	44	44	59	35	30
Undertaker	36	-	36	-	-	-	3	2	7	7	4	11	2
Carver and Gilder	57	5	52	-	-	5	3	14	6	7	10	8	4
Furniture Broker, Dealer	23	1	22	-	-	1	-	1	2	4	6	5	4
Others	10	-	10	-	-	-	-	2	2	3	1	1	1
16. Manufacturing Chemist, Labourer	18	-	18	-	-	-	1	5	-	9	2	1	-
Dye, Colour Manufacture	4	-	4	-	-	-	-	-	2	1	-	1	-
Dyer, Scourer, Calenderer	26	-	26	-	-	-	-	6	2	5	3	5	5
Others	23	-	23	-	-	-	-	3	7	5	3	4	1
11. 1. Woolstapler	10	-	10	-	-	-	-	-	4	1	3	1	1
Woollen Cloth Manufacture	14	-	14	-	-	-	1	3	3	3	1	1	2
Cloth Merchant, Dealer	5	-	5	-	-	-	-	-	2	-	3	-	-
Stuff Manufacture	1	-	1	-	-	-	-	-	-	1	-	-	-
Flannel Manufacture	1	-	1	-	-	-	-	-	-	1	-	-	-
Carpet, Rug, Manufacture	14	-	14	-	-	-	2	2	5	2	2	1	-
Others	3	-	3	-	-	-	-	-	-	-	1	1	1
2. Silk, Satin, Manufacture	39	-	39	-	-	-	-	4	1	4	7	9	11
Silk Dyer, Printer	5	-	5	-	-	-	-	-	-	1	2	1	1
Silk Merchant, Dealer	11	-	11	-	-	-	1	-	-	3	2	4	1
Ribbon Manufacture	1	-	1	-	-	-	-	1	-	-	-	-	-
3. Lace Manufacture	6	-	6	-	-	-	-	-	-	1	2	2	1
Cotton Manufacture	3	-	3	-	-	-	-	1	-	-	2	-	-
Cotton, Calico Warehouseman, Dealer	1	-	1	-	-	-	-	1	-	-	-	-	-
Calico, Cotton, Printer	6	-	6	-	-	-	1	-	-	1	1	2	1
4. Weaver (not otherwise described)	56	-	56	-	-	-	-	1	4	4	9	12	26
Bleacher (not otherwise described)	3	-	3	-	-	-	-	-	-	2	-	1	-
Manchester Warehouseman	6	-	6	-	-	-	-	-	3	2	-	-	1
Draper, Linen Draper, Mercer	122	10	112	-	-	10	15	31	19	20	11	9	7
Fancy Goods Manufacturer, Dealer	10	1	9	-	-	1	2	1	-	1	4	1	-
Trimming Maker, Dealer	15	1	14	-	-	1	-	4	1	1	6	1	1
Others	1	-	1	-	-	-	-	-	-	-	-	1	-

I.—LONDON.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—*continued.*

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
11.—*cont.*													
5. Hairdresser, Wig Maker	54	4	50	–	–	4	3	8	9	12	6	11	1
Hatter, Hat Manufacture	73	4	69	–	–	4	2	5	10	19	12	16	5
Straw Plait Manufacture	7	–	7	–	–	–	–	1	2	–	2	1	1
Furrier, Skinner	26	2	24	–	–	2	–	6	6	7	4	–	1
Tailor	501	16	485	–	–	16	21	61	81	107	89	73	53
Milliner	17	–	17	–	–	–	2	2	5	3	3	1	1
Stay Maker, Ladies' Outfitter	5	1	4	–	–	1	1	–	–	1	–	1	1
Hosiery Manufacture	2	–	2	–	–	–	–	–	–	–	2	–	–
Hosier, Haberdasher	20	1	19	–	–	1	1	6	4	4	2	1	1
Glove Maker (all except leather)	5	–	5	–	–	–	–	1	1	–	1	2	–
Shoemaker, Bootmaker	666	12	654	–	2	10	35	72	79	117	121	122	108
Button Maker	1	–	1	–	–	–	–	–	–	–	1	–	–
Umbrella, Parasol, Stick, Maker	25	1	24	–	–	1	4	4	3	5	4	4	–
Laundry Keeper	30	1	29	–	–	1	2	3	3	5	4	7	5
Others providing *Dress*	20	5	15	–	–	5	2	1	3	2	2	1	4
6. Mat Maker, Seller	12	–	12	–	–	–	–	2	1	3	4	1	1
Hemp Manufacture	1	–	1	–	–	–	–	–	–	1	–	–	–
Jute Manufacture	1	–	1	–	–	–	–	–	–	–	–	1	–
Rope, Cord, Maker	30	–	30	–	–	–	1	3	7	8	5	2	4
Sacking, Sack, Bag, Maker, Dealer	5	–	5	–	–	–	–	1	–	1	2	–	1
Others	2	–	2	–	–	–	–	1	–	–	–	1	–
12. 1. Cowkeeper, Milkseller	106	3	103	–	–	3	5	12	21	20	14	21	10
Cheesemonger	56	2	54	–	1	1	4	13	5	14	9	5	4
Butcher, Meat Salesman	255	8	247	–	–	8	22	37	57	45	32	33	21
Provision Curer, Dealer	22	–	22	–	–	–	2	4	6	5	1	3	1
Poulterer, Game Dealer	35	1	34	–	–	1	3	4	6	4	7	5	5
Fishmonger	87	4	83	–	–	4	9	13	18	8	15	12	8
2. Corn, Flour, Seed, Merchant, Dealer	49	–	49	–	–	–	2	6	8	10	9	5	9
Miller	21	–	21	–	–	–	1	2	4	3	3	3	5
Baker	204	4	200	–	–	4	16	34	22	31	40	34	23
Confectioner, Pastry Cook	44	2	42	–	–	2	3	5	7	11	7	7	2
Greengrocer, Fruit, Vegetable, Dealer	126	11	115	–	–	11	9	18	19	26	21	14	8
Others	1	–	1	–	–	–	–	–	–	1	–	–	–
3. Maltster	6	–	6	–	–	–	–	–	–	2	1	2	1
Brewer	107	–	107	–	–	–	8	33	21	19	12	10	4
Wine and Spirit Merchant	66	1	65	–	–	1	4	13	11	4	12	14	7
Cellarman	27	–	27	–	–	–	4	6	5	6	4	2	–
Ginger Beer, Soda Water, &c. Manufac.	11	–	11	–	–	–	–	1	3	3	1	2	1
Sugar Refiner	29	1	28	–	–	1	1	5	10	6	2	4	–
Grocer, Tea Dealer	149	10	139	–	–	10	14	25	20	20	21	27	12
Tobacco, Cigar, Snuff, Manufacture, Tobacconist	76	6	70	–	1	5	15	17	13	9	7	7	2
Others	48	1	47	–	–	1	2	8	9	9	7	6	6
13. 1. Soap Boiler	11	–	11	–	–	–	2	1	2	2	4	–	–
Tallow Chandler	24	1	23	–	–	1	2	–	4	5	2	5	5
Comb-maker	5	–	5	–	–	–	–	–	–	–	2	2	1
Others	27	–	27	–	–	–	–	3	8	4	7	3	2
2. Fellmonger	13	1	12	–	–	1	1	2	1	3	4	–	1
Tanner	33	–	33	–	–	–	1	7	4	5	7	6	3
Currier	89	3	86	–	–	3	3	10	17	16	17	15	8
Leather Case, Portmanteau, Bag, Maker	22	1	21	–	–	1	3	7	5	1	2	1	2
Others	8	–	8	–	–	–	–	–	1	3	1	2	1
3. Hair, Bristle, Manufacture	10	–	10	–	–	–	–	1	–	3	2	3	1
Brush, Broom, Maker	51	3	48	–	–	3	6	4	4	11	15	4	4
14. 1. Oil-miller, Refiner	5	–	5	–	–	–	–	1	–	4	–	–	–
Oil and Colourman	34	–	34	–	–	–	4	9	6	5	4	5	1
French-polisher	51	–	51	–	–	–	4	13	9	15	9	4	2
Japanner	12	–	12	–	–	–	1	1	3	2	1	3	1
India Rubber, Gutta Percha, Manufacture, Dealer	1	–	1	–	–	–	–	1	–	–	–	–	–
Floor Cloth Manufacture	8	–	8	–	–	–	–	–	1	2	3	2	–
Others	5	–	5	–	–	–	1	1	–	–	2	–	1
2. Timber, Wood, Merchant, Dealer	54	2	52	–	–	2	7	6	7	11	10	6	5
Sawyer	85	2	83	–	2	–	1	5	7	17	19	21	13
Lath, Fence, Hurdle, Maker	12	1	11	–	–	1	1	1	1	1	2	3	2
Wood, Turner, Worker	31	2	29	–	–	2	–	3	6	7	5	5	3
Box, Packing Case, Maker	22	2	20	–	–	2	1	7	2	5	2	3	–
Cooper, Hoop-maker and Bender	105	1	104	–	–	1	5	21	22	16	16	15	9
3. Cork Cutter, Manufacturer	18	2	16	–	–	2	–	2	4	2	4	2	2
4. Basket Maker	18	–	18	–	–	–	2	1	2	–	10	3	–
Hay and Straw Dealer	2	1	1	–	1	–	–	–	–	–	–	–	1
Thatcher	1	–	1	–	–	–	–	–	1	–	–	–	–
Others	9	–	9	–	–	–	1	2	1	1	1	2	1
5. Rag Gatherer, Dealer	10	2	8	–	1	1	–	1	1	2	2	1	1
Paper Manufacture	25	1	24	–	1	–	1	3	3	10	3	1	3
Stationer (not Law)	54	3	51	–	–	3	5	9	9	4	8	9	7
Paper Stainer	3	–	3	–	–	–	–	–	–	2	1	–	–
Other Workers in *Paper*	21	1	20	–	–	1	1	1	4	6	2	5	1

I.—LONDON.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—*continued.*

OCCUPATIONS.	AGES OF MALES.											
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
15. 1. Coal Miner	1	–	1	–	–	–	–	1	–	–	–	–	–
Mine Service (Metal not stated)	1	–	1	–	–	–	–	–	–	–	–	1	–
Others	1	–	1	–	–	–	–	1	–	–	–	–	–
2. Coal Merchant, Dealer	26	1	25	–	–	1	2	3	4	4	4	3	5
Coal-heaver, Labourer	98	3	95	–	–	3	5	13	17	16	22	13	9
Coke Burner, Dealer	3	1	2	–	–	1	1	–	–	–	1	–	–
Chimney Sweeper	39	3	36	–	–	3	2	3	8	15	5	2	1
Gas Works Service	79	2	77	–	–	2	3	16	15	20	16	5	2
3. Stone Quarrier	1	–	1	–	–	–	–	–	–	–	–	1	–
Stone, Merchant, Cutter, Dresser	22	–	22	–	–	–	3	5	2	2	4	5	1
Slate Quarrier	1	–	1	–	–	–	–	1	–	–	–	–	–
Limestone Quarrier, Lime-Burner	2	–	2	–	–	–	–	–	–	–	1	–	1
Brick, Maker, Dealer	23	1	22	–	–	1	1	4	2	5	2	4	4
Railway Labourer, Platelayer, Navvy	93	3	90	–	–	3	8	21	17	22	13	7	2
Road Contractor, Inspector, Surveyor	2	–	2	–	–	–	–	–	–	–	2	–	–
Road Labourer	28	–	28	–	–	–	1	–	2	6	7	7	5
Scavenger, Dust Collector	28	–	28	–	–	–	–	1	–	6	10	10	1
Others	9	1	8	–	–	1	–	3	1	2	–	1	1
4. Earthenware Manufacture	15	2	13	–	1	1	1	1	2	4	3	–	2
Tobacco-pipe Manufacture	10	–	10	–	–	–	–	2	2	2	2	2	–
Earthenware and Glass Dealer	13	–	13	–	–	–	1	–	4	3	4	–	1
Others	2	–	2	–	–	–	–	1	–	–	–	1	–
5. Glass Manufacture	49	2	47	–	–	2	5	6	5	11	10	8	2
6. Other Dealers in *Salt*	2	–	2	–	–	–	–	1	1	–	–	–	–
7. Waterworks Service	9	–	9	–	–	–	–	–	3	2	1	2	1
Others	6	–	6	–	–	–	–	–	1	–	2	2	1
8. Goldsmith, Silversmith, Jeweller	117	3	114	–	–	3	13	21	17	20	16	14	13
Others	22	–	22	–	–	–	1	5	3	1	4	6	2
9. Coppersmith	17	–	17	–	–	–	–	–	–	3	6	8	–
10. Tinplate Worker, Tinman	46	1	45	–	–	1	3	5	17	2	4	10	4
Tinker	1	–	1	–	–	–	–	–	–	1	–	–	–
11. Zinc Manufacture	11	2	9	–	–	2	–	2	3	2	1	–	1
12. Lead Manufacture	9	–	9	–	–	–	–	2	1	3	–	2	1
Others	8	–	8	–	–	–	–	–	3	2	1	2	–
13. Brass Manufacture, Brazier	58	4	54	–	–	4	4	8	10	15	11	3	3
Locksmith, Bellhanger	10	–	10	–	–	–	1	1	–	1	2	2	3
Gas Fitter	57	4	53	–	–	4	5	6	9	14	11	7	1
Wire Worker, Drawer	20	1	19	–	–	1	1	2	3	5	4	1	3
Others	7	–	7	–	–	–	–	1	2	–	2	2	–
14. Iron Manufacture	68	3	65	–	–	3	5	12	10	10	11	10	7
Whitesmith	25	1	24	–	–	1	1	5	2	4	6	4	2
Blacksmith	176	9	167	–	–	9	8	30	23	27	40	24	15
Nail Manufacture	2	–	2	–	–	–	1	–	1	–	–	–	–
Anchorsmith, Chainsmith	3	–	3	–	–	–	–	–	–	1	1	1	–
Ironmonger, Hardware Dealer	30	2	28	–	–	2	2	4	5	4	7	5	1
VI.—INDEFINITE AND NON-PRODUCTIVE CLASS.													
16. 1. General Labourer, Labourer (branch undefined)	1969	85	1881	–	6	79	169	341	331	343	335	245	120
2. Artizan, Mechanic (branch undefined)	2	–	2	–	–	–	–	–	1	1	–	–	–
Engine Driver, Stoker (branch undef.)	38	2	36	–	–	2	4	6	12	7	4	3	–
Factory Labourer (branch undefined)	23	1	22	–	1	–	1	4	4	6	2	3	2
Shopman, Assistant (branch undefined)	4	–	4	–	–	–	1	1	–	–	1	1	–
Apprentice (branch undefined)	1	–	1	–	–	–	1	–	–	–	–	–	–
Vagrant, Gipsy	7	–	7	–	–	–	–	1	1	1	2	1	1
Others of *undefined* Occupation	715	346	369	–	–	346	72	49	53	40	43	56	56
17. 1. Gentleman, Independent, Annuitant	597	4	593	–	–	4	14	24	35	58	105	170	187
18. 1. Scholars and Children of no stated Occupation	2498	2498	–	1840	658	–	–	–	–	–	–	–	–

II.—SOUTH EASTERN COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871.

OCCUPATIONS.	AGES OF MALES. Total.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
Total of Males AGED 5 YEARS AND UPWARDS	13915	1802	12113	863	446	493	694	1595	1567	1568	1906	2272	2511
I.—PROFESSIONAL CLASS.													
1. 1. Civil Service	71	1	70	–	–	1	2	6	12	8	13	15	14
Government, Messengers, Workmen, &c.	82	2	80	–	–	2	2	11	13	11	12	13	18
Other *Government* Officers	3	–	3	–	–	–	1	–	2	–	–	–	–
2. Magistrate (so returned)	6	–	6	–	–	–	–	–	–	–	1	1	4
Officer of Law Court	5	–	5	–	–	–	–	–	–	2	–	1	2
Police	42	–	42	–	–	–	2	6	10	11	10	3	–
Prison Officer	11	1	10	–	–	1	–	1	3	1	2	2	1
Municipal, Parish, Union, Officer	45	–	45	–	–	–	–	2	2	9	12	9	11
3. *East India* and *Colonial* Service	2	–	2	–	–	–	–	–	–	–	1	–	1
2. 1. Army Officer (effective)	49	–	49	–	–	–	1	7	8	5	9	9	10
Army Retired and Half Pay Officer	17	–	17	–	–	–	–	1	1	3	3	–	9
Soldier	416	36	380	–	–	36	58	172	120	12	6	7	5
Militia, Volunteers	14	–	14	–	–	–	1	2	3	1	3	1	3
Army Pensioner	90	–	90	–	–	–	3	13	16	12	10	19	17
Others	2	–	2	–	–	–	–	–	–	–	2	–	–
2. Navy Officer (effective)	31	1	30	–	–	1	2	3	6	5	5	1	8
Navy Retired and Half Pay Officer	15	–	15	–	–	–	–	–	1	–	1	5	8
Seaman, R.N.	111	12	99	–	–	12	27	34	20	9	4	4	1
Royal Marine	62	1	61	–	–	1	6	14	21	9	2	4	5
Constgnard, Royal Naval Reserve	27	–	27	–	–	–	–	2	2	4	5	7	7
Navy Pensioner	127	–	127	–	–	–	3	9	14	26	19	32	24
3. 1. Clergyman	82	–	82	–	–	–	–	7	7	12	14	17	25
Protestant Minister	21	–	21	–	–	–	–	1	4	2	6	4	4
Roman Catholic Priest	3	–	3	–	–	–	–	1	1	1	–	–	–
Missionary, Scripture Reader	4	–	4	–	–	–	–	1	–	1	1	–	1
Church, Chapel Officer	16	–	16	–	–	–	–	1	1	–	3	4	7
Others	1	–	1	–	–	–	–	–	–	–	1	–	–
2. Barrister	10	–	10	–	–	–	–	1	1	3	1	3	1
Solicitor, Attorney	26	–	26	–	–	–	1	2	–	4	7	8	4
Law Student	1	–	1	–	–	–	–	–	1	–	–	–	–
Law Clerk	23	1	22	–	–	1	5	6	4	2	3	–	2
Law Stationer	1	–	1	–	–	–	–	–	–	–	–	1	–
3. Physician, Surgeon	41	–	41	–	–	–	3	5	5	3	6	10	9
Medical-Assistant, Student	5	1	4	–	–	1	3	–	–	–	–	–	1
Dentist	3	–	3	–	–	–	1	–	1	1	–	–	–
Chemist, Druggist	29	–	29	–	–	–	4	6	2	3	4	8	2
Others	2	–	2	–	–	–	–	–	1	1	–	–	–
4. Author, Editor, Journalist	3	–	3	–	–	–	–	1	1	1	–	–	–
Students and *Others*	3	1	2	–	–	1	–	–	1	–	–	1	–
5. Painter, Artist	8	–	8	–	–	–	–	–	–	1	4	1	2
Engraver	3	–	3	–	–	–	–	–	–	–	–	1	2
Photographer	7	2	5	–	–	2	–	1	1	2	1	–	–
Others engaged in the *Fine Arts*	1	–	1	–	–	–	–	–	1	–	–	–	–
6. Musician, Music Master	20	–	20	–	–	–	1	7	1	4	3	–	4
7. Actor	3	–	3	–	–	–	–	–	–	–	1	2	–
Exhibitions, Shows—Service	3	1	2	–	–	1	–	1	–	1	–	–	–
Others engaged in *Theatres*, &c.	6	–	6	–	–	–	2	1	2	1	–	–	–
8. Schoolmaster	27	1	26	–	–	1	1	5	3	–	4	6	7
Teacher, Professor, Lecturer	12	1	11	–	–	1	1	2	–	1	2	3	2
9. Civil Engineer	5	–	5	–	–	–	1	1	2	–	1	–	–
Other *Scientific* Persons	3	–	3	–	–	–	–	–	–	–	1	1	1
II.—DOMESTIC CLASS.													
5. 1. Inn Keeper, Hotel Keeper, Publican	221	–	221	–	–	–	2	18	38	54	48	31	30
Beerseller	54	1	53	–	–	1	–	6	9	10	12	10	6
Lodging-house, Boarding-house Keeper	23	–	23	–	–	–	–	1	3	5	5	7	2
Coffee-house, Eating-house Keeper	6	–	6	–	–	–	–	–	1	1	2	1	1
Institution Service	8	–	8	–	–	–	1	4	1	2	–	–	–
Others	3	–	3	–	–	–	–	–	–	2	1	–	–
2. Domestic Servant (General)	106	6	100	–	1	5	6	25	12	11	16	12	18
Coachman	42	–	42	–	–	–	–	2	12	5	7	8	8
Groom	11	4	7	–	–	4	4	2	1	–	–	–	–
Gardener	36	1	35	–	–	1	1	2	4	4	10	9	5
Inn, Hotel Servant	67	1	66	–	1	–	6	23	9	11	7	7	3
Cook (not Domestic Servant)	3	–	3	–	–	–	1	–	–	–	1	1	–
Others	7	–	7	–	–	–	–	–	–	1	3	1	2
III.—COMMERCIAL CLASS.													
6. 1. Merchant	20	–	20	–	–	–	–	5	2	3	4	2	4
Banker	7	–	7	–	–	–	–	–	–	–	3	2	2
Bank Service	12	–	12	–	–	–	1	4	3	2	–	1	1
Insurance, Benefit Society, Service	7	1	6	–	–	1	1	1	2	–	1	–	1
Broker, Agent, Factor	11	–	11	–	–	–	1	3	3	2	–	1	1
Auctioneer, Valuer, House Agent	19	–	19	–	–	–	1	1	2	4	5	3	3
Accountant	20	–	20	–	–	–	–	4	2	6	4	4	–
Commercial Clerk	45	2	43	–	–	2	10	11	7	8	4	2	1
Commercial Traveller	15	–	15	–	–	–	–	3	4	6	2	–	–
Other *Mercantile* Men	9	–	9	–	–	–	–	–	–	–	–	4	5

NOTE.—The counties comprised in this Table are Surrey (*extra-metropolitan*), Kent (*extra-metropolitan*), Sussex, Hampshire, and Berkshire.

II.—SOUTH EASTERN COUNTIES.—Deaths of Males of different Occupations registered in the Year 1871—*continued.*

	OCCUPATIONS.	AGES OF MALES. Total.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
	6.—*cont.*													
	2. Pawnbroker	3	1	2	-	-	1	-	-	2	-	-	-	-
	Shopkeeper (branch undefined), General Dealer	46	-	46	-	-	-	2	-	10	9	9	11	5
	Huckster, Costermonger	7	-	7	-	-	-	-	3	2	1	1	-	-
	Hawker, Pedlar	66	3	63	-	1	2	3	4	10	7	23	4	12
7.	1. Railway Engine Driver, Stoker	9	-	9	-	-	-	-	6	2	1	-	-	-
	Railway Officer, Clerk, Station-master	23	-	23	-	-	-	5	6	2	3	5	2	-
	Railway Attendant, Servant	59	-	59	-	-	-	5	24	9	10	6	4	1
	2. Toll Collector, Turnpike-gate Keeper	5	-	5	-	-	-	-	-	-	1	1	-	3
	Coach, Omnibus, Cab Owner, Livery Stable Keeper	24	-	24	-	-	-	-	5	2	8	5	4	-
	Conchman (not domestic), Cabman, Flyman	115	-	115	-	-	-	6	25	27	18	16	15	8
	Carman, Carrier, Carter, Drayman	102	8	94	-	1	7	4	8	13	18	19	23	9
	Others	6	-	6	-	-	-	-	-	-	1	-	5	-
	3. Inland Navigation Service	1	-	1	-	-	-	-	-	1	-	-	-	-
	Bargeman, Waterman	80	1	79	-	-	1	2	9	13	15	9	16	15
	4. Shipowner	7	-	7	-	-	-	-	-	1	4	1	-	1
	Steam Navigation Service	47	-	47	-	-	-	8	14	11	6	4	2	2
	Ship Steward, Cook	17	1	16	-	-	1	2	4	3	5	1	1	-
	Seaman (Merchant Service)	212	8	204	-	1	7	25	52	28	23	24	21	31
	Pilot	14	-	14	-	-	-	-	-	1	1	4	3	5
	Boatman on Seas	18	-	18	-	-	-	1	3	4	3	2	4	1
	Harbour, Dock Service, Labourer	43	1	42	-	-	1	-	4	5	8	7	5	13
	Wharfinger	3	-	3	-	-	-	-	1	1	-	1	-	-
	Others	7	-	7	-	-	-	1	1	-	1	2	1	1
	5. Warehouseman	12	-	12	-	-	-	5	1	2	3	-	1	-
	6. Messenger, Porter, Errand Boy	31	2	29	-	-	2	2	4	3	7	8	3	2
	Telegraph Company Service	3	1	2	-	-	1	1	1	-	-	-	-	-
	IV.—Agricultural Class.													
8.	1. Land Proprietor (so returned)	31	-	31	-	-	-	-	1	3	3	4	9	11
	Farmer, Grazier	456	-	456	-	-	-	3	18	25	34	73	115	188
	Farmer's Son, Brother, Grandson, Nephew	30	14	16	-	2	12	6	6	1	2	1	-	-
	Farm Bailiff	59	1	58	-	-	1	1	1	3	11	10	15	17
	Agricultural Labourer	1849	62	1787	-	6	56	73	146	161	208	289	503	407
	Shepherd (out-door)	51	-	51	-	-	-	2	2	6	5	7	11	18
	Farm Servant (in-door)	73	2	71	-	-	2	4	6	3	7	12	12	27
	Land Surveyor, Estate Agent	8	1	7	-	-	1	-	1	-	1	1	2	2
	Land Drainage Service	2	-	2	-	-	-	-	-	-	-	-	2	-
	Agricltrl. Machine Proprietor, Attendant	1	-	1	-	-	-	-	-	1	-	-	-	-
	2. Woodman	28	-	28	-	-	-	1	2	4	1	5	7	8
	3. Nurseryman, Seedsman, Florist	25	3	22	-	1	2	3	2	1	1	3	6	6
	Gardener	306	2	304	-	1	1	10	28	23	42	46	69	86
9.	1. Horse Proprietor, Dealer	5	-	5	-	-	-	-	-	3	1	-	-	1
	Horse Breaker	3	-	3	-	-	-	-	-	1	1	-	1	-
	Horsekeeper, Groom, Jockey	76	3	73	-	-	3	6	14	14	17	11	4	7
	Farrier, Veterinary Surgeon	14	-	14	-	-	-	-	4	2	1	-	3	4
	Cattle, Sheep, Pig, Salesman	12	-	12	-	-	-	1	1	2	3	1	1	3
	Drover	15	-	15	-	-	-	-	-	1	1	3	5	5
	Gamekeeper	26	-	26	-	-	-	-	6	2	3	4	4	7
	Vermin Destroyer	5	-	5	-	-	-	-	-	-	-	-	1	4
	Fisherman	66	-	66	-	-	-	5	7	12	10	8	11	13
	Others engaged about *Animals*	5	1	4	-	-	1	-	-	-	-	1	2	1
	V.—Industrial Class.													
10.	1. Bookseller, Publisher	13	1	12	-	-	1	2	1	3	1	2	2	1
	Bookbinder	7	-	7	-	-	-	-	1	2	-	-	1	3
	Printer	34	4	30	-	-	4	4	8	7	3	4	1	3
	Newspaper Agent, News-room Keeper	4	-	4	-	-	-	-	1	-	1	-	1	1
	2. Musical Instrument Maker, Dealer	4	-	4	-	-	-	-	1	-	1	-	-	2
	Others	1	1	-	-	-	1	-	-	-	-	-	-	-
	4. Wood-carver	3	-	3	-	-	-	1	1	-	-	-	1	-
	Others	2	-	2	-	-	-	-	1	-	-	1	-	-
	5. Toy Maker, Dealer	1	-	1	-	-	-	-	-	-	-	-	1	-
	Others	4	-	4	-	-	-	-	-	-	2	-	1	1
	7. Watch Maker, Clock Maker	19	-	19	-	-	-	2	2	4	-	2	3	6
	Philosophical Instrument Maker; Optician	3	-	3	-	-	-	1	1	1	-	-	-	-
	Weighing Machine, Scale, Measure, Mkr.	1	-	1	-	-	-	-	-	-	-	-	1	-
	8. Surgical Instrument Maker	1	-	1	-	-	-	-	-	-	-	1	-	-
	9. Gunsmith, Gun Manufacture	2	-	2	-	-	-	-	-	-	1	-	-	1
	Others	5	-	5	-	-	-	1	-	1	1	1	-	1
	10. Engine and Machine Maker	50	3	47	-	-	3	6	14	10	5	3	5	4
	Agricultural Implement, Machine Mkr.	3	-	3	-	-	-	-	-	-	-	1	1	1
	Millwright	14	-	14	-	-	-	3	2	2	1	1	2	3
	File Maker, Dealer	1	-	1	-	-	-	-	-	-	-	-	1	-
	Cutler	6	-	6	-	-	-	-	-	1	2	-	-	3
	Scissors Maker	1	-	1	-	-	-	-	-	-	-	-	-	1
	Others engaged in *Tool Making, &c.*	2	-	2	-	-	-	-	-	2	-	-	-	-

II.—SOUTH EASTERN COUNTIES.—Deaths of Males of different Occupations registered in the Year 1871—*continued.*

Occupations.	Ages of Males. Total.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
10. *cont.*													
11. Coachmaker	38	1	37	-	-	1	2	5	4	8	7	5	6
Wheelwright	61	2	59	-	-	2	1	6	3	8	7	14	20
Others engaged about *Carriages*	1	-	1	-	-	-	-	-	-	1	-	-	-
12. Saddler, Harness, Whip Maker	38	2	36	-	-	2	2	6	5	5	6	7	5
13. Ship-builder, Shipwright, Boat-builder	80	5	75	-	-	5	2	6	5	10	11	16	25
Sail Maker	13	-	13	-	-	-	1	1	-	5	2	1	3
Others	3	-	3	-	-	-	1	1	-	-	-	1	-
14. House Proprietor	38	-	38	-	-	-	1	1	1	1	10	10	14
Architect	11	-	11	-	-	-	-	1	2	2	2	4	-
Surveyor	7	-	7	-	-		-	1	2	3	-	1	-
Builder	105	-	105	-	-	-	2	13	7	12	29	20	22
Carpenter, Joiner	353	7	346	-	-	7	25	49	41	27	63	67	74
Bricklayer	244	3	241	-	-	3	17	41	27	33	38	46	39
Marble Mason	3	-	3	-	-	-	-	1	-	1	1	-	-
Mason, Pavior	58	1	57	-	-	1	6	5	7	10	13	9	7
Slater, Tiler	5	-	5	-	-	-	-	-	-	1	-	2	2
Plasterer	24	2	22	-	-	2	1	5	4	3	2	4	3
Paperhanger	8	-	8	-	-	-	1	2	1	1	1	2	-
Plumber, Painter, Glazier	190	4	186	-	-	4	10	20	43	37	42	19	15
15. Cabinet Maker, Upholsterer	47	-	47	-	-	-	1	5	5	7	8	14	7
Undertaker	2	-	2	-	-	-	-	-	-	-	-	2	-
Carver and Gilder	3	-	3	-	-	-	-	-	1	2	-	-	-
Furniture Broker, Dealer	6	-	6	-	-	-	1	-	1	-	2	1	1
Others	1	-	1	-	-	-	-	-	-	-	-	1	-
16. Manufacturing Chemist, Labourer	3	-	3	-	-	-	-	-	1	-	1	1	-
Dye, Colour Manufacture	2	-	2	-	-	-	-	-	-	1	-	1	-
Dyer, Scourer, Calenderer	9	-	9	-	-	-	-	1	1	2	-	4	1
Others	4	-	4	-	-	-	1	1	1	-	1	-	-
11. 1. Woolstapler	4	-	4	-	-	-	-	-	-	-	-	-	4
Woollen Cloth Manufacture	1	-	1	-	-	-	-	-	1	-	-	-	-
Carpet, Rug, Manufacture	2	-	2	-	-	-	-	1	-	-	-	1	-
2. Silk, Satin, Manufacture	8	-	8	-	-	-	-	1	1	1	2	1	2
3. Flax, Linen, Manufacture	2	-	2	-	-	-	1	-	-	-	-	1	-
Lace Manufacture	1	-	1	-	-	-	-	-	-	-	-	1	-
Cotton Manufacture	2	-	2	-	-	-	-	-	1	-	1	-	-
Calico, Cotton, Printer	1	-	1	-	-	-	-	1	-	-	-	-	-
4. Weaver (not otherwise described)	5	-	5	-	-	-	-	1	-	-	1	-	3
Manchester Warehouseman	1	-	1	-	-	-	-	-	1	-	-	-	-
Draper, Linen Draper, Mercer	73	8	65	-	-	8	11	14	14	6	6	7	7
Fancy Goods Manufacturer, Dealer	1	-	1	-	-	-	-	-	-	1	-	-	-
5. Hairdresser, Wig Maker	28	-	28	-	-	-	4	1	4	4	7	5	3
Hatter, Hat Manufacture	7	-	7	-	-	-	-	-	-	2	2	-	3
Furrier, Skinner	1	-	1	-	-	-	-	-	1	-	-	-	-
Tailor	186	5	181	-	-	5	7	18	23	24	40	32	37
Stay Maker, Ladies' Outfitter	2	-	2	-	-	-	-	-	1	-	1	-	-
Hosier, Haberdasher	2	-	2	-	-	-	-	-	1	1	-	-	-
Glover (leather)	1	-	1	-	-	-	-	-	-	1	-	-	-
Shoemaker, Bootmaker	292	2	290	-	-	2	5	21	22	32	60	69	81
Umbrella, Parasol, Stick, Maker	7	-	7	-	-	-	-	1	1	-	2	2	1
Laundry Keeper	3	-	3	-	-	-	1	-	-	-	-	2	-
Others providing *Dress*	4	-	4	-	-	-	1	-	1	-	1	-	1
6. Hemp Manufacture	2	-	2	-	-	-	-	-	-	-	-	1	1
Rope, Cord, Maker	7	2	5	-	-	2	-	-	-	-	2	2	1
Sacking, Sack, Bag, Maker, Dealer	3	-	3	-	-	-	-	-	-	1	1	1	-
Others	2	-	2	-	-	-	-	-	1	1	-	-	-
12. 1. Cowkeeper, Milkseller	41	-	41	-	-	-	-	2	5	5	10	13	6
Cheesemonger	6	-	6	-	-	-	-	-	1	1	1	2	1
Butcher, Meat Salesman	135	3	132	-	-	3	5	22	21	16	20	25	23
Provision Curer, Dealer	3	-	3	-	-	-	-	-	2	-	-	-	1
Poulterer, Game Dealer	8	-	8	-	-	-	-	-	2	1	1	2	2
Fishmonger	41	1	40	-	-	1	1	9	5	12	5	8	-
2. Corn, Flour, Seed, Merchant, Dealer	25	1	24	-	-	1	3	2	-	4	3	9	3
Miller	52	2	50	-	-	2	3	7	8	11	5	9	7
Baker	134	6	128	-	-	6	11	20	15	22	25	25	10
Confectioner, Pastry Cook	18	-	18	-	-	-	1	2	6	1	2	4	2
Greengrocer, Fruit, Vegetable Dealer	38	2	36	-	-	2	1	4	6	2	12	6	5
Others	1	-	1	-	-	-	-	-	-	-	1	-	-
3. Maltster	18	-	18	-	-	-	-	-	1	-	4	6	7
Brewer	80	-	80	-	-	-	3	14	20	7	15	10	11
Wine and Spirit Merchant	28	1	27	-	-	1	5	5	4	1	4	4	4
Cellarman	5	-	5	-	-	-	1	-	1	2	1	-	-
Ginger Beer, Soda Water, &c., Manufacture	3	1	2	-	-	1	-	1	1	-	-	-	-
Sugar Refiner	1	-	1	-	-	-	-	-	1	-	-	-	-
Grocer, Tea Dealer	138	8	130	-	-	8	12	23	12	18	21	21	23
Tobacco, Cigar, Snuff, Manufacture, Tobacconist	12	1	11	-	-	1	-	5	2	2	-	1	1
Others	8	-	8	-	-	-	1	-	-	1	4	1	1
13. 1. Soap Boiler	1	-	1	-	-	-	-	-	-	1	-	-	-
Tallow Chandler	5	-	5	-	-	-	-	-	-	-	1	4	-
Others	3	-	3	-	-	-	-	1	-	1	-	-	1

II.—SOUTH EASTERN COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—*continued.*

	OCCUPATIONS.	AGES OF MALES. Total.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
	13.—*cont.*													
	2. Fellmonger	1	–	1	–	–	–	–	–	–	–	–	1	–
	Tanner	15	1	14	–	–	1	–	2	–	1	2	4	5
	Currier	12	–	12	–	–	–	–	3	–	1	3	3	2
	Leather Case, Portmanteau, Bag Maker	2	–	2	–	–	–	–	–	1	–	–	1	–
	Others	1	–	1	–	–	–	–	–	–	1	–	–	–
	3. Hair, Bristle, Manufacture	1	–	1	–	–	–	–	–	–	–	–	–	1
	Brush, Broom, Maker	6	–	6	–	–	–	2	–	1	1	–	–	2
14.	1. Oil-miller, Refiner	4	1	3	–	–	1	–	–	–	1	1	1	–
	Oil and Colourman	3	1	2	–	–	1	–	1	–	–	–	1	–
	French-polisher	6	–	6	–	–	–	–	1	1	2	–	2	–
	Japanner	1	–	1	–	–	–	–	–	–	1	–	–	–
	Floor Cloth Manufacture	1	1	–	–	–	1	–	–	–	–	–	–	–
	2. Timber, Wood, Merchant, Dealer	24	–	24	–	–	–	–	3	2	3	1	8	7
	Sawyer	72	3	69	–	–	3	2	7	8	13	15	7	17
	Lath, Fence, Hurdle, Maker	8	–	8	–	–	–	–	2	1	1	–	1	3
	Wood, Turner, Worker	5	–	5	–	–	–	–	–	1	–	1	–	3
	Cooper, Hoop Maker and Bender	29	–	29	–	–	–	–	1	5	5	5	7	6
	3. Cork Cutter, Manufacturer	2	–	2	–	–	–	2	–	–	–	–	–	–
	4. Basket Maker	17	–	17	–	–	–	2	–	1	2	4	1	7
	Hay and Straw Dealer	3	–	3	–	–	–	–	1	–	1	–	–	1
	Thatcher	26	–	26	–	–	–	–	1	3	5	5	5	7
	Others	1	–	1	–	–	–	–	–	–	–	–	1	–
	5. Rag Gatherer, Dealer	4	–	4	–	–	–	–	–	1	1	–	2	–
	Paper Manufacture	23	1	22	–	1	–	1	–	5	1	2	6	7
	Stationer (not Law)	13	–	13	–	–	–	3	4	1	1	–	3	1
	Other Workers in *Paper*	1	–	1	–	–	–	–	–	–	–	–	1	–
15.	1. Coal Miner	3	–	3	–	–	–	–	2	1	–	–	–	–
	Mine Service (Metal not stated)	1	–	1	–	–	–	–	–	–	–	–	–	1
	2. Coal Merchant, Dealer	30	–	36	–	–	–	2	3	2	7	5	7	4
	Coal-heaver, Labourer	20	1	19	–	–	1	2	3	3	2	3	4	2
	Chimney Sweeper	21	–	21	–	–	–	1	2	1	5	5	4	3
	Gas Works Service	13	–	13	–	–	–	–	2	2	3	3	2	1
	Other Workers in *Coal*	1	–	1	–	–	–	–	–	1	–	–	–	–
	3. Stone Quarrier	6	–	6	–	–	–	1	–	2	–	1	1	1
	Stone Merchant, Cutter, Dresser	5	–	5	–	–	–	–	1	2	1	–	1	–
	Slate Quarrier	1	–	1	–	–	–	–	–	1	–	–	–	–
	Limestone Quarrier, Lime-Burner	7	–	7	–	–	–	–	–	1	3	1	–	2
	Brick, Maker, Dealer	61	3	58	–	–	3	6	10	12	12	8	5	5
	Railway Labourer, Platelayer, Navvy	51	3	48	–	–	3	3	13	15	6	7	3	1
	Road Contractor, Inspector, Surveyor	3	–	3	–	–	–	–	–	–	–	1	1	1
	Road Labourer	17	–	17	–	–	–	2	1	–	1	2	8	3
	Scavenger, Dust Collector	3	–	3	–	–	–	–	–	1	–	–	1	1
	Others	19	1	18	–	–	1	–	5	3	4	4	–	2
	4. Earthenware Manufacture	6	1	5	–	1	–	–	–	1	–	1	2	1
	Tobacco-pipe Maker	2	–	2	–	–	–	–	–	–	1	1	–	–
	Earthenware and Glass Dealer	5	–	5	–	–	–	–	1	–	1	1	2	–
	5. Glass Manufacture	3	–	3	–	–	–	–	1	–	–	1	1	–
	Other Workers in *Glass*	1	–	1	–	–	–	–	–	1	–	–	–	–
	7. Waterworks Service	6	–	6	–	–	–	–	2	2	–	2	–	–
	Others	2	–	2	–	–	–	–	–	–	1	–	1	–
	8. Goldsmith, Silversmith, Jeweller	13	1	12	–	–	1	1	4	1	–	1	3	2
	Others	2	–	2	–	–	–	–	–	1	–	–	–	1
	9. Coppersmith	9	–	9	–	–	–	–	–	2	2	1	4	–
	10. Tinplate Worker, Tinman	7	–	7	–	–	–	–	–	–	5	–	2	–
	Tinker	2	–	2	–	–	–	–	–	–	–	1	1	–
	13. Brass Manufacture, Brazier	5	–	5	–	–	–	2	–	–	–	1	2	–
	Locksmith, Bellhanger	1	–	1	–	–	–	–	–	1	–	–	–	–
	Gas Fitter	13	1	12	–	–	1	–	4	4	2	1	1	–
	14. Iron Manufacture	12	1	11	–	–	1	3	3	1	1	–	2	1
	Whitesmith	19	1	18	–	–	1	1	2	4	5	2	2	2
	Blacksmith	176	4	172	–	–	4	9	28	19	20	23	35	38
	Ironmonger, Hardware Dealer	20	–	20	–	–	–	2	5	4	4	3	2	–
	VI.—INDEFINITE AND NON-PRODUCTIVE CLASS.													
16.	1. General Labourer, Labourer (branch undefined)	1187	50	1137	–	5	45	70	145	153	156	192	192	229
	2. Artizan, Mechanic (branch undefined)	1	–	1	–	–	–	–	–	–	–	–	1	–
	Engine Driver, Stoker (branch undefined)	10	–	10	–	–	–	1	2	2	–	4	1	–
	Factory Labourer (branch undefined)	8	2	6	–	–	2	–	1	2	2	1	–	–
	Shopman, Assistant (branch undefined)	1	–	1	–	–	–	1	–	–	–	–	–	–
	Vagrant, Gipsy	5	–	5	–	–	–	–	1	1	1	1	–	1
	Others of *undefined* Occupation	682	161	521	–	–	161	41	49	57	44	50	38	212
17.	1. Gentleman, Independent, Annuitant	439	5	434	–	–	5	9	31	23	44	72	123	132
18.	1. Scholars and Children of no stated Occupation	1287	1287	–	863	424	–	–	–	–	–	–	–	–

III.—SOUTH MIDLAND COUNTIES.—Deaths of Males of different Occupations registered in the Year 1871.

Occupations.	Ages of Males. Total.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
Total of Males aged 5 years and upwards	9292	1202	8090	580	298	324	408	842	930	1043	1317	1759	1791
I.—Professional Class.													
1. 1. Civil Service	35	–	35	–	–	–	–	5	2	7	5	10	6
Governmt. Messengers, Workmen, &c.	6	–	6	–	–	–	1	–	3	–	1	1	–
2. Magistrate (so returned)	1	–	1	–	–	–	–	–	–	1	–	–	–
Officer of Law Court	4	–	4	–	–	–	–	–	–	2	1	1	–
Police	19	–	19	–	–	–	2	6	3	2	2	3	1
Prison Officer	2	–	2	–	–	–	–	–	1	–	1	–	–
Municipal, Parish, Union, Officer	12	–	12	–	–	–	–	1	2	1	4	3	1
3. *East India* and *Colonial* Service	8	–	8	–	–	–	–	–	2	1	3	–	2
2. 1. Army Officer (effective)	3	–	3	–	–	–	–	2	–	–	1	–	–
Soldier	46	1	45	–	–	1	6	14	13	5	3	1	3
Militia, Volunteers	9	–	9	–	–	–	1	2	3	1	2	–	–
Army Pensioner	43	–	43	–	–	–	2	6	7	6	2	4	16
2. Navy Officer (effective)	5	–	5	–	–	–	2	–	1	1	1	–	–
Seaman, R.N.	2	–	2	–	–	–	–	1	1	–	–	–	–
Royal Marine	1	–	1	–	–	–	–	1	–	–	–	–	–
Navy Pensioner	5	–	5	–	–	–	–	1	1	–	–	1	2
3. 1. Clergyman	38	–	38	–	–	–	–	–	3	8	6	11	10
Protestant Minister	17	–	17	–	–	–	–	1	1	1	3	6	5
Roman Catholic Priest	1	–	1	–	–	–	–	–	–	–	1	–	–
Missionary, Scripture Reader	2	–	2	–	–	–	–	–	1	–	–	1	–
Church, Chapel Officer	10	–	10	–	–	–	–	–	–	1	1	4	4
Others	1	–	1	–	–	–	–	1	–	–	–	–	–
2. Barrister	7	–	7	–	–	–	–	–	1	2	1	1	2
Solicitor, Attorney	23	–	23	–	–	–	–	–	1	3	5	8	6
Law Clerk	15	–	15	–	–	–	5	–	3	5	–	2	–
3. Physician, Surgeon	28	–	28	–	–	–	1	3	1	2	7	7	7
Medical-Assistant, Student	4	1	3	–	–	1	–	2	1	–	–	–	–
Dentist	3	–	3	–	–	–	1	–	1	1	–	–	–
Chemist, Druggist	17	1	16	–	–	1	–	2	–	4	3	6	1
4. Author, Editor, Journalist	3	–	3	–	–	–	–	–	2	–	–	1	–
Students and *Others*	12	–	12	–	–	–	8	–	1	–	–	1	2
5. Painter, Artist	6	1	5	–	–	1	–	1	1	1	–	1	1
Sculptor	2	–	2	–	–	–	–	1	–	–	–	–	1
Engraver	2	–	2	–	–	–	–	–	–	1	–	1	–
Photographer	4	–	4	–	–	–	–	1	1	2	–	–	–
6. Musician, Music Master	15	1	14	–	–	1	–	4	6	2	1	1	–
7. Actor	4	–	4	–	–	–	–	–	2	1	1	–	–
Others engaged in *Theatres, &c.*	5	–	5	–	–	–	1	1	1	–	–	1	1
8. Schoolmaster	30	–	30	–	–	–	1	2	1	4	7	10	5
Teacher, Professor, Lecturer	7	–	7	–	–	–	–	2	1	1	2	1	–
9. Civil Engineer	2	–	2	–	–	–	–	–	–	–	1	–	1
Other *Scientific* Persons	1	–	1	–	–	–	–	–	–	–	–	1	–
II.—Domestic Class.													
5. 1. Inn Keeper, Hotel Keeper, Publican	151	–	151	–	–	–	2	10	27	34	38	21	19
Beerseller	33	–	33	–	–	–	–	1	4	13	6	5	4
Lodging-house, Boarding-house Keeper	3	–	3	–	–	–	–	–	–	–	1	–	2
Coffee-house, Eating-house Keeper	1	–	1	–	–	–	–	–	–	1	–	–	–
Institution Service	6	–	6	–	–	–	–	2	3	1	–	–	–
Others	3	1	2	–	–	1	–	–	–	2	–	–	–
2. Domestic Servant (General)	55	4	51	–	–	4	4	9	9	7	5	9	8
Coachman	35	–	35	–	–	–	1	3	7	7	3	8	6
Groom	14	2	12	–	–	2	1	3	5	–	1	2	–
Gardener	25	–	25	–	–	–	–	3	2	4	6	4	6
Inn, Hotel Servant	36	–	36	–	–	–	3	8	7	6	5	7	–
Cook (not Domestic Servant)	6	–	6	–	–	–	–	1	3	2	–	–	–
Others	19	–	19	–	–	–	–	1	6	5	2	3	2
III.—Commercial Class.													
6. 1. Merchant	8	–	8	–	–	–	–	1	2	2	–	2	1
Banker	4	–	4	–	–	–	–	–	–	–	–	1	3
Bank Service	6	–	6	–	–	–	–	1	2	1	–	2	–
Broker, Agent, Factor	6	–	6	–	–	–	–	–	2	1	1	2	–
Auctioneer, Valuer, House Agent	7	–	7	–	–	–	–	3	1	2	–	1	–
Accountant	7	–	7	–	–	–	1	2	1	1	–	–	2
Commercial Clerk	31	3	28	–	–	3	4	8	3	4	6	3	–
Commercial Traveller	14	–	14	–	–	–	–	1	7	1	5	–	–

Note.—The Counties comprised in this Table are Middlesex (*extra-metropolitan*), Hertfordshire, Buckinghamshire, Oxfordshire, Northamptonshire, Huntingdonshire, Bedfordshire, and Cambridgeshire.

III.—SOUTH MIDLAND COUNTIES.—Deaths of Males of different Occupations registered in the Year 1871—*continued.*

	Ages of Males.											
Occupations.	Total.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
6.—*cont.*													
2. Pawnbroker	3	-	3	-	-	-	-	1	-	1	-	1	-
Shopkeeper (branch undefined), General Dealer	23	-	23	-	-	-	-	4	2	2	3	5	7
Huckster, Costermonger	6	-	6	-	-	-	1	2	1	-	-	-	2
Hawker, Pedlar	44	1	43	-	-	1	1	4	6	6	8	8	10
7. 1. Railway Engine Driver, Stoker	8	1	7	-	-	1	2	3	2	-	-	-	-
Railway Officer, Clerk, Station-master	15	3	12	-	-	3	5	-	-	4	2	1	-
Railway Attendant, Servant	33	1	32	-	-	1	2	11	7	4	5	3	-
2. Toll Collector, Turnpike-gate Keeper	6	-	6	-	-	-	-	1	-	-	1	-	4
Coach, Omnibus, Cab Owner, Livery Stable Keeper	11	-	11	-	-	-	-	1	2	3	2	3	-
Coachman (not domestic), Cabman, Flyman	38	-	38	-	-	-	1	7	9	4	7	7	3
Carman, Carrier, Carter, Drayman	58	1	57	-	-	1	3	7	12	7	13	13	2
3. Inland Navigation Service	13	-	13	-	-	-	-	-	1	1	-	7	4
Bargeman, Waterman	46	2	44	-	1	1	1	2	6	9	7	13	6
Others	1	-	1	-	-	-	-	-	-	-	-	1	-
4. Seaman (Merchant Service)	15	2	13	-	-	2	1	5	2	2	1	2	-
Harbour, Dock Service, Labourer	8	-	8	-	-	-	-	1	3	4	-	-	-
Wharfinger	4	-	4	-	-	-	-	-	2	-	2	-	-
5. Warehouseman	7	-	7	-	-	-	-	1	1	2	-	-	3
6. Messenger, Porter, Errand Boy	24	4	20	-	-	4	2	6	-	2	4	3	3
Telegraph Company Service	2	-	2	-	-	-	1	-	-	1	-	-	-
IV.—Agricultural Class.													
8. 1. Land Proprietor (so returned)	19	-	19	-	-	-	-	-	2	4	3	6	4
Farmer, Grazier	459	-	459	-	-	-	6	17	37	52	92	125	130
Farmer's Son, Brother, Grandson, Nephew	48	30	18	8	13	9	8	5	4	1	-	-	-
Farm Bailiff	26	-	26	-	-	-	-	1	-	7	4	10	4
Agricultural Labourer	2057	53	2004	-	3	50	58	149	137	193	280	521	666
Shepherd (out-door)	64	1	63	-	-	1	-	1	3	5	9	23	22
Farm Servant (in-door)	10	6	4	-	2	4	1	-	-	1	-	2	-
Land Surveyor, Estate Agent	8	-	8	-	-	-	-	-	-	3	-	3	2
Land Drainage Service	2	-	2	-	-	-	-	-	-	-	-	2	-
Agricultural Machine Proprietor, Attendant	7	-	7	-	-	-	1	1	4	-	-	1	-
Others engaged in *Agriculture*	3	-	3	-	-	-	-	-	1	-	1	1	-
2. Woodman	17	-	17	-	-	-	-	1	1	1	4	-	10
3. Nurseryman, Seedsman, Florist	11	1	10	-	-	1	-	-	1	4	3	-	2
Gardener	248	3	245	-	-	3	5	18	24	34	40	63	61
Others engaged in *Horticulture*	1	-	1	-	-	-	-	-	-	-	-	1	-
9. 1. Horse Proprietor, Dealer	7	-	7	-	-	-	-	1	-	2	2	1	1
Horse Breaker	4	-	4	-	-	-	-	1	1	-	1	-	1
Horsekeeper, Groom, Jockey	68	2	66	-	1	1	8	11	18	10	5	10	4
Farrier, Veterinary Surgeon	15	-	15	-	-	-	-	1	3	1	2	6	2
Cattle, Sheep, Pig, Salesman	18	-	18	-	-	-	2	-	1	4	3	6	2
Drover	20	-	20	-	-	-	-	1	4	2	7	3	3
Gamekeeper	19	-	19	-	-	-	1	2	2	2	3	5	4
Vermin Destroyer	3	-	3	-	-	-	-	-	-	1	-	1	1
Fisherman	6	-	6	-	-	-	-	1	-	-	1	1	3
Others engaged about *Animals*	5	-	5	-	-	-	-	-	2	2	-	-	1
V.—Industrial Class.													
10. 1. Bookseller, Publisher	7	-	7	-	-	-	-	2	-	2	1	1	1
Bookbinder	7	-	7	-	-	-	-	1	1	2	1	2	-
Printer	32	2	30	-	-	2	4	5	7	2	5	5	2
Newspaper Agent, News-room Keeper	2	-	2	-	-	-	-	-	-	-	-	2	-
Others engaged in *Publications*	2	-	2	-	-	-	-	-	-	1	-	1	-
2. Musical Instrument, Maker, Dealer	4	-	4	-	-	-	-	1	3	-	-	-	-
3. Others engaged in *Prints, &c.*	1	-	1	-	-	-	-	-	-	-	1	-	-
4. Wood-carver	1	-	1	-	-	-	-	-	1	-	-	-	-
6. Others engaged in *Designs, Medals, &c.*	2	-	2	-	-	-	-	1	1	-	-	-	-
7. Watch Maker, Clock Maker	20	-	20	-	-	-	-	-	6	3	1	4	6
8. Surgical Instrument Maker	1	-	1	-	-	-	-	-	-	-	-	-	1
9. Gunsmith, Gun Manufacture	18	1	17	-	-	1	3	3	7	3	1	-	-
Others	3	-	3	-	-	-	-	-	1	1	1	-	-
10. Engine and Machine Maker	24	-	24	-	-	-	7	3	1	7	3	2	1
Agricultural Implemnt., Machine Mkr.	6	-	6	-	-	-	-	-	-	1	2	3	-
Millwright	6	-	6	-	-	-	-	1	-	-	1	4	-
Cutler	7	-	7	-	-	-	-	-	-	-	2	4	1
Needle Manufacture	2	-	2	-	-	-	-	-	-	-	-	-	2

III.—SOUTH MIDLAND COUNTIES.—Deaths of Males of different Occupations registered in the Year 1871—*continued.*

Occupations.	Total.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
		Ages of Males.											
10.—*cont.*													
11. Coachmaker	28	-	28	-	-	-	1	5	6	4	5	4	3
Wheelwright	43	1	42	-	-	1	3	6	1	8	8	6	10
Others engaged about *Carriages*	3	-	3	-	-	-	-	1	-	1	-	-	1
12. Saddler, Harness, Whip Maker	20	-	20	-	-	-	3	4	3	1	2	4	3
13. Ship-builder, Shipwright, Boat-builder	12	-	12	-	-	-	-	1	1	3	2	3	2
Sail Maker	1	-	1	-	-	-	-	-	-	-	-	-	1
14. House Proprietor	31	-	31	-	-	-	-	-	-	1	6	8	16
Architect	4	-	4	-	-	-	1	2	-	1	-	-	-
Surveyor	1	-	1	-	-	-	-	-	-	-	1	-	-
Builder	46	-	46	-	-	-	-	4	3	6	11	10	12
Carpenter, Joiner	218	1	217	-	-	1	13	21	18	26	41	37	61
Bricklayer	131	1	130	-	-	1	2	20	21	16	24	24	23
Marble Mason	5	-	5	-	-	-	1	1	-	-	2	-	1
Mason, Pavior	51	-	51	-	-	-	1	7	5	6	8	15	9
Slater, Tiler	5	1	4	-	-	1	-	-	-	1	-	2	1
Plasterer	10	1	9	-	-	1	1	3	-	-	1	2	2
Paperhanger	3	-	3	-	-	-	-	1	-	-	-	2	-
Plumber, Painter, Glazier	100	1	99	-	-	1	5	17	18	21	22	10	6
Others	1	-	1	-	-	-	-	-	-	-	-	-	1
15. Cabinet Maker, Upholsterer	40	1	39	-	-	1	1	13	3	7	6	4	5
Undertaker	2	-	2	-	-	-	-	-	-	-	-	-	2
Carver and Gilder	2	-	2	-	-	-	-	1	-	-	1	-	-
Furniture, Broker, Dealer	2	-	2	-	-	-	-	-	-	1	1	-	-
16. Manufacturing Chemist, Labourer	2	-	2	-	-	-	-	-	-	-	-	2	-
Dyer, Scourer, Calenderer	2	-	2	-	-	-	-	-	-	-	2	-	-
11. 1. Woolstapler	3	-	3	-	-	-	-	-	-	-	1	1	1
Woollen Cloth Manufacture	16	-	16	-	-	-	-	1	1	1	4	5	4
Blanket Manufacture	5	1	4	-	-	1	-	-	-	1	-	1	2
Carpet, Rug, Manufacture	1	-	1	-	-	-	-	-	1	-	-	-	-
2. Silk, Satin, Manufacture	3	-	3	-	-	-	1	-	-	1	-	1	-
3. Lace Manufacture	2	-	2	-	-	-	-	-	-	-	-	2	-
Cotton Manufacture	1	-	1	-	-	-	-	-	-	1	-	-	-
Others	2	-	2	-	-	-	-	-	-	-	-	1	1
4. Weaver (not otherwise described)	2	-	2	-	-	-	1	-	-	-	1	-	-
Manchester Warehouseman	1	-	1	-	-	-	-	-	-	-	-	1	-
Draper, Linen Draper, Mercer	55	2	53	-	-	2	5	10	10	9	7	7	5
Others	1	-	1	-	-	-	-	-	-	-	-	1	-
5. Hairdresser, Wig Maker	20	1	19	-	-	1	1	1	3	2	7	4	1
Hatter, Hat Manufacture	7	-	7	-	-	-	1	1	1	2	1	1	-
Straw Plait Manufacture	25	1	24	-	-	1	4	4	3	1	7	2	3
Tailor	149	3	146	-	-	3	3	15	20	24	28	37	19
Stay Maker, Ladies' Outfitter	2	-	2	-	-	-	-	-	-	-	-	-	2
Hosier, Haberdasher	2	-	2	-	-	-	-	1	-	1	-	-	-
Glover (leather)	5	-	5	-	-	-	-	-	-	-	2	1	2
Glove Maker (all except leather)	1	-	1	-	-	-	-	-	-	1	-	-	-
Shoemaker, Bootmaker	352	8	344	-	-	8	21	53	43	48	48	61	70
Patten, Clog Maker	2	-	2	-	-	-	-	-	1	-	1	-	-
Umbrella, Parasol, Stick, Maker	3	-	3	-	-	-	-	-	2	-	1	-	-
Laundry Keeper	3	-	3	-	-	-	-	-	1	1	-	1	-
Others providing *Dress*	2	-	2	-	-	-	-	1	-	-	-	-	1
6. Mat Maker, Seller	3	-	3	-	-	-	-	-	1	1	-	-	1
Jute Manufacture	1	-	1	-	-	-	-	-	-	-	1	-	-
Rope, Cord, Maker	7	-	7	-	-	-	-	-	1	1	2	2	1
Canvas, Sail Cloth, Manufacture, Dealer	3	-	3	-	-	-	1	-	-	-	-	1	1
Others	1	-	1	-	-	-	-	-	-	-	-	-	1
12. 1. Cowkeeper, Milkseller	17	-	17	-	-	-	1	1	2	3	1	5	4
Cheesemonger	2	-	2	-	-	-	-	-	1	-	1	-	-
Butcher, Meat Salesman	106	-	106	-	-	-	4	9	21	19	15	19	19
Provision Curer, Dealer	5	-	5	-	-	-	-	-	1	-	3	1	-
Poulterer, Game Dealer	3	-	3	-	-	-	-	-	1	1	1	-	-
Fishmonger	11	-	11	-	-	-	-	2	1	2	1	2	3
2. Corn, Flour, Seed, Merchant, Dealer	17	-	17	-	-	-	2	2	-	1	5	5	2
Miller	56	-	56	-	-	-	6	4	6	12	11	11	6
Baker	93	3	90	-	-	3	5	11	13	14	20	13	14
Confectioner, Pastry Cook	11	2	9	-	-	2	-	-	1	2	2	1	3
Greengrocer, Fruit, Vegetable, Dealer	16	-	16	-	-	-	-	1	4	3	3	2	3
3. Maltster	20	-	20	-	-	-	1	1	2	-	3	3	10
Brewer	70	2	68	-	-	2	3	12	11	6	17	12	7
Wine and Spirit Merchant	10	-	10	-	-	-	-	-	3	3	1	-	3
Ginger Beer, Soda Water, &c. Manuf.	4	-	4	-	-	-	-	1	1	1	1	-	-
Sugar Refiner	3	-	3	-	-	-	-	1	-	-	2	-	-
Grocer, Tea Dealer	74	-	74	-	-	-	8	14	12	6	9	17	8
Tobacco, Cigar, Snuff, Manufacture Tobacconist	2	-	2	-	-	-	-	2	-	-	-	-	-
Others	2	-	2	-	-	-	-	-	-	-	-	2	-

III.—SOUTH MIDLAND COUNTIES.—Deaths of Males of different Occupations registered in the Year 1871—*continued.*

Occupations.	Ages of Males. Total.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
13. 1. Tallow Chandler	3	-	3	-	-	-	-	-	-	-	-	1	2
2. Fellmonger	4	-	4	-	-	-	-	-	2	1	-	-	1
Tanner	4	-	4	-	-	-	-	2	-	-	-	1	1
Currier	16	-	16	-	-	-	1	2	2	3	3	2	3
Leather Case, Portmanteau, Bag Mkr.	2	-	2	-	-	-	-	-	1	-	-	-	1
Others	3	-	3	-	-	-	-	2	-	-	1	-	-
3. Brush, Broom, Maker	4	-	4	-	-	-	-	1	-	1	1	1	-
14. 1. Oil and Colourman	1	-	1	-	-	-	1	-	-	-	-	-	-
French Polisher	3	-	3	-	-	-	1	1	-	1	-	-	-
India Rubber, Gutta Percha, Manufacture, Dealer	6	-	6	-	-	-	-	1	1	2	1	1	-
Floor Cloth Manufacture	2	-	2	-	-	-	-	2	-	-	-	-	-
2. Timber, Wood, Merchant, Dealer	10	-	10	-	-	-	-	-	1	1	2	2	4
Sawyer	46	-	46	-	-	-	3	1	4	3	5	11	19
Lath, Fence, Hurdle, Maker	6	-	6	-	-	-	-	-	-	1	1	2	2
Wood, Turner, Worker	5	-	5	-	-	-	-	-	1	-	1	2	1
Box, Packing Case, Maker	3	-	3	-	-	-	-	-	2	-	1	-	-
Cooper, Hoop-maker and Bender	12	-	12	-	-	-	-	1	1	3	-	2	5
4. Basket Maker	12	1	11	-	-	1	1	1	1	-	2	2	4
Hay and Straw Dealer	9	-	9	-	-	-	-	1	3	1	1	2	1
Thatcher	14	-	14	-	-	-	-	1	2	-	1	3	7
Others	1	-	1	-	-	-	-	-	-	1	-	-	-
5. Rag Gatherer, Dealer	12	-	12	-	-	-	1	-	1	1	2	6	1
Paper Manufacture	21	1	20	-	-	1	3	4	3	3	1	5	1
Stationer (not Law)	10	-	10	-	-	-	1	3	2	2	1	1	-
Paper Stainer	1	-	1	-	-	-	-	-	-	-	1	-	-
Other Workers in *Paper*	1	-	1	-	-	-	-	1	-	-	-	-	-
15. 1. Coal Mine Service	1	-	1	-	-	-	-	-	-	-	1	-	-
Mine Service (Metal not stated)	1	-	1	-	-	-	-	-	-	-	-	1	-
Others	1	-	1	-	-	-	-	-	-	-	-	1	-
2. Coal Merchant, Dealer	22	-	22	-	-	-	-	1	3	2	7	7	2
Coal-heaver, Labourer	22	-	22	-	-	-	1	3	2	6	4	5	1
Chimney Sweeper	11	-	11	-	-	-	-	4	4	1	-	1	1
Gas Works Service	12	-	12	-	-	-	-	3	3	2	3	1	-
Other Workers in *Coal*	1	-	1	-	-	-	-	-	-	-	-	-	1
3. Stone Merchant, Cutter, Dresser	5	-	5	-	-	-	-	-	1	1	1	1	1
Limestone Quarrier, Lime Burner	2	-	2	-	-	-	-	-	1	-	-	1	-
Clay Labourer	2	-	2	-	-	-	-	-	-	-	1	-	1
Brick Maker, Dealer	38	3	35	-	-	3	2	4	3	5	7	7	7
Railway Labourer, Platelayer, Navvy	52	1	51	-	-	1	9	9	14	7	7	5	-
Road Labourer	23	-	23	-		-	-	-	2	4	6	5	6
Scavenger, Dust Collector	2	1	1	-	1	-	-	-	-	-	1	-	-
Others	14	1	13	-	-	1	4	6	-	-	-	1	2
4. Earthenware Manufacture	1	-	1	-	-	-	-	-	-	1	-	-	-
Tobacco-pipe Maker	2	-	2	-	-	-	-	-	-	1	-	-	1
Earthenware and Glass Dealer	2	-	2	-	-	-	-	-	-	1	-	1	-
7. Waterworks Service	2	-	2	-	-	-	-	-	-	1	-	-	1
Others	3	-	3	-	-	-	-	-	-	-	2	1	-
8. Goldsmith, Silversmith, Jeweller	8	-	8	-	-	-	-	2	1	2	-	1	2
Others	2	-	2	-	-	-	-	-	-	1	-	-	1
10. Tinplate Worker, Tinman	18	-	18	-	-	-	1	3	7	1	1	1	4
Tinker	1	-	1	-	-	-	-	-	-	-	-	1	-
13. Brass Manufacture, Brazier	4	-	4	-	-	-	1	2	-	-	-	1	-
Locksmith, Bellhanger	3	-	3	-	-	-	1	1	-	-	-	1	-
Gas Fitter	1	-	1	-	-	-	-	-	1	-	-	-	-
Wire Worker, Drawer	2	-	2	-	-	-	-	-	-	-	1	1	-
14. Iron Manufacture	20	1	19	-	-	1	2	5	1	4	2	4	1
Whitesmith	11	-	11	-	-	-	1	1	-	1	2	2	4
Blacksmith	97	3	94	-	-	3	4	8	8	11	18	24	21
Anchorsmith, Chainsmith	1	-	1	-	-	-	-	-	-	-	1	-	-
Ironmonger, Hardware Dealer	16	-	16	-	-	-	2	3	1	1	5	3	1
VI.—Indefinite and Non-productive Class.													
16. 1. General Labourer, Labourer (branch undefined)	741	20	721	1	1	18	41	71	73	92	136	171	134
2. Artizan, Mechanic (branch undefined)	1	-	1	-	-	-	-	-	1	-	-	-	-
Engine Driver, Stoker (branch undef.)	7	-	7	-	-	-	1	1	1	1	2	1	-
Factory Labourer (branch undefined)	2	1	1	-	1	-	-	-	-	-	1	-	-
Vagrant, Gipsy	2	-	2	-	-	-	-	-	-	-	1	-	1
Others of *undefined* Occupation	373	163	210	-	-	163	53	22	34	29	21	19	32
17. 1. Gentleman, Independent, Annuitant	156	1	155	-	-	1	2	10	7	10	33	47	46
18. 1. Scholars and Children of no stated Occupation	846	846	-	571	275	-	-	-	-	-	-	-	-

IV.—EASTERN COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Total of Males AGED 5 YEARS AND UPWARDS	8019	1108	6911	516	262	320	329	701	739	863	977	1455	1786
I.—PROFESSIONAL CLASS.													
1. 1. Civil Service	26	1	25	-	-	1	-	3	4	3	2	5	8
Government Messengers, Workmen, &c.	6	-	6	-	-	-	-	-	2	1	-	2	1
Other *Government* Officers	2	-	2	-	-	-	-	-	-	1	-	1	-
2. Magistrate (so returned)	3	-	3	-	-	-	-	-	-	1	-	-	2
Officer of Law Court	6	-	6	-	-	-	-	-	1	2	1	1	1
Police	14	-	14	-		-	1	6	3	1	-	3	-
Prison Officer	3	-	3	-	-	-	-	-	2	-	-	1	-
Municipal, Parish, Union, Officer	15	-	15	-	-	-	-	-	2	5	1	4	3
3. *East India* and *Colonial* Service	2	-	2	-	-	-	-	-	1	-	-	1	-
2. 1. Army Officer (effective)	4	-	4	-	-	-	-	-	3	-	-	-	1
Soldier	71	5	66	-	-	5	4	22	23	8	-	1	3
Militia, Volunteers	4	-	4	-	-	-	-	2	1	1	-	-	-
Army Pensioner	61	-	61	-	-	-	-	5	11	8	10	8	19
2. Navy Officer (effective)	9	-	9	-	-	-	-	-	1	2	-	3	3
Seaman, R. N.	19	-	19	-	-	-	2	4	5	4	-	-	1
Royal Marine	5	-	5	-	-	-	-	1	1	1	2	-	-
Coastguard, Royal Naval Reserve	5	-	5	-	-	-	-	-	1	-	2	2	-
Navy Pensioner	5	-	5	-	-	-	-	1	-	1	-	-	3
3. 1. Clergyman	44	-	44	-	-	-	-	-	2	5	9	15	10
Protestant Minister	10	-	10	-	-	-	-	1	2	-	2	2	3
Missionary, Scripture Reader	2	-	2	-	-	-	-	-	-	-	1	1	-
Church, Chapel Officer	13	-	13	-	-	-	-	1	1	2	-	3	4
2. Barrister	1	-	1	-	-	-	-	-	-	-	-	1	-
Solicitor, Attorney	19	-	19	-	-	-	-	4	1	4	6	1	3
Law Clerk	10	-	10	-	-	-	-	1	3	1	1	4	-
3. Physician, Surgeon	31	-	31	-	-	-	1	3	2	4	6	8	7
Dentist	2	1	1	-	-	1	-	-	-	1	-	-	-
Chemist, Druggist	13	-	13	-	-	-	-	2	2	2	1	3	3
4. Students and *Others*	3	1	2	-	-	1	-	-	-	-	1	1	-
5. Painter, Artist	3	-	3	-	-	-	-	-	1	1	-	1	-
Engraver	2	-	2	-	-	-	-	-	-	1	-	-	1
Photographer	2	-	2	-	-	-	-	-	1	-	1	-	-
6. Musician, Music Master	10	-	10	-	-	-	-	1	2	3	-	1	3
7. Others engaged in *Theatres*, &c.	3	1	2	-	-	1	-	1	1	-	-	-	-
8. Schoolmaster	22	1	21	-	-	1	1	2	3	1	4	4	6
Teacher, Professor, Lecturer	3	1	2	-	-	1	-	-	-	-	1	-	1
9. Civil Engineer	1	-	1	-	-	-	-	-	-	1	-	-	-
Other *Scientific* Persons	1	-	1	-	-	-	-	-	-	-	-	-	1
II.—DOMESTIC CLASS.													
5. 1. Inn Keeper, Hotel Keeper, Publican	196	-	196	-	-	-	-	7	15	29	29	15	25
Beerseller	24	-	24	-	-	-	-	4	3	6	5	4	2
Lodging-house, Boarding-house Keeper	6	-	6	-	-	-	-	1	-	2	1	1	1
Institution Service	4	-	4	-	-	-	-	1	-	-	1	1	1
Others	2	-	2	-	-	-	1	-	-	-	-	-	1
2. Domestic Servant (General)	49	5	55	-	-	5	7	4	4	6	3	6	5
Coachman	16	-	16	-	-	-	-	4	2	3	3	1	3
Groom	13	-	13	-	-	-	4	3	-	1	1	1	3
Gardener	11	-	11	-	-	-	1	1	2	2	-	1	4
Inn, Hotel Servant	50	3	47	-	1	2	6	6	9	10	5	5	6
Cook (not Domestic Servant)	2	-	2	-	-	-	-	-	-	-	1	-	1
Others	3	-	3	-	-	-	-	-	-	-	-	3	-
III.—COMMERCIAL CLASS.													
6. 1. Merchant	10	-	10	-	-	-	1	2	1	1	2	1	2
Banker	1	-	1	-	-	-	-	-	-	-	-	-	1
Bank Service	10	1	9	-	-	1	-	-	-	1	3	3	2
Insurance, Benefit Society, Service	3	-	3	-	-	-	-	2	-	-	-	-	1
Broker, Agent, Factor	3	-	3	-	-	-	-	-	-	-	3	-	-
Salesman (not otherwise described)	2	-	2	-	-	-	-	1	-	-	1	-	-
Auctioneer, Valuer, House Agent	8	-	8	-	-	-	-	1	1	1	4	1	-
Accountant	6	-	6	-	-	-	-	2	1	1	1	1	-
Commercial Clerk	22	2	20	-	-	2	2	3	7	2	1	3	-
Commercial Traveller	9	-	9	-	-	-	-	3	1	3	-	-	-

NOTE.—The Counties comprised in this Table are Essex, Suffolk, and Norfolk.

IV.—EASTERN COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—*continued.*

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwds.
6.—*cont.*													
2. Pawnbroker	6	1	5	-	-	1	-	1	-	1	-	1	2
Shopkeeper (branch undef.), Gen. Dealr.	27	-	27	-	-	-	-	4	2	5	2	5	9
Huckster, Costermonger	6	-	6	-	-	-	-	1	1	1	1	1	1
Hawker, Pedlar	49	-	49	-	-	-	1	3	5	9	7	9	16
7. 1. Railway Engine Driver, Stoker	7	-	7	-	-	-	2	2	-	1	1	-	-
Railway Officer, Clerk, Station-master	10	1	9	-	-	1	1	3	2	1	2	-	-
Railway Attendant, Servant	17	-	17	-	-	-	1	9	2	2	2	-	1
2. Toll Collector, Turnpike-gate Keeper	4	-	4	-	-	-	-	-	2	1	-	1	-
Coach, Omnibus, Cab Owner, Livery Stable Keeper	4	-	4	-	-	-	-	-	2	1	-	-	1
Coachman (not domestic), Cabman, Flyman	34	-	34	-	-	-	1	7	3	7	6	1	5
Carman, Carrier, Carter, Drayman	43	-	43	-	-	-	3	6	3	4	5	7	10
3. Bargeman, Waterman	37	-	37	-	-	-	5	9	7	3	5	2	6
Others	1	-	1	-	-	-	-	-	-	-	-	1	-
4. Shipowner	4	-	4	-	-	-	-	-	-	-	1	2	1
Steam Navigation Service	5	-	5	-	-	-	-	-	1	1	1	1	1
Ship Steward, Cook	3	-	3	-	-	-	1	-	1	1	-	-	-
Seaman (Merchant Service)	146	9	137	-	-	9	12	25	18	19	14	19	29
Pilot	2	-	2	-	-	-	-	-	-	-	1	1	-
Harbour, Dock Service, Labourer	33	-	33	-	-	-	2	3	8	7	6	2	-
Others	1	-	1	-	-	-	-	-	-	-	-	-	1
5. Warehouseman	7	1	6	-	-	1	-	1	1	1	1	1	1
6. Messenger, Porter, Errand Boy	24	3	21	-	1	2	2	4	3	1	3	4	2
Telegraph Company Service	3	2	1	-	1	1	-	-	-	-	1	-	-
IV.—AGRICULTURAL CLASS.													
8. 1. Land Proprietor (so returned)	17	-	17	-	-	-	-	1	-	3	4	4	5
Farmer, Grazier	460	1	459	-	-	1	3	15	19	34	57	140	171
Farmer's Son, Brother, Grandson, Nephew	20	11	9	-	3	8	4	3	1	1	-	-	-
Farm Bailiff	30	-	30	-	-	-	1	1	2	6	9	1	29
Agricultural Labourer	2067	60	1967	-	5	55	94	151	156	169	258	472	675
Shepherd (out-door)	37	1	36	-	-	1	1	3	4	2	5	7	11
Land Surveyor, Estate Agent	3	-	3	-	-	-	-	1	-	1	-	1	-
Agricultural Machine Proprietor, Attendant	6	-	6	-	-	-	-	1	3	-	-	1	1
2. Woodman	10	-	10	-	-	-	-	-	2	1	3	4	-
3. Nurseryman, Seedsman, Florist	2	-	2	-	-	-	-	-	-	1	1	-	-
Gardener	144	2	142	-	-	2	3	8	11	16	17	40	47
9. 1. Horse Proprietor, Dealer	2	-	2	-	-	-	-	-	1	-	-	-	1
Horse Breaker	4	-	4	-	-	-	-	-	1	1	2	-	-
Horsekeeper, Groom, Jockey	53	3	50	-	2	1	7	5	7	7	9	7	5
Farrier, Veterinary Surgeon	7	-	7	-	-	-	-	1	-	1	1	1	3
Cattle, Sheep, Pig, Salesman	16	-	16	-	-	-	-	3	4	1	2	3	3
Drover	19	-	19	-	-	-	-	1	4	-	4	6	4
Gamekeeper	17	-	17	-	-	-	-	1	6	2	3	3	3
Vermin Destroyer	9	-	9	-	-	-	-	-	-	2	2	2	3
Fisherman	77	5	72	-	1	4	9	13	12	8	10	11	9
Others engaged about *Animals*	2	-	2	-	-	-	-	-	-	-	1	1	-
V.—INDUSTRIAL CLASS.													
10. 1. Bookseller, Publisher	7	-	7	-	-	-	2	1	2	1	1	-	1
Bookbinder	3	-	3	-	-	-	-	-	-	2	-	2	1
Printer	19	4	15	-	-	4	-	2	3	4	3	1	-
Newspaper Agent, News-room Keeper	1	-	1	-	-	-	-	-	-	-	-	1	-
2. Musical Instrument Maker, Dealer	1	-	1	-	-	-	-	-	1	-	-	-	-
3. Lithographer, Lithographic Printer	1	-	1	-	-	-	-	-	-	1	-	-	-
4. Wood-carver	1	-	1	-	-	-	-	1	-	-	-	-	-
Others	2	-	2	-	-	-	-	-	-	-	1	-	1
6. Type-founder	1	-	1	-	-	-	-	-	-	1	-	-	-
Others	3	-	3	-	-	-	1	-	-	1	1	-	-
7. Watch Maker, Clock Maker	12	-	12	-	-	-	1	-	-	1	3	5	2
Weighing Machine, Scale, Measure, Mkr.	1	-	1	-	-	-	-	-	-	1	-	-	-
9. Gun-smith, Gun Manufacture	2	-	2	-	-	-	-	-	1	-	1	-	-
Others	17	6	11	-	1	5	1	4	2	4	-	-	-
10. Engine and Machine Maker	28	4	24	-	-	4	4	7	4	6	-	2	1
Agricultural Implement, Machine Mkr.	2	-	2	-	-	-	-	-	-	1	-	-	1
Millwright	3	-	3	-	-	-	-	-	1	-	1	-	1
Tool Maker, Dealer	2	-	2	-	-	-	-	-	1	-	1	-	-
Saw Maker, Dealer	3	-	3	-	-	-	1	-	1	-	-	1	-
Cutler	8	-	8	-	-	-	-	-	-	2	2	2	2

IV. EASTERN COUNTIES.—Deaths of Males of different Occupations registered in the Year 1871—*continued.*

Occupations.	Ages of Males. Total.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
10.—*cont.*													
11. Coachmaker	21	1	20	-	-	1	1	1	1	6	5	5	1
Wheelwright	39	-	39	-	-	-	3	2	4	6	8	3	13
Others engaged about *Carriages*	1	-	1	-	-	-	1	-	-	-	-	-	-
12. Saddler, Harness, Whip Maker	31	-	31	-	-	-	2	4	2	5	3	4	11
13. Ship builder, Shipwright, Boat-builder	24	-	24	-	-	-	1	7	1	5	1	2	7
Sail Maker	5	-	5	-	-	-	-	1	-	1	3	-	-
14. House Proprietor	15	-	15	-	-	-	-	-	-	-	5	-	10
Architect	4	-	4	-	-	-	1	-	-	1	1	1	-
Surveyor	1	-	1	-	-	-	-	-	-	-	-	1	-
Builder	24	-	24	-	-	-	1	1	3	5	6	3	5
Carpenter, Joiner	217	2	215	-	-	2	18	24	16	20	23	52	62
Bricklayer	129	4	125	-	-	4	10	16	16	18	16	20	29
Mason, Pavior	15	-	15	-	-	-	1	2	2	2	3	3	2
Slater, Tiler	1	-	1	-	-	-	-	-	-	1	-	-	-
Plasterer	7	1	6	-	-	1	1	-	1	-	1	1	2
Paperhanger	2	-	2	-	-	-	1	1	-	-	-	-	-
Plumber, Painter, Glazier	64	-	64	-	-	-	5	9	14	16	7	9	4
Others	1	-	1	-	-	-	-	-	-	-	1	-	-
15. Cabinet Maker, Upholsterer	31	-	31	-	-	-	2	7	3	5	3	7	4
Carver and Gilder	4	-	4	-	-	-	-	-	-	1	-	3	-
Furniture Broker, Dealer	2	-	2	-	-	-	-	-	-	-	-	1	1
16. Manufacturing Chemist, Labourer	5	-	5	-	-	-	1	-	1	1	1	-	1
Dyer, Scourer, Calenderer	4	-	4	-	-	-	-	-	-	1	1	1	1
Others	3	-	3	-	-	-	-	-	-	1	-	1	1
11. 1. Woolstapler	5	-	5	-	-	-	-	-	-	-	2	1	2
Woollen Cloth Manufacture	3	-	3	-	-	-	-	-	1	2	-	-	-
Worsted Manufacture	1	-	1	-	-	-	-	-	-	-	-	-	1
2. Silk, Satin, Manufacture	30	1	29	-	-	1	-	-	-	5	5	9	10
3. Lace Manufacture	2	1	1	-	-	1	-	-	-	-	-	-	1
Calico, Cotton, Printer	1	-	1	-	-	-	-	-	-	-	-	-	1
4. Weaver (not otherwise described)	32	-	32	-	-	-	1	1	-	2	5	13	10
Manchester Warehouseman	1	-	1	-	-	-	-	-	-	-	-	1	-
Draper, Linen Draper, Mercer	29	3	26	-	-	3	4	7	3	5	5	-	2
Fancy Goods, Manufacturer, Dealer	1	-	1	-	-	-	-	-	-	-	-	1	-
Trimming Maker, Dealer	1	-	1	-	-	-	-	-	-	1	-	-	-
Others	3	-	3	-	-	-	-	-	-	-	-	2	1
5. Hairdresser, Wig Maker	16	-	16	-	-	-	-	4	1	3	3	4	1
Hatter, Hat Manufacture	2	-	2	-	-	-	-	-	1	1	-	-	-
Straw Plait Manufacture	1	-	1	-	-	-	-	-	1	-	-	-	-
Furrier, Skinner	2	-	2	-	-	-	-	-	1	1	-	-	-
Tailor	80	3	77	-	1	2	3	13	8	13	11	13	16
Glover (leather)	6	-	6	-	-	-	-	-	-	2	-	1	3
Shoemaker, Bootmaker	248	10	238	-	1	9	15	28	26	29	29	56	55
Patten, Clog Maker	1	-	1	-	-	-	-	-	-	-	-	1	-
Umbrella, Parasol, Stick, Maker	2	-	2	-	-	-	-	-	1	-	-	1	-
6. Mat Maker, Seller	3	-	3	-	-	-	1	-	-	1	-	1	-
Hemp Manufacture	1	-	1	-	-	-	-	-	-	-	-	-	1
Jute Manufacture	3	3	-	-	-	3	-	-	-	-	-	-	-
Rope, Cord, Maker	12	-	12	-	-	-	-	-	-	2	2	5	3
Sacking, Sack, Bag, Maker, Dealer	1	-	1	-	-	-	-	-	-	-	-	-	1
Others	1	-	1	-	-	-	-	-	-	-	1	-	-
12. 1. Cowkeeper, Milkseller	11	-	11	-	-	-	-	-	2	2	2	3	2
Cheesemonger	1	-	1	-	-	-	-	-	1	-	-	-	-
Butcher, Meat Salesman	74	4	70	-	-	4	1	8	8	6	13	15	19
Provision Curer, Dealer	3	-	3	-	-	-	-	-	-	-	2	1	-
Poulterer, Game Dealer	3	-	3	-	-	-	-	-	1	1	-	1	-
Fishmonger	20	1	19	-	-	1	2	-	3	4	3	7	-
2. Corn, Flour, Seed, Merchant, Dealer	17	-	17	-	-	-	1	4	3	1	2	1	5
Miller	66	-	63	-	-	-	4	-	9	8	11	13	21
Baker	81	3	78	-	-	3	4	4	12	9	14	21	14
Confectioner, Pastry Cook	4	1	3	-	-	1	-	-	-	-	1	2	-
Greengrocer, Fruit, Vegetable, Dealer	10	-	10	-	-	-	-	2	-	6	-	2	-
3. Maltster	27	-	27	-	-	-	1	2	3	2	5	6	8
Brewer	30	-	30	-	-	-	1	4	5	7	7	4	2
Wine and Spirit Merchant	11	1	10	-	-	1	1	2	2	2	-	1	2
Cellarman	2	-	2	-	-	-	1	-	-	-	-	1	-
Ginger Beer, Soda Water, &c., Manufacture	2	-	2	-	-	-	1	-	-	-	-	1	-
Sugar Refiner	3	-	3	-	-	-	-	1	-	1	1	-	-
Grocer, Tea Dealer	69	1	68	-	-	1	6	8	9	10	9	13	13
Tobacco, Cigar, Snuff, Manufacture, Tobacconist	7	-	7	-	-	-	1	1	3	-	1	-	1
Others	1	-	1	-	-	-	-	-	-	-	1	-	-

IV.—EASTERN COUNTIES.—Deaths of Males of different Occupations registered in the Year 1871—*continued.*

	AGES OF MALES.											
OCCUPATIONS.	Total.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
13. 1. Soap Boiler	1	-	1	-	-	-	-	-	-	-	-	-	1
Tallow Chandler	9	-	9	-	-	-	-	1	-	2	-	6	-
Others	3	1	2	-	-	1	-	1	1	-	-	-	-
2. Fellmonger	3	-	3	-	-	-	-	-	1	-	-	1	1
Tanner	5	-	5	-	-	-	-	1	-	-	4	-	-
Currier	9	1	8	-	-	1	1	-	1	1	2	2	1
Leather Case, Portmanteau, Bag Mkr.	1	-	1	-	-	-	-	-	-	1	-	-	-
3. Hair, Bristle, Manufacture	1	1	-	-	-	1	-	-	-	-	-	-	-
Brush, Broom, Maker	9	1	8	-	1	-	1	1	1	1	2	1	1
14. 1. Oil miller, Refiner	1	-	1	-	-	-	-	1	-	-	-	-	-
French-polisher	3	1	2	-	-	1	-	-	-	1	1	-	-
India Rubber, Gutta Percha, Manufacture, Dealer	2	-	2	-	-	-	-	1	1	-	-	-	-
Floor Cloth Manufacture	1	-	1	-	-	-	-	-	-	-	-	-	1
Others	1	-	1	-	-	-	-	-	1	-	-	-	-
2. Timber, Wood, Merchant, Dealer	8	-	8	-	-	-	-	1	1	1	-	2	3
Sawyer	25	-	25	-	-	-	1	2	2	1	6	8	5
Lath, Fence, Hurdle, Maker	3	-	3	-	-	-	1	-	-	-	-	-	2
Wood, Turner, Worker	7	-	7	-	-	-	1	2	-	2	1	1	-
Box, Packing Case, Maker	1	-	1	-	-	-	-	-	-	-	-	1	-
Cooper, Hoop-maker and Bender	27	1	26	-	-	1	2	2	1	2	4	7	8
3. Cork Cutter, Manufacturer	1	-	1	-	-	-	-	-	-	-	-	-	1
4. Basket Maker	10	-	10	-	-	-	-	1	1	2	1	2	3
Hay and Straw Dealer	10	-	10	-	-	-	-	-	1	2	1	3	3
Thatcher	19	-	19	-	-	-	1	2	1	2	1	6	6
Others	1	-	1	-	-	-	-	-	-	-	-	-	1
5. Paper Manufacture	4	-	4	-	-	-	-	1	1	-	-	1	1
Stationer (not Law)	3	-	3	-	-	-	-	2	-	-	1	-	-
Other Workers in *Paper*	2	-	2	-	-	-	-	-	-	2	-	-	-
15. 2. Coal Merchant, Dealer	8	-	8	-	-	-	-	1	1	-	2	3	1
Coal-heaver, Labourer	37	-	37	-	-	-	1	1	7	10	5	7	6
Chimney Sweeper	5	-	5	-	-	-	-	-	3	-	1	1	-
Gas Works Service	9	-	9	-	-	-	1	-	3	1	2	-	2
Other Workers in *Coal*	3	-	3	-	-	-	-	-	1	-	2	-	-
3. Stone Quarrier	2	-	2	-	-	-	-	-	-	-	1	1	-
Stone, Merchant, Cutter, Dresser	4	-	4	-	-	-	-	1	-	2	-	-	1
Limestone Quarrier, Lime-burner	5	-	5	-	-	-	-	-	1	2	1	-	1
Clay Labourer	1	-	1	-	-	-	1	-	-	-	-	-	-
Brick, Maker, Dealer	24	2	22	-	-	2	-	4	-	1	-	4	13
Railway Labourer, Platelayer, Navvy	18	-	18	-	-	-	1	3	4	6	3	1	-
Road Labourer	4	-	4	-	-	-	-	-	-	-	1	2	1
Scavenger, Dust Collector	1	1	-	-	-	1	-	-	-	-	-	-	-
Others	7	-	7	-	-	-	1	-	3	1	1	1	-
4. Tobacco-pipe Maker	3	-	3	-	-	-	-	-	-	1	1	-	1
Earthenware and Glass Dealer	3	-	3	-	-	-	-	1	1	-	-	-	1
7. Waterworks Service	2	-	2	-	-	-	-	-	1	-	-	1	-
Others	2	-	2	-	-	-	-	-	1	-	-	-	1
8. Goldsmith, Silversmith, Jeweller	4	-	4	-	-	-	-	-	2	-	-	2	-
9. Coppersmith	1	-	1	-	-	-	-	-	-	-	-	-	1
10. Tinplate Worker, Tinman	6	-	6	-	-	-	-	1	1	-	2	2	-
13. Brass Manufacture, Brazier	3	-	3	-	-	-	1	-	-	-	-	1	1
Gas Fitter	3	-	3	-	-	-	-	2	-	-	1	-	-
Wire Worker, Drawer	2	-	2	-	-	-	1	-	-	-	1	-	-
14. Iron Manufacture	23	3	20	-	1	2	1	7	1	1	5	2	3
Whitesmith	12	1	11	-	-	1	2	-	-	-	4	2	3
Blacksmith	98	3	95	-	-	3	7	18	7	12	9	19	23
Anchorsmith, Chainsmith	1	-	1	-	-	-	-	-	-	-	-	1	-
Ironmonger, Hardware Dealer	11	-	11	-	-	-	1	1	1	1	2	3	2
Others	1	-	1	-	-	-	-	1	-	-	-	-	-
VI.—Indefinite and Non-productive Class.													
16. 1. General Labourer, Labourer (branch undefined)	433	18	415	-	4	14	27	44	51	65	60	79	89
2. Artizan, Mechanic (branch undefined)	1	-	1	-	-	-	-	-	1	-	-	-	-
Engine Driver, Stoker (branch undef.)	7	-	7	-	-	-	3	1	1	2	-	-	-
Factory Labourer (branch undefined)	5	-	5	-	-	-	-	2	1	-	-	1	1
Shopman, Assistant (branch undefined)	1	1	-	-	-	1	-	-	-	-	-	-	-
Others of *undefined* Occupation	263	142	121	-	-	142	44	18	10	10	17	11	11
17. 1. Gentleman, Independent, Annuitant	91	-	91	-	-	-	-	3	6	5	13	31	33
18. 1. Scholars and Children of no stated Occupation	755	755	-	516	239	-	-	-	-	-	-	-	-

V.—SOUTH WESTERN COUNTIES.—Deaths of Males of different Occupations registered in the Year 1871.

OCCUPATIONS.	AGES OF MALES. Total.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
Total of Males AGED 5 YEARS AND UPWARDS	12707	1757	10950	778	448	531	571	1178	1148	1311	1794	2294	2654
I.—Professional Class.													
1. 1. Civil Service	41	-	41	-	-	-	1	3	1	7	9	8	12
Governmt. Messengers, Workmen, &c.	60	-	60	-	-	-	-	7	7	8	10	7	21
Other *Government* Officers	1	-	1	-	-	-	-	-	-	-	-	1	-
2. Magistrate (so returned)	2	-	2	-	-	-	-	-	-	-	-	1	1
Officer of Law Court	13	1	12	-	-	1	1	-	2	-	2	5	2
Police	23	-	23	-	-	-	4	5	5	1	2	4	2
Prison Officer	2	-	2	-	-	-	-	1	-	-	-	-	1
Municipal, Parish, Union, Officer	26	-	26	-	-	-	1	-	1	4	5	7	8
3. *East India* and *Colonial* Service	5	-	5	-	-	-	-	-	-	-	2	-	3
2. 1. Army Officer (effective)	29	-	29	-	-	-	-	1	3	5	5	9	6
Army Retired and Half Pay Officer	5	-	5	-	-	-	-	-	-	2	-	2	1
Soldier	79	5	74	-	-	5	12	33	18	7	1	-	3
Militia, Volunteers	9	-	9	-	-	-	-	1	4	1	1	-	2
Army Pensioner	93	-	93	-	-	-	2	10	14	21	6	17	23
2. Navy Officer (effective)	34	-	34	-	-	-	2	2	2	1	7	6	14
Navy Retired and Half Pay Officer	13	-	13	-	-	-	-	-	1	1	2	4	5
Seaman, R.N.	91	15	76	-	1	14	13	31	14	10	3	4	1
Royal Marine	24	-	24	-	-	-	2	13	5	-	-	1	3
Coastguard, Royal Naval Reserve	18	-	18	-	-	-	-	1	5	3	-	7	2
Navy Pensioner	148	-	148	-	-	-	2	15	20	23	27	23	38
3. 1. Clergyman	66	-	66	-	-	-	1	5	4	6	11	21	18
Protestant Minister	15	-	15	-	-	-	3	1	1	2	2	3	3
Roman Catholic Priest	2	-	2	-	-	-	-	-	-	-	-	-	2
Missionary, Scripture Reader	3	-	3	-	-	-	-	-	-	1	1	-	1
Church, Chapel Officer	8	-	8	-	-	-	-	-	-	-	3	2	3
Others	1	-	1	-	-	-	-	-	-	-	-	-	1
2. Barrister	2	-	2	-	-	-	-	-	-	-	-	1	1
Solicitor, Attorney	25	-	25	-	-	-	1	2	4	4	3	6	5
Law Student	1	-	1	-	-	-	1	-	-	-	-	-	-
Law Clerk	20	2	18	-	-	2	2	5	5	2	2	2	-
3. Physician, Surgeon	59	-	59	-	-	-	2	7	3	7	14	11	15
Medical-Assistant, Student	1	-	1	-	-	-	-	-	-	1	-	-	-
Dentist	3	-	3	-	-	-	-	2	1	-	-	-	-
Chemist, Druggist	21	1	20	-	-	1	1	5	6	2	3	3	-
4. Author, Editor, Journalist	1	-	1	-	-	-	-	-	-	-	-	-	1
Students and *Others*	2	-	2	-	-	-	-	2	-	-	-	-	-
5. Painter, Artist	4	-	4	-	-	-	1	-	-	-	-	2	1
Sculptor	2	-	2	-	-	-	-	2	-	-	-	-	-
Engraver	1	-	1	-	-	-	-	-	-	1	-	-	-
Photographer	4	-	4	-	-	-	-	2	-	2	-	-	-
6. Musician, Music Master	7	-	7	-	-	-	-	-	1	1	-	3	2
7. Exhibitions, Shows—Service	1	-	1	-	-	-	-	-	-	-	1	-	-
8. Schoolmaster	41	1	40	-	-	1	1	3	6	2	13	6	9
Teacher, Professor, Lecturer	3	-	3	-	-	-	-	1	1	-	1	-	-
9. Civil Engineer	5	-	5	-	-	-	-	3	-	-	2	-	-
Other *Scientific* Persons	1	-	1	-	-	-	-	1	-	-	-	-	-
II.—Domestic Class.													
5. 1. Inn Keeper, Hotel Keeper, Publican	159	-	159	-	-	-	-	13	28	28	39	30	21
Beerseller	17	-	17	-	-	-	-	-	2	3	4	5	3
Lodging-house, Boarding-house Keeper	11	-	11	-	-	-	-	-	2	1	1	3	4
Coffee-house, Eating-house Keeper	3	-	3	-	-	-	-	1	-	1	-	1	-
Institution Service	1	-	1	-	-	-	-	-	1	-	-	-	-
Others	1	-	1	-	-	-	-	-	-	-	1	-	-
2. Domestic Servant (General)	62	2	60	-	-	2	6	4	10	12	8	5	15
Coachman	23	-	23	-	-	-	-	3	3	4	3	3	7
Groom	12	-	12	-	-	-	1	4	1	1	-	3	2
Gardener	27	-	27	-	-	-	1	3	2	4	2	9	6
Inn, Hotel Servant	34	1	33	-	-	1	-	7	7	3	6	6	4
Cook (not Domestic Servant)	1	-	1	-	-	-	-	-	-	-	-	1	-
Others	2	-	2	-	-	-	-	-	1	-	-	1	-
III.—Commercial Class.													
6. 1. Merchant	12	-	12	-	-	-	-	1	2	2	1	5	1
Banker	4	-	4	-	-	-	-	-	1	-	-	2	1
Bank Service	11	1	10	-	-	1	-	2	3	1	2	-	2
Insurance, Benefit Society, Service	2	-	2	-	-	-	-	-	1	1	-	-	-
Broker, Agent, Factor	9	-	9	-	-	-	-	2	4	1	1	-	1
Salesman (not otherwise described)	1	-	1	-	-	-	-	-	-	-	-	-	1
Auctioneer, Valuer, House Agent	8	-	8	-	-	-	-	1	1	2	2	-	2
Accountant	33	-	33	-	-	-	3	8	2	5	4	6	5
Commercial Clerk	21	1	20	-	1	-	4	5	2	2	3	3	1
Commercial Traveller	14	-	14	-	-	-	1	3	4	4	2	-	-

Note.—The Counties comprised in this Table are Wiltshire, Dorsetshire, Devonshire, Cornwall, and Somersetshire.

V.—SOUTH WESTERN COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—*continued.*

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
6.—*cont.*													
2. Pawnbroker	2	–	2	–	–	–	–	1	–	1	–	–	–
Shopkeeper (branch undefined), General Dealer	23	–	23	–	–	–	1	1	1	1	6	7	6
Huckster, Costermonger	3	–	3	–	–	–	–	–	–	1	1	–	1
Hawker, Pedlar	41	–	41	–	–	–	1	6	12	3	9	8	2
7. 1. Railway Engine Driver, Stoker	7	–	7	–	–	–	1	2	2	1	1	–	–
Railway Officer, Clerk, Station-master	6	–	6	–	–	–	–	5	1	–	–	–	–
Railway Attendant, Servant	40	1	39	–	–	1	3	11	9	10	2	3	1
2. Toll Collector, Turnpike-gate Keeper	11	–	11	–	–	–	–	–	1	2	2	3	3
Coach, Omnibus, Cab Owner, Livery Stable Keeper	16	–	16	–	–	–	–	–	2	5	2	6	1
Coachman (not domestic), Cabman, Flyman	35	–	35	–	–	–	1	2	7	3	5	8	9
Carman, Carrier, Carter, Drayman	61	2	59	–	–	2	1	7	10	9	14	9	9
Others	7	–	7	–	–	–	–	–	3	–	3	–	1
3. Inland Navigation Service	4	–	4	–	–	–	–	–	–	–	–	1	3
Bargeman, Waterman	31	–	31	–	–	–	–	5	4	5	6	9	2
Others	1	–	1	–	–	–	–	–	–	–	–	–	1
4. Shipowner	2	–	2	–	–	–	–	–	–	–	1	–	1
Steam Navigation Service	3	–	3	–	–	–	–	2	–	–	1	–	–
Ship Steward, Cook	5	1	4	–	–	1	–	2	–	2	–	–	–
Seaman (Merchant Service)	215	15	200	–	1	14	22	45	32	32	24	17	28
Pilot	10	1	9	–	–	1	1	–	3	–	2	–	3
Boatman on Seas	7	–	7	–	–	–	–	1	–	1	–	5	–
Harbour, Dock Service, Labourer	11	–	11	–	–	–	–	–	1	3	4	1	2
Wharfinger	1	–	1	–	–	–	–	–	–	–	1	–	–
Others	1	–	1	–	–	–	–	–	–	–	1	–	–
5. Warehouseman	3	–	3	–	–	–	–	1	–	2	–	–	–
6. Messenger, Porter, Errand Boy	32	3	29	–	1	2	1	1	5	6	7	3	6
Telegraph Company Service	3	1	2	–	–	1	1	1	–	–	–	–	–
IV.—AGRICULTURAL CLASS.													
8. 1. Land Proprietor (so returned)	46	–	46	–	–	–	–	1	2	3	8	14	18
Farmer, Grazier	1027	1	1026	–	–	1	12	41	67	100	175	244	387
Farmer's Son, Brother, Grandson, Nephew	134	91	43	44	16	31	18	11	7	4	2	1	–
Farm Bailiff	25	1	24	–	–	1	3	–	2	4	3	9	3
Agricultural Labourer	2067	35	2032	–	4	31	68	145	159	206	299	493	662
Shepherd (out-door)	35	1	34	–	–	1	–	3	–	3	8	11	9
Farm Servant (in-door)	29	15	14	–	1	14	6	2	1	1	1	3	–
Land Surveyor, Estate Agent	12	–	12	–	–	–	–	1	–	2	2	2	5
Land Drainage Service	1	–	1	–	–	–	–	–	–	–	–	–	1
Agricltrl. Machine Proprietor, Attndnt.	3	–	3	–	–	–	–	–	1	1	–	–	1
Others engaged in *Agriculture*	1	–	1	–	–	–	–	–	–	–	1	–	–
2. Woodman	16	1	15	–	–	1	1	–	1	1	2	4	6
3. Nurseryman, Seedsman, Florist	6	–	6	–	–	–	1	1	1	1	–	2	–
Gardener	209	2	207	–	–	2	9	15	11	21	42	49	60
9. 1. Horse Proprietor, Dealer	5	–	5	–	–	–	–	1	–	–	2	1	1
Horse Breaker	3	–	3	–	–	–	–	–	1	–	–	1	1
Horsekeeper, Groom, Jockey	49	1	48	–	–	1	5	14	9	6	4	6	4
Farrier, Veterinary Surgeon	9	1	8	–	–	1	1	–	–	2	1	2	2
Cattle, Sheep, Pig, Salesman	12	–	12	–	–	–	1	1	3	2	1	1	3
Drover	10	–	10	–	–	–	–	1	–	–	7	–	2
Gamekeeper	22	1	21	–	–	1	–	1	1	2	5	5	7
Vermin Destroyer	3	–	3	–	–	–	–	–	1	–	–	1	1
Fisherman	85	1	84	–	–	1	6	11	8	9	12	14	24
Others engaged about *Animals*	3	–	3	–	–	–	–	–	–	–	1	1	1
V.—INDUSTRIAL CLASS.													
10. 1. Bookseller, Publisher	3	–	3	–	–	–	–	–	1	–	–	1	1
Printer	31	2	29	–	–	2	4	11	1	3	5	4	1
Newspaper Agent, News-room Keeper	2	–	2	–	–	–	–	–	1	–	1	–	–
Others engaged in *Publications*	1	–	1	–	–	–	–	1	–	–	–	–	–
2. Musical Instrument Maker, Dealer	2	–	2	–	–	–	–	–	–	–	1	1	–
3. Others engaged in *Prints, &c.*	1	–	1	–	–	–	–	–	–	–	–	1	–
4. Others engaged in *Carving and Figures*	1	–	1	–	–	–	–	–	–	–	–	–	1
7. Watch Maker, Clock Maker	21	1	20	–	–	1	1	1	2	3	5	3	5
Philosophical Instrument Maker; Optician	1	–	1	–	–	–	–	–	–	–	–	1	–
9. Gunsmith, Gun Manufacture	2	–	2	–	–	–	–	1	1	–	–	–	–
Others	1	–	1	–	–	–	–	–	–	–	–	1	–
10. Engine and Machine Maker	34	3	31	–	–	3	3	10	6	3	4	1	4
Agricultural Implement, Machine Mkr.	1	–	1	–	–	–	–	–	–	–	–	1	–
Millwright	14	–	14	–	–	–	1	1	1	2	3	3	3
Cutler	8	–	8	–	–	–	–	–	2	1	2	2	1
Needle Manufacture	1	–	1	–	–	–	–	1	–	–	–	–	–
Pin Manufacture	2	–	2	–	–	–	–	–	1	–	1	–	–
11. Coachmaker	25	1	24	–	–	1	1	4	–	3	8	6	2
Wheelwright	27	2	25	–	–	2	2	1	2	7	1	7	5
Others engaged about *Carriages*	3	–	3	–	–	–	2	1	–	–	–	–	–

V.—SOUTH WESTERN COUNTIES.—Deaths of Males of different Occupations registered in the Year 1871—*continued.*

Occupations.	Ages of Males. Total.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
10.—*cont.*													
12. Saddler, Harness, Whip Maker	29	2	27	-	-	2	5	3	4	3	4	4	4
13. Ship-builder, Shipwright, Boat-builder	60	2	58	-	-	2	6	10	8	7	6	8	13
Sail Maker	9	1	8	-	-	1	-	1	1	1	1	2	2
14. House Proprietor	21	-	21	-	-	-	-	-	-	3	5	4	9
Architect	1	-	1	-	-	-	-	-	-	-	-	1	-
Surveyor	1	-	1	-	-	-	-	-	-	-	-	-	1
Builder	47	1	46	-	-	1	2	5	5	3	15	9	7
Carpenter, Joiner	380	6	374	-	-	6	20	50	44	34	58	72	93
Bricklayer	28	1	27	-	-	1	1	5	3	3	5	5	5
Marble Mason	8	-	8	-	-	-	-	-	1	-	3	2	2
Mason, Pavior	299	8	291	-	-	8	17	38	28	26	51	68	63
Slater, Tiler	1	-	1	-	-	-	-	-	-	-	-	-	1
Plasterer	37	1	36	-	-	1	1	3	4	5	5	9	9
Paperhanger	1	-	1	-	-	-	-	-	-	-	-	1	-
Plumber, Painter, Glazier	103	6	97	-	1	5	9	12	10	25	15	22	4
Others	2	1	1	-	-	1	-	-	-	-	-	-	1
15. Cabinet Maker, Upholsterer	40	2	38	-	-	2	-	11	5	4	4	6	8
Carver and Gilder	3	-	3	-	-	-	-	-	-	1	1	1	-
Furniture Broker, Dealer	5	-	5	-	-	-	-	-	1	1	2	1	-
16. Manufacturing Chemist, Labourer	3	-	3	-	-	-	1	-	-	-	1	1	-
Dyer, Scourer, Calenderer	6	-	6	-	-	-	-	-	2	1	1	-	2
Others	1	-	1	-	-	-	-	-	-	-	1	-	-
11. 1. Woolstapler	6	-	6	-	-	-	-	-	-	3	2	1	-
Woollen Cloth Manufacture	82	2	80	-	-	2	1	2	4	3	18	28	24
Fuller	1	-	1	-	-	-	-	-	-	-	-	-	1
Wool, Woollen, Dyer	4	-	4	-	-	-	-	-	-	-	1	2	1
Cloth Merchant, Dealer	1	-	1	-	-	-	-	1	-	-	-	-	-
Blanket Manufacture	2	-	2	-	-	-	-	-	-	-	-	2	-
Carpet, Rug, Manufacture	1	-	1	-	-	-	-	-	-	-	-	-	1
3. Flax, Linen Manufacture	8	-	8	-	-	-	-	-	1	-	1	4	2
Lace Manufacture	12	-	12	-	-	-	-	2	2	4	1	1	2
4. Weaver (not otherwise described)	11	-	11	-	-	-	-	1	-	1	3	2	4
Draper, Linen Draper, Mercer	66	4	62	-	-	4	10	11	6	8	9	7	8
Trimming Maker, Dealer	1	-	1	-	-	-	-	-	-	1	-	-	-
Others	1	-	1	-	-	-	-	-	-	-	1	-	-
5. Hairdresser, Wig Maker	14	1	13	-	-	1	2	2	-	1	3	4	1
Hatter, Hat Manufacture	14	-	14	-	-	-	-	-	1	2	2	4	5
Furrier, Skinner	1	-	1	-	-	-	-	1	-	-	-	-	-
Tailor	147	-	147	-	-	-	4	19	17	14	25	35	33
Hosier, Haberdasher	2	-	2	-	-	-	-	2	-	-	-	-	-
Glover (leather)	13	1	12	-	-	1	3	1	1	3	3	1	-
Glove Maker (all except leather)	3	-	3	-	-	-	-	-	1	-	1	-	1
Shoemaker, Bootmaker	361	7	354	-	-	7	22	36	28	40	59	82	87
Umbrella, Parasol, Stick, Maker	1	-	1	-	-	-	-	-	-	-	-	1	-
Others providing *Dress*	1	-	1	-	-	-	-	-	-	-	-	1	-
6. Mat Maker, Seller	2	-	2	-	-	-	-	-	-	1	-	1	-
Hemp Manufacture	4	1	3	-	-	1	-	-	1	-	-	2	-
Rope, Cord, Maker	18	2	16	-	-	2	1	-	-	3	5	2	5
Canvas, Sailcloth, Manufacture, Dealer	7	-	7	-	-	-	-	-	-	-	1	3	3
12. 1. Cowkeeper, Milkseller	59	3	56	-	1	2	2	6	6	2	6	17	17
Cheesemonger	1	-	1	-	-	-	-	-	-	-	1	-	-
Butcher, Meat Salesman	112	2	110	-	-	2	4	10	16	12	12	28	28
Provision Curer, Dealer	5	-	5	-	-	-	-	-	-	2	2	1	-
Poulterer, Game Dealer	6	-	6	-	-	-	-	2	2	1	1	-	-
Fishmonger	14	-	14	-	-	-	-	-	1	2	3	5	3
2. Corn, Flour, Seed, Merchant, Dealer	13	-	13	-	-	-	-	4	2	2	-	4	1
Miller	75	3	72	-	-	3	2	6	12	11	10	20	11
Baker	86	1	85	-	-	1	4	11	10	16	15	18	11
Confectioner, Pastry Cook	11	-	11	-	-	-	-	1	1	1	3	1	4
Greengrocer, Fruit, Vegetable, Dealer	13	-	13	-	-	-	-	2	1	-	-	4	6
Others	1	-	1	-	-	-	-	-	-	-	-	-	1
3. Maltster	25	-	25	-	-	-	-	2	1	2	4	8	8
Brewer	54	1	53	-	-	1	3	7	12	9	11	8	3
Wine and Spirit Merchant	10	-	10	-	-	-	-	2	2	1	1	1	3
Cellarman	8	-	8	-	-	-	-	1	1	-	3	1	2
Ginger Beer, Soda Water, &c., Manufacture	2	-	2	-	-	-	-	-	2	-	-	-	-
Sugar Refiner	4	-	4	-	-	-	-	2	-	-	1	-	1
Grocer, Tea Dealer	87	3	84	-	-	3	10	8	4	10	17	17	15
Tobacco, Cigar, Snuff, Manufacture, Tobacconist	5	-	5	-	-	-	-	2	-	-	1	-	2
Others	3	-	3	-	-	-	-	-	1	-	1	-	1
13. 1. Soap Boiler	1	-	1	-	-	-	-	1	-	-	-	-	-
Tallow Chandler	6	-	6	-	-	-	-	1	2	-	1	1	1
Comb-maker	1	-	1	-	-	-	-	-	-	-	-	-	1
Others	2	-	2	-	-	-	-	1	-	1	-	-	-
2. Fellmonger	3	-	3	-	-	-	-	-	-	1	-	1	1
Tanner	29	-	29	-	-	-	-	3	3	6	6	8	3
Currier	11	-	11	-	-	-	1	3	2	-	1	2	2
Others	3	-	3	-	-	-	1	-	-	-	-	2	-
3. Brush, Broom, Maker	12	2	10	-	-	2	1	-	1	2	1	4	1

V.—SOUTH WESTERN COUNTIES.—Deaths of Males of different Occupations registered in the Year 1871—*continued.*

		AGES OF MALES.											
OCCUPATIONS.	Total.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
14. 1. French-polisher	3	–	3	–	–	–	1	1	–	–	1	–	–
2. Timber, Wood, Merchant, Dealer	15	–	15	–	–	–	1	–	3	1	1	3	6
Sawyer	65	1	64	–	–	1	1	9	4	9	6	13	22
Lath, Fence, Hurdle, Maker	3	–	3	–	–	–	–	1	–	–	1	–	1
Wood, Turner, Worker	3	–	3	–	–	–	–	–	1	2	–	–	–
Box, Packing Case, Maker	1	–	1	–	–	–	–	–	–	–	–	–	1
Cooper, Hoop maker and Bender	37	–	37	–	–	–	–	3	4	2	9	8	11
4. Basket Maker	25	–	25	–	–	–	–	–	4	3	2	9	7
Hay and Straw Dealer	7	–	7	–	–	–	2	1	1	1	–	1	1
Thatcher	37	1	36	–	–	1	1	1	2	5	6	4	17
5. Rag Gatherer, Dealer	8	–	8	–	–	–	–	–	1	2	3	2	–
Paper Manufacture	13	1	12	–	–	1	–	2	2	–	2	4	2
Stationer (not Law)	7	–	7	–	–	–	–	4	1	1	–	–	1
Other Workers in *Paper*	4	–	4	–	–	–	–	–	–	3	1	–	–
15. 1. Coal Miner	71	8	63	–	–	8	5	3	4	7	14	11	19
Copper Miner	152	2	150	–	–	2	11	13	18	32	44	25	7
Tin Miner	245	26	219	–	3	23	18	21	30	51	58	29	12
Lead Miner	14	–	14	–	–	–	2	3	1	5	1	1	1
Iron Miner	4	–	4	–	–	–	–	1	2	1	–	–	–
Miner (branch undefined)	70	10	60	2	4	4	5	7	4	14	11	13	6
Coal Mine Service	3	–	3	–	–	–	–	–	–	2	–	1	–
Mine Service (Metal not stated)	27	4	23	–	3	1	–	1	2	5	3	8	4
Others	2	–	2	–	–	–	–	1	1	–	–	–	–
2. Coal Merchant, Dealer	24	–	24	–	–	–	1	1	3	2	6	7	4
Coal heaver, Labourer	18	–	18	–	–	–	–	1	1	2	4	7	3
Coke Burner, Dealer	2	–	2	–	–	–	–	1	–	–	–	–	1
Chimney Sweeper	9	–	9	–	–	–	–	1	2	2	1	3	–
Gas Works Service	6	–	6	–	–	–	–	2	1	2	–	1	–
Other Workers in *Coal*	2	–	2	–	–	–	–	–	1	–	–	–	1
3. Stone Quarrier	32	–	32	–	–	–	1	3	6	5	11	2	4
Stone, Merchant, Cutter, Dresser	17	–	17	–	–	–	2	2	–	4	3	4	2
Slate Quarrier	13	–	13	–	–	–	1	4	–	1	3	1	3
Limestone Quarrier, Lime-Burner	15	1	14	–	–	1	–	1	3	1	4	3	2
Clay Labourer	28	–	28	–	–	–	2	1	4	4	5	6	6
Brick, Maker, Dealer	15	1	14	–	–	1	2	–	–	1	5	3	3
Railway Labourer, Platelayer, Navvy	48	2	46	–	–	2	3	13	8	6	9	5	2
Road Contractor, Inspector, Surveyor	6	–	6	–	–	–	–	–	–	–	2	4	–
Road Labourer	33	–	33	–	–	–	1	1	3	1	4	10	13
Scavenger, Dust Collector	2	–	2	–	–	–	–	–	1	–	–	–	1
Others	8	–	8	–	–	–	–	–	–	3	1	1	3
4. Earthenware Manufacture	6	1	5	–	–	1	1	1	1	–	1	1	–
Tobacco pipe Maker	2	–	2	–	–	–	–	–	1	1	–	–	–
Earthenware and Glass Dealer	4	–	4	–	–	–	–	–	–	–	2	1	1
5. Glass Manufacture	2	–	2	–	–	–	–	–	–	2	–	–	–
6. Other Dealers in *Salt*	1	–	1	–	–	–	–	1	–	–	–	–	–
7. Waterworks Service	4	–	4	–	–	–	–	–	–	1	–	1	2
Others	2	–	2	–	–	–	–	–	1	–	–	1	–
8. Goldsmith, Silversmith, Jeweller	11	–	11	–	–	–	1	1	2	3	–	1	3
9. Coppersmith	1	–	1	–	–	–	–	–	–	–	–	1	–
Others	1	–	1	–	–	–	–	–	–	–	–	–	1
10. Tin Manufacture	27	–	27	–	–	–	–	1	3	2	6	9	6
Tinplate Worker, Tinman	17	–	17	–	–	–	3	3	–	–	4	3	4
Tinker	3	–	3	–	–	–	–	–	–	–	1	–	2
12. Lead Manufacture	2	–	2	–	–	–	–	–	1	1	–	–	–
13. Brass Manufacture, Brazier	2	–	2	–	–	–	–	–	–	–	–	2	–
Locksmith, Bellhanger	2	–	2	–	–	–	–	–	–	–	–	2	–
Gas Fitter	6	1	5	–	–	1	–	2	–	1	2	–	–
Wire Worker, Drawer	3	–	3	–	–	–	–	1	–	–	1	–	1
14. Iron Manufacture	30	3	27	–	1	2	1	3	3	5	7	5	3
White-smith	7	1	6	–	–	1	–	–	1	1	1	1	2
Blacksmith	163	7	156	–	–	7	7	14	15	22	28	34	46
Nail Manufacture	2	–	2	–	–	–	–	–	–	1	1	–	–
Anchor-smith, Chain-smith	2	–	2	–	–	–	–	1	–	–	–	1	–
Ironmonger, Hardware Dealer	20	2	18	–	–	2	2	1	3	2	3	5	2
VI.—Indefinite and Non-productive Class.													
16. 1. General Labourer, Labourer (branch undefined)	859	28	831	–	2	26	37	89	96	91	120	192	196
2. Engine Driver, Stoker (branch undefined)	11	–	11	–	–	–	–	3	1	2	2	2	1
Factory Labourer (branch undefined)	25	3	22	–	2	1	3	4	2	4	4	4	1
Shopman, Assistant (branch undefined)	1	–	1	–	–	–	1	–	–	–	–	–	–
Vagrant, Gipsy	2	–	2	–	–	–	–	–	–	2	–	–	–
Others of *undefined* Occupation	461	236	225	–	–	236	70	45	26	16	17	25	26
17. 1. Gentleman, Independent, Annuitant	198	2	196	–	–	2	5	16	17	15	33	39	71
18. 1. Scholars and Children of no stated Occupation	1138	1138	–	732	406	–	–	–	–	–	–	–	–

VI.—WEST MIDLAND COUNTIES.—Deaths of Males of different Occupations registered in the Year 1871.

Occupations.	Ages of Males. Total.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
Total of Males aged 5 years and upwards	17457	2421	15036	1171	599	651	795	1027	1879	2341	2633	3034	2727
I.—Professional Class.													
1. 1. Civil Service	27	-	27	-	-	-	1	2	3	2	6	5	8
Government. Messengers, Workmen, &c.	24	-	24	-	-	-	2	2	3	3	4	5	5
Other *Government* Officers	5	-	5	-	-	-	-	-	1	-	2	-	2
2. Magistrate (so returned)	7	-	7	-	-	-	-	-	-	-	-	5	2
Officer of Law Court	9	-	9	-	-	-	-	1	-	3	2	1	2
Police	28	-	28	-	-	-	3	4	13	5	2	1	-
Municipal, Parish, Union, Officer	47	-	47	-	-	-	1	4	8	9	5	7	13
3. *East India* and *Colonial* Service	1	-	1	-	-	-	-	-	-	-	-	-	1
2. 1. Army Officer (effective)	13	-	13	-	-	-	-	-	1	1	1	5	5
Army Retired and Half Pay Officer	11	-	11	-	-	-	-	1	1	2	1	4	2
Soldier	34	-	34	-	-	-	6	13	10	3	-	2	-
Militia, Volunteers	12	-	12	-	-	-	-	-	1	7	1	-	3
Army Pensioner	61	-	61	-	-	-	2	3	6	10	15	9	16
2. Navy Officer (effective)	2	-	2	-	-	-	-	-	-	-	-	1	1
Navy Retired and Half Pay Officer	1	-	1	-	-	-	-	-	-	-	-	1	-
Royal Marine	3	-	3	-	-	-	-	-	-	1	-	1	1
Navy Pensioner	11	-	11	-	-	-	-	1	-	1	2	2	5
3. 1. Clergyman	57	-	57	-	-	-	1	4	4	8	9	14	17
Protestant Minister	20	-	20	-	-	-	1	1	-	2	4	3	9
Roman Catholic Priest	2	-	2	-	-	-	-	-	-	1	-	1	-
Missionary, Scripture Reader	1	-	1	-	-	-	-	-	-	-	-	1	-
Church, Chapel Officer	10	-	10	-	-	-	-	-	1	-	3	5	1
Others	1	-	1	-	-	-	1	-	-	-	-	-	-
2. Barrister	1	-	1	-	-	-	-	-	-	-	1	-	-
Solicitor, Attorney	34	-	34	-	-	-	1	6	4	4	6	11	2
Law Clerk	23	1	22	-	-	1	3	4	3	3	4	3	2
3. Physician, Surgeon	39	-	39	-	-	-	-	4	1	6	9	10	9
Medical-Assistant, Student	3	-	3	-	-	-	2	1	-	-	-	-	-
Dentist	2	-	2	-	-	-	-	1	-	-	-	1	-
Chemist, Druggist	30	1	29	-	-	1	2	4	9	3	2	6	3
4. Students and *Others*	3	-	3	-	-	-	-	-	2	-	1	-	-
5. Painter, Artist	16	-	16	-	-	-	-	1	2	4	4	5	-
Sculptor	1	-	1	-	-	-	-	-	-	-	1	-	-
Engraver	11	-	11	-	-	-	-	2	2	3	-	3	1
Photographer	4	-	4	-	-	-	-	2	2	-	-	-	-
Others engaged in *Fine Arts*	2	-	2	-	-	-	1	-	-	-	1	-	-
6. Musician, Music Master	23	-	23	-	-	-	5	5	7	2	1	3	-
Others	1	-	1	-	-	-	-	-	1	-	-	-	-
7. Actor	3	-	3	-	-	-	-	-	1	1	1	-	-
Others engaged in *Theatres, &c.*	3	-	3	-	-	-	1	-	1	1	-	-	-
8. Schoolmaster	53	1	52	-	-	1	4	7	6	14	8	9	4
Teacher, Professor, Lecturer	11	3	8	-	-	3	3	1	-	1	1	2	-
9. Civil Engineer	3	-	3	-	-	-	-	-	-	-	1	-	2
II.—Domestic Class.													
5. 1. Inn Keeper, Hotel Keeper, Publican	261	6	255	-	-	6	3	19	40	52	71	43	27
Beerseller	50	-	50	-	-	-	1	2	13	12	14	4	4
Lodging-house, Boarding-house Keeper	10	-	10	-	-	-	-	-	1	1	2	2	4
Coffee-house, Eating-house Keeper	5	-	5	-	-	-	-	-	1	1	2	1	-
Institution Service	3	-	3	-	-	-	-	-	1	-	-	-	2
Others	2	-	2	-	-	-	-	-	1	1	-	-	-
2. Domestic Servant (General)	68	5	63	-	-	5	7	8	8	11	11	11	7
Coachman	31	-	31	-	-	-	1	3	6	5	3	5	8
Groom	17	1	16	-	1	-	2	1	1	3	3	3	3
Gardener	17	-	17	-	-	-	1	3	1	1	-	5	6
Inn, Hotel Servant	27	2	25	-	-	2	2	4	8	5	3	2	1
Others	3	-	3	-	-	-	-	1	-	1	-	1	-
III.—Commercial Class.													
6. 1. Merchant	11	-	11	-	-	-	1	-	2	1	3	2	2
Banker	10	-	10	-	-	-	-	-	-	2	1	5	2
Bank Service	12	-	12	-	-	-	1	4	1	1	2	1	2
Insurance, Benefit Society, Service	5	1	4	-	-	1	-	2	-	-	1	1	-
Broker, Agent, Factor	20	1	19	-	-	1	2	2	2	4	5	3	1

Note.—The Counties comprised in this Table are Gloucestershire, Herefordshire, Shropshire, Staffordshire, Worcestershire, and Warwickshire.

VI.—WEST MIDLAND COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—*continued.*

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
6.—*cont.*													
1. Salesman (not otherwise described)	1	–	1	–	–	–	–	–	1	–	–	–	–
cont. Auctioneer, Valuer, House Agent	20	–	20	–	–	–	–	2	2	2	4	5	5
Accountant	42	3	39	–	–	3	–	6	6	8	10	6	3
Commercial Clerk	100	8	92	–	1	7	12	20	15	22	4	12	7
Commercial Traveller	23	–	23	–	–	–	1	6	4	4	4	3	1
Other *Mercantile* Men	1	–	1	–	–	–	–	–	–	–	–	1	–
2. Pawnbroker	14	1	13	–	–	1	–	2	1	4	3	3	–
Shopkeeper (branch undefined), General Dealer	43	1	42	–	–	1	3	3	5	7	7	7	10
Huckster, Costermonger	5	–	5	–	–	–	–	1	–	–	–	1	3
Hawker, Pedlar	71	–	71	–	–	–	3	7	12	7	15	17	10
7. 1. Railway Engine Driver, Stoker	35	1	34	–	–	1	5	8	4	5	7	2	3
Railway Officer, Clerk, Station-master	34	2	32	–	–	2	10	2	11	4	5	–	–
Railway Attendant, Servant	65	4	61	–	–	4	8	22	10	8	9	1	3
2. Toll Collector, Turnpike-gate Keeper	8	–	8	–	–	–	–	–	–	2	–	5	1
Coach, Omnibus, Cab Owner, Livery Stable Keeper	16	–	16	–	–	–	–	3	3	4	4	–	2
Coachman (not domestic), Cabman, Flyman	65	1	64	–	–	1	3	12	18	17	8	5	1
Carman, Carrier, Carter, Drayman	139	5	134	–	–	5	5	18	22	32	24	22	11
Others	8	–	8	–	–	–	–	–	2	3	–	2	1
3. Inland Navigation Service	25	2	23	–	–	2	–	1	2	5	5	3	7
Bargeman, Waterman	74	2	72	–	1	1	4	8	8	12	15	17	8
4. Steam Navigation Service	5	–	5	–	–	–	1	1	2	–	1	–	–
Ship Steward, Cook	3	–	3	–	–	–	1	1	–	1	–	–	–
Seaman (Merchant Service)	47	3	44	–	–	3	5	12	10	5	4	5	3
Pilot	4	–	4	–	–	–	–	–	2	1	–	1	–
Boatman on Seas	15	2	13	–	–	2	1	1	1	2	2	3	3
Harbour, Dock Service, Labourer	56	3	53	–	1	2	3	9	13	7	6	10	5
Wharfinger	5	–	5	–	–	–	–	–	–	1	–	3	1
Others	1	–	1	–	–	–	–	–	–	–	1	–	–
5. Warehouseman	25	–	25	–	–	–	1	3	3	5	5	6	2
6. Messenger, Porter, Errand Boy	58	1	57	–	1	–	2	8	11	11	7	12	6
Telegraph Company Service	9	4	5	–	–	4	1	2	1	–	–	1	–
IV.—AGRICULTURAL CLASS.													
8. 1. Land Proprietor (so returned)	39	–	39	–	–	–	–	2	1	4	6	14	12
Farmer, Grazier	801	2	799	–	–	2	8	30	50	80	142	220	269
Farmer's Son, Brother, Grandson, Nephew	32	14	18	–	1	13	7	8	3	–	–	–	–
Farm Bailiff	34	1	33	–	–	1	1	2	2	6	7	10	5
Agricultural Labourer	1701	48	1653	–	7	41	45	105	110	178	273	428	514
Shepherd (out-door)	6	–	6	–	–	–	–	–	–	–	2	2	2
Farm Servant (in-door)	1	1	–	–	–	1	–	–	–	–	–	–	–
Land Surveyor, Estate Agent	11	1	10	–	–	1	1	–	–	2	2	3	2
Land Drainage Service	5	–	5	–	–	–	–	–	1	3	–	1	–
Agricul. Machine Proprietor, Attendt.	2	–	2	–	–	–	–	1	–	1	–	–	–
Others engaged in *Agriculture*	1	–	1	–	–	–	1	–	–	–	–	–	–
2. Woodman	19	–	19	–	–	–	–	2	2	2	6	4	3
3. Nurseryman, Seedsman, Florist	7	–	7	–	–	–	–	–	1	1	1	2	2
Gardener	234	–	234	–	–	–	4	12	14	25	55	60	64
Others engaged in *Horticulture*	1	–	1	–	–	–	–	–	–	–	1	–	–
9. 1. Horse Proprietor, Dealer	6	–	6	–	–	–	–	1	1	2	1	1	–
Horse Breaker	13	–	13	–	–	–	1	2	3	2	1	3	1
Horsekeeper, Groom, Jockey	93	2	91	–	–	2	9	20	13	20	15	11	3
Farrier, Veterinary Surgeon	22	–	22	–	–	–	1	–	3	4	3	3	8
Cattle, Sheep, Pig, Salesman	29	1	28	–	–	1	1	3	1	6	7	3	7
Drover	10	–	10	–	–	–	–	2	–	1	2	2	3
Gamekeeper	23	2	21	–	–	2	–	1	4	2	1	6	7
Vermin Destroyer	4	–	4	–	–	–	–	–	1	1	–	1	1
Fisherman	5	–	5	–	–	–	–	–	1	1	–	2	1
Others engaged about *Animals*	4	–	4	–	–	–	1	–	–	–	2	1	–
V.—INDUSTRIAL CLASS.													
10. 1. Bookseller, Publisher	7	–	7	–	–	–	–	–	4	1	–	–	2
Bookbinder	4	–	4	–	–	–	–	2	1	1	–	–	–
Printer	45	6	39	–	1	5	10	8	1	3	10	6	1
Newspaper Agent, News-room Keeper	9	–	9	–	–	–	–	1	1	–	2	4	1
Others engaged in *Publications*	1	–	1	–	–	–	–	–	–	–	–	–	1
2. Musical Instrument Maker, Dealer	1	–	1	–	–	–	–	–	–	–	1	–	–
Others	2	–	2	–	–	–	1	1	–	–	–	–	–

VI.—WEST MIDLAND COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—*continued.*

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
10.—*cont.*													
3. Lithographer, Lithographic Printer	3	-	3	-	-	-	-	1	2	-	-	-	-
Others	1	-	1	-	-	-	-	-	-	1	-	-	-
4. Wood-carver	1	-	1	-	-	-	-	-	-	-	1	-	-
Others	1	-	1	-	-	-	-	-	1	-	-	-	-
5. Toy Maker, Dealer	16	-	16	-	-	-	1	1	2	2	3	4	3
Others	6	-	6	-	-	-	1	1	-	1	-	2	1
6. Others engaged in *Designs, &c.*	6	-	6	-	-	-	-	2	1	-	-	1	2
7. Watch Maker, Clock Maker	77	2	75	-	-	2	15	15	5	10	11	11	8
Philosophical Instrument Maker; Optician	19	2	17	-	-	2	-	3	2	4	2	4	2
Weighing Mach., Scale, Measure, Mkr.	7	-	7	-	-	-	-	1	1	-	4	1	-
9. Gunsmith, Gun Manufacture	114	2	112	-	-	2	11	23	18	19	16	15	10
Others	4	-	4	-	-	-	-	2	-	1	1	-	-
10. Engine and Machine Maker	173	9	164	-	-	9	10	33	22	35	28	22	14
Spinning, Weaving, Machine Maker	2	-	2	-	-	-	-	-	-	1	-	1	-
Agricultural Implement, Machine Mkr.	17	1	16	-	-	1	2	5	2	2	1	3	1
Millwright	13	1	12	-	-	1	-	2	-	2	2	4	2
Tool Maker, Dealer	64	2	62	-	1	1	2	15	6	10	19	1	9
File Maker, Dealer	12	-	12	-	-	-	-	3	5	1	1	2	-
Saw Maker, Dealer	3	-	3	-	-	-	-	1	1	-	-	1	-
Cutler	17	-	17	-	-	-	1	2	2	4	6	2	-
Needle Manufacture	29	3	26	-	-	3	4	2	5	3	7	3	2
Pin Manufacture	1	1	-	-	-	1	-	-	-	-	-	-	-
Others engaged in *Tool Making, &c.*	3	-	3	-	-	-	-	-	-	1	1	1	-
11. Coachmaker	58	1	57	-	-	1	3	5	9	16	14	7	3
Wheelwright	70	-	70	-	-	-	5	4	6	17	5	18	15
Others engaged about *Carriages*	10	-	10	-	-	-	-	2	3	4	-	-	1
12. Saddler, Harness, Whip Maker	93	5	88	-	-	5	5	12	8	18	18	15	12
13. Ship-builder, Shipwright, Boat-builder	26	-	26	-	-	-	1	2	7	5	3	4	4
Sail Maker	2	-	2	-	-	-	1	1	-	-	-	-	-
14. House Proprietor	53	-	53	-	-	-	-	-	2	2	11	23	15
Architect	10	-	10	-	-	-	-	2	4	2	1	1	-
Surveyor	6	-	6	-	-	-	-	-	1	-	2	1	2
Builder	57	-	57	-	-	-	1	2	5	11	11	15	12
Carpenter, Joiner	332	11	321	-	2	9	11	40	46	36	58	63	67
Bricklayer	229	6	223	-	-	6	10	17	30	32	34	58	42
Marble Mason	4	2	2	-	-	2	-	-	-	1	1	-	-
Mason, Pavior	158	1	157	-	-	1	4	12	29	28	34	32	18
Slater, Tiler	16	2	14	-	-	2	-	4	3	2	3	2	-
Plasterer	51	2	49	-	1	1	2	8	5	12	7	8	7
Paperhanger	1	-	1	-	-	-	-	-	1	-	-	-	-
Plumber, Painter, Glazier	189	6	183	-	-	6	6	21	41	26	31	32	13
15. Cabinet Maker, Upholsterer	76	3	73	-	-	3	6	8	12	14	11	13	9
Undertaker	3	-	3	-	-	-	-	-	1	-	-	2	-
Carver and Gilder	12	-	12	-	-	-	1	1	2	3	1	2	2
Furniture Broker, Dealer	9	-	9	-	-	-	-	-	1	2	2	3	1
16. Manufacturing Chemist, Labourer	11	-	11	-	-	-	-	2	-	1	3	5	-
Dye, Colour Manufacture	1	1	-	-	-	1	-	-	-	-	-	-	-
Dyer, Scourer, Calenderer	11	-	11	-	-	-	1	1	3	-	2	3	1
Others	3	-	3	-	-	-	-	-	-	1	1	1	-
11. 1. Wool-stapler	6	-	6	-	-	-	-	-	-	1	1	1	3
Felt Manufacture	2	-	2	-	-	-	-	-	-	-	1	-	1
Woollen Cloth Manufacture	59	5	54	-	-	5	1	2	-	4	10	16	21
Wool, Woollen, Dyer	4	-	4	-	-	-	-	-	-	-	2	-	2
Worsted Manufacture	1	-	1	-	-	-	-	-	-	-	-	-	1
Cloth Merchant, Dealer	1	-	1	-	-	-	-	1	-	-	-	-	-
Stuff Manufacture	4	-	4	-	-	-	-	-	-	-	-	2	2
Carpet, Rug, Manufacture	47	-	47	-	-	-	2	2	2	12	7	10	12
2. Silk, Satin, Manufacture	26	5	21	-	-	5	2	2	2	1	7	3	4
Silk Dyer, Printer	9	1	8	-	-	1	1	-	2	1	1	3	-
Ribbon Manufacture	65	3	62	-	-	3	1	6	10	6	12	15	12
3. Flax, Linen Manufacture	5	-	5	-	-	-	-	1	-	-	1	1	2
Lace Manufacture	2	-	2	-	-	-	-	1	-	-	-	-	1
Tape Manufacture, Dealer	8	-	8	-	-	-	-	-	-	2	2	2	2
Cotton Manufacture	8	1	7	-	-	1	1	2	-	1	1	2	-
Cotton, Calico Warehouseman, Dealer	1	-	1	-	-	-	-	-	1	-	-	-	-
Calico, Cotton, Printer	3	1	2	-	-	1	-	-	-	-	1	1	-
4. Weaver (not otherwise described)	46	-	46	-	-	-	2	1	1	5	9	13	15
Bleacher (not otherwise described)	1	-	1	-	-	-	-	-	-	-	1	-	-
Draper, Linen Draper, Mercer	73	5	68	-	-	5	5	13	6	18	12	7	7
Fancy Goods Manufacturer, Dealer	1	-	1	-	-	-	-	1	-	-	-	-	-
Trimming Maker, Dealer	2	1	1	-	-	1	-	-	-	-	-	1	-
Others	1	-	1	-	-	-	-	-	-	-	-	-	1

VI.—WEST MIDLAND COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—*continued.*

OCCUPATIONS.	AGES OF MALES.											
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
11.—*cont.*													
5. Hairdresser, Wig Maker	31	-	31	-	-	-	1	5	8	3	4	5	5
Hatter, Hat Manufacture	30	1	29	-	-	1	1	2	3	2	4	4	13
Furrier, Skinner	2	1	1	-	-	1	-	-	-	1	-	-	-
Tailor	242	2	240	-	-	2	11	18	28	42	55	48	38
Milliner	2	-	2	-	-	-	-	-	-	1	1	-	-
Stay Maker, Ladies' Outfitter	2	-	2	-	-	-	-	-	1	-	-	-	1
Hosiery Manufacture	5	1	4	-	1	-	-	-	-	-	-	1	3
Hosier, Haberdasher	12	1	11	-	-	1	1	1	1	-	1	3	4
Glover (leather)	16	-	16	-	-	-	-	1	2	3	2	4	4
Glove Maker (all except leather)	1	-	1	-	-	-	-	-	-	-	1	-	-
Shoemaker, Bootmaker	495	6	489	-	-	6	23	56	45	67	83	105	109
Patten, Clog Maker	6	-	6	-	-	-	-	1	-	2	3	-	-
Button Maker	57	-	57	-	-	-	1	3	11	18	16	3	5
Umbrella, Parasol, Stick, Maker	11	-	11	-	-	-	1	2	-	-	1	4	3
Laundry Keeper	1	-	1	-	-	-	-	-	1	-	-	-	-
Others providing *Dress*	5	1	4	-	-	1	-	3	1	-	-	-	-
6. Mat Maker, Seller	1	-	1	-	-	-	-	-	-	-	-	1	-
Hemp Manufacture	1	-	1	-	-	-	-	-	-	1	-	-	-
Jute Manufacture	1	-	1	-	-	-	-	-	-	-	-	-	1
Rope, Cord, Maker	18	-	18	-	-	-	-	1	3	1	2	5	6
Sacking, Sack, Bag, Maker, Dealer	1	-	1	-	-	-	-	-	-	1	-	-	-
12. 1. Cowkeeper, Milkseller	45	-	45	-	-	-	3	1	4	9	11	7	10
Cheesemonger	3	-	3	-	-	-	-	-	1	-	1	1	-
Butcher, Meat Salesman	179	5	174	-	-	5	7	17	23	37	26	39	25
Provision Curer, Dealer	15	-	15	-	-	-	-	1	6	4	4	-	-
Poulterer, Game Dealer	10	-	10	-	-	-	1	1	-	2	-	2	4
Fishmonger	29	-	29	-	-	-	-	3	7	8	6	3	2
2. Corn, Flour, Seed, Merchant, Dealer	15	1	14	-	-	1	1	1	5	-	4	1	2
Miller	74	2	72	-	-	2	2	7	7	10	11	20	15
Baker	97	2	95	-	-	2	7	9	13	21	11	17	17
Confectioner, Pastry Cook	27	1	26	-	-	1	1	4	-	3	6	8	4
Greengrocer, Fruit, Vegetable, Dealer	38	2	36	-	-	2	1	1	12	5	10	7	-
3. Maltster	51	2	49	-	-	2	1	4	2	11	7	11	13
Brewer	117	2	115	-	-	2	5	16	24	20	24	18	8
Wine and Spirit Merchant	25	-	25	-	-	-	-	3	6	3	4	3	6
Cellarman	4	-	4	-	-	-	-	1	1	2	-	-	-
Ginger Beer, Soda Water, &c., Manuf.	2	-	2	-	-	-	-	-	1	-	1	-	-
Sugar Refiner	11	-	11	-	-	-	-	-	2	2	4	2	1
Grocer, Tea Dealer	162	4	158	-	-	4	13	39	16	25	18	30	17
Tobacco, Cigar, Snuff, Manufacture, Tobacconist	9	-	9	-	-	-	1	1	-	2	2	2	1
Others	5	-	5	-	-	-	-	-	2	1	-	2	-
13. 1. Soap Boiler	2	-	2	-	-	-	-	1	-	-	-	1	-
Tallow Chandler	6	-	6	-	-	-	-	1	-	1	2	-	2
Comb-maker	9	-	9	-	-	-	-	-	1	1	1	3	3
Others	10	1	9	-	-	1	-	2	3	1	1	2	-
2. Fellmonger	3	-	3	-	-	-	-	1	-	1	-	-	1
Tanner	18	1	17	-	-	1	-	1	3	3	5	3	2
Currier	37	-	37	-	-	-	2	1	9	5	7	10	3
Leather Case, Portmanteau, Bag Mkr.	3	-	3	-	-	-	-	-	1	-	-	1	1
3. Hair, Bristle, Manufacture	2	-	2	-	-	-	-	-	-	1	-	1	-
Brush, Broom, Maker	20	-	20	-	-	-	2	3	1	3	2	4	5
14. 1. Oil-miller, Refiner	1	-	1	-	-	-	-	1	-	-	-	-	-
Oil and Colourman	2	-	2	-	-	-	-	1	-	1	-	-	-
French-polisher	14	-	14	-	-	-	-	2	5	2	2	3	-
Japanner	22	-	22	-	-	-	1	2	4	1	7	6	1
Floor Cloth Manufacture	2	-	2	-	-	-	-	-	-	1	1	-	-
Others	2	-	2	-	-	-	-	1	1	-	-	-	-
2. Timber, Wood, Merchant, Dealer	20	-	20	-	-	-	-	2	3	6	5	1	3
Sawyer	82	2	80	-	1	1	1	6	7	14	16	13	23
Lath, Fence, Hurdle, Maker	6	-	6	-	-	-	-	-	2	-	3	1	-
Wood, Turner, Worker	18	-	18	-	-	-	-	4	4	4	1	2	3
Box, Packing Case, Maker	15	1	14	-	-	1	2	1	1	1	1	5	3
Cooper, Hoop-maker and Bender	49	2	47	-	-	2	2	4	5	8	5	11	12
Others	2	-	2	-	-	-	-	-	-	1	-	1	-
3. Cork Cutter, Manufacturer	2	-	2	-	-	-	-	1	-	-	1	-	-
4. Basket Maker	22	-	22	-	-	-	-	2	2	1	3	4	10
Hay and Straw Dealer	13	-	13	-	-	-	-	-	1	4	2	5	1
Thatcher	7	-	7	-	-	-	-	-	-	-	2	1	4
Others	2	-	2	-	-	-	-	-	1	1	-	-	-
5. Rag Gatherer, Dealer	10	-	10	-	-	-	-	2	1	-	5	-	2
Paper Manufacture	4	-	4	-	-	-	1	-	2	-	-	-	1
Stationer (not Law)	9	-	9	-	-	-	-	2	3	2	1	1	-
Other Workers in *Paper*	4	-	4	-	-	-	-	1	-	2	1	-	-

VI.—WEST MIDLAND COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—*continued.*

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
15. 1. Coal Miner	774	50	724	-	6	44	75	108	118	117	122	109	75
Iron Miner	27	2	25	-	1	1	2	3	4	6	7	2	1
Miner (branch undefined)	26	4	22	-	-	4	2	6	8	3	3	-	-
Coal Mine Service	41	1	40	-	-	1	1	3	7	2	15	8	4
Mine Service (Metal not stated)	12	-	12	-	-	-	-	-	1	4	1	3	3
2. Coal Merchant, Dealer	39	1	38	-	-	1	1	2	3	6	8	10	8
Coal-heaver, Labourer	60	2	58	-	-	2	1	6	5	11	15	13	7
Coke Burner, Dealer	5	-	5	-	-	-	-	1	-	1	2	1	-
Chimney Sweeper	9	1	8	-	-	1	-	-	1	1	5	1	-
Gas Works Service	30	1	29	-	-	1	4	8	9	4	2	4	3
Other Workers in *Coal*	6	-	6	-	-	-	-	4	-	-	1	1	-
3. Stone Quarrier	38	-	38	-	-	-	3	2	8	8	4	6	7
Stone, Merchant, Cutter, Dresser	11	-	11	-	-	-	2	1	1	4	2	1	-
Limestone Quarrier, Lime-Burner	20	2	18	-	-	2	-	-	2	-	7	7	2
Clay Labourer	1	-	1	-	-	-	-	-	-	-	1	-	-
Brick Maker, Dealer	93	5	88	-	-	5	6	9	11	15	14	11	22
Railway Labourer, Platelayer, Navvy	90	2	88	-	-	2	8	18	22	14	13	7	6
Road Contractor, Inspector, Surveyor	1	-	1	-	-	-	-	-	-	1	-	-	-
Road Labourer	68	-	68	-	-	-	3	3	7	3	14	20	18
Scavenger, Dust Collector	3	-	3	-	-	-	-	-	-	-	1	-	2
Others	8	-	8	-	-	-	2	1	1	1	1	1	1
4. Earthenware Manufacture	395	17	378	1	2	14	40	32	84	94	66	38	24
Tobacco-pipe Maker	2	-	2	-	-	-	-	-	-	-	-	2	-
Earthenware and Glass Dealer	14	-	14	-	-	-	-	-	4	2	2	3	3
Others	1	-	1	-	-	-	-	-	-	-	1	-	-
5. Glass Manufacture	77	3	74	-	-	3	1	10	15	13	16	12	7
6. Salt Manufacture	6	-	6	-	-	-	-	1	1	-	-	4	-
7. Waterworks Service	5	-	5	-	-	-	1	-	-	1	1	1	1
Others	4	-	4	-	-	-	-	-	-	1	-	2	1
8. Goldsmith, Silversmith, Jeweller	78	3	75	-	-	3	11	15	7	10	14	15	3
Plater, Plated Ware Manufacture	12	-	12	-	-	-	-	3	2	3	2	1	1
Others	19	-	19	-	-	-	2	2	2	2	5	5	1
9. Copper Manufacture	4	1	3	-	-	1	-	2	-	-	-	1	-
Coppersmith	5	-	5	-	-	-	-	-	-	-	2	2	1
10. Tin Manufacture	3	1	2	-	-	1	-	1	-	-	-	1	-
Tinplate Worker, Tinman	36	-	36	-	-	-	2	5	7	4	3	9	6
Tinker	2	-	2	-	-	-	-	-	-	-	2	-	-
11. Zinc Manufacture	2	-	2	-	-	-	-	-	-	1	-	1	-
12. Lead Manufacture	9	1	8	-	-	1	-	2	1	2	-	3	-
13. Brass Manufacture, Brazier	115	6	109	-	1	5	13	16	21	18	15	15	11
Locksmith, Bellhanger	86	6	80	-	-	6	8	6	4	10	13	20	19
Gas Fitter	18	2	16	-	-	2	2	3	3	4	1	3	-
Wire Worker, Drawer	20	-	20	-	-	-	2	1	4	6	3	2	2
Others	38	-	38	-	-	-	3	5	7	9	4	7	3
14. Iron Manufacture	539	21	518	-	4	17	60	77	71	100	72	66	72
Whitesmith	18	-	18	-	-	-	1	2	2	3	2	6	2
Blacksmith	272	9	263	-	-	9	21	23	33	43	43	52	48
Nail Manufacture	154	4	150	-	2	2	4	5	12	22	28	46	33
Anchorsmith, Chainsmith	33	1	32	-	-	1	3	4	3	7	5	7	3
Ironmonger, Hardware Dealer	36	2	34	-	-	2	4	5	2	5	6	7	5
Steel Manufacture, Worker	1	-	1	-	-	-	-	-	-	-	-	1	-
Others	14	-	14	-	-	-	3	2	5	1	-	2	1
VI.—INDEFINITE AND NON-PRODUCTIVE CLASS.													
16. 1. General Labourer, Labourer (branch undefined)	1558	43	1515	-	6	37	45	141	169	248	294	326	292
2. Artizan, Mechanic (branch undefined)	5	-	5	-	-	-	-	1	1	-	1	1	1
Engine Driver, Stoker (branch undef.)	13	1	12	-	-	1	-	-	-	4	4	2	2
Factory Labourer (branch undefined)	12	-	12	-	-	-	2	3	2	1	1	2	1
Shopman, Assistant (branch undefined)	1	1	-	-	-	1	-	-	-	-	-	-	-
Apprentice (branch undefined)	1	1	-	-	-	1	-	-	-	-	-	-	-
Vagrant, Gipsy	3	1	2	-	-	1	-	-	1	-	-	-	1
Others of *undefined* Occupation	470	229	241	-	-	229	22	64	13	23	37	64	18
17. 1. Gentleman, Independent, Annuitant	162	1	161	-	-	1	2	7	15	14	22	46	55
18. 1. Scholars and Children of no stated Occupation	1727	1727	-	1170	557	-	-	-	-	-	-	-	-

VII.—NORTH MIDLAND COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871.

OCCUPATIONS.	AGES OF MALES.											
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
Total of Males AGED 5 YEARS AND UPWARDS	8999	1253	7746	492	307	454	448	828	857	929	1236	1656	1792
I.—PROFESSIONAL CLASS.													
1. 1. Civil Service	12	–	12	–	–	–	–	3	–	1	2	3	3
Government. Messengers, Workmen, &c.	11	1	10	–	–	1	1	3	–	1	1	3	1
Other *Government* Officers	1	–	1	–	–	–	–	–	–	–	–	1	–
2. Magistrate (so returned)	2	–	2	–	–	–	–	–	–	–	1	–	1
Officer of Law Court	7	–	7	–	–	–	1	–	–	2	–	2	2
Police	15	1	14	–	–	1	1	6	3	1	1	–	2
Municipal, Parish, Union, Officer	16	1	15	–	–	1	–	–	2	5	–	4	4
2. 1. Army Officer (effective)	3	–	3	–	–	–	–	–	–	–	1	1	1
Army Retired and Half Pay Officer	1	–	1	–	–	–	–	–	–	–	–	–	1
Soldier	17	–	17	–	–	–	–	7	5	2	–	2	1
Militia, Volunteers	2	–	2	–	–	–	–	–	–	1	1	–	–
Army Pensioner	42	–	42	–	–	–	1	6	6	4	2	7	16
2. Navy Officer (effective)	1	–	1	–	–	–	–	–	–	–	–	–	1
Navy Retired and Half Pay Officer	1	–	1	–	–	–	–	–	–	–	–	–	1
Seaman, R.N.	1	–	1	–	–	–	–	–	1	–	–	–	–
Coastguard, Royal Naval Reserve	1	–	1	–	–	–	–	–	–	1	–	–	–
Navy Pensioner	5	–	5	–	–	–	–	–	1	–	1	2	1
3. 1. Clergyman	25	–	25	–	–	–	–	–	2	4	6	6	7
Protestant Minister	14	–	14	–	–	–	1	2	2	2	1	4	2
Roman Catholic Priest	3	–	3	–	–	–	–	–	–	–	3	–	–
Missionary, Scripture Reader	2	–	2	–	–	–	1	–	1	–	–	–	–
Church, Chapel Officer	11	–	11	–	–	–	–	1	–	–	1	3	6
Others	1	–	1	–	–	–	1	–	–	–	–	–	–
2. Barrister	1	–	1	–	–	–	–	1	–	–	–	–	–
Solicitor, Attorney	19	–	19	–	–	–	–	2	3	3	–	7	4
Law Student	1	1	–	–	–	1	–	–	–	–	–	–	–
Law Clerk	12	1	11	–	–	1	3	2	2	2	–	1	1
3. Physician, Surgeon	24	–	24	–	–	–	1	2	2	7	7	1	4
Dentist	2	–	2	–	–	–	–	–	–	–	–	2	–
Chemist, Druggist	19	1	18	–	–	1	1	2	6	4	3	2	–
Others	1	–	1	–	–	–	–	–	–	1	–	–	–
4. Author, Editor, Journalist	2	–	2	–	–	–	1	–	–	–	1	–	–
Students and *Others*	2	–	2	–	–	–	–	–	2	–	–	–	–
5. Painter, Artist	4	–	4	–	–	–	1	–	1	1	–	1	–
Sculptor	1	–	1	–	–	–	–	–	–	–	–	1	–
Engraver	1	–	1	–	–	–	–	–	–	–	1	–	–
Photographer	2	–	2	–	–	–	1	–	–	1	–	–	–
6. Musician, Music Master	12	–	12	–	–	–	–	2	4	2	2	1	1
7. Exhibitions, Shows—Service	1	–	1	–	–	–	–	–	–	–	1	–	–
Others engaged in *Theatres, &c.*	2	–	2	–	–	–	–	1	–	–	1	–	–
8. Schoolmaster	17	–	17	–	–	–	–	2	2	1	2	4	6
Teacher, Professor, Lecturer	2	–	2	–	–	–	–	–	–	1	1	–	–
9. Civil Engineer	1	–	1	–	–	–	–	1	–	–	–	–	–
II.—DOMESTIC CLASS.													
5. 1. Inn Keeper, Hotel Keeper, Publican	138	–	138	–	–	–	–	13	22	18	37	27	21
Beerseller	27	–	27	–	–	–	–	2	4	5	2	9	5
Lodging-house, Boarding-house Keeper	4	–	4	–	–	–	–	–	–	1	1	1	1
Coffee-house, Eating-house Keeper	1	–	1	–	–	–	–	–	–	–	–	–	1
Institution Service	2	–	2	–	–	–	–	2	–	–	–	–	–
2. Domestic Servant (General)	27	3	24	–	1	2	3	6	2	2	4	2	5
Coachman	7	–	7	–	–	–	–	–	3	1	1	2	–
Groom	10	1	9	–	–	1	2	2	–	–	1	3	1
Gardener	6	–	6	–	–	–	–	–	1	1	1	1	2
Inn, Hotel Servant	16	1	15	–	–	1	1	1	3	4	4	2	–
III.—COMMERCIAL CLASS.													
6. 1. Merchant	7	–	7	–	–	–	–	–	–	2	1	3	1
Banker	2	–	2	–	–	–	–	1	–	–	–	–	1
Bank Service	4	1	3	–	–	1	–	1	–	1	–	–	1
Insurance, Benefit Society, Service	3	–	3	–	–	–	–	–	1	1	1	–	–
Broker, Agent, Factor	4	–	4	–	–	–	–	–	–	1	–	3	–
Auctioneer, Valuer, House Agent	10	–	10	–	–	–	1	–	1	1	4	2	1
Accountant	7	–	7	–	–	–	–	1	–	2	2	–	2
Commercial Clerk	34	3	31	–	–	3	1	7	7	1	7	6	2
Commercial Traveller	15	–	15	–	–	–	2	2	7	1	1	1	1
2. Pawnbroker	3	–	3	–	–	–	–	1	–	–	–	–	2
Shopkeeper (branch undefined), General Dealer	18	–	18	–	–	–	–	–	–	5	9	1	3
Huckster, Costermonger	2	–	2	–	–	–	–	–	–	–	1	1	–
Hawker, Pedlar	77	–	77	–	–	–	1	8	7	4	12	30	15

NOTE.—The Counties comprised in this Table are Leicestershire, Rutlandshire, Lincolnshire, Nottinghamshire, and Derbyshire.

VII.—NORTH MIDLAND COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—*continued.*

	OCCUPATIONS.	AGES OF MALES.											
		TOTAL.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
7.	1. Railway Engine Driver, Stoker	13	-	13	-	-	-	2	5	4	2	-	-	-
	Railway Officer, Clerk, Station-master	15	2	13	-	-	2	3	1	3	3	3	-	-
	Railway Attendant, Servant	49	4	45	-	-	4	11	13	4	6	5	4	2
	2. Toll Collector, Turnpike gate Keeper	6	-	6	-	-	-	-	-	3	-	1	1	1
	Coach, Omnibus, Cab Owner, Livery Stable Keeper	9	-	9	-	-	-	1	1	1	2	2	2	-
	Coachman (not domestic), Cabman, Flyman	17	-	17	-	-	-	-	1	2	2	6	3	3
	Carman, Carrier, Carter, Drayman	34	1	33	-	-	1	3	1	5	1	7	10	6
	3. Inland Navigation Service	2	-	2	-	-	-	-	-	1	-	1	-	-
	Bargeman, Waterman	36	-	36	-	-	-	-	1	6	4	2	11	12
	Others	2	-	2	-	-	-	-	-	-	-	-	1	1
	4. Steam Navigation Service	3	-	3	-	-	-	-	2	1	-	-	-	-
	Ship Steward, Cook	2	-	2	-	-	-	1	1	-	-	-	-	-
	Seaman (Merchant Service)	35	3	32	-	-	3	4	6	2	8	4	3	5
	Pilot	2	-	2	-	-	-	-	-	-	-	-	2	-
	Boatman on Seas	1	-	1	-	-	-	-	-	-	-	-	-	1
	Harbour, Dock Service, Labourer	13	-	13	-	-	-	-	-	4	5	-	3	1
	5. Warehouseman	11	-	11	-	-	-	2	2	2	-	1	1	3
	6. Messenger, Porter, Errand Boy	13	2	11	-	2	-	1	1	5	1	1	1	1
	IV.—AGRICULTURAL CLASS.													
8.	1. Land Proprietor (so returned)	34	-	34	-	-	-	-	-	1	2	6	10	15
	Farmer, Grazier	740	-	740	-	-	-	2	25	39	76	123	190	285
	Farmer's Son, Brother, Grandson, Nephew	82	60	22	22	18	20	14	5	2	1	-	-	-
	Farm Bailiff	19	-	19	-	-	-	-	-	1	2	4	2	10
	Agricultural Labourer	1163	16	1147	-	1	15	32	93	90	104	164	292	372
	Shepherd (out-door)	29	-	29	-	-	-	-	-	4	7	4	6	8
	Farm Servant (in-door)	24	10	14	-	1	9	8	2	-	-	3	-	1
	Land Surveyor, Estate Agent	5	-	5	-	-	-	-	-	-	-	1	1	3
	Land Drainage Service	2	1	1	-	-	1	-	-	-	-	-	1	-
	Agricultural Machine Proprietor, Attendant	6	1	5	-	-	1	-	-	-	1	1	1	2
	Others engaged in *Agriculture*	2	-	2	-	-	-	1	-	-	-	-	-	1
	2. Woodman	13	-	13	-	-	-	-	1	-	-	2	5	5
	3. Nurseryman, Seedsman, Florist	2	-	2	-	-	-	-	1	-	-	1	-	-
	Gardener	89	1	88	-	-	1	-	6	8	8	16	18	32
9.	1. Horse Proprietor, Dealer	2	-	2	-	-	-	..	-	-	-	-	2	-
	Horse Breaker	7	-	7	-	-	-	-	-	1	2	-	1	3
	Horsekeeper, Groom, Jockey	52	1	51	-	-	1	7	11	8	3	6	9	7
	Farrier, Veterinary Surgeon	5	-	5	-	-	-	-	-	-	1	-	1	3
	Cattle, Sheep, Pig, Salesman	22	-	22	-	-	-	-	2	3	3	5	6	3
	Drover	10	-	10	-	-	-	-	2	-	3	-	4	1
	Gamekeeper	14	-	14	-	-	-	1	1	3	4	4	1	-
	Vermin Destroyer	2	-	2	-	-	-	-	-	-	-	1	1	-
	Fisherman	37	7	30	-	1	6	5	5	7	4	1	5	3
	Others engaged about *Animals*	1	-	1	-	-	-	-	-	-	-	-	1	-
	V.—INDUSTRIAL CLASS.													
10.	1. Bookseller, Publisher	1	-	1	-	-	-	-	-	-	-	-	-	1
	Bookbinder	2	1	1	-	-	1	-	1	-	-	-	-	-
	Printer	20	2	18	-	-	2	2	5	3	3	2	2	1
	Newspaper Agent, News-room Keeper	2	-	2	-	-	-	-	1	-	-	1	-	-
	Others engaged in *Publications*	1	-	1	-	-	-	-	-	-	-	1	-	-
	2. Musical Instrument Maker, Dealer	1	-	1	-	-	-	-	-	-	-	-	1	-
	Others	1	-	1	-	-	-	-	-	-	1	-	-	-
	3. Lithographer, Lithographic Printer	1	-	1	-	-	-	-	1	-	-	-	-	-
	Others	1	1	-	-	-	1	-	-	-	-	-	-	-
	6. Others engaged in *Designs, &c.*	6	-	6	-	-	-	-	-	-	-	2	3	1
	7. Watch Maker, Clock Maker	8	1	7	-	-	1	-	-	-	3	2	1	1
	Weighing Machine, Scale, Measure, Maker	1	-	1	-	-	-	-	-	-	1	-	-	-
	8. Surgical Instrument Maker	2	-	2	-	-	-	-	-	-	-	1	1	-
	9. Gunsmith, Gun Manufacture	2	-	2	-	-	-	-	-	1	-	-	1	-
	10. Engine and Machine Maker	55	5	50	-	-	5	9	9	9	5	8	10	-
	Spinning, Weaving, Machine Maker	28	1	27	-	-	1	2	3	3	2	6	7	4
	Agricultural Implement, Machine Mkr.	6	-	6	-	-	-	1	-	-	1	1	2	1
	Millwright	6	-	6	-	-	-	-	-	1	1	1	2	1
	Tool Maker, Dealer	3	-	3	-	-	-	-	-	-	-	-	3	-
	File Maker, Dealer	2	-	2	-	-	-	1	-	-	-	-	-	1
	Cutler	7	-	7	-	-	-	-	1	-	-	3	1	2
	Scissors Maker	1	-	1	-	-	-	-	-	1	-	-	-	-
	Needle Manufacture	12	-	12	-	-	-	-	-	2	1	4	1	4
	11. Coachmaker	10	1	9	-	-	1	-	3	1	-	2	1	2
	Wheelwright	52	1	51	-	-	1	5	5	3	6	8	12	12
	Others engaged about *Carriages*	1	-	1	-	-	-	-	-	-	-	1	-	-
	12. Saddler, Harness, Whip Maker	25	1	24	-	-	1	2	2	5	3	3	7	2
	13. Ship-builder, Shipwright, Boat-builder	16	2	14	-	-	2	2	2	2	2	2	3	1
	Sail Maker	2	1	1	-	-	1	-	-	-	-	-	1	-
	Others	1	-	1	-	-	-	-	1	-	-	-	-	-

VII.—NORTH MIDLAND COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—*continued.*

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
10.—*cont.*													
14. House Proprietor	27	-	27	-	-	-	-	-	-	2	5	11	9
Architect	2	-	2	-	-	-	1	-	1	-	-	-	-
Builder	19	-	19	-	-	-	-	1	1	-	4	5	8
Carpenter, Joiner	170	4	166	-	-	4	9	21	13	8	50	30	35
Bricklayer	117	5	112	-	-	5	9	11	20	15	19	22	16
Marble Mason	3	-	3	-	-	-	-	-	-	1	1	-	1
Mason, Pavior	78	1	77	-	-	1	4	13	15	15	16	6	8
Slater, Tiler	7	-	7	-	-	-	1	1	-	2	1	1	1
Plasterer	10	-	10	-	-	-	-	-	2	3	3	-	2
Paperhanger	1	1	-	-	-	1	-	-	-	-	-	-	-
Plumber, Painter, Glazier	67	1	66	-	-	1	5	6	11	12	13	14	5
Others	1	-	1	-	-	-	-	-	1	-	-	-	-
15. Cabinet Maker, Upholsterer	26	1	25	-	-	1	2	3	2	8	3	2	5
Carver and Gilder	3	-	3	-	-	-	-	-	1	-	1	1	-
Furniture Broker, Dealer	3	-	3	-	-	-	-	1	-	-	1	-	1
Others	1	1	-	-	-	1	-	-	-	-	-	-	-
16. Manufacturing Chemist, Labourer	4	-	4	-	-	-	-	1	-	1	1	1	-
Dye, Colour Manufacture	2	-	2	-	-	-	-	1	1	-	-	-	-
Dyer, Scourer, Calenderer	25	2	23	-	1	1	3	2	2	5	3	5	3
Others	3	-	3	-	-	-	-	-	-	2	1	-	-
11. 1. Woolstapler	5	-	5	-	-	-	-	1	1	-	1	-	2
Felt Manufacture	1	-	1	-	-	-	-	-	-	-	-	-	1
Woollen Cloth Manufacture	14	-	14	-	-	-	-	-	-	5	2	3	4
Worsted Manufacture	6	-	6	-	-	-	-	-	1	-	-	3	2
Carpet, Rug, Manufactnre	1	-	1	-	-	-	-	-	1	-	-	-	-
2. Silk, Satin, Manufacture	17	2	15	-	-	2	-	3	2	3	3	2	2
Silk Dyer, Printer	1	-	1	-	-	-	-	-	1	-	-	-	-
Ribbon Manufacture	2	-	2	-	-	-	-	-	1	-	1	-	-
3. Flax, Linen Manufacture	1	-	1	-	-	-	-	-	-	-	-	-	1
Lace Manufacture	113	6	107	-	1	5	12	14	14	9	20	19	19
Tape Manufacture, Dealer	1	-	1	-	-	-	-	-	-	-	-	1	-
Cotton Manufacture	55	2	53	-	1	1	3	9	5	8	10	9	9
Cotton, Calico Warehouseman, Dealer	1	-	1	-	-	-	-	-	-	-	-	1	-
Calico, Cotton, Printer	18	3	15	-	2	1	-	3	2	3	1	4	2
Calico, Cotton, Dyer	1	-	1	-	-	-	-	-	-	-	-	1	-
4. Weaver (not otherwise described)	6	1	5	-	1	-	-	-	-	1	1	-	3
Bleacher (not otherwise described)	4	-	4	-	-	-	-	-	1	1	-	2	-
Draper, Linen Draper, Mercer	50	3	47	-	-	3	8	9	8	6	6	5	5
Fancy Goods Manufacturer, Dealer	1	-	1	-	-	-	-	-	1	-	-	-	-
Trimming Maker, Dealer	2	-	2	-	-	-	-	-	-	2	-	-	-
5. Hairdresser, Wig Maker	13	1	12	-	-	1	-	1	2	2	3	2	2
Hatter, Hat Manufacture	7	-	7	-	-	-	-	1	1	-	3	1	1
Furrier, Skinner	1	-	1	-	-	-	-	-	-	-	1	-	-
Tailor	137	5	132	-	1	4	8	9	13	21	29	27	27
Milliner	1	-	1	-	-	-	-	-	-	-	-	1	-
Stay Maker, Ladies' Outfitter	1	-	1	-	-	-	-	-	-	-	-	-	1
Hosiery Manufacture	522	7	515	-	-	7	20	26	43	72	70	119	165
Hosier, Haberdasher	4	1	3	-	-	1	-	-	1	-	-	-	2
Glover (leather)	1	-	1	-	-	-	-	-	-	-	-	1	-
Glove Maker (all except leather)	7	-	7	-	-	-	1	-	1	3	1	-	1
Shoemaker, Bootmaker	246	5	241	-	-	5	11	35	24	31	33	58	49
Patten, Clog Maker	3	-	3	-	-	-	-	2	-	-	-	1	-
Button Maker	1	-	1	-	-	-	-	-	-	1	-	-	-
Umbrella, Parasol, Stick, Maker	1	-	1	-	-	-	-	1	-	-	-	-	-
Others providing *Dress*	3	1	2	-	-	1	-	-	-	-	1	-	1
6. Rope, Cord, Maker	20	1	19	-	-	1	1	-	1	3	3	6	5
Sacking, Sack, Bag, Maker, Dealer	1	-	1	-	-	-	-	-	-	-	-	-	1
Others	1	-	1	-	-	-	-	-	-	-	-	1	-
12. 1. Cowkeeper, Milkseller	12	1	11	-	-	1	-	1	2	-	2	5	1
Cheesemonger	4	-	4	-	-	-	-	-	-	-	1	1	2
Butcher, Meat Salesman	100	2	98	-	-	2	9	8	15	11	13	23	16
Provision Curer, Dealer	8	-	8	-	-	-	2	-	2	1	1	2	-
Poulterer, Game Dealer	3	-	3	-	-	-	-	1	-	1	1	-	-
Fishmonger	12	-	12	-	-	-	-	1	3	1	4	3	-
2. Corn, Flour, Seed, Merchant, Dealer	12	-	12	-	-	-	2	1	2	-	4	2	1
Miller	56	2	54	-	-	2	2	11	7	5	9	9	11
Baker	48	2	46	-	-	2	3	3	11	5	6	11	7
Confectioner, Pastry Cook	12	1	11	-	-	1	-	2	2	1	1	3	2
Greengrocer, Fruit, Vegetable, Dealer	14	-	14	-	-	-	1	2	3	1	-	4	3
Others	3	-	3	-	-	-	-	-	-	-	1	1	1
3. Maltster	31	-	31	-	-	-	-	3	5	4	6	5	8
Brewer	41	-	41	-	-	-	1	8	8	7	7	8	2
Wine and Spirit Merchant	14	1	13	-	-	1	-	1	4	4	-	4	-
Cellarman	1	-	1	-	-	-	-	-	-	-	1	-	-
Grocer, Tea Dealer	77	2	75	-	-	2	7	11	6	10	8	21	12
Tobacco, Cigar, Snuff, Manuf., Tubacnst.	2	-	2	-	-	-	-	1	-	-	-	1	-
13. 1. Tallow Chandler	2	-	2	-	-	-	-	-	-	1	1	-	-
Comb-maker	1	-	1	-	-	-	-	-	-	-	-	-	1
Others	2	-	2	-	-	-	-	-	-	1	1	-	-
2. Fellmonger	6	-	6	-	-	-	-	1	1	3	-	1	-
Tanner	3	-	3	-	-	-	-	-	-	-	1	1	1
Currier	21	-	21	-	-	-	-	4	4	3	3	2	5
Others	1	-	1	-	-	-	-	-	1	-	-	-	-
3. Brush, Broom, Maker	6	-	6	-	-	-	-	-	1	2	2	1	-

VII.—NORTH MIDLAND COUNTIES.—Deaths of Males of different Occupations registered in the Year 1871—*continued.*

Occupations.	Ages of Males. Total.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
14. 1. Oil-miller, Refiner	6	-	6	-	-	-	2	2	2	-	-	-	-
Oil and Colourman	1	-	1	-	-	-	-	1	-	-	-	-	-
French polisher	4	-	4	-	-	-	-	-	2	-	-	-	2
Japanner	1	-	1	-	-	-	-	1	-	-	-	-	-
India Rubber, Gutta Percha, Manufacture, Dealer	16	-	16	-	-	-	3	6	3	2	2	-	-
Floor Cloth Manufacture	1	-	1	-	-	-	-	-	-	-	-	1	-
Others	2	-	2	-	-	-	-	1	-	-	-	1	-
2. Timber, Wood, Merchant, Dealer	12	-	12	-	-		3	2	2	2	1	-	2
Sawyer	27	-	27	-	-	-	5	2	5	2	4	3	6
Wood, Turner, Worker	7	-	7	-	-	-	2	-	1	-	1	-	3
Box, Packing Case, Maker	2	-	2	-	-	-	-	-	-	-	1	1	-
Cooper, Hoop Maker and Bender	9	-	9	-	-	-	-	1	1	-	3	3	1
Others	3	-	3	-	-	-	-	-	-	-	1	-	2
3. Cork Cutter, Manufacturer	2	-	2	-	-	-	-	-	-	1	-	-	1
4. Basket Maker	18	-	18	-	-	-	-	1	3	1	2	9	2
Hay and Straw Dealer	2	-	2	-	-	-	-	-	-	1	-	-	1
Thatcher	2	-	2	-	-	-	-	-	-	1	-	-	1
5. Rag Gatherer, Dealer	5	-	5	-	-	-	-	-	-	-	2	1	2
Paper Manufacture	4	1	3	-	-	1	-	-	-	-	-	1	2
Paper Stainer	1	-	1	-	-	-	1	-	-	-	-	-	-
Other Workers in *Paper*	1	-	1	-	-	-	-	-	-	-	-	1	-
15. 1. Coal Miner	257	29	228	-	9	20	33	51	31	32	29	35	17
Lead Miner	37	-	37	-	-	-	3	3	4	4	8	8	7
Iron Miner	13	3	10	-	2	1	-	-	1	2	2	5	-
Miner (branch undefined)	8	-	8	-	-	-	1	1	3	1	-	1	1
Coal Mine Service	11	-	11	-	-	-	-	5	1	2	2	1	-
Mine Service (Metal not stated)	2	-	2	-	-	-	-	-	-	1	-	-	1
Others	1	-	1	-	-	-	-	-	-	-	-	1	-
2. Coal Merchant, Dealer	40	-	40	-	-	-	1	2	6	2	17	6	6
Coal-heaver, Labourer	56	7	49	-	2	5	-	9	10	9	12	5	4
Coke Burner, Dealer	3	-	3	-	-	-	-	-	-	2	-	1	-
Chimney Sweeper	8	-	8	-	-	-	-	-	1	2	3	-	2
Gas Works Service	13	-	13	-	-	-	2	4	1	2	2	1	1
3. Stone Quarrier	32	-	32	-	-	-	3	5	4	6	3	9	2
Stone, Merchant, Cutter, Dresser	10	-	10	-	-	-	-	-	2	3	2	2	1
Limestone Quarrier, Lime-Burner	5	-	5	-	-	-	-	-	-	-	2	1	2
Clay Labourer	1	1	-	-	-	1	-	-	-	-	-	-	-
Brick Maker, Dealer	39	-	39	-	-	-	4	3	7	8	2	7	8
Railway Labourer, Platelayer, Navvy	70	3	67	-	-	3	11	9	14	17	11	5	-
Road Contractor, Inspector, Surveyor	4	-	4	-	-	-	-	-	1	-	2	-	1
Road Labourer	19	-	19	-	-	-	-	-	-	1	-	8	10
Others	6	-	6	-	-	-	1	2	-	1	-	1	1
4. Earthenware Manufacture	13	-	13	-	-	-	2	1	2	-	2	4	2
Tobacco-pipe Maker	2	-	2	-	-	-	-	-	-	-	-	2	-
Earthenware and Glass Dealer	1	-	1	-	-	-	-	-	-	-	-	1	-
5. Glass Manufacture	1	-	1	-	-	-	-	-	-	-	-	1	-
7. Waterworks Service	2	-	2	-	-	-	-	1	-	-	1	-	-
Others	2	-	2	-	-	-	-	-	-	1	-	-	1
8. Goldsmith, Silversmith, Jeweller	1	-	1	-	-	-	-	1	-	-	-	-	-
10. Tinplate Worker, Tinman	13	-	13	-	-	-	3	2	-	2	-	4	2
12. Lead Manufacture	2	-	2	-	-	-	-	-	-	-	1	1	-
13. Brass Manufacture, Brazier	6	-	6	-	-	-	-	-	4	2	-	-	-
Locksmith, Bellhanger	1	-	1	-	-	-	-	-	-	-	1	-	-
Gas Fitter	5	-	5	-	-	-	-	1	3	1	-	-	-
Wire Worker, Drawer	2	-	2	-	-	-	-	-	1	-	1	-	-
14. Iron Manufacture	81	10	71	-	1	9	7	18	12	6	16	7	5
Whitesmith	5	-	5	-	-	-	-	-	1	1	3	-	-
Blacksmith	114	3	111	-	-	3	7	17	8	13	19	25	22
Nail Manufacture	20	-	20	-	-	-	-	1	4	-	6	3	6
Ironmonger, Hardware Dealer	11	-	11	-	-	-	1	3	-	2	-	5	-
Others	1	-	1	-	-	-	-	-	1	-	-	-	-
VI.—Indefinite and Non-productive Class.													
16. 1. General Labourer, Labourer (branch undefined)	670	16	654	-	1	15	27	71	69	86	110	140	151
2. Artizan, Mechanic (branch undefined)	8	-	8	-	-	-	1	2	1	2	-	2	-
Engine Driver, Stoker (branch undefined)	23	3	20	-	-	3	2	5	3	2	5	2	1
Factory Labourer (branch undefined)	12	5	7	-	1	4	-	1	-	1	1	3	1
Vagrant, Gipsy	2	-	2	-	-	-	-	-	1	1	-	-	-
Others of *undefined* Occupation	462	236	226	-	-	236	51	44	26	10	12	34	49
17. 1. Gentleman, Independent, Annuitant	72	-	72	-	-	-	1	2	1	3	8	21	36
18. 1. Scholars and Children of no stated Occupation	730	730	-	470	260	-	-	-	-	-	-	-	-

VIII.—NORTH WESTERN COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871.

OCCUPATIONS.	AGES OF MALES. Total.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
Total of Males AGED 5 YEARS AND UPWARDS	24852	4069	20783	1970	906	1193	1524	3255	3313	3513	3690	3315	2173
I.—PROFESSIONAL CLASS.													
1. 1. Civil Service	46	-	46	-	-	-	1	9	6	10	8	6	6
Government. Messengers, Workmen, &c.	18	-	18	-	-	-	2	2	-	3	5	5	1
Other *Government* Officers	1	-	1	-	-	-	-	-	-	-	1	-	-
2. Magistrate (so returned)	6	-	6	-	-	-	-	-	-	-	-	5	1
Officer of Law Court	7	-	7	-	-	-	-	1	3	1	-	1	1
Police	48	-	48	-	-	-	5	11	16	7	5	4	-
Prison Officer	10	-	10	-	-	-	-	1	2	1	3	1	2
Municipal, Parish, Union, Officer	36	-	36	-	-	-	-	3	3	11	12	2	5
3. *East India* and *Colonial* Service	3	-	3	-	-	-	-	-	1	1	-	1	-
2. 1. Army Officer (effective)	3	-	3	-	-	-	-	-	-	-	1	2	-
Soldier	85	4	81	-	-	4	9	31	27	9	1	2	2
Militia, Volunteers	3	-	3	-	-	-	-	1	1	1	-	-	-
Army Pensioner	84	-	84	-	-	-	2	6	11	15	13	14	23
2. Navy Officer (effective)	2	-	2	-	-	-	-	-	-	1	-	1	-
Seaman, R.N.	5	-	5	-	-	-	2	-	-	-	1	-	2
Royal Marine	1	-	1	-	-	-	-	-	-	1	-	-	-
Coastguard, Royal Naval Reserve	2	-	2	-	-	-	-	-	-	1	-	-	1
Navy Pensioner	6	-	6	-	-	-	-	-	1	1	2	1	1
3. 1. Clergyman	22	-	22	-	-	-	-	4	5	5	-	5	3
Protestant Minister	18	-	18	-	-	-	-	1	2	1	4	3	7
Roman Catholic Priest	9	-	9	-	-	-	-	-	1	1	2	4	1
Missionary, Scripture Reader	3	-	3	-	-	-	-	-	1	1	1	-	-
Church, Chapel Officer	13	-	13	-	-	-	-	-	-	3	1	3	6
Others	5	1	4	-	-	1	-	1	-	-	-	1	2
2. Barrister	2	-	2	-	-	-	-	-	-	1	1	-	-
Solicitor, Attorney	23	-	23	-	-	-	-	3	5	3	6	4	2
Law Clerk	30	-	30	-	-	-	2	12	5	3	5	2	1
Law Stationer	1	-	1	-	-	-	-	1	-	-	-	-	-
3. Physician, Surgeon	53	-	53	-	-	-	3	10	8	7	12	6	7
Medical—Assistant, Student	1	-	1	-	-	-	-	1	-	-	-	-	-
Dentist	1	-	1	-	-	-	-	1	-	-	-	-	-
Chemist, Druggist	53	2	51	-	-	2	6	10	11	6	9	5	4
Others	1	-	1	-	-	-	-	-	-	1	-	-	-
4. Author, Editor, Journalist	4	-	4	-	-	-	-	1	2	-	-	1	-
Students and *Others*	6	-	6	-	-	-	1	3	-	-	2	-	-
5. Painter, Artist	11	-	11	-	-	-	-	1	2	-	4	3	1
Engraver	25	3	22	-	-	3	-	3	6	5	5	2	1
Photographer	5	1	4	-	-	1	-	1	2	-	1	-	-
Others engaged in the *Fine Arts*	1	-	1	-	-	-	-	-	-	-	-	1	-
6. Musician, Music Master	60	1	59	-	-	1	3	17	19	11	5	2	2
7. Actor	4	-	4	-	-	-	-	3	-	-	-	1	-
Exhibitions, Shows—Service	6	-	6	-	-	-	1	1	1	2	-	-	1
Others engaged in *Theatres, &c.*	8	1	7	-	1	-	2	3	2	-	-	-	-
8. Schoolmaster	58	1	57	-	-	1	4	11	4	10	7	13	8
Teacher, Professor, Lecturer	11	3	8	-	-	3	2	1	1	2	1	1	-
9. Civil Engineer	14	-	14	-	-	-	2	2	3	1	2	1	3
Other *Scientific* Persons	6	-	6	-	-	-	-	-	3	-	1	1	1
II.—DOMESTIC CLASS.													
5. 1. Inn Keeper, Hotel Keeper, Publican	279	-	279	-	-	-	4	36	70	60	49	36	24
Beer-seller	130	-	130	-	-	-	-	10	22	34	39	19	6
Lodging-house, Boarding-house Keeper	13	-	13	-	-	-	-	1	1	1	4	3	3
Coffee-house, Eating-house Keeper	7	-	7	-	-	-	-	1	1	1	3	1	-
Institution Service	4	-	4	-	-	-	-	-	2	-	-	1	1
Others	5	-	5	-	-	-	1	-	1	1	1	1	-
2. Domestic Servant (General)	18	-	18	-	-	-	1	1	2	6	4	2	2
Coachman	17	1	16	-	-	1	1	4	1	1	4	5	-
Groom	4	-	4	-	-	-	-	1	1	-	2	-	-
Gardener	21	-	21	-	-	-	1	1	3	2	2	6	6
Inn, Hotel Servant	90	10	80	-	-	10	7	22	17	11	13	7	3
Cook (not Domestic Servant)	5	-	5	-	-	-	-	1	1	2	1	-	-
Others	5	-	5	-	-	-	-	-	1	-	2	2	-
III.—COMMERCIAL CLASS.													
6 1. Merchant	45	1	44	-	-	1	-	2	9	6	11	11	5
Banker	2	-	2	-	-	-	-	-	1	1	-	-	-
Bank Service	14	1	13	-	-	1	1	3	3	2	1	1	2
Insurance, Benefit Society, Service	28	1	27	-	-	1	3	3	5	10	-	5	1
Broker, Agent, Factor	76	-	76	-	-	-	5	13	18	12	16	10	2
Salesman (not otherwise described)	15	1	14	-	-	1	2	4	3	3	1	1	-
Auctioneer, Valuer, House Agent	27	-	27	-	-	-	1	2	6	4	8	4	2
Accountant	19	-	19	-	-	-	1	1	4	5	4	2	2
Commercial Clerk	385	24	361	-	-	24	42	98	59	61	54	31	16
Commercial Traveller	60	-	60	-	-	-	3	13	15	14	10	4	1
Other *Mercantile* Men	1	-	1	-	-	-	1	-	-	-	-	-	-

NOTE.—The Counties comprised in this Table are Cheshire and Lancashire.

VIII.—NORTH WESTERN COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—*continued.*

OCCUPATIONS.	AGES OF MALES. Total.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
6.—*cont.*													
2. Pawnbroker	28	-	28	-	-	-	3	6	2	5	7	3	2
Shopkeeper (branch undefined), General Dealer	30	-	30	-	-	-	-	-	2	9	7	8	4
Hawker, Pedlar	147	1	146	-	-	1	7	14	18	25	32	35	15
7. 1. Railway Engine Driver, Stoker	32	3	29	-	-	3	5	13	4	3	4	-	-
Railway Officer, Clerk, Station-master	48	4	44	-	-	4	3	14	10	8	6	2	1
Railway Attendant, Servant	149	16	133	-	1	15	18	32	31	30	10	6	6
2. Toll-Collector, Turnpike-gate Keeper	12	-	12	-	-	-	-	1	1	1	-	5	4
Coach, Omnibus, Cab Owner, Livery Stable Keeper	25	-	25	-	-	-	-	5	6	9	3	1	1
Coachman (not domestic), Cabman, Flyman	121	-	121	-	-	-	13	24	29	23	15	10	7
Carman, Carrier, Carter, Drayman	534	14	520	-	2	12	37	100	89	93	91	81	29
3. Inland Navigation Service	20	-	20	-	-	-	-	3	2	5	3	5	2
Bargeman, Waterman	140	5	135	-	-	5	10	25	14	14	29	26	17
Others	1	-	1	-	-	-	-	-	1	-	-	-	-
4. Shipowner	5	-	5	-	-	-	-	-	-	1	3	1	-
Steam Navigation Service	27	-	27	-	-	-	1	10	7	6	1	1	1
Ship Steward, Cook	37	3	34	-	-	3	3	9	11	7	4	-	-
Seamen (Merchant Service)	402	14	388	-	-	14	53	97	95	69	36	24	14
Pilot	7	-	7	-	-	-	-	1	2	-	3	1	-
Harbour, Dock Service, Labourer	157	2	155	-	-	2	12	23	40	32	23	22	3
Wharfinger	4	-	4	-	-	-	-	-	1	1	-	-	2
Others	28	3	25	-	-	3	1	6	9	6	2	1	-
5. Warehouseman	216	13	203	-	-	13	20	36	43	47	32	19	6
Meter, Weigher	2	-	2	-	-	-	-	-	1	-	1	-	-
6. Messenger, Porter, Errand Boy	305	20	285	-	2	18	17	52	48	51	62	40	12
Cotton Porter	70	1	69	-	-	1	3	7	15	16	12	13	3
Telegraph Company Service	3	1	2	-	-	1	-	-	1	1	-	-	-
IV.—AGRICULTURAL CLASS.													
8. 1. Land Proprietor (so returned)	29	-	29	-	-	-	-	-	1	2	3	10	13
Farmer, Grazier	713	1	712	-	-	1	5	26	44	64	109	207	257
Farmer's Son, Brother, Grandson, Nephew	93	60	33	25	14	21	10	17	4	1	1	-	-
Farm Bailiff	10	-	10	-	-	-	-	-	-	2	6	2	-
Agricultural Labourer	677	13	664	1	1	11	17	41	58	88	120	164	176
Shepherd (out-door)	2	-	2	-	-	-	-	-	-	-	-	-	2
Farm Servant (in-door)	48	16	32	-	3	13	6	3	4	7	1	11	-
Land Surveyor, Estate Agent	25	-	25	-	-	-	-	4	5	1	4	7	4
Land Drainage Service	4	-	4	-	-	-	-	1	-	3	-	-	-
Others engaged in *Agriculture*	1	-	1	-	-	-	-	1	-	-	-	-	-
2. Woodman	1	-	1	-	-	-	-	-	-	-	-	-	1
3. Nurseryman, Seedsman, Florist	4	-	4	-	-	-	1	-	-	1	-	1	1
Gardener	214	-	214	-	-	-	3	21	18	40	35	54	43
9. 1. Horse Proprietor, Dealer	8	-	8	-	-	-	-	2	1	2	-	1	2
Horse Breaker	7	-	7	-	-	-	1	1	2	2	-	1	-
Horsekeeper, Groom, Jockey	58	5	53	-	-	5	5	17	5	11	7	8	-
Farrier, Veterinary Surgeon	18	1	17	-	-	1	1	7	2	1	3	1	2
Cattle, Sheep, Pig, Salesman	20	-	20	-	-	-	-	-	-	6	4	7	3
Drover	9	-	9	-	-	-	1	1	3	1	1	1	1
Gamekeeper	24	-	24	-	-	-	3	2	-	4	2	4	9
Vermin Destroyer	1	-	1	-	-	-	-	-	1	-	-	-	-
Fisherman	13	-	13	-	-	-	-	5	2	2	-	1	3
Others engaged about *Animals*	3	-	3	-	-	-	-	1	1	-	-	-	1
V.—INDUSTRIAL CLASS.													
10. 1. Bookseller, Publisher	10	1	9	-	-	1	-	1	2	1	4	1	-
Bookbinder	15	1	14	-	-	1	-	3	7	3	1	-	-
Printer	78	4	74	-	-	4	18	14	11	13	6	8	4
Newspaper Agent, News-room Keeper	13	1	12	-	-	1	1	-	4	3	1	3	-
Others engaged in *Publications*	4	-	4	-	-	-	-	-	2	2	-	-	-
2. Musical Instrument Maker, Dealer	1	-	1	-	-	-	-	-	-	1	-	-	-
Others	1	-	1	-	-	-	-	-	-	-	-	-	1
3. Lithographer, Lithographic Printer	12	2	10	-	-	2	2	4	1	2	1	-	-
Others	3	-	3	-	-	-	-	-	1	-	1	-	1
4 Wood-carver	6	-	6	-	-	-	1	2	1	2	-	-	-
Others	1	-	1	-	-	-	-	1	-	-	-	-	-
5. Toy Maker, Dealer	2	-	2	-	-	-	-	-	1	-	1	-	-
Others	2	-	2	-	-	-	-	1	-	-	1	-	-

VIII.—NORTH WESTERN COUNTIES.—Deaths of Males of different Occupations registered in the Year 1871—*continued.*

OCCUPATIONS.	Ages of Males. Total.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
10.—*cont.*													
6. Pattern Designer	3	–	3	–	–	–	–	1	–	2	–	–	–
Others	7	1	6	–	–	1	1	2	1	–	–	2	–
7. Watch Maker, Clock Maker	81	3	78	–	–	3	2	11	15	8	16	15	11
Philosophical Instrument Maker; Optician	2	–	2	–	–	–	–	1	–	–	1	–	–
Weighing Machine, Scale, Measure, Maker	5	–	5	–	–	–	–	–	2	–	1	2	–
9. Others engaged in *Arms*	5	–	5	–	–	–	–	2	1	1	–	1	–
10. Engine and Machine Maker	337	12	325	–	–	12	43	61	85	53	46	25	12
Spinning, Weaving, Machine Maker	96	1	95	–	–	1	14	12	13	21	15	13	7
Agricultural Implement, Machine Maker	3	–	3	–	–	–	–	–	1	–	2	–	–
Millwright	37	1	36	–	–	1	2	4	8	3	9	8	2
Tool Maker, Dealer	4	–	4	–	–	–	–	1	–	–	–	1	2
File Maker, Dealer	23	2	21	–	–	2	3	8	3	1	2	2	2
Saw Maker, Dealer	3	–	3	–	–	–	–	1	–	–	2	–	–
Cutler	10	–	10	–	–	–	1	2	–	2	1	4	–
Pin Manufacture	1	–	1	–	–	–	–	–	–	–	–	1	–
11. Coachmaker	41	–	41	–	–	–	5	10	7	7	7	4	1
Wheelwright	74	2	72	–	–	2	8	11	12	11	14	9	7
Others engaged about *Carriages*	9	–	9	–	–	–	1	–	4	3	–	1	–
12. Saddler, Harness, Whip Maker	33	2	31	–	–	2	1	7	4	6	5	5	3
13. Ship-builder, Shipwright, Boat-builder	151	2	149	–	–	2	15	23	26	33	18	21	13
Sail Maker	21	1	20	–	–	1	2	1	7	6	2	2	–
Others	4	–	4	–	–	–	–	–	1	–	2	1	–
14. House Proprietor	39	–	39	–	–	–	–	–	1	4	12	10	12
Architect	14	–	14	–	–	–	2	3	6	1	1	–	1
Surveyor	7	–	7	–	–	–	–	–	1	1	3	2	–
Builder	41	–	41	–	–	–	–	5	3	7	11	5	10
Carpenter, Joiner	467	13	454	–	1	12	31	80	60	87	93	68	35
Bricklayer	179	6	173	–	–	6	5	29	30	31	34	26	18
Marble Mason	8	–	8	–	–	–	–	–	2	–	3	3	–
Mason, Pavior	401	5	396	–	1	4	19	58	81	72	89	53	24
Slater, Tiler	50	–	50	–	–	–	2	3	9	8	14	8	6
Plasterer	104	5	99	–	–	5	4	18	9	24	20	15	9
Paperhanger	16	–	16	–	–	–	2	4	3	5	1	1	–
Plumber, Painter, Glazier	356	15	341	–	–	15	31	77	68	71	40	40	14
Others	15	1	14	–	–	1	1	1	4	1	4	1	2
15. Cabinet Maker, Upholsterer	114	4	110	–	–	4	3	14	20	13	25	25	10
Undertaker	5	–	5	–	–	–	–	–	2	2	–	1	–
Carver and Gilder	18	1	17	–	–	1	2	2	6	2	1	3	1
Furniture Broker, Dealer	22	–	22	–	–	–	–	–	2	6	8	4	2
Others	1	–	1	–	–	–	–	1	–	–	–	–	–
16. Manufacturing Chemist, Labourer	78	3	75	–	–	3	12	14	20	9	9	8	3
Dye, Colour Manufacture	1	–	1	–	–	–	–	–	–	–	1	–	–
Dyer, Scourer, Calenderer	58	–	58	–	–	–	6	8	5	9	12	12	6
Others	11	1	10	–	–	1	–	2	2	4	2	–	–
11. 1. Woolstapler	9	–	9	–	–	–	–	1	1	3	2	2	–
Felt Manufacture	1	–	1	–	–	–	–	–	–	1	–	–	–
Woollen Cloth Manufacture	141	3	138	–	–	3	7	10	13	24	24	33	27
Fuller	22	2	20	–	1	1	2	2	4	1	5	2	4
Wool, Woollen, Dyer	4	–	4	–	–	–	–	–	1	2	–	–	1
Worsted Manufacture	7	1	6	–	–	1	1	–	–	–	1	4	–
Cloth Merchant, Dealer	3	–	3	–	–	–	–	–	1	–	1	1	–
Flannel Manufacture	16	–	16	–	–	–	1	2	–	1	3	6	3
Blanket Manufacture	2	–	2	–	–	–	–	–	1	–	–	–	1
Carpet, Rug, Manufacture	2	–	2	–	–	–	–	–	1	1	–	–	–
2. Silk, Satin, Manufacture	259	8	251	1	–	7	6	21	31	28	61	61	43
Silk Dyer, Printer	3	–	3	–	–	–	–	–	–	–	–	2	1
Silk Merchant, Dealer	9	–	9	–	–	–	1	1	–	3	1	2	1
Ribbon Manufacture	2	–	2	–	–	–	–	–	–	–	–	2	–
Others	8	1	7	–	–	1	1	1	4	1	–	–	–
3. Flax, Linen Manufacture	14	–	14	–	–	–	1	2	2	2	1	4	2
Thread Manufacture	1	–	1	–	–	–	1	–	–	–	–	–	–
Tape Manufacture, Dealer	6	–	6	–	–	–	–	2	–	–	3	–	1
Cotton Manufacture	2122	183	1939	6	33	144	175	293	239	310	359	327	236
Cotton, Calico Warehouseman, Dealer	20	–	20	–	–	–	1	3	2	3	4	2	5
Fustian Manufacture	71	3	68	–	–	3	1	10	9	14	12	19	3
Calico, Cotton, Printer	158	3	155	–	1	2	7	18	10	21	31	39	29
Calico, Cotton, Dyer, Mercer	68	3	65	–	–	3	4	8	10	9	16	13	5
Others	12	–	12	–	–	–	–	–	2	4	3	–	3
4. Weaver (not otherwise described)	165	7	158	–	2	5	4	16	16	24	23	35	40
Bleacher (not otherwise described)	41	3	38	–	–	3	4	7	5	5	2	7	8
Manchester Warehouseman	33	2	31	–	–	2	3	8	10	2	3	5	–
Draper, Linen Draper, Mercer	100	7	93	–	–	7	14	22	12	14	13	9	9
Fancy Goods Manufacturer, Dealer	1	–	1	–	–	–	–	–	1	–	–	–	–
Trimming Maker, Dealer	1	–	1	–	–	–	–	1	–	–	–	–	–
Others	1	–	1	–	–	–	–	–	–	1	–	–	–

VIII.—NORTH WESTERN COUNTIES.—Deaths of Males of different Occupations registered in the Year 1871—*continued.*

OCCUPATIONS.	Ages of Males. Total.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
11.—*cont.*													
5. Hairdresser, Wig Maker	41	-	41	-	-	-	3	4	15	7	9	5	1
Hatter, Hat Manufacture	149	3	146	-	-	3	7	15	11	24	38	28	23
Straw Plait Manufacture	1	-	1	-	-	-	-	-	-	1	-	-	-
Furrier, Skinner	5	1	4	-	-	1	1	1	-	-	2	-	-
Tailor	411	7	404	-	-	7	26	53	73	95	75	56	26
Milliner	1	-	1	-	-	-	-	-	-	-	1	-	-
Hosiery Manufacture	3	-	3	-	-	-	-	-	-	-	-	3	-
Hosier, Haberdasher	6	-	6	-	-	-	1	1	2	1	-	1	-
Shoemaker, Bootmaker	558	12	546	-	-	12	25	42	78	89	112	118	82
Patten, Clog Maker	3	-	3	-	-	-	2	-	1	-	-	-	-
Button Maker	1	-	1	-	-	-	-	-	1	-	-	-	-
Umbrella, Parasol, Stick, Maker	13	-	13	-	-	-	2	2	3	-	1	5	-
Laundry Keeper	2	-	2	-	-	-	-	-	-	-	1	-	1
Others providing *Dress*	18	-	18	-	-	-	-	-	5	3	4	5	1
6. Mat Maker, Seller	2	-	2	-	-	-	-	-	-	1	1	-	-
Hemp Manufacture	1	-	1	-	-	-	-	1	-	-	-	-	-
Rope, Cord, Maker	54	1	53	-	-	1	1	10	5	8	14	10	5
Canvas, Sailcloth, Manufacture, Dealer	2	-	2	-	-	-	-	-	-	-	-	1	1
Sacking, Sack, Bag, Maker, Dealer	2	-	2	-	-	-	-	-	-	1	1	-	-
12. 1. Cowkeeper, Milkseller	41	1	40	-	-	1	-	5	4	9	14	4	4
Cheesemonger	4	2	2	-	-	2	1	-	-	-	-	1	-
Butcher, Meat Salesman	214	2	212	-	-	2	11	29	43	40	36	37	16
Provision Curer, Dealer	116	1	115	-	-	1	5	9	14	29	23	22	13
Poulterer, Game Dealer	11	-	11	-	-	-	-	2	2	3	2	1	1
Fishmonger	38	-	38	-	-	-	1	12	6	8	8	3	-
2. Corn, Flour, Seed, Merchant, Dealer	53	1	52	-	-	1	-	11	4	12	9	11	5
Miller	45	1	44	-	-	1	3	4	6	6	12	8	5
Baker	104	2	102	-	-	2	5	18	26	14	23	14	2
Confectioner, Pastry Cook	28	2	26	-	-	2	2	2	4	7	8	1	2
Greengrocer, Fruit, Vegetable, Dealer	58	1	57	-	-	1	-	5	14	11	12	12	3
Others	8	-	8	-	-	-	-	-	2	1	2	3	-
3. Maltster	6	-	6	-	-	-	-	1	-	-	4	-	1
Brewer	109	-	109	-	-	-	8	17	24	21	25	16	3
Wine and Spirit Merchant	25	-	25	-	-	-	2	7	5	4	3	2	2
Cellarman	16	2	14	-	-	2	-	5	4	3	1	-	1
Ginger Beer, Soda Water, &c., Manufacture	11	-	11	-	-	-	-	3	5	1	1	1	-
Sugar Refiner	8	-	8	-	-	-	-	-	4	1	3	-	-
Grocer, Tea Dealer	207	8	199	-	-	8	16	21	25	29	36	39	33
Tobacco, Cigar, Snuff, Manufacture, Tobacconist	23	1	22	-	-	1	-	7	6	5	1	1	2
Others	10	-	10	-	-	-	-	1	3	1	1	3	1
13. 1. Soap Boiler	5	-	5	-	-	-	-	1	-	2	1	1	-
Tallow Chandler	10	-	10	-	-	-	1	1	2	3	2	1	-
Comb-maker	1	-	1	-	-	-	-	1	-	-	-	-	-
Others	8	1	7	-	-	1	1	-	1	1	1	3	-
2. Tanner	17	1	16	-	-	1	-	1	2	1	2	8	2
Currier	22	-	22	-	-	-	1	3	7	1	3	6	1
Leather Case, Portmanteau, Bag Maker	3	-	3	-	-	-	-	-	1	-	1	-	1
Others	2	-	2	-	-	-	-	-	-	-	1	1	-
3. Hair, Bristle, Manufacture	1	-	1	-	-	-	-	-	-	-	-	-	1
Brush, Broom, Maker	26	-	26	-	-	-	1	4	4	2	6	8	1
14. 1. Oil-miller, Refiner	2	-	2	-	-	-	-	1	-	-	-	-	1
Oil and Colourman	1	-	1	-	-	-	-	-	-	1	-	-	-
French-polisher	11	-	11	-	-	-	3	1	4	-	2	1	-
Japanner	3	-	3	-	-	-	-	-	1	1	1	-	-
India Rubber, Gutta Percha, Manufacture, Dealer	9	-	9	-	-	-	-	1	2	2	3	1	-
Floor Cloth Manufacture	7	-	7	-	-	-	-	2	2	1	1	-	1
Others	3	-	3	-	-	-	1	-	1	-	-	-	1
2. Timber, Wood, Merchant, Dealer	26	-	26	-	-	-	1	5	4	5	8	1	2
Sawyer	76	-	76	-	-	-	3	7	10	9	18	21	8
Lath, Fence, Hurdle, Maker	9	-	9	-	-	-	2	2	1	2	1	-	1
Wood, Turner, Worker	21	1	20	-	-	1	2	4	3	2	3	2	4
Box, Packing Case, Maker	19	2	17	-	-	2	3	6	3	3	1	-	1
Cooper, Hoop-maker and Bender	87	1	86	-	-	1	5	17	13	17	14	14	6
3. Cork Cutter, Manufacturer	7	-	7	-	-	-	-	1	4	-	2	-	-
4. Basket Maker	15	-	15	-	-	-	-	2	1	2	5	3	2
Hay and Straw Dealer	7	-	7	-	-	-	-	-	-	4	1	1	1
Thatcher	2	-	2	-	-	-	1	-	-	-	-	-	1
Others	1	-	1	-	-	-	-	1	-	-	-	-	-
5. Rag Gatherer, Dealer	15	1	14	-	1	-	-	-	1	3	4	3	3
Paper Manufacture	30	-	30	-	-	-	2	6	9	3	6	1	3
Stationer (not Law)	16	-	16	-	-	-	1	1	-	4	4	4	2
Paper Stainer	6	-	6	-	-	-	1	-	1	1	1	2	-
Other Workers in *Paper*	13	-	13	-	-	-	-	5	2	1	4	1	-

VIII.—NORTH WESTERN COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—*continued.*

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
15. 1. Coal Miner	576	70	506	–	17	53	76	89	74	85	90	55	37
Copper Miner	7	–	7	–	–	–	2	–	–	3	2	–	–
Lead Miner	2	–	2	–	–	–	–	–	1	–	–	1	–
Iron Miner	31	2	29	–	–	2	1	9	4	7	2	5	1
Miner (branch undefined)	25	2	23	–	1	1	1	6	6	6	1	2	1
Coal Mine Service	14	1	13	–	–	1	–	3	–	3	3	2	2
Mine Service (Metal not stated)	10	3	7	–	2	1	2	3	1	1	–	–	–
Others	3	–	3	–	–	–	–	–	–	–	1	–	2
2. Coal Merchant, Dealer	70	–	70	–	–	–	1	5	7	16	17	13	11
Coal-heaver, Labourer	126	7	119	–	1	6	6	21	17	12	34	23	6
Chimney Sweeper	18	–	18	–	–	–	–	1	8	5	2	2	–
Gas Works Service	45	2	43	–	–	2	1	6	7	8	8	8	5
3. Stone Quarrier	114	–	114	–	–	–	7	8	17	20	32	23	7
Stone, Merchant, Cutter, Dresser	5	–	5	–	–	–	–	1	1	–	2	1	–
Slate Quarrier	3	–	3	–	–	–	–	–	1	–	1	–	1
Limestone Quarrier, Lime Burner	5	–	5	–	–	–	–	1	1	1	–	–	2
Brick Maker, Dealer	133	5	128	–	2	3	3	22	19	19	24	27	14
Railway Labourer, Platelayer, Navvy	151	4	147	–	1	3	11	22	31	25	37	14	7
Road Contractor, Inspector, Surveyor	2	–	2	–	–	–	–	–	–	1	1	–	–
Road Labourer	33	1	32	1	–	–	1	–	1	6	6	10	8
Scavenger, Dust Collector	21	–	21	–	–	–	–	1	2	7	5	4	2
Others	12	–	12	–	–	–	–	–	2	2	5	3	–
4. Earthenware Manufacture	13	–	13	–	–	–	1	–	3	1	4	3	1
Tobacco-pipe Maker	11	1	10	–	–	1	1	–	2	2	2	2	1
Earthenware and Glass Dealer	14	–	14	–	–	–	–	–	4	3	3	3	1
5. Glass Manufacture	56	5	51	–	1	4	4	11	11	7	13	4	1
6. Salt Manufacture	31	3	28	–	1	2	–	4	6	4	1	10	3
Other Dealers in *Salt*	1	–	1	–	–	–	1	–	–	–	–	–	–
7. Waterworks Service	10	–	10	–	–	–	–	1	2	–	4	1	2
Others	2	–	2	–	–	–	–	–	1	–	1	–	–
8. Goldsmith, Silversmith, Jeweller	11	2	9	–	–	2	1	1	–	3	1	2	1
Others	1	–	1	–	–	–	–	–	–	1	–	–	–
9. Copper Manufacture	14	4	10	–	–	4	1	2	2	3	1	1	–
Coppersmith	2	1	1	–	–	1	–	–	–	–	–	1	–
10. Tin Manufacture	1	–	1	–	–	–	–	–	–	–	–	1	–
Tinplate Worker, Tinman	54	4	50	–	–	4	6	6	7	11	10	10	–
Tinker	2	–	2	–	–	–	–	–	–	1	–	1	–
11. Zinc Manufacture	1	–	1	–	–	–	–	–	–	1	–	–	–
12. Lead Manufacture	3	–	3	–	–	–	–	2	–	–	–	1	–
13. Brass Manufacture, Brazier	33	5	28	–	–	5	2	11	5	5	5	–	–
Locksmith, Bellhanger	2	–	2	–	–	–	–	–	–	–	2	–	–
Gas Fitter	26	1	25	–	–	1	5	4	6	3	5	2	–
Wire Worker, Drawer	26	–	26	–	–	–	5	7	–	2	4	8	–
Others	5	–	5	–	–	–	–	1	1	1	1	–	1
14. Iron Manufacture	539	23	516	–	2	21	57	129	104	89	80	45	12
Whitesmith	22	1	21	–	–	1	2	4	4	2	3	4	2
Blacksmith	274	11	263	–	–	11	19	38	53	48	47	36	22
Nail Manufacture	31	–	31	–	–	–	1	1	4	7	6	11	1
Anchorsmith, Chainsmith	7	–	7	–	–	–	–	–	1	–	2	4	–
Ironmonger, Hardware Dealer	17	1	16	–	–	1	–	4	5	2	3	2	–
Steel Manufacture, Worker	3	–	3	–	–	–	–	1	1	–	–	1	–
Others	15	4	11	–	2	2	2	2	3	1	2	1	–
VI.—INDEFINITE AND NON-PRODUCTIVE CLASS.													
16. 1. General Labourer, Labourer (branch undefined)	2212	61	2151	–	2	59	147	395	359	401	377	304	168
2. Artizan, Mechanic (branch undefined)	85	2	83	–	–	2	6	19	16	8	13	15	6
Engine Driver, Stoker (branch undef.)	109	3	106	–	–	3	7	29	19	24	15	10	2
Factory Labourer (branch undefined)	79	5	74	–	2	3	7	9	10	11	18	11	8
Shopman, Assistant (branch undefined)	2	–	2	–	–	–	–	2	–	–	–	–	–
Apprentice (branch undefined)	1	1	–	–	–	1	–	–	–	–	–	–	–
Vagrant, Gipsy	9	–	9	–	–	–	–	–	3	3	3	–	–
Others of *undefined* Occupation	840	467	373	–	–	467	133	70	35	40	21	45	29
17. 1. Gentleman, Independent, Annuitant	219	–	219	–	–	–	4	11	10	15	49	60	70
18. 1. Scholars and Children of no stated Occupation	2744	2744	–	1936	808	–	–	–	–	–	–	–	–

IX.—YORKSHIRE.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
Total of Males AGED 5 YEARS AND UPWARDS	16033	2560	13473	1141	596	823	973	1798	1855	2089	2333	2169	1956
I.—PROFESSIONAL CLASS.													
1. 1. Civil Service	29	–	29	–	–	–	1	4	7	–	4	6	7
Government Messengers, Workmen, &c.	16	–	16	–	–	–	–	3	1	1	3	3	5
2. Magistrate (so returned)	3	–	3	–	–	–	–	–	–	–	1	2	–
Officer of Law Court	4	–	4	–	–	–	–	–	1	–	2	1	–
Police	37	1	36	–	–	1	3	13	9	5	2	3	1
Prison Officer	3	–	3	–	–	–	–	–	–	–	2	–	1
Municipal, Parish, Union, Officer	21	–	21	–	–	–	–	1	–	6	6	4	4
Other *Local Government* Officers	2	–	2	–	–	–	–	–	–	–	1	–	1
2. 1. Army Officer (effective)	2	–	2	–	–	–	–	–	1	–	1	–	–
Army Retired and Half Pay Officer	4	–	4	–	–	–	–	–	1	1	–	2	–
Soldier	43	1	42	–	–	1	5	12	13	4	4	2	2
Militia, Volunteers	6	–	6	–	–	–	–	–	2	2	–	–	2
Army Pensioner	34	–	34	–	–	–	–	–	3	7	9	3	12
2. Seaman, R.N.	4	–	4	–	–	–	2	2	–	–	–	–	–
Royal Marine	4	–	4	–	–	–	–	1	2	1	–	–	–
Coastguard, Royal Naval Reserve	3	–	3	–	–	–	–	–	–	1	–	2	–
Navy Pensioner	3	–	3	–	–	–	–	–	–	–	–	2	1
3. 1. Clergyman	28	–	28	–	–	–	1	1	2	6	2	11	5
Protestant Minister	13	–	13	–	–	–	1	1	1	–	2	4	4
Roman Catholic Priest	1	–	1	–	–	–	–	–	–	–	–	–	1
Missionary, Scripture Reader	2	–	2	–	–	–	–	1	–	–	1	–	–
Church, Chapel Officer	7	–	7	–	–	–	–	–	–	4	–	1	2
Others	2	1	1	–	–	1	–	1	–	–	–	–	–
2. Barrister	1	–	1	–	–	–	–	–	–	1	–	–	–
Solicitor, Attorney	24	1	23	–	–	1	1	2	2	5	8	3	2
Law Clerk	26	3	23	–	1	2	7	8	2	3	–	1	2
Law Stationer	1	–	1	–	–	–	–	–	–	–	–	1	–
3. Physician, Surgeon	30	–	30	–	–	–	2	4	4	2	6	8	4
Medical-Assistant, Student	8	1	7	–	–	1	3	–	1	2	–	1	–
Dentist	4	–	4	–	–	–	1	1	–	–	1	1	–
Chemist, Druggist	40	–	40	–	–	–	9	6	6	5	8	5	1
Others	1	–	1	–	–	–	–	–	–	–	–	–	1
4. Author, Editor, Journalist	2	–	2	–	–	–	–	1	–	–	–	–	1
Students and *Others*	2	–	2	–	–	–	–	1	–	1	–	–	–
5. Painter, Artist	8	–	8	–	–	–	–	1	2	–	1	2	2
Sculptor	1	–	1	–	–	–	–	–	–	–	1	–	–
Engraver	11	–	11	–	–	–	2	1	2	–	2	4	–
Photographer	2	–	2	–	–	–	–	–	2	–	–	–	–
6. Musician, Music Master	35	3	32	–	–	3	4	6	7	7	3	2	3
7. Actor	4	1	3	–	–	1	–	3	–	–	–	–	–
Exhibitions, Shows, Service	3	–	3	–	–	–	–	1	1	–	1	–	–
Others engaged in *Theatres, &c.*	4	–	4	–	–	–	–	2	1	–	1	–	–
8. Schoolmaster	57	–	57	–	–	–	3	7	3	8	12	13	11
Teacher, Professor, Lecturer	5	3	2	–	–	3	–	–	–	1	–	1	–
9. Civil Engineer	4	–	4	–	–	–	–	–	1	–	–	2	1
Other *Scientific* Persons	2	–	2	–	–	–	–	–	–	–	–	2	–
II.—DOMESTIC CLASS.													
5. 1. Inn Keeper, Hotel Keeper, Publican	239	5	234	–	–	5	3	16	42	73	39	35	26
Beerseller	37	–	37	–	–	–	–	1	4	13	11	2	6
Lodging-house, Boarding-house, Kpr.	7	–	7	–	–	–	–	1	–	–	1	3	2
Coffee-house, Eating-house, Keeper	2	–	2	–	–	–	–	–	–	1	–	–	1
Institution Service	7	–	7	–	–	–	1	1	2	2	1	–	–
Others	1	–	1	–	–	–	–	–	–	–	–	1	–
2. Domestic Servant (General)	38	1	37	–	–	1	2	8	5	1	3	10	8
Coachman	12	1	11	–	–	1	–	1	4	1	2	1	2
Groom	2	–	2	–	–	–	–	–	1	–	–	–	1
Gardener	9	–	9	–	–	–	1	1	–	2	1	3	1
Inn, Hotel Servant	37	1	36	–	1	–	2	7	8	6	3	9	1
Others	1	–	1	–	–	–	–	1	–	–	–	–	–

NOTE.—This Table comprises the West Riding, East Riding (with York), and North Riding.

IX.—YORKSHIRE.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—*continued.*

OCCUPATIONS.	AGES OF MALES. Total.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
III.—COMMERCIAL CLASS.													
6. 1. Merchant	9	-	9	-	-	-	-	2	2	2	-	2	1
Banker	1	-	1	-	-	-	-	-	-	-	-	1	-
Bank Service	9	-	9	-	-	-	1	1	3	-	-	-	4
Insurance, Benefit Society, Service	11	-	11	-	-	-	1	2	1	3	2	-	2
Broker, Agent, Factor	13	-	13	-	-	-	-	1	3	4	4	1	-
Salesman (not otherwise described)	1	-	1	-	-	-	-	-	-	-	1	-	-
Auctioneer, Valuer, House Agent	8	-	8	-	-	-	1	-	4	-	1	1	1
Accountant	13	-	13	-	-	-	-	1	2	4	2	2	2
Commercial Clerk	99	15	84	-	1	14	19	20	12	11	6	12	4
Commercial Traveller	39	-	39	-	-	-	2	13	6	9	5	3	1
2. Pawnbroker	7	1	6	-	-	1	-	2	-	1	1	2	-
Shopkeeper (branch undef.), General Dealer	23	1	22	-	-	1	1	1	3	2	6	3	6
Huckster, Costermonger	4	-	4	-	-	-	-	-	-	2	1	1	-
Hawker, Pedlar	69	1	68	-	1	-	-	5	7	14	21	11	10
7. 1. Railway Engine Driver, Stoker	42	1	41	-	-	1	11	11	9	6	2	2	-
Railway Officer, Clerk, Station-master	30	4	26	-	-	4	5	6	4	3	7	1	-
Railway Attendant, Servant	98	7	91	-	-	7	23	20	17	11	11	7	2
2. Toll Collector, Turnpike-gate Keeper	11	-	11	-	-	-	-	-	-	1	2	3	5
Coach, Omnibus, Cab, Owner, Livery Stable Keeper	10	-	10	-	-	-	-	-	2	1	-	5	2
Coachman (not domestic), Cabman, Flyman	44	-	44	-	-	-	2	10	10	5	8	4	5
Carman, Carrier, Carter, Drayman	207	6	201	-	1	5	14	26	37	33	48	24	19
3. Inland Navigation Service	17	2	15	-	-	2	1	-	3	3	2	3	3
Bargeman, Waterman	79	2	77	-	-	2	5	9	10	21	10	12	10
4. Shipowner	11	-	11	-	-	-	-	-	1	4	3	2	1
Steam Navigation Service	7	-	7	-	-	-	-	2	2	2	1	-	-
Ship Steward, Cook	4	1	3	-	-	1	-	1	-	2	-	-	-
Seaman (Merchant Service)	173	10	163	-	1	9	22	35	28	25	16	21	16
Pilot	3	-	3	-	-	-	-	1	-	-	1	1	-
Harbour, Dock Service, Labourer	50	1	49	-	-	1	1	11	9	11	10	2	2
Others	3	-	3	-	-	-	-	-	3	-	-	-	-
5. Warehouseman	39	2	37	-	-	2	2	6	6	6	8	7	2
6. Messenger, Porter, Errand Boy	35	1	34	-	-	1	2	3	3	8	8	10	-
Telegraph Company Service	7	1	6	-	-	1	3	3	-	-	-	-	-
IV.—AGRICULTURAL CLASS.													
8. 1. Land Proprietor (so returned)	45	-	45	-	-	-	-	-	-	5	7	12	21
Farmer, Grazier	853	1	852	-	-	1	9	33	44	91	130	249	296
Farmer's Son, Brother, Grandson, Nephew	48	22	26	-	4	18	16	7	3	-	-	-	-
Farm Bailiff	14	-	14	-	-	-	-	-	1	1	2	4	6
Agricultural Labourer	1002	29	973	-	5	24	44	78	82	97	146	254	272
Shepherd (out-door)	15	1	14	-	-	1	-	2	1	4	3	4	-
Farm Servant (in-door)	2	1	1	-	-	1	-	-	-	-	-	1	-
Land Surveyor, Estate Agent	10	-	10	-	-	-	-	-	-	1	2	6	1
Land Drainage Service	3	-	3	-	-	-	-	-	-	1	-	2	-
Agricultural Machine Proprietor, Attendant	2	-	2	-	-	-	-	-	-	1	-	1	-
Others engaged in *Agriculture*	4	-	4	-	-	-	1	1	-	-	1	1	-
2. Woodman	18	-	18	-	-	-	1	1	1	2	1	7	5
3. Nurseryman, Seedsman, Florist	4	-	4	-	-	-	-	-	-	-	1	3	-
Gardener	148	4	144	-	1	3	3	6	21	14	31	37	32
9. 1. Horse Proprietor, Dealer	7	-	7	-	-	-	-	2	1	2	-	2	-
Horse Breaker	11	-	11	-	-	-	-	2	2	3	-	2	2
Horsekeeper, Groom, Jockey	78	4	74	-	1	3	7	14	14	15	11	6	7
Farrier, Veterinary Surgeon	17	1	16	-	-	1	-	-	5	2	3	4	2
Cattle, Sheep, Pig, Salesman	21	1	20	-	-	1	1	3	3	2	-	7	4
Drover	17	-	17	-	-	-	2	-	2	1	4	4	4
Gamekeeper	23	-	23	-	-	-	2	1	2	-	4	8	6
Vermin Destroyer	4	-	4	-	-	-	-	-	-	-	1	2	1
Fisherman	45	6	39	-	1	5	5	7	7	6	1	5	8
Others engaged about *Animals*	3	-	3	-	-	-	1	1	-	-	-	-	1

IX.—YORKSHIRE.—Deaths of Males of different Occupations registered in the Year 1871—*continued.*

	OCCUPATIONS.	AGES OF MALES. Total.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–
	V.—Industrial Class.												
10.	1. Bookseller, Publisher	6	1	5	–	–	1	–	–	–	1	1	3
	Bookbinder	5	–	5	–	–	–	2	–	1	–	–	2
	Printer	45	4	41	–	–	4	8	6	5	11	3	5
	Newspaper Agent, News-room Keeper	11	1	10	–	–	1	–	–	1	3	1	1
	Others engaged in *Publications*	1	–	1	–	–	–	–	–	1	–	–	–
	2. Musical Instrument Maker, Dealer	4	1	3	–	1	–	1	–	–	1	–	1
	3. Lithographer, Lithographic Printer	4	1	3	–	–	1	–	–	1	2	–	–
	Others	1	–	1	–	–	–	–	–	–	–	–	1
	4. Wood-carver	2	–	2	–	–	–	–	1	–	–	–	1
	5. Toy Maker, Dealer	4	1	3	–	1	–	1	–	–	–	1	1
	7. Watch Maker, Clock Maker	21	3	18	–	–	3	1	6	2	–	3	3
	Philosophical Instrument Maker; Optician	5	–	5	–	–	–	–	–	1	1	1	1
	Weighing Machine, Scale, Measure, Mkr.	8	2	6	–	–	2	–	–	2	3	–	–
	8. Surgical Instrument Maker	5	1	4	–	–	1	–	–	–	–	2	–
	9. Gunsmith, Gun Manufacture	4	1	3	–	–	1	–	1	–	–	1	–
	10. Engine and Machine Maker	244	11	233	–	–	11	30	67	37	34	23	25
	Spinning, Weaving, Machine Maker	46	4	42	–	–	4	5	3	6	8	12	5
	Agricultural Implement, Machine Mkr.	10	–	10	–	–	–	1	1	3	1	2	1
	Millwright	29	1	28	–	–	1	3	4	2	4	6	3
	Tool Maker, Dealer	41	3	38	–	–	3	4	5	5	9	10	4
	File Maker, Dealer	121	7	114	–	–	7	7	24	19	25	21	12
	Saw Maker, Dealer	21	1	20	–	–	1	1	7	3	2	2	4
	Cutler	173	8	165	–	1	7	13	24	16	49	33	22
	Scissors Maker	23	1	22	–	–	1	2	3	3	2	5	5
	Pin Manufacture	3	–	3	–	–	–	–	1	1	–	–	1
	Others engaged in *Tool-making, &c.*	2	–	2	–	–	–	–	–	–	1	–	1
	11. Coachmaker	24	1	23	–	–	1	4	5	1	5	2	3
	Wheelwright	38	–	38	–	–	–	2	1	5	7	7	10
	Others engaged about *Carriages*	7	–	7	–	–	–	1	1	1	2	2	–
	12. Saddler, Harness, Whip Maker	33	–	33	–	–	–	2	1	4	8	2	6
	13. Ship-builder, Shipwright, Boat-builder	55	–	55	–	–	–	3	6	3	10	13	10
	Sail Maker	7	–	7	–	–	–	–	–	–	1	–	2
	Others	1	–	1	–	–	–	–	–	–	–	–	1
	14. House Proprietor	28	–	28	–	–	–	–	1	3	4	2	7
	Architect	7	–	7	–	–	–	1	1	–	2	1	1
	Builder	25	–	25	–	–	–	1	1	4	6	5	4
	Carpenter, Joiner	307	7	300	–	–	7	21	37	39	47	59	48
	Bricklayer	92	7	85	–	2	5	6	20	11	13	19	11
	Marble Mason	8	–	8	–	–	–	1	1	4	–	1	–
	Mason, Pavior	404	11	393	–	–	11	18	70	79	68	83	55
	Slater, Tiler	8	–	8	–	–	–	1	1	1	3	1	1
	Plasterer	56	1	55	–	–	1	3	13	7	14	7	6
	Paperhanger	3	–	3	–	–	–	–	–	1	2	–	–
	Plumber, Painter, Glazier	131	5	126	–	1	4	10	20	22	27	31	12
	15. Cabinet Maker, Upholsterer	72	4	68	–	–	4	3	13	10	7	16	11
	Carver and Gilder	8	–	8	–	–	–	1	2	–	2	–	2
	Furniture Broker, Dealer	9	–	9	–	–	–	1	–	1	2	3	1
	16. Manufacturing Chemist, Labourer	18	–	18	–	–	–	–	3	3	3	1	2
	Dye, Colour Manufacture	21	1	20	–	–	1	4	5	1	2	4	4
	Dyer, Scourer, Calenderer	56	3	53	–	–	3	3	10	10	7	12	9
	Others	15	–	15	–	–	–	–	2	2	4	4	2
11.	1. Woolstapler	17	–	17	–	–	–	1	2	5	3	3	1
	Felt Manufacture	3	–	3	–	–	–	–	1	–	1	1	–
	Woollen Cloth Manufacture	1006	68	938	1	9	58	48	125	84	119	165	218
	Wool, Woollen, Dyer	22	–	22	–	–	–	2	5	6	1	5	2
	Worsted Manufacture	133	22	111	2	4	16	13	17	9	18	23	18
	Cloth Merchant, Dealer	17	1	16	–	–	1	1	3	1	4	3	3
	Stuff Manufacture	14	3	11	–	–	3	1	2	5	–	2	1
	Flannel Manufacture	4	–	4	–	–	–	–	–	–	2	–	1
	Blanket Manufacture	28	–	28	–	–	–	–	2	4	4	7	7
	Carpet, Rug, Manufacture	61	6	55	–	–	6	10	11	7	9	6	8
	2. Silk, Satin, Manufacture	27	–	27	–	–	–	1	3	3	6	5	6
	3. Flax, Linen Manufacture	147	3	144	–	–	3	10	7	12	23	35	31
	Lace Manufacture	1	–	1	–	–	–	–	–	–	–	–	1
	Thread Manufacture	2	–	2	–	–	–	–	–	–	–	–	–
	Cotton Manufacture	231	32	199	1	6	25	25	33	30	24	40	33
	Fustian Manufacture	3	–	3	–	–	–	–	–	1	1	1	–
	Calico, Cotton, Printer	4	1	3	–	1	–	–	–	–	1	1	–
	Calico, Cotton, Dyer	4	–	4	–	–	–	1	1	–	–	1	–

IX.—YORKSHIRE.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—*continued.*

OCCUPATIONS.	AGES OF MALES. Total.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
11.—*cont.*													
4. Weaver (not otherwise described)	72	6	66	-	-	6	8	6	6	11	7	9	19
Bleacher (not otherwise described)	6	-	6	-	-	-	-	-	2	1	1	1	1
Draper, Linen Draper, Mercer	90	11	79	-	1	10	5	17	13	10	12	12	10
Fancy Goods Manufacturer, Dealer	48	-	48	-	-	-	-	5	3	4	13	16	7
5. Hairdresser, Wig Maker	29	-	29	-	-	-	2	5	5	5	6	4	2
Hatter, Hat Manufacture	9	-	9	-	-	-	-	2	-	-	1	3	3
Furrier, Skinner	9	-	9	-	-	-	-	3	1	1	1	1	2
Tailor	309	13	296	-	3	10	16	31	35	65	59	44	46
Stay Maker, Ladies' Outfitter	6	-	6	-	-	-	-	2	1	1	1	-	1
Hosier, Haberdasher	6	-	6	-	-	-	1	1	-	-	1	2	1
Glover (leather)	1	-	1	-	-	-	-	-	-	1	-	-	-
Shoemaker, Bootmaker	446	12	434	-	-	12	14	33	50	74	94	98	71
Patten, Clog Maker	3	-	3	-	-	-	-	1	1	1	-	-	-
Button Maker	2	-	2	-	-	-	-	-	1	-	-	1	-
Umbrella, Parasol, Stick, Maker	4	-	4	-	-	-	-	-	1	-	1	1	1
Others providing *Dress*	1	-	1	-	-	-	-	-	1	-	-	-	-
6. Mat Maker, Seller	1	-	1	-	-	-	1	-	-	-	-	-	-
Hemp Manufacture	1	-	1	-	-	-	-	-	-	1	-	-	-
Rope, Cord, Maker	21	1	20	-	-	1	1	2	2	7	5	-	3
Canvas, Sailcloth, Manufacture, Dealer	5	-	5	-	-	-	-	-	-	1	2	2	-
Sacking, Sack, Bag, Maker, Dealer	5	-	5	-	-	-	-	-	2	-	2	-	1
Others	1	-	1	-	-	-	-	-	-	-	-	1	-
12. 1. Cowkeeper	32	1	31	-	1	-	1	4	3	5	7	7	4
Cheesemonger	5	-	5	-	-	-	-	1	-	1	-	1	2
Butcher, Meat Salesman	153	4	149	-	-	4	10	16	32	15	22	28	26
Provision Curer, Dealer	20	-	20	-	-	-	-	1	1	3	8	4	3
Poulterer, Game Dealer	6	-	6	-	-	-	-	-	1	1	1	2	1
Fishmonger	25	-	25	-	-	-	-	4	7	7	4	3	-
2. Corn, Flour, Seed, Merchant, Dealer	36	1	35	-	-	1	2	5	5	6	5	10	2
Miller	57	1	56	-	1	-	1	5	7	8	9	13	13
Baker	20	1	19	-	-	1	1	1	3	2	6	3	3
Confectioner, Pastry Cook	15	-	15	-	-	-	1	4	3	1	3	3	-
Greengrocer, Fruit, Vegetable, Dealer	52	-	52	-	-	-	2	4	11	7	15	10	3
Others	4	-	4	-	-	-	1	1	-	-	1	-	1
3. Maltster	28	1	27	-	-	1	-	5	2	-	8	9	3
Brewer	64	1	63	-	-	1	2	10	18	6	14	8	5
Wine and Spirit Merchant	14	-	14	-	-	-	2	-	2	2	3	2	3
Cellarman	3	-	3	-	-	-	-	-	3	-	-	-	-
Ginger Beer, Soda Water, &c., Manufacture	6	-	6	-	-	-	-	2	2	1	-	1	-
Grocer, Tea Dealer	188	5	183	-	-	5	8	16	21	26	46	36	30
Tobacco, Cigar, Snuff, Manufacture, Tobacconist	11	2	9	-	1	1	1	1	1	2	2	1	1
Others	10	1	9	-	-	1	-	1	3	1	3	1	-
13. 1. Soap Boiler	7	-	7	-	-	-	2	-	1	2	1	1	-
Tallow Chandler	4	-	4	-	-	-	1	-	1	-	1	1	-
Comb-maker	16	1	15	-	1	-	1	1	2	1	4	4	2
Others	7	-	7	-	-	-	1	1	-	1	1	3	-
2. Fellmonger	3	-	3	-	-	-	-	1	-	-	2	-	-
Tanner	23	-	23	-	-	-	1	1	6	3	6	5	1
Currier	40	4	36	-	-	4	3	9	4	5	9	4	2
3. Brush, Broom, Maker	22	1	21	-	-	1	4	3	4	3	4	1	2
14. 1. Oil-miller, Refiner	23	4	19	-	-	4	2	2	3	2	4	6	-
French-polisher	9	1	8	-	-	1	1	2	2	-	2	1	-
Floor Cloth Manufacture	1	-	1	-	-	-	-	-	-	-	-	1	-
Others	1	-	1	-	-	-	1	-	-	-	-	-	-
2. Timber, Wood, Merchant, Dealer	18	-	18	-	-	-	1	2	4	4	2	3	2
Sawyer	34	-	34	-	-	-	1	5	4	6	4	11	3
Lath, Fence, Hurdle, Maker	4	-	4	-	-	-	-	-	2	-	-	2	-
Wood, Turner, Worker	12	-	12	-	-	-	2	1	1	4	-	3	1
Box, Packing Case, Maker	6	2	4	-	-	2	-	1	1	-	1	-	1
Cooper, Hoop-maker and Bender	16	-	16	-	-	-	2	1	3	4	1	4	1
3. Cork Cutter, Manufacturer	2	-	2	-	-	-	-	-	1	1	-	-	-
4. Basket Maker	17	1	16	-	-	1	-	4	1	3	1	4	3
Hay and Straw Dealer	5	-	5	-	-	-	-	1	-	1	3	-	-
5. Rag Gatherer, Dealer	22	2	20	-	-	2	1	4	5	5	2	1	2
Paper Manufacture	15	5	10	-	2	3	1	1	2	2	1	1	2
Stationer (not Law)	9	-	9	-	-	-	1	2	1	1	2	1	1
Other Workers in *Paper*	5	-	5	-	-	-	1	-	1	-	-	2	1

IX.—YORKSHIRE.—Deaths of Males of different Occupations registered in the Year 1871—*continued.*

	OCCUPATIONS	Ages of Males. Total.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–
15.	1. Coal Miner	456	36	420	–	6	30	47	90	78	57	51	63
	Lead Miner	18	1	17	–	–	1	1	1	4	3	5	2
	Iron Miner	74	5	69	–	–	5	12	16	15	13	6	6
	Miner (branch undefined)	34	4	30	–	1	3	5	11	8	2	1	2
	Coal Mine Service	16	1	15	–	–	1	–	–	3	1	4	7
	Mine Service (Metal not stated)	1	–	1	–	–	–	–	–	1	–	–	–
	Others	8	–	8	–	–	–	1	1	2	2	1	–
	2. Coal Merchant, Dealer	37	–	37	–	–	–	3	2	1	5	9	9
	Coal-heaver, Labourer	50	8	42	–	3	5	4	7	4	11	4	6
	Chimney Sweeper	5	–	5	–	–	–	–	–	–	3	2	–
	Gas Works Service	26	1	25	–	–	1	1	1	7	3	7	6
	3. Stone Quarrier	169	9	160	–	–	9	6	26	32	40	26	21
	Stone Merchant, Cutter, Dresser	31	1	30	–	1	–	4	5	3	9	6	2
	Limestone Quarrier, Lime-Burner	17	1	16	–	–	1	1	1	3	2	3	4
	Clay Labourer	5	1	4	–	–	1	–	–	1	1	–	1
	Brick Maker, Dealer	55	4	51	1	–	3	5	5	5	6	14	7
	Railway Labourer, Platelayer, Navvy	155	3	152	–	1	2	19	40	32	29	22	7
	Road Contractor, Inspector, Surveyor	8	–	8	–	–	–	–	1	–	2	2	2
	Road Labourer	40	1	39	–	1	–	–	1	1	1	11	15
	Scavenger, Dust Collector	5	–	5	–	–	–	–	–	–	1	2	1
	Others	5	–	5	–	–	–	–	2	1	1	–	1
	4. Earthenware Manufacture	41	2	39	–	–	2	1	4	9	11	5	9
	Tobacco-pipe Maker	9	–	9	–	–	–	–	2	1	2	2	1
	Earthenware and Glass Dealer	11	–	11	–	–	–	2	–	4	–	1	4
	5. Glass Manufacture	35	–	35	–	–	–	7	12	6	2	3	5
	6. Salt Manufacture	2	–	2	–	–	–	–	–	–	1	–	1
	Other Dealers in *Salt*	2	–	2	–	–	–	–	–	–	1	1	–
	7. Waterworks Service	8	–	8	–	–	–	–	2	2	–	1	2
	Others	4	–	4	–	–	–	–	–	1	1	2	–
	8. Goldsmith, Silversmith, Jeweller	42	2	40	–	–	2	3	8	5	5	1	6
	Plater, Plated Ware Manufacture	4	–	4	–	–	–	1	–	–	3	–	–
	9. Copper Manufacture	2	–	2	–	–	–		–	–	1	–	1
	Coppersmith	3	–	3	–	–	–	–	1	–	1	–	1
	Others	1	–	1	–	–	–	–	–	1	–	–	–
	10. Tin Manufacture	2	–	2	–	–	–	–	–	–	–	1	1
	Tinplate Worker, Tinman	21	–	21	–	–	–	5	1	1	6	4	3
	Tinker	1	–	1	–	–	–	–	–	–	1	–	–
	12. Lead Manufacture	10	–	10	–	–	–	–	1	2	3	2	2
	13. Brass Manufacture, Brazier	22	5	17	–	–	5	3	4	4	4	1	1
	Locksmith, Bellhanger	2	–	2	–	–	–	–	1	–	–	–	1
	Gas Fitter	7	–	7	–	–	–	1	3	2	1	–	–
	Wire Worker, Drawer	26	3	23	1	1	1	5	4	5	3	2	3
	Others	2	–	2	–	–	–	–	–	1	–	–	1
	14. Iron Manufacture	361	27	334	–	1	26	44	68	77	62	43	32
	Whitesmith	35	2	33	–	–	2	7	2	6	7	5	5
	Blacksmith	221	2	219	–	1	1	21	37	23	46	30	36
	Nail Manufacture	35	2	33	–	–	2	1	3	5	7	6	5
	Anchorsmith, Chainsmith	3	–	3	–	–	–	1	–	–	–	1	1
	Ironmenger, Hardware Dealer	51	1	50	–	–	1	5	4	4	10	17	7
	Steel Manufacture, Worker	45	5	40	–	–	5	3	9	12	8	6	2
	Others	7	–	7	–	–	–	–	1	1	3	2	–
	VI.—Indefinite and Non-productive Class.												
16.	1. General Labourer, Labourer (branch undefined)	764	33	731	–	6	27	44	79	123	123	137	129
	2. Artizan, Mechanic (branch undefined)	52	4	48	–	–	4	9	12	9	6	4	5
	Engine Driver, Stoker (branch undef.)	9	2	7	–	–	2	1	–	4	1	1	–
	Factory Labourer (branch undefined)	21	8	13	–	2	6	3	1	1	2	1	3
	Apprentice (branch undefined)	1	1	–	–	–	1	–	–	–	–	–	–
	Vagrant, Gipsy	2	–	2	–	–	–	–	–	–	2	–	–
	Others of *undefined* Occupation	618	273	345	–	–	273	47	41	35	11	79	72
17.	1. Gentleman, Independent, Annuitant	34	–	34	–	–	–	3	4	5	5	5	12
18.	1. Scholars and Children of no stated Occupation	1653	1653	–	1135	518	–	–	–	–	–	–	–

X.—NORTHERN COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
Total of Males AGED 5 YEARS AND UPWARDS	10631	2180	8451	1082	491	607	827	1380	1238	1217	1299	1359	1131
I.—PROFESSIONAL CLASS.													
1. 1. Civil Service	23	1	22	-	-	1	-	1	1	3	5	7	5
Governmt. Messengers, Workmen, &c.	15	-	15	-	-	-	2	2	1	-	3	4	3
2. Officer of Law Court	1	-	1	-	-	-	-	-	-	-	-	-	1
Police	22	-	22	-	-	-	3	12	4	1	-	1	1
Prison Officer	3	-	3	-	-	-	-	1	1	-	-	1	-
Municipal, Parish, Union, Officer	10	1	9	-	-	1	-	1	5	1	2	-	-
Other *Local Government* Officers	2	-	2	-	-	-	-	-	-	1	-	1	-
2. 1. Army Officer (effective)	4	-	4	-	-	-	-	-	1	1	1	-	1
Army Retired and Half Pay Officer	4	-	4	-	-	-	-	-	1	1	-	1	1
Soldier	21	1	20	-	-	1	-	8	9	1	1	-	1
Militia, Volunteers	5	-	5	-	-	-	-	1	2	2	-	-	-
Army Pensioner	13	-	13	-	-	-	-	-	1	4	3	2	3
2. Navy Officer (effective)	1	-	1	-	-	-	-	-	-	-	1	-	-
Navy Retired and Half Pay Officer	1	-	1	-	-	-	-	-	1	-	-	-	-
Seaman, R.N.	1	-	1	-	-	-	-	1	-	-	-	-	-
Royal Marine	1	-	1	-	-	-	-	-	1	-	-	-	-
Coastguard, Royal Naval Reserve	3	-	3	-	-	-	-	-	1	1	-	-	1
Navy Pensioner	1	-	1	-	-	-	-	-	-	1	-	-	-
3. 1. Clergyman	20	-	20	-	-	-	-	2	-	3	6	5	4
Protestant Minister	6	-	6	-	-	-	-	2	-	-	2	1	1
Roman Catholic Priest	1	-	1	-	-	-	-	1	-	-	-	-	-
Missionary, Scripture Reader	2	-	2	-	-	-	-	-	-	-	1	-	1
Church, Chapel Officer	5	-	5	-	-	-	-	-	-	-	1	2	2
Others	2	2	-	-	-	2	-	-	-	-	-	-	-
2. Barrister	1	-	1	-	-	-	-	1	-	-	-	-	-
Solicitor, Attorney	18	1	17	-	-	1	2	1	2	1	6	3	2
Law Clerk	9	2	7	-	-	2	2	2	1	2	-	-	-
3. Physician, Surgeon	21	1	20	-	-	1	-	6	4	1	6	2	1
Medical—Assistant, Student	2	-	2	-	-	-	2	-	-	-	-	-	-
Chemist, Druggist	19	2	17	-	-	2	3	7	3	3	-	1	-
4. Author, Editor, Journalist	2	-	2	-	-	-	-	1	-	-	-	1	-
Students and *Others*	2	-	2	-	-	-	-	-	1	1	-	-	-
5. Painter, Artist	5	-	5	-	-	-	1	-	2	1	-	-	1
Engraver	3	-	3	-	-	-	1	-	-	-	-	2	-
Photographer	1	1	-	-	-	1	-	-	-	-	-	-	-
6. Musician, Music Master	7	-	7	-	-	-	-	3	2	2	-	-	-
7. Actor	2	-	2	-	-	-	-	1	-	1	-	-	-
Others engaged in *Theatres, &c.*	2	-	2	-	-	-	-	1	-	-	-	1	-
8. Schoolmaster	29	-	29	-	-	-	2	3	4	3	2	6	9
Teacher, Professor, Lecturer	12	4	8	-	1	3	3	1	1	-	-	3	-
9. Civil Engineer	5	-	5	-	-	-	-	1	2	1	1	-	-
II.—DOMESTIC CLASS.													
5. 1. Inn Keeper, Hotel Keeper, Publican	150	1	149	-	-	1	1	17	39	24	31	21	16
Beerseller	5	-	5	-	-	-	-	1	2	1	-	1	-
Lodging-house, Boarding-house Keeper	3	-	3	-	-	-	-	-	-	1	1	-	1
Coffee-house, Eating-house Keeper	2	-	2	-	-	-	-	-	2	-	-	-	-
Institution Service	1	-	1	-	-	-	-	-	-	-	-	-	1
2. Domestic Servant (General)	17	1	16	-	-	1	-	4	4	1	3	2	2
Coachman	10	-	10	-	-	-	1	2	1	-	1	2	3
Gardener	8	-	8	-	-	-	1	1	-	-	2	4	-
Inn, Hotel Servant	20	2	18	-	-	2	4	2	6	4	-	1	1
III.—COMMERCIAL CLASS.													
6. 1. Merchant	7	-	7	-	-	-	-	-	1	1	1	2	2
Banker	1	-	1	-	-	-	-	-	1	-	-	-	-
Bank Service	9	-	9	-	-	-	2	1	1	-	4	-	1
Insurance, Benefit Society, Service	5	1	4	-	-	1	1	-	2	-	-	1	-
Broker, Agent, Factor	11	1	10	-	-	1	-	3	1	3	1	1	1
Auctioneer, Valuer, House Agent	6	-	6	-	-	-	-	1	-	1	2	2	-
Accountant	15	-	15	-	-	-	2	5	2	1	4	1	-
Commercial Clerk	36	2	34	-	-	2	12	11	2	4	2	3	-
Commercial Traveller	18	-	18	-	-	-	1	4	2	5	4	2	-
2. Pawnbroker	4	-	4	-	-	-	1	-	-	1	2	-	-
Shopkeeper (branch undefined), General Dealer	15	1	14	-	-	1	2	2	1	3	3	2	1
Hawker, Pedlar	64	-	64	-	-	-	2	6	6	10	13	17	10

NOTE.—The Counties comprised in this Table are Durham, Northumberland, Cumberland, and Westmorland.

X.—NORTHERN COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—*continued.*

	OCCUPATIONS.	AGES OF MALES. Total.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwards.
7.	1. Railway Engine Driver, Stoker	20	4	16	–	–	4	5	7	3	1	–	–	–
	Railway Officer, Clerk, Station master	27	2	25	–	–	2	5	7	2	2	3	4	2
	Railway Attendant, Servant	65	5	60	–	–	5	9	23	9	4	6	7	2
	2. Toll Collector, Turnpike-gate Keeper	7	–	7	–	–	–	1	1	–	–	3	2	–
	Coach, Omnibus, Cab Owner, Livery Stable Keeper	7	–	7	–	–	–	–	1	2	1	1	2	–
	Coachman (not domestic), Cabman, Flyman	24	–	24	–	–	–	1	5	6	5	2	3	2
	Carman, Carrier, Carter, Drayman	129	2	127	–	–	2	10	19	16	26	20	18	18
	3. Inland Navigation Service	4	–	4	–	–	–	–	1	1	2	–	–	–
	Bargeman, Waterman	43	–	43	–	–	–	2	5	4	7	8	10	7
	4. Shipowner	25	–	25	–	–	–	–	–	1	8	2	10	4
	Steam Navigation Service	27	1	26	–	1	–	2	12	5	4	1	1	1
	Ship Steward, Cook	8	1	7	–	–	1	2	2	–	–	1	2	–
	Seaman (Merchant Service)	404	24	380	–	3	21	42	78	70	59	43	44	44
	Pilot	21	–	21	–	–	–	–	3	4	4	2	7	1
	Harbour, Dock Service, Labourer	30	1	29	–	–	1	3	1	6	8	5	5	1
	Others	13	–	13	–	–	–	3	3	3	1	2	1	–
	5. Warehouseman	6	–	6	–	–	–	1	1	1	2	–	1	–
	6. Messenger, Porter, Errand Boy	9	4	5	–	1	3	–	–	2	1	1	1	–
	Telegraph Company Service	6	2	4	–	–	2	2	1	1	–	–	–	–
	IV.—AGRICULTURAL CLASS.													
8.	1. Land Proprietor (so returned)	53	–	53	–	–	–	–	1	4	5	6	13	24
	Farmer, Grazier	432	–	432	–	–	–	3	18	40	33	69	111	158
	Farmer's Son, Brother, Grandson, Nephew	20	4	16	–	–	4	9	5	1	1	–	–	–
	Farm Bailiff	19	–	19	–	–	–	–	1	1	3	4	6	4
	Agricultural Labourer	554	19	535	–	1	18	36	39	47	42	78	134	159
	Shepherd (out-door)	21	1	20	–	–	1	2	1	–	1	1	6	9
	Land Surveyor, Estate Agent	9	–	9	–	–	–	–	–	–	1	2	3	3
	Land Drainage Service	10	–	10	–	–	–	–	4	4	–	2	–	–
	2. Woodman	18	1	17	–	–	1	–	1	1	3	–	6	6
	3. Gardener	71	1	70	–	–	1	4	5	5	8	14	16	18
9.	1. Horse Proprietor, Dealer	6	–	6	–	–	–	–	2	1	1	–	2	–
	Horse Breaker	3	–	3	–	–	–	–	–	–	1	1	–	1
	Horsekeeper, Groom, Jockey	31	–	31	–	–	–	–	5	5	6	7	6	2
	Farrier, Veterinary Surgeon	6	–	6	–	–	–	–	1	–	–	–	5	–
	Cattle, Sheep, Pig, Salesman	18	–	18	–	–	–	–	3	–	7	3	3	2
	Drover	9	–	9	–	–	–	–	–	1	2	2	1	3
	Gamekeeper	13	–	13	–	–	–	1	–	–	1	4	5	2
	Vermin Destroyer	1	–	1	–	–	–	–	–	–	–	–	–	1
	Fisherman	28	2	26	–	–	2	3	4	1	4	1	6	7
	Others engaged about *Animals*	2	–	2	–	–	–	–	–	1	–	–	–	1
	V.—INDUSTRIAL CLASS.													
10.	1. Bookseller, Publisher	6	–	6	–	–	–	–	1	–	1	1	2	1
	Bookbinder	4	–	4	–	–	–	–	–	2	–	1	1	–
	Printer	28	5	23	–	–	5	6	4	5	2	3	1	2
	Newspaper Agent, News-room Keeper	1	–	1	–	–	–	–	–	1	–	–	–	–
	Others engaged in *Publications*	1	–	1	–	–	–	–	–	–	–	–	1	–
	4. Wood-carver	1	–	1	–	–	–	–	–	–	–	–	1	–
	Others	1	–	1	–	–	–	–	–	–	1	–	–	–
	7. Watch Maker, Clock Maker	17	–	17	–	–	–	4	2	–	3	4	4	–
	Philosophical Instrument Maker; Optician	2	–	2	–	–	–	1	–	–	1	–	–	–
	Weighing Machine, Scale, Measure, Maker	1	–	1	–	–	–	–	–	–	–	1	–	–
	9. Others engaged in *Arms*	2	–	2	–	–	–	–	1	–	–	–	–	1
	10. Engine and Machine Maker	201	19	182	–	–	19	30	58	44	22	17	5	6
	Spinning, Weaving, Machine Maker	5	–	5	–	–	–	–	1	1	–	2	–	1
	Agricultural Implement, Machine Maker	5	1	4	–	–	1	–	–	1	1	1	–	1
	Millwright	14	1	13	–	–	1	2	3	2	4	1	1	–
	Tool Maker, Dealer	2	–	2	–	–	–	–	–	1	–	–	1	–
	File Maker, Dealer	4	–	4	–	–	–	–	1	1	1	1	–	–
	Cutler	2	–	2	–	–	–	–	–	1	–	–	–	1
	11. Coachmaker	8	–	8	–	–	–	1	2	2	–	–	2	1
	Wheelwright	14	–	14	–	–	–	3	–	–	2	–	2	7
	12. Saddler, Harness, Whip Maker	16	2	14	–	–	2	3	1	1	3	–	4	2
	13. Shipbuilder, Shipwright, Boat-builder	241	12	229	–	–	12	27	37	46	32	31	34	22
	Sail Maker	14	–	14	–	–	–	–	1	3	2	4	2	2
	Others	1	–	1	–	–	–	–	–	–	–	–	1	–

X.—NORTHERN COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—*continued.*

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
10.—*cont.*													
14. House Proprietor	33	-	33	-	-	-	1	-	3	5	5	12	7
Architect	4	-	4	-	-	-	3	-	-	1	-	-	-
Builder	21	1	20	-	-	1	-	2	2	8	3	2	3
Carpenter, Joiner	244	14	230	-	-	14	28	33	31	35	35	37	31
Bricklayer	43	1	42	-	-	1	5	11	9	6	7	4	-
Marble Mason	4	-	4	-	-	-	2	-	1	-	1	-	-
Mason, Pavior	225	7	218	-	-	7	12	29	35	38	44	38	22
Slater, Tiler	9	-	9	-	-	-	-	1	1	-	2	2	3
Plasterer	15	1	14	-	-	1	2	3	-	1	2	3	3
Paperhanger	2	-	2	-	-	-	-	1	-	1	-	-	-
Plumber, Painter, Glazer	67	6	61	-	-	6	9	9	12	7	12	7	5
15. Cabinet Maker, Upholsterer	33	2	31	-	-	2	5	11	3	5	4	3	-
Carver and Gilder	7	1	6	-	-	1	2	-	1	1	2	-	-
Furniture Broker, Dealer	1	-	1	-	-	-	-	-	-	-	1	-	-
16. Manufacturing Chemist, Labourer	103	4	99	-	-	4	14	24	19	16	11	13	2
Dye, Colour Manufacture	1	-	1	-	-	-	-	-	-	1	-	-	-
Dyer, Scourer, Calenderer	5	-	5	-	-	-	-	-	1	-	2	1	1
Others	1	-	1	-	-	-	-	-	-	-	1	-	-
11. 1. Woolstapler	4	-	4	-	-	-	-	-	-	-	1	2	1
Woollen Cloth Manufacture	23	1	22	-	-	1	1	2	1	4	3	4	7
Worsted Manufacture	1	-	1	-	-	-	-	-	-	-	1	-	-
Stuff Manufacture	4	1	3	-	-	1	-	-	-	1	-	-	2
Carpet, Rug, Manufacture	14	-	14	-	-	-	2	2	-	-	2	1	7
2. Silk, Satin, Manufacture	2	-	2	-	-	-	-	1	-	-	1	-	-
3. Flax, Linen Manufacture	13	-	13	-	-	-	1	1	1	3	-	1	6
Cotton Manufacture	49	1	48	-	-	1	3	1	2	10	9	13	10
Calico, Cotton, Printer	5	-	5	-	-	-	1	1	-	2	-	-	1
Calico, Cotton, Dyer	3	-	3	-	-	-	-	1		-	2	-	-
4. Weaver (not otherwise described)	18	3	15	-	-	3	1	-	1	1	1	2	9
Bleacher (not otherwise described)	3	-	3	-	-	-	-	-	1	-	-	1	1
Draper, Linen Draper, Mercer	71	13	58	-	-	13	14	12	12	11	3	3	3
Trimming Maker, Dealer	1	-	1	-	-	-	-	-	-	-	1	-	-
5. Hairdresser, Wig Maker	10	1	9	-	-	1	-	-	3	3	2	1	-
Hatter, Hat Manufacture	11	-	11	-	-	-	1	2	2	2	1	1	2
Furrier, Skinner	4	-	4	-	-	-	-	1	-	-	-	2	1
Tailor	170	11	159	-	-	11	11	30	16	29	23	32	18
Stay Maker, Ladies' Outfitter	1	-	1	-	-	-	-	-	-	-	1	-	-
Hosier, Haberdasher	3	-	3	-	-	-	1	-	1	-	1	-	-
Shoemaker, Bootmaker	237	5	232	-	-	5	9	23	29	38	45	44	44
Patten, Clog Maker	4	-	4	-	-	-	1	2	-	1	-	-	-
Umbrella, Parasol, Stick, Maker	1	-	1	-	-	-	-	-	-	1	-	-	-
6. Rope, Cord Maker	17	-	17	-	-	-	-	-	-	4	3	6	4
Canvas, Sailcloth, Manufacture, Dealer	3	-	3	-	-	-	-	-	-	-	2	1	-
12. 1. Cowkeeper, Milkseller	9	-	9	-	-	-	-	1	1	2	2	3	-
Cheesemonger	3	-	3	-	-	-	-	-	-	2	-	1	-
Butcher, Meat Salesman	88	1	87	-	-	1	10	14	17	15	13	6	12
Provision Curer, Dealer	21	-	21	-	-	-	1	1	2	1	7	2	7
Poulterer, Game Dealer	3	-	3	-	-	-	-	-	-	1	1	1	-
Fishmonger	8	-	8	-	-	-	2	-	2	2	-	-	2
2. Corn, Flour, Seed, Merchant, Dealer	10	-	10	-	-	-	-	1	2	2	3	1	1
Miller	40	2	38	-	-	2	2	3	7	6	7	7	6
Baker	17	-	17	-	-	-	-	2	1	8	4	2	-
Confectioner, Pastry Cook	13	1	12	-	-	1	-	3	2	-	4	3	-
Greengrocer, Fruit, Vegetable, Dealer	17	-	17	-	-	-	1	3	3	4	1	4	1
Others	1	-	1	-	-	-	-	-	-	-	1	-	-
3. Maltster	5	-	5	-	-	-	-	-	-	1	3	-	1
Brewer	31	-	31	-	-	-	2	5	5	4	5	8	2
Wine and Spirit Merchant	25	1	24	-	-	1	-	7	7	5	2	1	2
Cellarman	4	-	4	-	-	-	-	1	2	1	-	-	-
Ginger Beer, Soda Water, &c., Manufacture	5	-	5	-	-	-	1	-	2	-	-	2	-
Grocer, Tea Dealer	90	1	89	-	-	1	8	21	14	13	14	12	7
Tobacco, Cigar, Snuff, Manufacture, Tobacconist	5	-	5	-	-	-	1	2	-	-	1	1	-
Others	3	-	3	-	-	-	-	-	-	-	2	-	1
13. 1. Soap Boiler	2	1	1	-	-	1	-	1	-	-	-	-	-
Tallow Chandler	3	-	3	-	-	-	-	-	-	1	1	1	-
Comb-maker	1	-	1	-	-	-	-	-	-	-	1	-	-
Others	2	-	2	-	-	-	-	1	1	-	-	-	-
2. Tanner	9	-	9	-	-	-	-	-	3	2	1	2	1
Currier	11	-	11	-	-	-	3	2	-	-	2	3	1
Leather Case, Portmanteau, Bag Maker	1	-	1	-	-	-	-	-	1	-	-	-	-

X.—NORTHERN COUNTIES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—*continued.*

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
14. 1. Oil-miller, Refiner	2	-	2	-	-	-	2	-	-	-	-	-	-
French-polisher	1	-	1	-	-	-	-	-	-	1	-	-	-
2. Timber, Wood, Merchant, Dealer	11	-	11	-	-	-	1	2	1	1	2	4	-
Sawyer	32	-	32	-	-	-	3	3	-	5	8	7	6
Lath, Fence, Hurdle, Maker	2	-	2	-	-	-	-	-	1	-	-	-	1
Wood, Turner, Worker	7	-	7	-	-	-	-	1	1	2	-	3	-
Box, Packing Case, Maker	1	-	1	-	-	-	-	-	1	-	-	-	-
Cooper, Hoop Maker and Bender	32	3	29	-	-	3	2	5	4	4	3	7	4
3. Cork Cutter, Manufacturer	1	-	1	-	-	-	-	-	-	-	1	-	-
4. Basket Maker	3	-	3	-	-	-	-	-	-	1	1	-	1
Thatcher	1	-	1	-	-	-	-	-	-	-	-	-	1
5. Rag Gatherer, Dealer	4	-	4	-	-	-	-	-	-	-	1	-	3
Paper Manufacture	10	1	9	-	-	1	2	-	2	1	-	3	1
Stationer (not Law)	3	-	3	-	-	-	1	1	-	-	1	-	-
Paper Stainer	2	-	2	-	-	-	-	-	-	-	1	1	-
Other Workers in *Paper*	3	-	3	-	-	-	-	1	-	-	2	-	-
15. 1. Coal Miner	1040	116	924	1	28	87	121	176	128	129	140	145	85
Lead Miner	94	2	92	-	-	2	6	11	18	22	25	7	3
Iron Miner	48	2	46	-	-	2	7	14	6	11	5	2	1
Miner (branch undefined)	8	-	8	-	-	-	1	3	1	1	1	1	-
Coal Mine Service	19	2	17	-	-	2	4	3	2	2	5	-	1
Mine Service (Metal not stated)	2	-	2	-	-	-	-	-	-	1	-	1	-
2. Coal Merchant, Dealer	7	-	7	-	-	-	-	-	2	-	1	3	1
Coal-heaver, Labourer	102	10	92	-	3	7	5	17	10	17	13	20	10
Coke Burner, Dealer	43	3	40	-	3	-	8	11	9	5	6	1	-
Chimney Sweeper	6	-	6	-	-	-	-	1	-	1	2	1	1
Gas Works Service	13	1	12	-	-	1	3	4	-	2	1	1	1
Other Workers in *Coal*	1	-	1	-	-	-	-	-	-	1	-	-	-
3. Stone Quarrier	61	2	59	-	-	2	4	7	12	12	12	10	2
Stone, Merchant, Cutter, Dresser	1	-	1	-	-	-	-	-	-	-	1	-	-
Limestone Quarrier, Lime-burner	10	-	10	-	-	-	1	2	1	2	-	4	-
Clay Labourer	3	1	2	-	-	1	-	1	-	-	1	-	-
Brick Maker, Dealer	50	5	45	-	-	5	4	10	9	7	8	3	4
Railway Labourer, Platelayer, Navvy	144	10	134	-		10	14	32	26	24	25	8	5
Road Contractor, Inspector, Surveyor	3	-	3	-	-	-	-	-	-	-	-	1	2
Road Labourer	24	-	24	-	-	-	3	-	1	3	5	7	5
Scavenger, Dust Collector	1	-	1	-	-	-	-	1	-	-	-	-	-
Others	5	-	5	-	-	-	1	2	1	-	-	1	-
4. Earthenware Manufacture	30	1	29	-	-	1	2	4	4	6	7	4	2
Earthenware and Glass Dealer	3	-	3	-	-	-	-	1	-	-	2	-	-
5. Glass Manufacture	75	1	74	-	-	1	6	16	8	14	11	14	5
6. Salt Manufacture	1	-	1	-	-	-	-	-	1	-	-	-	-
7. Waterworks Service	17	3	14	-	1	2	2	2	3	2	2	3	-
Others	1	-	1	-	-	-	-	-	-	1	-	-	-
8. Goldsmith, Silversmith, Jeweller	6	-	6	-	-	-	-	2	-	-	1	3	-
Others	1	-	1	-	-	-	1	-	-	-	-	-	-
9. Copper Manufacture	5	-	5	-	-	-	1	-	2	-	-	-	2
Coppersmith	3	1	2	-	-	1	-	2	-	-	-	-	-
10. Tinplate Worker, Tinman	15	-	15	-	-	-	2	4	1	2	1	3	2
12. Lead Manufacture	10	-	10	-	-	-	-	2	3	2	2	1	-
13. Brass Manufacture, Brazier	16	1	15	-	-	1	4	3	1	1	3	3	-
Gas Fitter	2	-	2	-	-	-	-	1	-	1	-	-	-
Wire Worker, Drawer	4	-	4	-	-	-	-	1	2	-	-	1	-
14. Iron Manufacture	343	34	309	-	6	28	60	69	64	43	40	27	6
Whitesmith	10	-	10	-	-	-	2	1	1	-	1	2	3
Blacksmith	206	14	192	-	-	14	18	33	22	29	28	38	24
Nail Manufacture	18	-	18	-	-	-	-	2	-	2	4	4	6
Anchorsmith, Chainsmith	21	1	20	-	1	-	1	2	4	7	3	2	1
Ironmonger, Hardware Dealer	10	-	10	-	-	-	2	2	1	4	-	1	-
Steel Manufacture, Worker	5	2	3	-	-	2	1	1	-	-	1	-	-
Others	2	-	2	-	-	-	-	1	1	-	-	-	-
VI.—INDEFINITE AND NON-PRODUCTIVE CLASS.													
16. 1. General Labourer, Labourer (branch undefined)	733	31	702	-	3	28	77	126	123	97	114	89	76
2. Artizan, Mechanic (branch undefined)	7	-	7	-	-	-	1	2	1	2	1	-	-
Engine Driver, Stoker (branch undef.)	20	5	15	-	-	5	1	9	3	1	1	-	-
Factory Labourer (branch undefined)	1	-	1	-	-	-	1	-	-	-	-	-	-
Vagrant, Gipsy	3	-	3	-	-	-	-	1	1	-	-	1	-
Others of *undefined* Occupation	264	189	75	-	-	189	16	19	10	10	8	8	4
17. 1. Gentleman, Independent, Annuitant	58	-	58	-	-	-	2	3	4	8	13	9	19
18. 1. Scholars and Children of no stated Occupation	1520	1520	-	1081	439	-	-	-	-	-	-	-	-

XI.—MONMOUTHSHIRE AND WALES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871.

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
Total of Males AGED 5 YEARS AND UPWARDS	1028	1686	8342	773	374	539	725	1222	961	1020	1311	1505	1598
I.—PROFESSIONAL CLASS.													
1. 1. Civil Service	31	-	31	-	-	-	-	3	2	2	5	7	12
Government Messengers, Workmen, &c.	29	-	29	-	-	-	-	3	6	3	4	5	8
2. Magistrate (so returned)	3	-	3	-	-	-	-	-	-	-	2	-	1
Officer of Law Court	6	-	6	-	-	-	1	-	-	1	2	1	1
Police	16	-	16	-	-	-	1	3	4	6	-	1	1
Prison Officer	2	-	2	-	-	-	-	1	-	-	1	-	-
Municipal, Parish, Union, Officer	11	-	11	-	-	-	-	1	1	3	2	1	3
3. *East India* and *Colonial* Service	3	-	3	-	-	-	-	-	-	1	-	-	2
2. 1. Army Officer (effective)	4	-	4	-	-	-	-	-	1	-	1	1	1
Soldier	25	1	24	-	-	1	3	9	8	3	1	-	-
Militia, Volunteers	10	-	10	-	-	-	-	2	3	4	-	1	-
Army Pensioner	23	-	23	-	-	-	-	1	6	1	2	1	12
2. Navy Officer (effective)	2	-	2	-	-	-	-	-	-	-	-	1	1
Seaman, R.N.	1	1	-	-	-	1	-	-	-	-	-	-	-
Coastguard, Royal Naval Reserve	3	-	3	-	-	-	1	-	1	-	-	-	1
Navy Pensioner	6	-	6	-	-	-	-	-	-	1	1	-	4
3. 1. Clergyman	31	-	31	-	-	-	-	1	3	6	6	9	6
Protestant Minister	29	-	29	-	-	-	-	9	1	3	6	9	1
Roman Catholic Priest	1	-	1	-	-	-	-	-	-	-	-	1	-
Missionary, Scripture Reader	1	-	1	-	-	-	-	-	-	1	-	-	-
Church, Chapel Officer	5	-	5	-	-	-	-	-	-	-	1	2	2
Others	5	-	5	-	-	-	2	1	-	2	-	-	-
2. Solicitor, Attorney	14	-	14	-	-	-	-	1	4	-	6	2	1
Law Clerk	10	1	9	-	-	1	2	2	2	1	1	-	1
3. Physician, Surgeon	28	-	28	-	-	-	1	5	7	3	3	3	6
Medical—Assistant, Student	1	-	1	-	-	-	-	1	-	-	-	-	-
Chemist, Druggist	20	-	20	-	-	-	6	5	3	2	3	-	1
4. Students and *Others*	4	-	4	-	-	-	3	1	-	-	-	-	-
5. Photographer	1	-	1	-	-	-	-	-	-	-	1	-	-
6. Musician, Music Master	12	1	11	-	-	1	1	3	2	1	2	2	-
7. Actor	3	-	3	-	-	-	-	1	2	-	-	-	-
Others engaged in *Theatres, &c.*	2	-	2	-	-	-	-	-	1	-	-	1	-
8. Schoolmaster	36	-	36	-	-	-	5	8	3	3	2	13	2
Teacher, Professor, Lecturer	2	-	2	-	-	-	1	1	-	-	-	-	-
9. Civil Engineer	5	-	5	-	-	-	-	1	-	2	-	1	1
II.—DOMESTIC CLASS.													
5. 1. Inn Keeper, Hotel Keeper, Publican	112	-	112	-	-	-	1	16	11	22	29	19	14
Beerseller	2	-	2	-	-	-	-	-	-	-	1	1	-
Lodging-house, Boarding-house Kpr.	3	-	3	-	-	-	-	-	-	-	1	1	1
Institution Service	4	-	4	-	-	-	1	2	-	-	-	1	-
Others	3	-	3	-	-	-	-	1	-	1	-	-	1
2. Domestic Servant (General)	18	2	16	-	1	1	5	1	1	-	3	3	3
Coachman	7	-	7	-	-	-	-	3	1	1	1	-	1
Groom	3	-	3	-	-	-	2	1	-	-	-	-	-
Gardener	6	-	6	-	-	-	-	-	1	-	3	1	1
Inn, Hotel Servant	19	-	19	-	-	-	2	2	3	3	4	3	2
Others	2	-	2	-	-	-	-	-	1	-	1	-	-
III.—COMMERCIAL CLASS.													
6. 1. Merchant	11	-	11	-	-	-	-	2	3	3	-	2	1
Bank Service	6	-	6	-	-	-	-	3	1	1	1	-	-
Insurance, Benefit Society, Service	2	-	2	-	-	-	-	1	-	-	-	1	-
Broker, Agent, Factor	6	-	6	-	-	-	-	2	-	1	-	3	-
Auctioneer, Valuer, House Agent	9	-	9	-	-	-	-	2	2	1	-	4	-
Accountant	20	1	19	-	-	1	2	6	3	3	2	2	1
Commercial Clerk	29	6	23	-	-	6	3	8	5	-	2	3	2
Commercial Traveller	11	-	11	-	-	-	-	4	3	1	2	-	1
2. Shopkeeper (branch undefined), General Dealer	19	-	19	-	-	-	1	2	1	1	6	6	2
Huckster, Costermonger	2	-	2	-	-	-	-	-	-	1	1	-	-
Hawker, Pedlar	24	-	24	-	-	-	-	2	3	1	6	6	6

NOTE.—This Table comprises Monmouthshire and South and North Wales.

XI.—MONMOUTHSHIRE AND WALES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—*continued.*

OCCUPATIONS.	AGES OF MALES.											
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
7. 1. Railway Engine Driver, Stoker	8	1	7	–	–	1	2	4	1	–	–	–	–
Railway Officer, Clerk, Station-master	13	1	12	–	–	1	4	2	3	2	1	–	–
Railway Attendant, Servant	65	6	59	–	1	5	13	25	10	5	4	1	1
2. Toll Collector, Turnpike-gate Keeper	4	–	4	–	–	–	1	–	1	–	–	2	–
Coach, Omnibus, Cab Owner, Livery Stable Keeper	4	–	4	–	–	–	–	1	–	1	2	–	–
Coachman (not domestic), Cabman, Flyman	23	2	21	–	–	2	3	3	3	4	1	5	2
Carman, Carrier, Carter, Drayman	40	1	39	–	–	1	1	8	3	6	9	8	4
3. Inland Navigation Service	6	–	6	–	–	–	–	1	–	1	1	1	2
Bargeman, Waterman	17	1	16	–	–	1	–	4	4	3	1	2	2
4. Shipowner	2	–	2	–	–	–	–	1	–	–	–	1	–
Steam Navigation Service	14	–	14	–	–	–	1	6	4	3	–	–	–
Ship Steward, Cook	4	1	3	–	–	1	1	1	–	–	1	–	–
Seaman (Merchant Service)	255	14	241	–	–	14	30	61	44	33	32	19	22
Pilot	19	–	19	–	–	–	1	2	3	2	2	7	2
Boatman on Seas	4	–	4	–	–	–	–	–	–	–	1	–	3
Harbour, Dock Service, Labourer	20	–	20	–	–	–	–	1	1	9	4	3	2
Wharfinger	5	–	5	–	–	–	–	–	1	2	1	1	–
Others	3	–	3	–	–	–	–	–	1	–	2	–	–
5. Warehouseman	3	1	2	–	–	1	1	–	–	–	–	1	–
Meter, Weigher	4	–	4	–	–	–	–	–	–	–	–	4	–
6. Messenger, Porter, Errand Boy	6	1	5	–	–	1	–	2	–	1	–	2	–
Telegraph Company Service	1	–	1	–	–	–	–	1	–	–	–	–	–
IV.—AGRICULTURAL CLASS.													
8. 1. Land Proprietor (so returned)	33	–	33	–	–	–	–	1	2	2	8	8	12
Farmer, Grazier	958	1	957	–	–	1	7	42	51	79	158	211	379
Farmer's Son, Brother, Grandson, Nephew	56	–	56	–	–	–	28	23	2	3	–	–	–
Farm Bailiff	18	–	18	–	–	–	–	1	1	4	2	5	5
Agricultural Labourer	762	122	640	44	30	48	37	47	37	52	92	169	206
Shepherd (out-door)	14	–	14	–	–	–	1	–	1	–	2	4	6
Farm Servant (in-door)	60	12	48	–	1	11	12	15	4	2	4	4	7
Land Surveyor, Estate Agent	6	–	6	–	–	–	–	1	1	1	–	1	2
Land Drainage Service	1	–	1	–	–	–	–	–	–	1	–	–	–
2. Woodman	15	1	14	–	–	1	1	1	2	1	2	1	6
3. Nurseryman, Seedsman, Florist	2	–	2	–	–	–	–	1	–	–	1	–	–
Gardener	65	–	65	–	–	–	1	5	6	6	13	20	14
9. 1. Horse Proprietor, Dealer	2	–	2	–	–	–	–	–	–	–	–	1	1
Horse Breaker	3	–	3	–	–	–	–	–	–	–	2	–	1
Horsekeeper, Groom, Jockey	31	–	31	–	–	–	2	3	6	7	6	3	4
Farrier, Veterinary Surgeon	4	–	4	–	–	–	–	–	–	2	1	1	–
Cattle, Sheep, Pig, Salesman	10	–	10	–	–	–	–	2	3	1	2	–	2
Drover	1	–	1	–	–	–	–	–	–	–	–	1	–
Gamekeeper	16	–	16	–	–	–	–	2	1	3	–	5	5
Vermin Destroyer	3	–	3	–	–	–	–	–	–	–	2	–	1
Fisherman	8	1	7	–	–	1	–	–	1	1	2	1	2
Others engaged about *Animals*	3	–	3	–	–	–	–	–	1	1	1	–	–
V.—INDUSTRIAL CLASS.													
10. 1. Bookseller, Publisher	3	–	3	–	–	–	1	–	–	–	1	1	–
Bookbinder	6	–	6	–	–	–	–	1	1	–	2	1	1
Printer	19	2	17	–	–	2	3	5	1	2	1	2	3
Newspaper Agent, News-room Keeper	1	–	1	–	–	–	–	–	–	–	–	1	–
5. Toy Maker, Dealer	1	–	1	–	–	–	–	–	1	–	–	–	–
7. Watch Maker, Clock Maker	14	1	13	–	–	1	2	3	1	1	3	1	2
Weighing Machine, Scale, Measure, Maker	1	–	1	–	–	–	–	–	–	–	1	–	–
9. Gunsmith, Gun Manufacture	1	–	1	–	–	–	–	1	–	–	–	–	–
10. Engine and Machine Maker	53	3	50	–	1	2	8	13	7	6	7	6	3
Agricultural Implement, Machine Mkr.	1	–	1	–	–	–	–	–	1	–	–	–	–
Millwright	9	1	8	–	–	1	–	–	1	1	1	1	4
File Maker, Dealer	1	–	1	–	–	–	–	–	–	–	–	–	1
Cutler	1	–	1	–	–	–	–	–	–	–	–	–	1
11. Coachmaker	2	–	2	–	–	–	1	–	–	1	–	–	–
Wheelwright	25	–	25	–	–	–	–	5	1	2	4	4	9
Others engaged about *Carriages*	2	–	2	–	–	–	–	–	–	1	1	–	–

XI.—MONMOUTHSHIRE AND WALES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—*continued.*

OCCUPATIONS.	AGES OF MALES.												
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
10.—*cont.*													
12. Saddler, Harness, Whip Maker	31	2	29	-	-	2	2	4	3	2	7	3	8
13. Ship builder, Shipwright, Boat-builder	52	1	51	-	-	1	3	7	12	7	7	5	10
Sail Maker	5	-	5	-	-	-	-	1	-	3	-	-	1
Others	1	-	1	-	-	-	1	-	-	-	-	-	-
14. House Proprietor	7	-	7	-	-	-	-	-	1	-	1	2	3
Architect	4	1	3	-	-	1	-	-	1	-	-	1	1
Surveyor	3	-	3	-	-	-	-	-	1	1	-	1	-
Builder	15	-	15	-	-	-	-	-	2	5	2	4	2
Carpenter, Joiner	226	7	219	-	-	7	19	44	24	28	25	35	44
Bricklayer	11	2	9	-	-	2	2	1	1	-	1	1	3
Mason, Pavior	188	8	180	-	-	8	8	26	17	28	31	25	45
Slater, Tiler	18	1	17	-	-	1	-	4	-	2	1	2	8
Plasterer	26	2	24	-	-	2	4	1	-	5	2	5	7
Plumber, Painter, Glazier	44	2	42	-	-	2	5	10	9	7	2	7	2
15. Cabinet Maker, Upholsterer	23	-	23	-	-	-	3	4	1	2	5	6	2
Undertaker	3	-	3	-	-	-	-	-	-	1	-	1	1
16. Manufacturing Chemist, Labourer	15	-	15	-	-	-	-	5	3	2	2	2	1
Dyer, Scourer, Calenderer	1	-	1	-	-	-	-	-	-	-	1	-	-
11. 1. Woolstapler	1	-	1	-	-	-	-	-	-	-	-	1	-
Woollen Cloth Manufacture	22	2	20	-	-	2	1	2	-	-	4	5	8
Fuller	3	1	2	-	-	1	-	-	-	-	1	1	-
Flannel Manufacture	27	2	25	-	-	2	2	4	1	2	4	2	10
2. Silk Merchant, Dealer	1	-	1	-	-	-	-	-	-	-	1	-	-
3. Flax, Linen Manufacture	1	-	1	-	-	-	-	-	-	-	-	-	1
Lace Manufacture	1	-	1	-	-	-	-	-	-	-	1	-	-
Calico, Cotton, Printer	1	-	1	-	-	-	-	-	-	-	-	-	1
4. Weaver (not otherwise described)	21	-	21	-	-	-	-	1	1	2	2	5	10
Draper, Linen Draper, Mercer	83	10	73	-	-	10	17	25	14	2	6	6	3
5. Hairdresser, Wig Maker	6	-	6	-	-	-	-	2	1	1	1	-	1
Hatter, Hat Manufacture	3	-	3	-	-	-	-	-	-	-	1	-	2
Furrier	9	-	9	-	-	-	-	1	-	2	3	2	1
Tailor	172	8	164	-	-	8	13	21	25	26	21	19	39
Hosiery Manufacture	1	-	1	-	-	-	-	-	-	-	-	1	-
Hosier, Haberdasher	3	-	3	-	-	-	-	1	1	1	-	-	-
Glove Maker (all except leather)	3	-	3	-	-	-	-	-	-	1	1	1	-
Shoemaker, Bootmaker	190	6	184	-	-	6	12	17	14	22	40	30	49
Patten, Clog Maker	4	-	4	-	-	-	1	-	-	-	1	2	-
Umbrella, Parasol, Stick Maker	1	-	1	-	-	-	-	-	-	1	-	-	-
6. Rope, Cord Maker	3	-	3	-	-	-	-	-	1	-	1	1	-
12. 1. Cowkeeper, Milkseller	3	-	3	-	-	-	-	1	-	-	1	1	-
Cheesemonger	2	-	2	-	-	-	-	1	-	-	1	-	-
Butcher, Meat Salesman	77	-	77	-	-	-	6	10	11	8	9	15	18
Provision Curer, Dealer	3	-	3	-	-	-	-	-	-	-	1	1	1
Poulterer, Game Dealer	3	-	3	-	-	-	-	-	2	1	-	-	-
Fishmonger	5	-	5	-	-	-	-	1	1	1	-	-	2
2. Corn, Flour, Seed, Merchant, Dealer	8	-	8	-	-	-	-	1	-	1	-	4	2
Miller	47	1	46	-	-	1	3	3	5	8	5	12	10
Baker	13	-	13	-	-	-	2	1	1	3	1	4	1
Confectioner, Pastry Cook	2	-	2	-	-	-	-	-	-	2	-	-	-
Greengrocer, Fruit, Vegetable, Dealer	14	1	13	-	-	1	2	3	1	1	2	4	-
3. Maltster	20	-	20	-	-	-	-	3	2	2	1	4	8
Brewer	22	1	21	-	-	1	3	2	7	1	1	5	2
Wine and Spirit Merchant	9	2	7	-	-	2	1	2	2	1	-	1	-
Cellarman	1	-	1	-	-	-	-	-	1	-	-	-	-
Grocer, Tea Dealer	82	4	78	-	-	4	13	17	6	7	13	13	9
Tobacco, Cigar, Snuff, Manufacture, Tobaccoist	2	-	2	-	-	-	1	-	-	-	-	-	1
Others	1	-	1	-	-	-	-	-	1	-	-	-	-
13. 1. Soap Boiler	1	1	-	-	-	1	-	-	-	-	-	-	-
Tallow Chandler	4	-	4	-	-	-	1	-	-	-	1	1	1
2. Tanner	5	-	5	-	-	-	-	-	1	1	3	-	-
Currier	7	-	7	-	-	-	-	1	2	1	1	1	1
14. 1. Japanner	1	-	1	-	-	-	1	-	-	-	-	-	-
2. Timber, Wood, Merchant, Dealer	10	-	10	-	-	-	2	1	2	-	2	1	2
Sawyer	39	-	39	-	-	-	-	3	3	7	9	8	9
Lath, Fence, Hurdle, Maker	2	-	2	-	-	-	-	-	-	-	-	2	-
Wood, Turner, Worker	3	-	3	-	-	-	-	-	-	-	1	2	-
Box, Packing Case, Maker	1	-	1	-	-	-	-	-	-	-	-	1	-
Cooper, Hoop-maker and Bender	23	-	23	-	-	-	2	1	-	2	4	7	7

XI.—MONMOUTHSHIRE AND WALES.—DEATHS of MALES of different OCCUPATIONS registered in the Year 1871—*continued.*

	OCCUPATIONS.	AGES OF MALES.											
		TOTAL.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
	14.—*cont.*													
	4. Basket Maker	7	-	7	-	-	-	1	-	1	-	3	-	2
	Hay and Straw Dealer	1	-	1	-	-	-	-	-	-	-	-	-	1
	Thatcher	2	-	2	-	-	-	-	-	-	-	-	1	1
	5. Rag Gatherer	4	-	4	-	-	-	-	1	-	1	1	-	1
	Paper Manufacture	3	-	3	-	-	-	-	-	1	1	-	-	1
	Stationer (not Law)	2	-	2	-	-	-	1	-	-	1	-	-	-
	Paper Stainer	1	-	1	-	-	-	-	-	-	-	1	-	-
	Other Workers in *Paper*	1	-	1	-	-	-	-	-	-	-	1	-	-
15.	1. Coal Miner	804	96	708	-	30	66	98	135	97	98	125	104	51
	Copper Miner	25	2	23	-	-	2	1	1	1	4	4	4	8
	Lead Miner	100	3	97	-	-	3	8	12	10	23	25	12	7
	Iron Miner	110	2	108	-	-	2	11	13	8	15	25	18	18
	Miner (branch undefined)	30	3	27	-	1	2	2	9	8	-	4	2	2
	Coal Mine Service	21	1	20	-	-	1	1	3	1	4	5	5	1
	Mine Service (Metal not stated)	7	-	7	-	-	-	-	-	1	4	1	1	-
	Others	2	-	2	-	-	-	-	-	2	-	-	-	-
	2. Coal Merchant, Dealer	14	-	14	-	-	-	-	1	1	3	1	5	3
	Coal-heaver, Labourer	49	4	45	-	1	3	3	12	4	10	10	4	2
	Coke Burner, Dealer	13	1	12	-	-	1	1	3	4	3	1	-	-
	Chimney Sweeper	6	-	6	-	-	-	-	1	4	1	-	-	-
	Gas Works Service	5	-	5	-	-	-	-	1	1	1	1	1	-
	Other Workers in *Coal*	4	-	4	-	-	-	1	-	2	-	-	1	-
	3. Stone Quarrier	74	-	74	-	-	-	9	13	7	13	15	10	7
	Stone, Merchant, Cutter, Dresser	18	-	18	-	-	-	1	2	6	1	4	3	1
	Slate Quarrier	151	13	138	-	1	12	27	22	21	20	19	17	12
	Limestone Quarrier, Lime-Burner	16	1	15	-	-	1	-	1	2	3	5	2	2
	Clay Labourer	1	-	1	-	-	-	-	-	-	1	-	-	-
	Brick Maker, Dealer	17	-	17	-	-	-	1	5	4	1	-	1	5
	Railway Labourer, Platelayer, Navvy	54	3	51	-	-	3	1	10	14	9	8	4	5
	Road Labourer	33	-	33	-	-	-	-	1	1	3	4	11	13
	Others	11	-	11	-	-	-	-	2	1	-	4	3	1
	4. Earthenware Manufacture	8	-	8	-	-	-	-	1	2	2	2	1	-
	Tobacco-pipe Maker	1	-	1	-	-	-	1	-		-	-	-	-
	Earthenware and Glass Dealer	6	-	6	-	-	-	-	-	2	1	-	1	2
	5. Glass Manufacture	1	-	1	-	-	-	-	-	-	-	-	1	-
	6. Other Dealers in *Salt*	1	-	1	-	-	-	-	-	-	-	1	-	-
	8. Goldsmith, Silversmith, Jeweller	6	-	6	-	-	-	2	2	-	1	-	1	-
	Others	2	-	2	-	-	-	-	2	-	-	-	-	-
	9. Copper Manufacture	57	3	54	-	-	3	4	7	10	8	11	12	2
	Coppersmith	1	-	1	-	-	-	-	1	-	-	-	-	-
	10. Tin Manufacture	36	8	28	-	3	5	11	8	4	2	1	2	-
	Tinplate Worker, Tinman	30	5	25	-	-	5	4	6	1	4	4	5	1
	11. Zinc Manufacture	2	-	2	-	-	-	-	-	1	1	-	-	-
	12. Lead Manufacture	10	-	10	-	-	-	-	2	2	1	4	-	1
	13. Brass Manufacture, Brazier	3	-	3	-	-	-	-	-	1	-	1	1	-
	Locksmith, Bellhanger	2	-	2	-	-	-	-	-	-	-	2	-	-
	Gas Fitter	3	1	2	-	-	1	-	-	1	-	-	1	-
	Wire Worker, Drawer	2	-	2	-	-	-	-	1	-	-	1	-	-
	14. Iron Manufacture	361	26	335	-	4	22	35	71	51	50	57	46	25
	Blacksmith	182	10	172	-	-	10	16	29	12	34	26	26	29
	Nail Manufacture	11	1	10	-	-	1	-	1	-	1	2	3	3
	Anchorsmith, Chainsmith	4	-	4	-	-	-	-	-	1	1	-	2	-
	Ironmonger, Hardware Dealer	10	-	10	-	-	-	3	4	2	-	1	-	-
	Steel Manufacture, Worker	11	-	11	-	-	-	3	2	2	2	2	-	-
	Others	1	-	1	-	-	-	-	1	-	-	-	-	-
	VI.—INDEFINITE AND NON-PRODUCTIVE CLASS.													
16.	1. General Labourer, Labourer (branch undefined)	1011	40	971	-	7	33	61	95	108	119	164	212	212
	2. Artizan, Mechanic (branch undefined)	2	-	2	-	-	-	-	2	-	-	-	-	-
	Engine Driver, Stoker (branch undef.)	44	8	36	-	1	7	10	7	5	3	5	5	1
	Factory Labourer (branch undefined)	2	-	2	-	-	-	-	-	2	-	-	-	-
	Vagrant, Gipsy	6	-	6	-	-	-	2	1	-	1	2	-	-
	Others of *undefined* Occupation	464	184	280	-	2	182	70	79	53	19	19	37	3
17.	1. Gentleman, Independent, Annuitant	70	1	69	-	-	1	-	4	7	9	12	20	17
18.	1. Scholars and Children of no stated Occupation	1019	1019	-	729	290	-	-	-	-	-	-	-	-

ENGLAND.

DEATHS OF MALES

AGED 5 YEARS AND UPWARDS

OF

DIFFERENT OCCUPATIONS

IN

EIGHTY TOWN DISTRICTS

REGISTERED IN THE YEAR

1871.

ENGLAND.—DEATHS of MALES of different OCCUPATIONS registered in EIGHTY TOWN DISTRICT in the Year 1871.

CLASSES, ORDERS, AND SUB-ORDERS.	AGES OF MALES.										
	TOTAL 5 Years and upwrds.	5 Years and under 20.	20 Years and upwrds.	5–	10–	15–	20–	25–	35–	45–	55–
TOTAL OF MALES AGED 5 YEARS AND UPWARDS - - - - -	68,989	10,937	58,052	5,454	2,370	3,113	4,237	9,092	9,418	9,897	9,814
CLASSES.											
I. PROFESSIONAL CLASS -	4,696	102	4,594	-	4	98	296	846	794	690	656
II. DOMESTIC CLASS - - -	2,414	59	2,355	-	8	56	125	349	471	481	400
III. COMMERCIAL CLASS - -	9,412	422	8,990	-	23	399	749	1,768	1,710	1,640	1,362
IV. AGRICULTURAL CLASS -	3,809	115	3,694	8	11	96	130	364	367	505	635
V. INDUSTRIAL CLASS - -	31,075	1,189	29,886	6	99	1,084	2,171	4,475	4,794	5,265	5,320
VI. INDEFINITE AND NON-PRODUCTIVE CLASS -	17,583	9,050	8,533	5,440	2,230	1,380	766	1,290	1,282	1,316	1,441
ORDERS.											
Class I. 1. Persons engaged in the GENERAL or LOCAL GOVERNMENT *of the Country* - -	999	11	988	-	-	11	42	158	177	164	163
Class I. 2. Persons engaged in the DEFENCE *of the Country* - - - - - -	1728	47	1681	-	1	46	123	373	305	231	186
Class I. 3. Persons engaged in the LEARNED PROFESSIONS *or* in LITERATURE, ART, and SCIENCE (with their immediate Subordinates) - - - - - -	1969	44	1925	-	3	41	131	315	312	295	307
Class II. 5. Persons engaged in ENTERTAINING, *and performing* PERSONAL OFFICES *for Man*	2414	59	2355	-	3	56	125	349	471	481	400
Class III. 6. Persons who BUY *or* SELL, KEEP *or* LEND *Money, Houses, or Goods of* VARIOUS KINDS - - - - - - - -	2759	115	2644	-	2	113	190	495	460	451	430
Class III. 7. Persons engaged in the CONVEYANCE *of Men, Animals, Goods, and Messages* -	6653	307	6346	-	21	286	559	1273	1250	1189	932
Class IV. 8. Persons *possessing or working the* LAND, *and engaged in growing* GRAIN, FRUITS, GRASSES, ANIMALS, *and other Products*	2987	91	2896	8	9	74	79	205	231	355	508
Class IV. 9. Persons engaged about ANIMALS - -	822	24	798	-	2	22	51	159	136	150	127
Class V. 10. Persons engaged in ART *and* MECHANIC *Productions, in which Matters of various kinds are used in combination* - -	10897	390	10507	-	18	372	815	1681	1751	1849	1845
Class V. 11. Persons *working and dealing in the* TEXTILE FABRICS and in DRESS - - -	6717	214	6503	2	9	203	373	802	873	1155	1216
Class V. 12. Persons *working and dealing in* FOOD and DRINKS - - - - - - - -	4001	113	3888	-	2	111	254	599	699	656	679
Class V. 13. Persons *working and dealing in* ANIMAL SUBSTANCES - - - - - - -	583	17	566	-	1	16	36	67	96	98	109
Class V. 14. Persons *working and dealing in* VEGETABLE SUBSTANCES - - - -	1396	42	1354	-	8	34	92	211	213	231	246
Class V. 15. Persons *working and dealing in* MINERALS	7481	413	7068	4	61	348	601	1115	1162	1276	1225
Class VI. 16. LABOURERS AND OTHERS—*Branch of labour undefined* - - - - - -	8875	1393	7482	-	18	1375	740	1247	1214	1216	1258
Class VI. 17. Persons of RANK or PROPERTY *not returned under any Office or Occupation* -	1056	5	1051	-	-	5	26	43	68	100	183
Class VI. 18. SCHOLARS AND CHILDREN *not engaged in any directly* PRODUCTIVE OCCUPATION	7652	7652	-	5440	2212	-	-	-	-	-	-
SUB-ORDERS.											
Order I. Class I. SUB-ORDER 1. 1. Officers of National Government - -	547	9	538	-	-	9	21	68	82	93	97
Class I. 2. Officers of Local Government - -	436	2	434	-	-	2	21	90	93	70	62
Class I. 3. Officers of East India and Colonial Government - - - - - - -	16	-	16	-	-	-	-	-	2	1	4
Class I. 2. 1. Army - - - - - - - -	1105	22	1083	-	-	22	75	259	209	140	119
Class I. 2. 2. Navy - - - - - - - -	623	25	598	-	1	24	48	114	96	91	67

* The following are the Eighty Town Districts comprised in this Table (Male population in 1871 aged 5 years and upwards, 3,929,3

London.
Medway.
Maidstone.
Canterbury.
Brighton.
Portsea Island.
Alverstoke.
Southampton.
Reading.
Oxford.
Northampton.
Bedford.
Cambridge.
West Ham.
Colchester.
Bury St. Edmunds.
Ipswich.
Yarmouth.
Norwich.
Kings Lynn.
Salisbury.
St. Thomas.
Exeter.
Plymouth.
East Stonehouse.
Stoke Damerel.
Truro.
Bath.
Bedminster.
Bristol.
Clifton.
Gloucester.
Cheltenham.
Hereford.
Shrewsbury.
Stafford.
Wolstanton.
Stoke-upon-Trent.
Wolverhampton.
Dudley.
Worcester.
Kings Norton.
Birmingham.
Aston.
Foleshill.
Coventry.
Warwick.
Leicester.
Lincoln.
Radford.
Nottingham.
Derby.
Stockport.
Macclesfield.
Chester.
Liverpool.
West Derby.
Chorlton.
Salford.
Manchester.
Ashton-under-Lyne.
Bradford.
Hunslet.
Leeds.
Ecclesall Bierlow.
Sheffield.
York.
Sculcoates.
Hull.
Scarborough.
Durham.
Sunderland.
South Shi
Gateshead
Newcastle
Tynemout
Carlisle.
Merthyr T
Pembroke
Holywell.

ENGLAND.—DEATHS of MALES of different OCCUPATIONS registered in EIGHTY TOWN DISTRICTS in the Year 1871—*continued.*

CLASSES, ORDERS, AND SUB-ORDERS.	AGES OF MALES. Total 5 Years and upwrds.	5 Years and under 20.	20 Years and upwrds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
Order													
SUB-ORDER													
3. 1. Clergymen, Ministers, and Others connected with Religion	276	3	273	-	-	3	5	17	30	34	54	74	59
2. Lawyers and Law Stationers	411	8	403	-	1	7	31	78	61	71	56	61	45
3. Physicians, Surgeons, and Druggists	437	6	431	-	-	6	33	69	64	74	69	72	50
4. Authors, Literary Persons, and Students	68	5	63	-	1	4	11	11	11	6	8	9	7
5. Artists	206	6	200	-	-	6	16	31	39	34	31	33	16
6. Musicians	212	4	208	-	-	4	14	53	50	27	26	23	15
7. Actors	91	2	89	-	-	2	5	20	20	20	15	5	4
8. Teachers	215	9	206	-	1	8	13	26	26	24	40	50	27
9. Scientific Persons	53	1	52	-	-	1	3	10	11	5	8	6	9
5. 1. Engaged in Board and Lodging	1294	8	1286	-	-	8	16	131	264	318	271	182	104
2. Attendants (Domestic Servants, &c.)	1120	51	1069	-	3	48	109	218	207	163	129	137	106
6. 1. Mercantile Persons	1966	95	1871	-	2	93	161	390	322	330	256	256	156
2. Other General Dealers	793	20	773	-	-	20	29	105	138	121	174	124	82
7. 1. Carriers on Railways	711	42	669	-	3	39	103	212	149	100	70	24	11
2. ,, on Roads	1911	44	1867	-	1	43	126	332	366	397	297	238	111
3. ,, on Canals and Rivers	416	13	403	-	2	11	20	65	61	65	64	75	53
4. ,, on Seas and Rivers	2265	94	2171	-	4	90	213	449	438	397	281	234	159
5. Engaged in Storage	386	24	362	-	-	24	37	73	73	76	49	41	13
6. Messengers and Porters	964	90	874	-	11	79	60	142	163	154	171	135	49
8. 1. Agriculturists	2237	79	2158	8	9	62	59	149	163	246	366	552	623
2. Arboriculturists	30	1	29	-	-	1	1	1	4	4	3	9	7
3. Horticulturists	720	11	709	-	-	11	19	55	64	105	139	176	151
9. 1. *Persons engaged about* ANIMALS	822	24	798	-	2	22	51	159	136	150	127	115	60
10. Workers and Dealers in—													
1. Books	749	60	689	-	6	54	82	114	120	124	103	95	51
2. Musical Instruments	98	5	93	-	-	5	15	15	17	12	12	11	11
3. Prints and Pictures	81	6	75	-	-	6	6	16	11	16	11	9	6
4. Carving and Figures	78	-	78	-	-	-	8	23	9	9	12	12	5
5. Tackle for Sports and Games	52	3	49	-	1	2	4	4	2	10	13	10	6
6. Designs, Medals, and Dies	43	2	41	-	-	2	6	7	7	6	3	6	6
7. Watches and Philosophical Instruments	317	11	306	-	-	11	28	52	39	41	66	46	34
8. Surgical Instruments	21	1	20	-	-	1	-	2	4	3	5	3	3
9. Arms	143	3	140	-	-	3	13	32	21	24	22	16	12
10. Machines and Tools	1581	79	1502	-	3	76	153	297	283	277	245	165	82
11. Carriages	466	7	459	-	-	7	30	58	59	97	93	73	49
12. Harness	195	5	190	-	-	5	15	28	32	33	26	31	25
13. Ships	663	17	646	-	-	17	50	86	111	118	95	103	85
14. Houses and Buildings	5229	146	5083	-	6	140	326	768	861	877	925	841	485
15. Furniture	791	33	758	-	1	32	47	117	116	128	147	122	81
16. Chemicals	390	12	378	-	1	11	32	62	59	74	67	60	24
11. Workers and Dealers in—													
1. Wool and Worsted	330	8	322	-	1	7	11	39	43	54	60	62	53
2. Silk	329	13	316	1	-	12	7	26	41	36	64	81	61
3. Cotton and Flax	966	49	917	1	3	45	84	125	106	153	193	149	107
4. Mixed Materials	670	37	633	-	-	37	60	105	86	103	81	105	93
5. Dress	4266	104	4162	-	5	99	209	491	582	777	780	773	550
6. Hemp & other Fibrous Materials	156	3	153	-	-	3	2	16	15	32	38	32	18
12. Workers and Dealers in—													
1. Animal Food	1389	31	1358	-	1	30	82	179	264	245	236	212	140
2. Vegetable Food	1165	42	1123	-	-	42	68	150	185	202	210	201	107
3. Drinks and Stimulants	1447	40	1407	-	1	39	104	270	250	209	233	219	122
13. Workers and Dealers in—													
1. Grease, Gut, Bones, Horn, Ivory, and Whalebone	148	5	143	-	1	4	7	16	23	24	23	33	17
2. Skins, Feathers, and Quills	314	6	308	-	-	6	19	41	59	51	60	51	27
3. Hair	121	6	115	-	-	6	10	10	14	23	26	20	12
14. Workers and Dealers in—													
1. Gums and Resins	242	6	236	-	-	6	23	49	45	36	41	33	9
2. Wood	782	20	762	-	3	17	48	116	113	131	133	133	88
3. Bark	31	2	29	-	-	2	1	3	9	4	7	2	3
4. Cane, Rush, and Straw	101	1	100	-	1	-	5	9	9	17	27	21	12
5. Paper	240	13	227	-	4	9	15	34	37	43	38	32	28
15. 1. Miners	1543	149	1394	1	40	108	151	220	224	235	232	205	127
Workers and Dealers in—													
2. Coal	700	26	674	-	4	22	32	99	94	143	134	112	60
3. Stone, Clay	988	38	950	2	1	35	65	140	152	165	187	138	103
4. Earthenware	439	20	419	1	3	16	21	36	102	103	81	52	24
5. Glass	219	7	212	-	-	7	14	37	32	38	40	39	12
6. Salt	14	-	14	-	-	-	-	2	4	4	-	4	-
7. Water	55	3	52	-	1	2	3	4	10	6	10	11	8
8. Gold, Silver, and Precious Stones	306	10	296	-	-	10	34	51	36	46	42	54	33
9. Copper	46	3	43	-	-	3	1	4	4	6	9	16	3
10. Tin and Quicksilver	150	2	148	-	-	2	13	19	32	23	18	31	12
11. Zinc	15	2	13	-	-	2	-	2	4	4	1	1	1
12. Lead and Antimony	38	1	37	-	-	1	-	5	10	8	6	6	2
13. Brass and other Mixed Metals	519	28	491	-	1	27	56	76	76	96	79	70	38
14. Iron and Steel	2449	124	2325	-	11	113	211	420	382	399	386	303	224
16. 1. General Labourers	6003	212	5791	-	14	198	444	934	990	1026	1030	860	507
2. Other Persons of indefinite Occupations	2872	1181	1691	-	4	1177	296	313	224	190	228	268	172
17. 1. *Persons of* RANK *or* PROPERTY *not returned under any Office or Occupation*	1056	5	1051	-	-	5	26	43	68	100	183	312	319
18. 1. Scholars and Children not engaged in any *directly* Productive Occupation	7652	7652	-	5440	2212	-	-	-	-	-	-	-	-

ENGLAND.—DEATHS of MALES of different OCCUPATIONS registered in EIGHTY TOWN DISTRICTS in the Year 1871.

OCCUPATIONS.	AGES OF MALES.											
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–
Total of Males AGED 5 YEARS AND UPWARDS	68989	10937	58052	5454	2370	3113	4237	9092	9418	9897	9814	9208
I.—PROFESSIONAL CLASS.												
1.—*Persons engaged in the* GENERAL *or* LOCAL GOVERNMENT *of the Country.*												
1. *National Government.*												
Civil Service	273	5	268	–	–	5	7	36	40	44	48	44
Government Messengers, Workmen, &c.	261	4	257	–	–	4	14	32	41	47	42	31
Other *Government* Officers	13	–	13	–	–	–	–	–	1	2	7	–
2. *Local Government.*												
Magistrate (so returned)	9	–	9	–	–	–	–	–	–	1	–	4
Officer of Law Court	33	1	32	–	–	1	1	3	3	6	6	7
Police	234	1	233	–	–	1	18	69	63	29	24	21
Prison Officer	28	–	28	–	–	–	–	5	6	5	5	4
Municipal, Parish, Union, Officer	130	–	130	–	–	–	2	13	21	28	26	19
Other *Local Government* Officers	2	–	2	–	–	–	–	–	–	1	1	–
3. *East India and Colonial Government.*												
East India and *Colonial* Service	16	–	16	–	–	–	–	–	2	1	4	3
2.—*Persons engaged in the* DEFENCE *of the Country.*												
1. *Army—(at Home).*												
Army Officer (effective)	108	–	108	–	–	–	3	11	11	15	22	23
Army Retired and Half Pay Officer	49	–	49	–	–	–	–	2	3	8	6	9
Soldier	504	22	482	–	–	22	65	206	141	37	9	9
Militia, Volunteers	44	–	44	–	–	–	1	8	9	13	6	2
Army Pensioner	396	–	396	–	–	–	6	32	45	66	74	73
Others	4	–	4	–	–	–	–	–	–	1	2	–
2. *Navy—(Ashore or in Port).*												
Navy Officer (effective)	55	1	54	–	–	1	3	7	5	8	5	10
Navy Retired and Half Pay Officer	23	–	23	–	–	–	–	–	1	1	3	11
Seaman, R.N.	201	23	178	–	1	22	37	63	38	23	9	3
Royal Marine	73	1	72	–	–	1	5	19	21	13	5	6
Coastguard, Royal Naval Reserve	16	–	16	–	–	–	–	1	3	4	2	3
Navy Pensioner	255	–	255	–	–	–	3	24	28	42	43	51
3.—*Persons engaged in the* LEARNED PROFESSIONS, *or in* LITERATURE, ART, *and* SCIENCE (*with their immediate Subordinates*).												
1. *Clergymen, Ministers, and Church Officers.*												
Clergyman	128	–	128	–	–	–	2	5	15	17	16	41
Protestant Minister	58	–	58	–	–	–	2	6	4	5	16	11
Roman Catholic Priest	10	–	10	–	–	–	–	3	1	–	3	3
Missionary, Scriptnre Reader	16	–	16	–	–	–	–	–	4	2	5	4
Church, Chapel Officer	53	–	53	–	–	–	–	1	5	9	12	15
Others	11	3	8	–	–	3	1	2	1	1	2	–
2. *Lawyers, Law Court Officers, and Law Stationers.*												
Barrister	32	–	32	–	–	–	–	3	3	7	9	5
Solicitor, Attorney	162	–	162	–	–	–	5	16	24	22	29	36
Law Student	2	–	2	–	–	–	–	1	–	1	–	–
Law Clerk	192	7	185	–	1	6	24	53	30	36	16	17
Law Stationer	23	1	22	–	–	1	2	5	4	5	2	3
3. *Physicians, Surgeons, and Druggists.*												
Physician, Surgeon	197	1	196	–	–	1	2	23	23	33	43	39
Medical-Assistant, Student	20	1	19	–	–	1	7	5	2	3	1	1
Dentist	18	1	17	–	–	1	3	4	2	2	1	4
Chemist, Druggist	199	3	196	–	–	3	21	37	37	35	24	27
Others	3	–	3	–	–	–	–	–	–	1	–	1
4. *Authors and Literary Persons.*												
Author, Editor, Journalist	22	–	22	–	–	–	1	4	6	3	–	5
Students and *Others*	46	5	41	–	1	4	10	7	5	3	8	4
5. *Artists.*												
Painter, Artist	82	–	82	–	–	–	5	13	11	15	15	15
Sculptor	7	–	7	–	–	–	1	–	2	1	1	2
Engraver	84	3	81	–	–	3	8	11	14	12	12	16
Photographer	31	3	28	–	–	3	2	7	11	6	2	–
Others engaged in the *Fine Arts*	2	–	2	–	–	–	–	–	1	–	1	–
6. *Musicians, Teachers of Music.*												
Musician, Music Master	206	4	202	–	–	4	14	50	48	27	25	23
Others	6	–	6	–	–	–	–	3	2	–	1	–

ENGLAND.—DEATHS of MALES of different OCCUPATIONS registered in EIGHTY TOWN DISTRICTS in the Year 1871—*continued.*

OCCUPATIONS.	TOTAL.	AGES OF MALES. 5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
3.—*cont.*													
7. Actors, &c.													
ctor	31	–	31	–	–	–	–	6	3	9	9	2	2
xhibitions, Shows—Service	9	1	8	–	–	1	–	1	3	1	1	–	2
thers engaged in *Theatres, &c.*	51	1	50	–	–	1	5	13	14	10	5	3	–
8. Teachers.													
choolmaster	159	4	155	–	–	4	8	22	23	16	27	38	21
eacher, Professor, Lecturer	56	5	51	–	1	4	5	4	3	8	13	12	6
9. Scientific Persons.													
vil Engineer	36	1	35	–	–	1	3	8	8	4	4	3	5
ther *Scientific* Persons	17	–	17	–	–	–	–	2	3	1	4	3	4
II.—DOMESTIC CLASS.													
—*Persons engaged in entertaining and performing* PERSONAL OFFICES *for Man.*													
1. In Board and Lodging.													
n Keeper, Hotel Keeper, Publican	880	4	876	–	–	4	10	90	185	219	184	121	67
eerseller	214	2	212	–	–	2	1	23	40	58	53	26	11
dging house, Boarding-house Keeper	74	–	74	–	–	–	–	3	14	15	16	17	9
ffee-house, Eating house Keeper	68	2	66	–	–	2	4	5	13	13	10	11	10
stitution Service	45	–	45	–	–	–	–	9	9	8	8	5	6
thers	13	–	13	–	–	–	1	1	3	5	–	2	1
2. In Attendance (Domestic Servants, &c.)													
omestic Servant (General)	358	17	341	–	2	15	29	50	54	55	52	54	47
Coachman	149	1	148	–	–	1	7	19	30	26	22	21	23
Groom	22	2	20	–	–	2	4	4	3	2	3	1	3
Gardener	56	–	56	–	–	–	3	7	9	4	7	14	12
Inn, Hotel Servant	455	30	425	–	1	29	61	127	94	56	39	34	14
ok (not Domestic Servant)	53	1	52	–	–	1	4	8	12	11	4	8	5
thers	27	–	27	–	–	–	1	3	5	9	2	5	2
III.—COMMERCIAL CLASS.													
—*Persons who* BUY *or* SELL, KEEP, *or* LEND, *Money, Houses, or Goods of various Kinds.*													
1. Mercantile Men.													
erchant	159	2	157	–	–	2	1	15	25	23	29	40	21
anker	17	–	17	–	–	–	–	1	3	2	2	4	5
nk Service	84	1	83	–	–	1	8	23	10	9	11	10	12
surance, Benefit Society, Service	66	4	62	–	–	4	6	13	11	13	6	8	5
oker, Agent, Factor	169	4	165	–	–	4	4	28	31	41	22	29	10
lesman (not otherwise described)	25	1	24	–	–	1	2	5	5	5	3	3	1
uctioneer, Valuer, House Agent	101	–	101	–	–	–	4	9	18	11	24	20	15
ccountant	138	3	135	–	–	3	4	22	16	32	21	24	16
mmercial Clerk	931	79	852	–	2	77	118	219	151	130	92	92	50
mmercial Traveller	234	1	233	–	–	1	13	54	47	53	41	17	8
ther *Mercantile* Men	42	–	42	–	–	–	1	1	5	11	5	9	10
2. Other General Dealers.													
wnbroker	71	5	66	–	–	5	6	14	6	14	15	5	6
opkeeper (branch undefined), General Dealer	223	4	219	–	–	4	7	25	39	34	54	36	24
ckster, Costermonger	66	4	62	–	–	4	1	11	18	5	10	10	7
awker, Pedlar	433	7	426	–	–	7	15	55	75	68	95	73	45
—*Persons engaged in the* CONVEYANCE *of Men, Animals, Goods, and Messages.*													
1. Carriers on Railways.													
ilway Engine Driver, Stoker	133	6	127	–	–	6	22	41	23	22	11	2	3
ilway Officer, Clerk, Station-master	147	8	139	–	–	8	19	47	34	19	16	3	1
ilway Attendant, Servant	431	28	403	–	3	25	62	121	92	59	43	19	7
2. Carriers on Roads.													
l Collector, Turnpike gate Keeper	34	–	34	–	–	–	1	1	4	6	7	8	7
ach, Omnibus, Cab Owner, Livery Stable Keeper	116	–	116	–	–	–	2	16	24	32	15	18	9
achman (not domestic), Cabman, Flyman	653	3	650	–	–	3	30	98	141	147	111	88	35
rman, Carrier, Carter, Drayman	1082	41	1041	–	1	40	93	217	192	206	159	116	58
ers	26	–	26	–	–	–	–	–	5	6	5	8	2
3. Carriers on Canals and Rivers.													
and Navigation Service	35	2	33	–	–	2	1	5	2	8	4	7	6
rgeman, Waterman	380	11	369	–	2	9	19	60	58	57	60	68	47
ers	1	–	1	–	–	–	–	–	1	–	–	–	–

ENGLAND.—DEATHS of MALES of different OCCUPATIONS registered in EIGHTY TOWN DISTRICTS in the Year 1871—*continued.*

OCCUPATIONS.	AGES OF MALES.											
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–
7.—*cont.*												
4. *Carriers on Seas and Rivers.*												
Shipowner	41	-	41	-	-	-	-	-	4	11	10	10
Steam Navigation Service	109	1	108	-	1	-	11	38	23	17	10	5
Ship Steward, Cook	93	7	86	-	-	7	10	30	16	17	8	2
Seaman (Merchant Service)	1285	69	1216	-	3	66	155	274	243	204	123	113
Pilot	51	1	50	-	-	1	-	3	8	6	10	17
Boatman on Seas	18	2	16	-	-	2	1	1	1	2	2	6
Harbour, Dock Service, Labourer	589	10	579	-	-	10	31	89	124	126	105	73
Wharfinger	16	-	16	-	-	-	-	2	3	3	3	3
Others	63	4	59	-	-	4	5	12	16	11	10	5
5. *Engaged in Storage.*												
Warehouseman	381	24	357	-	-	24	37	73	72	76	48	38
Meter, Weigher	5	-	5	-	-	-	-	-	1	-	1	3
6. *Messengers and Porters.*												
Messenger, Porter, Errand Boy	855	75	780	-	10	65	47	130	148	135	156	119
Cotton Porter	67	1	66	-	-	1	3	7	13	16	11	13
Telegraph Company Service	33	14	19	-	1	13	10	5	2	1	1	-
Others engaged in *Messages*	9	-	9	-	-	-	-	-	-	2	3	3
IV.—AGRICULTURAL CLASS.												
8.—*Persons possessing or working the* LAND, *and engaged in growing* GRAIN, FRUITS, GRASSES, ANIMALS, *and other Products.*												
1. *In Fields and Pastures.*												
Land Proprietor (so returned)	83	-	83	-	-	-	-	3	3	8	14	23
Farmer, Grazier	753	2	751	-	-	2	6	20	48	72	122	214
Farmer's Son, Brother, Grandson, Nephew	42	25	17	8	5	12	5	9	3	-	-	-
Farm Bailiff	28	-	28	-	-	-	-	-	1	4	8	6
Agricultural Labourer	1248	43	1205	-	4	39	43	109	98	151	214	290
Shepherd (out door)	20	-	20	-	-	-	-	-	2	5	1	6
Farm Servant (in-door)	17	8	9	-	-	8	3	1	2	-	1	1
Land Surveyor, Estate Agent	30	-	30	-	-	-	-	5	4	2	6	8
Land Drainage Service	4	-	4	-	-	-	-	1	1	-	-	1
Agricultural Machine Proprietor, Attendant	3	-	3	-	-	-	-	-	-	3	-	-
Others engaged in *Agriculture*	9	1	8	-	-	1	2	1	1	1	-	3
2. *In Woods.*												
Woodman	30	1	29	-	-	1	1	1	4	4	3	9
3. *In Gardens.*												
Nurseryman, Seedsman, Florist	48	2	46	-	-	2	6	3	4	8	9	9
Gardener	669	9	660	-	-	9	13	52	60	96	129	166
Others engaged in *Horticulture*	3	-	3	-	-	-	-	-	-	1	1	1
9.—1. *Persons engaged about Animals.*												
Horse Proprietor, Dealer	32	-	32	-	-	-	-	8	3	7	9	4
Horse Breaker	18	-	18	-	-	-	2	2	4	2	3	3
Horsekeeper, Groom, Jockey	402	11	391	-	1	10	30	88	72	83	58	46
Farrier, Veterinary Surgeon	99	3	96	-	-	3	3	26	15	9	20	13
Cattle, Sheep, Pig, Salesman	57	1	56	-	-	1	-	7	5	16	11	12
Drover	54	-	54	-	-	-	2	9	9	9	11	6
Gamekeeper	24	-	24	-	-	-	2	2	3	1	4	8
Vermin Destroyer	2	-	2	-	-	-	-	-	-	-	-	2
Fisherman	117	9	108	-	1	8	12	14	20	19	9	18
Others engaged about *Animals*	17	-	17	-	-	-	-	3	5	4	2	3
V.—INDUSTRIAL CLASS.												
10.—*Persons engaged in* ART *and* MECHANIC *Productions, in which matters of various kinds are employed in combination.*												
1. *In Books.*												
Bookseller, Publisher	74	4	70	-	-	4	6	9	11	9	10	17
Bookbinder	111	5	106	-	1	4	9	14	22	20	13	20
Printer	509	50	459	-	4	46	65	86	77	84	72	47
Newspaper Agent, News-room Keeper	44	1	43	-	1	-	1	4	8	8	7	9
Others engaged in *Publications*	11	-	11	-	-	-	1	1	2	3	1	2
2. *In Musical Instruments.*												
Musical Instrument Maker, Dealer	90	4	86	-	-	4	15	14	16	10	10	11
Others	8	1	7	-	-	1	-	1	1	2	2	-
3. *In Prints and Pictures.*												
Lithographer, Lithographic Printer	36	4	32	-	-	4	6	12	6	6	1	1
Others	45	2	43	-	-	2	-	4	5	10	10	8
4. *Carving and Figures.*												
Wood-carver	48	-	48	-	-	-	7	15	5	4	7	10
Others	30	-	30	-	-	-	1	8	4	5	5	2
5. *In Tackle for Sports and Games.*												
Toy Maker, Dealer	39	2	37	-	1	1	4	1	2	8	12	6
Others	13	1	12	-	-	1	-	3	-	2	1	4

ENGLAND.—DEATHS of MALES of different OCCUPATIONS registered in EIGHTY TOWN DISTRICTS in the Year 1871—*continued.*

OCCUPATIONS.	AGES OF MALES.											
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
10.—*cont.*													
6. *In Designs, Medals, and Dies.*													
ttern Designer	10	2	8	–	–	2	–	2	–	4	1	1	–
pe-founder	8	–	8	–	–	–	1	1	2	2	–	1	1
ers	25	–	25	–	–	–	5	4	5	–	2	4	5
In Watches and Philosophical Instruments.													
atch Maker, Clock Maker	236	7	229	–	–	7	23	40	25	30	49	33	29
ilosophical Instrument Maker: Optician	58	4	54	–	–	4	5	11	9	7	9	9	4
eighing Machine, Scale, Measure, Maker	23	–	23	–	–	–	–	1	5	4	8	4	1
8. *In Surgical Instruments.*													
rgical Instrument Maker	21	1	20	–	–	1	–	2	4	3	5	3	3
9. *In Arms.*													
nsmith, Gun Manufacture	134	3	131	–	–	3	13	29	20	23	21	14	11
ers	9	–	9	–	–	–	–	3	1	1	1	2	1
10. *In Machines and Tools.*													
gine and Machine Maker	920	51	869	–	1	50	106	199	196	139	118	76	35
nning, Weaving, Machine Maker	70	3	67	–	–	3	9	9	6	14	12	12	5
ricultural Implement, Machine Maker	17	1	16	–	–	1	1	2	3	4	3	3	–
llwright	67	2	65	–	–	2	7	6	10	10	10	13	9
l Maker, Dealer	99	6	93	–	1	5	6	15	12	19	23	8	10
e Maker, Dealer	132	5	127	–	–	5	6	30	22	26	23	14	6
y Maker, Dealer	33	2	31	–	–	2	3	8	5	5	5	5	–
ler	195	7	188	–	1	6	13	24	21	53	41	26	10
ssors Maker	22	1	21	–	–	1	2	3	3	2	5	4	2
edle Manufacture	9	–	9	–	–	–	–	–	1	1	2	–	5
Manufacture	4	1	3	–	–	1	–	1	1	–	–	1	–
ers engaged in *Tool Making, &c.*	13	–	13	–	–	–	–		3	4	3	3	–
11. *In Carriages.*													
achmaker	275	5	270	–	–	5	14	40	33	50	63	40	30
eelwright	168	2	166	–	–	2	14	15	20	40	27	32	18
ers engaged about *Carriages*	23	–	23	–	–	–	2	3	6	7	3	1	1
12. *In Harness.*													
dler, Harness, Whip Maker	195	5	190	–	–	5	15	28	32	33	26	31	25
13. *In Ships.*													
p-builder, Shipwright, Boat-builder	594	15	579	–	–	15	46	79	98	106	83	91	76
Maker	60	2	58	–	–	2	3	6	12	12	10	8	7
ers	9	–	9	–	–	–	1	1	1	–	2	4	–
14. *In Houses and Buildings.*													
use Proprietor	163	–	163	–	–	–	1	–	11	15	33	52	51
chitect	59	1	58	–	–	1	10	13	10	7	7	8	3
veyor	17	–	17	–	–	–	1	1	2	2	2	5	4
lder	302	1	301	–	–	1	9	37	35	51	65	59	45
penter, Joiner	1570	40	1530	–	1	39	104	223	226	241	276	278	182
cklayer	760	21	739	–	2	19	49	113	134	131	116	124	72
rble Mason	42	2	40	–	–	2	5	6	7	4	9	6	3
son, Pavior	729	15	714	–	–	15	44	122	141	113	146	110	38
ter, Tiler	61	3	58	–	–	3	4	11	9	9	15	4	6
sterer	267	17	250	–	2	15	16	44	41	52	38	36	23
erhanger	59	1	58	–	–	1	6	12	13	10	7	7	3
mber, Painter, Glazier	1170	44	1126	–	1	43	76	183	228	239	200	150	50
ers	30	1	29	–	–	1	1	3	4	3	11	2	5
15. *In Furniture.*													
inet Maker, Upholsterer	570	24	546	–	1	23	33	90	83	87	112	78	63
rtaker	44	–	44	–	–	–	3	2	10	9	4	14	2
ver and Gilder	104	7	97	–	–	7	9	20	15	16	13	17	7
niture Broker, Dealer	61	1	60	–	–	1	2	2	6	13	17	12	8
rs	12	1	11	–	–	1	–	3	2	3	1	1	1
16. *In Chemicals.*													
nufacturing Chemist, Labourer	167	4	163	–	–	4	18	36	29	29	22	23	6
, Colour Manufacture	24	2	22	–	–	2	2	4	4	3	4	5	–
r, Scourer, Calenderer	143	5	138	–	1	4	11	16	17	26	28	25	15
rs	56	1	55	–	–	1	1	6	9	16	13	7	3
1.—*Persons Working and Dealing in the Textile Fabrics, and in Dress.*													
1. *In Wool and Worsted.*													
l-tapler	32	–	32	–	–	–	–	2	8	4	8	3	7
Manufacture	3	–	3	–	–	–	–	1	–	1	1	–	–
llen Cloth Manufacture	221	7	214	–	1	6	5	28	21	38	36	49	37
r	1	–	1	–	–	–	–	–	–	–	–	–	1
l, Woollen, Dyer	10	–	10	–	–	–	1	2	1	1	3	1	1
sted Manufacture	13	1	12	–	–	1	–	–	2	1	3	3	3
n Merchant, Dealer	12	–	12	–	–	–	–	2	3	3	4	–	–
Manufacture	4	–	4	–	–	–	1	–	–	1	1	1	–
nel Manufacture	4	–	4	–	–	–	–	–	–	2	–	1	1
ket Manufacture	2	–	2	–	–	–	–	–	1	–	–	1	–
et, Rug, Manufacture	25	–	25	–	–	–	4	4	7	3	3	2	2
rs	3	–	3	–	–	–	–	–	–	–	1	1	1

ENGLAND.—Deaths of Males of different Occupations registered in Eighty Town Distric in the Year 1871—*continued.*

OCCUPATIONS.	AGES OF MALES.										
	Total.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–
11.—*cont.*												
2. *In Silk.*												
Silk, Satin, Manufacture	221	9	215	1	–	8	2	18	26	22	45	57
Silk Dyer, Printer	14	–	14	–	–	–	1	–	1	2	3	5
Silk Merchant, Dealer	16	–	16	–	–	–	2	–	–	5	3	4
Ribbon Manufacture	67	3	64	–	–	3	1	7	10	6	13	15
Others	8	1	7	–	–	1	1	1	4	1	–	–
3. *In Cotton and Flax.*												
Flax, Linen Manufacture	41	1	40	–	–	1	7	5	5	6	9	2
Lace Manufacture	106	7	99	–	1	6	11	13	11	10	19	20
Thread Manufacture	1	–	1	–	–	–	–	–	–	–	–	–
Tape Manufacture, Dealer	1	–	1	–	–	–	–	–	–	–	1	–
Cotton Manufacture	634	37	597	1	2	34	55	81	75	106	127	92
Cotton, Calico Warehouseman, Dealer	15	–	15	–	–	–	1	4	1	2	3	–
Fustian Manufacture	46	1	45	–	–	1	–	7	4	9	9	13
Calico, Cotton, Printer	71	–	71	–	–	–	6	10	4	12	11	14
Calico, Cotton, Dyer	47	3	44	–	–	3	4	5	6	6	14	7
Others	4	–	4	–	–	–	–	–	–	2	–	1
4. *In Mixed Materials.*												
Weaver (not otherwise described)	207	3	204	–	–	3	4	9	14	29	29	56
Bleacher (not otherwise described)	19	–	19	–	–	–	3	1	5	4	–	3
Manchester Warehouseman	38	2	36	–	–	2	3	7	12	3	3	7
Draper, Linen Draper, Mercer	368	30	338	–	–	30	48	82	53	61	37	33
Fancy Goods Manufacturer, Dealer	13	1	12	–	–	1	2	1	1	1	5	2
Trimming Maker, Dealer	22	1	21	–	–	1	–	5	1	5	7	2
Others	3	–	3	–	–	–	–	–	–	–	–	2
5. *In Dress.*												
Hairdresser, Wig Maker	164	5	159	–	–	5	8	23	32	31	28	29
Hatter, Hat Manufacture	225	7	218	–	–	7	10	22	24	45	50	45
Straw Plait Manufacture	8	–	8	–	–	–	–	1	2	1	2	1
Furrier, Skinner	41	3	38	–	–	3	1	8	7	8	8	3
Tailor	1311	34	1277	–	2	32	56	159	197	274	257	205
Milliner	19	–	19	–	–	–	2	2	5	4	4	1
Stay Maker, Ladies' Outfitter	14	1	13	–	–	1	1	1	3	1	2	1
Hosiery Manufacture	210	2	208	–	–	2	8	12	15	40	25	49
Hosier, Haberdasher	43	2	41	–	–	2	4	9	8	7	3	6
Glover (leather)	15	–	15	–	–	–	–	1	2	2	2	4
Glove Maker (all except leather)	8	–	8	–	–	–	–	1	2	2	1	2
Shoemaker, Bootmaker	2002	41	1961	–	3	38	104	230	252	326	360	395
Patten, Clog Maker	11	–	11	–	–	–	2	3	1	2	2	1
Button Maker	59	–	59	–	–	–	1	3	12	18	16	4
Umbrella, Parasol, Stick Maker	53	1	52	–	–	1	6	9	8	6	8	11
Laundry Keeper	35	1	34	–	–	1	3	3	3	5	5	9
Others providing *Dress*	48	7	41	–	–	7	3	4	9	5	7	7
6. *Hemp and other Fibrous Materials.*												
Mat Maker, Seller	17	–	17	–	–	–	–	2	1	5	5	3
Hemp Manufacture	2	–	2	–	–	–	–	–	–	2	–	–
Jute Manufacture	4	2	2	–	–	2	–	–	–	–	–	1
Rope, Cord, Maker	111	1	110	–	–	1	2	12	14	21	25	22
Canvas, Sailcloth, Manufacture, Dealer	6	–	6	–	–	–	–	–	–	1	3	2
Sacking, Sack, Bag, Maker, Dealer	12	–	12	–	–	–	–	1	–	3	5	1
Others	4	–	4	–	–	–	–	1	–	–	–	3
12.—*Persons working and dealing in* Food *and* Drinks.												
1. *In Animal Food.*												
Cowkeeper, Milkseller	231	4	227	–	–	4	9	25	31	45	49	38
Cheesemonger	71	2	69	–	1	1	5	14	7	18	11	8
Butcher, Meat Salesman	698	19	679	–	–	19	45	91	152	114	100	108
Provision Curer, Dealer	141	1	140	–	–	1	7	12	26	30	32	20
Poulterer, Game Dealer	63	1	62	–	–	1	4	6	11	9	11	11
Fishmonger	185	4	181	–	–	4	12	31	37	29	33	27
2. *In Vegetable Food.*												
Corn, Flour, Seed, Merchant, Dealer	142	2	140	–	–	2	8	23	22	26	21	23
Miller	139	4	135	–	–	4	6	11	20	22	25	32
Baker	489	13	476	–	–	13	34	70	78	80	93	79
Confectioner, Pastry Cook	122	8	114	–	–	8	7	17	15	22	24	22
Greengrocer, Fruit, Vegetable, Dealer	261	15	246	–	–	15	13	29	48	50	42	43
Others	12	–	12	–	–	–	–	–	2	2	5	2
3. *In Drinks and Stimulants.*												
Maltster	64	2	62	–	–	2	1	4	5	9	14	16
Brewer	343	–	343	–	–	–	17	73	75	43	64	52
Wine and Spirit Merchant	148	4	144	–	–	4	7	30	29	16	19	24
Cellarman	58	2	56	–	–	2	4	13	16	12	7	2
Ginger Beer, Soda Water, &c., Manufacture	27	1	26	–	–	1	1	5	10	3	3	3
Sugar Refiner	54	1	53	–	–	1	1	9	16	10	10	6
Grocer, Tea Dealer	552	20	532	–	–	20	52	95	62	89	90	93
Tobacco, Cigar, Snuff, Manufacture, Tobacconist	130	9	121	–	1	8	19	31	22	16	13	12
Others	71	1	70	–	–	1	2	10	15	11	13	11

ENGLAND.—DEATHS of MALES of different OCCUPATIONS registered in EIGHTY TOWN DISTRICTS in the Year 1871—*continued.*

OCCUPATIONS.	AGES OF MALES.											
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and upwrds.
13.—*Persons working and dealing in* ANIMAL SUBSTANCES.													
1. *In Grease, Gut, Bones, Horn, Ivory, Whalebone.*													
Soap Boiler	25	1	24	–	–	1	3	4	3	6	5	2	1
Tallow Chandler	39	1	38	–	–	1	2	2	5	9	3	11	6
Comb-maker	31	1	30	–	1	–	1	2	2	2	7	9	7
Others	53	2	51	–	–	2	1	8	13	7	8	11	3
2. *In Skins, Feathers, and Quills.*													
Fellmonger	22	1	21	–	–	1	1	2	4	5	6	1	2
Tanner	72	–	72	–	–	–	2	10	13	12	18	14	3
Currier	180	4	176	–	–	4	13	21	34	29	32	30	17
Leather Case, Portmanteau, Bag Maker	30	1	29	–	–	1	3	7	7	2	3	3	4
Others	10	–	10	–	–	–	–	1	1	3	1	3	1
3. *In Hair.*													
Hair, Bristle, Manufacture	14	1	13	–	–	1	–	1	–	4	2	4	2
Brush, Broom, Maker	107	5	102	–	–	5	10	9	14	19	24	16	10
14.—*Persons working and dealing in* VEGETABLE SUBSTANCES.													
1. *In Gums and Resins.*													
Oil-miller, Refiner	31	4	27	–	–	4	3	4	3	6	3	7	1
Oil and Colourman	37	–	37	–	–	–	4	10	6	7	4	5	1
French-polisher	86	2	84	–	–	2	8	19	18	14	13	8	4
Japanner	36	–	36	–	–	–	2	4	7	4	9	9	1
India Rubber, Gutta Percha, Manufacture, Dealer	25	–	25	–	–	–	3	9	6	1	5	1	–
Floor Cloth Manufacture	17	–	17	–	–	–	–	1	3	4	5	3	1
Others	10	–	10	–	–	–	3	2	2	–	2	–	1
2. *In Wood.*													
Timber, Wood, Merchant, Dealer	111	2	109	–	–	2	8	17	17	23	20	12	12
Sawyer	246	5	241	–	3	2	10	27	26	42	51	50	35
Lath, Fence, Hurdle, Maker	33	1	32	–	–	1	3	4	8	2	3	5	7
Wood, Turner, Worker	79	2	77	–	–	2	5	10	12	16	11	14	9
Box, Packing Case, Maker	61	6	55	–	–	6	5	15	10	8	5	8	4
Cooper, Hoop-maker and Bender	252	4	248	–	–	4	17	43	40	40	43	44	21
3. *In Bark.*													
Cork Cutter, Manufacturer	31	2	29	–	–	2	1	3	9	4	7	2	3
4. *In Cane, Rush, and Straw.*													
Basket Maker	54	–	54	–	–	–	3	5	6	6	18	11	5
Hay and Straw Dealer	27	1	26	–	1	–	1	1	–	8	6	7	3
Thatcher	9	–	9	–	–	–	–	1	1	1	2	1	3
Others	11	–	11	–	–	–	1	2	2	2	1	2	1
5. *In Paper.*													
Rag Gatherer, Dealer	33	3	30	–	1	2	–	4	5	5	7	2	7
Paper Manufacture	66	6	60	–	3	3	4	5	13	14	8	6	10
Stationer (not Law)	87	3	84	–	–	3	9	19	11	10	14	12	9
Paper Stainer	8	–	8	–	–	–	–	–	1	3	1	3	–
Other Workers in *Paper*	46	1	45	–	–	1	2	6	7	11	8	9	2
15.—*Persons working and dealing in* MINERALS.													
1. *Miners.*													
Coal Miner	1308	139	1169	1	40	98	131	195	196	197	179	168	103
Copper Miner	19	–	19	–	–	–	3	1	2	2	5	5	1
Tin Miner	23	6	17	–	–	6	4	1	1	6	1	3	1
Lead Miner	34	1	33	–	–	1	3	2	4	6	8	7	3
Iron Miner	56	1	55	–	–	1	3	7	5	10	14	9	7
Miner (branch undefined)	32	–	32	–	–	–	3	7	8	3	6	3	2
Coal Mine Service	53	2	51	–	–	2	4	6	6	5	17	8	5
Mine Service (Metal not stated)	15	–	15	–	–	–	–	–	1	5	2	2	5
Others	3	–	3	–	–	–	–	1	1	1	–	–	–
2. *In Coal.*													
Coal Merchant, Dealer	148	2	146	–	–	2	5	10	13	25	29	40	24
Coal-heaver, Labourer	267	12	255	–	3	9	9	40	35	47	52	49	23
Coke Burner, Dealer	36	3	33	–	1	2	6	11	3	6	6	1	–
Chimney Sweeper	70	4	66	–	–	4	2	6	12	28	10	6	2
Gas Works Service	174	5	169	–	–	5	10	30	31	36	35	16	11
Other Workers in *Coal*	5	–	5	–	–	–	–	2	–	1	2	–	–
3. *In Stone, Clay.*													
Stone Quarrier	155	5	150	–	–	5	7	19	30	24	31	26	13
Stone, Merchant, Cutter, Dresser	62	–	62	–	–	–	8	10	8	11	12	9	4
Slate Quarrier	1	–	1	–	–	–	–	1	–	–	–	–	–
Limestone Quarrier, Lime-Burner	24	2	22	–	–	2	–	3	5	2	3	5	4
Clay Labourer	4	–	4	–	–	–	–	–	2	–	–	1	1
Brick, Maker, Dealer	206	12	194	1	–	11	14	31	25	29	34	27	34
Railway Labourer, Platelayer, Navvy	335	16	319	–	1	15	27	58	68	65	60	27	14
Road Contractor, Inspector, Surveyor	7	–	7	–	–	–	–	–	–	2	4	1	–
Road Labourer	96	1	95	1	–	–	5	4	7	14	20	23	22
Scavenger, Dust Collector	54	1	53	–	–	1	–	2	3	13	17	13	5
Others	44	1	43	–	–	1	4	12	4	5	6	6	6

ENGLAND.—DEATHS of MALES of different OCCUPATIONS registered in EIGHTY TOWN DISTRICTS in the Year 1871—*continued.*

OCCUPATIONS.	AGES OF MALES.											
	TOTAL.	5 Years and under 20.	20 Years and upwds.	5–	10–	15–	20–	25–	35–	45–	55–	65–
15.—*cont.*												
4. In Earthenware.												
Earthenware Manufacture	362	19	343	1	3	15	18	31	86	89	65	34
Tobacco-pipe Maker	30	1	29	–	–	1	1	2	5	7	5	8
Earthenware and Glass Dealer	44	–	44	–	–	–	2	2	11	7	10	9
Others	3	–	3	–	–	–	–	1	–	–	1	1
5. In Glass.												
Glass Manufacture	218	7	211	–	–	7	14	37	31	38	40	39
Other Workers in *Glass*	1	–	1	–	–	–	–	–	1	–	–	–
6. In Salt.												
Salt Manufacture	11	–	11	–	–	–	–	–	3	4	–	4
Other Dealers in *Salt*	3	–	3	–	–	–	–	2	1	–	–	–
7. In Water.												
Waterworks Service	41	3	38	–	1	2	3	4	7	5	7	7
Others	14	–	14	–	–	–	–	–	3	1	3	4
8. In Gold, Silver, and Precious Stones.												
Goldsmith, Silversmith, Jeweller	253	10	243	–	–	10	29	44	29	37	32	43
Plater, Plated Ware Manufacture	8	–	8	–	–	–	1	–	1	5	1	–
Others	45	–	45	–	–	–	4	7	6	4	9	11
9. In Copper.												
Copper Manufacture	10	1	9	–	–	1	1	–	3	1	1	2
Coppersmith	35	2	33	–	–	2	–	4	–	5	8	14
Others	1	–	1	–	–	–	–	–	1	–	–	–
10. In Tin and Quicksilver.												
Tin Manufacture	5	1	4	–	–	1	–	1	–	–	1	2
Tinplate Worker, Tinman	142	1	141	–	–	1	13	18	32	22	16	28
Tinker	3	–	3	–	–	–	–	–	–	1	1	1
11. In Zinc.												
Zinc Manufacture	15	2	13	–	–	2	–	2	4	4	1	1
12. In Lead and Antimony.												
Lead Manufacture	30	1	29	–	–	1	–	5	7	6	5	4
Others	8	–	8	–	–	–	–	–	3	2	1	2
13. In Brass and other Mixed Metals.												
Brass Manufacture, Brazier	212	13	199	–	1	12	24	34	37	40	30	21
Locksmith, Bellhanger	91	6	85	–	–	6	9	7	4	10	14	24
Gas Fitter	109	8	101	–	–	8	11	22	18	23	17	9
Wire Worker, Drawer	62	1	61	–	–	1	9	7	8	13	11	9
Others	45	–	45	–	–	–	3	6	9	10	7	7
14. In Iron and Steel.												
Iron Manufacture	1175	67	1108	–	9	58	123	225	211	184	157	118
Whitesmith	99	4	95	–	–	4	10	10	16	12	21	15
Blacksmith	806	39	767	–	1	38	51	141	103	133	143	109
Nail Manufacture	115	3	112	–	1	2	6	4	12	20	21	26
Anchorsmith, Chainsmith	51	–	51	–	–	–	5	5	8	14	7	8
Ironmonger, Hardware Dealer	139	6	133	–	–	6	13	21	14	24	29	23
Steel Manufacture, Worker	46	5	41	–	–	5	3	9	13	8	6	2
Others	18	–	18	–	–	–	–	5	5	4	2	2
VI.—INDEFINITE AND NON-PRODUCTIVE CLASS.												
16.—LABOURERS AND OTHERS.—*Branch of Labour undefined.*												
1. General Labourers.												
General Labourer, Labourer (branch undefined)	6003	212	5791	–	14	198	444	934	990	1026	1030	860
2. Other Persons of indefinite Occupations.												
Artizan, Mechanic (branch undefined)	97	5	92	–	–	5	12	24	18	14	8	12
Engine Driver, Stoker (branch undefined)	150	10	140	–	–	10	13	36	29	27	20	12
Factory Labourer (branch undefined)	102	13	89	–	4	9	8	13	13	18	18	11
Shopman, Assistant (branch undefined)	9	2	7	–	–	2	3	2	–	–	1	1
Apprentice (branch undefined)	3	2	1	–	–	2	1	–	–	–	–	–
Vagrant, Gipsy	16	1	15	–	–	1	–	2	4	4	2	2
Others of *undefined* Occupation	2495	1148	1347	–	–	1148	259	236	160	127	179	230
17. 1.—*Persons of* RANK or PROPERTY *not returned under any Office or Occupation.*												
Gentleman, Independent, Annuitant	1056	5	1051	–	–	5	26	43	68	100	183	312
18. 1.—SCHOLARS and CHILDREN *not engaged in any directly Productive Occupation.*												
Scholars and Children of no stated Occupation	7652	7652	–	5440	2212	–	–	–	–	–	–	–

INDEX OF DISTRICTS.

The following Index furnishes a reference to the *Number* of each DISTRICT in the topographical arrangement adopted in the preceding Tables, the numbers running consecutively from 1 to 623.

In addition to other uses, this Index will enable the reader to refer to Tables, showing—

(1.) The comparative Density of Population, and the Annual Mortality of every *District*, during the Three Decenniads beginning with 1841, 1851, and 1861, pp. cxc–ccix.

(2.) The Mortality of Males and Females at each of Twelve Ages in every *District*, during the ten years 1861–70, pp. ccxvi–ccxli.

(3.) The mean Male and Female Population living at Sixteen Ages in every *District*, and the Deaths at each of those Ages from Twenty-five Groups of Causes, pp. 1–445.

A

Aberayron, 596.
Abergavenny, 578 *a*.
Aberystwith, 597.
Abingdon, 123.
Alcester, 405.
Alderbury, 263.
Alnwick, 559.
Alresford, 113.
Alston, 564.
Alton, 114.
Altrincham, 454.
Alverstoke, 97.
Amersham, 148.
Amesbury, 262.
Ampthill, 181.
Andover, 118.
Anglesey, 623.
Ashborne, 447.
Ashby-de-la-Zouch, 414.
Ashton-under-Lyne, 474.
Askrigg, 537.
Aston, 395.
Atcham, 359.
Atherstone, 397.
Auckland, 542.
Axbridge, 324.
Axminster, 279.
Aylesbury, 151.
Aylsham, 232.
Aysgarth, 537.

B

Bakewell, 449.
Bala, 616.
Banbury, 163.
Bangor, 621.
Barnet, 136.
Barnsley, 505.
Barnstaple, 295.
Barrow-on-Soar, 416.
Barton-upon-Irwell, 470.
Basford, 438.
Basingstoke, 116.
Bath, 326.
Battle, 77.
Beaminster, 277.
Bedale, 535.
Bedford, 179.
Bedminster, 328.
Bedwelty, 578 *b*.
Belford, 560.
Bellingham, 557.
Belper, 446.
Berkhampstead, 147.
Bermondsey, 28.
Berwick, 561.
Bethnal Green, 21.
Beverley, 518.
Bicester, 159.
Bideford, 297.
Biggleswade, 180.
Billericay, 199.
Billesdon, 410.
Bingham, 443.
Birkenhead, 460 *b*.
Birmingham, 394.
Bishop Stortford, 139.
Blaby, 411.
Blackburn, 480.
Blandford, 270.
Blean, 66.
Blofield, 237.
Blything, 225.
Bodmin, 304.
Bolton, 468.
Bootle, 572.
Bosmere, 220.
Boston, 425.
Bourn, 442.
Brackley, 164.
Bradfield, 126.
Bradford-on-Avon, 258.
Bradford (Yorkshire), 499.
Braintree, 208.
Bramley, 500 *d*.
Brampton, 566.
Brecknock, 600.
Brentford, 134.
Bridge, 64.
Bridgend, 583.
Bridgnorth, 356.
Bridgwater, 316.
Bridlington, 524.
Bridport, 278.
Brighton, 85.
Bristol, 329.
Brixworth, 170.
Bromley, 49.
Bromsgrove, 392.
Bromyard, 350.
Buckingham, 154.
Builth, 599.
Burnley, 478.
Burton-upon-Trent, 375.
Bury, 469.
Bury St. Edmunds, 215.

C

Caistor, 432.
Calne, 254.
Camberwell, 33.
Cambridge, 187.
Camelford, 300.
Canterbury, 65.
Cardiff, 581 *a*.
Cardigan, 593.
Carlisle, 568.
Carmarthen, 589.
Carnarvon, 620.
Castle Ward, 554.
Catherington, 111.
Caxton, 185.
Chapel-en-le-Frith, 450.
Chard, 318.
Cheadle, 373.
Chelmsford, 200.
Chelsea, 2.
Cheltenham, 344.
Chepstow, 576.
Chertsey, 38.
Chester, 459.
Chesterfield, 448.
Chester-le-Street, 548.
Chesterton, 186.
Chichester, 92.
Chippenham, 253.

Chipping Norton, 162.
Chipping Sodbury, 331.
Chorley, 481.
Chorlton, 471.
Christchurch, 101.
Church Stretton, 354.
Cirencester, 340
Cleobury Mortimer, 355.
Clifton, 330.
Clitheroe, 479.
Clun, 353.
Clutton, 325.
Cockermouth, 570.
Colchester, 204.
Congleton, 457.
Conway, 622.
Cookham, 129.
Corwen, 615.
Cosford, 213.
Coventry, 400.
Cranbrook, 60.
Crediton, 292.
Crickhowell, 601.
Cricklade, 251.
Croydon, 46.
Cuckfield, 83.

D

Darlington, 540.
Dartford, 50.
Daventry, 169.
Depwade, 239.
Derby, 445.
Devizes, 256.
Dewsbury, 502.
Docking, 244.
Dolgelly, 617.
Doncaster, 510.
Dorchester, 275.
Dorking, 43.
Dover, 72.
Downham, 247.
Driffield, 523.
Droitwich, 391.
Droxford, 110.
Dudley, 382.
Dulverton, 313 *b*.
Dunmow, 209.
Durham, 545.
Dursley, 333.

E

Easington, 546.
Easingwold, 527.
East Ashford, 63.
Eastbourne, 78.
East Grinstead, 82.
Easthampstead, 130.
East London, 17.
East Preston, 90.
East Retford, 435.
Eastry, 71.
East Stonehouse, 288.
East Ward, 573.
Ecclesall Bierlow, 507.
Edmonton, 137.
Elham, 73.
Ellesmere, 362.
Ely, 190.
Epping, 195.
Epsom, 37.
Erpingham, 231.
Eton, 149.
Evesham, 389.
Exeter, 282.

F

Falmouth, 308.
Fareham, 98.
Faringdon, 122.
Farnborough, 41.
Farnham, 40.
Faversham, 67.
Festiniog, 618.
Flegg, 229.
Foleshill, 399.
Forden, 608.
Fordingbridge, 103.
Forehoe, 235.
Freebridge Lynn, 245.
Frome, 321.
Fylde, 483.

G

Gainsborough, 434.
Garstang, 484.
Gateshead, 551.
Glanford Brigg, 433.
Glendale, 562.
Gloucester, 336.
Godstone, 45.
Goole, 512.
Gower, 585 *b*.
Grantham, 427.
Gravesend, 51.
Great Ouseburn, 492 *a*.
Greenwich, 35.
Guildford, 39.
Guilteross, 240.
Guisbrough, 532.

H

Hackney, 11.
Hailsham, 79.
Halifax, 498.
Halstead, 207.
Haltwhistle, 556.
Hambledon, 42.
Hampstead, 8.
Hardingstone, 167.
Hartismere, 218.
Hartlepool, 541 *b*.
Hartley Wintney, 115.
Haslingden, 477.
Hastings, 76.
Hatfield, 143.
Havant, 95.
Haverfordwest, 592.
Hay, 602.
Hayfield, 451.
Headington, 157.
Helmsley, 529.
Helston, 309.
Hemel Hempstead, 146.
Hemsworth, 504 *b*.
Hendon, 135.
Henley, 155.
Henstead, 236.
Hereford, 348.
Hertford, 142.
Hexham, 555.
Highworth, 250.
Hinckley, 412.
Hitchin, 141.
Holbeach, 424.
Holbeck, 500 *c*.
Holborn, 14.
Hollingbourn, 59.
Holsworthy, 298.
Holywell, 610.
Honiton, 280.
Hoo, 53.
Horncastle, 429.
Horsham, 87.
Houghton-le-Spring, 547.
Howden, 517.
Hoxne, 219.
Huddersfield, 497.
Hull, 520.
Hungerford, 121.
Hunslet, 500 *b*.
Huntingdon, 176.

I

Ipswich, 222.
Isle of Wight, 99.
Islington, 10.

K

Keighley, 494.
Kendal, 575.
Kensington, 1.
Kettering, 172.
Keynsham, 327.
Kidderminster, 384.
Kingsbridge, 285.
Kingsclere, 119.
Kings Lynn, 246.
Kings Norton, 393.
Kingston, 47.
Kington, 603 *a*.
Knaresborough, 492 *b*.
Knighton, 604.

L

Lambeth, 31.
Lampeter, 595.
Lancaster, 485.
Langport, 317.
Launceston, 301.
Ledbury, 346.
Leeds, 501.
Leek, 372.
Leicester, 417.
Leigh, 467.
Leighton Buzzard, 183.
Leominster, 351.
Lewes, 84.
Lewisham, 36.
Lexden, 205.
Leyburn, 536.
Lichfield, 377.
Lincoln, 428.
Linton, 188.
Liskeard, 303.
Liverpool, 461.
Llandilofawr, 588.
Llandovery, 587.
Llanelly, 586.
Llanfyllin, 609.
Llanrwst, 614.
Loddon, 238.
London City, 19.
Longtown, 567.
Loughborough, 415.
Louth, 431.
Ludlow, 352.
Luton, 184.
Lutterworth, 408.
Lymington, 100.

M

Macclesfield, 453.
Machynlleth, 606.
Madeley, 358.
Maidstone, 58.
Maldon, 202.
Malling, 55.
Malmsbury, 252.
Malton, 526.
Manchester, 473.
Mansfield, 437.
Market Bosworth, 413.
Market Drayton, 364.
Market Harborough, 409.
Marlborough, 255.
Martley, 386.
Marylebone, 7.
Medway, 54.
Melksham, 257.
Melton Mowbray, 418.
Mere, 267.
Meriden, 396.
Merthyr Tydfil, 582.
Midhurst, 93.
Mildenhall, 216.
Mile End Old Town, 24 *b*.
Milton, 68.
Mitford, 242.
Monmouth, 577.
Montgomery, 608.
Morpeth, 558.
Mutford, 227.

N

Nantwich, 458.
Narberth, 590.
Neath, 584.
Newark, 442.
Newbury, 120.
Newcastle-in-Emlyn, 594.
Newcastle-under-Lyme, 369.
Newcastle-upon-Tyne, 552.
Newent, 335.
New Forest, 104.
Newmarket, 189.
Newport (Monmouth), 580.
Newport (Salop), 366.
Newport Pagnell, 153.
Newton Abbot, 283.
Newtown, 607.
Northallerton, 534.
Northampton, 168.
North Aylesford, 52.
Northleach, 341.
Northwich, 456.
North Witchford, 191.
Norwich, 234.
Nottingham, 440.
Nuneaton, 398.

O

Oakham, 419.
Okehampton, 291.
Oldham, 475.
Ongar, 196.
Ormskirk, 464.
Orsett, 198.
Oswestry, 361.
Oundle, 174.
Oxford, 158.

P

Pancras, 9.
Pateley Bridge, 490.
Patrington, 521.
Pembroke, 591.
Penkridge, 378.
Penrith, 565.
Penzance, 311.
Pershore, 390.
Peterborough, 175.
Petersfield, 112.
Petworth, 88.
Pewsey, 261.
Pickering, 530.
Plomesgate, 224.
Plymouth, 287.
Plympton St. Mary, 286.
Pocklington, 516.
Pontefract, 504 *a*.
Pontypool, 579.
Pontypridd, 581 *b*.
Poole, 272.
Poplar, 25.
Portsea Island, 96.
Potterspury, 166.
Prescot, 463.
Presteigne, 603 *b*.
Preston, 482.
Pwllheli, 619.

R

Radford, 439.
Reading, 127.
Redruth, 310.
Reeth, 538.
Reigate, 44.
Rhayader, 605.
Richmond (Surrey), 48.
Richmond (Yorkshire), 539.
Ringwood, 102.
Ripon, 491.
Risbridge, 211.
Rochdale, 476.
Rochford, 201.
Romford, 197.
Romney Marsh, 74.
Romsey, 107.
Ross, 347.
Rothbury, 563.
Rotherham, 509.
Royston, 140.
Rugby, 401.
Runcorn, 455.
Ruthin, 612.
Rye, 75.

S

Saddleworth, 496.
Saffron Walden, 210.
St. Albans, 144.
St. Asaph, 613.
St. Austell, 306.
St. Columb, 305.
St. Faiths, 233.
St. George Hanover Sq., 3.
St. George-in-the-East, 23.
St. Germans, 302.
St. Giles, 12.
St. Ives, 177.
St. James Westminster, 6.
St. Neots, 178.
St. Olave, 27.
St. Saviour, 26.
St. Thomas, 281.
Salford, 472.
Salisbury, 264.
Samford, 221.
Scarborough, 525.
Scilly Islands, 312.
Sculcoates, 519.
Sedbergh, 487.

Selby, 513.
Settle, 488.
Sevenoaks, 56.
Shaftesbury, 268.
Shardlow, 444.
Sheffield, 508.
Sheppey, 69.
Shepton Mallet, 322.
Sherborne, 276.
Shiffnal, 357.
Shipston-on-Stour, 406.
Shoreditch, 20.
Shrewsbury, 360.
Skipton, 489.
Skirlaugh, 522.
Sleaford, 426.
Smallburgh, 230.
Solihull, 402.
Southam, 407.
Southampton, 105.
South Molton, 294.
South Shields, 550.
South Stoneham, 106.
Southwell, 441.
Spalding, 423.
Spilsby, 430.
Stafford, 367.
Staines, 132.
Stamford, 421.
Stepney, 24 *a*.
Steyning, 86.
Stockbridge, 108.
Stockport, 452.
Stockton, 541 *a*.
Stoke Damerel, 289.
Stokesley, 533.
Stoke-upon-Trent, 371.
Stone, 368.
Stourbridge, 383.
Stow, 217.
Stow-on-the-Wold, 342.
Stratford-on-Avon, 404.
Stratton, 299.
Stroud, 338.
Sturminster, 269.
Sudbury, 212.
Sunderland, 549.
Swaffham, 248.
Swansea, 585 *a*.

T

Tadcaster, 514.
Tamworth, 376.
Taunton, 315.
Tavistock, 290.
Teesdale, 543.
Tenbury, 385.
Tendring, 203.
Tenterden, 61.
Tetbury, 339.
Tewkesbury, 345.
Thakeham, 89.
Thame, 156.
Thanet, 70.
Thetford, 249.
Thingoe, 214.
Thirsk, 528.
Thornbury, 332.
Thorne, 511.
Thrapston, 173.
Ticehurst, 80.
Tisbury, 266.
Tiverton, 293.
Todmorden, 495.
Torrington, 296.
Totnes, 284.
Towcester, 165.
Tregaron, 598.
Truro, 307.
Tunbridge, 57.
Tynemouth, 553.

U

Uckfield, 81.
Ulverston, 486.
Uppingham, 420.
Upton-on-Severn, 388.
Uttoxeter, 374.
Uxbridge, 133.

W

Wakefield, 503.
Wallingford, 125.
Walsall, 380.
Walsingham, 243.
Wandsworth, 32.
Wangford, 226.
Wantage, 124.
Ware, 138.
Wareham, 273.
Warminster, 260.
Warrington, 466.
Warwick, 403.
Watford, 145.
Wayland, 241.
Weardale, 544.
Wellingborough, 171.
Wellington (Salop), 365.
Wellington (Somerset), 314.
Wells, 323.
Wem, 363 *a*.
Weobly, 349.
West Ashford, 62.
Westbourne, 94.
West Bromwich, 381.
Westbury, 259.
Westbury-on-Severn, 334.
West Derby, 462.
West Ham, 194.
Westhampnett, 91.
West London, 18.
Westminster St. James, 6.
Westminster St. Margaret, 4.
West Ward, 574.
Wetherby, 492 *c*.
Weymouth, 274.
Wharfedale, 493.
Wheatenhurst, 337.
Whitby, 531.
Whitchurch (Hants), 117.
Whitchurch (Salop), 363 *b*.
Whitechapel, 22.
Whitehaven, 571.
Whittlesey, 192.
Wigan, 465.
Wigton, 569.
Williton, 313 *a*.
Wilton, 265.
Wimborne, 271.
Wincanton, 320.
Winchcomb, 343.
Winchester, 109.
Windsor, 131.
Winslow, 152.
Wirral, 460.
Wisbech, 193.
Witham, 206.
Witney, 161.
Woburn, 182.
Wokingham, 128.
Wolstanton, 370.
Wolverhampton, 379.
Woodbridge, 223.
Woodstock, 160.
Worcester, 387.
Worksop, 436.
Worthing, 90.
Wortley, 506.
Wrexham, 611.
Wycombe, 150.

Y

Yarmouth, 228.
Yeovil, 319.
York, 515.

INDEX OF CERTAIN TOWNS.

Towns of which the Names differ from those of the Districts in which they are respectively situated.

NAME OF TOWN.	SUPERINTENDENT REGISTRAR'S DISTRICT.	Number of District.
Aberavon	Neath	584
Bacup	Haslingden	477
	Rochdale	476
Barrow-in-Furness	Ulverston	486
Bedworth	Foleshill	399
Blackpool	Fylde	483
Bognor	Chichester	92
Brandon	Thetford	249
Chatham	Medway	54
Church (*Lanc.*)	Blackburn	480
Claycross	Chesterfield	448
Crewe	Nantwich	458
Dawlish	Newton Abbot	283
Dereham	Mitford	242
Devonport	East Stonehouse	288
	Stoke Damerel	289
Droylesden	Ashton-under-Lyne	474
Fleetwood	Fylde	483
Godmanchester	Huntingdon	176
Gosport	Alverstoke	97
Guiseley	Wharfedale	493
Heckmondwike	Dewsbury	502
Hounslow	Brentford	134
Ironbridge	Madeley	358
Llanidloes	Newtown	607
Maidenhead	Cookham	129
Malvern, Great	Upton-on-Severn	388
Melcombe Regis	Weymouth	274
Middlesborough	Stockton	541 *a*
	Guisbrough	532
New Brighton	Wirral	460
Redditch	Bromsgrove	392
	Alcester	405
Seaham Harbour	Easington	546
Sheerness	Sheppey	69
Sidmouth	Honiton	280
Slough	Eton	149
Southport	Ormskirk	464
Southwold	Blything	225
Stalybridge	Ashton-under-Lyne	474
Staveley	Chesterfield	448
Tyldesley	Leigh	467
Ventnor	Isle of Wight	99
Welshpool	Forden	608
	Llanfyllin	609
Weston-super-Mare	Axbridge	324
Widnes	Prescot	463

ALPHABETICAL INDEX

TO THE

SUPPLEMENT TO THE REGISTRAR GENERAL'S THIRTY-FIFTH ANNUAL REPORT.

PAGES

AGE AT DEATH, MEAN, from certain Causes. (Tables.) xxxvii
of Males and Females who died from certain Diseases. (Table 79.) clxxxv

AGES; March of an English Generation through Life . . . xxviii–xxxiii
(*See* DEATHS, MORTALITY, and POPULATION.)
at Death by particular Diseases . . . . . xxxvi–xxxvii

AGRICULTURAL LABOURERS; Mortality of . . . . . lvii–lviii

AIR; Impurities in lviii
Zymotic and other particles in lxv

AMERICA and EUROPE; Transfer of their Diseases lxvii
(*See also* UNITED STATES.)

ANCESTORS; Blackstone on the number of x

AREA, Population, Births, Deaths, &c., in the Districts of England (including London), classified in Groups according to Mortality. (Table 37.) cli
Population, Births, Deaths, &c., of the Districts of England (including London), *at* and *above* each Rate of Mortality. (Table 39.) clii
Population, Births, Deaths, &c., in an average District of the several Groups of Districts in England. (Table 40.) . . clii
Population, Births, Deaths, &c., in the Districts of England (excluding London) classified according to Mortality. (Table 42.) cliii
Population, Births, Deaths, &c., in Groups of Districts of England, excluding London. (Table 43.) cliv
Population, Births, Deaths, &c, in the Districts of England, exclusive of London, *at* and *above* each Rate of Mortality. (Table 45.) clv

ARMY; Enthetic Diseases of lxix
Medical Staff of lxxxii

ARTISANS DWELLINGS lxxi

ASIATIC CHOLERA; awakened the Public in 1832 to the importance of Hygiene lxxx

ATMOSPHERE; Weight of, and Weight of Dead lxxvi

ATTACKS OF, and Deaths by Fever and Small-pox. (Table 73.) . . clxxxii
Ditto, according to Life Table. (Table 74.) clxxxii

ATTACKS OF DISEASE AND MORTALITY; Law of . . . . . xxxv–xxxvi

ATTACKS OF SICKNESS lxxviii

PAGES

BACON, ROGER, on the Prolongation of Human Life . . . . . v–vi

BAKERS; Mortality of lvi

BAPTISMS; annual Increase per cent., 1801-1830. (Note.) . . . clxxvi

BATHS; Public lxiv

BECKETT on Syphilis lxviii

BIRTH-RATE more under control than Death-rate xii
raised to compensate for rising Death-rate xii

BIRTH-RATES; Instances of effects of Industrial Enterprise on (Table.) . xiv–xv
in the Districts of England (including London) grouped according to Mortality (Table 38.) cli
in an average District of several Groups of Districts in England. (Table 41.) cliii
in Groups of Districts of England, exclusive of London. (Table 44.) cliv
in Groups of Districts of England, exclusive of London. (Table 49.) clix

BIRTH-RATES AND DEATH-RATES; Relation between xii
in Seven Groups of Districts. (Table.) xiii

BIRTH SCHEDULE; its chief Defect xi

BIRTHS; Increase of, after Plague xii
Excess of, over Deaths in Seven Groups of Districts. (Table.) . xiii
in an average District xxiii
in the Districts of England (including London), grouped according to Mortality). (Table 37.) cli
in the Districts of England (including London) *at* and *above* each Rate of Mortality. (Table 39.) clii
in an average District of several Groups of Districts of England. (Table 40.) clii
in the Districts of England (exclusive of London) classified according to Mortality. (Table 42.) cliii
in Groups of Districts of England, exclusive of London. (Table 43.) cliv
in the Districts of England, exclusive of London, at and above each Rate of Mortality. (Table 45.) clv
Estimated Decennial Number of, in England, since 1771; Numbers of Survivors and of those who died or emigrated at different Ages; and Proportion per 10,000. (Table 68.) . . . clxxvii
Excess of, over Deaths. (*See* EXCESS.)

BISHOP OF WINCHESTER lxviii

BLACKSMITHS; Mortality of lvi

BLACKSTONE on the number of lineal Ancestors x

BODY; Dissolution of lxxiv
its elements lxxii

BREED; Improvements of lxxxii

BURIAL ALIVE; groundless fears of lxxv
in the Sea lxxv

BURIAL INSURANCE in Liverpool . . . . . xxi–xxii

BURIAL SYSTEM; its defects lxxiv

BUTCHERS; Mortality of in London, and in England exclusive of London. (Table.) liv

PAGES

CANCER; Reduction in Mortality (Table 59.), and Effect on Life Table for Males (Table 60.) by exclusion of Deaths from . . . clxix

CARPENTERS, JOINERS; Mortality of lvi

CARVER AND GILDER; Mortality of lvi

CATHOLIC PRIESTS; Mortality of lv

CAUSE; of what, is a child just born most likely to die xxxiv

CAUSES OF DEATH; direct and indirect iv

at different Ages . . . . . xxv & xxxiv

of Children at age 0–5 . . . . . xxviii–xxx

of Children in the Healthy Districts, in England, and in the District of Liverpool (Table.) xxix

relative number of different xxxiv

of Persons at different Ages in England, 1861–70. (Table 1.) lxxxiv–lxxxv

(*See also* DEATHS.)

CELSUS on Dietetics vi

CEMETERIES, WELL REGULATED; not more dangerous than Railways (Mr. Holland says) lxxiii

CHANGE of Position in Occupations lxiii

CHEMISTS AND DRUGGISTS; Mortality of lv

CHILDBIRTH; Mortality in lxx

provision for instruction of Midwives lxx

CHILDHOOD; Causes of Death in . . . . . xxviii–xxx

relative Mortality of, overstated in increasing populations . . xxxvii

CHOLERA; importance of arresting the premonitory diarrhœa . . . lxv

in 1831–2 lxxx

number of Attacks to Deaths xxxvi

CHURCHYARDS . . . . . lxxiii–lxxv

CITIES; Site and Salubrity of lxxi

CLEANLINESS of Workpeople lxiv

CLERGY; Mortality of lv

COACHMAKERS; Mortality of lvi

COACHMEN; Mortality of lv

COFFINS; new kind of lxxiv

COLD; Law of its effect at different Ages lxii

COMMERCIAL CLERKS; Mortality of lv

CONCLUSIONS . . . . . lviii–lxxxii

CONDORCET on Human Progress xix

CONTAGIOUS DISEASES ACTS lxix

CONTAGIOUS (ENTHETIC) DISEASES; Royal Commission on . . . lxix

CONTAGIOUS RECURRENT DISEASES less fatal under favourable sanitary conditions xl

COPPER MANUFACTURE; Mortality of those engaged in lvii

CORRECTIONS for Changes in Districts, and for Public Institutions . . ccxiv

COUNTIES; Density and Mortality, 1841–50; 1851–60; and 1861–70 . clxxxviii–clxxxix

PAGES

COVENTRY; Example of Mortality reduced by Sanitary Measures . . xlix

CREMATION; its ceremonial, its useful Adjuncts . . . . . lxxii–lxxiii

DANGERS; future at several Stages of Life . . . . . xxxiii–xxxiv

DARWIN; on the application of the Malthusian Doctrine to the Vegetable and Animal Kingdom xviii

DEAD; disposal of the . . . . . lxxii–lxxvii
Weight of, and Weight of Ashes of lxxvi

DEATH; its relation to other important Phenomena iv
by particular Diseases, Ages at xxxvi
by certain Causes, mean Age at xxxvi
Mean Age at, of Persons from certain Causes. (Tables.) . . xxxvii
the inevitable sequence of certain Causes lviii
Multipliers; to determine Mortality. (Table 36.) . . . cl
Mean Age at, of Males and Females dying from certain Diseases. (Table 79.) clxxxv

DEATH-RATE IN ENGLAND, stationary, with large increase of Town Populations viii

DEATH-RATES AND BIRTH-RATES; Relation between xii
in Seven Groups of Districts. (Table.) xiii
Instances of effects of Industrial Enterprise on. (Table.) . . xiv–xv
(*See also* MORTALITY.)

DEATH-TOLL at several Ages iii

DEATHS at different Ages; Causes of xxv
from different Causes; relative number of xxxiv
in England presumably preventible ix
Objections to a low Standard of Mortality ix
of Children in Foreign Countries xxix
at Ages, 5–10; 10–15; 15–20; 20–25 xxx
at Ages, 25–35; 35–45; and 45–55 xxxi
at Ages, 55–65; 65–75; and 75 and upwards . . . . xxxii–xxxiii
in an average District xxiii
Relative Number of, from different Causes xxxiv
from Small-pox to Attacks . . . . . xxxv–xxxvi
from Cholera to Attacks xxxvi
by certain Causes according to Life Table in Healthy Districts, in England, and in Liverpool. (Table.) xl
by different Diseases, economic effect of . . . . . xli–xliii
from Syphilis lxix
by several Causes of Persons at certain Ages in England, 1861–70. (Table 1.) . . . . . lxxxiv–lxxxv
by several Causes of Males at certain Ages to 1,000,000 Males living in England, 1851–60 and 1861–70. (Table 2.) . lxxxvi–lxxxvii
by several Causes of Females at certain Ages to 1,000,000 Females living in England, 1851–60 and 1861–70. (Table 3.) . lxxxvi–lxxxvii
by several Causes of Males and Females at Sixteen Ages to 1,000,000 Deaths from All Causes, 1851–60. (Table 4.) . lxxxviii–lxxxix
by several Causes of Males and Females at Sixteen Ages to 1,000,000 Deaths from All Causes, 1861–70. (Table 5.) . xc–xci
by several Causes of Males and Females at Sixteen Ages to 1,000,000 Deaths from All Causes, 1851–70. (Table 6.) . xcii–xciii

DEATHS—*continued.* PAGES

by several Causes, out of 1,000,000 live-born Children, of Persons, of Males and Females, at different Ages, according to English Life Table. (Tables 7, 8, 9.) . . . . . xciv–xcix

by several Causes, out of 1,000,000 live-born Children, of Children, of Males and Females, under Five Years of Age, according to English Life Table. (Tables 10, 11.) . . . . . c–ci

by several Causes, out of 1,000,000 live-born Children, of Persons, of Males and Females, at and after certain Ages, according to English Life Table. (Tables 12, 13, 14.) . . . . . cii–cvii

by several Causes, out of 1,000,000 live-born Children, of Children, of Males and Females, at and after certain Ages, according to English Life Table. (Table 15.) . . . . . cviii–cix

by several Causes, out of 1,000,000 live-born Children, of Persons, of Males and Females, at different Ages, according to Healthy Districts Life Table. (Tables 16, 17, 18.) . . . . . cxii–cxvii

by several Causes, out of 1,000,000 live-born Children, of Children, of Males and Females, under Five Years of Age, according to Healthy Districts Life Table. (Tables 19, 20.) . . . . cxviii–cxix

by several Causes, of Persons, of Males and Females, at and after certain Ages, according to Healthy Districts Life Table. (Tables 21, 22, 23.) . . . . . cxx–cxxv

by several Causes of Persons, of Males and Females, at different Ages, according to Liverpool Life Table. (Tables 26, 27, 28.) . . . . . cxxviii–cxxxiii

by several Causes of Children, of Males and Females, under Five Years of Age, according to Liverpool Life Table. (Tables 29, 30.) . . . . . cxxxiv–cxxxv

by several Causes of Males and Females at different Ages in England, 1848–72. (Tables 33, 34.) . . . . . cxxxviii–cxlix

in the Districts of England (including London) grouped according to Mortality. (Table 37.) cli

in the Districts of England (including London) *at* and *above* each rate of Mortality. (Table 39.) clii

in an average District of several Groups of Districts of England. (Table 40.) clii

in the Districts of England (exclusive of London) classified according to Mortality. (Table 42.) cliii

in Groups of Districts of England, exclusive of London. (Table 43.) cliv

in the Districts of England, exclusive of London, *at* and *above* each rate of Mortality. (Table 45.) clv

of Persons, Males and Females, at certain Ages in England and in its Metropolis. (Table 46.) clvi

in 1871 of Men at different Ages engaged in certain Occupations. (Table 61.) clxx

in 1860, 1861, and 1871 of Men at different Ages engaged in certain Occupations. (Tables 63, 64.) . . . clxxii–clxxv

in 1860, 1861, and 1871 of Farmers and Farmers' Sons at different Ages. (Table 65.) clxxv

in England at different Ages amongst an Enumerated and a Life Table Population. (Table 71.) clxxx

at different Ages from Fever and Small-pox in England and proportional number of Attacks. (Table 73.) clxxxii

at different Ages from Fever and Small-pox according to the Life Table and the proportional number of Attacks. (Table 74.) . clxxxii

of Males and Females at different Ages from several Causes, in the 10 Years 1861–70, in the Registration Divisions and Districts of England 1–445

of Males of various Occupations at different Ages, from 5 Years and upwards, registered in England and in each of the Eleven Divisions in the Year 1871 447–504

DEATHS—*continued.* PAGES

of Males of various Occupations at different Ages, from 5 Years and upwards, registered in Eighty Town Districts in the Year 1871 505–514

DENSITY OF POPULATION, in Seven Groups of Districts. (Table.) . . xiii

effect on Health xxiii

and Mortality, relation between . . . . . xxiii–xxiv

and its effect on Mortality at various Periods of Life . . . xxiv

Districts grouped in order of xxv

in the Registration Divisions of England . . . . . xliii–lii

effect of, in Lewisham xlv

Annual Birth and Death Rates, &c. in the Districts of England (including London), classified in Groups according to Mortality. (Table 38.) cli

Annual Birth and Death Rates, &c. in an Average District of several Groups of Districts in England. (Table 41.) . . cliii

Birth and Death Rates, &c. in Groups of Districts of England, exclusive of London. (Table 44.) cliv

in the Districts of England, exclusive of London, classified according to Mortality. (Table 47.) clvii

Rates of Mortality observed, and Calculated from, in Seven Groups of Districts of England, exclusive of London. (Table 48.) . clviii

Birth-rates; Mean Rates of Mortality of Males, Females, and Persons at certain Ages; in Groups of Districts of England, exclusive of London. (Table 49.) clix

Mortality in the Districts of England, grouped in Divisions according to, and Mortality in the least populous Districts of England. (Table 55.) clxiii

particulars relating to certain Districts in the 9th, 10th, and 11th Divisions, having nine or more acres to a person . . . clxiv

and Mortality of the Districts of London in three Decenniads. (Table 56.) clxv

and Mortality in three Decenniads, of the Districts of England (exclusive of London) with less than one acre to a person. (Table 57.) . . . . . clxvi–clxvii

Density of Population and Annual Mortality in the Three Decenniads 1841–50, 1851–60, and 1861–70, in the Registration Divisions, Counties, and Districts of England . . . . . clxxxvii–ccix

DEPOPULATION; its Causes and Ill-effects . . . . . xvii–xviii

DESCARTES on Medicine lxxix

DIAGNOSIS; Imperfect, but makes rapid Progress lxxx

DIPSOMANIA lx

DISEASE; Attacks of . . . . . xxxv–xxxvi

Effect of extinction of any single, on the Duration of Life . xxxviii–xli

DISEASE LIFE TABLES; construction explained . . . . . xxvi–xxvii

DISEASES; Origin of some zymotic xxxix

DISINFECTION lxv

DISTRICT AVERAGE; Population, Births, and Deaths in xxiii

of several Groups of Districts; Area, Population, Births, &c. (Table 40.) clii

Districts; Deaths of Males and Females at different Ages from several Causes in the Ten Years 1861–70, in the Registration Divisions and Districts of England . 1–445

(*See also* DEATHS.)

PAGES

DISTRICTS; Mortality in Healthy . . . . . viii-ix
Grouped in order of Density xxv
Changes in; Note explaining correction for ccxiv
Index of 515–518
(*See also* DEATHS and MORTALITY.)

DIVISION I; Elevation, Drainage, Mortality, Density . . . . xliii–xlv
II; the Healthiest in the Country; Density and Range of Mortality xlvi
III; Geology, Manufactures, Range of Mortality, Density . . xlvi
IV; Geology, Occupation and Education of Inhabitants, Density, and Range of Mortality . . . . . xlvi–xlvii
V; Geology, Range of Mortality, and Density xlvii
VI; Geology, Occupation and Education of Inhabitants, Density and Mortality . . . . . xlvii–xlix
VII; Geology, Manufactures, Density, and Mortality . . xlix
VIII; Geology, Density, Education, and Mortality . . . xlix–l
IX; Geology, Density, Education, and Mortality . . . l–li
X; Geology, Density, and Mortality li
XI; Geology, Manufactures, Density, Education, and Mortality . li–lii

DIVISIONS; Mortality, 1841–70, in Districts having different Densities, grouped in. (Table 55.) clxiii
Density and Mortality, 1841–50; 1851–60, and 1861–70 . . clxxxviii
Mortality of Males and Females at different Ages, 1861–70 . . ccxv
Mean Population, 1861–71, of Males and Females at different Ages 4–25
Deaths of Males and Females at different Ages, from several Causes, 1861–70 4–25
Deaths in 1871 of Males at different Ages and in various Occupations 457–504
(*See also* DEATHS, DENSITY, and MORTALITY.)

DRAINAGE OF LONDON xliv

DRINKING; excessive . . . . . lix–lx

DRINKS AND DRUNKENNESS . . . . . lix–lx

DRINKS; Non-alcoholic lx

DRUGS; Power over Life vi

DUSTS; injury from Inhalation of lix

DUVILLARD'S Estimate of the increased Lifetime by the practice of Vaccination xxxix

DYING, The; at various Ages in the Healthy Districts. (Table 24.) . cxxvi
" " Liverpool District. (Table 25.) . cxxvii
" " London. (Table 31.) . . . cxxxvi
" " Fifteen Great Towns. (Table 32.) . cxxxvii

ECONOMY of Cremation and Inhumation . . . . . lxxv–lxxvi

EMBALMING lxxii

EMIGRATION xii

ENGLISH LIFE TABLE; Base of. (Table.) xxvi
Deaths by several Causes of Persons, of Males and Females at different Ages. (Tables 7, 8, 9.) . . . . . xciv–xcix
Deaths by several Causes of *Children*, of Males and Females, under 5 years of Age. (Tables 10, 11.) . . . . . c–ci

PAGES

English Life Table—*continued.*

Deaths by several Causes of *Persons*, of Males and Females, at and after certain Ages. (Tables 12, 13, 14.) . . . . . cii–cvii

Deaths by several Causes of *Children*, *Males*, and *Females*, *at and after* certain Ages. (Table 15.) . . . . . cviii–cix

English Race; its Prospects of Improvement lxxxii

Enthetic Diseases; Syphilis, Gonorrhœa . . . . . lxvii–lxx

Euthanasia xxxiii

Excess of Births over Deaths, &c. in the Districts of England (including London), grouped according to Mortality (Table 37), and Annual Rate of (Table 38) cli

at and *above* each Rate. (Table 39.) clii

in an average District of several Groups of Districts (Table 40.) . clii

and annual rate of. (Table 41.) cliii

in the Districts of England (exclusive of London), and annual rate of. (Tables 42, 43, 44.) . . . . . cliii–cliv

at and *above* each rate. (Table 45.) clv

Excreta; Importance of speedy Removal lxiv

Exercise as affecting Health and Life . . . . . lxii–lxiii

Exhalations from decaying Animal Matter lix

Extension of Human Life; its Possibilities and Difficulties . . . v–viii

Extinction of any single Disease; Effect of, on the Duration of Life . xxxviii–xli

Fallacies in use of Geometrical Progression xi

Family Physicians lxxxi

Farmers and Agricultural Labourers; Mortality of . . . . . lvii–lviii

and Farmers' Sons; Numbers living in 1861 and in 1871; Deaths in 1860, 1861, and 1871, and Mortality at different Ages. (Table 65.) clxxv

Fever and Small-pox; Proportion of Attacks to Deaths at different Ages in England. (Table 73.) clxxxii

Deaths at different Ages in England, according to Life Table and Proportional Numbers of Attacks. (Table 74.) . . . clxxxii

Fishmongers; Mortality of lv

Food; Varieties and Use of . . . . . lx–lxii

Foreign Countries; Deaths of Children in xxix

Formulas for determining the probability of dying at or after any Age of a particular Disease . . . . . cx–cxi

Formula for determining Mortality from Density and Proximity of Population clviii

for Construction of a Life Table by a short Method . . . clxviii

Foundling Hospitals; Failure of vii

France; Increase of Population xii

Friendly Societies; inadequate Premiums of, in some Societies . . lxxviii

Friendly Societies Act lxxviii

PAGES

Gamekeepers; Mortality of lvi

Gas Supply in London xliv

Generation; March of an English, through Life . . . . . xxviii–xxxiii

Geographical Distribution of Diseases lxxi

Glass Manufacturers; Mortality of lvii

Godwin; Inquiry concerning Population xi

Graves for 100,000 bodies yearly lxxv

Grocers; Mortality of lvi

Ground Rents; Municipalities as Ground Landlords lxxi

Guisbrough; Marriage, Birth, and Death Rates, 1860–62; 1870–72. (Table) xv

Haden, Mr. Seymour; on Inhumation . . . . . lxxiv–lxxv

Hairdressers; Mortality of lvi

Hatters; Mortality of lvi

Haviland on the Geographical Distribution of Disease lxxi

Health; Progress of Mankind in . . . . . xix–xx

of Men engaged in various Occupations . . . . . lii–lviii

Insurance . . . . . lxxvii–lxxviii

Healthy Districts; Mortality in . . . . . viii–ix

Causes of Death among Children in xxix

Mortality at different Ages in other Groups compared with that of. (Tables 50, 52, 53, 54.) . . . . . clx–clxii

Healthy Districts Life Table; Deaths by several Causes of Persons, of Males and Females, at different Ages. (Tables 16, 17, 18.) cxii–cxvii

Deaths by several Causes of *Children*, Males and Females, under Five Years of Age. (Tables 19, 20.) . . . . . cxviii–cxix

Deaths by several Causes of Persons, Males and Females, at and after certain Ages. (Tables 21, 22, 23.) . . . . . cxx–cxxv

Outline Life Table. (Table 24.) cxxvi

Healthy Life; Means of, afforded by increased Wages viii

Heat and Cold; Effect of lxii

Hereditary Diseases; to be eliminated lxxxii

Holland, Mr., on Graveyards lxxiii

Hospitals; Note explaining correction for ccxiv

Hospitals, Foundling; failure of vii

Human Progress; to be sought in Medicine lxxix

Hygiene, Civil, taught in the University of Paris lxxix

a Revival of, in England lxxx

public and private lxxxi

its required extension lxxxii

Hygienic Problems lxxxii

Hygienic Topography . . . . . xliii–lii

PAGES

IMMORTALITY OF MAN. (Note.) v

INCREASE OF POPULATION. (*See also* POPULATION.) . . . . . ix–xii

INDEX of Districts 515–518
of certain Towns 519

INDUSTRIAL ENTERPRISE; Effect on Marriage, Birth, and Death . . xiv

INHUMATION lxxiv

INOCULATED SMALL-POX; Mortality from 1746–63 vi

INSTITUTIONS, PUBLIC, for which the Mortality of Districts is *not* corrected cxc–ccix
corrections in the Mortality of Districts containing large Institutions. *See* foot-notes . . . . . cxc–ccix
for which corrections have been made in the Mortality of London Districts. (Table *a*.) ccx

INSURANCE of Burial in Liverpool . . . . . xxi–xxii
Health and Sickness . . . . . lxxvii–lxxviii

INTEMPERANCE; Effects of . . . . . lix–lx

INTER-MARRIAGE of Imperfect Natures; Evils of xviii

INTERMENT; a prime question of Public Health lxxvii

IRON MANUFACTURE; Mortality of those engaged in lvii

JENNER; Syphilis among the most fatal Diseases in this Country . . lxix

KINGDOM, UNITED; Population and Births xxxvii

KING'S PHYSICIANS lxxxi

LAND FOR BUILDING PURPOSES; acquirement of, by Municipalities . . lxxi

LANDLORDS of North and West London lxxi

LETHEBY on increase of Population . . . . . ix–x

LIFE; possibilities and difficulties of extending v
Roger Bacon on the prolongation of . . . . . v–vi
annual loss of in England presumably preventible . . . ix
march of an English generation through . . . . xxviii–xxxiii
dangers at several Stages of . . . . . xxxiii–xxxiv
duration of, effect of extinction of any single Disease on . . xxxviii
prolongation of by Vaccination, as estimated by Duvillard . . xxxix
pecuniary value of xli
means of preserving lviii

LIFE TABLE for certain Diseases, and for the class dying of Consumption. (Table.) . . . . . xxvi–xxvii
(outline) of the Healthy Districts of England. (Table 24.) . . cxxvi
(outline) for Liverpool District. (Table 25.) cxxvii
(outline) for London. (Table 31.) cxxxvi
(outline) for Fifteen great Towns. (Table 32.) cxxxvii
formulas for construction by a short Method clxviii

LIFE TABLE—*continued.* PAGES

for Males, constructed by a short Method, compared with the English Life Table. (Table 58.) clxviii

for Males, showing the effect of Exclusion of Deaths from Zymotic Diseases, from Phthisis, and from Cancer. (Table 60.) . clxix

Population at different Ages, according to. (Table 70.) . . clxxix

Population, Deaths at different Ages in England. (Table 71.) . clxxx

(*See also* ENGLISH; HEALTHY DISTRICTS; LONDON; LIVERPOOL; TOWNS.)

LIFETIME; mean, under the most favourable conditions iv

Mean After; by complete and short Method compared. (Table 58.) clxviii

LIVERPOOL DISTRICT; Burial Insurance in . . . . . xxi–xxii

excessive Mortality in . . . . . xxi–xxii

causes of Death among Children in xxix

Mortality of, at various Ages, compared with that of Healthy and other Town Districts. (Table 50.) clx

Mortality of, at different Ages, compared with that of various Groups of Districts. (Tables 52, 53, 54.) . . . . clxi–clxii

Number and Proportion of Males and Females living at different Ages. (Table 77.) clxxxiv

LIVERPOOL DISTRICT LIFE TABLE; outline Life Table. (Table 25.) . cxxvii

Deaths by several Causes of Persons, of Males and Females, at different Ages. (Tables 26, 27, 28.) . . . . cxxviii–cxxxiii

Deaths by several Causes of Children, of Males and Females, under five years of Age. (Tables 29, 30.) . . . cxxxiv–cxxxv

LIVES; value of various classes of, at certain Ages . . . . xli–xlii

LIVING, to various Ages, in Healthy and in Town Districts . cxxvi–vii, cxxxvi–vii

LOCAL DISEASES lxx

LONDON; Mortality of, in 17th, 18th, and 19th Centuries, and in four Plague Years viii

mean elevation above Trinity high-water mark xliii

effect of influx and efflux of Population on the Rates of Mortality . xliv

Gas and Water supply xliv

Main Drainage of xliv

Police xliv

effect of increased Density in Lewisham District . . . xlv

Mortality among Working Men xlv

Mortality of Males at certain Ages in Hospitals, 1851–60. (Note.) xlv

Range of Mortality in certain Districts xlv

Outline Life Table. (Table 31.) cxxxvi

Population, Deaths, and Mortality of Persons, Males and Females, at certain Ages, 1861–70. (Table 46.) clvi

Mortality of, at various Ages, compared with that of Healthy and of other Town Districts. (Table 50.) clx

Mortality of, at various Ages, compared with that of other Groups of Districts. (Tables 52, 53, 54.) . . . . . clxi–clxii

Density and Mortality of the Districts of, in Three Decennials. (Table 56.) clxv

Mortality of Males and Females at Four Groups of Ages, from several Causes. (Table 75.) From Phthisis and Lung Diseases. (Table 76.) clxxxiii

Number and Proportion of Males and Females living at different Ages. (Table 77.) clxxxiv

Institutions of, for which corrections have been made in the Mortality. (Table *a*.) . . . . . cex

PAGES

London Sewage; disposal of vii

Lunatic Asylums for which corrections have been made in the Mortality of Districts. (Table *b.*) . . . . . ccx–ccxi

for which corrections have *not* been made in the Mortality of Districts. (Table *c.*) ccxii

Lung Diseases and Phthisis; Comparative Mortality from, of Males and Females at Four Groups of Ages, in England and in London. (Table 76.) clxxxiii

Malthus on Increase of Population ix

on the relation between Population and Subsistence . . . xvi

Merit of xvii

Malthusian Doctrine applied by Darwin to the Vegetable and Animal Kingdom xviii

Malthusian Policy; Effects of xvii

Manchester District; Mortality of, at various Ages, compared with that of Healthy and of other Town Districts. (Table 50.) . clx

Mortality of, at different Ages, compared with that of various Groups of Districts. (Tables 52, 53, 54.) . . . . clxi–clxii

Number and Proportion of Males and Females living at different Ages. (Table 77.) clxxxiv

Manufactures; Effects of Increase or Decline of, on Births, Deaths, and Marriages . . . . . xiv–xv

Marriage Acts, 1753–1837 clxxvi

Marriages in England; Annual Increase per Cent. in periods of 5 Years, 1756–1870. (Table 66.) clxxvi

Annual Increase per Cent. in Decenniads 1796–1870, and Annual Increase of Population, 1801–71. (Table 67.) . . . clxxvii

Mathematicians; on Disputes of, as to effect of Small-pox . . . xxxix

Mean Age at Death by certain Causes xxxvii

Lifetime under the most favourable conditions iv

Population and Causes of Death at different Ages in England, 1861–70. (Table 1.) . . . . . lxxxiv–lxxxv

Population, 1861–71, at different Ages, in the Registration Divisions and Districts of England 1–445

Measles; first recorded appearance of xxxix

Medical Profession; its Importance lxxix

its Numbers lxxxii

Medical Staff of Population, insufficient lxxxii

Medicine; influence of on the Health of the Community lxxix

State; instruction and examination in lxxx

Mercers and Drapers; Mortality of lvi

Metropolis. *See* London.

Midwives; Instruction of lxx

Miners; Mortality of lvii

Mining and Manufacturing Districts; want of Sanitary Appliances in . vii–viii

Monuments lxxv

PAGES

Mortality from inoculated Small-pox, 1746–63 vi
from Small-pox, 1771–80, 1831–5, and 1861–70 . . . vii
in England by Small-pox and Scarlet Fever, 1851–70 . . . vii
affected by preservation of the weakly viii
probability of Decrease in viii
in London in 17th, 18th, and 19th centuries viii
in London in four plague years viii
means of reducing viii
in Healthy Districts . . . . . viii–ix
standard rate of ix
in seven groups of Districts. (Table.) xiii
and Population of Ulverston and four other Districts . . . xiv–xv
Law of, varies with Conditions of Existence xxi
of Males and Females at several Periods of Life xxi
Causes of Variation in xxii
excessive, in Liverpool . . . . . xxi–xxii
and Density, relation between . . . . . xxiii–xxv
at various Periods of Life as affected by Density of Population . xxiv
how calculated from Density of Population xxiv
Causes of, checked by varying Powers of Resistance . . . xxv
of Persons at different Ages as a Sanitary Test xxv
of Males and Females at different Ages in England, 1838–54, and 1838–71. (Table.) xxvi
Stability of Rates over 34 Years xxvi
at different Ages by different Causes . . . . xxxiv–xxxv
and Attacks of Disease, Law of xxxv
from Diseases of the Young, how overstated in England . . xxxvii
in increasing and in stationary Population xxxvii
from Contagious Diseases lessened by favourable Sanitary Conditions xl
Range of, in the Registration Divisions of England . . . xliii–lii
in London, as affected by influx and efflux of Population . . xliv
among Artisans of London and other large Towns . . . xlv
in various Districts of London xlv
of Males at certain Ages in the London Hospitals, 1851–60 (Note) xlv
of Butchers and Publicans in London, and in England exclusive of London. (Table.) liv
of Men engaged in various Occupations . . . . . lii–lviii
in Childbirth lxx
from Puerperal Fever lxx
in the Districts of England in Groups. (Table 38.) . . . cli
in an Average District of each Group of Districts in England. (Table 41.) cliii
in Groups of Districts in England, exclusive of London. (Table 44.) cliv
of Persons, Males and Females, at certain Ages in England and in its Metropolis, 1861–70. (Table 46.) clvi
of Males and Females at certain Ages, and Density of Population in several Groups of Districts of England. (Table 47.) . clvii
Observed and Calculated in Seven Groups of Districts of England, exclusive of London. (Table 48.) clviii
Formula for determining, from Density and Proximity . . clviii
of Males and Females at certain Ages in Groups of Districts of England, exclusive of London. (Table 49.) . . . clix

MORTALITY—*continued.* PAGES

of Males and Females at different Ages in various Groups of Districts. (Table 50.) clx

of Males and Females at different Ages in Two Groups of Town Districts. (Table 51.) clx

a different Ages, Per-centage of Increase in Seven Groups of Districts on the rates of the Healthy Districts. (Table 52.) . clxi

at different Ages in Seven Groups of Districts compared with that in the Healthy Districts. (Table 53.) clxi

of Males and Females at certain Ages, in Seven Groups of Districts, compared with that in the Healthy Districts. (Table 54.) clxii

1841–70, in the Districts of England, grouped in Divisions according to Density. (Table 55.) clxiii

in the least populous Districts of England. (Table 55.) . . clxiii

and Density of the Districts of London in Three Decenniads. (Table 56.) clxv

and Density, in Three Decenniads, of the Districts of England (exclusive of London) with less than One Acre to a Person. (Table 57.) . . . . . clxvi–clxvii

of Males and Females at several Ages in England, from All Causes, exclusive of Phthisis, of Zymotic Diseases, and of Cancer. (Table 59.) clxix

in 1871, of Men at different Ages engaged in certain Occupations. (Table 62.) clxxi

Average Annual, in the Three Years 1860, 1861, and 1871, of Men at different Ages engaged in certain Occupations. (Table 63.) clxxii–clxxiv

Average Annual, in 1860, 1861, and 1871, of Men at different Ages engaged in various Groups of Occupations. (Table 64.) . clxxv

Average Annual, in 1860, 1861, and 1871, among Farmers and Farmers' Sons at different Ages. (Table 65.) . . . clxxv

at quinquennial Ages by English Life Table. (Table 71.) . . clxxx

of Males and Females, at Four Groups of Ages, from several Causes in London. (Table 75.) clxxxiii

of Males and Females, at Four Groups of Ages, from Phthisis and Lung Diseases, in England and in London. (Table 76.) . clxxxiii

of Males and Females at different Ages, in England, 1851–70 and 1848–72. (Table 78.) clxxxiv

Annual, and Density of Population in the Three Decenniads 1841–50, 1851–60, and 1861–70, in the Registration Divisions, Counties, and Districts of England . . . . . clxxxvii–ccix

(*See also* DENSITY.)

Average Annual Rate of Males and Females, from all Causes, at different Ages, in the Registration Divisions and Districts of England 1861-70 . . ccxiii–ccxli

(*See also* DEATHS.)

MULTIPLIERS; to determine Mortality from Population. (Table 35.) . cl

to determine the proportion of Deaths by each Disease. (Table 36.) cl

NAVY; Mortality of clxxv

Occupations; Ramazzini on the Health of those engaged in . . . lii

Thackrah on the Effects of, on Health liii

Various; Health of Men engaged in . . . . . liii–lviii

Benefit of Change of Position in lxiii

Number of Men at different Ages engaged, and deaths in 1871. (Table 61.) clxx

OCCUPATIONS—*continued.* PAGES

Mortality in 1871, of Men at different Ages. (Table 62.) . . clxxi

Mortality at certain Ages in the Years 1860, 1861, and 1871. (Table 63.) . . . . . clxxii–clxxiv

Groups of, Annual Mortality of Men at different Ages during the Years 1860, 1861, and 1871. (Table 64.) clxxv

Deaths of Males at different Ages in England, in each of the 11 Divisions and in 30 Town Districts, in 1871 447–514

(*See also* DEATHS.)

OFFICERS OF ARMY; Mortality of clxxv

OPEN SPACES; importance of lxxii

PAGET, SIR JAMES; Damage done by Syphilis lxix

PARKES; on Burial lxxv

PHTHISIS; Life Table of those dying of xxvii

reduction in Mortality by exclusion of. (Table 59.) . . . clxix

effect of excluding deaths from, in Life Table for Males. (Table 60.) clxix

and Lung Diseases; comparative Mortality from, of Males and Females, at Four Groups of Ages, in England and in London. (Table 76.) clxxxiii

PHYSICIANS AND SURGEONS; Mortality of lv

PLAGUES; Increase of Births after xii

PLAYFAIR on the Food of Man in relation to Useful Work . . . lxi

POLICE IN LONDON xliv

POPULATION; Early English vii

Increase and Decrease of ix

Increase of, in geometrical progression, its effects on Health and Mortality ix

Malthus on ix

President of the Health Officers of London, on Increase of . . ix–x

Godwin on xi

natural Increase of, in England and in France xii

Increase of, by reserve of Reproductive Force xii

Increase of, in Seven Groups of Districts. (Table.) . . . xiii

no inevitable Increase of, through Reduction of Mortality . . xiv

and Mortality of Ulverston and four other Districts . . . xiv–xv

principle of xv

Increase of, in the United States . . . . . xv–xvi

and Subsistence, Malthus on . . . . . xvi–xviii

constituent elements of xx

constitution of, effect on Mortality xxxvii

of the Districts of England, in groups. (Table 37.) . . . cli

Natural and Actual Increase of, in Districts grouped according to Mortality. (Tables 38 and 41.) . . . . . cli–cliii

of the Districts of England at and above each rate of Mortality. (Table 39.) clii

in an Average District of several Groups of Districts of England. (Table 40.) clii

in the Districts of England (exclusive of London) classified according to Mortality. (Table 42.) cliii

in Groups of Districts in England (exclusive of London) (Table 43.) and Rates of Increase of. (Table 44.) . . cliv

POPULATION—*continued.* PAGES

in the Districts of England, exclusive of London, at and above each Rate of Mortality. (Table 45.) clv

Deaths, and Mortality of Persons, Males and Females, at certain Ages in England and in its Metropolis, 1861–70. (Table 46.) clvi

Annual Increase of, in England, 1801–71. (Table 67.) . . clxxvii

the, enumerated in 1871, the survivors of Children born in previous decenniads. (Table 68.) clxxvii

of England, at different Ages in 1871, contrasted with what it would have been had the Births remained constant, and had there been no Emigration. (Table 69.) clxxviii

of England, at different Ages, according to Census and according to Life Table. (Table 70.) clxxix

of the United States, and Decennial Increase per cent., 1790–1870. (Table 72.) clxxxi

Proportion of Males and Females living at different Ages in England, London, Manchester, and Liverpool. (Table 77.) . clxxxiv

Mean of Enumerations of 1861 and 1871, of Males and Females at different Ages in the Registration Divisions and Districts of England 1–445

Mean of Enumerations of 1861 and 1871 of Persons at different Ages in England, compared with the Deaths at those Ages from various Causes, 1861–70. (Table 1.) . . . . lxxxiv–lxxxv

Density of. (*See* DENSITY.)

POPULATIONS; Increasing and Decreasing; Marriage, Birth, and Death-rates in. (Table.) xv

POTTERS; Mortality of . . . . . lvi–lvii

PRICE, Dr.; on Effects of Compound Interest x

PRIVATION AND POOR RELIEF lxi

PROBABILITY OF DYING at and after any Age of any particular Disease, formulas for determining . . . . . cx–cxi

PROFESSIONS; Rates of Mortality in lv

PROXIMITY OF PERSONS in certain Districts xxiii

Relation of, to Mortality clviii

In Seven Groups of Districts. (Table 48.) clviii

PUBLICANS; Mortality of, in London and in England, exclusive of London. (Table.) liv

PUBLIC BATHS lxiv

PUBLIC HOUSES lx

PUBLISHERS AND BOOKSELLERS, Mortality of lvi

PUERPERAL FEVER; Infection and Mortality of lxx

RACE; Improvement of, in Men as in Animals lxxxii

RAILWAY SERVICE; Mortality of those engaged in lv

RAMAZZINI on the Health of those engaged in various Occupations: . . lii

on the Duties of a Court Physician lxxxi

RATES FOR PUBLIC PURPOSES lxxi

RECIPROCALS of Years of Life at each Age. (Table 35.) . . . cl

of Deaths at each Age. (Table 36.) cl

REDRUTH; Marriage, Birth, and Death Rate, 1860–2; 1870–2. (Table.) . xv

PAGES

Register of Death; a new kind of Monument lxxv

Rookeries lxxi

St. Austell; Marriage, Birth, and Death Rate, 1860–2; 1870–2. (Table.) xv

Sanitary Appliances; want of, in new Mining and Manufacturing Districts vii–viii

Scarlet Fever and Small-pox; Comparative Mortality of, 1851–70 . vii
First recorded Appearances of xxxix

Sewage; disposal of, in London vii
Pollution of Rivers above Intake of Water Supply . . . lxiv

Sex. (*See* Births, Deaths, Population.)

Shoemakers; Mortality of lvi

Sick; in United Kingdom, and in England and Wales . . . lxxvii–lxxviii

Sickness; proportion of, to Deaths lxxvii
Average, in a Friendly Society . . . . . lxxvii–lxxviii
National Returns of lxxx

Site of Cities and Dwellings; influence of, on Health lxxi

Slaughter-houses; need of Public lix

Small-pox, inoculated, Mortality from, 1746–63 vi
Mortality from, 1771–80, 1831–5, and 1861–70 vii
and Scarlet Fever; comparative Mortality of, 1851–70 . . vii
Number of Attacks to Deaths . . . . . xxxv–xxxvi
first recorded appearances of xxxix
exclusion of, in Glasgow, counterbalanced by increase of other Diseases xli
and Fever, proportion of Attacks to Deaths, at different Ages, in England. (Table 73.) clxxxii
and Fever, Deaths at different Ages, in England, according to Life Table, and proportional numbers of Attacks. (Table 74.) . clxxxii

Soldiers; Mortality of clxxv

Solicitors; Mortality of lv

Sprengel; surveillance of Houses of Ill-fame lxviii

Staff Health Officers lxxx

Standard Rate of Mortality ix

State Medicine; Instruction and Examination in lxxx

Statistical Department lxxxii

Sterility; ill effects of the Policy of xvii

Stimulants . . . . . lix-lx
increased use of, a result of increased Wages viii

Stockton; Marriage, Birth, and Death Rates, 1860–2, 1870–2. (Table.) . xv

Struggles for Existence . . . . . iv & xviii

Suppression of Phthisis, Cancer, and Miasmatic Diseases, effects of . . xxxix–xl

Syphilis; Origin of Epidemic . . . . . lxvii–lxviii
Deaths from lxix

PAGES

TAILORS; Mortality of lvi

TANNERS AND CURRIERS; Mortality of lvi

THACKRAH on the Effects of Occupation on Health liii

THERAPEUTICS; promoted by Sickness Returns lxxx

THOMPSON, SIR HENRY, on Cremation lxxii

TOBACCO; Use of lx

TOBACCONISTS; Mortality of lvi

TOOL, FILE, SAW MAKERS; Mortality of lvi

TOPOGRAPHY; Hygienic . . . . . xliii–lii

TOWN DISTRICTS; Drainage vii

Mortality of Males and Females at different Ages in Two Groups of. (Table 51.) clx

Deaths in Eighty, in 1871 of Males at different Ages and in various Occupations 505–514

TOWNS, want of Sanitary Arrangements in early periods vii

IN ENGLAND; Increase of, with stationary Death-rate in the whole Population viii

FIFTEEN GREAT; Outline Life Table. (Table 32.) . . . cxxxvii

Mortality of, at various Ages. (Table 51.) . clx

SEVENTEEN GREAT; Mortality of, at various Ages. (Table 51.) . clx

Index of certain 519

ULVERSTON DISTRICT; Population and Mortality xiv

Increase of Marriage, Birth, and Death Rates, 1860–2; 1870–2. (Table.) xv

UNITED STATES; Increase of Population in . . . . . xv–xvi

Increase of Produce in xvi

Decennial Increase in Population of, 1790–1870. (Table 72.) . clxxxi

UNITS OF LIFE iii

VACCINATION; Mortality from Small-pox vii

Its effect on the duration of Life xxxix

Importance of . . . . . lxv–lxvii

Unwise Efforts for the abolition of . . . . . lxvi–lxvii

VALUE of various Classes of Lives at certain Ages . . . . . xli–xlii

VETERINARY SURGEONS AND FARRIERS; Mortality of lv

WAGES, INCREASED; affording the Means of Healthy Life among Artisans . viii

WATER; Supply in London xliii

Hard, purified lix

Supply from Rivers lxiv

WEAKLY LIVES affect Mortality viii

WHEELWRIGHTS; Mortality of lvi

WHOOPING COUGH; first recorded Appearances of xxxix

PAGES

WOOL, SILK, COTTON MANUFACTURES; Mortality of those engaged in . lvi

WORK AND FOOD . . . . . lxii–lxiii

YEARS OF LIFE and Causes of Death of Males at certain Ages in England, 1848–72. (Table 33.) . . . . . cxxxviii–cxliii

and Causes of Death of Females at certain Ages in England, 1848–72. (Table 34.) . . . . . cxliv–cxlix

of Men in various Occupations, at different Ages, applied to the dying, of those Occupations, in the Years 1860, 1861, 1871. (Tables 63, 64.) . . . . . clxxii–clxxv

ZYMOTIC DISEASES; Destruction of their Germs lxv

Reduction in Mortality by exclusion of. (Table 59.) . . clxix

Life Table for Males, exclusive of Deaths from. (Table 60.) . clxix

---

ERRATA.

The following corrections should be made:—

On page 157, in the District of Tendring, the mean population at All Ages should be 13,687.

On page 244, in the District of Westbury-on-Severn, the mean population at age 75 should be 142.

LONDON:
Printed by George E. Eyre and William Spottiswoode,
Printers to the Queen's most Excellent Majesty.
For Her Majesty's Stationery Office.